

VMB

ungs@rz.uni-karlsruhe.de

COLLABORATORS

	<i>TITLE :</i> VMB		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	ungs@rz.uni- karlsruhe.de	February 12, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	VMB	1
1.1	Contents	1
1.2	Contents	1
1.3	Introduction	2
1.4	Voice-Mailbox	2
1.5	VMB Programs	2
1.6	VMB Control Tool	2
1.7	View Logfile	3
1.8	Delete Logfile	3
1.9	Record Message	3
1.10	Play Message	3
1.11	Create New Mailbox	3
1.12	VMB Program	4
1.13	Requirements	4
1.14	sound	5
1.15	Time	5
1.16	diskfont.library	5
1.17	rexxreqtools.library	5
1.18	rexxapp.library	5
1.19	rexxsupport.library	5
1.20	rexxsyslib.library	6
1.21	reqtools.library	6
1.22	Installation	6
1.23	Credits	7
1.24	Copyright	7
1.25	Shareware	8
1.26	Registration form	8
1.27	What is MUI?	10
1.28	What is ZVT?	10
1.29	History	10

1.30 Bugreport	11
1.31 DISCLAIMER	14
1.32 VMB V2.0	14
1.33 exit	14
1.34 VMB Index	15

Chapter 1

VMB

1.1 Contents

VMB Info

Contents

1.2 Contents

»»» Voice-Mailbox V1.11 «««

»» Contents of Documentation ««

Introduction

Copyright

Shareware

Requirements

Installation

VMB Programs

Quick Reference Guide

Credits

DISCLAIMER

History

BugReport

VMB V2.0

1.3 Introduction

VMB
is a Voice Mailbox System with a host of features
that will revolutionize your Amiga.

VMB has got the following features:

- Voice messaging
- Voice forwarding
- Remote user access with security code protection
- Logged all actions in a logfile
- Zeitansage (only in German)
- easy to use and easy to install (with Installer)

It's really easy to use.... Plug and Play !

1.4 Voice-Mailbox

Voice Mailbox System for ZVT

1.5 VMB Programs

This archive contain following programs:

VMB-Installer

VMBCT

VMB

1.6 VMB Control Tool

VMBCT Control Tool is the Tool to Control VMB... ;-)

The Menu look's like:

```
Record Message  
Play Message  
View Logfile  
Delete Logfile  
Create New Mailbox  
exit
```

1.7 View Logfile

You can view the Logfile

- press RETURN for the next call
- press m/RETURN for the Menu

1.8 Delete Logfile

You can delete the Logfile

1.9 Record Message

You can record new Systemmessages

1. Choose the message from the filerequester
2. The Contents of this message appear in the window
3. record the message

1.10 Play Message

You can play Systemmessages

1. Choose the message from the filerequester

1.11 Create New Mailbox

1. Enter a Mailboxnumber (only 11-59 supported)
 2. Enter a Password (only 4 digits)
-

1.12 VMB Program

The program called VMB is the Main Program.
 What should i say ... hamm view the Quick Reference Guide
 and you know how it work`s!

Start it with

```
ZVT
Button "Call receiver = on" for incomming calls
```

or with the

```
ZVT
Button "Answer call".
```

CallerVoc are stored in VMB: CALVOC

There is a test mailbox #11 with 1 message to test VMB

1.13 Requirements

To run
 VMB
 V1.11 you need:

-An Amiga model (500/600/1000/1200/2000/2500/3000/4000/CDTV/CD\$^3\$\$^2\$)

-OS 2.0 or higher

-

```
ZVT
V1.4 or higher
```

-

```
MUI
V2.3 or higher
```

-ARexx server by William S. Hawes

-A ZyXEL-Modem with V5.02 ROMs or higher

-2 MB free RAM

The following libs in your LIBS: drawer

-

```
reqtools.library
```

-

```
diskfont.library
```

-

```
rexxapp.library
```

-

```
rexxsyslib.library
```

-

```
rexxreqtools.library
```

-

```
rexxsupport.library
```

-The following commands in your C directory:

```
-delete
-makedir
-copy
```


1.14 sound

"sound" is a little tool by GRAMMA SOFTWARE to play a sample.

It's used for Operator Paging to play the sample "VMB:VMBDAT/SOUND"

1.15 Time

sorry Time is only in German!

Join with DTMF 9 in the VMB Mainmenue

1.16 diskfont.library

You should have this file installed in you LIBS: directory
(if the installation hasn't already been done by the Commodore Workbench
installation script).

You can find diskfont.library on a Workbench disk.

1.17 rexxreqtools.library

VMB need the rexxreqtools.library version 37.95 or higher

RexxReqTools was written by Rafael D'Halleweyn.

You can find diskfont.library in the VMB:Libs directory.

1.18 rexxapp.library

VMB need the rexxapp.library

rexxapp.library is a PD library

You can find rexxapp.library in the VMB:Libs directory.

1.19 rexxsupport.library

VMB need the rexxsupport.library version 34.9 or higher

You can find rexxsupport.library in the VMB:Libs directory.

1.20 rexxsyslib.library

VMB need the rexxsyslib.library version 36.23 or higher

You should have this file installed in you LIBS: directory (if the installation hasn't already been done by the Commodore Workbench installation script).

You can find rexxsyslib.library on a Workbench 2.0 (or higher) disk.

1.21 reqtools.library

VMB need the reqtools.library version 38 or higher

About ReqTools:

ReqTools is designed with Commodore's style guidelines in mind, all requesters have the look-and-feel of AmigaDOS Release 2. (From the README file in the ReqTools distribution).

ReqTools is © Nico François

You can find reqtools.library in the VMB:Libs directory.

1.22 Installation

```
To install
  VMB
, just do the following things:
```

- Decrunch the archive

- Check the

```
  Requirements
```

```
  - if you dont start RexxMast in your User-Startup add following ↔
    line:
```

```
--- cut here ---
```

```
System/RexxMast >nil:
```

```
--- cut here ---
```

- use the Installer called VMB-Install

- edit the line »» ZVT location «« in the file called 'VMB.cfg' in the VMBDAT ↔
 drawer

- that's all...

1.23 Credits

VMB V1.11 Voice-Mailbox released on 03-Sep-1995

Send comments, bug reports, to:

Stephan Eisler
Bahnhofstr. 157a
76356 Weingarten
Germany
Tel.: +49 (0)7244-2199
eMail: ungs@rz.uni-karlsruhe.de

Bank account for shareware payments:

Kto. 114618
BLZ 661 900 00
Volksbank Karlsruhe

1.24 Copyright

© 1995 by Stephan Eisler,
all rights reserved.

That means, I'm ruling the distribution and usage as follows:

- This program is
 SHAREWARE
 , that means that you can test it for 30
 (in words: thirty) days. After this period you either have to register
 yourself or stop using it.
 - The archive containing the unregistered version may be redistributed
via BBSes, on disks or other ways you can imagine (I want you to do
it!), but for REASONABLE media costs. (\$5 for a disk are too much)
 - Inclusion in commercial programs requires the expressed written
consent by the author.
 - Spreading through PD series is allowed only if the price of the sold
media (mostly disks) doesn't exceed REASONABLE costs and/or the vendor
doesn't get any real income by selling it.
 - The registered version of this program is exclusively for the
personal use by the person who registered it and is NOT to be
redistributed.
 - In this distribution no file has to be changed, omitted and/or added.
 - Executables must not be disassembled, resourced or re-engineered in
any other way imaginable. Furthermore, these must not be patched,
either on the storage media, before starting or while running.
-

1.25 Shareware

I've put enough work in it and maybe I'll do in in future - enough ↔
 work
 that this program is too elaborated to put it in the Public Domain, so I
 decided to want a shareware fee of 5.- DM per registration.

There are no difference between the registrated and unregistrated version!
 You think "eh that`s cool... there is no need to pay the shareware fee..."
 You are wrong! The

next version
 is more powerful than this.

and when you are pay the shareware fee for this version you can get
 the next more cheaper...

If you want to register yourself, send me the

Form

and the money enclosed in the letter or place it on my
 Bank account

.

You'll receive a disk with the last version of the program. Posting of
 disks into foreign countries require an additive postage of 5.- DM.

If there is an Update available, you can send me the old program disk along
 with 3.- DM (if this is a minor update, requesting no update fee) and
 you'll get the new version sent back.

But this is only valid if there is no patch added in this archive changing
 the old program to the new one.

1.26 Registration form

VMB 1.1 registration form

 Fill out this form and send it (along with the money) to:

Stephan Eisler
 Bahnhofstr. 157a
 76356 Weingarten
 Germany

 Name : _____

Address : _____

Country : _____

Where did you get the current version: _____

The registration fee of 5.- DM or equivalent in another solid currency is...

Cash, enclosed in the letter

To be found on your account in the next two weeks

 I've read the licence and distribution details and agree.

 (Date)

 (Signature)

 Additional information: (not necessary, but recommended)

Hardware-Configuration:
 =====

Amiga: A500, A500+, A600, A1000, A2000 Rev. _____,
 A2500, A3000, A1200, A4000,
 other _____

CPU: 680____0 with _____ MHz

FPU: _____

Harddisk: SCSI AT _____ MB

Controller: _____

Extras: _____

1.27 What is MUI?

(Excerpt from the ReadMe file for MUI)

MUI - MagicUserInterface

Version 2.3

(c) Copyright 1993/94 by Stefan Stuntz

- ShareWare -

MUI is an object oriented system to create and maintain graphical user interfaces. From a programmers point of view, using MUI saves a lot of time and makes life much easier. Thinking about complicated terms like window resizing or font sensitivity is simply not necessary.

On the other hand, users of MUI based applications have the ability to customize nearly every pixel of a programs interface according to their personal taste.

This distribution is interesting for both, users and programmers. Please have a look at the supplied demo programs and at the documentation to see what MUI has to offer.

1.28 What is ZVT?

ZVT is short for "ZyXELVoiceTool", a program to use the voice mode of your ZyXEL modem.

Is is a call receiver providing an interface for fax or data calls.

ZVT is Shareware © 1994-1995 by Carsten Pluntke

1.29 History

V1.11 (03-Sep-1995) Bugs fixed:

- VMB include librarys now correct
- ...

V1.1 (06-Aug-1995) Some Bugs fixed:

- VMBCT create now new Mailboxes correct in the VMB:VMBDAT drawer with the name mbdataXX
- VMB recognize Hang up`s in Mailboxmenu
- VMB doesn`t delete pdo-files when SILENCE recognized
- VMB search now the sound command in the correct drawer VMB:VMBDAT
- VMB password change correct
- now you can find all requested librarys in the archive

V1.0 (04-Aug-1995) First public release

1.30 Bugreport

Please fill out this form as best of your knowledge.

And then send to

Stephan Eisler

.

Thank`s !

Bugreport

=====

Name: _____

Date: ___ / ___ / _____

Street: _____

Address: _____

Phone Number: _____

Programm: [] VMB [] VMBCT [] _____

Version: _____

Hardware-Configuration:

=====

Amiga: []A500, []A500+, []A600, []A1000, []A2000 Rev. ____,
 []A2500, []A3000, []A1200, []A4000,
 []other _____

CPU: 680__0 with _____ MHz

[]FPU: _____

Harddisk: []SCSI []AT _____ MB

Controller: _____

Extras: _____

Software-Configuration:
 =====

Kickstartversion: ____.

Workbenchversion: ____.

ZVTVersion: ____.

MUIVersion: ____.

Bugreport:
 =====

VMB Error # _____

1.31 DISCLAIMER

DISCLAIMER
=====

Voice Mailbox V1.11 has proven to be stable in everyday use. The author are not responsible for any loss of data, damages to software or hardware that may result directly or indirectly from the use of this program. The author reserve the right to make changes to the software or documentation without notice.

1.32 VMB V2.0

Planned features for VMB V2.0 :
=====

- text to voice!
for messages use normal ascii files instead of adpcm files.
- Fax option like forwarding, back, ...
- Callback Service
- different Games... like the World Famous Hi-Lo Game! or Adventures
- much better Control Tool with more features.

1.33 exit

why did you press this button ???

what did you expect to find here ???

1.34 VMB Index

=====
Index

A

- ARexx
- Autor
 - B
- Bank account
- BugReport
 - C
- CALVOC
- Callback
- Copyright
- Credits
 - D
- DISCLAIMER
 - E

F

- FAX
 - G
- GAMES
 - H
- History
 - I
- Installation
- Introduction
 - J

K

L

- Library
 - M
- Mailbox Create

MUI
 N

O

P

Q
 Quick Reference Guide

R
 Registration
 Requirements
 S
 Shareware
 sound
 SYSVOC
 T
 text to voice
 Test VMB
 TIME
 U

V
 VMBCT
 VMB Programs
 VMB V2.0
 W

X

Y

Z
 ZVT
