

**in**

**COLLABORATORS**

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		February 12, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>in</b>	<b>1</b>
1.1	ModuleInformation . . . . .	1

---

# Chapter 1

## in

### 1.1 Module Information

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "resources/card.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT amigaxip
(  0)  code:CHAR
(  1)  link:CHAR
(  2)  xiploc[4]:ARRAY OF CHAR
(  6)  xipflags:CHAR
(  7)  xipresrv:CHAR
(----) ENDOBJECT      /* SIZEOF=8 */

(----) OBJECT cardmemorymap
(  0)  commonmemory:PTR TO CHAR
(  4)  attributememory:PTR TO CHAR
(  8)  iomemory:PTR TO CHAR
( 12)  commonmemsize:LONG
( 16)  attributememsize:LONG
( 20)  iomemsize:LONG
(----) ENDOBJECT      /* SIZEOF=24 */

(----) OBJECT devicetdata
(  0)  dtsize:LONG
(  4)  dtsped:LONG
(  8)  dttype:CHAR
(  9)  dtflags:CHAR
(----) ENDOBJECT      /* SIZEOF=10 */

(----) OBJECT cardhandle
(  0)  cardnode:ln (or ARRAY OF ln)
( 14)  cardremoved:PTR TO is
( 18)  cardinserted:PTR TO is
( 22)  cardstatus:PTR TO is
( 26)  cardflags:CHAR
(----) ENDOBJECT      /* SIZEOF=28 */

CONST CARDF_RESETRMOVE=1,
      CARDB_RESETRMOVE=0,
```

```
CISTPL_AMIGAXIP=$91,  
CARD_INTB_DA=4,  
CARD_STATUSB_DA=4,  
CARDF_POSTSTATUS=8,  
CARDB_POSTSTATUS=3,  
CARD_VOLTAGE_12V=2,  
CARD_INTB_SC=5,  
CARD_STATUSB_SC=5,  
CARD_DISABLEF_WP=8,  
CARD_STATUSF_WR=8,  
CARD_VOLTAGE_5V=1,  
CARDF_IFAVAILABLE=2,  
CARDB_IFAVAILABLE=1,  
CARD_STATUSF_CCDET=$40,  
CARD_STATUSB_CCDET=6,  
CARD_INTF_BSY=4,  
CARD_INTB_BSY=2,  
CARD_STATUSF_BSY=4,  
CARD_STATUSB_BSY=2,  
CARD_ENABLEF_DIGAUDIO=2,  
CARD_ENABLEB_DIGAUDIO=1,  
CARDF_DELAYOWNERSHIP=4,  
CARDB_DELAYOWNERSHIP=2,  
CARD_INTF_BVD1=$20,  
CARD_INTB_BVD1=5,  
CARD_STATUSF_BVD1=$20,  
CARD_STATUSB_BVD1=5,  
CARDF_REMOVEHANDLE=1,  
CARDB_REMOVEHANDLE=0,  
CARD_INTF_BVD2=16,  
CARD_INTB_BVD2=4,  
CARD_STATUSF_BVD2=16,  
CARD_STATUSB_BVD2=4,  
CARD_DISABLEB_WP=3,  
CARD_STATUSB_WR=3,  
CARD_INTF_IRQ=4,  
CARD_INTB_IRQ=2,  
CARD_STATUSF_IRQ=4,  
CARD_STATUSB_IRQ=2,  
CARD_INTF_DA=16,  
CARD_STATUSF_DA=16,  
CARD_INTF_SETCLR=$80,  
CARD_INTB_SETCLR=7,  
XIPFLAGE_AUTORUN=1,  
XIPFLAGB_AUTORUN=0,  
CARD_INTF_SC=$20,  
CARD_STATUSF_SC=$20,  
CARD_VOLTAGE_0V=0,  
CARD_INTERFACE_AMIGA_0=0
```

```
#define CARDRESNAME/0
```