

**AlgoMusic**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> AlgoMusic	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		February 12, 2023
		<i>SIGNATURE</i>

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>AlgoMusic</b>	<b>1</b>
1.1	Welcome to the AlgoMusic documentation . . . . .	1
1.2	Copyright . . . . .	1
1.3	Introduction . . . . .	2
1.4	Requirements . . . . .	2
1.5	Usage . . . . .	2
1.6	Changes . . . . .	4
1.7	Bugs/Problems . . . . .	5
1.8	Future . . . . .	6
1.9	Credits . . . . .	6
1.10	Author . . . . .	7

---

## Chapter 1

# AlgoMusic

### 1.1 Welcome to the AlgoMusic documentation

AlgoMusic V1.4

(C) 16.10.95 by Thomas Schürger

A nice algorithmic song player

Giftware

Contents

Copyright

Introduction

Changes

Requirements

Usage

Bugs/Problems

Future

Credits

Author

Note: My main e-mail-address has not changed yet!

Please rate AlgoMusic on Aminet! See "Author"!

### 1.2 Copyright

AlgoMusic is Giftware. This means that you can copy, use or even delete it

---

in any manner you like. But you mustn't modify ANY of the files supplied in the AlgoMusic-archive, crunching with any packer available to the public is allowed, though. You may not gain any commercial or private profit out of this program.

You are asked to send me a gift (disks, modems, Ferraris, swimming pools and F-18s are preferred..) if you like AlgoMusic.

AlgoMusic may be taken for use in any PD/Freeware/Shareware library (including Aminet and Fred Fish's library), but I would like to be informed about it via e-mail. It would be great if you could send me a copy of the disk/CD it is published on.

You are asked to upload AlgoMusic on every BBS you see! B)

### 1.3 Introduction

Ever been tired of looking into your soundmodule-directory and yawning your head off because you've heard all your mods thousands of times? Well, here is the ultimate solution!

AlgoMusic is a little (?) program that creates and plays a song randomly out of a series of algorithms. Just try it, it sounds nice. :)

It first creates the song (which is very fast), then switches to a task priority of 25 (it needs as little CPU-time as possible) and switches off the filter (if not disabled), then plays and restores everything afterwards. It is safe to break AlgoMusic at any time. Another way to end AlgoMusic is to start AlgoMusic again from another task (arguments except QUIET then are ignored).

### 1.4 Requirements

AlgoMusic should (!) run on any Amiga with at least 512 KB of chipmem and 512 KB of fastmem. At least Kickstart 2.0 (V36) is required.

It was developed on a PAL Amiga 1200 with 68030/50. It has also been tested on an A500+, but never thoroughly on a 040/060 processor. If you have any problems (especially with CPU-caches left on on those processors) getting it run on your own machine, please let me know.

### 1.5 Usage

Upto this stage, AlgoMusic can only be started via Shell or using "Execute Command" via Workbench.

The argument-template looks as follows:

```
SPEED=DELAY/K/N, FOREVER/S, QUIET/S, FILTER/S, NOFADE/S, VOLUME/K/N, ACID/S,
```

---

INIT=RANDOMINIT/K, BPM/K/N, NOCIA/S, NOALLOC/S, BREAKBEAT/S

SPEED=DELAY n	This is the speed the created song is played at. The lower the number, the faster it is played. The standard speed is 4. The speed must be in the range of [2..8]. It will be ignored if you don't use NOCIA.
FOREVER=REPEAT	If you want AlgoMusic to go on playing forever, this is the right switch to use. After finishing a song, a new song is quickly created and played. By default, FOREVER is switched off.
QUIET	All output is suppressed, except error messages.
FILTER	If this switch is activated, then the audio filter is switched on. By default, the filter is switched off.
NOFADE	Normally, the song is smoothly faded out in the song's last pattern. Using this switch, you can disable this.
VOLUME n	This sets the volume the song is played at. It must be in the range of [0..64]. Default is 64 (maximum volume).
ACID	Switches on the use of an acid-style sample where applicable. By default, it is switched off.
INIT=RANDOMINIT \$h	Initializes the random generator with the hex-value specified. Same hex numbers will result in same songs.
BPM n	Sets the playing speed to the BPM value specified. It will be ignored if you use NOCIA, because then, DELAY/SPEED will be used. It must be in the range of [84..250]. The default is 150.
NOCIA	If you don't want AlgoMusic to use a CIA timer, you can tell it to use Delay() instead. Then the DELAY/SPEED value will be used for setting the playing speed.
NOALLOC	This switch disables the allocation of audiochannels. By default, the channels are allocated.
BB=BREAKBEAT	Enables using breakbeats where applicable.

Examples:

1> AlgoMusic BPM 140

would play it a bit slower than with the default value.

If you like it fast and forever with acid-style and breakbeats, you

---

might use

```
1> AlgoMusic BPM 168 ACID FOREVER BREAKBEAT :^)
```

You can put your favourite arguments into a variable called "ENV:AlgoMusic.prefs". It is parsed just the way the shell arguments are parsed. Shell arguments override the variable arguments, which means that if you have specified "INIT \$4002" in the variable and use "INIT \$5" in the shell arguments, the second value is taken.

Switches are handled in another way. If you specify the same switch in both the variable and the shell arguments, it is switched off, because it is first turned on and toggled back off afterwards.

If you already have an AlgoMusic process running, you can stop it either by sending a break signal to the process or by just running AlgoMusic again.

## 1.6 Changes

Dates are dates of release as well as dates of last change.

Changes since V1.0 (12-Apr-95 at 1 a.m.):

V1.1: (12-Apr-95 afternoon) Minor Update

- o Added the ability to choose playing speed per argument.
- o Used better rhythm samples (basedrum, clap).
- o Added other chords, basses & melodies.
- o Added version-string :)
- o Added more freedom for creating the song-structure.

V1.2: (18-Apr-95) Major Update

- o Added optional fadeout at the end of the song.
- o Now Kick 2.0 (V36) is required (!).
- o Added proper argument handling by using ReadArgs().
- o Added new switches: FOREVER, QUIET, FILTER and NOFADE.
- o Added the ability to set VOLUME.
- o Added some more rhythms, chords, basses and melodies.
- o Enhanced random generator.

V1.3: (13-May-95) Major Update

---

- 
- o Included a nice CIA timer for playing.
  - o Added option NOCIA which plays just the former way (using Delay()).
  - o Added the ability to set the BPM rate per argument.
  - o Added acid-style sample and option ACID.
  - o Now outputs the random seed.
  - o Added the ability to set the random seed as a hex value via RANDOMINIT/INIT argument.
  - o Found out how to play a sample without automatic repetition... ;) The samples all used to have quite a big zero-byte buffer behind them. This has been changed -> AlgoMusic is MUCH shorter now!
  - o Rewrote the song creation algorithm. There used to be only four chords per pattern and fixed bass/melody sequences (16 steps long). This has been changed. Now the chords can span over several patterns and can be changed quicker etc.
  - o Added the ability to put one's favourite arguments into a variable called "ENVARC:AlgoMusic.prefs". Look at the "Usage" section to find out more about this.
  - o Now, "INIT \$0" is possible. It turns the pseudo-random random seeding back on. Not bad if you have specified an init-value in the ENV-variable and want to specify in the shell arguments to have real randomization again.
  - o Rhythms don't sound as monotonous as before.
  - o Now allocates audiochannels. May be disabled using NOALLOC.
  - o Now songs have names. >;-)
  - o Switched to an AmigaGuide documentation.

V1.4: (16-Oct-95) Major Update

---

- o Added breakbeats! I don't know anymore who proposed that, but I liked the idea! Can be enabled using the BREAKBEAT switch.
- o Small bug: BPM rate could not be set below 84.
- o Changed to Giftware!

## 1.7 Bugs/Problems

There are still some bugs and problems left:

---



- o The player still does not run 100% smooth when certain programs are used. Those seem to use Disable()/Enable() while scrolling. Examples are FinalWriter and Mand2000Demo. This does rarely happen and I can't change it. If you find more, tell me!
- o Uses direct hardware access on audiochannels.
- o Especially the acid-style sample doesn't sound very nice sometimes. If you have a better one, let me know!
- o You will find that the RANDOMINIT values are useless when using different versions of AlgoMusic. You'll get other songnames as well.
- o In the beginning when using breakbeats, those sometimes used to sound strange. If this happens somewhere again, tell me the init-number of that song!

They will be (partly) removed in the future. So watch out for further updates!

## 1.8 Future

I will continue working on AlgoMusic in the future, because I have already received a lot of feedback. Of course, some gifts would morally support me as well! ;-)

Many people have suggested to make AlgoMusic save a created module in protracker-format. This is not what AlgoMusic is supposed to do. My replayer is much shorter than any protracker-replayer, and AlgoMusic itself is shorter than the resulting module would be, so I will NOT include that in the future!

I will, of course, add more customization like randomly choosing the used samples out of a directory and so on. Be prepared for it! :)

## 1.9 Credits

I would specially like to thank the following people for their support and help:

- Rüdiger Prang                   o My betatester.
- Kari-Pekka Koljonen       o Supplied me with a nice CIA-timing-routine.
- Richard Körber               o Reported some bugs, sent me a source for audiochannel allocation, publishes AlgoMusic on Aminet.
- Mike Witte                   o Checked '040 compatibility.
- Felix Müller                 o Reported a bug.

Thanks to all the other people that sent me a mail about previous versions!

## 1.10 Author

If you like AlgoMusic, or even if you don't (but then let me know why), if you have any suggestions, questions or ideas, or if you have found any bugs (even in this guide), send a mail to:

Phobos@eratosth.dssd.sub.org  
or: T.Schuerger@proline.gun.de (preferably)

My e-mail-domain will change (only the Proline-address is affected). My new address from then on will be:

T.Schuerger@proline.ndh.com

I don't quite know when this will happen (if it does anyway). So please try contacting me using my old address first!

Please rate AlgoMusic on Aminet!

Simply send a message with no subject to: Aminet-Server@aminet.org  
Contents: rate mus/misc/AlgoMusic1\_4.lha <number>  
where <number> is a number from 1 to 10, 10 is the best.

For those still not being able to send E-mails or those who would like to send me gifts:

My snail-mail-address:

Thomas Schürger  
Birkenbusch 39  
53757 Sankt Augustin  
Germany

Contact me, I would be very pleased to receive a lot of feedback.

My PGP-key: (use it if possible!)

-----BEGIN PGP PUBLIC KEY BLOCK-----  
Version: 2.6.2i

```
mQCNAi6SRPYAAAEEMHGFM/HLl5g+IoORD+ErAru7Dd17S1OkqyD2t6qWDGjTPE
ym7bd1ESLoWeXtfnIqvkbdeV9gELmFZ8cT5uKicesCMZkOtIuu23rDLccIXClQU+
RU1sVsTAub2Gm4RSg15XrMipqC5Waf/+QAlwlq6u5qtjVgMAMys4JdI2NDR5AAUR
tC1UaG9tYXMgU2NodWVyZ2VyIDxULlNjaHVLcmdlckBwcm9saW5lLmd1bi5kZT6J
AJUDBRAWEHl0ltEeLNENT4EBAbEIBACN3b6i9glcY2pOEz3nM5UbTxh8YUK049Z
JoRU4y8QpOU8JTuoVz2UL8roo18kswT89GJMjiHnbgNtoMJQ55RbQQ9wbcYW0FP
KYL3vJNAG1vMQThf0jFC71HXp8+bLPPB4BKX8cdY1//5TeGefIhRGswXD5wyP+04
```

HhxMsKQhZokAlQIFEC+OlXErOCXSNjQ6+QEBJ0sEAI f jVech+r jpRYHim7 jHZ6VJ  
lexMTtEq1FEbANmDgsVNnpQefi0cDVxZrLkr4wCA2o+DP6e+j2Do3ytEJ9d1ZVXF  
1RvGtSEO2LV69MGVLR6bn8Y6Y8plxbPOfnmO2TR1tMbN2S4Zp7Mp9ZKUST6S4nu  
Lfa/tpdrHUKUDTfG1ARviQCVAgUQLx6dtQ9HL1s0103BAQGxWgP8CTG1MLUy5hoP  
aZsN6zUxrhrTK49m8IfqRA2YZG31pXW9CCRobw7tU213i+AlkbGZJVE2hJVKdHOD  
NR8G1iULMTh6maU5vO+dwtfB7QKSEtQ/oSx8kNBH8vgNwVkp9ouERy/GGg64G8Ic  
XTjziFUwTlUNTPu5Z911UFVmfCVr/rCJAFUCBRAu05iDbolZnIsnOJEBAZm8AfwM  
UTwMcodf4V6ClwI0MI5jgQxEXYbpyaM34PMdBncDhMIK/5DiyKy63QlspCzkId0+Z  
BIiXeCvxz2GhdZVy/H58iQCVAgUQLu0ApkBgNhXGkfe1AQG2SQQakvZ2BL0aKLj0  
8xta14hAKPAfq5ExlrBiv3PLR4JQFPenG6xu81Q3Y0jarwxJydTEs6jklXAg+GCM  
CoR4Mi4i83mFo5dHU404toUz2vUOTIvMjzG2ywKJy5+cg86EYpYH7E86bt6jmsmu  
KqVAK9oM1wG2J/Yeu74ZqlpyyXUCnJ6JAJUCBRAu63mM6jq1ORvSlCUBAcQZBADF  
d5R2kJNQuzz4S6zrM8BdGcAEo4KGLiJbQrRi96eg0pFCQWyga7/U8Vxn5da5TPmA  
NoePiuRWJa//JA47IhFifGnt4pcB9xiIyk0QlTHmrZz8FfJMz2yXwhVhzgoACUnE  
cEwxNvXJ9Pezd4udBRL3YNolnrCnU0Fz+J4FUwBRyIkAlQIFEC71EYVypIRmVSmQ  
GQEBTqQEAOELmjXSMM7W2s9iTvnUbM1fA7JYeDmHqIK7b00gEeyvzwGPdk41EK+  
cAsJnvXMDbTBh9IAIRp8QqzdW4B1HM15dQ6o7k1RZQ3YAGKKA+yhGJUsFqLghMVT  
KG48D6xs7bZfI/d4cAgochvGFEHdde1V+Y0vnt07KxnxTXraniP/tC9UaG9tYXMg  
U2NodWVyZ2VyIDxQaG9ib3NAZXJhdG9zdGguZHNzZC5zdWIub3JnPokAlQMFEDAQ  
eeyW0R4s0Q23gQEBFn0D/2WV9F1FIL6nCPuBNO6CODagb+1W1b/uQtvopnr2KXfB  
c9GnbT5FypOdGcJvqICNx/7Cn4fxiBYbVDCGAOtOaad/mclqj3McrCxECyhnbkGD  
6GtMtqsISwTJk2GfqChuy5H+hZia8L1WPiV41C5c+v1CPeggaKC5zrRpHrGYJ6uG  
=yyg2

-----END PGP PUBLIC KEY BLOCK-----