

COLLABORATORS							
	TITLE : ShadowStart 1.3 docur	mentation					
ACTION	NAME	DATE	SIGNATURE				
WRITTEN BY		February 12, 2023					

REVISION HISTORY							
NUMBER	DATE	DESCRIPTION	NAME				

Contents

1	Shad	lowStart 1.3 documentation	1
	1.1	ShadowStart 1.3 documentation	1
	1.2	welcome	2
	1.3	distribution	2
	1.4	disclaimer	3
	1.5	purpose	3
	1.6	requirements	4
	1.7	installation	4
	1.8	usage	4
	1.9	activation	6
	1.10	address	6
	1.11	History	7
	1.12	future	8
	1.13	bugs	8
	1.14	credits	8
	1.15	PrettyGoodPrivacy	8
	1.16	may the shadow be with you;-)	9

Chapter 1

ShadowStart 1.3 documentation

1.1 --- ShadowStart 1.3 documentation ---

```
<>>> SHADOWSTART 1.3 <<<>
  disables WBStartup and/or User-Startup if needed
                <>>> ANYWARE! <<<>
(since version 1.3 ShadowStart is no longer FREEWARE!)
       Welcome
        --- Welcome to ShadowStart!
       Distribution
        --- Please read this first.
       Disclaimer
        --- Legal stuff.
        --- Why did I wrote it?
       Requirements
        --- What you need to run ShadowStart.
       Installation
        --- How to install ShadowStart.
       Usage
        --- How to use it correctly.
       Author's Address
        --- How you can reach me.
        --- Is there a history? ;).
       Future
        --- What will come next?
```

```
known Bugs
--- Oh no

Credits
--- Just some credits...

PGP-key
--- Ignore this, if you don't use PGP.
```

ShadowStart and all related files are @ 1994-1995 by Lars Eilebrecht.

1.2 welcome

Welcome to the ShadowStart documentation.

Please read this documentation before you use ShadowStart, otherwise you may not understand the purpose and the usage of this tool!

```
When reading this guide, please remember:
All translation— and typing—errors are intentional
and belong to the whole work of art.;—))
```

ShadowStart was developed and carefully tested on my Amiga 3000 (OS 3.1).

1.3 distribution

Since version 1.3 ShadowStart is ANYWARE ;-), this means you MUST send me anything to register ShadowStart, if you want to use it longer than one week (evaluation time).

It's not important what you send me, it can be really anything... For example a bar of chocolate, any kind of computer items (how about an A4000T? :-), but a CD-Caddy is always welcome...), some bucks, a keyfile of a selfmade program, a nice letter, an interesting postcard or just some lines via EMail. (All people who wrote to me about a previous version are automatically registered.)

ShadowStart may be freely distributed as long as no charge is made other than to cover time and copying costs.

This should not be higher than what Fred Fish charges from one of his freely redistributable disks.

The program, documentation and sourcecode must be distributed in their original unmodified form.

Distribution of single parts of the ShadowStart packet is not allowed.

Feel free to use the sourcecode or portions of it in your own programs,

but DO NOT change the sourcecode and redistribute it within this archive under the name ShadowStart!

Distribution via Meeting Pearls CDs, Fred Fish CDs/disks and Aminet CDs/disks is explicitly allowed.

If you would like to distribute ShadowStart together with own programs (especially commercial packages) you need my permission for it!)

ShadowStart and all related files are Copyright © 1994-1995 by Lars Eilebrecht.

Amiga, Kickstart and Workbench are trademarks of Amiga Technologies GmbH

1.4 disclaimer

DISCLAIMER:

This product is distributed "as is" without representation or warranty of any kind, either expressed or implied.

The user assumes all risks and responsibilities related to its use.

1.5 purpose

Why did I wrote ShadowStart?

Well, I was sitting in front of my Amiga and trying to start a program, but I didn't get it to run correctly... (ya know this...;-)
So I tried to start the program after booting without startup-sequence, but this program could only be run from the Workbench... *damn*;)
But how to load the Workbench without executing any programs in the WBStartup-drawer?

This was the point I got the idea to write a program that pops up a little requester at startup, which lets you select if you want to disable the "WBStartup" drawer and/or the "User-Startup" file! ShadowStart was born...:-)

As it should be possible to select this on every startup, ShadowStart checks if you pressed the

activation-key

(ie. hold it down during startup) and

then pops up a nice requester asking you what should be disabled.

New for version 1.3 is the automatic validation check. Program execution is delayed until the SYS: partion is validated (See

Usage section

for details).

If you think that ShadowStart would be usefull for you, then look into

the

```
Installation part of this documentation on how you can do this...
```

1.6 requirements

```
ShadowStart needs:

• any Amiga :-)

• V40 version of ShadowStart needs:
    Kickstart/Workbench 3.1
    (the 3.1 lowlevel.library must be available)

• V37 version of ShadowStart needs:
    Kickstart/Workbench 2.04 or higher

• and a correct
    installation
    ,-)
```

1.7 installation

Installation is very easy:

- 1) Depending on what Kickstart you use, copy either the 2.0+ or the 3.1 version of "ShadowStart" in any directory you want. I recommend the "c:" directory.
- 2) Load your "s:Startup-Sequence" into a text-editor and add the following
 line after the SetPatch-command:
 "<path>ShadowStart"
 (If it's in your "c:" directory, you must enter "c:ShadowStart".)
- This documentation may copied to the directory, where you store your guide files.

1.8 usage

```
If ShadowStart is installed correctly the usage is as follows...

If you want to disable the "WBStartup" drawer or the "User-Startup" file
```

```
during startup, then simply hold down the version dependant
                activation-key
                after a reset or after you switched the computer on...
If ShadowStart notices that the
                activation-key
                 is down, it will pop a
requester, asking you what you want to disable.
You can select one of the following buttons:
                 WB + User
                     (disables both, WBStartup and User-Startup)
                 WB
                     (disables only WBStartup)
                 User
                     (disables only User-Startup)
                 NewShell
                     (opens a shell window)
                 Cancel
                     (you guess what it does...; -)
But what does it mean, when ShadowStart "disables" them?
Well, it's just simple... ShadowStart renames the WBStartup-drawer and/or
the User-Startup file to prevent them from being executed! :)
("WBStartup"/"WBStartup.info" is renamed to "_WBStartup"/"_WBstartup.info"
and "User-Startup" is renamed to "_User-Startup")
After startup the drawer and the file stay renamed!
If you want the original names back, you can either rename them by hand
or run ShadowStart again.
But normally there is no need to do this...
If you boot without holding down the
                activation-key
                 the WBStartup-drawer and
the User-Startup file are automatically renamed to their original name!
New for version 1.2:
With the NewShell-button you can open a shell-window.
The execution of the startup-sequence is paused until you send a
'break' to ShadowStart.
If ShadowStart was executed directly after SetPatch, it has normaly
the process number 1.
Typing "break 1" in the shell-window will stop ShadowStart and the
execution of the startup-sequence is continued.
Don't forget to close the shell-window, so that the Workbench can
reset the screen (if needed).
New for version 1.3:
Before any key checks are performed ShadowStart checks if the SYS: partition
is currently being validated.
```

If yes, Shadowstart waits 3 seconds and checks the disk state again. When the validation is finished, ShadowStart automatically continues with its normal execution.

The main effect of this feature is that startup execution will be delayed until the SYS: partition is validated (no more disk-trashing on startup). The validation check is always performed, if the

activation-key

is

pressed or not.

Restrictions: If you press the activation-key

to early when starting up,

ShadowStart maybe don't recognize that it was pressed!

But this may only happens after a cold-reset

(ie. turning on the computer).

1.9 activation

Since version 1.2 I included an additional ShadowStart version for Kickstart/Workbench 2.0+, but due to key checking under 2.0 I had to change the previous used spacebar as activation-key to something different.

If you use the 2.0+ (V37) version of ShadowStart, you should use either the left or the right ALT key to activate ShadowStart.

If you use the 3.1~(V40) version of ShadowStart, you should use the spacebar to activate ShadowStart.

1.10 address

Author's Address:

standard mail:

Lars Eilebrecht Glück-Auf-Str. 23

57223 Kreuztal

GERMANY

electronic mail:

SFX@appl2.hrz.uni-siegen.de

SFX@appl1.hrz.uni-siegen.de (offline!)

SFX@studm.hrz.uni-siegen.de SFX@vespa.unix-ag.uni-siegen.de

```
(
                PGP
                 encrypted email is welcome.)
World Wide Web:
                  http://vespa.unix-ag.uni-siegen/~sfx
                  (and soon www.uni-siegen.de)
or simply meet me on IRC: Nickname: Shadowfox
   (Internet-Relay-Chat)
1.11 History
Program history:
Version 1.3 (14.08.95):
   · added automatic validation check
     (execution is delayed until SYS: partition is validated)
   · minor code changes
   · updated guide file
Version 1.2 (09.12.94):
   \cdot created additional version for WB 2.0+ users
     (requested by several people)
   ·~minor code changes
   · updated guide file
Version 1.1 (03.12.94):

    removed printf-statements (stdio.h)

    recompiled without startup-code

     (reduced the size of the executable from 6960 bytes to only 968 bytes)
   \cdot added 'NewShell' option
   · renamed requester buttons, so that it fit even on a lores-screen
   · cleaned up code a little
   · updated guide file
Version 1.0 (16.11.94):
   · --- Initial release ---
```

1.12 future

```
If you have any ideas, suggestions or bug-reports about ← ShadowStart,

don't keep it a secret!:)

Please see

Author's Address
on how to reach me.
```

1.13 bugs

Did you found one?

Please see

Author's Address on how to reach me.

1.14 credits

```
I would like to say thanks to all people on IRC, channels #Amiga and #AmigaGER, for the nice hours there... :-)

Thanks go also to Klaus A. Seistrup, who forced me to reduce the size of ShadowStart... ;) and for sending me the CapsWarn source (written by Mark Cassidy) that helped me to write a 2.0+ version.

And of course to Mark Cassidy for his CapsWarn tool...

And to all programers out there, which are supporting the Amiga...
```

1.15 PrettyGoodPrivacy

```
my public PGP key:
----BEGIN PGP PUBLIC KEY BLOCK-----
Version: 2.6ui (Amiga)
```

mQCKAi6+wOsAAAED53PJgrIYS7iHbZn0ycrnzS03fwvwsDpoAVouoqqBSVNoVXH+1L+8HzX/fADvNyk11Yi5kTiYR2meKB1p0qpvj4bQ8ZEmcBemhV0FbESJ4CxIgy6VeuxOD3v9gauyf1u4lkfyLIsCepuJqpkH+aOviE9VhTcE/D6Pt/L4g0HZAAURtDNM

YXJzIGBTRlqnIEVpbGVicmVjaHQqPFNGWEBhcHBsMS5ocnoudW5pLXNpZWdlbi5k ZT6JAFUCBRAv0u2cmTVOo2j9/00BAdubAgCcmQl3gvdeQuA2zSmqHNrCEXdmjII1 tOWc8WFCPJjDt6c2cBdmuwoOYknWWGDMKXvTlh6lPgIVx3fhlhobxxFKiQCVAgUQ L9M+R0axifvg3qptAQF7tAP7B78y93gaojDMC8NwfiNKh715cBh0ONA+W1g3O7YL E5W7Z/f0g4H3pOujngU7H3NsChmDxtBKQIIiZXpnNg4Nt3F765t8EPrMmjjQJ4a6 +8 C H fm XmfNSWqPMd jg JW4ykMnUasGhgF1Z8f1NNkfH5gfW9Gr8UcClgKqa5xvkhClgClgKqa5xvkhClgClgKqbfNNkfH5gfW9Gr8UcClgKqbfNNkfH5gfW9Gr9UcClgKqbfNNkfH5gfW9Gr9UcClgKqbfNNkfH5gfW9Gr9UcClgKqbfNNkfH5gfW9Gr9UcClgKqbfNNkfH5gfW9Gr9UcClgKqbfNNkfH5gfW9Gr9UcClgKqbfNNffW9Gr9UcClgKqbfNNffW9Gr9UcClgKqbfNnffW9Gr9UcClgKqbfW9Gr9UcClgKqbfNnffW9Gr9UcClgKqbfNnffW9Gr9UcCl5cyJAFUDBRAv0zvKQwZ3Rx/tAzsBAVs0Af91cEjH3oZPIaydSZxPUjF1SE3p93Nn Y6A3mKZR1vkewG6sRqVa4MO4lw8w8AU7qe2rvwupF3weF1Z9DG2bauGmiQCVAqUQ L9M4SuXLhqyrRKDJAQH/vQQAjGM370MwcIfmtQ9e/0j0nztQwQ18dXMA+dMyNHiG Q4Sfxn9DX9N3iYzL1PTHmlCOfCQQqvC451XbcXECqmqWHEqII8//4w/h9yr1/5F/ uXmJAFUCBRAv0lcf/ZhK+bLW8KUBAc/rAf9rmJ56040QVD803+bU1zSiSE1x+FUR t+ceAsozqo9taFoRIGXTa8MpswStyALnJKpyDkGEnTfRdARVQtcEzYJniQBVAqUQ L9JDvxEZCRz6lM9/AQG2xwH+IQAJZEvldNHzeikez18Txy12EnJ9k+za2rjPVnlX 7+teIY3VNO1homUgwqjoOHpZkdGgdOdmufOglT3Rqrk5FYkAlQIFEC/Rt+1JSaYs E52Q4QEBzUYEAMonc3UFNjGon8F/omc0PPA3rfH2IS6G31FN6fRarW1Pwk7CWlx3 wgHm6gO9xfV51DjBJ+1VmbmLz/1MZhg646eFRbugtBYbOXwE6zmNrKBhchVueVON zwWPIA8BZtR2Lw6CikAOhKgl4ndg8PO8UUg8gh0VUKGTPDK0MKR7ZCpGiQBVAgUQ L9IXPnmMGAx7t12JAQGpIAH/Zrl16ULw3/q17T11EbnbA9T3LjXuD4TG3IGeEV3z 1wbRp227yN12a3PbavEKJj1mfWrZaT89Xt1smYBaIwX4aokAlQIFEC8YGepIX6sv I9kr4wEBnO0D/1R4HlUM43CUjxdinzcijOJxRNe7ieXpp7xNn9SuJotDVeCLDRFS $\verb|pmF2EFb0KDyoX2bY18xPT9sWtIMYv4XigSBwfuR+Sp+J1CLdP+zzmIZbZBc+3G5x||$ M6nipvaKl1DkhSlLqedW4dmg1rKgCOXYKHdzHUcaneNE4rkoWlVwG5rhiQCVAgUQ Ls1+vx4pcI8ahJlRAQHwXAP8CKLDWFLJ7Fc3JZ0MnuPxW79M9nRQwL2TI/Vd4lCU SiDOUdEvjU45MLmLgU+40ZNPeXaBSLkN4z8PUkxGEEvSeCFE7u04VNq1GJ2aC+fH VFzuWbp0LsezqDSnm6xvBxz40yEaZnkXu3+66kXZV/E4BNIkCaB5V2qXxrBIg0D1 0iCJAJQCBRAux7auD0cvWzTXTcEBATNVA/jU+bTUqnlZdrf6KgCv+hDOs6VO538c ExQNsB17x82Djbp8Q5t21YEV8LiFN1imuLYqHXqDEHt7qtroNaBYXqnR24QjI3ur el+kYMibZWxGrq382C2apReaEDmQ1qtEzP+kXexaawAzKMo8VKWMnXjQYBLZohuU qfciE9A70QF1iQBFAqUQLr7FrZXTi1FmcalVAQF0LQF/WCuTfcsEc7z1WK5BMQlt CgnNvuz0himNP2FxPl4g5rg3u8i03dqPbuVwfrxSzy+m =m8Kj

----END PGP PUBLIC KEY BLOCK----

My public PGP key is also available on request. Please see

Author's Address on how to reach me.

1.16 may the shadow be with you... ;-)

this page is intentionally left free