

BED

Marco Negri

COLLABORATORS

	<i>TITLE :</i> BED		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Marco Negri	February 12, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	BED	1
1.1	BlacksEditor Guide	1
1.2	Quick Starting	3
1.3	Introduction	3
1.4	The Author	5
1.5	Blacks Editor Support Web Page	5
1.6	Credits	5
1.7	Bug Reports	6
1.8	History	7
1.9	Future	7
1.10	Before you begin	8
1.11	Distribution	8
1.12	Disclaimer	9
1.13	Hardware requirements	9
1.14	Installation	9
1.15	Starting Blacks Editor	9
1.16	Starting from the Shell	10
1.17	Starting from the Workbench	10
1.18	FILENAME	11
1.19	DEFS/K	11
1.20	PREFS/K	11
1.21	MACRO/K	11
1.22	QUIT/S	11
1.23	The Standard Configuration	12
1.24	Standard Menus	12
1.25	Menu name: File	12
1.26	Menu name: Window	13
1.27	Menu name: Edit	14
1.28	Menu name: Find	15
1.29	Menu name: Format	17

1.30	Menu name: Extras	18
1.31	Menu name: Macro	18
1.32	Menu name: Tools	19
1.33	Menu name: ARexx	20
1.34	Menu name: Settings	20
1.35	Menu name: ?	21
1.36	File/New Doc	22
1.37	File/Clear File	22
1.38	File/Open File...	22
1.39	File/Open New Doc...	23
1.40	File/Insert File...	23
1.41	File/Save File	23
1.42	File/Save File As...	23
1.43	File/Save & Close	23
1.44	File/Close Doc	24
1.45	File/Quit	24
1.46	Window/Select...	24
1.47	Window/Minimize	24
1.48	Window/Maximize	25
1.49	Window/Normalize	25
1.50	Window/Snapshot	25
1.51	Window/Iconify All	25
1.52	Window/Tile	25
1.53	Window/Stack	26
1.54	Window/Cascade	26
1.55	Window/Open Desktop...	26
1.56	Window/Save Desktop As...	26
1.57	Edit/Mark Block	27
1.58	Edit/Select Word	27
1.59	Edit/Select Line	27
1.60	Edit/Select All	27
1.61	Edit/Copy	27
1.62	Edit/Paste	28
1.63	Edit/Erase	28
1.64	Edit/Cut Append	28
1.65	Edit/Copy Append	28
1.66	Edit/Open Clip...	29
1.67	Edit/Save Clip As...	29
1.68	Edit/Print Clip...	29

1.69 Find/Find...	29
1.70 Find/Find Next	29
1.71 Find/Find & Replace...	30
1.72 Find/Replace Next	30
1.73 Find/Goto Line...	30
1.74 Find/Match Bracket	30
1.75 Find/Set Bookmark	31
1.76 Find/Set Bookmark/# 1	31
1.77 Find/Set Bookmark/# 2	31
1.78 Find/Set Bookmark/# 3	31
1.79 Find/Set Bookmark/# 4	31
1.80 Find/Set Bookmark/# 5	32
1.81 Find/Set Bookmark/# 6	32
1.82 Find/Set Bookmark/# 7	32
1.83 Find/Set Bookmark/# 8	32
1.84 Find/Set Bookmark/# 9	33
1.85 Find/Set Bookmark/# 10	33
1.86 Find/Goto Bookmark	33
1.87 Find/Goto Bookmark/# 1	33
1.88 Find/Goto Bookmark/# 2	33
1.89 Find/Goto Bookmark/# 3	34
1.90 Find/Goto Bookmark/# 4	34
1.91 Find/Goto Bookmark/# 5	34
1.92 Find/Goto Bookmark/# 6	34
1.93 Find/Goto Bookmark/# 7	35
1.94 Find/Goto Bookmark/# 8	35
1.95 Find/Goto Bookmark/# 9	35
1.96 Find/Goto Bookmark/# 10	35
1.97 Format/Format Paragraph	35
1.98 Format/Goto Paragraph	36
1.99 Format/Goto Paragraph/Previous	36
1.100Format/Goto Paragraph/Next	36
1.101Format/Documentize	36
1.102Format/Left Justify	37
1.103Format/Right Justify	37
1.104Format/L/R Justify	37
1.105Format/Center	37
1.106Format/Tabs -> Spaces	37
1.107Format/Spaces -> Tabs	38

1.108Format/Remove EOL Blanks	38
1.109Format/Indent Block	38
1.110Format/Unindent Block	38
1.111Format/Indent Line	39
1.112Format/Unindent Line	39
1.113Extras/Undo Line	39
1.114Extras/Undelete Line	39
1.115Extras/Insert Current Date	39
1.116Extras/Insert Version String	40
1.117Extras/Comment Block	40
1.118Extras/Number Lines	40
1.119Extras/Word -> Lower Case	40
1.120Extras/Word -> Upper Case	41
1.121Extras/Toggle Char Case	41
1.122Extras/Encrypt Block	41
1.123Macro/Start Recording	41
1.124Macro/Stop Recording	41
1.125Macro/Play Macro	42
1.126Macro/Play Many...	42
1.127Macro/Open Macro...	42
1.128Macro/Save Macro as...	42
1.129Tools/New Shell...	43
1.130Tools/New Console...	43
1.131Tools/Exec Tool...	43
1.132Tools/Run Tool...	43
1.133Tools/Exec DOS Script...	43
1.134Tools/Calculator	44
1.135Tools/Multiview	44
1.136Tools/...	44
1.137ARexx/Exec ARexx Macro...	44
1.138ARexx/Exec ARexx String...	45
1.139ARexx/AddChars	45
1.140ARexx/CountWords	45
1.141ARexx/ExecBlk	45
1.142ARexx/PrintBlk	45
1.143ARexx/RemoveBlankLines	46
1.144ARexx/SaveBlk	46
1.145ARexx/SaveChangedDocs	46
1.146ARexx/SetConfig	46

1.147 ARexx/ShowAG	47
1.148 ARexx/SortBlk	47
1.149 ARexx/UnSetLocks	47
1.150 ARexx/...	47
1.151 Settings/Change Prefs	47
1.152 Settings/Change Prefs/Auto-Save	48
1.153 Settings/Change Prefs/Backup	48
1.154 Settings/Change Prefs/Colors	48
1.155 Settings/Change Prefs/Display	48
1.156 Settings/Change Prefs/Edit	49
1.157 Settings/Change Prefs/End Of Lines	49
1.158 Settings/Change Prefs/Fonts	49
1.159 Settings/Change Prefs/Icons	49
1.160 Settings/Change Prefs/Miscellanea	49
1.161 Settings/Change Prefs/Tabs	50
1.162 Settings/Open Prefs...	50
1.163 Settings/Save Prefs...	50
1.164 Settings/Save Prefs As Defaults	50
1.165 Settings/Open Definitions...	51
1.166 ?/About BED	51
1.167 ?/Quick Reference	51
1.168 ?/BED Menus	51
1.169 ?/BED Commands	51
1.170 ?/BED Main Help	52
1.171 The Standard Keyboard Sequences	52
1.172 The Standard Mouse Clicks	52
1.173 Customize Blacks Editor	52
1.174 Definitions Files	52
1.175 Preferences Files	53
1.176 Supplied Material	53
1.177 Supplied Emulations	53
1.178 Supplied Macros	53
1.179 Quick Reference for Blacks Editor	53
1.180 Commands Reference	56
1.181 Alphabetical List of Commands	57
1.182 Functional Grouping of Commands	65
1.183 List of Global Commands	74
1.184 About	76
1.185 ActivateLastDoc	76

1.186ActivateNextDoc	77
1.187ActivatePrevDoc	77
1.188ActivateWindow	78
1.189BackSpace	78
1.190BeepScreen	79
1.191Center	79
1.192CenterView	80
1.193ClearBookMark	80
1.194ClearFile	81
1.195CloseDoc	81
1.196ControlWindow	82
1.197Conv2Lower	82
1.198Conv2Spaces	83
1.199Conv2Tabs	83
1.200Conv2Upper	84
1.201CopyBlk	84
1.202CutBlk	85
1.203Delete	85
1.204DeleteBlk	86
1.205DeleteEOL	86
1.206DeleteEOF	87
1.207DeleteEOW	87
1.208DeleteLine	88
1.209DeleteSOL	88
1.210DeleteSOF	89
1.211DeleteSOW	89
1.212DeleteWord	90
1.213EncryptBlk	90
1.214EndMacro	91
1.215ExecARexxMacro	91
1.216ExecARexxString	92
1.217ExecDosScript	92
1.218ExecTool	93
1.219Exist	93
1.220ExistsFile	94
1.221Find	94
1.222FindChange	95
1.223FormatParagraph	95
1.224GetBlk	96

1.225GetBlkDims	96
1.226GetBlkInfo	97
1.227GetChar	97
1.228GetCurrentDir	98
1.229GetCursorPos	98
1.230GetDocuments	99
1.231GetErrorInfo	99
1.232GetFileInfo	100
1.233GetFilePath	100
1.234GetLastDoc	101
1.235GetLine	101
1.236GetLockInfo	102
1.237GetMacroInfo	102
1.238GetPort	103
1.239GetPrefs	103
1.240GetPriority	104
1.241GetScreenInfo	104
1.242GetTemplate	105
1.243GetVersion	105
1.244GetViewInfo	106
1.245GetWindowInfo	106
1.246GetWindowSpec	107
1.247GetWord	107
1.248Help	108
1.249IconifyWindow	109
1.250Illegal	109
1.251Insert	110
1.252InsertTab	110
1.253InsertFile	111
1.254InsertLine	111
1.255Justify	112
1.256LeftJustify	112
1.257MarkBlk	113
1.258Move	113
1.259MoveBookMark	114
1.260MoveDown	114
1.261MoveDownScr	115
1.262MoveEOF	115
1.263MoveEOL	116

1.264MoveEOW	116
1.265MoveLeft	117
1.266MoveMatchBkt	117
1.267MoveNextTabStop	118
1.268MoveNextWord	118
1.269MovePrevTabStop	119
1.270MovePrevWord	119
1.271MoveRight	120
1.272MoveSizeWindow	120
1.273MoveSOF	121
1.274MoveSOL	121
1.275MoveSOW	122
1.276MoveUp	122
1.277MoveUpScr	123
1.278MoveWindow	123
1.279NewShell	124
1.280Nop	124
1.281OpenClip	125
1.282OpenDefinitions	125
1.283OpenDoc	126
1.284OpenFile	126
1.285OpenMacro	127
1.286OpenPrefs	127
1.287OpenRequester	128
1.288PasteClip	128
1.289PlayMacro	129
1.290PrintClip	129
1.291PrintFile	130
1.292Quit	130
1.293RecordMacro	131
1.294RemakeScreen	131
1.295RequestBool	132
1.296RequestChoice	132
1.297RequestFile	133
1.298RequestFont	133
1.299RequestNum	134
1.300RequestStr	134
1.301RightJustify	135
1.302RunTool	135

1.303SaveClip	136
1.304SaveDefPrefs	136
1.305SaveFile	137
1.306SaveFileAs	137
1.307SaveMacro	138
1.308SavePrefs	138
1.309Screen2Back	139
1.310Screen2Front	139
1.311ScrollVert	140
1.312ScrollView	140
1.313SelectLine	141
1.314SetBookMark	141
1.315SetChar	142
1.316SetCurrentDir	142
1.317SetDisplayLock	143
1.318SetFilePath	143
1.319SetInputLock	144
1.320SetPrefs	144
1.321SetPriority	145
1.322SetQuoteMode	145
1.323SetStatusBar	146
1.324SetWindowSpec	146
1.325ShiftLeft	147
1.326ShiftRight	147
1.327SizeWindow	148
1.328StripEOLBlanks	148
1.329SwapChars	149
1.330Text	149
1.331ToggleCharCase	150
1.332UndeleteLine	150
1.333UndoLine	151
1.334Window2Back	151
1.335Window2Front	152
1.336Preferences Reference	152
1.337Alphabetical List of Preferences	152
1.338Functional Grouping of Preferences	155
1.339DOCSTARTUP	158
1.340DOCSTARTUPNAME	159
1.341FILESTARTUP	159

1.342FILESTARTUPNAME	160
1.343AUTOSAVE	160
1.344AUTOSAVECONFIRM	160
1.345AUTOSAVEDELAY	161
1.346MAKEBACKUPS	161
1.347CANTBACKUPCONFIRM	161
1.348BACKUPTEMPLATE	162
1.349MAXBACKUPVERSION	162
1.350TEXTCOLOR	163
1.351BACKGROUNDCOLOR	163
1.352SELTEXTCOLOR	163
1.353SELBACKGROUNDCOLOR	164
1.354PALETTE	164
1.355SCREEN	164
1.356HORIZSCROLLER	165
1.357VERTSCROLLER	165
1.358FILEREQTYPE	166
1.359FONTREQTYPE	166
1.360SCREENMODEREQTYPE	166
1.361AUTOINDENT	167
1.362FREEFORM	167
1.363OVERSTRIKE	167
1.364WORDWRAP	168
1.365JUMPSCROLL	168
1.366IBMKEYPAD	169
1.367JUMPSCROLLLINES	169
1.368STRIPEOLBLANKS	169
1.369TRANSLATECRS	170
1.370SAVEEOLAS	170
1.371TEXTFONT	170
1.372MENUFONT	171
1.373GADGETFONT	171
1.374RIGHTMARGINWBORDER	172
1.375LEAVEINDENT	172
1.376INDENT	172
1.377LEFTMARGIN	173
1.378RIGHTMARGIN	173
1.379SAVEICONS	173
1.380ICONDRAWER	174

1.381	MOUSEBLANKER	174
1.382	OVERWRITECONFIRM	175
1.383	DOUBLELOADCONFIRM	175
1.384	SELECTWHENDRAGGING	175
1.385	AUTODETECTBINFILES	176
1.386	POPUPNEWDOC	176
1.387	READONLY	176
1.388	PRINTDEVICE	177
1.389	CONSOLE	177
1.390	DEFAULTWINDOW	178
1.391	TABWIDTH	178
1.392	TABSGIVESPACES	178
1.393	CONVERSIONONLOAD	179
1.394	CONVERSIONONSAVE	179
1.395	CONVERSIONONPRINT	179
1.396	FINDSTRING	180
1.397	CHANGESTRING	180
1.398	FINDBACKWARD	181
1.399	FINDIGNORECASE	181
1.400	FINDWHOLEWORD	181
1.401	FILEREQUESTER	182
1.402	FONTREQUESTER	182
1.403	SCREENMODEREQUESTER	182
1.404	FILEPATTERN	183
1.405	REXXDRAWER	183
1.406	REXXPATTERN	184
1.407	DOSDRAWER	184
1.408	DOSPATTERN	184
1.409	TOOLSDRAWER	185
1.410	TOOLSPATTERN	185
1.411	PREFSDRAWER	185
1.412	PREFSPATTERN	186
1.413	DEFSDRAWER	186
1.414	DEFSPATTERN	187
1.415	READONLY	187
1.416	Errors Reference	187
1.417	BED Errors	188
1.418	Definitions Files Errors	190
1.419	Preferences Files Errors	190

1.420Error #1	191
1.421Error #2	191
1.422Error #3	191
1.423Error #4	191
1.424Error #5	192
1.425Error #6	192
1.426Hit document boundary	192
1.427Not on {, [, (<, «, », >),], }	192
1.428Not allowed in read-only mode	193
1.429User requested abort	193
1.430Bookmark not set	193
1.431No block marked	193
1.432Error #13	194
1.433Error #14	194
1.434Error #15	194
1.435Not currently recording	194
1.436Not found	195
1.437Clipboard is empty	195
1.438Clipboard does not contain text	195
1.439Clipboard device not found	196
1.440ARexx process or library not found	196
1.441Command only allowed in ARexx macros	196
1.442Bookmark not found	196
1.443No macro to play	197
1.444Error #25	197
1.445Error #26	197
1.446Error #27	197
1.447Illegal while recording	198
1.448Illegal command	198
1.449Insufficient memory	198
1.450Load error	198
1.451Save error	199
1.452Backup error - not saved	199
1.453Print error	199
1.454Clipboard I/O error	199
1.455ARexx Error	200
1.456Couldn't execute tool	200
1.457AmigaGuide error	200
1.458Couldn't open console	200

1.459	Error #40	201
1.460	AmigaGuide library not found	201
1.461	--- Illegal ---	201
1.462	Definitions file not loaded successfully	201
1.463	Preferences file not loaded successfully	202
1.464	Preferences file not saved successfully	202
1.465	Macro not loaded successfully	202
1.466	Macro not saved successfully	202
1.467	Unknown preference	203
1.468	Invalid template	203
1.469	Command not global	203
1.470	AmigaDOS error	203
1.471	Bad parameter	204
1.472	Parameter out of range	204
1.473	Cannot swap tabs	204
1.474	Cursor not on a word	204
1.475	No string to find	205
1.476	Window is iconified	205
1.477	Input is locked	205
1.478	Line too long	205
1.479	No line to undelete	206
1.480	Cannot undo	206
1.481	AmigaDOS error	206
1.482	Insufficient memory	206
1.483	Error creating menus	207
1.484	Unknown keyword	207
1.485	Unknown command	207
1.486	Unknown key	207
1.487	Key not mapped on this keyboard	208
1.488	Quoted argument expected	208
1.489	AmigaDOS error	208
1.490	Insufficient memory	208
1.491	Unknown preference	209
1.492	Wrong template for preference	209

Chapter 1

BED

1.1 BlacksEditor Guide

- Blacks Editor 1.0 -
By Marco Negri

Blacks Editor is SolidarityWare. Click
here
for more info.

Quick Starting
(If you don't like reading long documentations)

Introduction

The Author

WWW Page

Credits

Bug Reports

History

Future

Before You Begin

Distribution

Disclaimer

Hardware requirements

Installation

Starting Blacks Editor

From the Shell

From Workbench

Beginners:

The Standard Configuration

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

Advanced:

Customizing Blacks Editor

The definitions file

The preferences file

Using supplied material

Supplied emulations

Supplied ARexx Macros

Reference:

Quick Reference

The Command Reference

Alphabetical order

Functional groupings

Global commands

The Preferences Reference

Alphabetical order

Functional groupings

Error codes and messages

Blacks Editor errors

Definitions file errors

Preferences file errors

1.2 Quick Starting

Quick Starting

This section is for you who hate reading documentations and want to know only the most important things.

So here they are:

- <*> You can start BED from the
 - Shell
 - or from the
 - Workbench
 - <*> The layout of the menus, of the keyboard and the actions to take at each mouse click are called definitions, and are specified in a file with the ".dfn" extension in the "BED:Support" directory.
- <*> A lot of preferences are specified in files with ".prf" extension in the "BED:Support" directory
- <*> In the "Rexx" directory there are a lot of useful ARexx Macros.
 - .
 - They can be executed using the ARexx menu
 - .
- <*> If not differently specified, BED loads at startup the definitions from "BED:Support/Startup.dfn", the preferences from "BED:Support/Startup.prf", and executes the ARexx Macro "BED:Rexx/Startup.bed", if it exists.
- <*> If not differently specified, BED executes at the opening of a new window the ARexx Macro "BED:Rexx/Doc_Startup.bed", if it exists. In the original configuration this macro does the same as "BED:Rexx/SetConfig.bed", i.e. it loads the preferences and the definitions according to the current filename extension. You can, of course, modify or delete this macro.

1.3 Introduction

Introduction

Blacks Editor is a powerful, user-friendly, very configurable text editor.

The main features are:

- * Multi-window. You can have how many opened windows as your memory lets.
 - * Configurability. You can define the layout of the menus, the function of every keystroke, the function of every kind of mouse click. Moreover, each window can have different definitions.
 - * A lot of preferences. They are too many to list here... give BED a try and see them.
 - * SAS C Support. You can easily arrange it for any other compiler or language.
 - * Backup. When you save a file, a number of backups can be maintained.
 - * Autosave. Your files can be automatically saved at the interval you select.
 - * Advanced Icon Saving. An icon can be saved, according to the filename extension of your file.
 - * End of Line Handling. You can easily load or save files with EOL different from LF, for example files saved on PCs.
 - * Possibility to use the keyboard in an IBM-style.
 - * Full Localization (only for 3.0)
 - * On-line AmigaGuide help (only for 3.0)
 - * Optional "reqtools.library" or "asl.library" requesters.
 - * Optional ARexx Macros launched at each BED start, document opening, or file opening.
 - * ARexx support. There are 151 commands, usable in ARexx Macros or in the definition of menus, keystrokes and mouse clicks. The main abilities are the following:
 - Edit and Move commands
 - Standard Clipboard Function
 - Recorded Macros
 - Paragraph Formatting
 - Bookmarks
 - Find & Replace
 - Matching Brackets
 - Undo & Undelete line
 - Run external Tools, DOS Scripts, ARexx Macros
 - Encrypting
 - Open documents without a window (useful for ARexx Macros)
 - * And, above all, it's made by ME.
-

Give it a try... a look can explain better than thousands of words.

1.4 The Author

Author

Marco Negri
Via delle Alpi 19
20026 Novate Milanese (MILANO)
I T A L I A

E-Mail Address:
s592345@vm.uni-bocconi.it

WWW URL:
<http://www.ing.unico.it/~mfontana/marco/marco.html>

Blacks Editor Support Web Page
:
<http://www.ing.unico.it/~mfontana/marco/BED.html>

This is me...

1.5 Blacks Editor Support Web Page

Blacks Editor Support Web Page

In this WWW page you will find:

- Updated informations about the status of the developing of Blacks~Editor (new versions, minor updates, etc.)
- The possibility to download the latest official Blacks~Editor version.
- Informations about how to get in touch with the author, how to become Beta-Testers, and send contributions such as localizations, ARexx macros, and whatever you have done.
- Continuous support for Beta-Testers, localizers, etc.
- The possibility to download the latest beta-version (only for Official Blacks Editor Beta-Testers).

URL: <http://www.ing.unico.it/~mfontana/marco/BED.html>

1.6 Credits

Credits

I want to thanks all the people who has contributed to the realisation of Blacks Editor. This is an extended list of them:

Beta-Testers:

- Mauro Fontana
- Peter Bornhall
- Dave Dustin
- Jeff Lowrance
- Harold H. Ipolyi
- John Gardi
- Paul Schifferer
- Rienhard Katzmann
- Arian Kulp

Icon and WWW page imagery designer:

- Colin Thompson

Others:

- All the users who sent me a post card or a E-Mail message
- Nico François and Magnus Holmgren, for their wonderful ReqTools
- Mauro Fontana, for the space he gives me for the WWW page
- Andrew Martin, Pavel Troller, for their help
- Commodore, for having invented the Amiga
- Lara, my girlfriend, for having listened to me for months talking about window refreshing, IDCMP, ARexx, etc. ;-)
- Pat Metheny & Mark Knopfler, for their wonderful guitars who comforted me in sleepless nights spent on my keyboard.

Well... maybe I'm a bit exaggerating with the credits...

Let's go to see this Blacks Editor, finally...

1.7 Bug Reports

Bug Reports

Even if I don't guarantee anything (read the disclaimer) I think that BED, at the moment, doesn't contain major bugs (i.e. you don't have to worry to lose your data).

But if you found some bugs, even minor, or if you have some suggestions for this or another release of BED, please tell me.

Click

here
for my address.

1.8 History

History

--- 1.0B - 14-Jan-96 -----

First public release. Beta release. OS v39 required.

--- 1.0B - 28-Jan-96 -----

First v37 compatible release.

--- 1.00 - 03-Mar-96 -----

Version working under v37+, but using v39 resources when available.

- * IBM-Style keyboard supported.
- * Horizontal scroller and optional vertical scroller added.
- * Optional ARexx macro executed at each file or document opening
- * Possibility to open a document without a window
- * "reqtools.library" requesters supported.
- * Standard Clipboard supported.
- * Customizable font for gadgets.
- * Full font-sensitive requesters, with new look.
- * Gadget shortcuts in requesters.
- * AmigaDOS Protection Bits handling.
- * Optional screen pop-up at document opening.
- * Customizable number of lines to jump with JUMPSCROLL
- * Indent (also automatic) supported in paragraph formatting.
- * RIGHT_AMIGA qualifier added.
- * GetLastDoc command added.
- * Print functions fixed.
- * Tab conversion functions fixed.

1.9 Future

Future

First of all I have to finish this documentation...

The ideas for next version are:

<*> Full Undo.

<*> ToolManager-like Docks, or simple groups of gadgets (of course user-definable) for each window

<*> Word colouring

<*> More and more ARexx Macros, for syntax checking, auto-indenting, etc.

<*> Custom Progress Indicator support

<*> Implementation of the #LINKS keyword in the definitions file, which includes another file, something like the #include directive in C

<*> ... and whatever you will suggest me

1.10 Before you begin

Before you begin it's better if you read something about...

Distribution
Disclaimer
Hardware requirements
Installation

1.11 Distribution

Distribution

Blacks Editor v1.0 - By Marco Negri - 03-Mar-1996

This entire package is designated "SolidarityWare" that is you can try it for a period of 30 days, after which if you like it and use it you have to make a "Solidarity Offer" of 15\$ (or whatever you can and want), for example, to your local Association for the Research For The Cure Of Cancer, and to send me a post card of your country or a message by E-Mail because I'd like to know where my program is used.

Of course I will not make any control on this and the program will work anyway, but I hope that many of you will follow my indication.

You may freely copy and distribute this package as often as you like, with the following limitations:

- * ReqTools is Copyright (c) by Nico François and Magnus Holmgren
 - * The package must remain complete and unchanged
 - * The package can be included on CD-ROMs, BBS, magazines, but I ask you to inform the
-

Author

.

- * It is expressly forbidden to use this program, or any programs or data developed using this program to directly or indirectly benefit the military.

1.12 Disclaimer

Disclaimer

THIS PROGRAM IS PROVIDED ON AN "AS IS" BASIS, NO WARRANTIES ARE MADE, EITHER EXPRESSED OR IMPLIED. IN NO EVENT WILL I, MARCO NEGRI, BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING FROM ANY USE OR MISUSE OF THIS PROGRAM. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THIS PROGRAM IS ASSUMED BY YOU.

1.13 Hardware requirements

Hardware Requirements

- * An Amiga ;-)
- * OS 2.04+ (v37)
- * "reqtools.library" v38+ (needed for OS 2.04 (v37), optional for OS 2.1+ (v38+) ←)
- * Commodore Installer (needed only for the installation)

(Recommended for better use)

- * A Hard Disk
- * ARexx running

1.14 Installation

Installation

To install Blacks Editor simply open the Install drawer and double-click on the icon of your language.

A Standard Installer Script will guide you through the short installation process.

1.15 Starting Blacks Editor

Starting Blacks Editor

Blacks Editor can be started either from WB or from the Shell.

Starting from the Shell

Starting from Workbench

1.16 Starting from the Shell

From the Shell

If you want to run Blacks Editor from the Shell you just have to type:

```
BED
```

followed by these optional arguments

```
FILENAME  
,  
DEFS/K  
,  
PREFS/K  
,  
MACRO/K  
,  
QUIT/S
```

1.17 Starting from the Workbench

From the Workbench

If you want to run Blacks Editor from the Workbench you have to double click on the BED icon or on any Project Icon with BED as Default Tool.

The following Tooltypes are supported:

```
FILENAME  
- File to edit  
  
DEFS  
- Definitions file  
  
PREFS
```

- Preferences file
- MACRO
- Macro to execute at startup
- QUIT
- Quit BED

1.18 FILENAME

FILENAME

FILENAME: If a filename is specified then this file is loaded in the first document window. If there is a copy of BED running, then it will open a new document window and load the specified file.

1.19 DEFS/K

DEFS

DEFS/K: If a defs file is specified then the definitions are loaded from it. It defaults to BED:Support/Startup.dfn.

1.20 PREFS/K

PREFS

PREFS/K: If a prefs file is specified then the preferences are loaded from it. It defaults to BED:Support/Startup.prf

1.21 MACRO/K

MACRO

MACRO/K: If this argument is specified then the ARexx Macro is executed. It defaults to BED:Support/Startup.bed

1.22 QUIT/S

QUIT

QUIT/S: When there is a copy of BED running, this switch force him to quit.

1.23 The Standard Configuration

Standard configuration

This is the standard configuration of Blacks Editor, and can be found in the definition file `BED:Support/Standard.dfn`.

This file define the menus, the keyboard sequences and the actions to take at each type of mouse click.

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

1.24 Standard Menus

Standard menus:

File

Window

Edit

Find

Format

Extras

Macro

Tools

ARexx

Settings

?

1.25 Menu name: File

File:

New Doc

```

                                OpenDoc

    Clear File                    ClearFile
=====

    Open File...                 OpenFile

    Open New Doc...             OpenDoc  FILEREQ

    Insert File...              InsertFile
=====

    Save File                    SaveFile

    Save File As...            SaveFileAs

    Save & Close                ExecARexxString "SaveFile MODIFIED QUIET; CloseDoc;"
=====
    Print File...              PrintFile
=====

    Close Doc                   CloseDoc

    Quit                        Quit

```

1.26 Menu name: Window

```

    Window:

    Select...                   ExecARexxMacro WINDOW=CON:///Select.../SCREEN BED: ←
                                Rexx/SelectDoc.bed
=====

    Minimize                    SizeWindow  0 0

    Maximize                    SizeWindow 10000 10000

    Normalize                   SetWindowSpec
=====

```

```

Snapshot
    ExecARExxString "OPTIONS RESULTS; GetWindowSpec; ↔
    SetPrefs DefaultWindow RESULT;"
=====
Iconify
    IconifyWindow TOGGLE

Iconify All
    ExecARExxMacro BED:Rexx/OrganizeWindows.bed ICONIFY

Tile
    ExecARExxMacro BED:Rexx/OrganizeWindows.bed ↔
    TILE

Stack
    ExecARExxMacro BED:Rexx/OrganizeWindows.bed ↔
    STACK

Cascade
    ExecARExxMacro BED:Rexx/OrganizeWindows.bed ↔
    CASCADE
=====

Open Desktop...
    ExecARExxMacro BED:Rexx/LoadDesktop.bed

Save Desktop As...
    ExecARExxMacro BED:Rexx/SaveDesktop.bed

```

1.27 Menu name: Edit

```

Edit:

Mark Block
    MarkBlk
=====

Select Word
    MarkBlk WORD

Select Line
    SelectLine

Select All
    ExecARExxString "MoveSOF; MarkBlk; MoveEOF;"
=====

Cut
    CutBlk

Copy
    CopyBlk

Paste
    PasteClip

```

```

Erase
DeleteBlk QUIET
=====

Cut Append
CutBlk APPEND

Copy Append
CopyBlk APPEND
=====

Open Clip...
OpenClip

Save Clip As...
SaveClip

Print Clip...
PrintClip

```

1.28 Menu name: Find

```

Find:

Find...
OpenRequester FIND

Find Next
Find

Find & Replace...
OpenRequester FINDCHANGE

Replace Next
FindChange
=====

Goto Line...
Move

Match Bracket
MoveMatchBkt
=====

Set Bookmark
Nop

# 1
SetBookmark 1

# 2
SetBookmark 2

```

3 SetBookmark 3

4 SetBookmark 4

5 SetBookmark 5

6 SetBookmark 6

7 SetBookmark 7

8 SetBookmark 8

9 SetBookmark 9

10 SetBookmark 10

Goto Bookmark
Nop

1 MoveBookmark 1

2 MoveBookmark 2

3 MoveBookmark 3

4 MoveBookmark 4

5 MoveBookmark 5

6 MoveBookmark 6

7 MoveBookmark 7

8 MoveBookmark 8

9 MoveBookmark 9

10 MoveBookmark 10

1.29 Menu name: Format

Format :

Format Paragraph
FormatParagraph

Goto Paragraph
Nop

Previous
ExecARExxMacro BED:Rexx/PrevParagraph

Next
ExecARExxMacro BED:Rexx/NextParagraph

Documentize
ExecARExxMacro BED:Rexx/Documentize.bed

=====

Left Justify
LeftJustify

Right Justify
RightJustify

L/R Justify
Justify

Center
Center

=====

Tabs -> Spaces
Conv2Spaces

Spaces -> Tabs
Conv2Tabs

Remove EOL Blanks
StripEOLBlanks

=====

Indent Block
ExecARExxMacro BED:Rexx/IndentBlk.bed

Unindent Block
ExecARExxMacro BED:Rexx/UnindentBlk.bed

=====

Indent Line
ShiftRight TABS


```

Unindent Line
    ShiftLeft TABS

```

1.30 Menu name: Extras

Extras:

```

Undo Line
    UndoLine

```

```

Undelete Line
    UndeleteLine

```

=====

```

Insert Current Date
    ExecARexxString "Insert DATE();"
Insert Current Time    ExecARexxString "Insert TIME();"
Insert ASCII Char      SetChar

```

```

Insert Version String
    ExecARexxMacro  BED:Rexx/InsertVersion.bed

```

=====

```

Comment Block
    ExecARexxMacro  BED:Rexx/CommentBlk.bed

```

```

Number Lines
    ExecARexxMacro  BED:Rexx/NumberLines.bed

```

=====

```

Word -> Lower Case
    Conv2Lower

```

```

Word -> Upper Case
    Conv2Upper

```

```

Toggle Char Case
    ToggleCharCase

```

=====

```

Encrypt Block
    EncryptBlk

```

1.31 Menu name: Macro

Macro:

```

Start Recording
    RecordMacro

Stop Recording
    EndMacro
=====

Play Macro
    PlayMacro 1

Play Many...
    PlayMacro
=====

Open Macro...
    OpenMacro

Save Macro as...
    SaveMacro

```

1.32 Menu name: Tools

```

Tools:

New Shell...
    NewShell

New Console...
    ExecARexxMacro  CONSOLE  BED:Rexx/CmdShell.bed
=====

Exec Tool...
    ExecTool

Run Tool...
    RunTool

Exec DOS Script...
    ExecDOSScript  CONSOLE
=====

Calculator
    RunTool  Calculator  PUBSCREEN=Blacks_Editor

Multiview
    RunTool  Multiview
=====

...
    RunTool

```

1.33 Menu name: ARexx

```

ARexx:

Exec ARexx Macro...
    ExecARexxMacro

Exec ARexx String...
    ExecARexxString
=====

AddChars
    ExecARexxMacro  BED:Rexx/AddChars.bed

CountWords
    ExecARexxMacro  BED:Rexx/CountWords.bed

ExecBlk
    ExecARexxMacro  CONSOLE BED:Rexx/ExecBlk.bed

PrintBlk
    ExecARexxMacro  BED:Rexx/PrintBlk.bed

RemoveBlankLines
    ExecARexxMacro  BED:Rexx/RemoveBlankLines.bed

SaveBlk
    ExecARexxMacro  BED:Rexx/SaveBlk.bed

SaveChangedDocs
    ExecARexxMacro  BED:Rexx/SaveChangedDocs.bed

SetConfig
    ExecARexxMacro  BED:Rexx/SetConfig.bed

ShowAG
    ExecARexxMacro  BED:Rexx/ShowAG.bed

SortBlk
    ExecARexxMacro  BED:Rexx/SortBlk.bed

UnSetLocks
    ExecARexxMacro  BED:Rexx/UnSetLocks.bed
=====

...
    ExecARexxMacro

```

1.34 Menu name: Settings

```
Settings:
```

```
Change Prefs
    Nop

Auto-Save
    OpenRequester AUTOSAVEPREFS

Backup
    OpenRequester BACKUPPREFS

Colors
    OpenRequester COLORPREFS

Display
    OpenRequester DISPLAYPREFS

Edit
    OpenRequester EDITPREFS

End Of Lines
    OpenRequester ENDOFLINEPREFS

Fonts
    OpenRequester FONTPREFS

Icons
    OpenRequester ICONPREFS

Miscellanea
    OpenRequester MISCPREFS

Tabs
    OpenRequester TABPREFS

=====

Open Prefs...
    OpenPrefs

Save Prefs...
    SavePrefs

Save Prefs As Defaults
    SaveDefPrefs

=====

Open Definitions...
    OpenDefinitions
```

1.35 Menu name: ?

?:

About BED

```

                                     About
=====
      Quick Reference
        Help QuickReference

      BED Menus
        Help Standard_Menus

      BED Commands
        ExecARexxMacro  BED:Rexx/BedCmdHelp.bed
=====

      BED Main Help
        Help
```

1.36 File/New Doc

Menu name: File/New Doc

Shortcut: Amiga-W

Command: OpenDoc

Description:

1.37 File/Clear File

Menu name: File/Clear File

Shortcut: None

Command: ClearFile

Description:

1.38 File/Open File...

Menu name: File/Open File...

Shortcut: Amiga-O

Command: OpenFile

Description:

1.39 File/Open New Doc...

Menu name: File/Open New Doc...

Shortcut: Amiga-D

Command: OpenDoc FILEREQ

Description:

1.40 File/Insert File...

Menu name: File/Insert File...

Shortcut: None

Command: InsertFile

Description:

1.41 File/Save File

Menu name: File/Save File

Shortcut: Amiga-S

Command: SaveFile

Description:

1.42 File/Save File As...

Menu name: File/Save File As...

Shortcut: Amiga-A

Command: SaveFileAs

Description:

1.43 File/Save & Close

Menu name: File/Save & Close

Shortcut: None

Command: ExecARexxString SaveFile MODIFIED QUIET; CloseDoc;"

Description:

1.44 File/Close Doc

Menu name: File/Close Doc

Shortcut: Amiga-Q

Command: CloseDoc

Description:

1.45 File/Quit

Menu name: File/Quit

Shortcut: None

Command: Quit

Description:

1.46 Window/Select...

Menu name: Window/Select...

Shortcut: None

Command: ExecARexxMacro WINDOW=CON:////Select.../SCREEN BED:Rexx/ ↔
SelectDoc.bed

Description:

1.47 Window/Minimize

Menu name: Window/Minimize

Shortcut: None

Command: SizeWindow 0 0

Description:

1.48 Window/Maximize

Menu name: Window/Maximize
Shortcut: None
Command: SizeWindow 10000 10000
Description:

1.49 Window/Normalize

Menu name: Window/Normalize
Shortcut: None
Command: SetWindowSpec
Description:

1.50 Window/Snapshot

Menu name: Window/Snapshot
Shortcut: None
Command: ExecARexxString OPTIONS RESULTS; GetWindowSpec; SetPrefs ↔
DefaultWindow RESULT;"
Description:

1.51 Window/Iconify All

Menu name: Window/Iconify All
Shortcut: None
Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed ICONIFY
Description:

1.52 Window/Tile

Menu name: Window/Tile
Shortcut: None

Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed TILE

Description:

1.53 Window/Stack

Menu name: Window/Stack

Shortcut: None

Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed STACK

Description:

1.54 Window/Cascade

Menu name: Window/Cascade

Shortcut: None

Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed CASCADE

Description:

1.55 Window/Open Desktop...

Menu name: Window/Open Desktop...

Shortcut: None

Command: ExecARexxMacro BED:Rexx/LoadDesktop.bed

Description:

1.56 Window/Save Desktop As...

Menu name: Window/Save Desktop As...

Shortcut: None

Command: ExecARexxMacro BED:Rexx/SaveDesktop.bed

Description:

1.57 Edit/Mark Block

Menu name: Edit/Mark Block

Shortcut: Amiga-B

Command: MarkBlk

Description:

1.58 Edit/Select Word

Menu name: Edit/Select Word

Shortcut: None

Command: MarkBlk WORD

Description:

1.59 Edit/Select Line

Menu name: Edit/Select Line

Shortcut: Amiga-E

Command: SelectLine

Description:

1.60 Edit/Select All

Menu name: Edit/Select All

Shortcut: Amiga-T

Command: ExecARexxString MoveSOF; MarkBlk; MoveEOF;"

Description:

1.61 Edit/Copy

Menu name: Edit/Copy

Shortcut: Amiga-C

Command: CopyBlk

Description:

1.62 Edit/Paste

Menu name: Edit/Paste

Shortcut: Amiga-V

Command: PasteClip

Description:

1.63 Edit/Erase

Menu name: Edit/Erase

Shortcut: None

Command: DeleteBlk QUIET

Description:

1.64 Edit/Cut Append

Menu name: Edit/Cut Append

Shortcut: None

Command: CutBlk APPEND

Description:

1.65 Edit/Copy Append

Menu name: Edit/Copy Append

Shortcut: Amiga-Z

Command: CopyBlk APPEND

Description:

1.66 Edit/Open Clip...

Menu name: Edit/Open Clip...

Shortcut: None

Command: OpenClip

Description:

1.67 Edit/Save Clip As...

Menu name: Edit/Save Clip As...

Shortcut: None

Command: SaveClip

Description:

1.68 Edit/Print Clip...

Menu name: Edit/Print Clip...

Shortcut: None

Command: PrintClip

Description:

1.69 Find/Find...

Menu name: Find/Find...

Shortcut: Amiga-F

Command: OpenRequester FIND

Description:

1.70 Find/Find Next

Menu name: Find/Find Next

Shortcut: Amiga-N

Command: Find

Description:

1.71 Find/Find & Replace...

Menu name: Find/Find & Replace...

Shortcut: Amiga-R

Command: OpenRequester FINDCHANGE

Description:

1.72 Find/Replace Next

Menu name: Find/Replace Next

Shortcut: Amiga-Y

Command: FindChange

Description:

1.73 Find/Goto Line...

Menu name: Find/Goto Line...

Shortcut: Amiga-L

Command: Move

Description:

1.74 Find/Match Bracket

Menu name: Find/Match Bracket

Shortcut: None

Command: MoveMatchBkt

Description:

1.75 Find/Set Bookmark

Menu name: Find/Set Bookmark

Shortcut: None

Command: Nop

Description:

1.76 Find/Set Bookmark/# 1

Menu name: Find/Set Bookmark/# 1

Shortcut: None

Command: SetBookmark 1

Description:

1.77 Find/Set Bookmark/# 2

Menu name: Find/Set Bookmark/# 2

Shortcut: None

Command: SetBookmark 2

Description:

1.78 Find/Set Bookmark/# 3

Menu name: Find/Set Bookmark/# 3

Shortcut: None

Command: SetBookmark 3

Description:

1.79 Find/Set Bookmark/# 4

Menu name: Find/Set Bookmark/# 4

Shortcut: None

Command: SetBookmark 4

Description:

1.80 Find/Set Bookmark/# 5

Menu name: Find/Set Bookmark/# 5

Shortcut: None

Command: SetBookmark 5

Description:

1.81 Find/Set Bookmark/# 6

Menu name: Find/Set Bookmark/# 6

Shortcut: None

Command: SetBookmark 6

Description:

1.82 Find/Set Bookmark/# 7

Menu name: Find/Set Bookmark/# 7

Shortcut: None

Command: SetBookmark 7

Description:

1.83 Find/Set Bookmark/# 8

Menu name: Find/Set Bookmark/# 8

Shortcut: None

Command: SetBookmark 8

Description:

1.84 Find/Set Bookmark/# 9

Menu name: Find/Set Bookmark/# 9

Shortcut: None

Command: SetBookmark 9

Description:

1.85 Find/Set Bookmark/# 10

Menu name: Find/Set Bookmark/# 10

Shortcut: None

Command: SetBookmark 10

Description:

1.86 Find/Goto Bookmark

Menu name: Find/Goto Bookmark

Shortcut: None

Command: Nop

Description:

1.87 Find/Goto Bookmark/# 1

Menu name: Find/Goto Bookmark/# 1

Shortcut: None

Command: MoveBookmark 1

Description:

1.88 Find/Goto Bookmark/# 2

Menu name: Find/Goto Bookmark/# 2

Shortcut: None

Command: MoveBookmark 2

Description:

1.89 Find/Goto Bookmark/# 3

Menu name: Find/Goto Bookmark/# 3

Shortcut: None

Command: MoveBookmark 3

Description:

1.90 Find/Goto Bookmark/# 4

Menu name: Find/Goto Bookmark/# 4

Shortcut: None

Command: MoveBookmark 4

Description:

1.91 Find/Goto Bookmark/# 5

Menu name: Find/Goto Bookmark/# 5

Shortcut: None

Command: MoveBookmark 5

Description:

1.92 Find/Goto Bookmark/# 6

Menu name: Find/Goto Bookmark/# 6

Shortcut: None

Command: MoveBookmark 6

Description:

1.93 Find/Goto Bookmark/# 7

Menu name: Find/Goto Bookmark/# 7

Shortcut: None

Command: MoveBookmark 7

Description:

1.94 Find/Goto Bookmark/# 8

Menu name: Find/Goto Bookmark/# 8

Shortcut: None

Command: MoveBookmark 8

Description:

1.95 Find/Goto Bookmark/# 9

Menu name: Find/Goto Bookmark/# 9

Shortcut: None

Command: MoveBookmark 9

Description:

1.96 Find/Goto Bookmark/# 10

Menu name: Find/Goto Bookmark/# 10

Shortcut: None

Command: MoveBookmark 10

Description:

1.97 Format/Format Paragraph

Menu name: Format/Format Paragraph

Shortcut: None

Command: FormatParagraph

Description:

1.98 Format/Goto Paragraph

Menu name: Format/Goto Paragraph

Shortcut: None

Command: Nop

Description:

1.99 Format/Goto Paragraph/Previous

Menu name: Format/Goto Paragraph/Previous

Shortcut: None

Command: ExecARexxMacro BED:Rexx/PrevParagraph

Description:

1.100 Format/Goto Paragraph/Next

Menu name: Format/Goto Paragraph/Next

Shortcut: None

Command: ExecARexxMacro BED:Rexx/NextParagraph

Description:

1.101 Format/Documentize

Menu name: Format/Documentize

Shortcut: None

Command: ExecARexxMacro BED:Rexx/Documentize.bed

Description:

1.102 Format/Left Justify

Menu name: Format/Left Justify

Shortcut: None

Command: LeftJustify

Description:

1.103 Format/Right Justify

Menu name: Format/Right Justify

Shortcut: None

Command: RightJustify

Description:

1.104 Format/L/R Justify

Menu name: Format/L/R Justify

Shortcut: None

Command: Justify

Description:

1.105 Format/Center

Menu name: Format/Center

Shortcut: None

Command: Center

Description:

1.106 Format/Tabs -> Spaces

Menu name: Format/Tabs -> Spaces

Shortcut: None

Command: Conv2Spaces

Description:

1.107 Format/Spaces -> Tabs

Menu name: Format/Spaces -> Tabs

Shortcut: None

Command: Conv2Tabs

Description:

1.108 Format/Remove EOL Blanks

Menu name: Format/Remove EOL Blanks

Shortcut: None

Command: StripEOLBlanks

Description:

1.109 Format/Indent Block

Menu name: Format/Indent Block

Shortcut: None

Command: ExecARexxMacro BED:Rexx/IndentBlk.bed

Description:

1.110 Format/Unindent Block

Menu name: Format/Unindent Block

Shortcut: None

Command: ExecARexxMacro BED:Rexx/UnindentBlk.bed

Description:

1.111 Format/Indent Line

Menu name: Format/Indent Line

Shortcut: None

Command: ShiftRight TABS

Description:

1.112 Format/Unindent Line

Menu name: Format/Unindent Line

Shortcut: None

Command: ShiftLeft TABS

Description:

1.113 Extras/Undo Line

Menu name: Extras/Undo Line

Shortcut: Amiga-U

Command: UndoLine

Description:

1.114 Extras/Undelete Line

Menu name: Extras/Undelete Line

Shortcut: None

Command: UndeleteLine

Description:

1.115 Extras/Insert Current Date

Menu name: Extras/Insert Current Date

Shortcut: None

Command: ExecARexxString Insert DATE();"

Description:

1.116 Extras/Insert Version String

Menu name: Extras/Insert Version String

Shortcut: None

Command: ExecARexxMacro BED:Rexx/InsertVersion.bed

Description:

1.117 Extras/Comment Block

Menu name: Extras/Comment Block

Shortcut: None

Command: ExecARexxMacro BED:Rexx/CommentBlk.bed

Description:

1.118 Extras/Number Lines

Menu name: Extras/Number Lines

Shortcut: None

Command: ExecARexxMacro BED:Rexx/NumberLines.bed

Description:

1.119 Extras/Word -> Lower Case

Menu name: Extras/Word -> Lower Case

Shortcut: None

Command: Conv2Lower

Description:

1.120 Extras/Word -> Upper Case

Menu name: Extras/Word -> Upper Case

Shortcut: None

Command: Conv2Upper

Description:

1.121 Extras/Toggle Char Case

Menu name: Extras/Toggle Char Case

Shortcut: None

Command: ToggleCharCase

Description:

1.122 Extras/Encrypt Block

Menu name: Extras/Encrypt Block

Shortcut: None

Command: EncryptBlk

Description:

1.123 Macro/Start Recording

Menu name: Macro/Start Recording

Shortcut: Amiga-G

Command: RecordMacro

Description:

1.124 Macro/Stop Recording

Menu name: Macro/Stop Recording

Shortcut: Amiga-H

Command: EndMacro

Description:

1.125 Macro/Play Macro

Menu name: Macro/Play Macro

Shortcut: Amiga-M

Command: PlayMacro 1

Description:

1.126 Macro/Play Many...

Menu name: Macro/Play Many...

Shortcut: Amiga-I

Command: PlayMacro

Description:

1.127 Macro/Open Macro...

Menu name: Macro/Open Macro...

Shortcut: None

Command: OpenMacro

Description:

1.128 Macro/Save Macro as...

Menu name: Macro/Save Macro as...

Shortcut: None

Command: SaveMacro

Description:

1.129 Tools/New Shell...

Menu name: Tools/New Shell...

Shortcut: None

Command: NewShell

Description:

1.130 Tools/New Console...

Menu name: Tools/New Console...

Shortcut: None

Command: ExecARexxMacro CONSOLE BED:Rexx/CmdShell.bed

Description:

1.131 Tools/Exec Tool...

Menu name: Tools/Exec Tool...

Shortcut: None

Command: ExecTool

Description:

1.132 Tools/Run Tool...

Menu name: Tools/Run Tool...

Shortcut: None

Command: RunTool

Description:

1.133 Tools/Exec DOS Script...

Menu name: Tools/Exec DOS Script...

Shortcut: None

Command: ExecDOSScript CONSOLE

Description:

1.134 Tools/Calculator

Menu name: Tools/Calculator

Shortcut: None

Command: RunTool Calculator PUBSCREEN=Blacks_Editor

Description:

1.135 Tools/Multiview

Menu name: Tools/Multiview

Shortcut: None

Command: RunTool Multiview

Description:

1.136 Tools/...

Menu name: Tools/...

Shortcut: None

Command: RunTool

Description:

1.137 ARexx/Exec ARexx Macro...

Menu name: ARexx/Exec ARexx Macro...

Shortcut: None

Command: ExecARexxMacro

Description:

1.138 ARexx/Exec ARexx String...

Menu name: ARexx/Exec ARexx String...

Shortcut: Amiga-K

Command: ExecARexxString

Description:

1.139 ARexx/AddChars

Menu name: ARexx/AddChars

Shortcut: None

Command: ExecARexxMacro BED:Rexx/AddChars.bed

Description:

1.140 ARexx/CountWords

Menu name: ARexx/CountWords

Shortcut: None

Command: ExecARexxMacro BED:Rexx/CountWords.bed

Description:

1.141 ARexx/ExecBlk

Menu name: ARexx/ExecBlk

Shortcut: None

Command: ExecARexxMacro CONSOLE BED:Rexx/ExecBlk.bed

Description:

1.142 ARexx/PrintBlk

Menu name: ARexx/PrintBlk

Shortcut: None

Command: ExecARexxMacro BED:Rexx/PrintBlk.bed

Description:

1.143 ARexx/RemoveBlankLines

Menu name: ARexx/RemoveBlankLines

Shortcut: None

Command: ExecARexxMacro BED:Rexx/RemoveBlankLines.bed

Description:

1.144 ARexx/SaveBlk

Menu name: ARexx/SaveBlk

Shortcut: None

Command: ExecARexxMacro BED:Rexx/SaveBlk.bed

Description:

1.145 ARexx/SaveChangedDocs

Menu name: ARexx/SaveChangedDocs

Shortcut: None

Command: ExecARexxMacro BED:Rexx/SaveChangedDocs.bed

Description:

1.146 ARexx/SetConfig

Menu name: ARexx/SetConfig

Shortcut: None

Command: ExecARexxMacro BED:Rexx/SetConfig.bed

Description:

1.147 ARexx/ShowAG

Menu name: ARexx/ShowAG
Shortcut: None
Command: ExecARexxMacro BED:Rexx/ShowAG.bed
Description:

1.148 ARexx/SortBlk

Menu name: ARexx/SortBlk
Shortcut: None
Command: ExecARexxMacro BED:Rexx/SortBlk.bed
Description:

1.149 ARexx/UnSetLocks

Menu name: ARexx/UnSetLocks
Shortcut: None
Command: ExecARexxMacro BED:Rexx/UnSetLocks.bed
Description:

1.150 ARexx/...

Menu name: ARexx/...
Shortcut: None
Command: ExecARexxMacro
Description:

1.151 Settings/Change Prefs

Menu name: Settings/Change Prefs
Shortcut: None
Command: Nop

Description:

1.152 Settings/Change Prefs/Auto-Save

Menu name: Settings/Change Prefs/Auto-Save

Shortcut: Amiga-1

Command: OpenRequester AUTOSAVEPREFS

Description:

1.153 Settings/Change Prefs/Backup

Menu name: Settings/Change Prefs/Backup

Shortcut: Amiga-2

Command: OpenRequester BACKUPPREFS

Description:

1.154 Settings/Change Prefs/Colors

Menu name: Settings/Change Prefs/Colors

Shortcut: Amiga-3

Command: OpenRequester COLORPREFS

Description:

1.155 Settings/Change Prefs/Display

Menu name: Settings/Change Prefs/Display

Shortcut: Amiga-4

Command: OpenRequester DISPLAYPREFS

Description:

1.156 Settings/Change Prefs/Edit

Menu name: Settings/Change Prefs/Edit

Shortcut: Amiga-5

Command: OpenRequester EDITPREFS

Description:

1.157 Settings/Change Prefs/End Of Lines

Menu name: Settings/Change Prefs/End Of Lines

Shortcut: Amiga-6

Command: OpenRequester ENDOFLINEPREFS

Description:

1.158 Settings/Change Prefs/Fonts

Menu name: Settings/Change Prefs/Fonts

Shortcut: Amiga-7

Command: OpenRequester FONTPREFS

Description:

1.159 Settings/Change Prefs/Icons

Menu name: Settings/Change Prefs/Icons

Shortcut: Amiga-8

Command: OpenRequester ICONPREFS

Description:

1.160 Settings/Change Prefs/Miscellanea

Menu name: Settings/Change Prefs/Miscellanea

Shortcut: Amiga-9

Command: OpenRequester MISCPREFS

Description:

1.161 Settings/Change Prefs/Tabs

Menu name: Settings/Change Prefs/Tabs

Shortcut: Amiga-0

Command: OpenRequester TABPREFS

Description:

1.162 Settings/Open Prefs...

Menu name: Settings/Open Prefs...

Shortcut: None

Command: OpenPrefs

Description:

1.163 Settings/Save Prefs...

Menu name: Settings/Save Prefs...

Shortcut: None

Command: SavePrefs

Description:

1.164 Settings/Save Prefs As Defaults

Menu name: Settings/Save Prefs As Defaults

Shortcut: None

Command: SaveDefPrefs

Description:

1.165 Settings/Open Definitions...

Menu name: Settings/Open Definitions...
Shortcut: None
Command: OpenDefinitions
Description:

1.166 ?/About BED

Menu name: ?/About BED
Shortcut: None
Command: About
Description:

1.167 ?/Quick Reference

Menu name: ?/Quick Reference
Shortcut: None
Command: Help QuickReference
Description:

1.168 ?/BED Menus

Menu name: ?/BED Menus
Shortcut: None
Command: Help Standard_Menus
Description:

1.169 ?/BED Commands

Menu name: ?/BED Commands
Shortcut: None
Command: ExecARexxMacro BED:Rexx/BedCmdHelp.bed

Description:

1.170 ?/BED Main Help

Menu name: ?/BED Main Help

Shortcut: None

Command: Help

Description:

1.171 The Standard Keyboard Sequences

Still writing

Sorry :-(

I still have to write this page...

1.172 The Standard Mouse Clicks

Still writing

Sorry :-(

I still have to write this page...

1.173 Customize Blacks Editor

Still writing

Sorry :-(

I still have to write this page...

1.174 Definitions Files

Still writing

Sorry :-(

I still have to write this page...

1.175 Preferences Files

Still writing

Sorry :-(

I still have to write this page...

1.176 Supplied Material

Still writing

Sorry :-(

I still have to write this page...

1.177 Supplied Emulations

Still writing

Sorry :-(

I still have to write this page...

1.178 Supplied Macros

Still writing

Sorry :-(

I still have to write this page...

1.179 Quick Reference for Blacks Editor

Quick reference for Blacks Editor

IMPORTANT !!! These three keyboard sequences are always valid:

[Ctrl]-[Shift]-[Alt]-F1	Restore the built-in default definitions (menus, keys, ↵ etc...)
[Ctrl]-[Shift]-[Alt]-F2	Restore the built-in default preferences
[Ctrl]-[Shift]-[Alt]-F3	Remake the screen

Standard keyboard sequences:

[Return]	Insert a line
[Enter]	Insert a line with indent
[Backspace]	Delete the previous character
[Del]	Delete the current character
[Tab]	Insert a tab
[Esc]	
[Help]	This help
[CursorUp]	Move the cursor up by one line
[CursorDown]	Move the cursor down by one line
[CursorRight]	Move the cursor right by one character
[CursorLeft]	Move the cursor left by one character
[F1]	Open a new document
[F2]	Open a new file in the current document
[F3]	Find matching bracket
[F4]	Open the Command Shell
[F5]	Open a DOS Shell
[F6]	Move the cursor to the start of previous paragraph
[F7]	Move the cursor to the start of next paragraph
[F8]	Indent the selected block
[F9]	Save the current file if modified
[F10]	Activate the next document and bring it to front
[Shift]-[Return]	Insert a line without breaking the current line
[Shift]-[Enter]	Insert a line with indent without breaking the current line ←
[Shift]-[BackSpace]	Delete to the start of the current word
[Shift]-[Del]	Delete to the end of the current word
[Shift]-[Tab]	Move to the previous tab stop on the current line
[Shift]-[Esc]	
[Shift]-[Help]	Display the General Blacks Editor Help
[Shift]-[CursorUp]	Move the cursor up by one screenful
[Shift]-[CursorDown]	Move the cursor down by one screenful
[Shift]-[CursorRight]	Move to the start of the next word
[Shift]-[CursorLeft]	Move to the start of the previous word
[Shift]-[F1]	Display the General Blacks Editor Help
[Shift]-[F2]	Open a new file in a new document
[Shift]-[F3]	Undo the current line
[Shift]-[F4]	Restore the window default position
[Shift]-[F5]	Iconify / Deiconify the current document window
[Shift]-[F6]	Format the current paragraph
[Shift]-[F7]	Justify current paragraph
[Shift]-[F8]	Unindent the selected block
[Shift]-[F9]	Save the current file with a different name
[Shift]-[F10]	Activate the previous document and bring it to front
[Alt]-[Return]	Insert a line with indent without breaking the current line ←
[Alt]-[Enter]	Insert a line without breaking the current line
[Alt]-[BackSpace]	Delete to the start of the current line
[Alt]-[Del]	Delete to the end of the current line

[Alt]-[Tab]	Move to the previous tab stop on the current line
[Alt]-[Esc]	Close the current document
[Alt]-[Help]	
[Alt]-[CursorUp]	Move the cursor to the start of the document
[Alt]-[CursorDown]	Move the cursor to the end of the document
[Alt]-[CursorRight]	Move the cursor to the end of the line
[Alt]-[CursorLeft]	Move the cursor to the start of the line
[Alt]-[F1]	Move to the position indicated by bookmark 1
[Alt]-[F2]	Move to the position indicated by bookmark 2
[Alt]-[F3]	Move to the position indicated by bookmark 3
[Alt]-[F4]	Move to the position indicated by bookmark 4
[Alt]-[F5]	Move to the position indicated by bookmark 5
[Alt]-[F6]	Move to the position indicated by bookmark 6
[Alt]-[F7]	Move to the position indicated by bookmark 7
[Alt]-[F8]	Move to the position indicated by bookmark 8
[Alt]-[F9]	Move to the position indicated by bookmark 9
[Alt]-[F10]	Move to the position indicated by bookmark 10
[Ctrl]-[Return]	Insert a line with indent
[Ctrl]-[Enter]	Insert a line
[Ctrl]-[Backspace]	Delete the current line
[Ctrl]-[Del]	Delete the current line
[Ctrl]-[Tab]	Move to the next tab stop on the current line
[Ctrl]-[Esc]	Quit BED
[Ctrl]-[Help]	
[Ctrl]-[CursorUp]	Scroll the current document up
[Ctrl]-[CursorDown]	Scroll the current document down
[Ctrl]-[CursorRight]	Shift the current line or block right
[Ctrl]-[CursorLeft]	Shift the current line or block left
[Ctrl]-[F1]	Set bookmark 1 to the current cursor position
[Ctrl]-[F2]	Set bookmark 2 to the current cursor position
[Ctrl]-[F3]	Set bookmark 3 to the current cursor position
[Ctrl]-[F4]	Set bookmark 4 to the current cursor position
[Ctrl]-[F5]	Set bookmark 5 to the current cursor position
[Ctrl]-[F6]	Set bookmark 6 to the current cursor position
[Ctrl]-[F7]	Set bookmark 7 to the current cursor position
[Ctrl]-[F8]	Set bookmark 8 to the current cursor position
[Ctrl]-[F9]	Set bookmark 9 to the current cursor position
[Ctrl]-[F10]	Set bookmark 10 to the current cursor position
[Ctrl]-R	Toggle read-only mode
[Ctrl]-T	Toggle expand tabs mode
[Ctrl]-I	Toggle auto-indent mode
[Ctrl]-F	Toggle free form mode
[Ctrl]-O	Toggle overstrike mode
[Ctrl]-W	Toggle word wrap mode
[Ctrl]-J	Toggle jump scroll mode
[Ctrl]-B	Toggle backup mode
[Ctrl]-K	Toggle IBM keypad mode
[Ctrl]-Q	Quote character, next character entered is taken as is

[Ctrl]-1	Change the text color
[Ctrl]-2	Change the background color
[Ctrl]-3	Change the text color of selected text
[Ctrl]-4	Change the background color of selected text
[Alt]-[Ctrl]-[CursorLeft]	Move the cursor to the start of the word
[Alt]-[Ctrl]-[CursorRight]	Move the cursor to the end of the word
[Alt]-[Ctrl]-[Del]	Delete to the start of the word
[Alt]-[Ctrl]-[Backspace]	Delete to the end of the word
[Home]	Move the cursor to the start of the document
[End]	Move the cursor to the end of the document
[PgUp]	Scroll the document up by one page
[PgDn]	Scroll the document down by one page
[Ins]	Toggle overstrike mode
[Del]	Delete the current charcater
[Cursorup]	Scroll the document up by one line
[CursorDown]	Scroll the document down by one line
[CursorLeft]	Move the cursor left by one character
[CursorRight]	Move the cursor right by one character
[ScrL]	Toggle read-only mode
[PrtSc]	Print the current file

Standard mouse sequences:

Holding down the left button and pushing the mouse off the bottom or top edges of the window scrolls the display.

Double-clicking the left button marks the start of a selection block.

Holding down the middle button and cliking the right button marks the start of a selection block

Status Area Information

The letters in the status area have the following meaning:

M/m	Document modified since last save? (M=Yes, m=No)
R/r	Read Only (R=On, r=Off)
T/t	Expand Tabs (T=On, t=Off)
I/i	Auto-Indent (I=On, i=Off)
F/f	Free Form (F=On, f=Off)
O/o	Overstrike (O=On, o=Off)
W/w	Word Wrap (W=On, w=Off)
J/j	Jump Scroll (J=On, j=Off)
B/b	Create Backups (B=On, b=Off)
K/k	IBM Keyboard (K=On, k=Off)

1.180 Commands Reference

Commands Reference

Blacks Editor 1.0 supports 150 ARexx commands.

You can use these commands to write your own definition file, to modify an existing one, or to write ARexx Macros.

The global commands are the only who can be sent to the general ARexx port called BED. The others can only be sent to the specific ARexx port of some document.

The commands are listed according different criteria:

Alphabetical order

Functional groupings

Global commands

1.181 Alphabetical List of Commands

Alphabetical List of Commands

About

- Bring up the About requester

ActivateLastDoc

- Activates and bring to front the last document

ActivateNextDoc

- Activates and bring to front the next document

ActivatePrevDoc

- Activates and grong to front the previous document

ActivateWindow

- Activates the window of the current document

BackSpace

- Delete the character before the cursor

BeepScreen

- Flashes the screen

Center

- Center the current paragraph

CenterView

- Center vertically the current line

ClearBookMark

- Clear the specified bookmark

ClearFile

- Clears the current file

CloseDoc

- Closes the current document

ControlWindow

- Toggle between open and close document window

Conv2Lower

- Convert the character to lower case

Conv2Spaces

- Convert the tabs to spaces

Conv2Tabs

- Convert the spaces to tabs

Conv2Upper

- Convert the character to upper case

CopyBlk

- Copy the selected block to the clipboard

CutBlk

- Copy the selected block to the clipboard and erase it

Delete

- Delete the character under the cursor character

DeleteBlk

- Erase the selected block

DeleteEOL

- Delete from the cursor to the end of the line

DeleteEOF

- Delete from the cursor to the end of the file

DeleteEOW

- Delete from the cursor to the end of the word

DeleteLine

- Delete the current line

DeleteSOL

- Delete from the cursor to the start of the line

DeleteSOF

- Delete from the cursor to the start of the file

DeleteSOW

- Delete from the cursor to the start of the word

DeleteWord

- Delete the word under the cursor
- EncryptBlk
- Encrypt the selected block
- EndMacro
- Stops the recording of a macro
- ExecARexxMacro
- Execute an ARexx script
- ExecARexxString
- Execute an ARexx string
- ExecDosScript
- Execute a DOS script
- ExecTool
- Execute synchronously a Tool
- Exist
- Check if a the specified command is supported by BED
- ExistsFile
- Check if a file exists
- Find
- Search in the current document for the specified string
- FindChange
- Search in the current document for the specified string and ←
replace it with another
- FormatParagraph
- Format the current paragraph
- GetBlk
- Return the text in the selected block
- GetBlkDims
- Return info about the selected block
- GetBlkInfo
- Return info about the selected block
- GetChar
- Return the current character
- GetCurrentDir
- Return the name of the current dir
- GetCursorPos
- Return info about the current position of the cursor
- GetDocuments
- Return the names of the documents and their ARexx port name
-

GetErrorInfo
- Return the string of the specified error code

GetFileInfo
- Return info about the current document

GetFilePath
- Return the path and/or filename of the current document

GetLastDoc
- Return the ARexx port name of the last edited document

GetLine
- Return the text of the current line

GetLockInfo
- Return info about the locks

GetMacroInfo
- Return info about the current macro recorded

GetPort
- Return the ARexx port name of a document

GetPrefs
- Return the value of the specified preference

GetPriority
- Return the task priority of BED

GetScreenInfo
- Return info about the screen

GetTemplate
- Return the template of the specified command

GetVersion
- Return the version string of BED

GetViewInfo
- Return info about the current view

GetWindowInfo
- Return info about the current document window

GetWindowSpec
- Return the specification of the current document window

GetWord
- Return the word under the cursor

Help
- Display an AmigaGuide document with an help about the specified ↔
topic

IconifyWindow
- Iconify/uniconify the current document window

Illegal

- Produces an error

Insert

- Insert the specified string in the document

InsertTab

- Insert a tab in the text

InsertFile

- Insert a file in the document

InsertLine

- Insert a new line in the document

Justify

- Justify the current paragraph

LeftJustify

- Left justify the current paragraph

MarkBlk

- Mark the start of the selection block

Move

- Move the cursor to the specified line and/or column

MoveBookMark

- Move the cursor to the specified bookmark

MoveDown

- Move the cursor down one or more lines line

MoveDownScr

- Move the cursor down one page

MoveEOF

- Move the cursor to the end of the document

MoveEOL

- Move the cursor to the end of the current line

MoveEOW

- Move the cursor to the end of the word

MoveLeft

- Move the cursor left one or more characters

MoveMatchBkt

- Move the cursor on the matching bracket

MoveNextTabStop

- Move the cursor to the next tab stop position

MoveNextWord

- Move the cursor to the start of the next word
-

MovePrevTabStop

- Move the cursor to the previous tab stop

MovePrevWord

- Move the cursor to the start of the previous word

MoveRight

- Move the cursor right one or more characters

MoveSizeWindow

- Change the dimensions and position of the current document window ↔

MoveSOF

- Move the cursor to the start of the file

MoveSOL

- Move the cursor to the start of the current line

MoveSOW

- Move the cursor to the start of the current word

MoveUp

- Move the cursor up one or more lines

MoveUpScr

- Move the cursor up one page

MoveWindow

- Change the position of the current document window

NewShell

- Opens a new shell

Nop

- Absolutely nothing

OpenClip

- Load the specified file in the clipboard

OpenDefinitions

- Load the specified definitions file for the current document

OpenDoc

- Open a new document

OpenFile

- Load the specified file in the current document

OpenMacro

- Load the specified macro

OpenPrefs

- Load the specified preference file for the current document

OpenRequester

- Open the specified requester
- PasteClip
- Paste the clipboard in the current document
- PlayMacro
- Play the recorded macro
- PrintClip
- Print the contents of the clipboard
- PrintFile
- Print the current document
- Quit
- Close all the documents and exit
- RecordMacro
- Start recording a macro
- RemakeScreen
- Remake the screen
- RequestBool
- Open a bool requester
- RequestChoice
- Open a requester with multiple choices
- RequestFile
- Open a file requester
- RequestFont
- Open a font requester
- RequestNum
- Open a number requester
- RequestStr
- Open a string requester
- RightJustify
- Right justify teh current paragraph
- RunTool
- Run asynchronously the selected Tool
- SaveClip
- Save the contents of the clipboard in a file
- SaveDefPrefs
- Save the preferences on disk, as defaults
- SaveFile
- Save the current document
- SaveFileAs
-

-
- Save the current document with a different filename
- SaveMacro
- Save the currently recorded macro
- SavePrefs
- Save the preferences on disk
- Screen2Back
- Move the screen to back
- Screen2Front
- Move the screen to front
- ScrollVert
- Scroll vertically keeping the cursor in the same position
- ScrollView
- Scroll vertically the current view
- SelectLine
- Select the current line
- SetBookMark
- Set the specified bookmark
- SetChar
- Set the char under the cursor
- SetCurrentDir
- Set the current directory
- SetDisplayLock
- Set the lock on the display of the current file
- SetFilePath
- Set the path of the current document
- SetInputLock
- Set the lock on the input in the current document
- SetPrefs
- Set the specified preference
- SetPriority
- Set the task priority of BED
- SetQuoteMode
- Set the quote mode
- SetStatusBar
- Display the specified string in the status bar
- SetWindowSpec
- Dimension the current document window according to the ↔ specification
-

ShiftLeft

- Shift left the current line one or more characters or tabs

ShiftRight

- Shift right the current line one or more characters or tabs

SizeWindow

- Change the dimensions of the current document window

StripEOLBlanks

- Strip all the blanks at the end of the lines

SwapChars

- Swap the character under the cursor with the next

Text

- Insert the specified string in the current document

ToggleCharCase

- Toggle the upper/lower case of the character under the cursor

UndeleteLine

- Undelete the current line

UndoLine

- Undo all the changes on the current line

Window2Back

- Move the current document window to back

Window2Front

- Move the current document window to front

1.182 Functional Grouping of Commands

Functional Grouping of Commands

Commands dealing with load & save

ExistsFile

- Check if a file exists

GetFileInfo

- Return info about the current document

GetFilePath

- Return the path and/or filename of the current document

InsertFile

- Insert a file in the document

OpenFile

- Load the specified file in the current document
-

PrintFile
- Print the current document

SaveFile
- Save the current document

SaveFileAs
- Save the current document with a different filename

SetFilePath
- Set the path of the current document

Commands dealing with the editing

BackSpace
- Delete the character before the cursor

Delete
- Delete the character under the cursor character

DeleteEOL
- Delete from the cursor to the end of the line

DeleteEOF
- Delete from the cursor to the end of the file

DeleteEOW
- Delete from the cursor to the end of the word

DeleteLine
- Delete the current line

DeleteSOL
- Delete from the cursor to the start of the line

DeleteSOF
- Delete from the cursor to the start of the file

DeleteSOW
- Delete from the cursor to the start of the word

DeleteWord
- Delete the word under the cursor

Insert
- Insert the specified string in the document

InsertTab
- Insert a tab in the text

InsertLine
- Insert a new line in the document

ShiftLeft
- Shift left the current line one or more characters or tabs

ShiftRight

- Shift right the current line one or more characters or tabs

Text

- Insert the specified string in the current document

UndeleteLine

- Undelete the current line

UndoLine

- Undo all the changes on the current line

Commands dealing with cursor movements

GetCursorPos

- Return info about the current position of the cursor

Move

- Move the cursor to the specified line and/or column

MoveDown

- Move the cursor down one or more lines line

MoveDownScr

- Move the cursor down one page

MoveEOF

- Move the cursor to the end of the document

MoveEOL

- Move the cursor to the end of the current line

MoveEOW

- Move the cursor to the end of the word

MoveLeft

- Move the cursor left one or more characters

MoveMatchBkt

- Move the cursor on the matching bracket

MoveNextTabStop

- Move the cursor to the next tab stop position

MoveNextWord

- Move the cursor to the start of the next word

MovePrevTabStop

- Move the cursor to the previous tab stop

MovePrevWord

- Move the cursor to the start of the previous word

MoveRight

- Move the cursor right one or more characters
-

MoveSOF

- Move the cursor to the start of the file

MoveSOL

- Move the cursor to the start of the current line

MoveSOW

- Move the cursor to the start of the current word

MoveUp

- Move the cursor up one or more lines

MoveUpScr

- Move the cursor up one page

ScrollVert

- Scroll vertically keeping the cursor in the same position

ScrollView

- Scroll vertically the current view

Commands dealing with bookmarks

ClearBookMark

- Clear the specified bookmark

MoveBookMark

- Move the cursor to the specified bookmark

SetBookMark

- Set the specified bookmark

Commands dealing with special edit functions

ClearFile

- Clears the current file

Conv2Lower

- Convert the character to lower case

Conv2Spaces

- Convert the tabs to spaces

Conv2Tabs

- Convert the spaces to tabs

Conv2Upper

- Convert the character to upper case

EncryptBlk

- Encrypt the selected block

SetChar

- Set the char under the cursor
-

StripEOLBlanks

- Strip all the blanks at the end of the lines

SwapChars

- Swap the character under the cursor with the next

ToggleCharCase

- Toggle the upper/lower case of the character under the cursor

Commands dealing with selection block and the clipboard

CopyBlk

- Copy the selected block to the clipboard

CutBlk

- Copy the selected block to the clipboard and erase it

DeleteBlk

- Erase the selected block

GetBlk

- Return the text in the selected block

GetBlkDims

- Return info about the selected block

GetBlkInfo

- Return info about the selected block

MarkBlk

- Mark the start of the selection block

OpenClip

- Load the specified file in the clipboard

PasteClip

- Paste the clipboard in the current document

PrintClip

- Print the contents of the clipboard

SaveClip

- Save the contents of the clipboard in a file

SelectLine

- Select the current line

Commands dealing with search & replace

Find

- Search in the current document for the specified string

FindChange

- Search in the current document for the specified string and ↔ replace it with another

Commands dealing with formatting of paragraph

Center

- Center the current paragraph

FormatParagraph

- Format the current paragraph

Justify

- Justify the current paragraph

LeftJustify

- Left justify the current paragraph

RightJustify

- Right justify the current paragraph

Commands dealing with recorded macros

EndMacro

- Stops the recording of a macro

GetMacroInfo

- Return info about the current macro recorded

OpenMacro

- Load the specified macro

PlayMacro

- Play the recorded macro

RecordMacro

- Start recording a macro

SaveMacro

- Save the currently recorded macro

Commands dealing with external Tools or ARexx macros

ExecARexxMacro

- Execute an ARexx script

ExecARexxString

- Execute an ARexx string

ExecDosScript

- Execute a DOS script

ExecTool

- Execute synchronously a Tool
-

NewShell
- Opens a new shell

RunTool
- Run asynchronously the selected Tool

Commands dealing with the configuration of the program

GetPrefs
- Return the value of the specified preference

OpenDefinitions
- Load the specified definitions file for the current document

OpenPrefs
- Load the specified preference file for the current document

SaveDefPrefs
- Save the preferences on disk, as defaults

SavePrefs
- Save the preferences on disk

SetPrefs
- Set the specified preference

Commands dealing with windows and screen

ActivateLastDoc
- Activates and bring to front the last document

ActivateNextDoc
- Activates and bring to front the next document

ActivatePrevDoc
- Activates and bring to front the previous document

ActivateWindow
- Activates the window of the current document

BeepScreen
- Flashes the screen

ControlWindow
- Toggle between open and close document window

GetScreenInfo
- Return info about the screen

GetWindowInfo
- Return info about the current document window

GetWindowSpec
- Return the specification of the current document window

IconifyWindow
- Iconify/unicornify the current document window

MoveSizeWindow
- Change the dimensions and position of the current document window ↔

MoveWindow
- Change the position of the current document window

RemakeScreen
- Remake the screen

Screen2Back
- Move the screen to back

Screen2Front
- Move the screen to front

SetStatusBar
- Display the specified string in the status bar

SetWindowSpec
- Dimension the current document window according to the ↔ specification

SizeWindow
- Change the dimensions of the current document window

Window2Back
- Move the current document window to back

Window2Front
- Move the current document window to front

Commands dealing with views

CenterView
- Center vertically the current line

GetViewInfo
- Return info about the current view

Commands dealing with documents

CloseDoc
- Closes the current document

GetDocuments
- Return the names of the documents and their ARexx port name

GetLastDoc
- Return the ARexx port name of the last edited document

GetPort

- Return the ARexx port name of a document

OpenDoc

- Open a new document

Quit

- Close all the documents and exit

Command allowing input in ARexx Macros

RequestBool

- Open a bool requester

RequestChoice

- Open a requester with multiple choices

RequestFile

- Open a file requester

RequestFont

- Open a font requester

RequestNum

- Open a number requester

RequestStr

- Open a string requester

Commands dealing with text in ARexx macros

GetChar

- Return the current character

GetLine

- Return the text of the current line

GetWord

- Return the word under the cursor

Commands useful when developing ARexx Macros

Exist

- Check if a the specified command is supported by BED

GetErrorInfo

- Return the string of the specified error code

GetTemplate

- Return the template of the specified command

GetVersion

- Return the version string of BED

Help

- Display an AmigaGuide document with an help about the specified ↔
topic

Illegal

- Produces an error

Nop

- Absolutely nothing

Miscellanea commands

About

- Bring up the About requester

GetCurrentDir

- Return the name of the current dir

GetPriority

- Return the task priority of BED

OpenRequester

- Open the specified requester

SetCurrentDir

- Set the current directory

SetPriority

- Set the task priority of BED

SetQuoteMode

- Set the quote mode

1.183 List of Global Commands

List of Global Commands

ActivateLastDoc

- Activates and bring to front the last document

ActivateNextDoc

- Activates and bring to front the next document

ActivatePrevDoc

- Activates and grong to front the previous document

ActivateWindow

- Activates the window of the current document

BeepScreen

- Flashes the screen

ExecARexxMacro

- Execute an ARexx script

ExecARexxString

- Execute an ARexx string

ExecDosScript

- Execute a DOS script

ExecTool

- Execute synchronously a Tool

Exist

- Check if a the specified command is supported by BED

ExistsFile

- Check if a file exists

GetCurrentDir

- Return the name of the current dir

GetDocuments

- Return the names of the documents and their ARexx port name

GetErrorInfo

- Return the string of the specified error code

GetLastDoc

- Return the ARexx port name of the last edited document

GetPort

- Return the ARexx port name of a document

GetPriority

- Return the task priority of BED

GetScreenInfo

- Return info about the screen

GetTemplate

- Return the template of the specified command

GetVersion

- Return the version string of BED

Help

- Display an AmigaGuide document with an help about the specified ↔
topic

Illegal

- Produces an error

Nop

- Absolutely nothing

OpenDoc

- Open a new document

Quit
- Close all the documents and exit

RemakeScreen
- Remake the screen

RunTool
- Run asynchronously the selected Tool

Screen2Back
- Move the screen to back

Screen2Front
- Move the screen to front

SetCurrentDir
- Set the current directory

SetPriority
- Set the task priority of BED

1.184 About

Command name: About

Format: About

Release: Version 1.00

Purpose: Bring up the About requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.185 ActivateLastDoc

Command name: ActivateLastDoc

Format: ActivateLastDoc FRONT/S
Release: Version 1.00
Purpose: Activates and bring to front the last document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.186 ActivateNextDoc

Command name: ActivateNextDoc
Format: ActivateNextDoc FRONT/S
Release: Version 1.00
Purpose: Activates and bring to front the next document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.187 ActivatePrevDoc

Command name: ActivatePrevDoc

Format: ActivatePrevDoc FRONT/S
Release: Version 1.00
Purpose: Activates and grong to front the previous document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.188 ActivateWindow

Command name: ActivateWindow
Format: ActivateWindow FRONT/S
Release: Version 1.00
Purpose: Activates the window of the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.189 BackSpace

Command name: BackSpace

Format: BackSpace CHARS/N
Release: Version 1.00
Purpose: Delete the character before the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.190 BeepScreen

Command name: BeepScreen
Format: BeepScreen
Release: Version 1.00
Purpose: Flashes the screen
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.191 Center

Command name: Center

Format: Center
Release: Version 1.00
Purpose: Center the current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.192 CenterView

Command name: CenterView
Format: CenterView
Release: Version 1.00
Purpose: Center vertically the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.193 ClearBookMark

Command name: ClearBookMark

Format: ClearBookMark BOOKMARK/N/A
Release: Version 1.00
Purpose: Clear the specified bookmark
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.194 ClearFile

Command name: ClearFile
Format: ClearFile QUIET/S
Release: Version 1.00
Purpose: Clears the current file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.195 CloseDoc

Command name: CloseDoc

Format: CloseDoc QUIET/S
Release: Version 1.00
Purpose: Closes the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.196 ControlWindow

Command name: ControlWindow
Format: ControlWindow ON/S,OFF/S,TOGGLE/S
Release: Version 1.00
Purpose: Toggle between open and close document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.197 Conv2Lower

Command name: Conv2Lower

Format: Conv2Lower
Release: Version 1.00
Purpose: Convert the character to lower case
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.198 Conv2Spaces

Command name: Conv2Spaces
Format: Conv2Spaces SOL/S
Release: Version 1.00
Purpose: Convert the tabs to spaces
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.199 Conv2Tabs

Command name: Conv2Tabs

Format: Conv2Tabs SOL/S
Release: Version 1.00
Purpose: Convert the spaces to tabs
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.200 Conv2Upper

Command name: Conv2Upper
Format: Conv2Upper
Release: Version 1.00
Purpose: Convert the character to upper case
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.201 CopyBlk

Command name: CopyBlk

Format: CopyBlk APPEND/S
Release: Version 1.00
Purpose: Copy the selected block to the clipboard
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.202 CutBlk

Command name: CutBlk
Format: CutBlk APPEND/S
Release: Version 1.00
Purpose: Copy the selected block to the clipboard and erase it
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.203 Delete

Command name: Delete

Format: Delete CHARS/N
Release: Version 1.00
Purpose: Delete the character under the cursor character
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.204 DeleteBlk

Command name: DeleteBlk
Format: DeleteBlk QUIET/S
Release: Version 1.00
Purpose: Erase the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.205 DeleteEOL

Command name: DeleteEOL

Format: DeleteEOL
Release: Version 1.00
Purpose: Delete from the cursor to the end of the line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.206 DeleteEOF

Command name: DeleteEOF
Format: DeleteEOF
Release: Version 1.00
Purpose: Delete from the cursor to the end of the file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.207 DeleteEOW

Command name: DeleteEOW

Format: DeleteEOW
Release: Version 1.00
Purpose: Delete from the cursor to the end of the word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.208 DeleteLine

Command name: DeleteLine
Format: DeleteLine
Release: Version 1.00
Purpose: Delete the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.209 DeleteSOL

Command name: DeleteSOL

Format: DeleteSOL
Release: Version 1.00
Purpose: Delete from the cursor to the start of the line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.210 DeleteSOF

Command name: DeleteSOF
Format: DeleteSOF
Release: Version 1.00
Purpose: Delete from the cursor to the start of the file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.211 DeleteSOW

Command name: DeleteSOW

Format: DeleteSOW
Release: Version 1.00
Purpose: Delete from the cursor to the start of the word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.212 DeleteWord

Command name: DeleteWord
Format: DeleteWord
Release: Version 1.00
Purpose: Delete the word under the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.213 EncryptBlk

Command name: EncryptBlk

Format: EncryptBlk
Release: Version 1.00
Purpose: Encrypt the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.214 EndMacro

Command name: EndMacro
Format: EndMacro
Release: Version 1.00
Purpose: Stops the recording of a macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.215 ExecARexxMacro

Command name: ExecARexxMacro

Format: ExecARexxMacro CONSOLE/S,WINDOW/K,NAME/F
Release: Version 1.00
Purpose: Execute an ARexx script
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.216 ExecARexxString

Command name: ExecARexxString
Format: ExecARexxString CONSOLE/S,WINDOW/K,MACRO/F
Release: Version 1.00
Purpose: Execute an ARexx string
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.217 ExecDosScript

Command name: ExecDosScript

Format: ExecDosScript CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute a DOS script

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.218 ExecTool

Command name: ExecTool

Format: ExecTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute synchronously a Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.219 Exist

Command name: Exist

Format: Exist COMMAND/A
Release: Version 1.00
Purpose: Check if a the specified command is supported by BED
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.220 ExistsFile

Command name: ExistsFile
Format: ExistsFile NAME/F
Release: Version 1.00
Purpose: Check if a file exists
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.221 Find

Command name: Find

Format: Find FIND/F
Release: Version 1.00
Purpose: Search in the current document for the specified string
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.222 FindChange

Command name: FindChange
Format: FindChange FIND/K,CHANGE,ALL/S
Release: Version 1.00
Purpose: Search in the current document for the specified string and ↔
replace it with another
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.223 FormatParagraph

Command name: FormatParagraph
Format: FormatParagraph
Release: Version 1.00
Purpose: Format the current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.224 GetBlk

Command name: GetBlk
Format: GetBlk STEM/A
Release: Version 1.00
Purpose: Return the text in the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.225 GetBlkDims

Command name: GetBlkDims
Format: GetBlkDims
Release: Version 1.00
Purpose: Return info about the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.226 GetBlkInfo

Command name: GetBlkInfo
Format: GetBlkInfo
Release: Version 1.00
Purpose: Return info about the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.227 GetChar

Command name: GetChar
Format: GetChar
Release: Version 1.00
Purpose: Return the current character
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.228 GetCurrentDir

Command name: GetCurrentDir
Format: GetCurrentDir
Release: Version 1.00
Purpose: Return the name of the current dir
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.229 GetCursorPos

Command name: GetCursorPos
Format: GetCursorPos
Release: Version 1.00
Purpose: Return info about the current position of the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.230 GetDocuments

Command name: GetDocuments
Format: GetDocuments
Release: Version 1.00
Purpose: Return the names of the documents and their ARexx port name
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.231 GetErrorInfo

Command name: GetErrorInfo
Format: GetErrorInfo ERROR/N/A,SPECIAL/N
Release: Version 1.00
Purpose: Return the string of the specified error code
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.232 GetFileInfo

Command name: GetFileInfo
Format: GetFileInfo
Release: Version 1.00
Purpose: Return info about the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.233 GetFilePath

Command name: GetFilePath
Format: GetFilePath PATH/S,FILE/S
Release: Version 1.00
Purpose: Return the path and/or filename of the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.234 GetLastDoc

Command name: GetLastDoc
Format: GetLastDoc
Release: Version 1.00
Purpose: Return the ARexx port name of the last edited document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.235 GetLine

Command name: GetLine
Format: GetLine STARTCOL/N,ENDCOL/N
Release: Version 1.00
Purpose: Return the text of the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.236 GetLockInfo

Command name: GetLockInfo
Format: GetLockInfo
Release: Version 1.00
Purpose: Return info about the locks
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.237 GetMacroInfo

Command name: GetMacroInfo
Format: GetMacroInfo
Release: Version 1.00
Purpose: Return info about the current macro recorded
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.238 GetPort

Command name: GetPort
Format: GetPort NAME/F
Release: Version 1.00
Purpose: Return the ARexx port name of a document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.239 GetPrefs

Command name: GetPrefs
Format: GetPrefs PREFS/A
Release: Version 1.00
Purpose: Return the value of the specified preference
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.240 GetPriority

Command name: GetPriority
Format: GetPriority
Release: Version 1.00
Purpose: Return the task priority of BED
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.241 GetScreenInfo

Command name: GetScreenInfo
Format: GetScreenInfo
Release: Version 1.00
Purpose: Return info about the screen
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.242 GetTemplate

Command name: GetTemplate
Format: GetTemplate COMMAND/A
Release: Version 1.00
Purpose: Return the template of the specified command
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.243 GetVersion

Command name: GetVersion
Format: GetVersion
Release: Version 1.00
Purpose: Return the version string of BED
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.244 GetViewInfo

Command name: GetViewInfo
Format: GetViewInfo
Release: Version 1.00
Purpose: Return info about the current view
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.245 GetWindowInfo

Command name: GetWindowInfo
Format: GetWindowInfo
Release: Version 1.00
Purpose: Return info about the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.246 GetWindowSpec

Command name: GetWindowSpec
Format: GetWindowSpec
Release: Version 1.00
Purpose: Return the specification of the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.247 GetWord

Command name: GetWord
Format: GetWord
Release: Version 1.00
Purpose: Return the word under the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.248 Help

Command name: Help
Format: Help FILE/K, TOPIC
Release: Version 1.00
Purpose: Display an AmigaGuide document with an help about the specified topic ↔
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.249 IconifyWindow

Command name: IconifyWindow
Format: IconifyWindow ON/S,OFF/S,TOGGLE/S
Release: Version 1.00
Purpose: Iconify/uniconify the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.250 Illegal

Command name: Illegal
Format: Illegal
Release: Version 1.00
Purpose: Produces an error
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.251 Insert

Command name: Insert
Format: Insert TEXT/F
Release: Version 1.00
Purpose: Insert the specified string in the document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.252 InsertTab

Command name: InsertTab
Format: InsertTab NUM/N,EXPAND/S
Release: Version 1.00
Purpose: Insert a tab in the text
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.253 InsertFile

Command name: InsertFile
Format: InsertFile NAME/F
Release: Version 1.00
Purpose: Insert a file in the document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.254 InsertLine

Command name: InsertLine
Format: InsertLine NOBREAK/S,INDENT/S
Release: Version 1.00
Purpose: Insert a new line in the document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.255 Justify

Command name: Justify
Format: Justify
Release: Version 1.00
Purpose: Justify the current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.256 LeftJustify

Command name: LeftJustify
Format: LeftJustify
Release: Version 1.00
Purpose: Left justify the current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.257 MarkBlk

Command name: MarkBlk
Format: MarkBlk WORD/S
Release: Version 1.00
Purpose: Mark the start of the selection block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.258 Move

Command name: Move
Format: Move LINE/N,COLUMN/N,CENTER/S
Release: Version 1.00
Purpose: Move the cursor to the specified line and/or column
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.259 MoveBookMark

Command name: MoveBookMark
Format: MoveBookMark BOOKMARK/N/A
Release: Version 1.00
Purpose: Move the cursor to the specified bookmark
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.260 MoveDown

Command name: MoveDown
Format: MoveDown LINES/N
Release: Version 1.00
Purpose: Move the cursor down one or more lines line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.261 MoveDownScr

Command name: MoveDownScr
Format: MoveDownScr
Release: Version 1.00
Purpose: Move the cursor down one page
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:
Page still not complete...

1.262 MoveEOF

Command name: MoveEOF
Format: MoveEOF
Release: Version 1.00
Purpose: Move the cursor to the end of the document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:
Page still not complete...

1.263 MoveEOL

Command name: MoveEOL
Format: MoveEOL NONBLANK/S
Release: Version 1.00
Purpose: Move the cursor to the end of the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.264 MoveEOW

Command name: MoveEOW
Format: MoveEOW
Release: Version 1.00
Purpose: Move the cursor to the end of the word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.265 MoveLeft

Command name: MoveLeft
Format: MoveLeft CHARS/N
Release: Version 1.00
Purpose: Move the cursor left one or more characters
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.266 MoveMatchBkt

Command name: MoveMatchBkt
Format: MoveMatchBkt
Release: Version 1.00
Purpose: Move the cursor on the matching bracket
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.267 MoveNextTabStop

Command name: MoveNextTabStop
Format: MoveNextTabStop NUM/N
Release: Version 1.00
Purpose: Move the cursor to the next tab stop position
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.268 MoveNextWord

Command name: MoveNextWord
Format: MoveNextWord
Release: Version 1.00
Purpose: Move the cursor to the start of the next word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.269 MovePrevTabStop

Command name: MovePrevTabStop
Format: MovePrevTabStop NUM/N
Release: Version 1.00
Purpose: Move the cursor to the previous tab stop
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.270 MovePrevWord

Command name: MovePrevWord
Format: MovePrevWord
Release: Version 1.00
Purpose: Move the cursor to the start of the previous word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.271 MoveRight

Command name: MoveRight
Format: MoveRight CHARS/N
Release: Version 1.00
Purpose: Move the cursor right one or more characters
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.272 MoveSizeWindow

Command name: MoveSizeWindow
Format: MoveSizeWindow LEFT/N, TOP/N, WIDTH/N, HEIGHT/N
Release: Version 1.00
Purpose: Change the dimensions and position of the current document ↔
window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.273 MoveSOF

Command name: MoveSOF
Format: MoveSOF
Release: Version 1.00
Purpose: Move the cursor to the start of the file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.274 MoveSOL

Command name: MoveSOL
Format: MoveSOL NONBLANK/S
Release: Version 1.00
Purpose: Move the cursor to the start of the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.275 MoveSOW

Command name: MoveSOW
Format: MoveSOW
Release: Version 1.00
Purpose: Move the cursor to the start of the current word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.276 MoveUp

Command name: MoveUp
Format: MoveUp LINES/N
Release: Version 1.00
Purpose: Move the cursor up one or more lines
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.277 MoveUpScr

Command name: MoveUpScr
Format: MoveUpScr
Release: Version 1.00
Purpose: Move the cursor up one page
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.278 MoveWindow

Command name: MoveWindow
Format: MoveWindow LEFT/N/A, TOP/N/A
Release: Version 1.00
Purpose: Change the position of the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.279 NewShell

Command name: NewShell
Format: NewShell WINDOW/K, FROM/K
Release: Version 1.00
Purpose: Opens a new shell
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.280 Nop

Command name: Nop
Format: Nop
Release: Version 1.00
Purpose: Absolutely nothing
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.281 OpenClip

Command name: OpenClip
Format: OpenClip APPEND/S,NAME/F
Release: Version 1.00
Purpose: Load the specified file in the clipboard
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.282 OpenDefinitions

Command name: OpenDefinitions
Format: OpenDefinitions USEDEFAULT/S,MAKEDEFAULT/S,NAME/F
Release: Version 1.00
Purpose: Load the specified definitions file for the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.283 OpenDoc

Command name: OpenDoc

Format: OpenDoc FILEREQ/S,MACRO/K,WINDOW/K,DEFINITIONS/K,SETTINGS/K,NAME ↔
/F

Release: Version 1.00

Purpose: Open a new document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.284 OpenFile

Command name: OpenFile

Format: OpenFile QUIET/S,NAME/F

Release: Version 1.00

Purpose: Load the specified file in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.285 OpenMacro

Command name: OpenMacro
Format: OpenMacro NAME/F
Release: Version 1.00
Purpose: Load the specified macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.286 OpenPrefs

Command name: OpenPrefs
Format: OpenPrefs USEDEFAULT/S,MAKEDEFAULT/S,NAME/F
Release: Version 1.00
Purpose: Load the specified preference file for the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.287 OpenRequester

Command name: OpenRequester
Format: OpenRequester REQUESTER/A
Release: Version 1.00
Purpose: Open the specified requester
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.288 PasteClip

Command name: PasteClip
Format: PasteClip
Release: Version 1.00
Purpose: Paste the clipboard in the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.289 PlayMacro

Command name: PlayMacro
Format: PlayMacro COUNT/N
Release: Version 1.00
Purpose: Play the recorded macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.290 PrintClip

Command name: PrintClip
Format: PrintClip QUIET/S
Release: Version 1.00
Purpose: Print the contents of the clipboard
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.291 PrintFile

Command name: PrintFile
Format: PrintFile QUIET/S
Release: Version 1.00
Purpose: Print the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:
Page still not complete...

1.292 Quit

Command name: Quit
Format: Quit QUIET/S
Release: Version 1.00
Purpose: Close all the documents and exit
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:
Page still not complete...

1.293 RecordMacro

Command name: RecordMacro
Format: RecordMacro QUIET/S
Release: Version 1.00
Purpose: Start recording a macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.294 RemakeScreen

Command name: RemakeScreen
Format: RemakeScreen
Release: Version 1.00
Purpose: Remake the screen
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.295 RequestBool

Command name: RequestBool
Format: RequestBool TITLE/K,PROMPT/A/F
Release: Version 1.00
Purpose: Open a bool requester
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.296 RequestChoice

Command name: RequestChoice
Format: RequestChoice TITLE/K,PROMPT/A,CHOICE/A
Release: Version 1.00
Purpose: Open a requester with multiple choices
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.297 RequestFile

Command name: RequestFile

Format: RequestFile TITLE/K,PATTERN/K,OKGADGET/K,SAVEMODE/S,DRAWERONLY/ ←
S,PATH/F

Release: Version 1.00

Purpose: Open a file requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.298 RequestFont

Command name: RequestFont

Format: RequestFont TITLE/K, FONTNAME, FONTSIZE/N, FIXEDWIDTH/S

Release: Version 1.00

Purpose: Open a font requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.299 RequestNum

Command name: RequestNum
Format: RequestNum POSITIVE/S, TITLE/K, DEFAULT/N/K, PROMPT/F
Release: Version 1.00
Purpose: Open a number requester
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.300 RequestStr

Command name: RequestStr
Format: RequestStr TITLE/K, PROMPT/K, DEFAULT/F
Release: Version 1.00
Purpose: Open a string requester
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.301 RightJustify

Command name: RightJustify
Format: RightJustify
Release: Version 1.00
Purpose: Right justify teh current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.302 RunTool

Command name: RunTool
Format: RunTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F
Release: Version 1.00
Purpose: Run asynchronously the selected Tool
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.303 SaveClip

Command name: SaveClip

Format: SaveClip QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F

Release: Version 1.00

Purpose: Save the contents of the clipboard in a file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.304 SaveDefPrefs

Command name: SaveDefPrefs

Format: SaveDefPrefs

Release: Version 1.00

Purpose: Save the preferences on disk, as defaults

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.305 SaveFile

Command name: SaveFile
Format: SaveFile QUIET/S,NOBACKUP/S,NOICON/S,MODIFIED/S
Release: Version 1.00
Purpose: Save the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.306 SaveFileAs

Command name: SaveFileAs
Format: SaveFileAs QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F
Release: Version 1.00
Purpose: Save the current document with a different filename
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.307 SaveMacro

Command name: SaveMacro
Format: SaveMacro QUIET/S,NAME/F
Release: Version 1.00
Purpose: Save the currently recorded macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.308 SavePrefs

Command name: SavePrefs
Format: SavePrefs QUIET/S,NAME/F
Release: Version 1.00
Purpose: Save the preferences on disk
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.309 Screen2Back

Command name: Screen2Back
Format: Screen2Back
Release: Version 1.00
Purpose: Move the screen to back
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.310 Screen2Front

Command name: Screen2Front
Format: Screen2Front
Release: Version 1.00
Purpose: Move the screen to front
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.311 ScrollVert

Command name: ScrollVert
Format: ScrollVert LINE/N/A,RELATIVE/S
Release: Version 1.00
Purpose: ...
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.312 ScrollView

Command name: ScrollView
Format: ScrollView LINE/N/A,RELATIVE/S
Release: Version 1.00
Purpose: Scroll vertically the current view
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.313 SelectLine

Command name: SelectLine
Format: SelectLine
Release: Version 1.00
Purpose: Select the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.314 SetBookMark

Command name: SetBookMark
Format: SetBookMark BOOKMARK/N/A
Release: Version 1.00
Purpose: Set the specified bookmark
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.315 SetChar

Command name: SetChar
Format: SetChar CHAR
Release: Version 1.00
Purpose: Set the char under the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.316 SetCurrentDir

Command name: SetCurrentDir
Format: SetCurrentDir NAME/F/A
Release: Version 1.00
Purpose: Set the current directory
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.317 SetDisplayLock

Command name: SetDisplayLock
Format: SetDisplayLock ON/S,OFF/S,TOGGLE/S
Release: Version 1.00
Purpose: Set the lock on the display of the current file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.318 SetFilePath

Command name: SetFilePath
Format: SetFilePath NAME/F/A
Release: Version 1.00
Purpose: Set the path of the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.319 SetInputLock

Command name: SetInputLock
Format: SetInputLock ON/S,OFF/S,TOGGLE/S
Release: Version 1.00
Purpose: Set the lock on the input in the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.320 SetPrefs

Command name: SetPrefs
Format: SetPrefs PREFS/A,SETTING/F
Release: Version 1.00
Purpose: Set the specified preference
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.321 SetPriority

Command name: SetPriority
Format: SetPriority PRIORITY/N/A
Release: Version 1.00
Purpose: Set the task priority of BED
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.322 SetQuoteMode

Command name: SetQuoteMode
Format: SetQuoteMode ON/S,OFF/S,TOGGLE/S
Release: Version 1.00
Purpose: Set the quote mode
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.323 SetStatusBar

Command name: SetStatusBar
Format: SetStatusBar TEXT/F
Release: Version 1.00
Purpose: Display the specified string in the status bar
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.324 SetWindowSpec

Command name: SetWindowSpec
Format: SetWindowSpec WINDOWSPEC
Release: Version 1.00
Purpose: Dimension the current document window according to the ↔
specification
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.325 ShiftLeft

Command name: ShiftLeft
Format: ShiftLeft COUNT/N,TABS/S
Release: Version 1.00
Purpose: Shift left the current line one or more characters or tabs
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.326 ShiftRight

Command name: ShiftRight
Format: ShiftRight COUNT/N,TABS/S
Release: Version 1.00
Purpose: Shift right the current line one or more characters or tabs
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.327 SizeWindow

Command name: SizeWindow

Format: SizeWindow WIDTH/N/A,HEIGHT/N/A

Release: Version 1.00

Purpose: Change the dimensions of the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.328 StripEOLBlanks

Command name: StripEOLBlanks

Format: StripEOLBlanks

Release: Version 1.00

Purpose: Strip all the blanks at the end of the lines

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.329 SwapChars

Command name: SwapChars
Format: SwapChars
Release: Version 1.00
Purpose: Swap the character under the cursor with the next
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.330 Text

Command name: Text
Format: Text TEXT/F
Release: Version 1.00
Purpose: Insert the specified string in the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.331 ToggleCharCase

Command name: ToggleCharCase

Format: ToggleCharCase FORCEUPPER/S,FORCELOWER/S

Release: Version 1.00

Purpose: Toggle the upper/lower case of the character under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.332 UndeleteLine

Command name: UndeleteLine

Format: UndeleteLine

Release: Version 1.00

Purpose: Undelete the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.333 UndoLine

Command name: UndoLine
Format: UndoLine
Release: Version 1.00
Purpose: Undo all the changes on the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.334 Window2Back

Command name: Window2Back
Format: Window2Back
Release: Version 1.00
Purpose: Move the current document window to back
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.335 Window2Front

Command name: Window2Front
Format: Window2Front
Release: Version 1.00
Purpose: Move the current document window to front
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.336 Preferences Reference

Preferences Reference

This is the list of the preferences supported by Blacks Editor 1.0 which can be used in any preference file, and can be modified with the command SetPrefs <pref_name> <value>.

Alphabetical order

Functional groupings

1.337 Alphabetical List of Preferences

Alphabetical List of Preferences

AUTODETECTBINFILES

AUTOINDENT

AUTOSAVE

AUTOSAVECONFIRM

AUTOSAVEDELAY
BACKGROUNDCOLOR
BACKUPTEMPLATE
CANTBACKUPCONFIRM
CHANGESTRING
CLIPBOARDUNIT
CONSOLE
CONVERSIONONLOAD
CONVERSIONONPRINT
CONVERSIONONSAVE
DEFAULTWINDOW
DEFSDRAWER
DEFSPATTERN
DOCSTARTUP
DOCSTARTUPNAME
DOSDRAWER
DOSPATTERN
DOUBLELOADCONFIRM
FILEPATTERN
FILEREQTYPE
FILEREQUESTER
FILESTARTUP
FILESTARTUPNAME
FINDBACKWARD
FINDIGNORECASE
FINDSTRING
FINDWHOLEWORD
FONTREQTYPE
FONTREQUESTER

FREEFORM
GADGETFONT
HORIZSCROLLER
IBMKEYPAD
ICONDRAWER
INDENT
JUMPSROLL
JUMPSROLLLINES
LEAVEINDENT
LEFTMARGIN
MAKEBACKUPS
MAXBACKUPVERSION
MENUFONT
MOUSEBLANKER
OVERSTRIKE
OVERWRITECONFIRM
PALETTE
POPUPNEWDOC
PREFSDRAWER
PREFSPATTERN
PRINTDEVICE
READONLY
REXXDRAWER
REXXPATTERN
RIGHTMARGIN
RIGHTMARGINWBORDER
SAVEEOLAS
SAVEICONS

SCREEN
SCREENMODEREQTYPE
SCREENMODEREQUESTER
SELBACKGROUNDCOLOR
SELECTWHENDRAGGING
SELTEXTCOLOR
STRIPEOLBLANKS
TABSGIVESPACES
TABWIDTH
TEXTCOLOR
TEXTFONT
TOOLSDRAWER
TOOLSPATTERN
TRANSLATECRS
VERTSCROLLER
WORDWRAP

1.338 Functional Grouping of Preferences

Functional Grouping of Preferences

ARexx Preferences:

DOCSTARTUP
DOCSTARTUPNAME
FILESTARTUP
FILESTARTUPNAME
Autosave Preferences:
AUTOSAVE
AUTOSAVECONFIRM
AUTOSAVEDELAY

Backup Preferences:

MAKEBACKUPS

CANTBACKUPCONFIRM

BACKUPTEMPLATE

MAXBACKUPVERSION

Colors Preferences:

TEXTCOLOR

BACKGROUNDCOLOR

SELTEXTCOLOR

SELBACKGROUNDCOLOR

PALETTE

Display Preferences:

SCREEN

HORIZSCROLLER

VERTSCROLLER

FILEREQTYPE

FONTREQTYPE

SCREENMODEREQTYPE

Edit Preferences:

AUTOINDENT

FREEFORM

OVERSTRIKE

WORDWRAP

JUMPSCROLL

IBMKEYPAD

JUMPSCROLLLINES

EOL Preferences:

STRIPEOLBLANKS

TRANSLATECRS

SAVEEOLAS

Font Preferences:

TEXTFONT

MENUFONT

GADGETFONT

Format Preferences:

RIGHTMARGINWBORDER

LEAVEINDENT

INDENT

LEFTMARGIN

RIGHTMARGIN

Icon Preferences:

SAVEICONS

ICONDRAWER

Miscellanea Preferences:

MOUSEBLANKER

OVERWRITECONFIRM

DOUBLELOADCONFIRM

SELECTWHENDRAGGING

AUTODETECTBINFILES

POPUPNEWDOC

CLIPBOARDUNIT

PRINTDEVICE

CONSOLE

DEFAULTWINDOW

Tabs Preferences:

TABWIDTH

TABSGIVESPACES

CONVERSIONONLOAD
CONVERSIONONSAVE
CONVERSIONONPRINT
Find Preferences:

FINDSTRING

CHANGESTRING

FINDBACKWARD

FINDIGNORECASE

FINDWHOLEWORD
Others Preferences:

FILEREQUESTER

FONTREQUESTER

SCREENMODEREQUESTER

FILEPATTERN

REXXDRAWER

REXXPATTERN

DOSDRAWER

DOSPATTERN

TOOLSDRAWER

TOOLSPATTERN

PREFSDRAWER

PREFSPATTERN

DEFSDRAWER

DEFSPATTERN

READONLY

1.339 DOCSTARTUP

Preference name: DOCSTARTUP

Format: DOCSTARTUP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.340 DOCSTARTUPNAME

Preference name: DOCSTARTUPNAME

Format: DOCSTARTUPNAME FILENAME

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.341 FILESTARTUP

Preference name: FILESTARTUP

Format: FILESTARTUP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.342 FILESTARTUPNAME

Preference name: FILESTARTUPNAME

Format: FILESTARTUPNAME FILENAME

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.343 AUTOSAVE

Preference name: AUTOSAVE

Format: AUTOSAVE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.344 AUTOSAVECONFIRM

Preference name: AUTOSAVECONFIRM

Format: AUTOSAVECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.345 AUTOSAVEDELAY

Preference name: AUTOSAVEDELAY

Format: AUTOSAVEDELAY DELAY/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.346 MAKEBACKUPS

Preference name: MAKEBACKUPS

Format: MAKEBACKUPS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.347 CANTBACKUPCONFIRM

Preference name: CANTBACKUPCONFIRM

Format: CANTBACKUPCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.348 BACKUPTEMPLATE

Preference name: BACKUPTEMPLATE

Format: BACKUPTEMPLATE TEMPLATE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.349 MAXBACKUPVERSION

Preference name: MAXBACKUPVERSION

Format: MAXBACKUPVERSION MAX/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.350 TEXTCOLOR

Preference name: TEXTCOLOR

Format: TEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.351 BACKGROUNDCOLOR

Preference name: BACKGROUNDCOLOR

Format: BACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.352 SELTEXTCOLOR

Preference name: SELTEXTCOLOR

Format: SELTEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.353 SELBACKGROUNDCOLOR

Preference name: SELBACKGROUNDCOLOR

Format: SELBACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.354 PALETTE

Preference name: PALETTE

Format: PALETTE RGB/M

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.355 SCREEN

Preference name: SCREEN

Format: SCREEN MODE,DATA/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.356 HORIZSCROLLER

Preference name: HORIZSCROLLER

Format: HORIZSCROLLER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.357 VERTSCROLLER

Preference name: VERTSCROLLER

Format: VERTSCROLLER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.358 FILEREQTYPE

Preference name: FILEREQTYPE
Format: FILEREQTYPE TYPE/N
Release: Version 1.00
Purpose:
Description:

See also:

Page still not complete...

1.359 FONTREQTYPE

Preference name: FONTREQTYPE
Format: FONTREQTYPE TYPE/N
Release: Version 1.00
Purpose:
Description:

See also:

Page still not complete...

1.360 SCREENMODEREQTYPE

Preference name: SCREENMODEREQTYPE
Format: SCREENMODEREQTYPE TYPE/N
Release: Version 1.00
Purpose:
Description:

See also:

Page still not complete...

1.361 AUTOINDENT

Preference name: AUTOINDENT

Format: AUTOINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.362 FREEFORM

Preference name: FREEFORM

Format: FREEFORM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.363 OVERSTRIKE

Preference name: OVERSTRIKE

Format: OVERSTRIKE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.364 WORDWRAP

Preference name: WORDWRAP

Format: WORDWRAP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.365 JUMPSCROLL

Preference name: JUMPSCROLL

Format: JUMPSCROLL ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.366 IBMKEYPAD

Preference name: IBMKEYPAD

Format: IBMKEYPAD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.367 JUMPSCROLLINES

Preference name: JUMPSCROLLINES

Format: JUMPSCROLLINES LINES/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.368 STRIPEOLBLANKS

Preference name: STRIPEOLBLANKS

Format: STRIPEOLBLANKS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.369 TRANSLATECRS

Preference name: TRANSLATECRS

Format: TRANSLATECRS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.370 SAVEEOLAS

Preference name: SAVEEOLAS

Format: SAVEEOLAS MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.371 TEXTFONT

Preference name: TEXTFONT

Format: TEXTFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.372 MENUFONT

Preference name: MENUFONT

Format: MENUFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.373 GADGETFONT

Preference name: GADGETFONT

Format: GADGETFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.374 RIGHTMARGINWBORDER

Preference name: RIGHTMARGINWBORDER

Format: RIGHTMARGINWBORDER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.375 LEAVEINDENT

Preference name: LEAVEINDENT

Format: LEAVEINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.376 INDENT

Preference name: INDENT

Format: INDENT COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.377 LEFTMARGIN

Preference name: LEFTMARGIN

Format: LEFTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.378 RIGHTMARGIN

Preference name: RIGHTMARGIN

Format: RIGHTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.379 SAVEICONS

Preference name: SAVEICONS

Format: SAVEICONS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.380 ICONDRAWER

Preference name: ICONDRAWER

Format: ICONDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.381 MOUSEBLANKER

Preference name: MOUSEBLANKER

Format: MOUSEBLANKER ON/S, OFF/S, TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.382 OVERWRITECONFIRM

Preference name: OVERWRITECONFIRM

Format: OVERWRITECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.383 DOUBLELOADCONFIRM

Preference name: DOUBLELOADCONFIRM

Format: DOUBLELOADCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.384 SELECTWHENDRAGGING

Preference name: SELECTWHENDRAGGING

Format: SELECTWHENDRAGGING ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.385 AUTODETECTBINFILES

Preference name: AUTODETECTBINFILES

Format: AUTODETECTBINFILES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.386 POPUPNEWDOC

Preference name: POPUPNEWDOC

Format: POPUPNEWDOC ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.387 READONLY

Preference name: READONLY

Format: READONLY ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.388 PRINTDEVICE

Preference name: PRINTDEVICE

Format: PRINTDEVICE DEVICE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.389 CONSOLE

Preference name: CONSOLE

Format: CONSOLE CONSOLE/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.390 DEFAULTWINDOW

Preference name: DEFAULTWINDOW

Format: DEFAULTWINDOW WINDOW

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.391 TABWIDTH

Preference name: TABWIDTH

Format: TABWIDTH WIDTH/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.392 TABSGIVESPACES

Preference name: TABSGIVESPACES

Format: TABSGIVESPACES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.393 CONVERSIONONLOAD

Preference name: CONVERSIONONLOAD

Format: CONVERSIONONLOAD MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.394 CONVERSIONONSAVE

Preference name: CONVERSIONONSAVE

Format: CONVERSIONONSAVE MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.395 CONVERSIONONPRINT

Preference name: CONVERSIONONPRINT

Format: CONVERSIONONPRINT MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.396 FINDSTRING

Preference name: FINDSTRING

Format: FINDSTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.397 CHANGESTRING

Preference name: CHANGESTRING

Format: CHANGESTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.398 FINDBACKWARD

Preference name: FINDBACKWARD

Format: FINDBACKWARD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.399 FINDIGNORECASE

Preference name: FINDIGNORECASE

Format: FINDIGNORECASE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.400 FINDWHOLEWORD

Preference name: FINDWHOLEWORD

Format: FINDWHOLEWORD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.401 FILEREQUESTER

Preference name: FILEREQUESTER

Format: FILEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.402 FONTREQUESTER

Preference name: FONTREQUESTER

Format: FONTREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.403 SCREENMODEREQUESTER

Preference name: SCREENMODEREQUESTER

Format: SCREENMODEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.404 FILEPATTERN

Preference name: FILEPATTERN

Format: FILEPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.405 REXXDRAWER

Preference name: REXXDRAWER

Format: REXXDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.406 REXXPATTERN

Preference name: REXXPATTERN
Format: REXXPATTERN PATTERN
Release: Version 1.00
Purpose:
Description:

See also:

Page still not complete...

1.407 DOSDRAWER

Preference name: DOSDRAWER
Format: DOSDRAWER DRAWER
Release: Version 1.00
Purpose:
Description:

See also:

Page still not complete...

1.408 DOSPATTERN

Preference name: DOSPATTERN
Format: DOSPATTERN PATTERN
Release: Version 1.00
Purpose:
Description:

See also:

Page still not complete...

1.409 TOOLSDRAWER

Preference name: TOOLSDRAWER

Format: TOOLSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.410 TOOLSPATTERN

Preference name: TOOLSPATTERN

Format: TOOLSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.411 PREFSDRAWER

Preference name: PREFSDRAWER

Format: PREFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.412 PREFSPATTERN

Preference name: PREFSPATTERN

Format: PREFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.413 DEFSDRAWER

Preference name: DEFSDRAWER

Format: DEFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.414 DEFSPATTERN

Preference name: DEFSPATTERN
Format: DEFSPATTERN PATTERN
Release: Version 1.00
Purpose:
Description:

See also:

Page still not complete...

1.415 READONLY

Preference name: READONLY
Format: READONLY ON/S,OFF/S,TOGGLE/S
Release: Version 1.00
Purpose:
Description:

See also:

Page still not complete...

1.416 Errors Reference

Errors Reference

This is the reference for error codes and messages.

The first list contains the errors caused during the normal use of the program, the second and the third contain errors occurred while parsing, respectively, definitions and preferences files.

Blacks Editor errors

Definitions file errors

Preferences file errors

1.417 BED Errors

BED Errors

1

Error #1
2
Error #2
3
Error #3
4
Error #4
5
Error #5
6
Error #6
7
Hit document boundary
8
Not on {, [, (, <, «, », >,),], }
9
Not allowed in read-only mode
10
User requested abort
11
Bookmark not set
12
No block marked
13
Error #13
14
Error #14
15
Error #15
16
Not currently recording
17
Not found
18
Clipboard is empty
19
Clipboard does not contain text
20
Clipboard device not found
21
ARexx process or library not found
22
Command only allowed in ARexx macros
23
Bookmark not found
24

No macro to play
25
Error #25
26
Error #26
27
Error #27
28
Illegal while recording
29
Illegal command
30
Insufficient memory
31
Load error
32
Save error
33
Backup error - not saved
34
Print error
35
Clipboard I/O error
36
ARexx Error
37
Couldn't execute tool
38
AmigaGuide error
39
Couldn't open console
40
Error #40
41
AmigaGuide library not found
42
--- Illegal ---
43
Definitions file not loaded successfully
44
Preferences file not loaded successfully
45
Preferences file not saved successfully
46
Macro not loaded successfully
47
Macro not saved successfully
48
Unknown preference
49
Invalid template
50
Command not global
51
AmigaDOS error
52
Bad parameter

53
Parameter out of range
54
Cannot swap tabs
55
Cursor not on a word
56
No string to find
57
Window is iconified
58
Input is locked
59
Line too long
60
No line to undelete
61
Cannot undo

1.418 Definitions Files Errors

Definitions Files Errors

1

AmigaDOS error
2
Insufficient memory
3
Error creating menus
4
Unknown keyword
5
Unknown command
6
Unknown key
7
Key not mapped on this keyboard
8
Quoted argument expected

1.419 Preferences Files Errors

Preferences Files Errors

1

AmigaDOS error
2
Insufficient memory
3
Unknown preference

4
Wrong template for preference

1.420 Error #1

Message: Error #1
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.421 Error #2

Message: Error #2
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.422 Error #3

Message: Error #3
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.423 Error #4

Message: Error #4
Fault Level: 1
Probable cause:

Recovery:

Page still not complete...

1.424 Error #5

Message: Error #5

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.425 Error #6

Message: Error #6

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.426 Hit document boundary

Message: Hit document boundary

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.427 Not on {, [, (, <, «, », >,),], }

Message: Not on {, [, (, <, «, », >,),], }

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.428 Not allowed in read-only mode

Message: Not allowed in read-only mode

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.429 User requested abort

Message: User requested abort

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.430 Bookmark not set

Message: Bookmark not set

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.431 No block marked

Message: No block marked

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.432 Error #13

Message: Error #13

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.433 Error #14

Message: Error #14

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.434 Error #15

Message: Error #15

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.435 Not currently recording

Message: Not currently recording

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.436 Not found

Message: Not found

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.437 Clipboard is empty

Message: Clipboard is empty

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.438 Clipboard does not contain text

Message: Clipboard does not contain text

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.439 Clipboard device not found

Message: Clipboard device not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.440 ARexx process or library not found

Message: ARexx process or library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.441 Command only allowed in ARexx macros

Message: Command only allowed in ARexx macros

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.442 Bookmark not found

Message: Bookmark not found

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.443 No macro to play

Message: No macro to play

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.444 Error #25

Message: Error #25

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.445 Error #26

Message: Error #26

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.446 Error #27

Message: Error #27

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.447 Illegal while recording

Message: Illegal while recording
Fault Level: 10
Probable cause:
Recovery:
Page still not complete...

1.448 Illegal command

Message: Illegal command
Fault Level: 10
Probable cause:
Recovery:
Page still not complete...

1.449 Insufficient memory

Message: Insufficient memory
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.450 Load error

Message: Load error
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.451 Save error

Message: Save error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.452 Backup error - not saved

Message: Backup error - not saved

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.453 Print error

Message: Print error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.454 Clipboard I/O error

Message: Clipboard I/O error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.455 ARexx Error

Message: ARexx Error

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.456 Couldn't execute tool

Message: Couldn't execute tool

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.457 AmigaGuide error

Message: AmigaGuide error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.458 Couldn't open console

Message: Couldn't open console

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.459 Error #40

Message: Error #40
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.460 AmigaGuide library not found

Message: AmigaGuide library not found
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.461 --- Illegal ---

Message: --- Illegal ---
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.462 Definitions file not loaded successfully

Message: Definitions file not loaded successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.463 Preferences file not loaded successfully

Message: Preferences file not loaded successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.464 Preferences file not saved successfully

Message: Preferences file not saved successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.465 Macro not loaded successfully

Message: Macro not loaded successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.466 Macro not saved successfully

Message: Macro not saved successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.467 Unknown preference

Message: Unknown preference

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.468 Invalid template

Message: Invalid template

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.469 Command not global

Message: Command not global

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.470 AmigaDOS error

Message: AmigaDOS error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.471 Bad parameter

Message: Bad parameter

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.472 Parameter out of range

Message: Parameter out of range

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.473 Cannot swap tabs

Message: Cannot swap tabs

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.474 Cursor not on a word

Message: Cursor not on a word

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.475 No string to find

Message: No string to find

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.476 Window is iconified

Message: Window is iconified

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.477 Input is locked

Message: Input is locked

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.478 Line too long

Message: Line too long

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.479 No line to undelete

Message: No line to undelete

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.480 Cannot undo

Message: Cannot undo

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.481 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.482 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.483 Error creating menus

Message: Error creating menus

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.484 Unknown keyword

Message: Unknown keyword

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.485 Unknown command

Message: Unknown command

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.486 Unknown key

Message: Unknown key

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.487 Key not mapped on this keyboard

Message: Key not mapped on this keyboard

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.488 Quoted argument expected

Message: Quoted argument expected

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.489 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.490 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.491 Unknown preference

Message: Unknown preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.492 Wrong template for preference

Message: Wrong template for preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...
