

BlitzBlank

COLLABORATORS

	<i>TITLE :</i> BlitzBlank		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		February 12, 2023	

REVISION HISTORY

<i>NUMBER</i>	<i>DATE</i>	<i>DESCRIPTION</i>	<i>NAME</i>

Contents

1	BlitzBlank	1
1.1	BlitzBlank 2.50 01.03.95	1
1.2	What is BlitzBlank?	2
1.3	What BlitzBlank does	2
1.4	Requirements for BlitzBlank?	3
1.5	Installation	3
1.6	BlitzBlank and BlitzBlankPrefs	4
1.7	GUI of BlitzBlankPrefs	4
1.8	Save/Use/Cancel-Gadgets	5
1.9	Save/Use/Cancel-Gadgets	5
1.10	Save/Use/Cancel-Gadgets	5
1.11	Save/Use/Cancel-Gadgets	5
1.12	Module-preferences	5
1.13	Module-preferences	6
1.14	Module-preferences	6
1.15	Module-preferences	6
1.16	Module-preferences	7
1.17	Module-preferences	7
1.18	Module-preferences	7
1.19	Module-preferences	7
1.20	Module-preferences	8
1.21	Module-preferences	8
1.22	Mouse-preferences	8
1.23	Mouse-preferences	8
1.24	Mouse-preferences	9
1.25	Mouse-preferences	9
1.26	Options	9
1.27	Options	9
1.28	Options	10
1.29	Options	10

1.30	Corner-preferences	10
1.31	Corner-preferences	10
1.32	Corner-preferences	11
1.33	Corner-preferences	11
1.34	Menus of BlitzBlankPrefs	11
1.35	ARexx commands	12
1.36	Key shortcuts	14
1.37	Terminating BlitzBlank	15
1.38	Randomizer	15
1.39	Tooltypes/CLI-Parameters	16
1.40	Technical stuff	16
1.41	Problems?	17
1.42	Graphic Cards	17
1.43	Bugs? Ideas for improvment?	17
1.44	Author	18
1.45	Copyright/Warranty	18
1.46	Thanks go to...	19
1.47	History	19
1.48	MUI	20
1.49	Modules	20
1.50	Blackout	22
1.51	AmigaSign	22
1.52	Butterfly	23
1.53	Clock	23
1.54	Crumble	24
1.55	Dissolve	24
1.56	Electric	24
1.57	Execute	25
1.58	Fade	25
1.59	Flash	26
1.60	Fountain	26
1.61	Guru	26
1.62	Life	27
1.63	Lines	27
1.64	Mandel	28
1.65	Melt	28
1.66	Mosaic	28
1.67	Noise	29
1.68	PatternCycling	29

1.69 Pyro	30
1.70 Radar	30
1.71 Slideshow	31
1.72 Snow	31
1.73 Splines	32
1.74 Spot	32
1.75 Text	33
1.76 Tiles	33
1.77 Tunnel	34
1.78 Worms	35
1.79 Worms2	35
1.80 Moduleauthors	35
1.81 Modulautoren	36
1.82 Modulautoren	36
1.83 New modules?	36
1.84 index	36

Chapter 1

BlitzBlank

1.1 BlitzBlank 2.50 01.03.95

B L I T Z B L A N K 2 . 5 0

What is BlitzBlank? (Features)

What BlitzBlank does

Requirements for BlitzBlank?

Installation

BlitzBlank and BlitzBlankPrefs

The GUI of BlitzBlankPrefs

Menus of BlitzBlankPrefs

ARexx commands

Amiga OS Key shortcuts

Terminating BlitzBlank

Randomizer

Tooltypes/CLI-Parameters

Technical stuff

Problems?

Graphic Cards

Bugs? Ideas for improvement?

Author

Copyright/Warranty/Cost

Thanks go to...

History

MUI

Modules

Moduleauthors

New modules?

1.2 What is BlitzBlank?

Description of BlitzBlank:

Well, another screen saver. But this one's got these features:

- AGA/OS 3.0 compatibel
- most modules are graphic card compatible
- modular (soon more Modules) concept
- lots of useful options
- lots of funny modules
- build in mouseblanker (timed or by keystroke)
- nice GUI (style-guide-compliant)
- build in screen mode requester (Commodore forgot in OS 2.0)
- ARexx-Interface
- fully system friendly
- it's own prefs-editor (BlitzBlankPrefs)
- automatic switch-back to black screen if a blanker stops due to heavy CPU load
- won't crash if some nasty program opens it's window on the blankscreen
- mouse motion sensitivity adjustable
- "blank now"- and "blank never"-corner (adjustable size)
- monitors the joystick
- flexible random function
- Commodity
- every module can have it's own screen mode (if the module supports it)
- AmigaGuide documentation with context sensitiv help

1.3 What BlitzBlank does

BlitzBlank does:

- screen look enhancement (no burn in possible)
 - mouse blanking
 - entertainment
 - makes other people drool ;)
-

1.4 Requirements for BlitzBlank?

BlitzBlank requirements:

-
- an Amiga ;-))
 - AmigaOS 2.04 or higher (anybody who still uses 1.3 is at a loss)
 - - MUI
 - 2.3
 - the following libraries must be present in the LIBS: directory:
 - * commodities.library
 - * rexxsyslib.library
 - * amigaguide.library

1.5 Installation

Installation Procedures are as follows:

Automatic Installation:

1. All previously installed versions of BlitzBlank must be deleted (incl. modules).
2. Start the installation script by double-clicking the "Install" icon. If you get the message "Installer not found" or a similar one you have to copy the Installer program from you AmigaOS Install-Disc to your harddisk into the C: (SYS:C/) directory. If the installer script still won't work you should follow the manual installation procedure.
3. Follow the instructions and answer the questions of the installer. Usually you will only have to select "proceed".

Manual Installation:

1. All previously installed versions of BlitzBlank must be deleted (incl. modules).
 2. Copy BlitzBlank to SYS:WBStartup.
 3. Copy the BlitzBlank drawer wherever you like.
 4. Copy Locale/Catalogs/english/blitzblank.catalog to Locale:Catalogs/english/ (AmigaOS 2.1 or higher must be installed)
 5. You CAN copy BlitzBlankPrefs to SYS:PREFS but you don't have to. If you do BlitzBlank.guide should be copied to S:.
 6. Copy Libs/iff.library and Libs/blitzblank.library to LIBS:.
 7. Start BlitzBlankPrefs.
 8. Enter the path to the modules in the appropriate field (either you enter it manually or you can use a file-requestor by clicking the gadget at the side of the word "Modulepath").
 9. Click SAVE.
 10. Start BlitzBlank.
 11. If a 68020/030/040 processor is present you can use the files from the 68020 directory. If an additional mathematic co-processor is present you can add the files from 68020+FPU/ or 68040+FPU/.
-

Tip:

BlitzBlankPrefs features a context-sensitive help i.e. by pressing the HELP-key you'll get help concerning the object over which the mouse pointer is positioned.

For this BlitzBlank.guide must be accessible for BlitzBlankPrefs.

1.6 BlitzBlank and BlitzBlankPrefs

BlitzBlank and BlitzBlankPrefs:

BlitzBlank consists of several parts. The modules, BlitzBlank, BlitzBlankPrefs and the blitzblank.library.

BlitzBlank is the essential blanker constantly running in the background and starting the modules.

BlitzBlankPrefs is the preferences editor for BlitzBlank. With it you determine which module will be started and which options will be used.

Blitzblank.library is the necessary library used by BlitzBlank to communicate with the modules and to put usefull functions at the module's disposal.

1.7 GUI of BlitzBlankPrefs

GUI of BlitzBlankPrefs:

All parts of the GUI can be manipulated with the mouse as well as with the underlined letters (also with SHIFT).

Pressing the HELP-key while the mouse pointer is positioned over a certain gadget invokes the online help regarding this gadget. Pressing the HELP-key while configuring a module, the documentation regarding this module will be displayed.

The GUI of BlitzBlankPrefs consists of the following parts:

Save/Use/Cancel-Gadgets

Module-preferences

Mouse-preferences

Options

Corner-preferences

1.8 Save/Use/Cancel-Gadgets

Save/Use/Cancel-Gadgets:

Save

Use

Cancel

1.9 Save/Use/Cancel-Gadgets

Save:

The current options will be saved permanently and BlitzBlankPrefs is stopped.

1.10 Save/Use/Cancel-Gadgets

Use:

The current options will be used but not saved permanently. BlitzBlankPrefs is stopped.

1.11 Save/Use/Cancel-Gadgets

Cancel:

All options will be set back to defaults and BlitzBlankPrefs is stopped.

1.12 Module-preferences

Module-preferences:

Module-list

Prefskey

Blankkey

```
Blanktime
Randomtime
ModPath
ModPri
Test
Config
```

1.13 Module-preferences

```
Module-list:
-----
```

This list contains all installed modules. If the only displayed module is the built in module (

```
    Blackout
) then the module path you entered is wrong.
```

You can chose your module by clicking on it. Doubleclicking the module selects/deselects it for the

```
    Randomizer
.
```

1.14 Module-preferences

```
Prefskey:
-----
```

Here you can chose the key combination for invoking BlitzBlankPrefs. If these keys are pressed simultaneously and BlitzBlank is active BlitzBlankPrefs will be started.

1.15 Module-preferences

```
Blankkey:
-----
```

Here you can chose the key combination for the instantenious blanking of the screen. If BlitzBlank is active and these keys are pressed simultaneously the chosen blank module will be started at once.

1.16 Module-preferences

Blanktime:

Here you can enter the time that must have passed without mouse movement, keystroke, etc. before the blank module will be started. If you enter "0" the blanker is turned off.

1.17 Module-preferences

Randomtime:

Here you can chose the time of the duration of a single module if you have selected the

Randomizer

. After this time the next module will be started.

If there are less than 2 modules diplayed in bold typeset in the module list this field is not selectable. If you enter "0" there will be no switching of modules during blanking.

1.18 Module-preferences

ModPath:

Here you must enter the module path (e.g. "dh0:BlitzBlank/Modules/"). If you enter the wrong path BlitzBlank won't be able to find the modules. By clicking the little gadget at the side of the field (or by entering CTRL-P) the filerequester will be started.

1.19 Module-preferences

Modpri:

Here you can chose the task priority of the BlitzBlank modules. If you select a priority less than 0 then it's more likely that the module will be halted instead of sucking processing time away from other programs. If the module should stop for some time BlitzBlank will automatically switch to a black screen (if

Watch CPU

is selected) so the stopped module's graphic won't

burn in.

1.20 Module-preferences

Test:

If you click this gadget BlitzBlankPrefs will transmit the currently selected options to BlitzBlank and makes BlitzBlank start the current module. This way you can test changes instantly. Of course this will only work if BlitzBlank is previously started (if it wasn't a message will be displayed).

1.21 Module-preferences

Config:

This gadget opens the options window of the currently selected
Module

.

Pressing the HELP-key in this window will display the module's documentation.

The following non module specific options are available:

Save - The current preferences will be saved
Test - Test the current preferences
Screen - Select the screen mode for this module
Info - About the module
Presets - Reset the preferences to default values
Cancel - Leave the window without saving

These options are not available in all modules.

1.22 Mouse-preferences

Mouse-preferences:

Fuzzy

#Keys

Time

1.23 Mouse-preferences

Fuzzy:

Here you can adjust the mouse motion sensitivity. If you set it to "0" then even the slightest tremor is enough to switch off the blanker. If you set it to "20" you can even drum your fingers on the mouse without the blanker being turned off.

1.24 Mouse-preferences

#Keys:

This slider determines after how many key strokes the mouse will be blanked. You must take into account the fact that the press AND the release of a key are regarded as TWO keypresses. If the slider value is "0" the mouse won't be blanked by keystrokes.

1.25 Mouse-preferences

Time:

Here you can chose how much time in seconds will pass until the mouse is blanked. A mouseclick or a mouse movement will reset the timer. A "0" will make sure that the mouse won't be blanked due to a timer.

1.26 Options

Options:

Watch CPU

Pass Key

Joystick-Check

1.27 Options

Watch CPU:

This aktivates the CPU load watch of BlitzBlank. It is responsible for the switch-back to a black 320x200 screen with 1 bitplane if the blanker stops due to a heavy CPU load of another task.

1.28 Options

Pass Key:

If this option is activated the key that caused the blanker to stop will be passed thru to the previously activated window. If it is deactivated the key will directly go to heaven.

Example: Before the blanking an editor was activated. As the timer reaches zero BlitzBlank starts the blankmodule. Now the module is stopped because you pressed the "G"-key. If the option is activated the blanker stops and the "G" appears in the editor window. If the option was deactivated the blanker stops and the editor window appears without the "G".

1.29 Options

Joystick-Check:

This option switches the joystick monitoring on and off. If it is activated joystick action (just like mouse action) will turn off the blanking or reset the blank timer.

Due to possible problems with some games (until now none were reported) this option can be turned off.

If you use a dongle (for Real 3D for example), you should turn off this option.

1.30 Corner-preferences

Corner-preferences:

Size

Blank Now

Blank Never

1.31 Corner-preferences

Size:

Here you can adjust the size of the corners for the blank-now and blank-never option. If the value is set to "1" the mouse pointer has to be exactly over the cornerpixel for the option to be activated.

1.32 Corner-preferences

Blank Now:

Here you chose one (or none) of the four corners of the screen. If the mouse pointer is moved to this position and stays there for a moment the screen will be blanked at once.

1.33 Corner-preferences

Blank Never:

Here you chose one (or none) of the four corners of the screen. If the mouse pointer is moved to this position and stays there for a moment the screen will never be blanked. The blank timer (Blanktime) is stopped.

1.34 Menus of BlitzBlankPrefs

Menus of BlitzBlankPrefs:

All menue items can also be activated with the key combination that can be found at their side.

Project/Open:

Loads a previously saved configuration.

Project/Save As:

Saves the current configuration under a selectable name.

Project/About:

Shows informations/copyright.

Project/Quit:

Quit BlitzBlankPrefs without saving the current configuration.

Edit/Reset To Defaults:

Resets BlitzBlank with the default values.

Edit/Last Saved:

Activates the previously saved configuration.

Edit/Restore:

Activates the configuration selected at BlitzBlankPrefs startup.

Settings/Create Icons?:

Determines if an icon is saved with the config-file.

Action/Stop BlitzBlank:

This quits BlitzBlank (not BlitzBlankPrefs).

1.35 ARexx commands

ARexx commands:

BlitzBlank offers an ARexx port (Name: "BLITZBLANK") with which one can control BlitzBlank and change the configuration temporarily. The following instructions are implemented:

QUIT

Quits BlitzBlank.

BLANK

BlitzBlank starts the current blank module at once.

UNBLANK

BlitzBlank stops the running blank module at once.

RELOAD

Configuration is reloaded.

MODULE=modulename

The name for the current module is selected.

Similar to selecting in the
Module-list
.

RANDOMMODULES=Modulname,Modulname,Modulname

The modules for the
Randomizer
are selected.

Similar to double clicking in the
Module-list
.

PREFSKEY=key

Selects the key combination for BlitzBlankPrefs start.

Similar to the
Prefskey
gadget.

BLANKKEY=key

Selects the key combination to start the blank module at once.

Similar to the
Blankkey

gadget.

BLANKTIME=sec

Selects the time that will pass till the blank module is started.

Similar to the

Blanktime
gadget.

RANDOMTIME=sec

Selects the time a single module runs in the randomizer mode.

Similar to the

Randomtime

.

PATH=path

Selects the path to the modules.

Similar to the

ModPath
gadget.

MODPRI=num

Selects the module's task priority.

Similar to the

ModPri
slider.

FUZZY=num

Selects the sensitivity regarding mouse motion during blanking.

Similar to the

Fuzzy
slider.

KEYSTROKES=num

Selects the number of keys till the mouse pointer is blanked.

Similar to the

#Keys
slider.

MOUSETIME=sec

Selects the time that will pass till the mouse pointer is blanked.

Similar to the

Time
field.

WATCHCPU=YES|NO

Determines whether the CPU load is monitored during blanking or not.

Similar to the

Watch CPU
option.

PASSKEY=YES|NO

Determines if, after the blanking is stopped, the key will be passed through or not.

Similar to the

Pass Key
option.

JOYSTICK=YES|NO

Determines whether the joystick is monitored or not.
Similar to the

Joystick-Check
option.

CORNERSIZE=num

Selects the

Size
of the corners.

BLANKNOW=NONE|UPPERLEFT|UPPERRIGHT|LOWERLEFT|LOWERRIGHT

The blank-now corner is selected. Description can be found in
Blank Now

.

BLANKNEVER=NONE|UPPERLEFT|UPPERRIGHT|LOWERLEFT|LOWERRIGHT

The blank-never corner is selected. Description can be found in
Blank Never

.

DISABLE

Similar to "Disable" in commodities exchange and deactivates BlitzBlank

ENABLE

Similar to "Enable" in commodities exchange and reactivates BlitzBlank
after a DISABLE.

DEBUG

Starts the current module in a way that it can be only aborted with the
UNBLANK Arexx instruction.

Examples:

```
rx "ADDRESS 'BLITZBLANK' 'MODULE=Fade'"
(The fade module is configured)
```

```
rx "ADDRESS 'BLITZBLANK' 'BLANK'"
(Blanking starts at once)
```

```
rx "ADDRESS 'BLITZBLANK' 'BLANKTIME=0'"
(Blanker is deactivated)
```

```
rx "ADDRESS 'BLITZBLANK' 'MOUSETIME=5'"
(The mouse pointer will be blanked after 5 seconds of inactivity)
```

1.36 Key shortcuts

AmigaOS Key shortcuts:

AmigaOS uses certain terms to describe key combinations. These are used in
BlitzBlank to describe the prefskey and the blankkey.

Selektion key:

```
ctrl      = CTRL-key
lshift    = left SHIFT-key
rshift    = right SHIFT-key
lalt      = left ALT-key
ralt      = right ALT-key
lcommand  = left AMIGA-key
rcommand  = right AMIGA-key
```

Other keys:

```
esc       = ESC-key
help      = HELP-key
f1 bis f10 = F1- to F10-key
a bis z   = alpha-keys
0 bis 9   = numeric-keys
```

To describe a certain key combination any number of selection key + other key are valid.

Examples:

```
ctrl esc
ctrl alt f1
lshift lalt a
ctrl lalt ralt help
```

1.37 Terminating BlitzBlank

Terminating BlitzBlank:

- Within BlitzBlankPrefs with the menu item
- Start BlitzBlank a second time and answer the requester with "yes"
- With the ARExx instruction QUIT
- With the commodities exchange program of the workbench

1.38 Randomizer

Randomizer:

BlitzBlank has a build in randomizer.

It can be activated if at least 2 modules of the
Module-list
are selected

with a doubleclick (the name then is displayed in a bold typeset).

Then the blank module to start is selected from the list of the bold displayed modules instead of the normally selected (selected for random

display = bold, normal selected = blue).

If at least 2 modules are selected (to select less makes obviously no sense) und a

 Randomtime
 >0 is additionally entered the modules will be
switched during blanking.

1.39 Tooltypes/CLI-Parameters

Tooltypes/CLI-Parameters:

BlitzBlank recognizes the following parameters:

CX_PRIORITY=num

Determines the commodity's priority. Should be 1.

NASTYMOUSEBLANK=YES|NO

Determines if the mouse pointer is blanked system friendly.

pros: - No "flashing" will occur

 - It works with graphic cards (at least with the PicassoII)

BlitzBlankPrefs accepts the common parameters:

Tooltypes:

CREATEICONS=YES|NO

ACTION=USE|SAVE

CLI-Parameters:

FROM

EDIT

USE

SAVE

1.40 Technical stuff

Some technical information about BlitzBlank:

- BlitzBlankPrefs uses the same look as the system prefs.
 - BlitzBlank is a commodity and supports the usual commodity tooltypes.
 - BlitzBlank uses a second task to determine if the module has stopped due to heavy CPU load. This causes BlitzBlank to switch to a completely black screen.
 - BlitzBlankPrefs is completely controlable with the keyboard.
 - BlitzBlank's screenmode requester is fully font sensitiv and (contrary to the OS 2.1/3.x ASL-requester) controlable with the keyboard.
-

- BlitzBlank is the result of more than a year development.
- BlitzBlank and all supplied programs have been tested with Enforcer and Mungwall and didn't lose any memory during tests.
- BlitzBlank and BlitzBlankPrefs can be started from shell.
- BlitzBlank uses almost no CPU time (0.010% on an A4000). If the mouse blanker is not activated it uses non at all. Even if the mouse is moved the used CPU time is very low.

1.41 Problems?

Possible Problems:

Problem: BlitzBlank doesn't work at all.
Solution: AmigaOS 2.04 or higher isn't installed.

Problem: Some modules won't work.
Solution: Not enough memory.

Problem: Configurations are not saved properly and XPK/XFH is in use.
Solution: Install the most recent XPK/XFH version.

Problem: BlitzBlank, BlitzBlankPrefs or a module crashes.
Solution: Contact the author.

1.42 Graphic Cards

BlitzBlank and Graphic Cards:

BlitzBlank has been tested with the PicassoII and Piccolo. The following must be regarded if you intend to use a graphic card screen:

- The "Nasty" option should be turned off with the Spot and Tiles module.
- You shouldn't use more than one spot in the Spot module.
- The "buffering" option should not be used since double buffering is either very slow or won't work at all with graphic cards.
- Some modules will crash if you are using EGS 7.1 (Piccolo) and you are running the module on a Piccolo screen. Since these problems didn't show up when we were running a quick test with the CyberGfx 40.40 system (on the same setup) it seems like EGS 7.1 is the problem and not the modules.

Users of a graphic card can activate the
parameter
NASTYMOUSEBLANK.

1.43 Bugs? Ideas for improvement?

Bugs and ideas for improvement:

If there should occur any errors please contact the
Author
with a
detailed description of the error and your machine configuration (model, OS version ↔
additional hardware, etc.).

The same applies to all kinds of ideas and comments.

1.44 Author

Author:

Thomas Börkel
Gartenstr. 16
D-76761 Rülzheim
Germany

Mailbox: Amiga Inside II, ++49-7272-76611 (07272/76611)
FIDO: Thomas Boerkel, 2:2476/541.0
Usenet: Thomas_Boerkel@amiga_inside2.schiele-ct.de
Amiganet: Thomas Boerkel, 39:173/60.0
KAMInet: Thomas Boerkel, 82:100/7.0
Rally-Box: Tom

1.45 Copyright/Warranty

Copyright and warranty:

BlitzBlank and BlitzBlankPrefs are copyright 1993-95 by Thomas Börkel.

BlitzBlank is GIFTware. If you like it you can send me a gift (money etc.)
or at least write a postcard or a mail. But this is not a must.

It is prohibited to supply BlitzBlank with commercial products or with
PD/FD disks with a price higher than DM 3.-/US\$2.

BlitzBlank may be supplied on the Aminet/Fish/Saar-AG CDs.

BlitzBlank may be freely copied but no part may be altered.

BlitzBlank may only be copied as a complete and unchanged archive.

BlitzBlank must not be sold with profit.

The sourcecodes are only supplied to give you an idea how to program certain modules. They may not be used in another package without the prior agreement of the respective authors. The same applies for the graphics.

There is NO warranty for BlitzBlank. The use of BlitzBlank is at your own risk. The author is in NO way responsible for ANY damage inflicted by BlitzBlank.

The same applies for the BlitzBlank modules.

1.46 Thanks go to...

Thanks go to:

My special thanks go to:

Alexander Wiggert for betatests, ideas, tips and pushing me forwards ;-)))
Also for the the english translation of the documentation!

Dirk Farin for ideas and many modules! :-)))

Kenneth Fribert for bugreports, ideas and the danish translation.

Jürgen Denner for betatests, advice, the idea for Lines and for Splines.

Also to (in alphabetical order):

- Matthias Bock for betatests, tips
- Wolfgang Börkel for the mathematical background for Pyro
- Ex-Commodore-people for the Amiga and it's mighty operation system
- Brian Larson for bugreports
- Mark Rose for betatests and the MagicWB icons
- Stefan Scholl for betatests
- Mathias Supp for betatests and ideas
- Christian A. Weber for the iff.library
- Peter Wenz for betatests

1.47 History

History of BlitzBlank:

V1.00:

First public release.

V1.01:

Bugfix for 1.00.

V2.00:

Version for the programing contest of a german Amiga magazine.
Unfortunately it didn't win and was never published.

V2.50:

- Almost totally rewritten.
- MUI-GUI.
- Modules are significantly shorter.
- New options.
- Significantly more stable.
- Less CPU time consuming.
- Splitted in blanker and prefs
- Arexx port.
- Many new modules.

1.48 MUI

This application uses

MUI - MagicUserInterface

(c) Copyright 1993/94 by Stefan Stuntz

MUI is a system to generate and maintain graphical user interfaces. With the aid of a preferences program, the user of an application has the ability to customize the outfit according to his personal taste.

MUI is distributed as shareware. To obtain a complete package containing lots of examples and more information about registration please look for a file called "muiXXusr.lha" (XX means the latest version number) on your local bulletin boards or on public domain disks.

If you want to register directly, feel free to send

DM 30.- or US\$ 20.-

to

Stefan Stuntz
Eduard-Spranger-Straße 7
80935 München
GERMANY

1.49 Modules

Every module (except Blackout) has it's own preferences window.

Pressing the HELP-key in this window will display the module's documentation.

The following non module specific options are available:

Save - The current preferences will be saved
Test - Test the current preferences
Screen - Select the screen mode for this module
Info - About the module
Presets - Reset the preferences to default values
Cancel - Leave the window without saving

These options are not available in all modules.

The following modules are included:

Blackout
AmigaSign
Butterfly
Clock
Crumble
Dissolve
Electric
Execute
Fade
Flash
Fountain
Guru
Life
Lines
Mandel
Melt
Mosaic
Noise
PatternCycling
Pyro

Radar
Slideshow
Snow
Splines
Spot
Text
Tiles
Tunnel
Worms
Worms2

1.50 Blackout

Blackout:

This is the build in blank module of BlitzBlank. It's always available. It just opens a black 320x200x1 screen in the mode of the frontmost screen.

1.51 AmigaSign

AmigaSign:

The famous Amiga symbol flies over the screen and rotates.

Parameters:

Movement - In which direction the symbol should fly
Rotspeed - How fast the symbol should rotate (0=normal speed)
Speed - How fast the symbol should fly
Buffering - Switches the Double-Buffering on/off

AmigaSign is Copyright by
Thomas Börkel

.

Graphics are by Alexander Wiggert

1.52 Butterfly

Butterfly:

Colorful butterflies are fluttering over the screen.

Parameters:

Butterflies - Number of butterflies
Minimum Speed - The minimum speed of a butterfly
Maximum Speed - The maximum speed of a butterfly
Wing Speed - The speed of the fluttering of the wings
Buffering - Switches Double-Buffering on/off

Butterfly is Copyright by
Thomas Börkel

.

Graphics are by Asha Develder.

1.53 Clock

Clock:

This module shows either an analogous or digital clock on the screen.

General Parameters:

Movement - In which direction the clock should fly
Speed - How fast the clock should fly
Seconds - Switches the seconds on/off
Buffering - Switches the Double-Buffering on/off
Optimizer - Always tries to draw the least possible number of points

Analogous Parameters:

Size - Size of the clock in percent of the screen size
Circle - Draw the outer circle yes/no

Digital Parameters:

Font - Which font should be used (even proportional and color fonts are usable)
Color - Color (if it isn't a color font)
24h - 12/24 hour display
Cache - Calculate in advance
(faster, but uses more CHIP-RAM)

Clock is Copyright by

Thomas Börkel
.

1.54 Crumble

Crumble:

This module "crumbles" the current screen from top to bottom.

Parameters:

Speed - How fast the screen will be crumbled
Dark Background - A dark background will remain
Brightness - The screen's brightness during the effect
Delay - Delay till the brightness is reached

Crumble is Copyright by
Thomas Börkel
.

1.55 Dissolve

Dissolve:

The front-screen (Workbench) will slowly dissolve.

parameter:

speed [1-5000] number of pixels to be removed per frame.

version 1.0

Dissolve is Copyright by
Dirk Farin
.

1.56 Electric

Electric:

High voltage in your monitor.

parameter:

details [10-100] the higher the better but the slower

version 1.1

Electric is Copyright by
Dirk Farin
.

1.57 Execute

Execute:

This module executes a program. It MUST be breakable with CTRL-C or CTRL-D or must terminate itself.

Parameters:

Execute - Path and name of the program to execute
Arguments - Parameter for the program
Stack - Stacksize (default is 4000)
CTRL-C - Program will be stopped with CTRL-C
CTRL-D - Program will be stopped with CTRL-D
Final Command - This command will be executed at break time
(optional)

Execute is Copyright by
Thomas Börkel
.

1.58 Fade

Fade:

This module fades out the current screen smoothly. AGA/OS 3.0 is supported (smoother fading).

Parameters:

Brightness - The remaining screen brightness
Delay - Delay till the brigthness is reached

Fade is Copyright by
Thomas Börkel

.

1.59 Flash

Flash:

This module displays a thunderstorm on the screen.

Parameters:

Flashes - The maximum number of flashes
Highlight - The Background will flash with the flashes

Flash is Copyright by
Thomas Börkel

.

1.60 Fountain

Fountain:

Points flying over the screen.

parameters:

points [10-500] how many points
spread [10-100] how much it will spread horizontally

note:

screen modes with 2 or 3 planes are sufficient.

version 1.1

Fountain is Copyright by
Dirk Farin

.

1.61 Guru

Guru:

The loved Guru appears.

parameter:

none

version 1.1

Guru is Copyright by
Dirk Farin
.

1.62 Life

Life:

Simulates the game of life.

parameter:

resolution [10-100] the number of squares horizontally
across the screen
refreshdelay [10-500] time delay between a new start with
a new random pattern

version 1.0

Life is Copyright by
Dirk Farin
.

1.63 Lines

Lines:

This module draws colored lines on the screen. The idea was from Jürgen Denner.

Parameters:

Lines - Number of lines

Lines is Copyright by
Thomas Börkel
.

1.64 Mandel

```
-----
                        Mandel:
-----

Draws pictures of the Mandelbrot-set.

remark:

    a fast processor is recommended!

version 1.0

Mandel is Copyright by
                    Dirk Farin
                    .
```

1.65 Melt

```
-----
                        Melt:
-----

This module "melts" the current screen.

Parameter:

    Speed           - How fast the effect will run
    Size            - Width of the melt units
    Refresh cycle   - Delay till the screen will be refreshed
    Brightness      - The remaining brightness
    Delay           - Delay till the brightness is reached

Melt is Copyright by
                    Thomas Börkel
                    .
```

1.66 Mosaic

```
-----
                        Mosaic:
-----

This module "mosaics" the current screen.

Parameters:
```

Speed - How fast the effect will run
Size - Size of the rectangles
Refresh cycle - Delay till the screen will be refreshed
Brightness - The remaining brightness
Delay - Delay till the brightness is reached

Mosaic is Copyright by
Thomas Börkel
.

1.67 Noise

Noise:

Creates white noise on your monitor, as it can be seen on tv-sets.

parameter:

brightness [0-100] how many percent of the screen will be white

note:

The more colors, the better the effect.

version 1.1

Noise is Copyright by
Dirk Farin
.

1.68 PatternCycling

PatternCycling:

Draws some nice color-patterns and applies color-cycling to them.

parameter:

rings, bars, waves selects which patterns will be drawn.
speed [-10 - 10] selects speed and direction of
color-cycling.
change [0-300] time between new patterns
(0 means no change)

remark:

OS 3.0 and a 256-color-screen recommended.

version 1.0

PatternCycling is Copyright by
Dirk Farin

.

1.69 Pyro

Pyro:

This module displays a firework on the screen. The mathematical background for this module is from Wolfgang Börkel.

Parameter:

Flares - Number of flares
Double pixels - Exploding flares are doubled
(flares can be seen better, but it's slower)

Pyro is Copyright by
Thomas Börkel

.

1.70 Radar

Radar:

Showing a radar-screen.

parameter:

speed	[2-100]	speed of rotation
radar decay	[1-4]	decay rate of radar-beam (1 - fast decay, 4 - slow decay)
object decay	[1-10]	decay rate of the objects (1 - fast decay, 10 - visible till beam appears ↔ again)
objects	[0-100]	number of visible objects

version 1.1

Radar is Copyright by
Dirk Farin
.

1.71 Slideshow

Slideshow:

This module shows a slideshow.
The viewer must be interruptable with CTRL-C to be used with this module
(MultView from OS 3.0 doesn't work, but the 3.1-version does).

Parameter:

Viewer - The viewer program
Parameter - Additional parameters for the viewer
Directory - The picture-directory
Pattern - Namepattern for the pictures (e.g. #?.IFF)
Stack - Stacksize for the viewer
Delay - Delay between two pictures
Buffering - Load the picture in the background

Note:

The buffer-option prevents the WorkBench from being displayed between
2 pictures and works best, if the viewer first loads the picture and
then brings it's screen to front.

Slideshow is Copyright by
Thomas Börkel
.

1.72 Snow

Snow:

Lots of snowflakes falling down and slowly building a layer of snow
at the bottom of the screen.

parameter:

snowflakes [10-500] number of snowflakes on screen
wind velocity [0-10] 0-no wind, 10-stormy
wind probability [0-100] what percentage of time there is wind

note:

screen modes with 2 or 3 planes are sufficient.

version 1.1

Snow is Copyright by
Dirk Farin
.

1.73 Splines

Splines:

Splines draws spline curves on the screen.

Parameter:

Modes - Straight, Bouncing, Various

For every mode:

Fixpoints - Number of points in a curve
Splines - Number of Splines
Spline Speed - Speed of the Splines
Random Range - Time till the next random configuration takes place

Splines is Copyright by
Jürgen Denner
.

1.74 Spot

Spot:

Moves spotlight(s) over the current screen.

Paramteres:

Speed - How fast the spots are moving
Spots - Number of spots
(if more than 1 are selected double-buffering will
be turned on automatically)
Size - Size of the spots
Brightness - The remaining screen brightness
Delay - Delay till the brightness is reached
Update - Screen underneath the spots will permanently be updated

Nasty - Use non system friendly routines

Tip:

The "Nasty" option tries to make the movements of a single spot flicker free. It's not system friendly and won't work with graphic cards. If there are more than one spot selected the option has no meaning since double-buffering is activ anyway.

Spot is Copyright by
Thomas Börkel

.

1.75 Text

Text:

Shows text on the screen either as message or scrolling.

General parameters:

Font - Which font should be used
(even proportional and color fonts are usable)
Color - Color (if it isn't a color font)
Speed - How fast the text will be moved
Buffering - Switches double-buffering on/off

Scrolling-parameters:

Text - The text to be displayed
Position - Position of the text on the screen
Cache - Draw the text in advance
(faster, but uses more CHIP-RAM)

Message-parameters:

Movement - Direction of the text movement
Line 1-4 - The message to be displayed. Lower lines that are empty won't be displayed. If the message won't fit on the screen with the selected font the module won't do anything.

Text is Copyright by
Thomas Börkel

.

1.76 Tiles

Tiles:

Tiles splits the current screen into small pieces and moves them around (simulates a well-known game).

Parameters:

Border - The border of the rectangles
Speed - The speed of the game
Size - The size of the rectangles in percent of the screen width
Nasty - Use non system friendly routines
Brightness - The remaining brightness of the screen
Delay - Delay till the brightness is reached

Note:

The option "Nasty" tries to make the motion smoother, but is not quite system-compliant and doesn't work with graphic cards.

Tiles is Copyright by
Thomas Börkel
.

1.77 Tunnel

Tunnel:

Flight through a tunnel.

parameter:

speed - how fast you want to fly
rectangles - how many rectangles the tunnel has
length - the length of the tunnel
aspect - the aspect ratio of the tunnel rectangles
(10 means your monitors-aspect,
<10 is wider and >10 is taller)
x wabbel - how fast the tunnel will bend horizontally
y wabbel - how fast the tunnel will bend vertically
x amplitude - how much the tunnel will bend horizontally
y amplitude - how much the tunnel will bend vertically

version 1.0

Tunnel is Copyright by
Dirk Farin
.

1.78 Worms

Worms:

Worms draws small, hungry worms on the current screen.

Parameters:

Worms - Number of worms
Lenght - Lenght of the worms
Size - Size of the worm segments
Brightness - The remaining screen brightness
Delay - Delay till the brightness is reached

Worms is Copyright by
Thomas Börkel

.

1.79 Worms2

Worms2:

Colorful worms crawling over the screen.

parameter:

number of worms [1-50] how many
length [10-200] length of a worm
crazyness [3-30] crawl straight on or turn most time
speed [1-4] speed of the worms

note:

screen modes with 4 or 5 are best.

version 1.1

Worms2 is Copyright by
Dirk Farin

.

1.80 Moduleauthors

The modules of this release were programmed by the following ↔
authors:

Thomas Börkel

Jürgen Denner

Dirk Farin

1.81 Modulautoren

Jürgen Denner
Landstr. 116
D-69198 Schriesheim
Germany

1.82 Modulautoren

Dirk Farin
Kapellenweg 15
D-72070 Tübingen
Germany

E-Mail: farindk@trick.informatik.uni-stuttgart.de

1.83 New modules?

Modules I like to have or are already planned:

- Flying something (toasters etc.)
- Something with 3D graphics
- Maze (Labyrinth)
- Starfield
- ASwarm
- Fractals
- all other kind of gags

1.84 index

#

#Keys

A

Amiga OS Key shortcuts

AmigaSign

ARexx commands

Author

B

Blackout

Blank Never

Blank Now

Blankkey

Blanktime

BlitzBlank and BlitzBlankPrefs

Bugs? Ideas for improvement?

Butterfly

C

Cancel

Clock

Config

Copyright/Warranty/Cost

Corner-preferences

Crumble

D

Dirk Farin

Dissolve

E

Electric

Execute

F

Fade

Flash

Fountain

Fuzzy
G

Graphic Cards

Guru
H

History
I

Installation
J

Joystick-Check

Jürgen Denner
L

Life

Lines
M

Mandel

Melt

Menus of BlitzBlankPrefs

ModPath

ModPri

Module

Module-list

Module-preferences

Moduleauthors

Modules

Mosaic

Mouse-preferences

MUI
N

New modules?

Noise

O

Options

P

parameter

Pass Key

PatternCycling

Prefskey

Problems?

Pyro

R

Radar

Randomizer

Randomtime

Requirements for BlitzBlank?

S

Save

Save/Use/Cancel-Gadgets

Size

Slideshow

Snow

Splines

Spot

T

Technical stuff

Terminating BlitzBlank

Test

Text

Thanks go to...

The GUI of BlitzBlankPrefs

Thomas Börkel

Tiles

Time

Tooltypes/CLI-Parameters

Tunnel

U

Use

W

Watch CPU

What BlitzBlank does

What is BlitzBlank? (Features)

Worms

Worms2
