

# **BED**

Marco Negri

**COLLABORATORS**

	<i>TITLE :</i> BED		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Marco Negri	February 12, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>BED</b>	<b>1</b>
1.1	BlacksEditor Guide . . . . .	1
1.2	Quick Starting . . . . .	3
1.3	Introduction . . . . .	3
1.4	The Author . . . . .	5
1.5	Blacks Editor Support Web Page . . . . .	5
1.6	BitNova support site . . . . .	5
1.7	Credits . . . . .	6
1.8	Bug Reports . . . . .	7
1.9	History . . . . .	7
1.10	Future . . . . .	8
1.11	Before you begin . . . . .	9
1.12	Distribution . . . . .	9
1.13	Disclaimer . . . . .	10
1.14	Hardware requirements . . . . .	10
1.15	Installation . . . . .	10
1.16	Starting Blacks Editor . . . . .	11
1.17	Starting from the Shell . . . . .	11
1.18	Starting from the Workbench . . . . .	11
1.19	FILENAME . . . . .	12
1.20	DEFS/K . . . . .	12
1.21	PREFS/K . . . . .	12
1.22	MACRO/K . . . . .	12
1.23	QUIT/S . . . . .	13
1.24	The Standard Configuration . . . . .	13
1.25	Standard Menus . . . . .	13
1.26	Menu name: File . . . . .	14
1.27	Menu name: Window . . . . .	15
1.28	Menu name: Edit . . . . .	15
1.29	Menu name: Find . . . . .	16

---

---

1.30	Menu name: Format . . . . .	17
1.31	Menu name: Extras . . . . .	18
1.32	Menu name: Macro . . . . .	19
1.33	Menu name: Tools . . . . .	19
1.34	Menu name: ARexx . . . . .	20
1.35	Menu name: Settings . . . . .	20
1.36	Menu name: ? . . . . .	21
1.37	The Standard Keyboard Sequences . . . . .	21
1.38	The Standard Mouse Clicks . . . . .	22
1.39	Customize Blacks Editor . . . . .	22
1.40	Definitions Files . . . . .	22
1.41	Preferences Files . . . . .	22
1.42	Supplied Material . . . . .	22
1.43	Supplied Emulations . . . . .	22
1.44	Supplied Macros . . . . .	23
1.45	Quick Reference for Blacks Editor . . . . .	23
1.46	Commands Reference . . . . .	26
1.47	Alphabetical List of Commands . . . . .	27
1.48	Functional Grouping of Commands . . . . .	35
1.49	List of Global Commands . . . . .	44
1.50	About . . . . .	45
1.51	ActivateLastDoc . . . . .	46
1.52	ActivateNextDoc . . . . .	46
1.53	ActivatePrevDoc . . . . .	47
1.54	ActivateWindow . . . . .	47
1.55	BackSpace . . . . .	48
1.56	BeepScreen . . . . .	48
1.57	Center . . . . .	49
1.58	CenterView . . . . .	49
1.59	ClearBookMark . . . . .	50
1.60	ClearFile . . . . .	50
1.61	CloseDoc . . . . .	51
1.62	ControlWindow . . . . .	51
1.63	Conv2Lower . . . . .	52
1.64	Conv2Spaces . . . . .	52
1.65	Conv2Tabs . . . . .	53
1.66	Conv2Upper . . . . .	53
1.67	CopyBlk . . . . .	54
1.68	CutBlk . . . . .	54

---

---

1.69 Delete . . . . .	55
1.70 DeleteBlk . . . . .	55
1.71 DeleteEOL . . . . .	56
1.72 DeleteEOF . . . . .	56
1.73 DeleteEOW . . . . .	57
1.74 DeleteLine . . . . .	57
1.75 DeleteSOL . . . . .	58
1.76 DeleteSOF . . . . .	58
1.77 DeleteSOW . . . . .	59
1.78 DeleteWord . . . . .	59
1.79 EncryptBlk . . . . .	60
1.80 EndMacro . . . . .	60
1.81 ExecARexxMacro . . . . .	61
1.82 ExecARexxString . . . . .	61
1.83 ExecDosScript . . . . .	62
1.84 ExecTool . . . . .	62
1.85 Exist . . . . .	63
1.86 ExistsFile . . . . .	63
1.87 Find . . . . .	64
1.88 FindChange . . . . .	64
1.89 FormatParagraph . . . . .	65
1.90 GetBlk . . . . .	66
1.91 GetBlkDims . . . . .	66
1.92 GetBlkInfo . . . . .	67
1.93 GetChar . . . . .	67
1.94 GetCurrentDir . . . . .	68
1.95 GetCursorPos . . . . .	68
1.96 GetDocuments . . . . .	69
1.97 GetErrorInfo . . . . .	69
1.98 GetFileInfo . . . . .	70
1.99 GetFilePath . . . . .	70
1.100GetLastDoc . . . . .	71
1.101GetLine . . . . .	71
1.102GetLockInfo . . . . .	72
1.103GetMacroInfo . . . . .	72
1.104GetPort . . . . .	73
1.105GetPrefs . . . . .	73
1.106GetPriority . . . . .	74
1.107GetScreenInfo . . . . .	74

---

---

1.108GetTemplate . . . . .	75
1.109GetVersion . . . . .	75
1.110GetViewInfo . . . . .	76
1.111GetWindowInfo . . . . .	76
1.112GetWindowSpec . . . . .	77
1.113GetWord . . . . .	77
1.114Help . . . . .	78
1.115IconifyWindow . . . . .	78
1.116Illegal . . . . .	79
1.117Insert . . . . .	79
1.118InsertTab . . . . .	80
1.119InsertFile . . . . .	80
1.120InsertLine . . . . .	81
1.121Justify . . . . .	81
1.122LeftJustify . . . . .	82
1.123MarkBlk . . . . .	82
1.124Move . . . . .	83
1.125MoveBookMark . . . . .	83
1.126MoveDown . . . . .	84
1.127MoveDownScr . . . . .	84
1.128MoveEOF . . . . .	85
1.129MoveEOL . . . . .	85
1.130MoveEOW . . . . .	86
1.131MoveLeft . . . . .	86
1.132MoveMatchBkt . . . . .	87
1.133MoveNextTabStop . . . . .	87
1.134MoveNextWord . . . . .	88
1.135MovePrevTabStop . . . . .	88
1.136MovePrevWord . . . . .	89
1.137MoveRight . . . . .	89
1.138MoveSizeWindow . . . . .	90
1.139MoveSOF . . . . .	90
1.140MoveSOL . . . . .	91
1.141MoveSOW . . . . .	91
1.142MoveUp . . . . .	92
1.143MoveUpScr . . . . .	92
1.144MoveWindow . . . . .	93
1.145NewShell . . . . .	93
1.146Nop . . . . .	94

---

---

1.147OpenClip . . . . .	94
1.148OpenDefinitions . . . . .	95
1.149OpenDoc . . . . .	95
1.150OpenFile . . . . .	96
1.151OpenMacro . . . . .	96
1.152OpenPrefs . . . . .	97
1.153OpenRequester . . . . .	97
1.154PasteClip . . . . .	98
1.155PlayMacro . . . . .	98
1.156PrintClip . . . . .	99
1.157PrintFile . . . . .	99
1.158Quit . . . . .	100
1.159RecordMacro . . . . .	100
1.160RemakeScreen . . . . .	101
1.161RequestBool . . . . .	101
1.162RequestChoice . . . . .	102
1.163RequestFile . . . . .	102
1.164RequestFont . . . . .	103
1.165RequestNum . . . . .	103
1.166RequestStr . . . . .	104
1.167RightJustify . . . . .	104
1.168RunTool . . . . .	105
1.169SaveClip . . . . .	105
1.170SaveDefPrefs . . . . .	106
1.171SaveFile . . . . .	106
1.172SaveFileAs . . . . .	107
1.173SaveMacro . . . . .	107
1.174SavePrefs . . . . .	108
1.175Screen2Back . . . . .	108
1.176Screen2Front . . . . .	109
1.177ScrollVert . . . . .	109
1.178ScrollView . . . . .	110
1.179SelectLine . . . . .	110
1.180SetBookMark . . . . .	111
1.181SetChar . . . . .	111
1.182SetCurrentDir . . . . .	112
1.183SetDisplayLock . . . . .	112
1.184SetFilePath . . . . .	113
1.185SetInputLock . . . . .	113

---

---

1.186SetPrefs . . . . .	114
1.187SetPriority . . . . .	114
1.188SetQuoteMode . . . . .	115
1.189SetStatusBar . . . . .	115
1.190SetWindowSpec . . . . .	116
1.191ShiftLeft . . . . .	116
1.192ShiftRight . . . . .	117
1.193SizeWindow . . . . .	117
1.194StripEOLBlanks . . . . .	118
1.195SwapChars . . . . .	118
1.196Text . . . . .	119
1.197ToggleCharCase . . . . .	119
1.198UndeleteLine . . . . .	120
1.199UndoLine . . . . .	120
1.200Window2Back . . . . .	121
1.201Window2Front . . . . .	121
1.202Preferences Reference . . . . .	122
1.203Alphabetical List of Preferences . . . . .	122
1.204Functional Grouping of Preferences . . . . .	125
1.205DOCSTARTUP . . . . .	128
1.206DOCSTARTUPNAME . . . . .	128
1.207FILESTARTUP . . . . .	129
1.208FILESTARTUPNAME . . . . .	129
1.209AUTOSAVE . . . . .	129
1.210AUTOSAVECONFIRM . . . . .	130
1.211AUTOSAVEDELAY . . . . .	130
1.212MAKEBACKUPS . . . . .	131
1.213CANTBACKUPCONFIRM . . . . .	131
1.214BACKUPTEMPLATE . . . . .	131
1.215MAXBACKUPVERSION . . . . .	132
1.216TEXTCOLOR . . . . .	132
1.217BACKGROUNDCOLOR . . . . .	132
1.218SELTEXTCOLOR . . . . .	133
1.219SELBACKGROUNDCOLOR . . . . .	133
1.220PALETTE . . . . .	134
1.221SCREEN . . . . .	134
1.222HORIZSCROLLER . . . . .	134
1.223VERTSCROLLER . . . . .	135
1.224FILEREQTYPE . . . . .	135

---



---

1.225FONTREQTYPE . . . . .	135
1.226SCREENMODEREQTYPE . . . . .	136
1.227AUTOINDENT . . . . .	136
1.228FREEFORM . . . . .	137
1.229OVERSTRIKE . . . . .	137
1.230WORDWRAP . . . . .	137
1.231JUMPSCROLL . . . . .	138
1.232IBMKEYPAD . . . . .	138
1.233JUMPSCROLLLINES . . . . .	138
1.234STRIPEOLBLANKS . . . . .	139
1.235TRANSLATECRS . . . . .	139
1.236SAVEEOLAS . . . . .	140
1.237TEXTFONT . . . . .	140
1.238MENUFONT . . . . .	140
1.239GADGETFONT . . . . .	141
1.240RIGHTMARGINWBORDER . . . . .	141
1.241LEAVEINDENT . . . . .	141
1.242INDENT . . . . .	142
1.243LEFTMARGIN . . . . .	142
1.244RIGHTMARGIN . . . . .	143
1.245SAVEICONS . . . . .	143
1.246ICONDRAWER . . . . .	143
1.247MOUSEBLANKER . . . . .	144
1.248OVERWRITECONFIRM . . . . .	144
1.249DOUBLELOADCONFIRM . . . . .	144
1.250SELECTWHENDRAGGING . . . . .	145
1.251AUTODETECTBINFILES . . . . .	145
1.252POPUPNEWDOC . . . . .	146
1.253CLIPBOARDUNIT . . . . .	146
1.254PRINTDEVICE . . . . .	146
1.255CONSOLE . . . . .	147
1.256DEFAULTWINDOW . . . . .	147
1.257TABWIDTH . . . . .	147
1.258TABSGIVESPACES . . . . .	148
1.259CONVERSIONONLOAD . . . . .	148
1.260CONVERSIONONSAVE . . . . .	149
1.261CONVERSIONONPRINT . . . . .	149
1.262FINDSTRING . . . . .	149
1.263CHANGESTRING . . . . .	150

---

---

1.264	FINDBACKWARD	150
1.265	FINDIGNORECASE	150
1.266	FINDWHOLEWORD	151
1.267	FILEREQUESTER	151
1.268	FONTRREQUESTER	152
1.269	SCREENMODEREQUESTER	152
1.270	FILEPATTERN	152
1.271	REXXDRAWER	153
1.272	REXXPATTERN	153
1.273	DOSDRAWER	153
1.274	DOSPATTERN	154
1.275	TOOLSDRAWER	154
1.276	TOOLSPATTERN	155
1.277	PREFSDRAWER	155
1.278	PREFSPATTERN	155
1.279	DEFSDRAWER	156
1.280	DEFSPATTERN	156
1.281	READONLY	156
1.282	Errors Reference	157
1.283	BED Errors	157
1.284	Definitions Files Errors	160
1.285	Preferences Files Errors	160
1.286	Error #1	160
1.287	Error #2	160
1.288	Error #3	161
1.289	Error #4	161
1.290	Error #5	161
1.291	Error #6	162
1.292	Hit document boundary	162
1.293	Not on {, [, (, <, », >, ), ], }	162
1.294	Not allowed in read-only mode	162
1.295	User requested abort	163
1.296	Bookmark not set	163
1.297	No block marked	163
1.298	Error #13	163
1.299	Error #14	164
1.300	Error #15	164
1.301	Not currently recording	164
1.302	Not found	164

---

---

1.303Clipboard is empty . . . . .	165
1.304Clipboard does not contain text . . . . .	165
1.305Clipboard device not found . . . . .	165
1.306ARexx process or library not found . . . . .	165
1.307Command only allowed in ARexx macros . . . . .	166
1.308Bookmark not found . . . . .	166
1.309No macro to play . . . . .	166
1.310Error #25 . . . . .	166
1.311Error #26 . . . . .	167
1.312Error #27 . . . . .	167
1.313Illegal while recording . . . . .	167
1.314Illegal command . . . . .	167
1.315Insufficient memory . . . . .	168
1.316Load error . . . . .	168
1.317Save error . . . . .	168
1.318Backup error - not saved . . . . .	168
1.319Print error . . . . .	169
1.320Clipboard I/O error . . . . .	169
1.321ARexx Error . . . . .	169
1.322Couldn't execute tool . . . . .	169
1.323AmigaGuide error . . . . .	170
1.324Couldn't open console . . . . .	170
1.325Error #40 . . . . .	170
1.326AmigaGuide library not found . . . . .	170
1.327--- Illegal --- . . . . .	171
1.328Definitions file not loaded successfully . . . . .	171
1.329Preferences file not loaded successfully . . . . .	171
1.330Preferences file not saved successfully . . . . .	171
1.331Macro not loaded successfully . . . . .	172
1.332Macro not saved successfully . . . . .	172
1.333Unknown preference . . . . .	172
1.334Invalid template . . . . .	172
1.335Command not global . . . . .	173
1.336AmigaDOS error . . . . .	173
1.337Bad parameter . . . . .	173
1.338Parameter out of range . . . . .	173
1.339Cannot swap tabs . . . . .	174
1.340Cursor not on a word . . . . .	174
1.341No string to find . . . . .	174

---

---

1.342 Window is iconified . . . . .	174
1.343 Input is locked . . . . .	175
1.344 Line too long . . . . .	175
1.345 No line to undelete . . . . .	175
1.346 Cannot undo . . . . .	175
1.347 AmigaDOS error . . . . .	176
1.348 Insufficient memory . . . . .	176
1.349 Error creating menus . . . . .	176
1.350 Unknown keyword . . . . .	176
1.351 Unknown command . . . . .	177
1.352 Unknown key . . . . .	177
1.353 Key not mapped on this keyboard . . . . .	177
1.354 Quoted argument expected . . . . .	177
1.355 AmigaDOS error . . . . .	178
1.356 Insufficient memory . . . . .	178
1.357 Unknown preference . . . . .	178
1.358 Wrong template for preference . . . . .	178

---

# Chapter 1

## BED

### 1.1 BlacksEditor Guide

- Blacks Editor 1.0 -  
By Marco Negri

Blacks Editor is SolidarityWare. Click  
here  
for more info.

Quick Starting  
(If you don't like reading long documentations)

Introduction

The Author

WWW Page

BitNova

Credits

Bug Reports

History

Future

Before You Begin

Distribution

Disclaimer

Hardware requirements

Installation

---

---

Starting Blacks Editor

From the Shell

From Workbench

Beginners:

The Standard Configuration

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

Advanced:

Customizing Blacks Editor

The definitions file

The preferences file

Using supplied material

Supplied emulations

Supplied ARexx Macros

Reference:

Quick Reference

The Command Reference

Alphabetical order

Functional groupings

Global commands

The Preferences Reference

Alphabetical order

Functional groupings

Error codes and messages

Blacks Editor errors

Definitions file errors

Preferences file errors

---

## 1.2 Quick Starting

### Quick Starting

This section is for people who hate reading documentation and just want to know the most important things.

So here they are:

- <\*> You can start BED from the
  - Shell
  - or from the
  - Workbench
  - <\*> The layout of the menus, of the keyboard and the actions to ← take
  - at each mouse click are called
  - definitions
  - , and are specified in
  - a file with the ".dfn" extension in the "BED:Support" directory.
- <\*> A lot of
  - preferences
  - are specified in files with ".prf"
  - extension in the "BED:Support" directory
- <\*> In the "Rexx" directory there are a lot of useful
  - ARexx Macros
  - .

They can be executed using the

  - ARexx menu
  - .
- <\*> At startup, if not otherwise specified, BED loads the
  - definitions from "
  - BED:Support/Startup.dfn
  - ", the preferences from
  - "BED:Support/Startup.prf", and executes the ARexx Macro
  - "BED:Rexx/Startup.bed", if it exists.
- <\*> When a new window is opened, if not otherwise specified, BED
  - executes the ARexx Macro "BED:Rexx/Doc\_Startup.bed", if it
  - exists. In the original configuration this macro does the same
  - as "BED:Rexx/SetConfig.bed", i.e. it loads the preferences and
  - the definitions according to the current filename extension. You
  - can, of course, modify or delete this macro.

## 1.3 Introduction

### Introduction

Blacks Editor is a powerful, user-friendly, very configurable text editor.

---

The main features are:

- \* Multi-window. You can open as many windows as your memory allows.
  - \* Configurability. You can define the layout of the menus, the function of every keystroke, the function of every kind of mouse click. Furthermore, each window can have different definitions.
  - \* A lot of preferences. They are too many to list here... give BED a try and see them.
  - \* SAS C Support. You can easily arrange it for any other compiler or language.
  - \* Backup. When you save a file, a number of backups can be maintained.
  - \* Autosave. Your files can be automatically saved at the interval you select.
  - \* Advanced Icon Saving. A different icon can be saved, depending on the filename extension of your file.
  - \* End of Line Handling. You can easily load or save files with EOL different from LF, for example files saved on PCs.
  - \* Ability to use the keyboard in an IBM-style.
  - \* Full Localization (only for 3.0)
  - \* On-line AmigaGuide help (only for 3.0)
  - \* Optional "reqtools.library" or "asl.library" requesters.
  - \* Optional ARexx Macros launched at each BED start, document opening, or file opening.
  - \* ARexx support. There are 151 commands, usable in ARexx Macros or in the definition of menus, keystrokes and mouse clicks. The main abilities are the following:
    - Edit and Move commands
    - Standard Clipboard Function
    - Recorded Macros
    - Paragraph Formatting
    - Bookmarks
    - Find & Replace
    - Matching Brackets
    - Undo & Undelete line
    - Run external Tools, DOS Scripts, ARexx Macros
    - Encrypting
    - Open documents without a window (useful for ARexx Macros)
  - \* And, above all, it's made by ME.
-



Give it a try... a look can explain better than thousands of words.

## 1.4 The Author

Author

Snail mail:

Marco Negri  
Via delle Alpi 19  
20026 Novate Milanese (MILANO)  
I T A L I A

E-Mail:

[mnegri@bitnova.com](mailto:mnegri@bitnova.com) <<< Note that my address has changed !!!

WWW

Blacks Editor Support Web Page

:

<http://www.bitnova.com/mnegri> (America)

<http://www.ing.unico.it/~mfontana/www/marco> (Europa)

This is me...

## 1.5 Blacks Editor Support Web Page

Blacks Editor Support Web Page

On this WWW page you will find:

- Updated information about the status of the development of Blacks~Editor (new versions, minor updates, etc.)
- The ability to download the latest official version of Blacks~Editor.
- Information about how to get in touch with the author, how to become Beta~Testers, and send contributions such as localizations, ARexx macros, and whatever you have done.
- Continuous support for Beta~Testers, localizers, etc.
- The ability to download the latest beta-version (only for Official Blacks Editor Beta~Testers).

URL: <http://www.bitnova.com/mnegri> (America)

URL: <http://www.ing.unico.it/~mfontana/www/marco> (Europa)

## 1.6 BitNova support site

---

BitNova Support Site

Blacks Editor has a official support site at BitNova.

BitNova is a full BBS and Internet provider.

BitNova:

Phone: (510)581-0600

Telnet: bitnova.com

Web: www.bitnova.com

FTP: ftp.bitnova.com

## 1.7 Credits

Credits

I want to thank all the people who have contributed to the development of Blacks Editor. This is an extended list of them:

Beta-Testers:

- Mauro Fontana
- Peter Bornhall
- Dave Dustin
- Gerbert Nuijen
- Harold H. Ipolyi
- John Gardi
- Paul Schifferer
- Rienhard Katzmann
- Arian Kulp
- Jorge Acereda Macia
- Stephen Hughes

Localizers:

- David Le Corfec (French)
- Radoslaw Chyra (Polish)
- Jorge Acereda Macia (Spanish)
- Mathias Karlsson (Svedish)

Icon and WWW page imagery designer:

- Colin Thompson

ARexx Macro Writer:

- Gerbert Nuijen

Others:

- All the users who sent me a post card or an E-Mail message
  - Nico François and Magnus Holmgren, for their wonderful ReqTools
  - Mauro Fontana, for the space he gives me for the WWW page
-

- Andrew Martin, Pavel Troller, for their help
- Nick Waterman for having checked the documentation for errors.
- Commodore, for inventing the Amiga
- Lara, my girlfriend, for listening to me for months talking about window refreshing, IDCMP, ARexx, etc. ; -)
- Pat Metheny & Mark Knopfler, for their wonderful guitars who conformed me in sleepless nights spent on my keyboard.

Well... maybe I'm slightly exaggerating with the credits...

Let's look at this Blacks Editor, finally...

## 1.8 Bug Reports

### Bug Reports

Even though I don't guarantee anything (read the disclaimer), I think that BED, at the moment, doesn't contain any major bugs (i.e. you don't have to worry about losing your data).

If you found some bugs, however, even minor ones, or if you have some suggestions for this or another release of BED, please tell me.

Click [here](#) for my address.

## 1.9 History

### History

--- 1.02 - 06-May-96 -----

Minor update. Some bugs fixed.

- \* Some Enforcer Hit removed.
  - \* New ARexx macros: HuntFile, DeleteFile, FetchRefs.
  - \* Mouse pressed inside window border (but not on the scroller) made the window scroll anyway.
  - \* Indent, Unindent, Comment, etc. on a block of only one line, were buggy.
  - \* Find Flags (Case insensitive, Whole word, etc.) wrongly handled.
  - \* Fonts higher than 8, were badly handled with internal default menus.
  - \* USESTARTUP switch added at OpenPrefs and OpenDefinitions commands. They load the prefs/defs loaded at the startup of the program. Used in the REXX/File\_Startup macro.
  - \* Wrong Tabs -> Spaces conversion when printing.
  - \* New localizations: Espanol, Svenska.
-

\* Documentation checked for grammar errors.

--- 1.01 - 01-Apr-96 -----

Minor update. Some bugs fixed. (Should finally work also under v37).

- \* Last v39 function calls trapped. They caused BED to guru when a block was selected or a requester with cycle or palette gadgets was closed.
- \* ASL tags specified in a v37-compatible manner.
- \* Under v37 & 38 the window borders are no longer erased.
- \* The conversion from tabs to spaces when printing has been fixed.
- \* Many other minor bugs fixed.
- \* New localizations: Français, Polska.
- \* The documentation now covers the standard menu items description.

--- 1.00 - 03-Mar-96 -----

Version working under v37+, but using v39 resources when available. (Still problems under v37).

- \* IBM-Style keyboard supported.
- \* Horizontal scroller and optional vertical scroller added.
- \* Optional ARexx macro executed at each file or document opening
- \* Ability to open a document without a window
- \* "reqtools.library" requesters supported.
- \* Standard Clipboard supported.
- \* Customizable font for gadgets.
- \* Full font-sensitive requesters, with new look.
- \* Gadget shortcuts in requesters.
- \* AmigaDOS Protection Bits handling.
- \* Optional screen pop-up at document opening.
- \* Customizable number of lines to jump with JUMPSCROLL
- \* Indent (also automatic) supported in paragraph formatting.
- \* RIGHT\_AMIGA qualifier added.
- \* GetLastDoc command added.
- \* Print functions fixed.
- \* Tab conversion functions fixed.

--- 1.0B - 28-Jan-96 -----

First v37 compatible release. (Actually didn't work yet under v37)

--- 1.0B - 14-Jan-96 -----

First public release. Beta release. (OS v39 required)

## 1.10 Future

Future

---

First of all I have to finish this documentation...

The ideas for next version are:

<\*> Full Undo.

<\*> ToolManager-like Docks, or simple groups of gadgets (of course user-definable) for each window

<\*> Word colouring

<\*> More and more ARexx Macros, for syntax checking, auto-indenting, etc.

<\*> Custom Progress Indicator support

<\*> Implementation of the #LINKS keyword in the definitions file, which includes another file, something like the #include directive in C

<\*> ... and whatever you suggest

## 1.11 Before you begin

Before you begin it's better if you read something about...

Distribution

Disclaimer

Hardware requirements

Installation

## 1.12 Distribution

Distribution

Blacks Editor v1.02 - By Marco Negri - 06-May-1996

This entire package is designated "SolidarityWare" - that is you can try it for a period of 30 days, after which if you like it and use it you must make a "Solidarity Offer" of 15\$ (or whatever you can and want), for example, to your local Association for the Research For The Cure Of Cancer, and to send me a post card of your country or a message by E-Mail because I'd like to know where my program is used.

---

Obviously I will not enforce this and the program will work anyway, but I hope that many of you will do as I have suggested.

You may freely copy and distribute this package as often as you like, with the following limitations:

- \* ReqTools is Copyright (c) by Nico François and Magnus Holmgren
- \* The package must remain complete and unchanged
- \* The package can be included on CD-ROMs, BBS, magazines, but I ask you to inform the  
    Author  
    .
- \* It is expressly forbidden to use this program, or any programs or data developed using this program to directly or indirectly benefit the military.

## 1.13 Disclaimer

Disclaimer

THIS PROGRAM IS PROVIDED ON AN "AS IS" BASIS, NO WARRANTIES ARE MADE, EITHER EXPRESSED OR IMPLIED. IN NO EVENT WILL I, MARCO NEGRI, BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING FROM ANY USE OR MISUSE OF THIS PROGRAM. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THIS PROGRAM IS ASSUMED BY YOU.

## 1.14 Hardware requirements

Hardware Requirements

- \* An Amiga ; -)
- \* OS 2.04+ (v37)
- \* "reqtools.library" v38+ (needed for OS 2.04 (v37), optional for OS 2.1+ (v38+) ←  
    )
- \* Commodore Installer (only needed for the installation)

(Recommended for better use)

- \* A Hard Disk
- \* ARexx running

## 1.15 Installation

---

## Installation

To install Blacks Editor simply open the Install drawer and double-click on the icon of your language.

A Standard Installer Script will guide you through the short installation process.

## 1.16 Starting Blacks Editor

### Starting Blacks Editor

Blacks Editor can be started either from WB or from the Shell.

#### Starting from the Shell

#### Starting from Workbench

## 1.17 Starting from the Shell

### From the Shell

If you want to run Blacks Editor from the Shell you just have to type:

```
BED
```

followed by these optional arguments

```
FILENAME  
,  
DEFS/K  
,  
PREFS/K  
,  
MACRO/K  
,  
QUIT/S
```

## 1.18 Starting from the Workbench

### From the Workbench

If you want to run Blacks Editor from the Workbench you have to double click on the BED icon or on any Project Icon with BED as

---

Default Tool.

The following Tooltypes are supported:

```
FILENAME
- File to edit

DEFS
- Definitions file

PREFS
- Preferences file

MACRO
- Macro to execute on startup

QUIT
- Quit BED
```

## 1.19 FILENAME

FILENAME

FILENAME: If a filename is specified then this file is loaded in the first document window. If there is a copy of BED running, then it will open a new document window and load the specified file.

## 1.20 DEFS/K

DEFS

DEFS/K: If a defs file is specified then the definitions are loaded from it. It defaults to BED:Support/Startup.dfn.

## 1.21 PREFS/K

PREFS

PREFS/K: If a prefs file is specified then the preferences are loaded from it. It defaults to BED:Support/Startup.prf

## 1.22 MACRO/K

---



MACRO

MACRO/K: If this argument is specified then the ARexx Macro is executed. It defaults to BED:Support/Startup.bed

## 1.23 QUIT/S

QUIT

QUIT/S: When there is a copy of BED already running, this option forces it to quit.

## 1.24 The Standard Configuration

Standard configuration

This is the standard configuration of Blacks Editor, and can be found in the definition file BED:Support/Standard.dfn.

This file defines the menus, the keyboard sequences and the actions to take for each type of mouse click.

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

## 1.25 Standard Menus

Standard menus:

This section contains a description of the standard menu items.

The File Menu

The Window Menu

The Edit Menu

The Find Menu

The Format Menu

The Extras Menu

---

The Macro Menu

The Tools Menu

The ARexx Menu

The Settings Menu

The ? Menu

## 1.26 Menu name: File

The File Menu:

New Doc

Opens a new document window.

Clear File

Clears the buffer of the current document.

Open File...

Opens a file requester, and the specified file is loaded into the current document window. If the current file has been modified, a confirmation requester appears.

Open New Doc...

Opens a new document window and a file requester, allowing you to load a file into the new document.

Insert File...

Opens a file requester, and the specified file is loaded and inserted into the current document at the cursor position.

Save File

Saves the file with the current filename.

Save File As...

Opens a file requester, and the file is saved with the specified filename. If a file with the same filename already exists, a confirmation requester appears.

Save & Close

Saves the file with the current filename, then the document window is closed.

Print File...

Prints the current file. A confirmation requester appears.

Close Doc...

Closes the current document window.

Quit

All open document windows are closed, and the program quits.

---

## 1.27 Menu name: Window

The Window Menu:

Select...

Displays a list of all open documents, and the specified one is activated and brought to front.

Minimize

The current document window is resized to the minimum dimensions

Maximize

The current document window is resized to the maximum dimensions

Normalize

The current document window is resized to the normal dimensions (as specified by the DEFAULTWINDOW preference).

Snapshot

Saves the dimensions of the current document window as the default normal dimensions.

Iconify

Iconifies the current document window.

Iconify All

Iconifies all the document windows.

Tile

Reorganizes the windows on the screen as tiles.

Stack

Reorganizes the windows on the screen as a stack.

Cascade

Reorganizes the windows on the screen as a cascade.

Open Desktop...

Opens a file saved with "Save Desktop As...", and restores the desktop as described in the file.

Save Desktop As...

The dimension, position, and filename of all the documents are stored into the file specified with the file requester.

## 1.28 Menu name: Edit

The Edit Menu:

Mark Block

Mark the start of a selection block. If a block is already selected, the block is de-selected.

Select Word

---

The word under the cursor is selected.

Select Line

The current line is selected.

Select All

The whole document is selected.

Cut

The selected block is erased and copied into the clipboard.

Copy

The selected block is copied into the clipboard.

Paste

The contents of the clipboard is inserted at the cursor position.

Erase

The selected block is erased.

Cut Append

The selected block is erased and appended to the end of the clipboard.

Copy Append

The selected block is appended to the end of the clipboard.

Open Clip...

The specified file is loaded and inserted into the clipboard.

Save Clip As...

The contents of the clipboard is saved with the specified filename.

Print Clip...

The contents of the clipboard is printed. A confirmation requester appears.

## 1.29 Menu name: Find

The Find Menu:

Find...

Opens the Find requester.

Find Next

Find the next match of the current find string.

Find & Replace...

Opens the Find & Replace requester.

Replace Next

Find the next match of the current find string and replaces it with the current replace string.

Goto Line...

---

Opens a requester asking the line number to move the cursor to.

Match Bracket

When the cursor is on a bracket, it moves to the matching one. At the moment the following bracket types are supported: { [ ( < « » > ) ] }

Set Bookmark

Set the specified bookmark at the current cursor position.

Goto bookmark

Moves The cursor to the specified bookmark

### 1.30 Menu name: Format

The Format Menu:

Format Paragraph

The paragraph under the cursor is formatted, according to the LeftMargin, RightMargin, Indent, LeaveIndent, RightMarginWBorder preferences. This means that extra spaces or tabs between words are removed, and every line is filled with as many words as possible.

Goto paragraph - Previous/Next

Moves the cursor to the start of previous/next paragraph.

Documentize

Every paragraph of the document is put onto a single line, removing the line feeds. This command is useful before loading the file into a word processor.

Left Justify

The selected block (or the current line) is justified along the left margin, according to the LeftMargin preference.

Right Justify

The selected block (or the current line) is justified along the right margin, according to the RightMargin preference.

L/R Justify

The selected block (or the current line) is justified along both margins, according to LeftMargin and RightMargin preference. This means that spaces are inserted/removed to line up the line(s) along left and right margins.

Tabs -> Spaces

Tab characters are expanded into spaces. This command affects the selected block, or the whole document.

Spaces -> Tabs

Spaces are converted into tab characters. This command affects the selected block, or the whole document.

Remove EOL Blanks

---

Spaces and tab characters at the ends of lines are removed. This command affects the selected block, or the whole document.

#### Indent Block

A tab character is added to the start of the line(s). This command affects the selected block, or the whole document.

#### Unindent Block

A tab character is removed (if present) from the start of the line(s). This command affects the selected block, or the whole document.

#### Indent Line

A tab character is added to the start of the current line.

#### Unindent Line

A tab character is removed (if present) from the start of the current line.

## 1.31 Menu name: Extras

The Extras Menu:

#### Undo Line

The line is restored to what it was when the cursor was moved onto it.

#### Undelete Line

The last deleted line is inserted at the current cursor position.

#### Insert Current Date

The current date is inserted at the current cursor position.

#### Insert Current Time

The current time is inserted at the current cursor position.

#### Insert ASCII Char...

Opens a requester asking the ASCII code of the character to insert at the current cursor position.

#### Insert Version String

Insert a version string at the current cursor position. The filename and date are automatically inserted, you only have to insert the version number.

#### Comment Block

The selected block marked is as a comment. The current comment type is C-style, but you can change it modifying the "CommentBlk.bed" macro.

#### Number Lines

Insert the line number at the start of every line of the selected block (or of the whole document).

#### Word -> Lower Case

Converts the word under the cursor to lower case.

#### Word -> Upper Case

Converts the word under the cursor to upper case.

Toggle Char Case

Toggle the case of the character under the cursor.

Encrypt Block

Encrypt the selected block (or the whole document) with the ROT-13 algorithm. This means that it exchanges the letters A-M with the letters N-Z. Applying the encryption twice gives the original file.

## 1.32 Menu name: Macro

The Macro Menu:

Start Recording

Starts recording a macro. Every action will now be recorded.

Stop recording

Stops recording a macro. The macro can now be re-executed many times.

Play Macro

Executes the recorded macro once.

Play Many...

Opens a requester asking how many times to execute the recorded macro. If you enter 0, the macro will be continually executed until an error is encountered.

Open Macro...

A previously saved macro can be loaded. (Remember that you can use a saved recorded macro as an ARexx macro but, usually, not viceversa.)

Save Macro As...

The recorded macro is saved as an ASCII file, which can also be executed as an ARexx macro.

## 1.33 Menu name: Tools

Tools:

New Shell...

Opens a new standard Amiga Shell, whose path is set as the current file path. The geometry of the window is specified by the Console preference.

New Console...

Opens a new BED console. From here you can directly enter any BED command, which is sent to the current document. The geometry of the window is specified by the Console preference.

---

Exec Tool...

The specified tool is executed synchronously.

Run Tool...

The specified tool is executed asynchronously.

Exec DOS Script

The specified DOS script is executed.

Calculator

The standard Amiga calculator is launched.

Multiview

The Multiview application is launched.

...

Here you can insert your most frequently used tools

### 1.34 Menu name: ARexx

The ARexx Menu:

Exec ARexx Macro...

Executes the specified ARexx macro.

Exec ARexx String...

Executes the specified ARexx string.

AddChars  
CountWords  
ExecBlk  
PrintBlk  
RemoveBlankLines  
SaveBlk  
SaveChangedDocs  
SetConfig  
ShowAG  
SortBlk  
UnSetLocks

...

Here you can insert your most frequently used ARexx Macros.

### 1.35 Menu name: Settings

The Settings Menu:

Change Prefs

Opens the requester to edit the following preferences:

Auto-Save

---



Backup  
Colors  
Display  
Edit  
End Of Line  
Fonts  
Icons  
Miscellanea  
Tabs

Open Prefs...

Loads the preferences from the specified filename.

Save Prefs...

Saves the preferences with the specified filename.

Save Prefs As Default

Saves the preferences as "BED:Support/Startup.prf", so they will be loaded as default preferences next time BED is run.

Open Definitons...

Loads the definitions from the specified file.

## 1.36 Menu name: ?

?:

About BED

Gives you information about the Author and your system.

Quick Reference

Displays the AmigaGuide file with a quick reference to BED. about BED.

BED Menus

Displays the AmigaGuide help about the standard menus.

BED Commands

Displays the AmigaGuide help about the BED command under the cursor.

BED Main Help

Displays the main BED AmigaGuide Help file.

## 1.37 The Standard Keyboard Sequences

Still writing

Sorry :-(

I still have to write this page...

---

### **1.38 The Standard Mouse Clicks**

Still writing

Sorry :-(

I still have to write this page...

### **1.39 Customize Blacks Editor**

Still writing

Sorry :-(

I still have to write this page...

### **1.40 Definitions Files**

Still writing

Sorry :-(

I still have to write this page...

### **1.41 Preferences Files**

Still writing

Sorry :-(

I still have to write this page...

### **1.42 Supplied Material**

Still writing

Sorry :-(

I still have to write this page...

### **1.43 Supplied Emulations**

---

Still writing

Sorry :-(

I still have to write this page...

## 1.44 Supplied Macros

Still writing

Sorry :-(

I still have to write this page...

## 1.45 Quick Reference for Blacks Editor

Quick reference for Blacks Editor

IMPORTANT !!! These three keyboard sequences are always valid:

-----

[Ctrl]-[Shift]-[Alt]-F1	Restore the built-in default definitions (menus, keys, ↔ etc...)
[Ctrl]-[Shift]-[Alt]-F2	Restore the built-in default preferences
[Ctrl]-[Shift]-[Alt]-F3	Remake the screen

Standard keyboard sequences:

-----

[Return]	Insert a line
[Enter]	Insert a line with indent
[Backspace]	Delete the previous character
[Del]	Delete the current character
[Tab]	Insert a tab
[Esc]	
[Help]	This help
[CursorUp]	Move the cursor up by one line
[CursorDown]	Move the cursor down by one line
[CursorRight]	Move the cursor right by one character
[CursorLeft]	Move the cursor left by one character
[F1]	Open a new document
[F2]	Open a new file in the current document
[F3]	Find matching bracket
[F4]	Open the Command Shell
[F5]	Open a DOS Shell
[F6]	Move the cursor to the start of previous paragraph
[F7]	Move the cursor to the start of next paragraph
[F8]	Indent the selected block

---

---

[F9]	Save the current file if modified
[F10]	Activate the next document and bring it to front
[Shift]-[Return]	Insert a line without breaking the current line
[Shift]-[Enter]	Insert a line with indent without breaking the current line ←
[Shift]-[BackSpace]	Delete to the start of the current word
[Shift]-[Del]	Delete to the end of the current word
[Shift]-[Tab]	Move to the previous tab stop on the current line
[Shift]-[Esc]	
[Shift]-[Help]	Display the General Blacks Editor Help
[Shift]-[CursorUp]	Move the cursor up by one screenful
[Shift]-[CursorDown]	Move the cursor down by one screenful
[Shift]-[CursorRight]	Move to the start of the next word
[Shift]-[CursorLeft]	Move to the start of the previous word
[Shift]-[F1]	Display the General Blacks Editor Help
[Shift]-[F2]	Open a new file in a new document
[Shift]-[F3]	Undo the current line
[Shift]-[F4]	Restore the window default position
[Shift]-[F5]	Iconify / Deiconify the current document window
[Shift]-[F6]	Format the current paragraph
[Shift]-[F7]	Justify current paragraph
[Shift]-[F8]	Unindent the selected block
[Shift]-[F9]	Save the current file with a different name
[Shift]-[F10]	Activate the previous document and bring it to front
[Alt]-[Return]	Insert a line with indent without breaking the current line ←
[Alt]-[Enter]	Insert a line without breaking the current line
[Alt]-[BackSpace]	Delete to the start of the current line
[Alt]-[Del]	Delete to the end of the current line
[Alt]-[Tab]	Move to the previous tab stop on the current line
[Alt]-[Esc]	Close the current document
[Alt]-[Help]	
[Alt]-[CursorUp]	Move the cursor to the start of the document
[Alt]-[CursorDown]	Move the cursor to the end of the document
[Alt]-[CursorRight]	Move the cursor to the end of the line
[Alt]-[CursorLeft]	Move the cursor to the start of the line
[Alt]-[F1]	Move to the position indicated by bookmark 1
[Alt]-[F2]	Move to the position indicated by bookmark 2
[Alt]-[F3]	Move to the position indicated by bookmark 3
[Alt]-[F4]	Move to the position indicated by bookmark 4
[Alt]-[F5]	Move to the position indicated by bookmark 5
[Alt]-[F6]	Move to the position indicated by bookmark 6
[Alt]-[F7]	Move to the position indicated by bookmark 7
[Alt]-[F8]	Move to the position indicated by bookmark 8
[Alt]-[F9]	Move to the position indicated by bookmark 9
[Alt]-[F10]	Move to the position indicated by bookmark 10
[Ctrl]-[Return]	Insert a line with indent

---

---

[Ctrl]-[Enter]	Insert a line
[Ctrl]-[Backspace]	Delete the current line
[Ctrl]-[Del]	Delete the current line
[Ctrl]-[Tab]	Move to the next tab stop on the current line
[Ctrl]-[Esc]	Quit BED
[Ctrl]-[Help]	
[Ctrl]-[CursorUp]	Scroll the current document up
[Ctrl]-[CursorDown]	Scroll the current document down
[Ctrl]-[CursorRight]	Shift the current line or block right
[Ctrl]-[CursorLeft]	Shift the current line or block left
[Ctrl]-[F1]	Set bookmark 1 to the current cursor position
[Ctrl]-[F2]	Set bookmark 2 to the current cursor position
[Ctrl]-[F3]	Set bookmark 3 to the current cursor position
[Ctrl]-[F4]	Set bookmark 4 to the current cursor position
[Ctrl]-[F5]	Set bookmark 5 to the current cursor position
[Ctrl]-[F6]	Set bookmark 6 to the current cursor position
[Ctrl]-[F7]	Set bookmark 7 to the current cursor position
[Ctrl]-[F8]	Set bookmark 8 to the current cursor position
[Ctrl]-[F9]	Set bookmark 9 to the current cursor position
[Ctrl]-[F10]	Set bookmark 10 to the current cursor position
[Ctrl]-R	Toggle read-only mode
[Ctrl]-T	Toggle expand tabs mode
[Ctrl]-I	Toggle auto-indent mode
[Ctrl]-F	Toggle free form mode
[Ctrl]-O	Toggle overstrike mode
[Ctrl]-W	Toggle word wrap mode
[Ctrl]-J	Toggle jump scroll mode
[Ctrl]-B	Toggle backup mode
[Ctrl]-K	Toggle IBM keypad mode
[Ctrl]-Q	Quote character, next character entered is taken as is
[Ctrl]-1	Change the text color
[Ctrl]-2	Change the background color
[Ctrl]-3	Change the text color of selected text
[Ctrl]-4	Change the background color of selected text
[Alt]-[Ctrl]-[CursorLeft]	Move the cursor to the start of the word
[Alt]-[Ctrl]-[CursorRight]	Move the cursor to the end of the word
[Alt]-[Ctrl]-[Del]	Delete to the start of the word
[Alt]-[Ctrl]-[Backspace]	Delete to the end of the word
[Home]	Move the cursor to the start of the document
[End]	Move the cursor to the end of the document
[PgUp]	Scroll the document up by one page
[PgDn]	Scroll the document down by one page
[Ins]	Toggle overstrike mode
[Del]	Delete the current character
[Cursorup]	Scroll the document up by one line
[CursorDown]	Scroll the document down by one line
[CursorLeft]	Move the cursor left by one character
[CursorRight]	Move the cursor right by one character
[ScrL]	Toggle read-only mode
[PrtSc]	Print the current file

---

Standard mouse sequences:

-----  
Holding down the left button and pushing the mouse off the bottom or top edges of the window scrolls the display.

Double-clicking the left button marks the start of a selection block.

Holding down the middle button and clicking the right button marks the start of a selection block

Status Area Information

-----  
The letters in the status area have the following meaning:

M/m Document modified since last save? (M=Yes, m=No)  
R/r Read Only (R=On, r=Off)  
T/t Expand Tabs (T=On, t=Off)  
I/i Auto-Indent (I=On, i=Off)  
F/f Free Form (F=On, f=Off)  
O/o Overstrike (O=On, o=Off)  
W/w Word Wrap (W=On, w=Off)  
J/j Jump Scroll (J=On, j=Off)  
B/b Create Backups (B=On, b=Off)  
K/k IBM Keyboard (K=On, k=Off)

## 1.46 Commands Reference

### Commands Reference

Blacks Editor 1.0 supports 150 ARexx commands.

You can use these commands to write your own definition file, to modify an existing one, or to write ARexx Macros.

The global commands are the only ones which can be sent to the general ARexx port called BED. The others can only be sent to the specific ARexx port of some document.

The commands are listed according different criteria:

Alphabetical order

Functional groupings

Global commands

---

## 1.47 Alphabetical List of Commands

### Alphabetical List of Commands

#### About

- Bring up the About requester

#### ActivateLastDoc

- Activate and bring to front the last document

#### ActivateNextDoc

- Activate and bring to front the next document

#### ActivatePrevDoc

- Activate and bring to front the previous document

#### ActivateWindow

- Activate the window of the current document

#### BackSpace

- Delete the character before the cursor

#### BeepScreen

- Flash the screen

#### Center

- Center the current paragraph

#### CenterView

- Center vertically the current line

#### ClearBookMark

- Clear the specified bookmark

#### ClearFile

- Clear the current file

#### CloseDoc

- Close the current document

#### ControlWindow

- Toggle between open and close document window

#### Conv2Lower

- Convert character to lower case

#### Conv2Spaces

- Convert tabs to spaces

#### Conv2Tabs

- Convert spaces to tabs

#### Conv2Upper

- Convert the character to upper case

---

CopyBlk  
- Copy the selected block to the clipboard

CutBlk  
- Copy the selected block to the clipboard and erase it

Delete  
- Delete the character under the cursor character

DeleteBlk  
- Erase the selected block

DeleteEOL  
- Delete from the cursor to the end of the line

DeleteEOF  
- Delete from the cursor to the end of the file

DeleteEOW  
- Delete from the cursor to the end of the word

DeleteLine  
- Delete the current line

DeleteSOL  
- Delete from the cursor to the start of the line

DeleteSOF  
- Delete from the cursor to the start of the file

DeleteSOW  
- Delete from the cursor to the start of the word

DeleteWord  
- Delete the word under the cursor

EncryptBlk  
- Encrypt the selected block

EndMacro  
- Stop the recording of a macro

ExecARexxMacro  
- Execute an ARexx script

ExecARexxString  
- Execute an ARexx string

ExecDosScript  
- Execute a DOS script

ExecTool  
- Execute synchronously a Tool

Exist  
- Check if a the specified command is supported by BED

---



---

ExistsFile  
- Check if a file exists

Find  
- Search in the current document for the specified string

FindChange  
- Search in the current document for the specified string and ↔  
replace it with another

FormatParagraph  
- Format the current paragraph

GetBlk  
- Return the text in the selected block

GetBlkDims  
- Return info about the selected block

GetBlkInfo  
- Return info about the selected block

GetChar  
- Return the current character

GetCurrentDir  
- Return the name of the current dir

GetCursorPos  
- Return info about the current position of the cursor

GetDocuments  
- Return the names of the documents and their ARexx port name

GetErrorInfo  
- Return the string of the specified error code

GetFileInfo  
- Return info about the current document

GetFilePath  
- Return the path and/or filename of the current document

GetLastDoc  
- Return the ARexx port name of the last edited document

GetLine  
- Return the text of the current line

GetLockInfo  
- Return info about the locks

GetMacroInfo  
- Return info about the current macro recorded

GetPort  
- Return the ARexx port name of a document

---

---

GetPrefs  
- Return the value of the specified preference

GetPriority  
- Return the task priority of BED

GetScreenInfo  
- Return info about the screen

GetTemplate  
- Return the template of the specified command

GetVersion  
- Return the version string of BED

GetViewInfo  
- Return info about the current view

GetWindowInfo  
- Return info about the current document window

GetWindowSpec  
- Return the specification of the current document window

GetWord  
- Return the word under the cursor

Help  
- Display an AmigaGuide document with help about the specified topic ↔

IconifyWindow  
- Iconify/uniconify the current document window

Illegal  
- Produces an error

Insert  
- Insert the specified string in the document

InsertTab  
- Insert a tab in the text

InsertFile  
- Insert a file in the document

InsertLine  
- Insert a new line in the document

Justify  
- Justify the current paragraph

LeftJustify  
- Left justify the current paragraph

MarkBlk

---

- Mark the start of the selection block

Move

- Move the cursor to the specified line and/or column

MoveBookMark

- Move the cursor to the specified bookmark

MoveDown

- Move the cursor down one or more lines line

MoveDownScr

- Move the cursor down one page

MoveEOF

- Move the cursor to the end of the document

MoveEOL

- Move the cursor to the end of the current line

MoveEOW

- Move the cursor to the end of the word

MoveLeft

- Move the cursor left one or more characters

MoveMatchBkt

- Move the cursor on the matching bracket

MoveNextTabStop

- Move the cursor to the next tab stop position

MoveNextWord

- Move the cursor to the start of the next word

MovePrevTabStop

- Move the cursor to the previous tab stop

MovePrevWord

- Move the cursor to the start of the previous word

MoveRight

- Move the cursor right one or more characters

MoveSizeWindow

- Change the dimensions and position of the current document window ↔

MoveSOF

- Move the cursor to the start of the file

MoveSOL

- Move the cursor to the start of the current line

MoveSOW

- Move the cursor to the start of the current word

---

MoveUp  
- Move the cursor up one or more lines

MoveUpScr  
- Move the cursor up one page

MoveWindow  
- Change the position of the current document window

NewShell  
- Open a new shell

Nop  
- Absolutely nothing

OpenClip  
- Load the specified file into the clipboard

OpenDefinitions  
- Load the specified definitions file for the current document

OpenDoc  
- Open a new document

OpenFile  
- Load the specified file in the current document

OpenMacro  
- Load the specified macro

OpenPrefs  
- Load the specified preference file for the current document

OpenRequester  
- Open the specified requester

PasteClip  
- Paste the clipboard into the current document

PlayMacro  
- Play the recorded macro

PrintClip  
- Print the contents of the clipboard

PrintFile  
- Print the current document

Quit  
- Close all the documents and exit

RecordMacro  
- Start recording a macro

RemakeScreen  
- Remake the screen

---

---

RequestBool  
- Open a bool requester

RequestChoice  
- Open a requester with multiple choices

RequestFile  
- Open a file requester

RequestFont  
- Open a font requester

RequestNum  
- Open a number requester

RequestStr  
- Open a string requester

RightJustify  
- Right justify the current paragraph

RunTool  
- Run asynchronously the selected Tool

SaveClip  
- Save the contents of the clipboard in a file

SaveDefPrefs  
- Save the preferences on disk, as defaults

SaveFile  
- Save the current document

SaveFileAs  
- Save the current document with a different filename

SaveMacro  
- Save the currently recorded macro

SavePrefs  
- Save the preferences on disk

Screen2Back  
- Move the screen to back

Screen2Front  
- Move the screen to front

ScrollVert  
- Scroll vertically keeping the cursor in the same position

ScrollView  
- Scroll the current view vertically

SelectLine  
- Select the current line

---

---

SetBookMark  
- Set the specified bookmark

SetChar  
- Set the char under the cursor

SetCurrentDir  
- Set the current directory

SetDisplayLock  
- Set the lock on the display of the current file

SetFilePath  
- Set the path of the curret document

SetInputLock  
- Set the lock on the input in the current document

SetPrefs  
- Set the specified preference

SetPriority  
- Set the task priority of BED

SetQuoteMode  
- Set the quote mode

SetStatusBar  
- Display the specified string in the status bar

SetWindowSpec  
- Specify the dimensions of the current document window

ShiftLeft  
- Shift the current line left one or more characters or tabs

ShiftRight  
- Shift the current line right one or more characters or tabs

SizeWindow  
- Change the dimensions of the current document window

StripEOLBlanks  
- Strip all the blanks at the end of the lines

SwapChars  
- Swap the character under the cursor with the next

Text  
- Insert the specified string in the current document

ToggleCharCase  
- Toggle the upper/lower case of the character under the cursor

UndeleteLine  
- Undelete the current line

---

UndoLine  
- Undo all the changes on the current line

Window2Back  
- Move the current document window to back

Window2Front  
- Move the current document window to front

## 1.48 Functional Grouping of Commands

### Functional Grouping of Commands

Commands dealing with load & save

ExistsFile  
- Check if a file exists

GetFileInfo  
- Return info about the current document

GetFilePath  
- Return the path and/or filename of the current document

InsertFile  
- Insert a file in the document

OpenFile  
- Load the specified file in the current document

PrintFile  
- Print the current document

SaveFile  
- Save the current document

SaveFileAs  
- Save the current document with a different filename

SetFilePath  
- Set the path of the current document

Commands dealing with the editing

BackSpace  
- Delete the character before the cursor

Delete  
- Delete the character under the cursor character

DeleteEOL  
- Delete from the cursor to the end of the line

---

DeleteEOF

- Delete from the cursor to the end of the file

DeleteEOW

- Delete from the cursor to the end of the word

DeleteLine

- Delete the current line

DeleteSOL

- Delete from the cursor to the start of the line

DeleteSOF

- Delete from the cursor to the start of the file

DeleteSOW

- Delete from the cursor to the start of the word

DeleteWord

- Delete the word under the cursor

Insert

- Insert the specified string in the document

InsertTab

- Insert a tab in the text

InsertLine

- Insert a new line in the document

ShiftLeft

- Shift the current line left one or more characters or tabs

ShiftRight

- Shift the current line right one or more characters or tabs

Text

- Insert the specified string in the current document

UndeleteLine

- Undelete the current line

UndoLine

- Undo all the changes on the current line

Commands dealing with cursor movements

GetCursorPos

- Return info about the current position of the cursor

Move

- Move the cursor to the specified line and/or column

MoveDown

- Move the cursor down one or more lines line
-



MoveDownScr

- Move the cursor down one page

MoveEOF

- Move the cursor to the end of the document

MoveEOL

- Move the cursor to the end of the current line

MoveEOW

- Move the cursor to the end of the word

MoveLeft

- Move the cursor left one or more characters

MoveMatchBkt

- Move the cursor on the matching bracket

MoveNextTabStop

- Move the cursor to the next tab stop position

MoveNextWord

- Move the cursor to the start of the next word

MovePrevTabStop

- Move the cursor to the previous tab stop

MovePrevWord

- Move the cursor to the start of the previous word

MoveRight

- Move the cursor right one or more characters

MoveSOF

- Move the cursor to the start of the file

MoveSOL

- Move the cursor to the start of the current line

MoveSOW

- Move the cursor to the start of the current word

MoveUp

- Move the cursor up one or more lines

MoveUpScr

- Move the cursor up one page

ScrollVert

- Scroll vertically keeping the cursor in the same position

ScrollView

- Scroll the current view vertically

Commands dealing with bookmarks

---

ClearBookMark  
- Clear the specified bookmark

MoveBookMark  
- Move the cursor to the specified bookmark

SetBookMark  
- Set the specified bookmark

#### Commands dealing with special edit functions

ClearFile  
- Clear the current file

Conv2Lower  
- Convert character to lower case

Conv2Spaces  
- Convert tabs to spaces

Conv2Tabs  
- Convert spaces to tabs

Conv2Upper  
- Convert the character to upper case

EncryptBlk  
- Encrypt the selected block

SetChar  
- Set the char under the cursor

StripEOLBlanks  
- Strip all the blanks at the end of the lines

SwapChars  
- Swap the character under the cursor with the next

ToggleCharCase  
- Toggle the upper/lower case of the character under the cursor

#### Commands dealing with selection block and the clipboard

CopyBlk  
- Copy the selected block to the clipboard

CutBlk  
- Copy the selected block to the clipboard and erase it

DeleteBlk  
- Erase the selected block

GetBlk  
- Return the text in the selected block

---

GetBlkDims  
- Return info about the selected block

GetBlkInfo  
- Return info about the selected block

MarkBlk  
- Mark the start of the selection block

OpenClip  
- Load the specified file into the clipboard

PasteClip  
- Paste the clipboard into the current document

PrintClip  
- Print the contents of the clipboard

SaveClip  
- Save the contents of the clipboard in a file

SelectLine  
- Select the current line

#### Commands dealing with search & replace

Find  
- Search in the current document for the specified string

FindChange  
- Search in the current document for the specified string and ↔  
replace it with another

#### Commands dealing with formatting of paragraph

Center  
- Center the current paragraph

FormatParagraph  
- Format the current paragraph

Justify  
- Justify the current paragraph

LeftJustify  
- Left justify the current paragraph

RightJustify  
- Right justify the current paragraph

#### Commands dealing with recorded macros

EndMacro

---

- Stop the recording of a macro

GetMacroInfo

- Return info about the current macro recorded

OpenMacro

- Load the specified macro

PlayMacro

- Play the recorded macro

RecordMacro

- Start recording a macro

SaveMacro

- Save the currently recorded macro

Commands dealing with external Tools or ARexx macros

ExecARexxMacro

- Execute an ARexx script

ExecARexxString

- Execute an ARexx string

ExecDosScript

- Execute a DOS script

ExecTool

- Execute synchronously a Tool

NewShell

- Open a new shell

RunTool

- Run asynchronously the selected Tool

Commands dealing with the configuration of the program

GetPrefs

- Return the value of the specified preference

OpenDefinitions

- Load the specified definitions file for the current document

OpenPrefs

- Load the specified preference file for the current document

SaveDefPrefs

- Save the preferences on disk, as defaults

SavePrefs

- Save the preferences on disk

SetPrefs

---

- Set the specified preference

Commands dealing with windows and screen

ActivateLastDoc

- Activate and bring to front the last document

ActivateNextDoc

- Activate and bring to front the next document

ActivatePrevDoc

- Activate and bring to front the previous document

ActivateWindow

- Activate the window of the current document

BeepScreen

- Flash the screen

ControlWindow

- Toggle between open and close document window

GetScreenInfo

- Return info about the screen

GetWindowInfo

- Return info about the current document window

GetWindowSpec

- Return the specification of the current document window

IconifyWindow

- Iconify/uniconify the current document window

MoveSizeWindow

- Change the dimensions and position of the current document window ↔

MoveWindow

- Change the position of the current document window

RemakeScreen

- Remake the screen

Screen2Back

- Move the screen to back

Screen2Front

- Move the screen to front

SetStatusBar

- Display the specified string in the status bar

SetWindowSpec

- Specify the dimensions of the current document window

SizeWindow  
- Change the dimensions of the current document window

Window2Back  
- Move the current document window to back

Window2Front  
- Move the current document window to front

#### Commands dealing with views

CenterView  
- Center vertically the current line

GetViewInfo  
- Return info about the current view

#### Commands dealing with documents

CloseDoc  
- Close the current document

GetDocuments  
- Return the names of the documents and their ARexx port name

GetLastDoc  
- Return the ARexx port name of the last edited document

GetPort  
- Return the ARexx port name of a document

OpenDoc  
- Open a new document

Quit  
- Close all the documents and exit

#### Command allowing input in ARexx Macros

RequestBool  
- Open a bool requester

RequestChoice  
- Open a requester with multiple choices

RequestFile  
- Open a file requester

RequestFont  
- Open a font requester

RequestNum  
- Open a number requester

---

RequestStr  
- Open a string requester

#### Commands dealing with text in ARexx macros

GetChar  
- Return the current character

GetLine  
- Return the text of the current line

GetWord  
- Return the word under the cursor

#### Commands useful when developing ARexx Macros

Exist  
- Check if a the specified command is supported by BED

GetErrorInfo  
- Return the string of the specified error code

GetTemplate  
- Return the template of the specified command

GetVersion  
- Return the version string of BED

Help  
- Display an AmigaGuide document with help about the specified ←  
topic

Illegal  
- Produces an error

Nop  
- Absolutely nothing

#### Miscellaneous commands

About  
- Bring up the About requester

GetCurrentDir  
- Return the name of the current dir

GetPriority  
- Return the task priority of BED

OpenRequester  
- Open the specified requester

SetCurrentDir  
- Set the current directory

---

SetPriority  
- Set the task priority of BED

SetQuoteMode  
- Set the quote mode

## 1.49 List of Global Commands

### List of Global Commands

ActivateLastDoc  
- Activate and bring to front the last document

ActivateNextDoc  
- Activate and bring to front the next document

ActivatePrevDoc  
- Activate and bring to front the previous document

ActivateWindow  
- Activate the window of the current document

BeepScreen  
- Flash the screen

ExecARexxMacro  
- Execute an ARexx script

ExecARexxString  
- Execute an ARexx string

ExecDosScript  
- Execute a DOS script

ExecTool  
- Execute synchronously a Tool

Exist  
- Check if a the specified command is supported by BED

ExistsFile  
- Check if a file exists

GetCurrentDir  
- Return the name of the current dir

GetDocuments  
- Return the names of the documents and their ARexx port name

GetErrorInfo  
- Return the string of the specified error code

---



GetLastDoc  
- Return the ARexx port name of the last edited document

GetPort  
- Return the ARexx port name of a document

GetPriority  
- Return the task priority of BED

GetScreenInfo  
- Return info about the screen

GetTemplate  
- Return the template of the specified command

GetVersion  
- Return the version string of BED

Help  
- Display an AmigaGuide document with help about the specified topic ↔

Illegal  
- Produces an error

Nop  
- Absolutely nothing

OpenDoc  
- Open a new document

Quit  
- Close all the documents and exit

RemakeScreen  
- Remake the screen

RunTool  
- Run asynchronously the selected Tool

Screen2Back  
- Move the screen to back

Screen2Front  
- Move the screen to front

SetCurrentDir  
- Set the current directory

SetPriority  
- Set the task priority of BED

## 1.50 About

---

Command name: About  
Format: About  
Release: Version 1.00  
Purpose: Bring up the About requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.51 ActivateLastDoc

Command name: ActivateLastDoc  
Format: ActivateLastDoc FRONT/S  
Release: Version 1.00  
Purpose: Activates and bring to front the last document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.52 ActivateNextDoc

---

Command name:    ActivateNextDoc  
Format:            ActivateNextDoc FRONT/S  
Release:           Version 1.00  
Purpose:           Activates and bring to front the next document  
Parameters:        None  
Description:

RC:                Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

### 1.53   ActivatePrevDoc

Command name:    ActivatePrevDoc  
Format:            ActivatePrevDoc FRONT/S  
Release:           Version 1.00  
Purpose:           Activates and grong to front the previous document  
Parameters:        None  
Description:

RC:                Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

### 1.54   ActivateWindow

---

Command name:    ActivateWindow  
Format:            ActivateWindow FRONT/S  
Release:           Version 1.00  
Purpose:           Activates the window of the current document  
Parameters:        None  
Description:

RC:                Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

## 1.55 BackSpace

Command name:    BackSpace  
Format:           BackSpace CHARS/N  
Release:           Version 1.00  
Purpose:           Delete the character before the cursor  
Parameters:        None  
Description:

RC:                Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

## 1.56 BeepScreen

---

Command name: BeepScreen  
Format: BeepScreen  
Release: Version 1.00  
Purpose: Flashes the screen  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.57 Center

Command name: Center  
Format: Center  
Release: Version 1.00  
Purpose: Center the current paragraph  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.58 CenterView

---

Command name: CenterView  
Format: CenterView  
Release: Version 1.00  
Purpose: Center vertically the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.59 ClearBookMark

Command name: ClearBookMark  
Format: ClearBookMark BOOKMARK/N/A  
Release: Version 1.00  
Purpose: Clear the specified bookmark  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.60 ClearFile

---

Command name: ClearFile  
Format: ClearFile QUIET/S  
Release: Version 1.00  
Purpose: Clears the current file  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.61 CloseDoc

Command name: CloseDoc  
Format: CloseDoc QUIET/S  
Release: Version 1.00  
Purpose: Closes the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.62 ControlWindow

---

Command name: ControlWindow  
Format: ControlWindow ON/S,OFF/S,TOGGLE/S  
Release: Version 1.00  
Purpose: Toggle between open and close document window  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.63 Conv2Lower

Command name: Conv2Lower  
Format: Conv2Lower  
Release: Version 1.00  
Purpose: Convert the character to lower case  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.64 Conv2Spaces

---



Command name: Conv2Spaces  
Format: Conv2Spaces SOL/S  
Release: Version 1.00  
Purpose: Convert the tabs to spaces  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.65 Conv2Tabs

Command name: Conv2Tabs  
Format: Conv2Tabs SOL/S  
Release: Version 1.00  
Purpose: Convert the spaces to tabs  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.66 Conv2Upper

---

Command name: Conv2Upper  
Format: Conv2Upper  
Release: Version 1.00  
Purpose: Convert the character to upper case  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.67 CopyBlk

Command name: CopyBlk  
Format: CopyBlk APPEND/S  
Release: Version 1.00  
Purpose: Copy the selected block to the clipboard  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.68 CutBlk

---

Command name: CutBlk  
Format: CutBlk APPEND/S  
Release: Version 1.00  
Purpose: Copy the selected block to the clipboard and erase it  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.69 Delete

Command name: Delete  
Format: Delete CHARS/N  
Release: Version 1.00  
Purpose: Delete the character under the cursor character  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.70 DeleteBlk

---

Command name: DeleteBlk  
Format: DeleteBlk QUIET/S  
Release: Version 1.00  
Purpose: Erase the selected block  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.71 DeleteEOL

Command name: DeleteEOL  
Format: DeleteEOL  
Release: Version 1.00  
Purpose: Delete from the cursor to the end of the line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.72 DeleteEOF

---

Command name: DeleteEOF  
Format: DeleteEOF  
Release: Version 1.00  
Purpose: Delete from the cursor to the end of the file  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.73 DeleteEOW

Command name: DeleteEOW  
Format: DeleteEOW  
Release: Version 1.00  
Purpose: Delete from the cursor to the end of the word  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.74 DeleteLine

---

Command name: DeleteLine  
Format: DeleteLine  
Release: Version 1.00  
Purpose: Delete the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.75 DeleteSOL

Command name: DeleteSOL  
Format: DeleteSOL  
Release: Version 1.00  
Purpose: Delete from the cursor to the start of the line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.76 DeleteSOF

---

Command name: DeleteSOF  
Format: DeleteSOF  
Release: Version 1.00  
Purpose: Delete from the cursor to the start of the file  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.77 DeleteSOW

Command name: DeleteSOW  
Format: DeleteSOW  
Release: Version 1.00  
Purpose: Delete from the cursor to the start of the word  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.78 DeleteWord

---

Command name: DeleteWord  
Format: DeleteWord  
Release: Version 1.00  
Purpose: Delete the word under the cursor  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.79 EncryptBlk

Command name: EncryptBlk  
Format: EncryptBlk  
Release: Version 1.00  
Purpose: Encrypt the selected block  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.80 EndMacro

---



Command name: EndMacro  
Format: EndMacro  
Release: Version 1.00  
Purpose: Stops the recording of a macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.81 ExecARexxMacro

Command name: ExecARexxMacro  
Format: ExecARexxMacro CONSOLE/S,WINDOW/K,NAME/F  
Release: Version 1.00  
Purpose: Execute an ARexx script  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.82 ExecARexxString

---

Command name: ExecARexxString  
Format: ExecARexxString CONSOLE/S,WINDOW/K,MACRO/F  
Release: Version 1.00  
Purpose: Execute an ARexx string  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.83 ExecDosScript

Command name: ExecDosScript  
Format: ExecDosScript CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F  
Release: Version 1.00  
Purpose: Execute a DOS script  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.84 ExecTool

---

Command name: ExecTool  
Format: ExecTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F  
Release: Version 1.00  
Purpose: Execute synchronously a Tool  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.85 Exist

Command name: Exist  
Format: Exist COMMAND/A  
Release: Version 1.00  
Purpose: Check if a the specified command is supported by BED  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.86 ExistsFile

---

Command name: ExistsFile  
Format: ExistsFile NAME/F  
Release: Version 1.00  
Purpose: Check if a file exists  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.87 Find

Command name: Find  
Format: Find FIND/F  
Release: Version 1.00  
Purpose: Search in the current document for the specified string  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.88 FindChange

---

Command name: FindChange  
Format: FindChange FIND/K,CHANGE,ALL/S  
Release: Version 1.00  
Purpose: Search in the current document for the specified string and ↔  
replace it with another  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.89 FormatParagraph

Command name: FormatParagraph  
Format: FormatParagraph  
Release: Version 1.00  
Purpose: Format the current paragraph  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

---

## 1.90 GetBlk

Command name: GetBlk  
Format: GetBlk STEM/A  
Release: Version 1.00  
Purpose: Return the text in the selected block  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.91 GetBlkDims

Command name: GetBlkDims  
Format: GetBlkDims  
Release: Version 1.00  
Purpose: Return info about the selected block  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.92 GetBlkInfo

Command name: GetBlkInfo  
Format: GetBlkInfo  
Release: Version 1.00  
Purpose: Return info about the selected block  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.93 GetChar

Command name: GetChar  
Format: GetChar  
Release: Version 1.00  
Purpose: Return the current character  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.94 GetCurrentDir

Command name: GetCurrentDir  
Format: GetCurrentDir  
Release: Version 1.00  
Purpose: Return the name of the current dir  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.95 GetCursorPos

Command name: GetCursorPos  
Format: GetCursorPos  
Release: Version 1.00  
Purpose: Return info about the current position of the cursor  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---



## 1.96 GetDocuments

Command name: GetDocuments  
Format: GetDocuments  
Release: Version 1.00  
Purpose: Return the names of the documents and their ARexx port name  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.97 GetErrorInfo

Command name: GetErrorInfo  
Format: GetErrorInfo ERROR/N/A,SPECIAL/N  
Release: Version 1.00  
Purpose: Return the string of the specified error code  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.98 GetFileInfo

Command name: GetFileInfo  
Format: GetFileInfo  
Release: Version 1.00  
Purpose: Return info about the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.99 GetFilePath

Command name: GetFilePath  
Format: GetFilePath PATH/S,FILE/S  
Release: Version 1.00  
Purpose: Return the path and/or filename of the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.100 GetLastDoc

Command name: GetLastDoc  
Format: GetLastDoc  
Release: Version 1.00  
Purpose: Return the ARExx port name of the last edited document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.101 GetLine

Command name: GetLine  
Format: GetLine STARTCOL/N,ENDCOL/N  
Release: Version 1.00  
Purpose: Return the text of the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.102 GetLockInfo

Command name: GetLockInfo  
Format: GetLockInfo  
Release: Version 1.00  
Purpose: Return info about the locks  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.103 GetMacroInfo

Command name: GetMacroInfo  
Format: GetMacroInfo  
Release: Version 1.00  
Purpose: Return info about the current macro recorded  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.104 GetPort

Command name: GetPort  
Format: GetPort NAME/F  
Release: Version 1.00  
Purpose: Return the ARexx port name of a document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.105 GetPrefs

Command name: GetPrefs  
Format: GetPrefs PREFS/A  
Release: Version 1.00  
Purpose: Return the value of the specified preference  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.106 GetPriority

Command name: GetPriority  
Format: GetPriority  
Release: Version 1.00  
Purpose: Return the task priority of BED  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.107 GetScreenInfo

Command name: GetScreenInfo  
Format: GetScreenInfo  
Release: Version 1.00  
Purpose: Return info about the screen  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.108 GetTemplate

Command name: GetTemplate  
Format: GetTemplate COMMAND/A  
Release: Version 1.00  
Purpose: Return the template of the specified command  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.109 GetVersion

Command name: GetVersion  
Format: GetVersion  
Release: Version 1.00  
Purpose: Return the version string of BED  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.110 GetViewInfo

Command name: GetViewInfo  
Format: GetViewInfo  
Release: Version 1.00  
Purpose: Return info about the current view  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.111 GetWindowInfo

Command name: GetWindowInfo  
Format: GetWindowInfo  
Release: Version 1.00  
Purpose: Return info about the current document window  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---



## 1.112 GetWindowSpec

Command name: GetWindowSpec  
Format: GetWindowSpec  
Release: Version 1.00  
Purpose: Return the specification of the current document window  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.113 GetWord

Command name: GetWord  
Format: GetWord  
Release: Version 1.00  
Purpose: Return the word under the cursor  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.114 Help

Command name: Help

Format: Help FILE/K, TOPIC

Release: Version 1.00

Purpose: Display an AmigaGuide document with an help about the specified topic ↔

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.115 IconifyWindow

Command name: IconifyWindow

Format: IconifyWindow ON/S, OFF/S, TOGGLE/S

Release: Version 1.00

Purpose: Iconify/uniconify the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

---

## 1.116 Illegal

Command name: Illegal  
Format: Illegal  
Release: Version 1.00  
Purpose: Produces an error  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.117 Insert

Command name: Insert  
Format: Insert TEXT/F  
Release: Version 1.00  
Purpose: Insert the specified string in the document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.118 InsertTab

Command name: InsertTab  
Format: InsertTab NUM/N,EXPAND/S  
Release: Version 1.00  
Purpose: Insert a tab in the text  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.119 InsertFile

Command name: InsertFile  
Format: InsertFile NAME/F  
Release: Version 1.00  
Purpose: Insert a file in the document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.120 InsertLine

Command name: InsertLine  
Format: InsertLine NOBREAK/S,INDENT/S  
Release: Version 1.00  
Purpose: Insert a new line in the document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.121 Justify

Command name: Justify  
Format: Justify  
Release: Version 1.00  
Purpose: Justify the current paragraph  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.122 LeftJustify

Command name: LeftJustify  
Format: LeftJustify  
Release: Version 1.00  
Purpose: Left justify the current paragraph  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.123 MarkBlk

Command name: MarkBlk  
Format: MarkBlk WORD/S  
Release: Version 1.00  
Purpose: Mark the start of the selection block  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.124 Move

Command name: Move  
Format: Move LINE/N,COLUMN/N,CENTER/S  
Release: Version 1.00  
Purpose: Move the cursor to the specified line and/or column  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.125 MoveBookmark

Command name: MoveBookmark  
Format: MoveBookmark BOOKMARK/N/A  
Release: Version 1.00  
Purpose: Move the cursor to the specified bookmark  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.126 MoveDown

Command name: MoveDown  
Format: MoveDown LINES/N  
Release: Version 1.00  
Purpose: Move the cursor down one or more lines line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.127 MoveDownScr

Command name: MoveDownScr  
Format: MoveDownScr  
Release: Version 1.00  
Purpose: Move the cursor down one page  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---



## 1.128 MoveEOF

Command name: MoveEOF  
Format: MoveEOF  
Release: Version 1.00  
Purpose: Move the cursor to the end of the document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.129 MoveEOL

Command name: MoveEOL  
Format: MoveEOL NONBLANK/S  
Release: Version 1.00  
Purpose: Move the cursor to the end of the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

### 1.130 MoveEOW

Command name: MoveEOW  
Format: MoveEOW  
Release: Version 1.00  
Purpose: Move the cursor to the end of the word  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.131 MoveLeft

Command name: MoveLeft  
Format: MoveLeft CHARS/N  
Release: Version 1.00  
Purpose: Move the cursor left one or more characters  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

### 1.132 MoveMatchBkt

Command name: MoveMatchBkt  
Format: MoveMatchBkt  
Release: Version 1.00  
Purpose: Move the cursor on the matching bracket  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.133 MoveNextTabStop

Command name: MoveNextTabStop  
Format: MoveNextTabStop NUM/N  
Release: Version 1.00  
Purpose: Move the cursor to the next tab stop position  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

### 1.134 MoveNextWord

Command name: MoveNextWord  
Format: MoveNextWord  
Release: Version 1.00  
Purpose: Move the cursor to the start of the next word  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.135 MovePrevTabStop

Command name: MovePrevTabStop  
Format: MovePrevTabStop NUM/N  
Release: Version 1.00  
Purpose: Move the cursor to the previous tab stop  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.136 MovePrevWord

Command name: MovePrevWord  
Format: MovePrevWord  
Release: Version 1.00  
Purpose: Move the cursor to the start of the previous word  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.137 MoveRight

Command name: MoveRight  
Format: MoveRight CHARS/N  
Release: Version 1.00  
Purpose: Move the cursor right one or more characters  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.138 MoveSizeWindow

Command name: MoveSizeWindow

Format: MoveSizeWindow LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose: Change the dimensions and position of the current document window ←→

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.139 MoveSOF

Command name: MoveSOF

Format: MoveSOF

Release: Version 1.00

Purpose: Move the cursor to the start of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

---

## 1.140 MoveSOL

Command name: MoveSOL  
Format: MoveSOL NONBLANK/S  
Release: Version 1.00  
Purpose: Move the cursor to the start of the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.141 MoveSOW

Command name: MoveSOW  
Format: MoveSOW  
Release: Version 1.00  
Purpose: Move the cursor to the start of the current word  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.142 MoveUp

Command name: MoveUp  
Format: MoveUp LINES/N  
Release: Version 1.00  
Purpose: Move the cursor up one or more lines  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.143 MoveUpScr

Command name: MoveUpScr  
Format: MoveUpScr  
Release: Version 1.00  
Purpose: Move the cursor up one page  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---



## 1.144 MoveWindow

Command name: MoveWindow  
Format: MoveWindow LEFT/N/A, TOP/N/A  
Release: Version 1.00  
Purpose: Change the position of the current document window  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.145 NewShell

Command name: NewShell  
Format: NewShell WINDOW/K, FROM/K  
Release: Version 1.00  
Purpose: Opens a new shell  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.146 Nop

Command name: Nop  
Format: Nop  
Release: Version 1.00  
Purpose: Absolutely nothing  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.147 OpenClip

Command name: OpenClip  
Format: OpenClip APPEND/S,NAME/F  
Release: Version 1.00  
Purpose: Load the specified file in the clipboard  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.148 OpenDefinitions

Command name: OpenDefinitions  
Format: OpenDefinitions USEDEFAULT/S,MAKEDEFAULT/S,NAME/F  
Release: Version 1.00  
Purpose: Load the specified definitions file for the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.149 OpenDoc

Command name: OpenDoc  
Format: OpenDoc FILEREQ/S,MACRO/K,WINDOW/K,DEFINITIONS/K,SETTINGS/K,NAME ↔  
/F  
Release: Version 1.00  
Purpose: Open a new document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

---

## 1.150 OpenFile

Command name: OpenFile  
Format: OpenFile QUIET/S,NAME/F  
Release: Version 1.00  
Purpose: Load the specified file in the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.151 OpenMacro

Command name: OpenMacro  
Format: OpenMacro NAME/F  
Release: Version 1.00  
Purpose: Load the specified macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.152 OpenPrefs

Command name: OpenPrefs  
Format: OpenPrefs USEDEFAULT/S,MAKEDEFAULT/S,NAME/F  
Release: Version 1.00  
Purpose: Load the specified preference file for the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.153 OpenRequester

Command name: OpenRequester  
Format: OpenRequester REQUESTER/A  
Release: Version 1.00  
Purpose: Open the specified requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.154 PasteClip

Command name: PasteClip  
Format: PasteClip  
Release: Version 1.00  
Purpose: Paste the clipboard in the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.155 PlayMacro

Command name: PlayMacro  
Format: PlayMacro COUNT/N  
Release: Version 1.00  
Purpose: Play the recorded macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.156 PrintClip

Command name: PrintClip  
Format: PrintClip QUIET/S  
Release: Version 1.00  
Purpose: Print the contents of the clipboard  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.157 PrintFile

Command name: PrintFile  
Format: PrintFile QUIET/S  
Release: Version 1.00  
Purpose: Print the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.158 Quit

Command name: Quit  
Format: Quit QUIET/S  
Release: Version 1.00  
Purpose: Close all the documents and exit  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.159 RecordMacro

Command name: RecordMacro  
Format: RecordMacro QUIET/S  
Release: Version 1.00  
Purpose: Start recording a macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---



## 1.160 RemakeScreen

Command name: RemakeScreen  
Format: RemakeScreen  
Release: Version 1.00  
Purpose: Remake the screen  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.161 RequestBool

Command name: RequestBool  
Format: RequestBool TITLE/K,PROMPT/A/F  
Release: Version 1.00  
Purpose: Open a bool requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.162 RequestChoice

Command name: RequestChoice  
Format: RequestChoice TITLE/K,PROMPT/A,CHOICE/A  
Release: Version 1.00  
Purpose: Open a requester with multiple choices  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.163 RequestFile

Command name: RequestFile  
Format: RequestFile TITLE/K,PATTERN/K,OKGADGET/K,SAVEMODE/S,DRAWERSONLY/ ↔  
S,PATH/F  
Release: Version 1.00  
Purpose: Open a file requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

---

## 1.164 RequestFont

Command name: RequestFont

Format: RequestFont TITLE/K, FONTNAME, FONTSIZE/N, FIXEDWIDTH/S

Release: Version 1.00

Purpose: Open a font requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.165 RequestNum

Command name: RequestNum

Format: RequestNum POSITIVE/S, TITLE/K, DEFAULT/N/K, PROMPT/F

Release: Version 1.00

Purpose: Open a number requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

---

## 1.166 RequestStr

Command name: RequestStr  
Format: RequestStr TITLE/K,PROMPT/K,DEFAULT/F  
Release: Version 1.00  
Purpose: Open a string requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.167 RightJustify

Command name: RightJustify  
Format: RightJustify  
Release: Version 1.00  
Purpose: Right justify teh current paragraph  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.168 RunTool

Command name: RunTool

Format: RunTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Run asynchronously the selected Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.169 SaveClip

Command name: SaveClip

Format: SaveClip QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F

Release: Version 1.00

Purpose: Save the contents of the clipboard in a file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

---

## 1.170 SaveDefPrefs

Command name: SaveDefPrefs  
Format: SaveDefPrefs  
Release: Version 1.00  
Purpose: Save the preferences on disk, as defaults  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.171 SaveFile

Command name: SaveFile  
Format: SaveFile QUIET/S,NOBACKUP/S,NOICON/S,MODIFIED/S  
Release: Version 1.00  
Purpose: Save the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.172 SaveFileAs

Command name: SaveFileAs  
Format: SaveFileAs QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F  
Release: Version 1.00  
Purpose: Save the current document with a different filename  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.173 SaveMacro

Command name: SaveMacro  
Format: SaveMacro QUIET/S,NAME/F  
Release: Version 1.00  
Purpose: Save the currently recorded macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.174 SavePrefs

Command name: SavePrefs  
Format: SavePrefs QUIET/S,NAME/F  
Release: Version 1.00  
Purpose: Save the preferences on disk  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.175 Screen2Back

Command name: Screen2Back  
Format: Screen2Back  
Release: Version 1.00  
Purpose: Move the screen to back  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---



## 1.176 Screen2Front

Command name: Screen2Front  
Format: Screen2Front  
Release: Version 1.00  
Purpose: Move the screen to front  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.177 ScrollVert

Command name: ScrollVert  
Format: ScrollVert LINE/N/A,RELATIVE/S  
Release: Version 1.00  
Purpose: ...  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.178 ScrollView

Command name: ScrollView  
Format: ScrollView LINE/N/A,RELATIVE/S  
Release: Version 1.00  
Purpose: Scroll vertically the current view  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.179 SelectLine

Command name: SelectLine  
Format: SelectLine  
Release: Version 1.00  
Purpose: Select the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.180 SetBookMark

Command name: SetBookMark  
Format: SetBookMark BOOKMARK/N/A  
Release: Version 1.00  
Purpose: Set the specified bookmark  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.181 SetChar

Command name: SetChar  
Format: SetChar CHAR  
Release: Version 1.00  
Purpose: Set the char under the cursor  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.182 SetCurrentDir

Command name: SetCurrentDir  
Format: SetCurrentDir NAME/F/A  
Release: Version 1.00  
Purpose: Set the current directory  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.183 SetDisplayLock

Command name: SetDisplayLock  
Format: SetDisplayLock ON/S,OFF/S,TOGGLE/S  
Release: Version 1.00  
Purpose: Set the lock on the display of the current file  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.184 SetFilePath

Command name: SetFilePath  
Format: SetFilePath NAME/F/A  
Release: Version 1.00  
Purpose: Set the path of the curret document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.185 SetInputLock

Command name: SetInputLock  
Format: SetInputLock ON/S,OFF/S,TOGGLE/S  
Release: Version 1.00  
Purpose: Set the lock on the input in the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.186 SetPrefs

Command name: SetPrefs  
Format: SetPrefs PREFS/A,SETTING/F  
Release: Version 1.00  
Purpose: Set the specified preference  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.187 SetPriority

Command name: SetPriority  
Format: SetPriority PRIORITY/N/A  
Release: Version 1.00  
Purpose: Set the task priority of BED  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.188 SetQuoteMode

Command name: SetQuoteMode  
Format: SetQuoteMode ON/S,OFF/S,TOGGLE/S  
Release: Version 1.00  
Purpose: Set the quote mode  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.189 SetStatusBar

Command name: SetStatusBar  
Format: SetStatusBar TEXT/F  
Release: Version 1.00  
Purpose: Display the specified string in the status bar  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.190 SetWindowSpec

Command name: SetWindowSpec

Format: SetWindowSpec WINDOWSPEC

Release: Version 1.00

Purpose: Dimension the current document window according to the ↔  
specification

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.191 ShiftLeft

Command name: ShiftLeft

Format: ShiftLeft COUNT/N,TABS/S

Release: Version 1.00

Purpose: Shift left the current line one or more characters or tabs

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

---



## 1.192 ShiftRight

Command name: ShiftRight  
Format: ShiftRight COUNT/N,TABS/S  
Release: Version 1.00  
Purpose: Shift right the current line one or more characters or tabs  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.193 SizeWindow

Command name: SizeWindow  
Format: SizeWindow WIDTH/N/A,HEIGHT/N/A  
Release: Version 1.00  
Purpose: Change the dimensions of the current document window  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.194 StripEOLBlanks

Command name: StripEOLBlanks  
Format: StripEOLBlanks  
Release: Version 1.00  
Purpose: Strip all the blanks at the end of the lines  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.195 SwapChars

Command name: SwapChars  
Format: SwapChars  
Release: Version 1.00  
Purpose: Swap the character under the cursor with the next  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.196 Text

Command name: Text  
Format: Text TEXT/F  
Release: Version 1.00  
Purpose: Insert the specified string in the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.197 ToggleCharCase

Command name: ToggleCharCase  
Format: ToggleCharCase FORCEUPPER/S,FORCELOWER/S  
Release: Version 1.00  
Purpose: Toggle the upper/lower case of the character under the cursor  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.198 UndeleteLine

Command name: UndeleteLine  
Format: UndeleteLine  
Release: Version 1.00  
Purpose: Undelete the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.199 UndoLine

Command name: UndoLine  
Format: UndoLine  
Release: Version 1.00  
Purpose: Undo all the changes on the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.200 Window2Back

Command name: Window2Back  
Format: Window2Back  
Release: Version 1.00  
Purpose: Move the current document window to back  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.201 Window2Front

Command name: Window2Front  
Format: Window2Front  
Release: Version 1.00  
Purpose: Move the current document window to front  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

---

## 1.202 Preferences Reference

### Preferences Reference

This is the list of the preferences supported by Blacks Editor 1.0 which can be used in any preference file, and can be modified with the command `SetPrefs <pref_name> <value>`.

Alphabetical order

Functional groupings

## 1.203 Alphabetical List of Preferences

### Alphabetical List of Preferences

AUTODETECTBINFILES

AUTOINDENT

AUTOSAVE

AUTOSAVECONFIRM

AUTOSAVEDELAY

BACKGROUNDCOLOR

BACKUPTEMPLATE

CANTBACKUPCONFIRM

CHANGESTRING

CLIPBOARDUNIT

CONSOLE

CONVERSIONONLOAD

CONVERSIONONPRINT

CONVERSIONONSAVE

DEFAULTWINDOW

DEFSDRAWER

DEFSPATTERN

DOCSTARTUP

---

---

DOCSTARTUPNAME  
DOSDRAWER  
DOSPATTERN  
DOUBLELOADCONFIRM  
FILEPATTERN  
FILEREQTYPE  
FILEREQUESTER  
FILESTARTUP  
FILESTARTUPNAME  
FINDBACKWARD  
FINDIGNORECASE  
FINDSTRING  
FINDWHOLEWORD  
FONTREQTYPE  
FONTREQUESTER  
FREEFORM  
GADGETFONT  
HORIZSCROLLER  
IBMKEYPAD  
ICONDRAWER  
INDENT  
JUMPSCROLL  
JUMPSCROLLLINES  
LEAVEINDENT  
LEFTMARGIN  
MAKEBACKUPS  
MAXBACKUPVERSION  
MENUFONT

---

---

MOUSEBLANKER  
OVERSTRIKE  
OVERWRITECONFIRM  
PALETTE  
POPUPNEWDOC  
PREFSDRAWER  
PREFSPATTERN  
PRINTDEVICE  
READONLY  
REXXDRAWER  
REXXPATTERN  
RIGHTMARGIN  
RIGHTMARGINWBORDER  
SAVEEOLAS  
SAVEICONS  
SCREEN  
SCREENMODEREQTYPE  
SCREENMODEREQUESTER  
SELBACKGROUNDCOLOR  
SELECTWHENDRAGGING  
SELTEXTCOLOR  
STRIPEOLBLANKS  
TABSGIVESPACES  
TABWIDTH  
TEXTCOLOR  
TEXTFONT  
TOOLSDRAWER  
TOOLSPATTERN  
TRANSLATECRS

---



VERTSCROLLER

WORDWRAP

## 1.204 Functional Grouping of Preferences

Functional Grouping of Preferences

ARexx Preferences:

DOCSTARTUP

DOCSTARTUPNAME

FILESTARTUP

FILESTARTUPNAME

Autosave Preferences:

AUTOSAVE

AUTOSAVECONFIRM

AUTOSAVEDELAY

Backup Preferences:

MAKEBACKUPS

CANTBACKUPCONFIRM

BACKUPTEMPLATE

MAXBACKUPVERSION

Colors Preferences:

TEXTCOLOR

BACKGROUNDCOLOR

SELTEXTCOLOR

SELBACKGROUNDCOLOR

PALETTE

Display Preferences:

SCREEN

---

HORIZSCROLLER

VERTSCROLLER

FILEREQTYPE

FONTREQTYPE

SCREENMODEREQTYPE  
Edit Preferences:

AUTOINDENT

FREEFORM

OVERSTRIKE

WORDWRAP

JUMPSCROLL

IBMKEYPAD

JUMPSCROLLLINES  
EOL Preferences:

STRIPEOLBLANKS

TRANSLATECRS

SAVEEOLAS  
Font Preferences:

TEXTFONT

MENUFONT

GADGETFONT  
Format Preferences:

RIGHTMARGINWBORDER

LEAVEINDENT

INDENT

LEFTMARGIN

RIGHTMARGIN  
Icon Preferences:

SAVEICONS

---

ICONDRAWER  
Miscellanea Preferences:

MOUSEBLANKER

OVERWRITECONFIRM

DOUBLELOADCONFIRM

SELECTWHENDRAGGING

AUTODETECTBINFILES

POPUPNEWDOC

CLIPBOARDUNIT

PRINTDEVICE

CONSOLE

DEFAULTWINDOW  
Tabs Preferences:

TABWIDTH

TABSGIVESPACES

CONVERSIONONLOAD

CONVERSIONONSAVE

CONVERSIONONPRINT  
Find Preferences:

FINDSTRING

CHANGESTRING

FINDBACKWARD

FINDIGNORECASE

FINDWHOLEWORD  
Others Preferences:

FILEREQUESTER

FONTREQUESTER

SCREENMODEREQUESTER

FILEPATTERN  
REXXDRAWER  
REXXPATTERN  
DOSDRAWER  
DOSPATTERN  
TOOLSDRAWER  
TOOLS PATTERN  
PREFSDRAWER  
PREFSPATTERN  
DEFSDRAWER  
DEFSPATTERN  
READONLY

## 1.205 DOCSTARTUP

Preference name: DOCSTARTUP

Format: DOCSTARTUP ON/S,OFF/S, TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.206 DOCSTARTUPNAME

Preference name: DOCSTARTUPNAME

Format: DOCSTARTUPNAME FILENAME

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

## 1.207 FILESTARTUP

Preference name: FILESTARTUP

Format: FILESTARTUP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.208 FILESTARTUPNAME

Preference name: FILESTARTUPNAME

Format: FILESTARTUPNAME FILENAME

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.209 AUTOSAVE

---

Preference name: AUTOSAVE

Format: AUTOSAVE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.210 AUTOSAVECONFIRM

Preference name: AUTOSAVECONFIRM

Format: AUTOSAVECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.211 AUTOSAVEDELAY

Preference name: AUTOSAVEDELAY

Format: AUTOSAVEDELAY DELAY/N

Release: Version 1.00

Purpose:

Description:

---

See also:

Page still not complete...

## 1.212 MAKEBACKUPS

Preference name: MAKEBACKUPS

Format: MAKEBACKUPS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.213 CANTBACKUPCONFIRM

Preference name: CANTBACKUPCONFIRM

Format: CANTBACKUPCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.214 BACKUPTEMPLATE

Preference name: BACKUPTEMPLATE

Format: BACKUPTEMPLATE TEMPLATE

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

## 1.215 MAXBACKUPVERSION

Preference name: MAXBACKUPVERSION

Format: MAXBACKUPVERSION MAX/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.216 TEXTCOLOR

Preference name: TEXTCOLOR

Format: TEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.217 BACKGROUNDCOLOR

---



Preference name: BACKGROUNDCOLOR

Format: BACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.218 SELTEXTCOLOR

Preference name: SELTEXTCOLOR

Format: SELTEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.219 SELBACKGROUNDCOLOR

Preference name: SELBACKGROUNDCOLOR

Format: SELBACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.220 PALETTE

Preference name: PALETTE

Format: PALETTE RGB/M

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.221 SCREEN

Preference name: SCREEN

Format: SCREEN MODE, DATA/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.222 HORIZSCROLLER

Preference name: HORIZSCROLLER

Format: HORIZSCROLLER ON/S, OFF/S, TOGGLE/S

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

### **1.223 VERTSCROLLER**

Preference name: VERTSCROLLER

Format: VERTSCROLLER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.224 FILEREQTYPE**

Preference name: FILEREQTYPE

Format: FILEREQTYPE TYPE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.225 FONTREQTYPE**

---

Preference name: FONTREQTYPE  
Format: FONTREQTYPE TYPE/N  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

## 1.226 SCREENMODEREQTYPE

Preference name: SCREENMODEREQTYPE  
Format: SCREENMODEREQTYPE TYPE/N  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

## 1.227 AUTOINDENT

Preference name: AUTOINDENT  
Format: AUTOINDENT ON/S,OFF/S,TOGGLE/S  
Release: Version 1.00  
Purpose:  
Description:

---

See also:

Page still not complete...

## 1.228 FREEFORM

Preference name: FREEFORM

Format: FREEFORM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.229 OVERSTRIKE

Preference name: OVERSTRIKE

Format: OVERSTRIKE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.230 WORDWRAP

Preference name: WORDWRAP

Format: WORDWRAP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

### **1.231 JUMPSCROLL**

Preference name: JUMPSCROLL

Format: JUMPSCROLL ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.232 IBMKEYPAD**

Preference name: IBMKEYPAD

Format: IBMKEYPAD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.233 JUMPSCROLLLINES**

---

Preference name: JUMPSCROLLINES  
Format: JUMPSCROLLINES LINES/N  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

### 1.234 STRIPEOLBLANKS

Preference name: STRIPEOLBLANKS  
Format: STRIPEOLBLANKS ON/S,OFF/S,TOGGLE/S  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

### 1.235 TRANSLATECRS

Preference name: TRANSLATECRS  
Format: TRANSLATECRS ON/S,OFF/S,TOGGLE/S  
Release: Version 1.00  
Purpose:  
Description:

---

See also:

Page still not complete...

## 1.236 SAVEEOLAS

Preference name: SAVEEOLAS

Format: SAVEEOLAS MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.237 TEXTFONT

Preference name: TEXTFONT

Format: TEXTFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.238 MENUFONT

Preference name: MENUFONT

Format: MENUFONT FONTNAME,SIZE/N

Release: Version 1.00

---



Purpose:

Description:

See also:

Page still not complete...

### **1.239 GADGETFONT**

Preference name: GADGETFONT

Format: GADGETFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.240 RIGHTMARGINWBORDER**

Preference name: RIGHTMARGINWBORDER

Format: RIGHTMARGINWBORDER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.241 LEAVEINDENT**

---

Preference name: LEAVEINDENT

Format: LEAVEINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.242 INDENT

Preference name: INDENT

Format: INDENT COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.243 LEFTMARGIN

Preference name: LEFTMARGIN

Format: LEFTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.244 RIGHTMARGIN

Preference name: RIGHTMARGIN

Format: RIGHTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.245 SAVEICONS

Preference name: SAVEICONS

Format: SAVEICONS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.246 ICONDRAWER

Preference name: ICONDRAWER

Format: ICONDRAWER DRAWER

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

## 1.247 MOUSEBLANKER

Preference name: MOUSEBLANKER

Format: MOUSEBLANKER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.248 OVERWRITECONFIRM

Preference name: OVERWRITECONFIRM

Format: OVERWRITECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.249 DOUBLELOADCONFIRM

---

Preference name: DOUBLELOADCONFIRM

Format: DOUBLELOADCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.250 SELECTWHENDRAGGING

Preference name: SELECTWHENDRAGGING

Format: SELECTWHENDRAGGING ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.251 AUTODETECTBINFILES

Preference name: AUTODETECTBINFILES

Format: AUTODETECTBINFILES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.252 POPUPNEWDOC

Preference name: POPUPNEWDOC

Format: POPUPNEWDOC ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.253 CLIPBOARDUNIT

Preference name: CLIPBOARDUNIT

Format: CLIPBOARDUNIT UNIT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.254 PRINTDEVICE

Preference name: PRINTDEVICE

Format: PRINTDEVICE DEVICE

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

## 1.255 CONSOLE

Preference name: CONSOLE

Format: CONSOLE CONSOLE/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.256 DEFAULTWINDOW

Preference name: DEFAULTWINDOW

Format: DEFAULTWINDOW WINDOW

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.257 TABWIDTH

---

Preference name: TABWIDTH

Format: TABWIDTH WIDTH/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.258 TABSGIVESPACES

Preference name: TABSGIVESPACES

Format: TABSGIVESPACES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.259 CONVERSIONONLOAD

Preference name: CONVERSIONONLOAD

Format: CONVERSIONONLOAD MODE/N

Release: Version 1.00

Purpose:

Description:

---



See also:

Page still not complete...

## 1.260 CONVERSIONONSAVE

Preference name: CONVERSIONONSAVE

Format: CONVERSIONONSAVE MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.261 CONVERSIONONPRINT

Preference name: CONVERSIONONPRINT

Format: CONVERSIONONPRINT MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.262 FINDSTRING

Preference name: FINDSTRING

Format: FINDSTRING STRING

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

### **1.263 CHANGESTRING**

Preference name: CHANGESTRING

Format: CHANGESTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.264 FINDBACKWARD**

Preference name: FINDBACKWARD

Format: FINDBACKWARD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.265 FINDIGNORECASE**

---

Preference name: FINDIGNORECASE

Format: FINDIGNORECASE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.266 FINDWHOLEWORD

Preference name: FINDWHOLEWORD

Format: FINDWHOLEWORD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.267 FILEREQUESTER

Preference name: FILEREQUESTER

Format: FILEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

---

See also:

Page still not complete...

## 1.268 FONTREQUESTER

Preference name: FONTREQUESTER

Format: FONTREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.269 SCREENMODEREQUESTER

Preference name: SCREENMODEREQUESTER

Format: SCREENMODEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.270 FILEPATTERN

Preference name: FILEPATTERN

Format: FILEPATTERN PATTERN

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

## 1.271 REXXDRAWER

Preference name: REXXDRAWER

Format: REXXDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.272 REXXPATTERN

Preference name: REXXPATTERN

Format: REXXPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.273 DOSDRAWER

---

Preference name: DOSDRAWER  
Format: DOSDRAWER DRAWER  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

## 1.274 DOSPATTERN

Preference name: DOSPATTERN  
Format: DOSPATTERN PATTERN  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

## 1.275 TOOLSDRAWER

Preference name: TOOLSDRAWER  
Format: TOOLSDRAWER DRAWER  
Release: Version 1.00  
Purpose:  
Description:

---

See also:

Page still not complete...

## 1.276 TOOLSPATTERN

Preference name: TOOLSPATTERN

Format: TOOLSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.277 PREFSDRAWER

Preference name: PREFSDRAWER

Format: PREFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.278 PREFSPATTERN

Preference name: PREFSPATTERN

Format: PREFSPATTERN PATTERN

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

## 1.279 DEFSDRAWER

Preference name: DEFSDRAWER

Format: DEFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.280 DEFSPATTERN

Preference name: DEFSPATTERN

Format: DEFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.281 READONLY

---



Preference name: READONLY

Format: READONLY ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

## 1.282 Errors Reference

### Errors Reference

This is the reference for error codes and messages.

The first list contains the errors caused during the normal use of the program, the second and the third contain errors occurred while parsing, respectively, definitions and preferences files.

Blacks Editor errors

Definitions file errors

Preferences file errors

## 1.283 BED Errors

### BED Errors

1

Error #1

2

Error #2

3

Error #3

4

Error #4

5

Error #5

6

Error #6

---

7  
Hit document boundary  
8  
Not on {, [, (, <, «, », >, ), ], }  
9  
Not allowed in read-only mode  
10  
User requested abort  
11  
Bookmark not set  
12  
No block marked  
13  
Error #13  
14  
Error #14  
15  
Error #15  
16  
Not currently recording  
17  
Not found  
18  
Clipboard is empty  
19  
Clipboard does not contain text  
20  
Clipboard device not found  
21  
ARexx process or library not found  
22  
Command only allowed in ARexx macros  
23  
Bookmark not found  
24  
No macro to play  
25  
Error #25  
26  
Error #26  
27  
Error #27  
28  
Illegal while recording  
29  
Illegal command  
30  
Insufficient memory  
31  
Load error  
32  
Save error  
33  
Backup error - not saved  
34  
Print error  
35

---

---

Clipboard I/O error  
36  
ARexx Error  
37  
Couldn't execute tool  
38  
AmigaGuide error  
39  
Couldn't open console  
40  
Error #40  
41  
AmigaGuide library not found  
42  
--- Illegal ---  
43  
Definitions file not loaded successfully  
44  
Preferences file not loaded successfully  
45  
Preferences file not saved successfully  
46  
Macro not loaded successfully  
47  
Macro not saved successfully  
48  
Unknown preference  
49  
Invalid template  
50  
Command not global  
51  
AmigaDOS error  
52  
Bad parameter  
53  
Parameter out of range  
54  
Cannot swap tabs  
55  
Cursor not on a word  
56  
No string to find  
57  
Window is iconified  
58  
Input is locked  
59  
Line too long  
60  
No line to undelete  
61  
Cannot undo

---

## 1.284 Definitions Files Errors

Definitions Files Errors

- 1 AmigaDOS error
  - 2 Insufficient memory
  - 3 Error creating menus
  - 4 Unknown keyword
  - 5 Unknown command
  - 6 Unknown key
  - 7 Key not mapped on this keyboard
  - 8 Quoted argument expected

## 1.285 Preferences Files Errors

Preferences Files Errors

- 1 AmigaDOS error
  - 2 Insufficient memory
  - 3 Unknown preference
  - 4 Wrong template for preference

## 1.286 Error #1

Message: Error #1

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

## 1.287 Error #2

---

Message: Error #2  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

### **1.288 Error #3**

Message: Error #3  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

### **1.289 Error #4**

Message: Error #4  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

### **1.290 Error #5**

Message: Error #5  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.291 Error #6

Message: Error #6  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

### 1.292 Hit document boundary

Message: Hit document boundary  
Fault Level: 5  
Probable cause:  
Recovery:  
Page still not complete...

### 1.293 Not on {, [, (, <, «, », >, ), ], }

Message: Not on {, [, (, <, «, », >, ), ], }  
Fault Level: 5  
Probable cause:  
Recovery:  
Page still not complete...

### 1.294 Not allowed in read-only mode

Message: Not allowed in read-only mode  
Fault Level: 5  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.295 User requested abort

Message: User requested abort

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### 1.296 Bookmark not set

Message: Bookmark not set

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### 1.297 No block marked

Message: No block marked

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### 1.298 Error #13

Message: Error #13

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

---

**1.299 Error #14**

Message: Error #14  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

**1.300 Error #15**

Message: Error #15  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

**1.301 Not currently recording**

Message: Not currently recording  
Fault Level: 5  
Probable cause:  
Recovery:  
Page still not complete...

**1.302 Not found**

Message: Not found  
Fault Level: 5  
Probable cause:  
Recovery:  
Page still not complete...

---



### 1.303 Clipboard is empty

Message: Clipboard is empty

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.304 Clipboard does not contain text

Message: Clipboard does not contain text

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.305 Clipboard device not found

Message: Clipboard device not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.306 ARexx process or library not found

Message: ARexx process or library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

---

### 1.307 Command only allowed in ARexx macros

Message: Command only allowed in ARexx macros  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.308 Bookmark not found

Message: Bookmark not found  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.309 No macro to play

Message: No macro to play  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.310 Error #25

Message: Error #25  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.311 Error #26

Message: Error #26  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

### 1.312 Error #27

Message: Error #27  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

### 1.313 Illegal while recording

Message: Illegal while recording  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.314 Illegal command

Message: Illegal command  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.315 Insufficient memory

Message: Insufficient memory

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.316 Load error

Message: Load error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.317 Save error

Message: Save error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.318 Backup error - not saved

Message: Backup error - not saved

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

---

### 1.319 Print error

Message: Print error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.320 Clipboard I/O error

Message: Clipboard I/O error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.321 ARexx Error

Message: ARexx Error

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.322 Couldn't execute tool

Message: Couldn't execute tool

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

---

### 1.323 AmigaGuide error

Message: AmigaGuide error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.324 Couldn't open console

Message: Couldn't open console

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.325 Error #40

Message: Error #40

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.326 AmigaGuide library not found

Message: AmigaGuide library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

---

### 1.327 --- Illegal ---

Message:            --- Illegal ---  
Fault Level:        20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.328 Definitions file not loaded successfully

Message:            Definitions file not loaded successfully  
Fault Level:        20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.329 Preferences file not loaded successfully

Message:            Preferences file not loaded successfully  
Fault Level:        20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.330 Preferences file not saved successfully

Message:            Preferences file not saved successfully  
Fault Level:        20  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.331 Macro not loaded successfully

Message: Macro not loaded successfully  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.332 Macro not saved successfully

Message: Macro not saved successfully  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.333 Unknown preference

Message: Unknown preference  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.334 Invalid template

Message: Invalid template  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

---



### 1.335 Command not global

Message: Command not global  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.336 AmigaDOS error

Message: AmigaDOS error  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.337 Bad parameter

Message: Bad parameter  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.338 Parameter out of range

Message: Parameter out of range  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.339 Cannot swap tabs

Message: Cannot swap tabs

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.340 Cursor not on a word

Message: Cursor not on a word

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### 1.341 No string to find

Message: No string to find

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.342 Window is iconified

Message: Window is iconified

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

---

### 1.343 Input is locked

Message: Input is locked

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.344 Line too long

Message: Line too long

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.345 No line to undelete

Message: No line to undelete

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### 1.346 Cannot undo

Message: Cannot undo

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

---

### 1.347 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.348 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.349 Error creating menus

Message: Error creating menus

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.350 Unknown keyword

Message: Unknown keyword

Fault Level:

Probable cause:

Recovery:

Page still not complete...

---

### 1.351 Unknown command

Message: Unknown command

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.352 Unknown key

Message: Unknown key

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.353 Key not mapped on this keyboard

Message: Key not mapped on this keyboard

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.354 Quoted argument expected

Message: Quoted argument expected

Fault Level:

Probable cause:

Recovery:

Page still not complete...

---

### 1.355 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.356 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.357 Unknown preference

Message: Unknown preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.358 Wrong template for preference

Message: Wrong template for preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...

---