

**EditPrefs-rexx**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> EditPrefs-rexx	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		February 12, 2023
		<i>SIGNATURE</i>

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>EditPrefs-rexx</b>	<b>1</b>
1.1	main . . . . .	1
1.2	EditPrefs/--background-- . . . . .	1
1.3	EditPrefs/DEFAULTS . . . . .	2
1.4	EditPrefs/LASTSAVED . . . . .	2
1.5	EditPrefs/OPEN . . . . .	3
1.6	EditPrefs/QUIT . . . . .	3
1.7	EditPrefs/RESTORE . . . . .	4
1.8	EditPrefs/SAVE . . . . .	4
1.9	EditPrefs/SAVEAS . . . . .	5
1.10	EditPrefs/SETATTR . . . . .	6
1.11	EditPrefs/USE . . . . .	6

---

## Chapter 1

# EditPrefs-rexx

### 1.1 main

```
EditPrefs/--background--  
EditPrefs/DEFAULTS  
EditPrefs/LASTSAVED  
EditPrefs/OPEN  
EditPrefs/QUIT  
EditPrefs/RESTORE  
EditPrefs/SAVE  
EditPrefs/SAVEAS  
EditPrefs/SETATTR  
EditPrefs/USE
```

### 1.2 EditPrefs/--background--

--background-- :

There is no default portname for EditPrefs. The PORTNAME parameter must be supplied if an ARexx port is required.

If 'OPTIONS RESULTS' is on then when an error is returned then RC2 will hold a supplementary error (number or text).

Shortened unique formats of commands can be used.

---

## 1.3 EditPrefs/DEFAULTS

DEFAULTS :

NAME  
DEFAULTS -- Reverts to the default settings.

SYNOPSIS  
DEFAULTS ( )

FUNCTION  
Reverts to the default settings.

INPUTS  
None.

RESULT  
None.

EXAMPLE  
'DEFAULTS'

NOTES

BUGS

SEE ALSO  
RESTORE ( ), LASTSAVED ( ) .

## 1.4 EditPrefs/LASTSAVED

LASTSAVED :

NAME  
LASTSAVED -- Reverts to the last saved settings.

SYNOPSIS  
LASTSAVED ( )

FUNCTION  
Reverts to the LastSaved settings (from the Save directory).

INPUTS  
None.

RESULT  
None.

EXAMPLE  
'LASTSAVED'

NOTES

---

BUGS  
Never returns an error.

SEE ALSO  
DEFAULTS(), RESTORE().

## 1.5 EditPrefs/OPEN

OPEN :

NAME  
OPEN -- Opens settings from the supplied file.

SYNOPSIS  
OPEN( FILENAME/K )

FUNCTION  
Opens settings from the supplied filename.

INPUTS  
FILENAME - File name to open. If not supplied then requester is displayed

RESULT  
None.

EXAMPLE  
'OPEN FILENAME=ENV:MPMorph/Morph.prefs'

NOTES

BUGS  
Never returns an error.

SEE ALSO

## 1.6 EditPrefs/QUIT

QUIT :

NAME  
QUIT -- Quits EditPrefs.

SYNOPSIS  
QUIT( )

FUNCTION  
Quits EditPrefs without saving the settings.

INPUTS

---

None.

RESULT  
None.

EXAMPLE  
'QUIT'

NOTES

BUGS

SEE ALSO  
SAVE(), USE().

## 1.7 EditPrefs/RESTORE

RESTORE :

NAME  
RESTORE -- Reverts to the last used settings.

SYNOPSIS  
RESTORE ( )

FUNCTION  
Reverts to the LastUsed settings (from the Use directory).

INPUTS  
None.

RESULT  
None.

EXAMPLE  
'RESTORE'

NOTES

BUGS  
Never returns an error.

SEE ALSO  
DEFAULTS(), LASTSAVED().

## 1.8 EditPrefs/SAVE

SAVE :

NAME

---

SAVE -- Save the settings and Quits EditPrefs.

SYNOPSIS

SAVE ( )

FUNCTION

Saves the settings to the Save and Use directories and quits EditPrefs.

INPUTS

None.

RESULT

None.

EXAMPLE

'SAVE'

NOTES

BUGS

Never returns an error.

SEE ALSO

QUIT(), USE(), SAVEAS().

## 1.9 EditPrefs/SAVEAS

SAVEAS :

NAME

SAVEAS -- Save the settings to the supplied file.

SYNOPSIS

SAVEAS( NAME/K )

FUNCTION

Saves the settings to the supplied file.

INPUTS

NAME - Name of file. If not supplied then requester is displayed.

RESULT

None.

EXAMPLE

'SAVEAS NAME=Current.prefs'

NOTES

BUGS

Never returns an error.

SEE ALSO



SAVE ( ) .

## 1.10 EditPrefs/SETATTR

SETATTR :

NAME  
SETATTR -- Sets the attributes of a gadget.

SYNOPSIS  
SETATTR( TITLE/A,VALUE/A )

FUNCTION  
Sets the value of a gadget.

INPUTS  
TITLE - the title of the gadget (including spaces and \_s)  
VALUE - the value to set the gadget to.

RESULT  
None.

EXAMPLE  
'SETATTR TITLE="\_Public Screen" VALUE="Test Screen"'

NOTES  
Capitilization of TITLE does matter.

BUGS  
Never returns an error.

SEE ALSO

## 1.11 EditPrefs/USE

USE :

NAME  
USE -- Uses the settings and Quits EditPrefs.

SYNOPSIS  
USE ( )

FUNCTION  
Saves the settings to the Use directory and quits EditPrefs.

INPUTS  
None.

RESULT

---

None.

EXAMPLE  
'USE'

NOTES

BUGS  
Never returns an error.

SEE ALSO  
QUIT(), SAVE(), SAVEAS().

---