

(version 3.1)

Tom Scavo

trscavo@syr.edu

January 21, 1996

List of Tables

Notes:

The command keys listed in these tables assume the flags `smartScripts` and `useBoxMacro` are set to true, and `useDollarSigns` is set to false.

An ellipsis in the first column of a table means that the command requires additional input from the user.

An ellipsis in the `kLATEX Command` column of a table indicates that the command *wraps* the current selection or the chosen file.

tabular tabular|l|c| 1|c|LaTeX &1|c|Key Binding \ Typeset & \$\$Cmd T\$\$ \ Goto & \ LaTeX Utilities & \ Documents & \ Page Layout & \ Sectioning & \ Text Submenus & \ Math Submenus & \ tabular & tabular|l|c| 1|c|LaTeX &1|c|Key Binding \ Typeset Selection & \$\$Opt Cmd T\$\$ \ & \ & Table &: Short LaTeX menus \ & \ & \ tabular tabular

Goto	Key Binding
LaTeX	*SHF CMD S*
BibTeX	
MakelIndex	
Next Tab Stop	*TAB*
Prev Tab Stop	*SHF TAB*
nth Tab Stop	*CTL TAB*
Next Command	*KPAD6*
Prev Command	*KPAD4*
Next Command Select	*SHF KPAD6*
Prev Command Select	*SHF KPAD4*
Next Command Select With Args	*SHF OPT KPAD6*
Prev Command Select With Args	*SHF OPT KPAD4*
Next Environment	*CMD KPAD6*
Prev Environment	*CMD KPAD4*
Next Environment Select	*SHF CMD KPAD6*
Prev Environment Select	*SHF CMD KPAD4*
Next Section	*CMD KPAD2*
Prev Section	*CMD KPAD8*
Next Section Select	*SHF CMD KPAD2*
Prev Section Select	*SHF CMD KPAD8*
Next Subsection	*KPAD2*
Prev Subsection	*KPAD8*
Next Subsection Select	*SHF KPAD2*
Prev Subsection Select	*SHF KPAD8*

Table 2: The **Goto** submenu

LaTeX Utilities	Key Binding
Choose Command?	*SHF CMD T*
Insert Literal Tab	*OPT TAB*
Insert Tab Stop	*OPT 8*
Delete Tab Stops	*CMD TAB*
Delete Comments	
Convert Quotes	
Convert Dollar Signs	
Remove Auxiliary Files?	

Table 3: The **LaTeX Utilities** submenu


```

tabular 1|c|Documents &    1|c|Command &    1|c|Key Binding \ letter & tabular
[t]@-0.9exl .[]letter. \ .[.]. \ .document. \ + ...+ \ .document.
tabular & \ article & tabular[t]@-0.9exl .[]article. \ .[.]. \
document. \ + ...+ \ .document. tabular & \ report & tabular[t]@-0.
9exl .[]report. \ .[.]. \ .document. \ + ...+ \ .document. tabular & \
book & tabular[t]@-0.9exl .[]book. \ .[.]. \ .document. \ + ...+ \ .
document.tabular & \ slides & tabular[t]@-0.9exl .[]slides. \ .[.]. \
document. \ + ...+ \ .document.tabular & \ generic &tabular[t]@-0.9exl.[] \
<classname>. \ .[.]. \ .document. \+ ...+ \ .document. tabular & $$Ctl Opt
D$$ \ options & & \ packages & & \ usepackage & +[]...+ & $$Ctl Opt U$$
\ filecontents & tabular[t]@-0.9exl +filecontents<filename>+ \ + ...+ \

```

Table 4 The `Documents` argument of `tabular`

tabular 1|c|Page Layout & 1|c|Command & 1|c|Key Binding \ maketitle &
Table 5 For The **Page Layout** submenu

Sectioning	LATEX Command	Key Binding
part	\part...	
chapter	\chapter...	
section	\section...	
subsection	\subsection...	
subsubsection	\subsubsection...	
paragraph	\paragraph...	
subparagraph	\subparagraph...	
appendix	\appendix	

Table 6: The **Sectioning** submenu

lot lotText submenus:

```

tabular  tabular|l|l|l|  1|c|Text Style &1|c|Command &1|c|Key Binding \ emph
& +...+ & $$Ctl Opt E$$ \ underline & +...+ & $$Ctl Cmd U$$ \ textup & +
...+ & \ textit & +...+ & $$Ctl Opt I$$ \ textsln & +...+ & $$Ctl Opt S$$ \
\ textsc & +...+ & $$Ctl Opt H$$ \ textmd & +...+ & \ textbf & +...+ &
$$Ctl Opt B$$ \ textrm & +...+ & $$Ctl Opt R$$ \ textsf & +...+ & $$Ctl
Opt W$$ \ texttt & +...+ & $$Ctl Opt Y$$ \ textnormal & +...+ & \
tabular  & tabular|l|l|l|  1|c|Text Style &1|c|Command &1|c|Key Binding \
em & +...+ & $$Shf Ctl Opt E$$ \& & \ upshape & +...+ & \ itshape & +
...+ & $$Shf Ctl Opt I$$ \ slshape & +...+ & $$Shf Ctl Opt S$$ \ scshape &
+...+ & $$Shf Ctl Opt H$$ \ mdseries & +...+ & \ bfseries & +...+ & $$Shf
Ctl Opt B$$ \ rrmfamily & +...+ & $$Shf Ctl Opt R$$ \ sffamily & +...+ &
$$Shf Ctl Opt W$$ \ ttfamily & +...+ & $$Shf Ctl Opt Y$$ \ normalfont & +

```

Table 7: The **Text Style** submenus

Text Size	LATEX Command	Key Binding
<code>tiny</code>	<code>\tiny ...</code>	*CTL OPT 1*
<code>scriptsize</code>	<code>\scriptsize ...</code>	*CTL OPT 2*
<code>footnotesize</code>	<code>\footnotesize ...</code>	*CTL OPT 3*
<code>small</code>	<code>\small ...</code>	*CTL OPT 4*
<code>normalsize</code>	<code>\normalsize ...</code>	*CTL OPT 5*
<code>large</code>	<code>\large ...</code>	*CTL OPT 6*
<code>Large</code>	<code>\Large ...</code>	*CTL OPT 7*
<code>LARGE</code>	<code>\LARGE ...</code>	*CTL OPT 8*
<code>huge</code>	<code>\huge ...</code>	*CTL OPT 9*
<code>Huge</code>	<code>\Huge ...</code>	*CTL OPT 0*

Table 8: The Text Size submenu

International	LATEX Command
ð	\`{ }
ó	\'{ }
ô	\^{ }
ö	\"{{ }}
ő	\~{{ }}
ç	\c{c}
œ	\oe
æ	\ae
å	\aa
ø	\o
Ҫ	\c{C}
Ӯ	\OE
Ӯ	\AE
Ӯ	\AA
Ӱ	\O
Ӯ	\ss
ӷ	?`
Ӹ	!`

Table 9: The International submenu

