

Environment variable setting:

```
set arj_sw=jry -jv -f1
set arj_sw=c:\arj.cfg
```

Specific Hard Coded Switch Options  
File Containing Multiple Switch Settings

Simple examples: All create or read from the Archive File **TestFile.ARJ**

```
Add files minus directory structure _____ arj a -e TestFile *
Add two files to archive _____ arj a TestFile File_1.nam File_2.nam
Archive with MAXIMUM compression _____ arj a -jm TestFile *
Archive all files verifying contents _____ arj a -jt2 TestFile *
Extract all files from the archive _____ arj e TestFile
Extract all files with directory structure _____ arj x TestFile
List all files in the archive _____ arj l TestFile
Create new archive from file list "Use.fil" _____ arj a TestFile -IUSE.FIL
Extract new and newer files without query _____ arj e TestFile -u -y
Extract subdirectory from archive _____ arj e TestFile subdir\* * -p1
Comment archive header only _____ arj c TestFile -zcmnt.fil
Strip archive comment only _____ arj c TestFile -zNUL
Convert archive to self-extractor _____ arj y -je TestFile
Create archive and compare contents _____ arj a -jt2 TestFile
Delete archive files not existing on disk _____ arj d -n TestFile *
Move files to archive _____ arj m TestFile *.doc
Move files from archive _____ arj e -d TestFile *.doc
Test integrity of files in the archive _____ arj t TestFile
Create up to 999 archive volumes _____ arj a -va a:TestFile.001
BackUp File(s) across multiple disks _____ arj a -va a:TestFile *
Restore from multiple disk BackUp _____ arj e -va a:TestFile
Restore from multiple disks with directories _____ arj x -v a:TestFile
```

---

### ARJ Copyright © 1990-93 Robert K Jung. All rights reserved.

---

ARJ License Policy:

The author disclaims all warranties as to this software, whether express or implied, including without limitation any implied warranties of merchantability or fitness for a particular purpose. See the accompanying documentation for further disclaimers and information.

ARJ is a shareware product and its use in a business, commercial, government, or institutional environment **REQUIRES** registration. The inclusion of the ARJ software (ARJ, DEARJ, ARJSFX, ARJSFXJR) as part of a software and/or hardware package to be distributed externally **ALWAYS REQUIRES** a distribution license. Registration of ARJ for personal (not at the office) internal use is not mandatory; however, if you find ARJ useful, you are encouraged to register your copy for \$40 (US). Your financial support is needed to encourage further improvements to ARJ. Business, commercial, government, or institutional ARJ users are allowed a free 30 day period for the evaluation of ARJ. For more information concerning ARJ, see the accompanying documentation or contact:

**Robert K Jung** Internet address : [robjung@world.std.com](mailto:robjung@world.std.com)  
**2606 Village Road West** CompuServe userid: **72077.445**  
**Norwood, Massachusetts 02062**  
**USA**

# ARJ

## v2.41

---

**ARJ 2.41** Copyright © 1990-93 Robert K Jung Jun 03 1993  
All Rights Reserved. U.S. Patent No. 5,140,321 and patent pending.

---

**Usage:** ARJ <command> [[/|-|<switch>|-|+|<option>]...] <archive\_name>[<ARJ>]  
[-<base\_directory\_name>|] [<list\_name>|<path\_name>|<wild\_name>...]

BackUp File(s) across multiple disks arj a -va a:TestFile.**001**  
Restore from multiple disk BackUp arj e -va a:TestFile.**001**

### <Commands>

**a:** Add files to archive **n:** reName files in archive  
**b:** execute Batch or dos command **o:** Order files in archive  
**c:** Comment archive files **p:** Print files to standard output  
**d:** Delete files from archive **r:** Remove paths from filenames  
**e:** Extract files from archive **s:** Sample files to screen with pause  
**f:** Freshen files in archive **t:** Test integrity of archive  
**g:** Garble files in archive **u:** Update files to archive  
**i:** check Integrity of ARJ.EXE **v:** Verbosely list contents of archive  
**j:** Join archives to archive **w:** Where are text strings in archive  
**k:** remove backUp files in archive **x:** eXtract files with full pathname  
**l:** List contents of archive **y:** copY archive with new options  
**m:** Move files to archive

### <Main defaults>

Save path information in archive Yes - yes  
Don't save drive and root in path information No - no  
Don't display comment ANSI sequences Quit - abort out of ARJ  
Prompt before overwriting output files Always - always assume yes for current type of query  
Use method 1 compression Skip - always assume no for current type of query  
Use binary mode Global - always assume yes for all queries except  
Use l as list file symbol diskette volume prompts  
Command: Prompt for & execute one DOS command

### <User prompt responses>

Yes - yes  
No - no  
Quit - abort out of ARJ  
Always - always assume yes for current type of query  
Skip - always assume no for current type of query  
Global - always assume yes for all queries except  
diskette volume prompts  
Command: Prompt for & execute one DOS command