

0

Safe Mode Warning

Enable safe mode at start-up. This option is set whenever Windows cannot boot

Auto-Load Double-Space Drivers

Loads/Skips Double-Space disk compression drivers at DOS level. You can skip these drivers to gain extra base memory if you don't use disk compression

Enable SCSI Buffering

Disable this option when trouble-shooting SCSI devices

Enable DriveSpace Drivers

Loads/Skips Drive Space disk compression drivers at DOS level. You can skip these drivers to gain extra base memory if you don't use disk compression

Load command.com on top of 640k

Load command on top of base memory when trouble-shooting Novell networking.

Boot delay

Determines for how long the 'Starting Windows 95' text is displayed at start-up

enable fail safe boot

Enables boot to safe mode - no hardware detection

boot to windows user interface

Disable this option to start up you computer at DOS prompt rather than Windows GUI

enable boot keys

Enables F5 and F8 keys at startup

show boot menu

Shows a list of available boot options at system startup

boot menu delay

Determines for how long the menu is displayed (in seconds)

enable dual boot

Enable boot to previous operating system on workstation running dual system (Windows 3.1/Windows 95)

System Files

AUTOEXEC.BAT

Displays all the commands that are executed at DOS level on start-up. Use 'Hide commands' option to not display commands executed when Windows loads.

CONFIG.SYS

Displays all the device drivers that are loaded at DOS level when system starts. The highlighted drivers are automatically loaded on startup, regardless if they are listed in the file or not. You can remove them from the file but that will affect DOS configuration

Startup Tips

Use this option to change Windows tips that are displayed at start-up

Logos

Display and change Startup, Exit and Shut Down splash screens.

Open Template

Launches default graphics editor and opens the logo file template. The template file can be used to replace any of 3 logos.

Show Start-up Logo

Show Logo when Windows is loading

Password Lists

Password lists maintain passwords for users that had previously logged in on this workstation. You can delete the password file if you forgot the Windows log-on password

Registered User Name

Allows changing the registered user name

Setup Path

Allows changing the setup path. When systems settings change, you don't have to insert CD ROM or setup disks if setup files are already copied locally

McAfee Logo

Enbles/ disables splash screen for McAfee Anti-Virus

Control Panel

Makes the Control Panel accessible from the start menu

Dial Up networking

Makes the Dial Up networking accessible from the start menu

Printers

Makes the Printers folder accessible from the start menu

Recycle Bin

Makes the Recycle Bin accessible from the start menu

Briefcase

Makes the Briefcase accessible from the start menu

Start menu Speed

Use slider to set the start menu speed

Animate Windows

This option determines if the windows are animated during maximize/minimize operations

Show Thumbnails

When this option is enabled, bitmap file icons will be represented by thumbnails of themselves.

New File Template

Adds entry to the 'NEW document' section on the desktop pup-up menu. Use this option to add entries for old Win 3.1 programs

Drive Icons

Use the drive icons facility to set individual icons for local and network drives.

do not copy icon - use this option if you don't intend to copy the icon file to a different location and your local hard disks are not shared over the network

copy icon to Windows directory - use this option to guarantee that drive icons will be preserved even when you remove the icon files from their original location. This is a recommended setting for a PC with local hard drives not shared over the network

copy icon to the root of this drive - this option is recommended on a networked PC. The drive icons will affect all the users sharing this particular drive

Configuration Editor

Opens all major INI files for manual manipulation

MK Compat

Use this utility to trouble-shoot old Win 3.1 applications and compatibility issues

Registry Editor

Manually edit Windows registry

MS Info

Invokes Microsoft System Information

Vendors WWW Sites

Over 100 Internet shortcuts to popular WWW sites with hardware drivers and software updates

Redundant Temporary Files

Shows a list of a temporary system files that can be deleted to recover disk space.

Redundant Files

Shows a list of redundant files created during setup and upgrades

Recent Documents MRU

clears 'recent documents' list on the start menu

Run MRU

clears 'run' MRU list on the start menu

find files or folders MRU

clears 'find files or folders' list on the start menu

Find Computer MRU

clears 'find comuter' MRU list on the start menu

Always default to user

use this option in order to make Windows always prompt for the same user name regardless of the last user logged-in

Save Registry

Makes a backup of the system registry every time the SMU agent is run. The system files are copied to directory c:\SMUsafe\Registry

Save INI Files

Makes a backup of the all INI, INF and CFG every time the SMU agent is run. The system files are copied to directory c:\SMUsafe\INI

Save DOS system files

Makes a backup of the all DOS system files every time the SMU agent is run. The system files are copied to directory c:\SMUsafe\DOS

Save Password Lists

Makes a backup of the all password list files every time the SMU agent is run. The system files are copied to directory c:\SMUsafe\PWL

Desktop Folder

Sets the location of the Desktop Icons folder. You can share the desktop contents with other users over the LAN

Favorites Folder

Sets the location of the Favorites Folder

Programs Folder

Sets the location of the Programs Folder

Send To Folder

Sets location of the Send To pop-up menu. You can modify entries in this menu by modifying list of shortcuts in the folder

Start Menu Folder

Sets the location of the Start Menu folder. You can share the start menu with other users on the LAN

Startup Folder

Sets the location of the Start-Up folder. You can set the same start-up folders for all the users on the LAN

