

—pŒê—pfwf<fv

,±,lfwf<fv,í—pŒê—p,lfwf<fv,Å,·□B

'¼,lfwf<fv,©,çŒÄ,Ñ□o,<sup>3</sup>,ê,ÄŽg—p,<sup>3</sup>,ê,Ü,·□B





**LHfe ,Æ,í**

ARJ ALHA AZIP Ć`Ž® ,ì‘ĀÉ,ÉŠi”[ ,<sup>3</sup>,ê,Ä,ç,éftf@fCf<,đ^ê——  
 □A•Ó□W,; ,é,½,ß,ì½<@”\□E□,□«”\,Èfvf□fOf%of€ ,Å,·□B  
 fhf%ofbfO□•fhf□fbfv,Å□‘ĀÉ,đfI□[fvf“□A^³□k□A%ođ“€ ,Å,«,Ü,·□B  
 ,Ü,½□AfNfCfbfN%ođ“€<@”\□E“à’ f~fjfrf...□[fA□EŠO•”fvf□fOf%of€  
 ,ì<N“®“™ ,ì•Ö—~ ,È<@”\,à”ö,¡,Ä,ç,Ü,·□B  
 □@Š”ŽÒ□@nonki□i“ú”ä-ì—m□Ž Nifty-Serve GCA00726□j  
 □@“üžè□æ□@Nifty-Serve FWINF LIB4  
 □@Ží•Ê□@□@fVfFfAfEfFfA□i,P,O,O,O%o~□j



# LHA ft [fefBfŠfefB,Æ,í

LHA AZIP CE`Ž® ,ì'CEÉ,ì%øð“€A^³kAííœA%o{—  
AŽÅs,ð,·,é,½,ß,ì'½<@”\E,«”\,ÈfvfOfof%of€,Å,·B

fhf%ofbfO·fhffbfv,Å'CEÉftf@fCf<,ì“à—e,ð·\  
Ž!A^³k,Å,«,Ü,·B^ê“x,É·i”,ì'CEÉftf@fCf<,ðfhffbfvE“à—e·\Ž!,·,é,±  
,Æ,à,Å,«,Ü,·B

fjfj...

[f^fCfv,ðfRf}f“fhf{f^f“f^fCfv,Æfvf<f\_fEf“f^fCfv,©,ç'l,xAŠeŽí,ìfftfHf<fgfff  
BfCefNfgfŠ,ðŽw'è,Å,«,é“™ A'½É,ÈfifvfVf#f“,ð'l,x,Ü,·B

@Šj”ŽÖ@‘â|~a'¥iNifty-Serve PBB02721j

@“üŽèæ@Nifty-Serve FWINF LIB4

@Ží·Ê@@ftfŠ[fEfFfA



ŕìš,Æ,í

|<C,ì,,ç,«"\"E'½<@\"\\,Èftf@fCf<ŠÇ—fc[f<,Å,·B  
—lX,Èftf@fCf<'€ì,đffjf...[Ef}fEfX,¾,¯,Å,È,-  
A,Ù,Æ,ň,ÇfL['€ì,¾,¯,Ås,i,Ü,·B  
@fTf][fg@iŠ"jRf€  
@"üŽèæ@Nifty-Serve FWINF LIB4  
@Ží•Ê@@fVfFfAfEfFfA[i,S,O,O,O%o~j



## FileVisor i,e,u j,Æ,í

FileVisor iftf@fCf<fofCfU j,íWindows'í%ž,ìA<@"\,ÅÆy%ž,Èftf@fCf<ŠÇ—  
fc[f<,Å,·Bæi,ìft[fUfCf“f^ftfF[fX,đ”đ,!,Ä,ç,Ü,·B^È%ž,ì,æ,æ,É“Á’¥,ª, ,  
è,Ü,·B

Ef}fEfX^fL[f{[fh,ì,Ç,ì,ç,©,ç,Å,àA,Ü,Æ,ñ,Ç,ì<@"\,đ'í'đ,·,é,±  
,Æ,ª,Å,«,Ü,·B

EŠe<@"\,ífvf[fpfefBfo[[]Efc[f<fo[ ,É,æ,Á,ÄfOf  
%ftfBjff<,Éf{f^f“ ,ÅŽÀs,Å,«,Ü,·B

Efvf[Of%of€f}f[[]fWff,ì,æ,æ,ÈfAfCfRf“·\Ž!,Æftf@fCf<f}f[[]fWff,ì,æ,æ  
,ÉfŠXfg·\Ž!,ì<@"\,đ”đ,!,Ä,ç,Ü,·,ì,ÅA[D,Ý,ìfXf^fCf<,Å—~—p,Å,«,Ü,·B

EMS-

DOS,ìfAfvfŠfP[[]fvf#f“,Å,“,È,¶,Ý,ìf“fL[[]i[]`fL[[]j,Å,ìfRf}f“fhŽÀs,ª%ž,ì  
,Å,·BfL[[]Š,,,è“- ,Ä,ìY'è,đ'm,è,½,ç,Æ,«,ìAfL[[] ,đ  
%ž,·,ÆA,»,ìŽž“ ,Ä,ìŠ,,,è“- ,Äê— ,đ·\Ž!,³,¹,é,±,Æ,ª,Å,«,Ü,·B

Efrf...fA<@"\,đŽg—p,µ,ÄAftf@fCf<,ì“à—e,đ'ìŽžŠm”F,Å,«,Ü,·B

ELZHCE`Ž®,ìftf@fCf<^³kE

%ž“€AZIPCE`Ž®,“,æ,ÑARJCE`Ž®,ìftf@fCf<%ž“€,É'í%ž,µ,Ä,ç,Ü,·B

Eftf@fCf<f}f[[]fWfffGfNfXfef“fvf#f“[]fME[]j,É'í%ž,µ,Ä,ç  
,Ü,·BFME[]€<',ìfAfhfìf“fc[f<,ª,»,ì,Ü,Ü—~—p,Å,«,Ü,·B

EWindowsfvfFf<,Æ,µ,Ä—~—p,Å,«,Ü,·B

@ftf|[]fg[]@K.Miyauchi

@“üžè[]æ[]@[]@Nifty-Serve FWINF LIB4

@Ží·Ê[]@[]@[]@fvfFfAfEfFfA[]i,R,T,O,O%ž~[]j

□GŠÛfGffBf^,Æ,Í

□,□«"□E'½<@"\,ÈfGffBf^,Å,·□B

□@ŠJ" : □G,Ü,é,¨

“üŽè□æ : Nifty-Serve FWINF LIB3

□@Ží—p : fVfFfAfEfFfA□i,S,O,O,O%oo~□j

## MIFES for Windows ,Æ,Í

□,□«"□E'½<@"\,ÈfGffBf^,Å,·□B

DOS ,Å'è•],ì, ,Á,½ MIFES ,ìfEfBf"fhfEfY"Å,Å,·□B

□@ŠJ" : f□fKfjftfgŠ"Ž®%oižĐ

"üžè□æ : fpfjRf"fvfjbfv"™

□@Ží—p : Žs"ìfjftfgfEfFfA□i,Q,W,O,O,O%o~□j





ftf@fCf<f}fl[]fWff[]wŠg'£fc[]f<fo[][]x,Æ,í

ftf@fCf<f}fl[]fWff[]wŠg'£fc[]f<fo[][]x,í[]Aftf@fCf<f}fl[]fWff,ìŽg,ç[]ŸŽè,ð'å•[],  
ÉfAfbfv,·,é[]ufAfhfIf"[]vf\ftfg,Å,·[]B

ftf@fCf<f}fl[]fWff,Éfhf%°fbfO[]•fhf[]fbfv,Åfvf[]fOf%°f€,ð<N"® ,μ,½,è[]A—  
l[]X,É<@"\,ðŽÀ[]s[]o—^,éfc[]f<fo[][,ð[]ufAfhfIf"[]v,μ,Û,·[]B

[]@Šj"ŽÒ[]@shoda T.(NIFTY-Serve GHE00322) and CSD,inc,

[]@"üžè[]æ[]@NIFTY-Serve FWINF LIB4

[]@Ží•Ê[]@[]@fVfFfAfEfFfA[]i,R,O,O,O%°~[]j



## Tee Bag ,Æ,Í

“o~^,³,ê,½fvf[]fOf%of€,đ<N“®,.·,é,½,ß,lfvf[]fOf%of€,Å,·[]B

“o~^,³,ê,½fvf[]fOf%of€,ÍfAfCfRf“,Å·\Ž|,³,ê,Ü,·[]B

[]@Šj”ŽÒ[]@TEE[]ifTf|[][fg []HŽR%opŽO Nifty-Serve GCH03372[]j

[]@“üžè[]æ[]@NIFTY-Serve FWINF LIB9

[]@Ží·Ê[]@[]@fVfFfAfEfFfA[]i,P,O,O,O%o~[]j



## Tee Dir ,Æ,Í

Tee Dir ,ífffBfĀefNfgfŠ“à,ìftf@fCf<,đ'€[] ,.éfffBfĀefNfgfŠ ftfHf<f\_ ,Å,·[]B  
fffBfĀefNfgfŠ“à,ìftf@fCf<,ÍfAfCfRf“,Å•\Ž|,³,ê,Ü,·[]B  
[]@ŠJ”ŽÒ[]@Tee[]ifTf|[][fg []HŽR%°pŽO Nifty-Serve GCH03372[]j  
[]@“üžè[]æ[]@NIFTY-Serve FWINF LIB4  
[]@Ží•Ê[]@[]@fVfFfAfEfFfA[]i,Q,T,O,O%°~[]j



## Tee Freezer ,Æ,Í

Tee Freezer ,Í'ÆÉ,ðì- Eftf@fCf<,ð'ÆÉ,É'Ç%Ái^³k,·,éfc[f<,Å,·B  
,â,â'n-j,ÈŠy,μ,ϕ-â'ÆÉ,lfAfCfRf",ìó'Ô,ÅŽÀs,³,ê,Û,·B

f}fEfX'€ìifhf%fbfO·fhf|fbfvj,Å'ÆÉ,ðì- Eftf@fCf<,ð'ÆÉ,É'Ç  
%Á,Å,«,Û,·B

•W€

,jffBfÆfNfgfŠ,ð'Ý'è,Å,«,Û,·B'ÆÉ,ð·ÛŠÇ,·,éffBfÆfNfgfŠ,ª^ê'è,ìŽž,É·Ö—  
~,Å,·B

@Š"ŽÒ@Teeiftf|fg HŽR%opŽO Nifty-Serve GCH03372j

@“üžèæ@NIFTY-Serve FWINF LIB4

@Ží·Ê@ftfŠ|ftfgfEfFfA



## Tee LHA ,Æ,Í

ARJ ALHA AZIP Ć`Ž® ,ì‘ĆÉ,Ü,½,Í‘ĆÉ“à,ìftf@fCf<,đ‘€̀ì,·,éfc[f<,Å,·B  
 ‘ĆÉ“à,ìftf@fCf<,íAfcfRf“,Å•\Ž!,<sup>3</sup>,êAfhf%fbfO•fhffbfv,Å‘ĆÉ,đŠ,-  
 Eftf@fCf<,đ‘Ç%Ái<sup>3</sup>kjE“WŠji%đ“€̀j,Å,«,Ü,·B  
 @Š”ŽÒ@Teeiftf|fg HŽR%opŽO Nifty-Serve GCH03372j  
 @“üŽèæ@NIFTY-Serve FWINF LIB4  
 @Ží•Ê@@fVfFfAfEfFfA[i,T,O,O%~j



## Tee Range ,Æ,í

ARJ□ALHA□AZIP Ć`Ž® ,ì‘ĆÉ,đ“WŠJ□i%đ“€□j,·,é,½,ß,̀fç□[f<,Å,·□B  
 fhf%oofbfO□•fhf□fbfv,Å□‘ĆÉ,đ“WŠJ,Å,«,Ü,·□B  
 ,Ü,½□A‘|Žž%đ“€<@“\□E□‘ĆÉ-¼,ÅffBfĆfNfgfŠ□ì□-,·,é“™ ,ì•Ö—~ ,È<@“\  
 ,à”ö,!,Ä,ç,Ü,·□B  
 □@ŠJ” : Tee□ifTf|□[fg □HŽR%opŽO Nifty-Serve GCH03372□j  
 “üŽè□æ : Nifty-Serve FWINF LIB4  
 □@Ží—p : ftfŠ□[fEjFfA



□'ĈĖĖ,Æ,Í

Ž□,¿%o^,Ñ,μ,â,;-

,·,é,½,β,É□A,P,Â^È□ã,ìftf@fCf<,đ^³□k□iftf@fCf<,ì'å,«,<sup>3</sup>,đ□¬,<sup>3</sup>,-

,·,é□j,μ,Ä,Û,Æ,β,½ftf@fCf<,Å,·□B

ARJ Ĉ`Ž®□ALHA Ĉ`Ž®□AZIP Ĉ`Ž®“™,ìŽí—p,<sup>a</sup>, ,è,Û,·□B



**ARJ Ć`Ž® ,ì‘ĆÉ,Æ,Í**

ì‘ĆÉ,ìĆ`Ž® ,ì,P,Â,Â,·B’ÊíAŠg’£Žq,í ARJ ,Â,·B

ì‘ĆÉ,Í ARJ.EXE ,Æ,č,xfvfOf%of€ ,đŽg,Á,Äìî¬,³,ê,Û,·B

“Á”

,Æ,μ,Ä,íA·i” ,ìftfbfs[ffBfXfN,É“n,éTfCfY,ì,à,ì,ªìî¬,Â,« ,éuf}f<f`f{fŠf  
...[f€’í%žv,ª ,è,Û,·B

LHA Ć`Ž® AZIP Ć`Ž® ,ì‘ĆÉ,É”ä ,x ,â ,âf}fCfi[ ,Â ,ªA

čŠE’t,É”z•z,³,ê,Ä,č,Û,·B

,Û,½Af[f^fXŽĐ,ì»•i,ª ARJ Ć`Ž® ,Â^³k,³,ê,Ä,č,Û,·B

**LHA CE`Ž® ,ì‘CEÉ,Æ,Í**

‘CEÉ,ìCE`Ž® ,ì,P,Â,Â,·B’ÊíAŠg’£Žq,í LZH ,Å,·B

‘CEÉ,Í LHA.EXE ,Æ,ç,ıfvfıfOf%of€A,Ü,½,Í LHfeALHA

ftııfıfıBfıfıBıAtee LHA “™ ,ıfvfıfOf%of€,đŽg,Á,Äıı¬,³,ê,Ü,·B

“ú-ı,đ’tıS,ÉıçŠE,ÅıL,Žg,í,ê,Ä,ç,Ü,·B

**ZIP CE`Ž® ,ì'CEÉ,Æ,Í**

ì'CEÉ,ìCE`Ž® ,ì,P,Â,Å,·B'ÊíAŠg'£Žq,Í ZIP ,Å,·B

ì'CEÉ,Í PKZIP.EXE ,Æ,ç,xfvfOf%œ,đŽg,Á,Äì¬,³,ê,Ü,·B

%øç•Ä,đ'tS,ÉL,Žg,í,ê,Ä,ç,Ü,·B

**compress.exe ,Å^³k,³,ê,½ftf@fCf<,Æ,Í**

f}fCfNf\ftfgŽĐ,ì»•iWindowsAExcel etcj,È,Ç,ÅŽg,í,ê,Ä,ç  
,é^³k,³,ê,½ftf@fCf<,Å,·B

'ÊíAŠg'£Žq,ì^ê•",É'\_ifAf"f\_[f%ofCf"j,ª"ü,Á,Ä,ç,Ü,·B

ftf@fCf<,Í Microsoft ftf@fCf<^³kft[fefBfŠfefBicompress.exej,Æ,ç  
,xfvfOf%of€,đŽg,Á,Äì¬,³,ê,Ü,·B

□'ĈĖĖ,Ė'Ç%ŌÁ,Æ,Í

,P,Â^È□ã,ìftf@fCf<,đ□'ĈĖĖ,Ė%ŌÁ,ì,é,±,Æ,Â,·□B

'Ç%ŌÁŽž,Éftf@fCf<,đ^³□k□iftf@fCf<,ì'â,«,<sup>3</sup>,đ□¬,<sup>3</sup>,,·,é□j,·,é,±,Æ,à,Â,«,Û,·□B

□'ĈÉ,©,ç“WŠJ,Æ,Í

,P,Â^È□ã,½ftf@fCf<,đ□'ĈÉ,©,çŽæ,è□o,·,±,Æ,Å,·□B

'Ç%oÁŽž,É^3□k,³,ê,½ftf@fCf<,í•œĈÉ³□iĈÉ³,ì'å,«,³,É-ß,·□j,μ,ĂŽæ,è□o,μ,Û,·□B

☐'ĀĒ,ì'€☐ì,Æ,í

ftf@fCf<,đ☐'ĀĒ,É'Ç%oÁ☐A☐'ĀĒ,©,ç“WŠ|☐i  
%ođ“€☐j☐A☐'ĀĒ,©,ç☐í☐œ“™,đ,·,é,±,Æ,Å,·☐B

## UNARJ.DLL ,Æ,Í

ARJ Ć`Ž®.ìĀ'ĆÉÉ,ì“WŠJ,đŽÀĆ».,.é,c,k,k,Å,·ĀB

NIFTY-Serve FWINDEV MES #8

,É,ÄiĀs't,ìwĀA[fjĀCfo“ĀĀ#fvfĀfWfFĀNfgĀx,Å,ì API Žd—l,ÉĀ€<',μ,Ä,ċ,Ü,·ĀB

Ā@ŠJ”ŽÒĀ@,l,%o,f,f,Ā(NIFTY-Serve GCH03345)

Ā@“üŽèĀæĀ@NIFTY-Serve FWINF LIB11

Ā@Ží•ÊĀ@Ā@ftfŠĀ[fĀftfgfEĀFĀA



## LHA.DLL ,Æ,Í

LHA Ć`Ž®.ì'ĀÉ,ì"WŠJ,đŽÀĀ»,.é,c,k,k,Å,·B

NIFTY-Serve FWINDEV MES #8

,É,Äi`s't,ìwfa[fjfcfo"[]fvfWfFfNfgx,Å,ì API Žd—l,É€<',μ,Ä,ç,Ü,·B

@ŠJ"ŽÒ@Rhizome Project

@"üžèæ@NIFTY-Serve FWINF LIB11

@Ží•Ê@ftfŠ[f\ftfgfEfFfA

## FELHA.DLL ,Æ,Í

LHA.DLL ,đŠg'£,·,é,½,β,ì,c,k,k,Å,·B

NIFTY-Serve FWINDEV MES #8

,É,Äi s't,ìw fA [fj fCfo " f f v f f W f f N f g x, Å, ì API Žd—l,É€<',μ,Ä,ç,Ü,·B

@Š"ŽÒ@,l,%o,f,f,(NIFTY-Serve GCH03345)

@“üžèæ@NIFTY-Serve FWINF LIB11

@Ží•Ê@@ftfŠ [f\ftfgfEfFfA

## UNLHA.DLL ,Æ,Í

LHA Ć`Ž® ,ì'ĀÉ,đ'€ì ,·,é,c,k,k,Å,·B

NIFTY-Serve FWINDEV MES #8

,É,Äi`s't,ìwfa[fjfcfo"[]#fvf[]fWfFfNfg[]x,Å,ì API Žd—l,É€<',μ,Ä,ç,Ü,·B

[]@Šj"ŽÒ[]@,l,%o,f,f,[]

[]@"üžè[]æ[]@NIFTY-Serve FWINDEV LIB2

[]@Ží•Ê[]@[]@ftfŠ[][f]ftfgfEfFfA



## UNZIP.DLL ,Æ,Í

ZIP Ć`Ž® ,ì'ĆÉÉ,ì"WŠJ,đŽÀĆ» ,·,é,c,k,k,Å,·B

NIFTY-Serve FWINDEV MES #8

,É,Äi's't,ìwfa[fjfcfo"[]#fvf[]fWfFfNfg[]x,Å,ì API Žd—I,É€<',μ,Ä,ç,Ü,·B

[]@ŠJ"ŽÒ[]@shoda T.(NIFTY-Serve GHE00322)

[]@"üŽè[]æ[]@NIFTY-Serve FWINDEV LIB2

[]@Ží•Ê[]@[]@ftfŠ[][f]ftfgfEfFfA

## ISH.DLL ,Æ,Í

ISH ftj@fCf<,đ'€[]ì,·,é,c,k,k,Å,·[]B

NIFTY-Serve FWINDEV MES #8

,É,Ä[]i[]s't,ì[]wfA[][fjfcfo"[][]#fvf[]fWfFfNfg[]x,Å,ì API Žd—l,É[]€<',μ,Ä,ç,Ü,·[]B

[]@Šj"ŽÒ[]@nonki

[]@"üžè[]æ[]@NIFTY-Serve FWINDEV LIB2

[]@Ží•Ê[]@[]@public domain software

**fA[fjfCfo,c,k,k,Æ,í**

NIFTY-Serve FWINDEV MES #8

,É,Äi[s't,ìw fA[fjfCfo“[]#fvf[]fWfFjNfg[]x,Å,ì API Žd—I,É€<',μ,Ä,ç  
,é,c,k,k,ì,±,Æ,Å,·[]B





**f|fCf“fg,Æ,í**

f}}fEfX,đ“ ®,©,μ□Af}}fEfXf|fCf“f^,đ-Ú“l,ì^Ê'u,É'u,,±,Æ,Å,·□B





**f}fE}fX,Æ,Í**

f}fE}fX,Ìf{f^f“,ð%oŸ,μ,Ä□A,»,ì,Ü,Ü,ì□ó‘Ô,ð•Û,Â,±,Æ,Å,·□B



**fNfŠfbfN,Æ,í**

f}}fEfX,đ“® ,© ,³ , ,É[]Af}}fEfX, ì{f^f“ ,đ%oŸ ,μ,Ä ,· ,® ,É—£ ,· ,± ,Æ,Å ,· []B



f\_fuf<fNfŠfbfN,Æ,í

f}}fEfX,đ“® ,© ,³ , ,É□Af}}fEfX,lf{f^f“ ,đ ,· ,î ,â , ,Q%ñ%Ÿ ,μ ,Ä — £ ,· ,± ,Æ ,Å ,· □B



**fgfŠfvf<fNfŠfbfN,Æ,Í**

f}}fEfX,đ“® ,© ,³ , ,É□Af}}fEfX,lf{f^f“ ,đ ,· ,î ,â , ,R%oñ%oÿ ,µ ,Ä —£ ,· ,± ,Æ ,Å ,· □B



**fjfhf<fvf<fNfŠfbfN,Æ,í**

f}}fEfX,đ“® ,© ,³ , ,É□Af}}fEfX,lf{f^f“ ,đ ,· ,î ,â , ,S%oň%oÿ ,µ ,Ä—£ ,· ,± ,Æ ,Å ,· □B



**fhf%ofbfO,Æ,í**

f}}fEfX,ì{f^f“,ð%oÿ,μ,½,Ü,Ü,ì□ó‘Ô,Åf}}fEfX,ð“ ®,©,.,±,Æ,Å,·□B



f\_fuf<fhf%fbfO,Æ,í

f}fEfX,lf{f^f“,ð,Q%ñ%Ÿ,μ,½Ēă□A%Ÿ,μ,½,Ü,Ü,ì□ó‘Ô,Åf}fEfX,ð“® ,© ,·,±  
,Æ,Å,·□B



**fhf fbfv,Æ,í**

fhf%ofbfO,ìĀã□A-Ú“l,ì^Ê'u,Åf}fEfX,ìf{f^f“,ð—£,·,±,Æ,Å,·□B





## fhf%ofbfO • fhf fbfv,Æ,í

f}fEfX,lf{f^f“,đ%oÿ,μ,½,Ü,ÜAf}fEfX,đ“® ,© ,μ,Ü,·Bifhf%ofbfOj

-Ú“l,ì^Ê'u,Åf}fEfX,lf{f^f“,đ—£,μ,Ü,·Bifhf fbfv j

,±,ì,Q,Â,ì'€ì,đ~A'±,μ,Äs,±,Æ,Å,·B

 f}}fEfX'€□ì,ì—pœê^ê—

**f|fCf“fg**

f}}fEfX,ð“ ®,©,μ□Af}}fEfXf|fCf“f^,ð-Ú“l,ì^Ê'u,É'u,,±,Æ,Å,·□B

**fvfœfX**

f}}fEfX,ìf{f^f“,ð%œÿ,μ,Ä□A,»,,ì,Û,Û,ì□ó'Ô,ð•Û,Â,±,Æ,Å,·□B

**fNfŠfbfN**

f}}fEfX,ð“ ®,©,<sup>3</sup>,,É□Af}}fEfX,ìf{f^f“,ð%œÿ,μ,Ä,·,®,É—£,·,±,Æ,Å,·□B

**f\_fuf<fNfŠfbfN**

f}}fEfX,ð“ ®,©,<sup>3</sup>,,É□Af}}fEfX,ìf{f^f“,ð,·,î,â,,Q%œñ%œÿ,μ,Ä—£,·,±,Æ,Å,·□B

**fhf%œfbfO**

f}}fEfX,ìf{f^f“,ð%œÿ,μ,½,Û,Û,ì□ó'Ô,Åf}}fEfX,ð“ ®,©,·,±,Æ,Å,·□B

**f\_fuf<fhf%œfbfO**

f}}fEfX,ìf{f^f“,ð,Q%œñ%œÿ,μ,½œã□A%œÿ,μ,½,Û,Û,ì□ó'Ô,Åf}}fEfX,ð“ ®,©,·,±,Æ,Å,·□B

**fhf□fbfv**

fhf%œfbfO,ìœã□A-Ú“l,ì^Ê'u,Åf}}fEfX,ìf{f^f“,ð—£,·,±,Æ,Å,·□B

**fhf%œfbfO□•fhf□fbfv**

f}}fEfX,ìf{f^f“,ð%œÿ,μ,½,Û,Û,ì□ó'Ô,Åf}}fEfX,ð“ ®,©,μ,Û,·□B□ifhf%œfbfO□  
-Ú“l,ì^Ê'u,Åf}}fEfX,ìf{f^f“,ð—£,μ,Û,·□B□ifhf□fbfv□  
,±,ì,Q,Â,ì'€□ì,ð~A'±,μ,Ä□s,±,±,Æ,Å,·□B

**VBRJP200.DLL ,Æ,Í**

Microsoft Visual Basic Ver2.0 ,Å□i□¬,³,ê,½fvf□fOf%of€—p,lf%of“f^fCf€ f  
%ofCfuf%ofŠ□iŽÀ□sŽž,É•K—v,Éftf@fCf<□j,Å,·□B  
□@“üŽè□æ□@NIFTY-Serve FWINF11

**FCDR.DLL ,Æ,Í**

ftf@fCf<,ì•ïX,đ'ÇÖ,·,é,½,ß,É•K—v,È,c,k,k,Å,·B

@“üŽèæ@NIFTY-Serve FWINDEV3

@Copyright(C) 1994 K.Miyauchi

**CTL3D.DLL ACTL3DV2.DLL ,Æ,Í**

f\_fCfAf\_fO f{fbfNfX Af\_fbfZ[fW f{fbfNfX,ð,R,c%o»,μ,Ä•\  
Z|,³,¹,é,½,ß,ì,c,k,k,Å.□B

□@“üŽè□æ□@Microsoft Excel ,È,Ç,}fCfNf□\ftfg□»•i

**FWINDEVDRAGSELECT AFWINDEVDRAGMOVE ffbfZ [fw,Æ,í**  
ftf@fCf<,lfhf%oofbfO •fhf fbfv,đ,æ,è,æ,Žg,α,½,β,ì<KŠi,Å,·B  
,È,é,ç(NIFTY-Serve NBG01416),<sup>3</sup>,ñ,<sup>a</sup>ñ¥,È,<sup>3</sup>,ê,Ü,μ,½B

**MAG.DLL ,Æ,Í**

MAG\_ftf@fCf<,đ“Ç,Ý[]ž,ň,Å•\Ž!,·,é,ì,ÉŽg—p,·,é,c,k,k,Å,·[]B

[]@Šj”ŽÒ[]@,í,é,đ

[]@“üŽè[]æ[]@NIFTY-Serve FWINF LIB11

[]@Ží•Ê[]@[]@ftfŠ[][f\ftfgfEjFfA

**PIC.DLL ,Æ,Í**

PIC\_ftf@fCfκ,đ“Ç,Ýž,ň,Å•\Ž!,·,é,ì,ÉŽg—p,·,é,c,k,k,Å,·B

@Š”ŽÒ@,h,m,r

@“üŽèæ@NIFTY-Serve FWINF LIB11

@Ží•Ê@ftfŠ[f\ftfgfEfFfA



## MAG ftf@fCf<,Æ,Í

fOf%oftfBfbfNftf@fCf<,ì^êŽí,Å,·□B

□u,Ü,®,ë,a,a,r□v□i,Ü,«,¿,á,ñ,m,d,s□j,É,“,ç,ÄŠ”,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>

%œ'œff□[f^ftfH□[f}fbfg,Å□ì□¬,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>ftf@fCf<,Å,·□B

**PIC ftj@fCf<,Æ,í**

fOf%oftjBfbfNftj@fCf<,ì^êŽí,Å,·B

-ö'ò-¾Ž,Š",μ,½%œ'œff[f^ftjH[f}fbfg,Åì¬,³,ê,½ftj@fCf<,Å,·B



