

City Dictionary for Access 95, ìŽg, ç•û




City Dictionary, ìff [f^Œÿõ•û-@, í2'Ê, è Af fCf""%œ-Ê, ì"ñ, Â, ì'ã, «, Èf {f^f", Å AKeyword, ÆName/Image, ìŒÿõ%œ-Ê, ð'I, Ñ, Ü, · B

- | Keyword , ©, ç'T, · B
- | Name/Image , ©, ç'T, · B
- | ìl-¹, ·, é, É, Í B

'~ ìŒ , É, Â, ç, Ä B
ì»•i ìî•ñ
"Á" h^õ•ã W
f v f f O f % o f € f R f f h

□|—¹

f□fCf“%œ-Ê,ì□|—¹f{f^f“,đ%ÿ,·,Æ□A'!□À,É□|—¹,μ,Û,·□B
f□fjf...□[fo□[,ì|§²Ù(E)]-□|—¹(X) ,đ'!đ,·,é,Æ□AŠe%œ-Ê,©,ç'¹/₄□Ú□|
—¹,·,éŽ-,̂,Å,«,Û,·□B

'~□ìĀ ,É,Â,ç,Ä□B

,¨<q—l,í□A—{f\ftfg□ifvf□fOf
%of€□Aff□[f^ ,đŠÜ,p•t'® ,: ,éftf@fCf<'S,Ä□j,đ'P^ê,ì't%o>□^ —□'•'u,ÅŽg
—p, : ,éŽ-,^a,Ä,« ,Ü, ·□B

—{f\ftfg,í'~□ìĀ -@,É,æ,Á,Ä•ÛĀè,³,ê,Ä,ç,Ü, ·□A,¨<q—
l,ìfofbfNfAfbfv,ì-Ú“l^ÈŠO,É,í”]□Ú□E•i□»□E—¬—p, : ,éŽ-,í,Ä,« ,Ü,¹,ñ□B

“à—e,É,í-œ'S,đŠú,μ,Ä,ç,Ü, ·,^a□A”-ŽĐ,í,ç,Á,³,çĀë,è,ì-³,çŽ-
,đ•Û□Ø,μ,Ü,¹,ñ□B, , ,Ü,Ä,àŽQ□l,Æ,μ,Ä,¨Žg,ç,,³/₄,³,ç□B,¨<q,³,Ü,^a-{f\
ftfg,đ—~—p, : ,éŽ-,É,æ,è□¶,¶,¹/₂□A,ç, © ,È,éfgf%ofuf<,É'í,μ,Ä,à“-
ŽĐ,í,ç,Á,³,ç□Ó”C,đ•%o,ç,Ü,¹,ñ□BĀf□Úff□[f^ ,íŽæ□P”-ŽŽ,ì“à—
e,Ä□A,Ä,« ,éĀÀ,è□V,μ,ç“à—e,đĀf□Ú,μ,Ä,ç,Ü, ·,^a□A“à—e,É•í□X,^a-
³,çŽ-,đ•Û□Ø,μ,Ü,¹,ñ□BĀf□ÿ□ð,³,ê,¹/₂,¨“X,» ,ì'¹/₄,É,í□A,¨<q—
l,^aĀÄ□X,ÉŠm”F,ì~A—□,đŽæ,è□AĀä—~—p,ç,¹/₂,³/₄, ,æ,æ,¨Šè,ç
,μ,Ü, ·□B

□»•i□î•ñ

,±,ì□uCity Dictionary for Access 95□v,íŽŽ—p”Ä,Ä, ·□B
fWf†f<f_f“†Š,Ä,í—{□»•i,ì”•\,đ1996”N%oÄ,É—\è,μ,Ä,ç
,Ü, ·□B□»•i”Ä,Ä,í□AĀf□Úff□[f^Ā□□” ,ìf{fŠf...
□[f€fAfbfv□A,³,ç,ÉŠy,μ,ç<@”\Ç%oÁ□A-
Ú<Ê,ì”ò,Ñ□o,é“³/₄□X□î•ñ”™□A□•,è’òŽR,ì“à—e,Ä, ·□B,²Šú’Ò,,³/₄,³,ç□B
,Ü,¹/₂□A—{□»•i,É'í,·,é,²^ÓĀ©□A, ,È,¹/₂,ì^ê%oÿ,μ,ì,¨“X□A,» ,ì'¹/₄^μ,Á,Ä
—~ ,μ,çfWfff“f<”™ ,Ç,μ,Ç,μ,¨Šñ,¹, ,³/₄,³,ç□B

^¶□æ □§169“Ā<ž“s□V□h<æ•S□l'¬ ,Q□|,Q,V□|,S
fWf†f<f_f“(Š”)
City Dictionary•Ò□W•”

City Dictionary "Á" h^ õ, ì • â □ W

□ u □ s, « • t, ¯, ì, ¨, ç, µ, ç, ¨ " X □ v □ u ' n Ç E ³, Å, í □ f W f f □ [f X f] f b f g □ v, È, Ç □ A, , È, ½, ì
' m, Á, Ä, ç, é □ î • ñ, ð < ³, ì, Ä, , ³/₄, ³, ç □ B □ u, ±
, ì ^ ê Ç - □ v, Å, à □ A □ u, » , ì " ¹, ì ' Ê □ v, ð Ž © • %
, , é □ l, à ' à Š ¹/₂ Ç } □ B f f □ [f ^ , ð Ž g, í, ¹, Ä, ç, ¹/₂, ³/₄, ç, ¹/₂ □ ê □ # □ A, , È, ½, ì -
¹/₄ ' O, â Š ç Ž Ê □ ^ , ð " Y, ì, Ä □ Ð % o î, ³, ¹, Ä, ç, ¹/₂, ³/₄, «, Ü, . □ B

□ î • ñ, ì □ € - Ú, í ^ È % o o, ì ' Ê, è, Å f f □ [f ^ , ì • a - p, É, æ, Á, Ä Ž á Š ± ^ á, ç, Ü, . □ B
, ¨ " X, ì Ž í - p □ A - ¹/₄ □ ì □ A " Ç, Ý % o ¹/₄ - ¹/₄ □ A " d ~ b " Ô □ t □ A □ Š □ Ý ' n □ A □ Å Š ñ, è
% o w □ A % o w, ©, ç, ì Š È ' P, È □ s, «, ©, ¹/₂ □ A % o c < Æ Ž ž Š Ô □ A ' è < x " ú □ A □ Ð
% o î • ¶ □ A Ž Ê □ ^ , È, Ç □ B

fWfff“f<

f r f W f l f X f f [f ^

“ú- { [] } f f [f ^
Žå—v [] Šî- { f f [f ^
[] o “WŽ’ — ě ê — — • \
“s “ 1 • { Ā s f f [f ^
, U, U, R “ s Ž s f f [f ^

CITY GUIDE

Ā Ā [ě
”ü [p Š Û
”Ž • ” Š Û
[] } [] Š Û
f v f % o f l f ^ f Š f E f Ā
“ ® • ” % o Ā
[] ... ‘ ° Š Û
— V % o Ā ‘ n

Ā ě ‘ Ê < @ Š Ö “ d ~ b ^ Ä “ à

% o w
f o f X
- 3 [] ü f ^ f N f V [] [

f O f < f []

f % o f “ f `
f j f t f F & f f f U [] [f g
f f f B f i [] []
- é — V, Ñ
, “ Ž ð

f V f † f b f v

• S % o Ý “ X



Keyword , ©, ç, Ą, Ę, Ÿ, ð, ò, ß, ù, è, ž, ý



Še <æ> a-^, É, Ü, Æ, ß, ç, ê, Ä, ç
, é □ AfWfff "f<, İff □ [f^, ð 'l' ð, μ, Ä □ Ú □ × □ î • ñ, ð "¾, é, ±
, Æ, â, Å, «, Ü, · □ B <æ> a, É, æ, è Ç ÿ □ ð □ ð Ç □, a^ á, ç, Ü, · □ B
□ Å Š ñ, è %ow, â □ A — \Ž Ž □ A □ I □", È, Ç • K — v, È □ € —
Ú, ð 'l' ð, μ □ A □ ð Ç □, É □ ‡, Á, ½ fff □ [f^, É □ i, è □ ž, Ý, Ü, · □ B

□ Å Š ñ, è %ow □ F □ Å Š ñ, è %ow, ì -¼ 'O, ð Ž w'è, μ, Ä □ i, è □ ž, Ý □ A • i □ "Ž w'è
%o Â " □ B
— \Ž Ž □ F — \Ž Ž "à, Å Š y, μ, ß, é □ ê □ Š, É □ i, è □ ž, Ý
f N f Ç f W f b f g f J □ [f h □ F Ž □, Á, Ä, ç
, é f N f Ç f W f b f g f J □ [f h, a Ž g, †, é □ ê □ Š, É □ i, è □ ž, Ý □ A • i □ "Ž w'è %o Â " □ B



— ~ — p "ú □ F — ~ — p — 'è, ì "ú, É, ç, É %oc <Æ, μ, Ä, ç, é □ ê □ Š, É □ i, è □ ž, Ý
— ~ — p Ž Ž Š Ô □ F — ~ — p — 'è, ì Ž Ž Š Ô, É %oc <Æ, μ, Ä, ç, é □ ê □ Š, É □ i, è □ ž, Ý

Ç Ä Ž ° □ F Ç Ä Ž °, a Ž g, †, é □ ê □ Š, É □ i, è □ ž, Ý
□ I □ " □ F — 'è □ □", a — ~ — p, Å, «, é Ç Ä Ž °, a, , é □ ê □ Š, É □ i, è □ ž, Ý



, , ©, ³, ½, È... "Ç, Ý, Å □ m -¼ □ ì □ n, □ m □ Å Š ñ, è %ow □ n, ì □ i, è □ ž, Ý

-¼ ì F fšfXfg,É•\Ž|,³,ê,½-¼ ì, ©,ç'ì'ð

SEARCH

SEARCH F -¼ ì fšfXfg,Å'ì'ð,³,ê,Ä,ç,é ê Š, ì Ú × ff [f^,ð•\Ž|

BACK

BACK F f fCf“%æ-Ê,É-ß,é

€-Ú,ì'í'ð

1€¼, -, ìí•ñ, ð¾, ½, çê±, Í-Ú“l, ì¼ì, ðf_fuf<fNfŠfbfN, ·, é, ±, Æ, É, æ, èAÚ×, ð·\Ž!, ·, é, ±, Æ, º, Å, «, Ü, ·B

•i”, ìff[f^, ìí•ñ, ð¾, ½, çê±, ÍAff[f^, º~A'±, µ, Ä•À, ñ, Å, ç, éê±A'í'ðŠŽn^Ê'u, ©, çI—^Ê'u, Ü, Åf}fEfX, ì¶f{f^f“, ð%ö, µ, ½, Ü, Üj[f<, ð^Ú“® , µ, Ü, ·B, Ü, ½ŠŽn^Ê'u, ð'í'ð, µ, ÄA ShiftfL[, ð%ö, µ, ½, Ü, ÜI—^Ê'u, ðj[f<, Å'í'ð, ·, é, ±, Æ, É, æ, èŠŽnI —^Ê'uŠÔ, ð'í'ð, Å, «, Ü, ·B~A'±, µ, Ä, ç, È, çê±, Í•K—v, È-¼ì, ðCtrlfL[, ð%ö, µ, È, º, ç±Ž'í'ð, µ, Ä, ç, «, Ü, ·B

'í'ð, µ, ½ã, Å **SEARCH** f{f^f“, ð%ö, ·, ±, Æ, É, æ, èA-Ú“l, ìÚ×, ð·\Ž!, µ, Ü, ·B%½, à'í'ð, µ, È, çó'Ô, Å

SEARCH f{f^f“, ð%ö, ·, ÆA-¼ìfŠfXfg, ìff[f^'S, Ä, ìÚ×, ð·\Ž!, µ, Ü, ·B

í^ê“x'í'ð, µ, ½€-ÚfŠfXfg, ÍA, ðfNfŠfbfN, ·, éŽ-, É, æ, è'í'ð

%ðœ, ðs, !, Ü, ·B, Ü, ½ CtrlfL[, ð%ö, µ, È, º, ç'í'ð, ³, ê, ½-

¼ì, ðfNfŠfbfN, ·, éŽ-, É, æ, èA1€, , Å'í'ð, ìLfff“fZf<, ðs, !, Ü, ·B

<æ•a

観光ガイド CITY GUIDE 交通機関は案内 ツルメ ショップ

frfWflfXffflf^

CITY GUIDE

Æö'Ê<@ŠÖ"d~b^Ä"à

fOf<fl

fVf#fbfv



Name/Image , ©, ç Æ ÿ ã B ©, ½-Ú, Å'Ì, Ô



Še <æ•a, ², Æ, É □ u Æ Ü □ \%o¹ □ ‡ □ v, Éff □ [f ^, ð • \Ž |, μ, Ü, · □ B



, P%œ-Ê, É □ Å 'å 6 Æ □, ìff □ [f ^, ð • \Ž | □ AfXfNf □ □ [f <fo □ □ [, ð '€ □ ì, ·, é Ž -
, É, æ, è, U Æ □, ², Æfy □ [fW, ð '—, é — |, Éff □ [f ^, ð 'T, ¹, Ü, · □ B

<C, É " ü, Å, ½ff □ [f ^, ð f _uf <fNfŠfbfN, ·, é, Æff □ [f ^, ì □ Ú □ x, a • \Ž |, ³, ê, Ü, · □ B



, ð % ÿ, · Ž -, É, æ, è, P%œ-Ê • a, ìff □ [f ^, ì □ Ú □ x, a • \Ž |, ³, ê, Ü, · □ B

<æ•a



[City Guide](#)

[Gourmet](#)

[Shopping](#)

City Dictionary for ACCESS

City Dictionary for ACCESS (City Guide, Gourmet, Shopping) 検索、戻る



ff [f^ é ¼

ftf [f€, ªŠ], ,Æ, «, ì ^ —

City Guide

```
Sub fefLfXfg97_Click()
'
' City Guide 'l'đ^—
'
    Dim DispData As String

    DoCmd.Hourglass True                ' »ŽžŒvf|fCf"f^ON
    TAB3_1.Visible = True                ' f^fu•Ž!∅,è'Ö,|
    TAB3_2.Visible = False
    TAB3_3.Visible = False
    fefLfXfg97.ForeColor = TabTextForeColor
    fefLfXfg99.ForeColor = TabTextBackColor
    fefLfXfg100.ForeColor = TabTextBackColor

    ' CITYGUIDE_1 ff[f^,ÉfXfNf[f<fo[l,ìŸ'è,đ•ĩ,!,é
    Call SetNIScrollBar("[-¼∅]", "CITYGUIDE_1")

    TBName = "CITYGUIDE"                 ' CITY GUIDE
    FName = "CITYGUIDEŒ<%Œ, P"          ' Œ<%ŒÉftfH[f€,ì"o~^
    DispData = "Œ€∅é, "ü∅pŠÛ, "Ž•"ŠÛ, ∅}∅'ŠÛ, fvf%∅f|f^fŠfE€, "@•"∅Œ, ∅...°ŠÛ,
    fefLfXfg60.Caption = DispData
    Set DAT = DB.OpenRecordset("CITYGUIDE_1", dbOpenSnapshot, dbReadOnly)

    Call DAT_Dispatch ' Data Display
    If DAT.BOF <> False Then
        MsgBox "ff[f^,ª, ,è,Û,¹,ň∅", 0
    End If

    DataMode = 2
    DoCmd.Hourglass False                ' »ŽžŒvf|fCf"f^"ň•Ž!
```

End Sub

Gourmet

```
Sub fefLfxfg99_Click()
'
' Gourmet 'I'ð^—
'
    Dim DispData As String

    DoCmd.Hourglass True
    TAB3_2.Visible = True
    TAB3_1.Visible = False
    TAB3_3.Visible = False
    fefLfxfg97.ForeColor = TabTextBackColor
    fefLfxfg99.ForeColor = TabTextForeColor
    fefLfxfg100.ForeColor = TabTextBackColor

    Call SetNIScrollBar("[-¼]", "fOf<f_1")

    TBName = "fOf<f" ' GOURMET
    FName = "fOf<f<E<%Ê,P"
    DispData = "f%of`", fJtfF•fffU[fg, fffBfi[ , -é—V,Ñ, ,"Žð"
    fefLfxfg60.Caption = DispData
    Set DAT = DB.OpenRecordset("fOf<f_1", dbOpenSnapshot, dbReadOnly)

    Call DAT_Dispatch ' Data Display
    If DAT.BOF <> False Then
        MsgBox "ff[f^,ā, ,è,Û,¹,ñ|", 0
    End If

    DataMode = 4
    DoCmd.Hourglass False
End Sub
```

Shopping

```
Sub feLfg100_Click()
' Shopping
    Dim DispData As String

    DoCmd.Hourglass True
    TAB3_3.Visible = True
    TAB3_1.Visible = False
    TAB3_2.Visible = False
    feLfg97.ForeColor = TabTextBackColor
    feLfg99.ForeColor = TabTextBackColor
    feLfg100.ForeColor = TabTextForeColor

    Call SetNIScrollBar("f", "f_1")

    TBName = "f"
    FName = "f"
    DispData = "S"
    feLfg60.Caption = DispData

    Set DAT = DB.OpenRecordset("f_1", dbOpenSnapshot, dbReadOnly)
    Call DAT_Display
    If DAT.BOF <> False Then
        MsgBox "f", 0
    End If

    DataMode = 5
    DoCmd.Hourglass False
End Sub
```

fxNf[]f<fo[]A'Off[]f^•\Ž!

```
Private Sub ScrollPre_Click()
```

```
,
```

```
'fxNf[]f<fo[]O^U"®
```

```
,
```

```
DoCmd.Hourglass True
```

```
Call PreDataDisp 'Off[]f^•\Ž!
```

```
DoCmd.Hourglass False
```

```
'[]»ŽžŒvfjfcf"f^•\Ž!
```

```
'[]»ŽžŒvfjfcf"f^"ň•\Ž!
```

```
End Sub
```

fxNf[f<fo[A•\Ž|^Ê'u

```
Private Sub ScrollPos_MouseDown(Button As Integer, Shift As Integer, X As Single, Y As Single)
' fxNf[f<fo[f^Ê'uf{f^f",đ%Ÿ,³,ê,½Žž,ì^—
' Button : %Ÿ,³,ê,½f}fEfXf{f^f"î•ň
' X      : f[f<f•W X
' Y      : f[f<f•W Y

    DoCmd.Hourglass True
    If (Button And acLeftButton) > 0 Then
        ScrollPosMouse = X
    Else
        ScrollPosMouse = 0
    End If
    DoCmd.Hourglass False
End Sub
```

```
Private Sub ScrollPos_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
' fxNf[f<fo[f^Ê'uf{f^f",đ^Ú"®,³,ê,½Žž,ì^—
' Button : %Ÿ,³,ê,½f}fEfXf{f^f"î•ň
' X      : f[f<f•W X
' Y      : f[f<f•W Y

    Dim Pos As Long

    If (Button And acLeftButton) > 0 Then
        f}fEfX,ìf•W,©,ç^Ú"®,úEü,Æ<—£,đE^,β,é
        Select Case (X + ScrollPos.Left - ScrollPosMouse)
            Case Is <= (ScrollPre.Left + ScrollPre.Width)
                ScrollPos.Left = (ScrollPre.Left + ScrollPre.Width)
            Case Is >= ScrollNext.Left - ScrollPos.Width
                ScrollPos.Left = (ScrollNext.Left - ScrollPos.Width)
            Case Else
                ScrollPos.Left = (X + ScrollPos.Left - ScrollPosMouse)
        End Select
        If ((ScrollNext.Left - ScrollPos.Width) - (ScrollPre.Left + ScrollPre.Width)) <> 0 Then
            Pos = Int((ScrollPos.Left - (ScrollPre.Left + ScrollPre.Width)) / Int(((ScrollNext.Left - ScrollPos.Width) - (ScrollPre.Left + ScrollPre.Width)) / Int(ScrollMax / DisplayDataMax)))
        End If
        ScrollValue = Pos
    End If
End Sub
```

```
Private Sub ScrollPos_MouseUp(Button As Integer, Shift As Integer, X As Single, Y As Single)
' fxNf[f<fo[f^Ê'uf{f^f",đ—£,³,ê,½Žž,ì^—
' Button : %Ÿ,³,ê,½f}fEfXf{f^f"î•ň
' X      : f[f<f•W X
' Y      : f[f<f•W Y

    Call ScrollBarChange
End Sub
```


fxNf[]f<fo[]AŽYff[]f^•\Ž!

```
Private Sub ScrollNext_Click()
```

```
‘
```

```
‘ ŽYf{f^f“
```

```
‘
```

```
DoCmd.Hourglass True
```

```
Call NextDataDisp
```

```
DoCmd.Hourglass False
```

```
End Sub
```

```
‘ []>ŽžŒvffjCf“f^•\Ž!
```

```
‘ ŽYff[]f^•\Ž!
```

```
‘ []>ŽžŒvffjCf“f^”ň•\Ž!
```

fxfnf[][]f<fo[]

```
Private Sub CustomScrollBar_MouseUp(Button As Integer, Shift As Integer, X As Single, Y As
'
' fXfnf[][]f<fo[][],lfo[][]ã,ð[]¶fNfŠfbfN,μ,½[]ê[]‡,ì^—[]
' Button : %Y,³,ê,½f}fEfXf{f^f"î•ñ
' X      : fj[]lfv<[]Á•W X
' Y      : fj[]lfv<[]Á•W Y
'
DoCmd.Hourglass True           ' []»ŽžCEvfjfcf"f^•\Ž!
If (Button And acLeftButton) > 0 Then ' []¶f{f^f",ì[]ê[]‡
' f{f^f",ì[]ã,©?
If X > 0 And X < CustomScrollBar.Width And Y > 0 And Y < CustomScrollBar.Height
Then
    ' fXfnf[][]f<•ûCEü
    If (CustomScrollBar.Left + X) <= ScrollPos.Left Then
        Call ScrollPre_Click      ' 'O^U"®
    Else
        Call NextDataDisp       ' ŽŸ^U"®
    End If
End If
End If
DoCmd.Hourglass False         ' []»ŽžCEvfjfcf"f^"ñ•\Ž!

End Sub
```


CEYöf{f^f“

```
Private Sub CEYö_Click()  
'  
' CEYö[SEARCH]f{f^f“fNfšfbfN  
'  
    DoCmd.Hourglass True                ' »ŽžCEvf]fCf“f^ON  
    WHName = ""                        ' SQL •¶ŽšfNfšfA  
  
    If fefLfXfg61.Caption <> "" Then    ' ff[f^,P  
        WHName = "[-¼i] = "" & fefLfXfg61.Caption & ""  
    End If  
    If fefLfXfg62.Caption <> "" Then    ' ff[f^,Q  
        If WHName <> "" Then  
            WHName = WHName & " Or "  
        End If  
        WHName = WHName & "[-¼i] = "" & fefLfXfg62.Caption & ""  
    End If  
    If fefLfXfg63.Caption <> "" Then    ' ff[f^,R  
        If WHName <> "" Then  
            WHName = WHName & " Or "  
        End If  
        WHName = WHName & "[-¼i] = "" & fefLfXfg63.Caption & ""  
    End If  
  
    If fefLfXfg64.Caption <> "" Then    ' ff[f^,S  
        If WHName <> "" Then  
            WHName = WHName & " Or "  
        End If  
        WHName = WHName & "[-¼i] = "" & fefLfXfg64.Caption & ""  
    End If  
    If fefLfXfg65.Caption <> "" Then    ' ff[f^,T  
        If WHName <> "" Then  
            WHName = WHName & " Or "  
        End If  
        WHName = WHName & "[-¼i] = "" & fefLfXfg65.Caption & ""  
    End If  
    If fefLfXfg66.Caption <> "" Then    ' ff[f^,U  
        If WHName <> "" Then  
            WHName = WHName & " Or "  
        End If  
        WHName = WHName & "[-¼i] = "" & fefLfXfg66.Caption & ""  
    End If  
    DoCmd.OpenForm FName, , , WHName    ' -¼i, ©, çCE<%oÊ, ìftfH[f€, ðšJ,  
    DoCmd.Hourglass False                ' »ŽžCEvf]fCf“f^Off  
  
End Sub  
  
Private Sub CEYö_MouseDown(Button As Integer, Shift As Integer, X As Single, Y As Single)  
'  
' CEYö[SEARCH]f{f^f“, ð%öÿ, ³, ê, ½Žž, ì^—  
' Button : %öÿ, ³, ê, ½f}fEfXf{f^f“i•ñ  
'  
    If (Button And acLeftButton) > 0 Then  
        CEYöON = 1  
        CEYö.Transparent = True  
    End If  
  
End Sub
```

```
Private Sub CEY_õ_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
'
' CEY_õ[SEARCH]f{f^f",ð%œÿ,μ,½,Ü,Û^Ú"@,μ,½žž,ì)^—□
' X      : fj□[fƒ<□À•W X
' Y      : fj□[fƒ<□À•W Y
'
  If CEY_õON = 1 Then
    If (X < 0 Or X > CEY_õ.Width Or Y < 0 Or Y > CEY_õ.Height) Then
      CEY_õ.Transparent = False
    Else
      CEY_õ.Transparent = True
    End If
    Debug.Print "CEY_õ.Width=" & CEY_õ.Width & " X=" & X & ", CEY_õ.Height=" &
CEY_õ.Height
    & " Y=" & Y
  End If
End Sub

Private Sub CEY_õ_MouseUp(Button As Integer, Shift As Integer, X As Single, Y As Single)
'
' CEY_õ[SEARCH]f{f^f",ð—£,μ,½žž,ì)^—□
' Button : %œÿ,³,ê,½f}fEƒXf{f^f"í•ñ
' X      : fj□[fƒ<□À•W X
' Y      : fj□[fƒ<□À•W Y
'
  If (Button And acLeftButton) > 0 And CEY_õON = 1 Then ' □{f^f"
    CEY_õON = 0
    If X < 0 Or X > CEY_õ.Width Or Y < 0 Or Y > CEY_õ.Height Then
      CEY_õ.Transparent = False
      Exit Sub
    End If

    CEY_õ.Transparent = False
  End If
End Sub
```

'O%œ-Ê,Ö-ß,é

```
Private Sub FEnd_MouseDown(Button As Integer, Shift As Integer, X As Single, Y As Single)
' ftfH[f€|—1f{f^f"
' Button : %Ÿ,³,ê,½f}fEfXf{f^f"î•ñ
'
' If (Button And acLeftButton) > 0 Then
'     FEnd.Transparent = True           ' "§-¾,É,µ,Ä%œ'ñ,ðœ©,¹,é
'     UpButtonFlag = 1
' End If

End Sub

Private Sub FEnd_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
' ftfH[f€|—1f{f^f"
' X      : fj[fvf<Ä•W X
' Y      : fj[fvf<Ä•W Y
'
' If UpButtonFlag = 1 Then
'     If X < 0 Or X > FEnd.Width Or Y < 0 Or Y > FEnd.Height Then
'         FEnd.Transparent = False     ' "íí"à"§-¾
'     Else
'         FEnd.Transparent = True
'     End If
' End If

End Sub

Private Sub FEnd_MouseUp(Button As Integer, Shift As Integer, X As Single, Y As Single)
' ftfH[f€|—1f{f^f"
' Button : %Ÿ,³,ê,½f}fEfXf{f^f"î•ñ
' X      : fj[fvf<Ä•W X
' Y      : fj[fvf<Ä•W Y
'
' On Error Resume Next           ' fGf%[.lfgf%œbfv,ð—•Û,µ,Û,·B
' Err.Clear
'
'     f{f^f"
' If (Button And acLeftButton) > 0 And UpButtonFlag = 1 Then
'     UpButtonFlag = 0
'     f{f^f",ìä
'     If X < 0 Or X > FEnd.Width Or Y < 0 Or Y > FEnd.Height Then
'         FEnd.Transparent = False
'         Exit Sub
'     End If
'     FEnd.Transparent = False
' End If

End Sub
```

fcf[][]fW'i'd[]iff[]f^,P[]j

```
Private Sub fcf[][]fW172_DblClick(Cancel As Integer)
'
'ff[]f^,P,ifcf[][]fW•”•â,ðf_fuf<fNfŠfbfN,³,ê,½Žž,ì^—[]
Call fefLfXfg61_DblClick(Cancel)      ' -¼[]ì,if_fuf<fNfŠfbfN,Æ“˘,¶
End Sub
```

fcf[]fw'i'd[]iff[]f^2[]j

Private Sub fcf[]fw173_DblClick(Cancel As Integer)

'ff[]f^Q,ifcf[]fw"•a,df_fuf<fnfšfbfN,³,ê,½žž,ì^—[]

Call fefLfxfg62_DblClick_(Cancel) ' -¼[]ì,if_fuf<fnfšfbfN,Æ"~,¶

End Sub

fcf[][]fW'1'd[]iff[]f^3[]j

```
Private Sub fCf[][]fW174_DblClick(Cancel As Integer)
'
'ff[]f^,R,lfCf[][]fW•"•ª,ðf_fuf<fNfŠfbfN,³,ê,½Žž,ì^—[]
'
' fefLfXfg63_DblClick_(Cancel)      ' -¼[]ì,lf_fuf<fNfŠfbfN,Æ"~,¶
End Sub
```

fcf[][]fW'i'd[]iff[]f^4[]j

Private Sub fCf[][]fW175_DblClick(Cancel As Integer)

'ff[]f^,S,lfCf[][]fW•"•ā,ðf_fuf<fNfŠfbfN,³,ê,½Žž,ì^—[]

fefLfXfg64_DblClick_(Cancel) ' -¼[]ì,lf_fuf<fNfŠfbfN,Æ"~,¶

End Sub

fcf[][]fw'1'd[]iff[]f^5[]j

Private Sub fcf[][]fw176_DblClick(Cancel As Integer)

'ff[]f^,T,ifcf[][]fw"•"•â,ðf_fuf<fNfŠfbfN,³,ê,½Žž,ì^—[]

Call fefLfXfg65_DblClick_(Cancel) ' -¼[],if_fuf<fNfŠfbfN,Æ"- ,¶

End Sub

fcf[][]fw'i'd[]iff[]f^6[]j

```
Private Sub fcf[][]fw177_DblClick(Cancel As Integer)
```

```
'ff[]f^,U,ifcf[][]fw•"•ª,ðf_fuf<fNfŠfbfN,³,ê,½Žž,ì^—[]
```

```
Call fefLfXfg66_DblClick (Cancel) ' -¼[]ì,if_fuf<fNfŠfbfN,Æ““,¶
```

```
End Sub
```

-¼ ì ' ð iff [f^ 1 j

```
Private Sub feLjXfg61_DbIcIck(Cancel As Integer)
'
' ff [f^, P A-¼ ì f fuf fNfŠfbfN ^ -
DoCmd.Hourglass True ' »ŽžCEvfjfcf" f^ •\Ž!
If feLjXfg61.Caption <> "" Then
If DataMode = 1 Then
Call NoDataMsg ' ff [f^ -³, µ
Else
WHName = "[-¼ ì] = "" & feLjXfg61.Caption & """"
DoCmd.OpenForm FName, , , WHName ' -¼ ì, ðCE³, ÉCE<%oÊftjH [f€, ðŠ],
End If
Else
Beep
End If
DoCmd.Hourglass False ' »ŽžCEvfjfcf" f^ "ň •\Ž!
End Sub
```

-¼ ì ' ð iff [f^, Q]

```
Private Sub feLfxfg62_DbIcIck(Cancel As Integer)
'
' ff[f^,QA-¼]f_fuf<fNfŠfbfN^—
DoCmd.Hourglass True           ' »ŽžCEvfjfcf“f^•\Ž!
If feLfxfg62.Caption <> "" Then
  If DataMode = 1 Then
    Call NoDataMsg           ' ff[f^~³,µ
  Else
    WHName = "[~¼] = "" & feLfxfg62.Caption & ""
    DoCmd.OpenForm FName, , , WHName ' ~¼ì,ðCE³,ÉCE<%oÊftfH[f€,ðŠ),
  End If
Else
  Beep
End If
DoCmd.Hourglass False         ' »ŽžCEvfjfcf“f^”ň•\Ž!
End Sub
```

-¼ ì ' ð iff [f ^ , R j

```
Private Sub feLjXfg63_DbIcIck(Cancel As Integer)
'
' ff [f ^ , R A -¼ ì f _uf < f Nf Š f b f N ^ -
DoCmd.Hourglass True ' » Žž Ć v f j f C f " f ^ • \ Ž !
If feLjXfg63.Caption <> "" Then
If DataMode = 1 Then
Call NoDataMsg ' ff [f ^ -³ , μ
Else
WHName = "[-¼ ì ] = "" & feLjXfg63.Caption & """"
DoCmd.OpenForm FName, , , WHName ' -¼ ì , ð Ć ³ , Ė Ć < % ° Ė ft f H [f ě , ð Š ],
End If
Else
Beep
End If
DoCmd.Hourglass False ' » Žž Ć v f j f C f " f ^ " ñ • \ Ž !
End Sub
```

-¼ ì ' ð iff [f^, S]

```
Private Sub feLjXfg64_DbIclick(Cancel As Integer)
'
' ff[f^, S]A-¼ ì fuf<fNfŠfbfN^—
DoCmd.Hourglass True ' »ŽžCEvfjfcf“f^•\Ž!
If feLjXfg64.Caption <> "" Then
If DataMode = 1 Then
Call NoDataMsg ' ff[f^-3,µ
Else
WHName = "[-¼ ì] = "" & feLjXfg64.Caption & """"
DoCmd.OpenForm FName, , , WHName ' -¼ ì, ðCE³, ÉCE<%oÊftjH[f€, ðŠ],
End If
Else
Beep
End If
DoCmd.Hourglass False ' »ŽžCEvfjfcf“f^”ň•\Ž!
End Sub
```

-¼ ì ' ð iff [f ^ , T]

```
Private Sub feLjXfg65_DbIcIck(Cancel As Integer)
'
' ff [f ^ , T ] A - ¼ ì f _ u f < f N f Š f b f N ^ -
DoCmd.Hourglass True ' » Žž Ć v f j f C f " f ^ • \ Ž !
If feLjXfg65.Caption <> "" Then
If DataMode = 1 Then
Call NoDataMsg ' ff [f ^ - 3 , μ
Else
WHName = "[ - ¼ ]" = "" & feLjXfg65.Caption & ""
DoCmd.OpenForm FName , , WHName ' - ¼ ì , ð Ć 3 , Ć Ć < % ° Ć ft j H [ f € , ð Š ] ,
End If
Else
Beep
End If
DoCmd.Hourglass False ' » Žž Ć v f j f C f " f ^ " ñ • \ Ž !
End Sub
```

-¼ ì ' ð iff [f ^ , U]

```
Private Sub feLjXfg66_DbIclick(Cancel As Integer)
'
' ff [f ^ , U ] A -¼ ì f _uf < f Nf Š fbf N ^ -
DoCmd.Hourglass True ' » Žž Ć v f j f C f " f ^ • \ Ž !
If feLjXfg66.Caption <> "" Then
If DataMode = 1 Then
Call NoDataMsg ' ff [f ^ -³ , μ
Else
WHName = "[ -¼ ì ] = "" & feLjXfg66.Caption & "" ""
DoCmd.OpenForm FName , , WHName ' -¼ ì , ð Ć ³ , Ć Ć < % ° Ě ft j H [ f Ć , ð Š ] ,
End If
Else
Beep
End If
DoCmd.Hourglass False ' » Žž Ć v f j f C f " f ^ " ñ • \ Ž !
End Sub
```

fAfhfÆfX'ı'điff[f^,Pj

```
Private Sub fefLfXfg68_DbIcIck(Cancel As Integer)
```

```
' fff[f^,PAAŠŸ'nf_fuf<fNfŠfbfN^—
```

```
Call fefLfXfg61_DbIcIck (Cancel) ' -¼i,lf_fuf<fNfŠfbfN,Æ“˘,¶
```

```
End Sub
```


fAfhfÆfX'ı'đ[]iff[][f^,Q[]j

```
Private Sub fefLfXfg69_DbIcIck(Cancel As Integer)
```

```
' fff[]f^,Q[]A[]Š[]Ÿ'nf_fuf<fNfŠfbfN[]^—[]
```

```
Call fefLfXfg62_DbIcIck (Cancel) ' -¼[]l,lf_fuf<fNfŠfbfN,Æ“”,¶
```

```
End Sub
```

fAfhfÆfX'1'ð iff[f^,Rj

```
Private Sub fefLfXfg70_DbIcIck(Cancel As Integer)
```

```
' fff[f^,RfAŠŸ'nf_fuf<fNfŠfbfN^—
```

```
Call fefLfXfg63_DbIcIck (Cancel) ' -¼i,lf_fuf<fNfŠfbfN,Æ“˘,¶
```

```
End Sub
```

fAfhfÆfX'ı'đ[]iff[][f^,S[]j

```
Private Sub fefLfXfg71_DblClick(Cancel As Integer)
'
' fff[][f^,S[]A[]Š[]Ÿ'nf_fuf<fNfŠfbfN[]^—[]
'
    Call fefLfXfg64_DblClick(Cancel)      ' -¼[]ì,ìf_fuf<fNfŠfbfN,Æ“~,¶
End Sub
```

fAfhfÆfX'ı'đ[]iff[][f^,T[]j

```
Private Sub fefLfXfg72_DblClick(Cancel As Integer)
```

```
' fff[][f^,T[]A[]Š[]Ÿ'nf_fuf<fNfŠfbfN[]^—[]
```

```
Call fefLfXfg65_DblClick(Cancel) ' -¼[]İ,İf_fuf<fNfŠfbfN,Æ“~,¶
```

```
End Sub
```

fAfhfÆfX'ı'đ[]iff[][f^,U[]j

```
Private Sub fefLfXfg73_DbIcIck(Cancel As Integer)
```

```
' f[][f^,U[]A[]Š[]Ÿ'nf_fuf<fNfŠfbfN[]^—[]
```

```
Call fefLfXfg66_DbIcIck (Cancel) ' -¼[]l,lf_fuf<fNfŠfbfN,Æ“˘,¶
```

```
End Sub
```

“d~b”Ôt‘I’điff[f^,Pj

```
Private Sub fefLfXfg89_DblClick(Cancel As Integer)
```

```
ff[f^,P[A-â,ç±,í,¹æf_fuf<fNfŠfbfN^—
```

```
Call fefLfXfg61_DblClick(Cancel) ' -¼ì,ìf_fuf<fNfŠfbfN,Æ“~,¶
```

```
End Sub
```

“d~b”Ôt‘I’ðiff[f^,Qj

```
Private Sub feLfXfg90_DblClick(Cancel As Integer)
```

```
ff[f^,QA-â,ç±,í,æf_fuf<fNfŠfbfN^—
```

```
Call feLfXfg62_DblClick(Cancel) ' -¼ì,íf_fuf<fNfŠfbfN,Æ“~,¶
```

```
End Sub
```

“d~b”Ôt‘I’điff[f^,Rj

```
Private Sub fefLfXfg91_DblClick(Cancel As Integer)
```

```
ff[f^,R[A-â,ç#,í,æf_fuf<fNfŠfbfN^—
```

```
Call fefLfXfg63_DblClick(Cancel) ' -¼ì,íf_fuf<fNfŠfbfN,Æ“~,¶
```

```
End Sub
```


“d~b”Ôt‘I’ðiff[f^,Sj

```
Private Sub fefLfXfg92_DblClick(Cancel As Integer)
```

```
ff[f^,S[A-â,ç#,í,¹æf_fuf<fNfŠfbfN^—
```

```
Call fefLfXfg64_DblClick(Cancel) ' -¼ì,ìf_fuf<fNfŠfbfN,Æ“~,¶
```

```
End Sub
```

“d~b”Ôt‘I’ðiff[f^,Tj

```
Private Sub fefLfXfg93_DblClick(Cancel As Integer)
```

```
ff[f^,TjA-â,ç±,í,¹æf_fuf<fNfŠfbfN^—
```

```
Call fefLfXfg65_DblClick(Cancel) ' -¼ì,ìf_fuf<fNfŠfbfN,Æ“~,¶
```

```
End Sub
```

“d~b”Ôt‘I’ðiff[f^,Uj

```
Private Sub fefLfXfg94_DblClick(Cancel As Integer)
```

```
ff[f^,U[A-â,ç‡,í,æf_fuf<fNfŠfbfN^—
```

```
Call fefLfXfg66_DblClick(Cancel) ' -¼ì,ìf_fuf<fNfŠfbfN,Æ“~,¶
```

```
End Sub
```

ff[]f^"ň•\Ž;

```
Private Sub DAT_clear(DATpos As Integer)
'
' ff[]f^"ň•\Ž;[]—[]
' DATpos : ff[]f^"É'u(0-5)
'
  Select Case DATpos
  Case 0
    With fefLfXfg61
      .Caption = ""
      .ControlTipText = ""
    End With
    With fefLfXfg68
      .Caption = ""
      .ControlTipText = ""
    End With
    With fefLfXfg89
      .Caption = ""
      .ControlTipText = ""
    End With
  Case 1
    With fefLfXfg62
      .Caption = ""
      .ControlTipText = ""
    End With
    With fefLfXfg69
      .Caption = ""
      .ControlTipText = ""
    End With
    With fefLfXfg90
      .Caption = ""
      .ControlTipText = ""
    End With
  Case 2
    With fefLfXfg63
      .Caption = ""
      .ControlTipText = ""
    End With
    With fefLfXfg70
      .Caption = ""
      .ControlTipText = ""
    End With
    With fefLfXfg91
      .Caption = ""
      .ControlTipText = ""
    End With
  Case 3
    With fefLfXfg64
      .Caption = ""
      .ControlTipText = ""
    End With
    With fefLfXfg71
      .Caption = ""
      .ControlTipText = ""
    End With
    With fefLfXfg92
      .Caption = ""
      .ControlTipText = ""
    End With
  End Select

```

```
Case 4                                ' •\Ž!^Ê'u 4
  With fefLfXfg65
    .Caption = ""
    .ControlTipText = ""
  End With
  With fefLfXfg72
    .Caption = ""
    .ControlTipText = ""
  End With
  With fefLfXfg93
    .Caption = ""
    .ControlTipText = ""
  End With
Case 5                                ' •\Ž!^Ê'u 5
  With fefLfXfg66
    .Caption = ""
    .ControlTipText = ""
  End With
  With fefLfXfg73
    .Caption = ""
    .ControlTipText = ""
  End With
  With fefLfXfg94
    .Caption = ""
    .ControlTipText = ""
  End With
Case Else
End Select
```

End Sub

ff[]f^•\Ž!

```
Private Sub DAT_Dispatch()  
    ' %œ-Ê,Éff[]f^,ð•\Ž!,µ,Û,  
    Dim i As Integer          ' ff[]f^•\Ž!^Ê'ufjEj" f^[]  
    DispCount = 0  
    For i = 0 To 5  
        ' ff[]f^•\Ž!ftfB[]f<fh  
        If DAT.EOF = False And DAT.BOF = False Then ' ff[]f^[]!—j`fFfbjN  
            Call PictDisp(DAT!Ž`•Ê, DispCount) ' fCf[][]fWff[]f^•\Ž!  
            Call DAT_Set(i, DAT) ' feLjXfgff[]f^•\Ž!  
            DAT.MoveNext ' ff[]f^fjCj" f^"Ú"®  
            DispCount = DispCount + 1 ' ff[]f^•\Ž!jEj" f^[]XV  
        End If  
    Next i  
  
    If DispCount < DisplayDataMax Then ' SftfB[]f<fh•\Ž!,µ,Ä,ç,È,ç[]ê[]#  
        For i = DispCount To DisplayDataMax ' "ñ•\Ž!^Ê'u  
            Call PictClear(i) ' fCf[][]fW[]Á<Ž  
            Call DAT_clear(i) ' feLjXfg[]Á<Ž  
        Next i  
    End If  
End Sub
```

•\Ž!ff[]f^[]Ý'è

```

Private Sub DAT_Set(DATpos As Integer, DAT As Recordset)
'
' •\Ž!ff[]f^fZfbfg
' DATpos : •\Ž!^È'u(0-5)
' DAT    : ff[]f^fĈfR[]lfhfZfbfg

    Select Case DATpos
    Case 0
        With fefLfXfg61
            .Caption = DAT!-¼[]
            .ControlTipText = "-¼[]"
        End With
        With fefLfXfg68
            .Caption = DAT![]Š[]Ý'n,P
            .ControlTipText = "[]Š[]Ý'n"
        End With
        With fefLfXfg89
            .Caption = DAT!TEL
            .ControlTipText = "-â,ĉ[]‡,í,¹[]æ"
        End With
    Case 1
        With fefLfXfg62
            .Caption = DAT!-¼[]
            .ControlTipText = "-¼[]"
        End With
        With fefLfXfg69
            .Caption = DAT![]Š[]Ý'n,P
            .ControlTipText = "[]Š[]Ý'n"
        End With
        With fefLfXfg90
            .Caption = DAT!TEL
            .ControlTipText = "-â,ĉ[]‡,í,¹[]æ"
        End With
    Case 2
        With fefLfXfg63
            .Caption = DAT!-¼[]
            .ControlTipText = "-¼[]"
        End With
        With fefLfXfg70
            .Caption = DAT![]Š[]Ý'n,P
            .ControlTipText = "[]Š[]Ý'n"
        End With
        With fefLfXfg91
            .Caption = DAT!TEL
            .ControlTipText = "-â,ĉ[]‡,í,¹[]æ"
        End With
    Case 3
        With fefLfXfg64
            .Caption = DAT!-¼[]
            .ControlTipText = "-¼[]"
        End With
        With fefLfXfg71
            .Caption = DAT![]Š[]Ý'n,P
            .ControlTipText = "[]Š[]Ý'n"
        End With
        With fefLfXfg92
            .Caption = DAT!TEL
            .ControlTipText = "-â,ĉ[]‡,í,¹[]æ"
        End With
    End Select
End Sub

```

```

End With
Case 4 ' •\Ž!^Ê'u 4
  With fefLfXfg65
    .Caption = DAT!-¼ì
    .ControlTipText = "-¼ì"
  End With
  With fefLfXfg72
    .Caption = DAT!ŠÝ'n,P
    .ControlTipText = "ŠÝ'n"
  End With
  With fefLfXfg93
    .Caption = DAT!TEL
    .ControlTipText = "-â,ç‡,í,æ"
  End With
Case 5 ' •\Ž!^Ê'u 5
  With fefLfXfg66
    .Caption = DAT!-¼ì
    .ControlTipText = "-¼ì"
  End With
  With fefLfXfg73
    .Caption = DAT!ŠÝ'n,P
    .ControlTipText = "ŠÝ'n"
  End With
  With fefLfXfg94
    .Caption = DAT!TEL
    .ControlTipText = "-â,ç‡,í,æ"
  End With
Case Else
End Select

```

End Sub

fxfnf[]f<fo[]Aff[]f^^Ê'u[]Ý'è

```
Private Sub MoveScrollPos()
```

```
,
```

```
'fxfnf[]f<fo[]fW^Ú"®
```

```
ScrollPos.Left = (ScrollPre.Left + ScrollPre.Width) + (((ScrollNext.Left - ScrollPos.Width) -  
(ScrollPre.Left + ScrollPre.Width)) * (ScrollValue / Int(ScrollMax / DisplayDataMax)))
```

```
End Sub
```

ŽŸff[f^•\Ž!

```
Private Sub NextDataDisp()  
'  
' ŽŸff[f^•\Ž!  
'  
    Dim SMax As Integer ' •\Ž!ff[f^•\Ž!  
  
    SMax = Int(ScrollMax / DisplayDataMax) ' □Å'â'1-ç-ž  
    If ScrollValue < SMax Then ' fXfNf[f<'1□X□V  
        ScrollValue = ScrollValue + ScrollSmallChange ' □Å'â'1'‰%ß  
        If ScrollValue > SMax Then ' Ą³,ì,É'¼,.  
            ScrollValue = SMax  
        End If  
    End If  
    Call ScrollBarChange ' ff[f^•\Ž!  
    Call MoveScrollPos ' fXfNf[f<fo[^Ú"®  
    Forms![NAMEIMAGE].Refresh  
  
End Sub
```

'Off[f^•\Ž!

```
Private Sub PreDataDisp()  
'  
' 'Off[f^•\Ž!  
'  
    If ScrollValue > ScrollMin Then ' Å-! ,æ,è'â ,« ,ç  
        ScrollValue = ScrollValue - ScrollSmallChange ' ^U"®'f}fCfifX  
    If ScrollValue < ScrollMin Then ' Å-! -ç-ž  
        ScrollValue = ScrollMin ' Å-! -fZfbfg  
    End If  
End If  
Call ScrollBarChange ' ff[f^•\Ž!  
Call MoveScrollPos ' fXfNf[f<fo[^Ê'uXV  
Forms![NAMEIMAGE].Refresh  
  
End Sub
```

fxfnf[]f<fo[]XV

```
Private Sub ScrollBarChange()  
'  
'fxfnf[]f<fo[]^Ú"®'l,É,æ,éff[]f^•\Ž;[]XV  
  
    Dim L As Long                                'ff[]f^Ú"®"  
    Dim Move_Count As Long                       'fxfnf[]f<fo[]^Ú"®"  
  
    If ScrollValue < 0 Then  
        ScrollValue = 0  
    End If  
    Move_Count = ScrollValue - OldValue         ' ^Ú"®'lŽZ[]o  
  
    If Move_Count <> 0 Then                       ' ^Ú"®  
        If ScrollValue > OldValue Then         ' []#•úŒü^Ú"®  
            L = (Move_Count - 1) * DisplayDataMax ' ^Ú"®ff[]f^[]ŽZ[]o  
            While L                               ' ^Ú"®[]"f`fFfbfN  
                DAT.MoveNext                     ' ^Ú"®  
                L = L - 1                         ' ^Ú"®[]"[]XV  
                If DAT.EOF = True Then           ' ff[]f^,d,m,cf`fFfbfN  
                    L = 0                         ' ff[]f^,d,m,c,[]é[]#^Ú"®|—1  
                End If  
            Wend  
            If DAT.EOF = True Then               ' ff[]f^,d,m,c,[]é[]#  
                Debug.Print "DAT.MoveLast"  
                DAT.MoveLast                     ' ff[]f^--"ö,Éf]fCf"f^fZfbfg  
            End If  
        End If  
        If ScrollValue < OldValue Then         ' <t•úŒü^Ú"®  
            L = (Move_Count * DisplayDataMax) - DispCount  
            While L                               ' ^Ú"®  
                DAT.MovePrevious                 ' ^Ú"®  
                L = L + 1  
                If DAT.BOF = True Then  
                    L = 0  
                End If  
            Wend  
            If DAT.BOF = True Then              ' []æ"a  
                DAT.MoveFirst                     ' ff[]f^[]æ"a,Éf]fCf"f^fZfbfg  
            End If  
        End If  
        Call DAT_Dis ' Data Display ' •\Ž!  
        OldValue = ScrollValue                 ' Scroll Value Save  
    End If  
  
End Sub
```

ftfH[f€•Ži

```
Private Sub Form_Open(Cancel As Integer)
' ftfH[f€•Ži
' Cancel : -čŽg—p
'
    DataMode = 1
    ĆŸđON = 0
    UpButtonFlag = 0

    HelpFile = DataPath & "INDEX.HLP"      ' [F1]fwf<fvftf@fCf<Žw'è
    HelpContextId = 2

    If DataPath = "" Then
        Call GetDataPath                    ' DataPath Žæ“¾
    End If
    ImagePath = DataPath & "Image\"       ' fCf[fWff[f^fpfX[i~

    Call InitNIScrollBar ' fXfNf[f<fo[Ÿ'è
    Call fefLfxfg97_Click

End Sub
```

fXfNf[][]f<fo[][%ŠúY'è

```
Private Sub InitNIScrollBar()  
,  
' fXfNf[][]f<fo[][%ŠúY'è  
,  
    ScrollSmallChange = 1          ' ^Ú“®'l 1  
    ScrollLargeChange = 1  
    ScrollValue = 0                ' ^Ê'u[]%Šú'l 0  
    OldValue = 0  
  
End Sub
```

ff[]f^-3f[]bfZ[]fW•\Ž;

```
Private Sub NoDataMsg()  
|  
|ff[]f^-3f[]bfZ[]fW  
|  
    MsgBox "ff[]f^,ª, ,è,Û,¹,ñ", 0  
End Sub
```

•\Ž;fCf[][]fW[]Á<Ž

```
Private Sub PictClear(DPos As Integer)
'
' •\Ž;fCf[][]fW[]Á<Ž
' DPos : fCf[][]fW•\Ž;^Ê'u(0-5)
'
    Select Case DPos
    Case 0
        With fCf[][]fW172
            .Picture = ""
            .ControlTipText = ""
        End With
    Case 1
        With fCf[][]fW173
            .Picture = ""
            .ControlTipText = ""
        End With
    Case 2
        With fCf[][]fW174
            .Picture = ""
            .ControlTipText = ""
        End With
    Case 3
        With fCf[][]fW175
            .Picture = ""
            .ControlTipText = ""
        End With
    Case 4
        With fCf[][]fW176
            .Picture = ""
            .ControlTipText = ""
        End With
    Case 5
        With fCf[][]fW177
            .Picture = ""
            .ControlTipText = ""
        End With
    Case Else
    End Select

End Sub
```


fcf[][]fW•\Ž!

```
Private Sub PictDisp(DType As Integer, DPos As Integer)
'
' fcf[][]fW•\Ž!
' DType : -čŽg—p
' DPos : •\Ž!^Ê'u(0-5)
'
    PictureName = ""
    PictureCont = ""

    Select Case TBName      ' fe[][fuf<,É,æ,Á,Ä,Í-³,č•",à, ,é[]H
    Case "CITYGUIDE"      ' CITY GUIDE
        PictureName = ImagePath & DAT!fAfCfRf"-¼
        PictureCont = DAT!•²—p-¼[]
    Case "fOf<f[]"      ' fOf<f[]
        PictureName = ImagePath & DAT!fAfCfRf"-¼
        PictureCont = DAT!•²—p-¼[]
    Case "fVf‡fbfv"      ' fVf‡fbfv
        PictureName = ImagePath & DAT!fAfCfRf"-¼
        PictureCont = DAT!•²—p-¼[]
    Case Else
    End Select
    Call PictImageSet(DPos)    ' •\Ž!^Ê'ufCf[][]fWfZfbfg

End Sub
```

•\Ž!fCf[][]fWff[]f^[]Ÿ'è

```
Private Sub PictImageSet(DPos As Integer)
'
' fCf[][]fWff[]f^fZfbfg
' DPos : •\Ž!^È'u
'
    Select Case DPos
    Case 0
        If IsNull(DAT!fAfCfRf"-¼) = False Then
            With fCf[][]fW172
                .Picture = PictureName
                .ControlTipText = PictureCont
            End With
        Else
            Call PictClear(DPos)
        End If
    Case 1
        If IsNull(DAT!fAfCfRf"-¼) = False Then
            With fCf[][]fW173
                .Picture = PictureName
                .ControlTipText = PictureCont
            End With
        Else
            Call PictClear(DPos)
        End If
    Case 2
        If IsNull(DAT!fAfCfRf"-¼) = False Then
            With fCf[][]fW174
                .Picture = PictureName
                .ControlTipText = PictureCont
            End With
        Else
            Call PictClear(DPos)
        End If
    Case 3
        If IsNull(DAT!fAfCfRf"-¼) = False Then
            With fCf[][]fW175
                .Picture = PictureName
                .ControlTipText = PictureCont
            End With
        Else
            Call PictClear(DPos)
        End If
    Case 4
        If IsNull(DAT!fAfCfRf"-¼) = False Then
            With fCf[][]fW176
                .Picture = PictureName
                .ControlTipText = PictureCont
            End With
        Else
            Call PictClear(DPos)
        End If
    Case 5
        If IsNull(DAT!fAfCfRf"-¼) = False Then
            With fCf[][]fW177
                .Picture = PictureName
                .ControlTipText = PictureCont
            End With
        Else
            Call PictClear(DPos)
        End If
    End Select
End Sub
```

```
End If  
Case Else  
End Select
```

```
End Sub
```

fxfnf [f<fo [l'ly'è

```
Private Sub SetNIScrollBar(CountName As String, QUename As String)
'
' fXfnf [f<fo [l'ly'è
' CountName : ftjB [f<fh-¼
' QUename   : fNfGfŠ [-¼]
'
' Scroll bar
OldValue = 0           ' %Šú'l
DispCount = 0
ScrollMax = DCount(CountName, QUename) ' ff [f^ ^È'¶'lfZfbfg
ScrollValue = 0
Call MoveScrollPos ' %Šú^Ê'u

End Sub
```

ff[]f^[]éĀ¾

```
'  
' NAMEIMAGE Form Module  
'  
Option Explicit  
Option Compare Database '•¶Žš—ň,ì”äŠr,Éff[]f^fx[][fX,ĀĀ^,β,ç,è,½Ā Ž®,ðŽg—p,μ,Û,·[]B  
  
Const DisplayDataMax = 6 ' %œæ-Ê,É•\Ž|,.,éff[]f^,ì[]Ā'â[]”  
  
Dim FName As String ' Ā<%œĒ•\Ž|ftfH[][f€-¼  
  
Dim DataMode As Integer ' •\Ž|ff[]f^<æ•ª  
Dim DispCount As Integer ' •\Ž|ff[]f^”  
Dim ImagePath As String ' •\Ž|fCf[][fWftf@fCf<fpfX-¼  
Dim PictureName As String ' •\Ž|fCf[][fWftf@fCf<-¼  
Dim PictureCont As String ' fCf[][fW•\Ž|:[]”  
  
' fXfNf[][f<fo[][]$Āä•Ī[]”  
Dim ScrollValue As Long ' fXfNf[][f<fo[][^Ē'u  
Dim OldValue As Long ' 'OfXfNf[][f<[]  
Dim ScrollMin As Long ' fXfNf[][f<fo[][]Ā[]-[]  
Dim ScrollMax As Long ' fXfNf[][f<fo[][]Ā'â[]  
Dim ScrollSmallChange As Long ' fXfNf[][f<fo[][]Ā[]-^Ú”®'[]  
Dim ScrollLargeChange As Long ' fXfNf[][f<fo[][]Ā'â^Ú”®'[]  
Dim ScrollPosMouse As Long ' fXfNf[][f<fo[][ff[]f^•\Ž|Ē'u  
Dim ScrollBarMove As Long ' fXfNf[][f<fo[][^Ú”®'[]  
  
' f{f^f”[]$Āä•Ī[]”  
Dim Āÿ[]öON As Integer ' Āÿ[]öf{f^f”[]'öftf%fo  
Dim UpButtonFlag As Integer ' ftfH[][f€[]|—[]f{f^f”ftf%œ
```

