

fAfbfvff□[fgfhf‰fCfožû~^fŠfXfg

 EZ-SCSI Ver.3 Šö~A□••¤

EZ-SCSI 98 ŠÖ~A

 EZ-SCSI Pro ŠÖ~A

 Windows 95 f~fif|n[nfgEfhf%fcfo

EZ-SCSI Ver.3 ŠÖ~A□••¤

▶ [EZ-SCSI 3.04J Rev.A -> 3.04J Rev.C](#)

▶ [EZ-SCSI 3.04J Rev.C -> 3.06J Rev.B](#)

▶ [EZ-SCSI 3.04J Rev.A -> EZ-SCSI 3.04J Rev.C](#)

▶ [EZ-SCSI 3.04J Rev.B -> EZ-SCSI 3.04J Rev.C](#)

▶ [EZ-SCSI 3.04J Rev.B -> EZ-SCSI 3.04J Rev.C](#)

▶ [EZ-SCSI 3.05J Rev.B -> EZ-SCSI 3.06J Rev.B](#)

▶ [EZ-SCSI 3.05J Rev.C -> EZ-SCSI 3.06J Rev.B](#)

▶ [EZ-SCSI 3.06J Rev.A -> EZ-SCSI 3.06J Rev.B](#)

▶ [EZ-SCSI 3.06J Rev.B -> EZ-SCSI 3.07J Rev.A](#)

□@□@,±,ê,ç,Ìftf@fCf<,Í“WŠJ,³,ê,½Œ` ,ÅCD-ROM,ÉŽÙ~^,³,ê,Ä,¢,Ü,·□B

EZ-SCSI 98 ŠÖ~A□·•¤

▶ [EZ-SCSI 98 3.04J Rev.A -> EZ-SCSI 98 3.06J Rev.B](#)

▶ [EZ-SCSI 98 3.06J Rev.A -> EZ-SCSI 98 3.06J Rev.B](#)

▶ [EZ-SCSI 98 3.06J Rev.B -> EZ-SCSI 98 3.07J Rev.A](#)

□@□@,±,ê,ç,Ìftf@fCf<,Í“WŠJ,³,ê,½Œ` ,ÅCD-ROM,ÉŽû~^,³,ê,Ä,¢,Ü,·□B

EZ-SCSI Pro ŠÖ~A□·•¤

 EZ-SCSI Pro 3.5J Rev.A -> EZ-SCSI Pro 3.5J Rev.B
□@□@,±,ê,ç,Ìftf@fCf<,Í“WŠJ,³,ê,½Œ` ,ÅCD-ROM,ÉŽû~^,³,ê,Ä,¢,Ü,·□B

Windows 95 f~fjf|□[fg]Efhf%fCfo

▶ AT&TYS · <@-pf~fjf|□[fg]Efhf%fCfo

▶ PC-98-p f~fjf|□[fg]Efhf%fCfo

□@□@, ±, ê, ç, Ìftf@fCf<, Í“WŠJ, ³, ê, ½Œ` , ÅCD-ROM, ÉŽû~^, ³, ê, Ä, ç, Ü, · □B

EZ-SCSI 3.04J Rev.A -> 3.04J Rev.C

..<< EZ-SCSI V3.041 Rev.A ||||| Rev.C

11

fAfbfvff□[fafvf□f0f%f€

"ICO³, E•t, €, Ä

"<

1995/9/7%ü'ù

11

fA

 ŠT-v

□□□□

‘ÎñÛfvfñf0f%f€

UPDATE_1.BAT
UPDATE_2.BAT

ਪੰਜਾਬ

ft f@fCf<“à=e

(1) UPDATE_1.BAT : 1/2fffBfXfN,IfAfbfvfffg^–
□.ð□s.È.¤

fofbf`ftf@fCf<

5

(2) UPDATE_2.BAT : 2/2fffBfXfN,ÌfAfbfvffÙ[fgÙ^–

fofbf`ftf@fCf<

(3) README .TXT : ,±,Íftf@fCf<Ž© g

□□□□□

□C□³ “à-e

EZ-SCSI 3.01J»•í"Å, ð, "Ž, , ï•û, ÅA3.04J(Rev.A)
, ö, ïfAfbfvff[fg].
•¤, ðŽg-p, µ, Ä3.04J(Rev.A) 'Š"-, É, ¢, ê, Ä, ¢
, éê#A3.04J(Rev.C), ö, ïfAfb
fvff[fg, ¤, x, Ü, , ¢, «, Ü, ¢, ñB, ±, ê, ÍA
‰^oL, ï, Qftf@fCf^o, ïf^fCf€fXf^f"
fv, ¤ê'v, µ, È, ¢x, Å, ·B

Å@Å@Å@Å@Å@, ±, Ì, Qftf@fCf<, Í ÅAfAfbfvffÅ[fg•i, Å»•i"Å, Å"à-
e, Í“-^ê, Å, ., ^ÅAf^fCf€
Å@Å@Å@Å@fXf^f“fv, ^ÅÙ, È, è, Ü, ·ÅB
Å@Å@Å@Å@ä<L, PÅD, Q, Ì(1)ÅA(2), Ìftf@fCf<, Í, ±
, ÌfAfbfvffÅ[fg"Å, ð, "ÅÙ, ï, Ì•ûÆü, -
, ÌÅCÅ³ftf@fCf<, Å, ·ÅB

Žg-p • ū-@

□@① UPDATE_1.BAT
□@□@ DISC2:\DRIVER\ADAPTEC\1T04TOC'†,ÌUPDATE_1.BAT,Æ□·,µ'Ö, |
□@□@□@.Ä%o.³.¢□B

□@② UPDATE 2 BAT

□@□(2) UPDATE_2.BAT
□@□@□@DISC2:\DRIVER\ADAPTEC\1T04TOC'†,ÌUPDATE_2.BAT,Æ□·,µ'ö,|
□@□@□@.Ä%°.³.¢▀B

Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\1T04TOC\README.TXT, ð, “ç, Ý, -
·¾·³·¢▀

EZ-SCSI 3.04J Rev.C -> EZ-SCSI 3.06J Rev.B

„« DOS/Windows-p „ú-{Œê"Å
„« Åþ“½, 2/2
„«
„« ' +—a
„«

□@□@□@
□@□@□@
□@□@□@

,É, „, „, é

□[fg]B

(1) “ŒžÅfm□[fgfufbfNPC <y, Ñ IBMfm□[fgfufbfNPC

•s<í‡, Ì□C□³□B

(2) ftfBfŠfbfv» CD-R ,É, „, „, é•s<í‡, Ì□C□³□B

(3) ,Ù,Æ,ñ,ç,Ì CD-ROMfhf%fCfu,Å,ÌfrfffICD,ðfTf|

(4) fpfif\fjffbfN» PDfhf%fCfu,ðfTf|□[fg]B

(5) DOS/V<@, Å PC-98ftfH□[f]fbfg,Ì SCSI HD ,Ì f%fCfg□EfŠ□[fh, „”\, É□B

(6) Windows "Å Backup Basics , Å SCSI fe□[fvfhf

%fCfuftf|□[fg, Ì

'C‰Á□B

fAf_bf_vff[fg•^ü-@
‰^o<L, IŽè‡, ÅfAf_bf_vff[fg, μ, Ä, , ^¾, ^³, ¢B®A‘€ì-
á, Í, R_D, T_fCf“f`
ftf[fbfs[fffBfXfNfhf%fcfu, [¤], `fhf
‰fcfu[Afn[fhfffBfXfN, [¤], bfhf%fcfu, Å
, , é, ±, Æ, ð'0'ñ, Æ, μ, Ä, ¢, Ü, ·B
[]@•K-v, Èfvf[fof%f€, É, Ä, ¢, Ä

É•K-
v, Å, · B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

□@□@□@'□, P□FfjfefBfT□[fu“™, Ìfpf\frf“'Ê□M, à, µ, , ÍŽGŽ□•t^, ÌCD-
ROM, âft f□fbfs□[ffffBfxN“™, ©, ç•Ê“r“üžè, µ, Ä, -
, ¾, ³, ¢□B-{fAfbfvff□[fg ftf@fCf<, É, ÍŠÜ, Ü, ê, Ä, “, è, Ü, ¹, ñ□B
'□, Q□F-¼fvf□f0f%f€, ð□ì<Æ, ·, éfffBfEfNfgfŠ, É, “, -
, ©□AŠÂ<<•Ï□" "PATH" , Ì□Ý'è, ³, ê, ½fffBfEfNfgfŠ, É“ü, ê, Ä, “, ¢
, Ä%o, ³, ¢□B

10

i,Pj,PxD,S,S,l,aftfH[f}fbfg,μ,½×ó,«ftf]fbfs|[fffBfXfN,ð,P-≠-p^Ó,μ,Ü,·]B

Ó, Qújó, ÍftfufffBfEfNfgfŠ, ðfn[fhfffBfXfNfhf
%fCfu, Éùìù-, µ, Ü, ·ùB

‘€̄ì-á̄F mkdir POI
~~~~~

□@□i,R□j(,Q),Å□ì,Á,½×ó,ÌfTffffBfEfNfgfS,ÉDISC2:\DRIVER\ADAPTEC\304C26B1  
□@□@□@^È‰°,Ìftf@fCf<,ð,·,×,ÄfRfs□[ ,μ,Ä, ,¾,³ ,¢□B

'€[]ì-á[]F CD POI  
~~~~~  
UPDATE_1
~~~~~

“It’s a big country and we have to work hard to get there.”

ŽÓŽ «ΠΕ

,±,Ì,·,•,¤,ft,f@,fC,f<,ð,ì,¬,·,é,Ì,É,È,‰,º,Ì,f\,ft,fg,fE,fF,fA,ð,Ž,g-p,,³,,¹,,Ä,,¢,  
,½,,¾,,«,,Ü,,μ,,½,□B  
,C,,¤,,à,,¸,,è,,¤,,Æ,,¤,,²,,‘,,¢,,Ü,,μ,,½,□B

LHA version 2.55b Copyright (c) H.Yoshizaki@i.eh.hx.jp,  
1988-92

WSP version 1.50 copyright (C) amaprof 1992-93

DISC2\DRIVER\ADAPTEC\304C26B1\README\_1.TXT  
DISC2\DRIVER\ADAPTEC\304C26B2\  
README\_2.TXT

EZ-SCSI 3.04J Rev.A -> EZ-SCSI 3.04J Rev.C

□@□@□@  
█▀█▀█▀█▀  
▀▀▀▀▀▀▀▀

EMM386.EXE 'göz, Yıldız, İfCf“fxfgó[f<'+, İ•s<ió‡, İóCó³  
SCSIFMT.EXE, ðASPIfxó[fX, İfAfvfŞfpó[fVf‡f“, É•İóX  
EMM386.EXE 'göz, Yıldız, ADOSóä, Å, İfCf“fxfgó[f<'+, İ•s<ió‡, İóCó³  
SCSIfffofCfXfŞfZfbfgZöz, İ•s<ió‡, İóCó³

 fAfbfvfffg•  
ÅfAfbfvfffgfg, μ, Ä, ,  $\frac{3}{4}$ ,  $\beta$ , çB®A'€ì-  
á, Í, R®, Tfcf“f`  
ftfbfsfffBfxfnfhf%fcfu, ª, `fhf  
%fcfuAfnfhffffBfxfn, ª, bfhf%fcfu, Å  
, é, ±, Æ, ð'0'ñ, Æ, µ, Ä, ç, Ü, ·B

□@•K–v, Èfvf□f0f%f€, É, Â, ç, Ä

É@É@É@^É‰º, Ì, Qfvf]f0f‰f€, ªAfAfbfvff][fg]ì<Æ, ð]s, ×^×, É•K-  
v, Å, ·]B

(1) LHA.EXE: "z•zftf@fCf<‐<sup>1</sup><sub>4</sub>ALHA213.EXE  
(2) WSP.COM: "z•zftf@fCf<‐<sup>1</sup><sub>4</sub>AWSP150.LZH

í, Þój, ÞóD, S, S, l, aftfH[f}fbfg, μ, ½<ó, «ftf[]fbfs[]ffffBfXfN, ð, P-‡-  
þÓ, μ, Ü, · B  
@i, Qj<ó, ÍfTfuffffBfŒfNfgfŠ, ðfn[]fhffffBfXfNfhf  
%fCfu, Éì¬, μ, Ü, · B

□@□□□□@‘€□ì–á□F mkdir POI

~~~~~

‘€ì-áF CD POI

88

UPDATE_1

žóž«óf
+, ī́·•·äftf@fCf<, ðóìó¬, ·, é, ī, É^É‰º, īf\ftfgfEfFfA, ðžg-p, ³, ¹, Ä, ¢
, ¹/₂, ³/₄, «, Ü, μ, ¹/₂óB
, Ç, x, à, , è, ^ä, Æ, x, ², ' , ¢, Ü, μ, ¹/₂óB

LHA , ÍóA<góè‰h'x, ³, ñ, ^äóìó¬, ³, ê, ¹/₂ftfŠó[f\ftfgfEfFfA, Å, ·óB
WSP , ÍóAamaprofófLf`ói~a"có_êój, ³, ñ, ^äóìó¬, μ, ¹/₂ftfŠó[f\ftfgfEfFfA, Å, ·óB
LHA version 2.55b Copyright (c) H.Yoshizakiói<góè‰h'xój,
1988-92
WSP version 1.50 copyright (C) amaprofófLf` 1992-93

 Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\304JA2C1\README_1.TXT
DISC2\DRIVER\ADAPTEC\304JA2C2\
README_2.TXT, ð, "“ç, Ý, -
, $\frac{3}{4}$, $\frac{3}{4}$, ç, B

EZ-SCSI V3.04J Rev.A |||, 3.04J Rev.C

- (1) DOS/Windows "ÅfCf" fXfg[] f‰, I<@"\<%>
(2) ASPI2DOS.SYS, I<@"\<%>

(3) ASPI4DOS.SYS,Í<@"\<%>
(4) ASPI7DOS.SYS,ÍEddgef gfŠfKfTf|[]fg
(5)

ASPI8DOS.SYS, Intel® ASPI Controller
(6) ASPICD.SYS, ASPI Controller
(7) WINASPI.DLL, ASPI Controller
(8) Sefwf\fv, ASPI Controller

□c□a
█,o,b ,c,n,r ,i,UKD,R^,u,ðæä—~—p,Ì•û,Ö,Ì,“Šè,¢

ÍAEZ-SCSI 3.04J Rev.A/ARev.B, ÉEÅ-L, ÍE»Û, Å, ·BRev.C, ÉfAf^b
ÍAEZ-SCSI@fvff[fg, ðs, xZ-, Å%ðÁ, µ, Ü, ·B

 fAfbfvfffg•û-@
@%o<L, ÍŽè‡, ÅfAfbfvfffg, µ, Ä, , $\frac{3}{4}$, $\frac{3}{4}$, çB®A‘€ì-
á, Í, R®, Tfcf“f`
ftffbfsfffBfxfnfhf%fcfu, ª, `fhf
%fcfuAfnfffBfxfn, ª, bfhf%fcfu, Å
, é, ±, Æ, ð'0'ñ, Æ, µ, Ä, ç, Ü, ·B

•K-v ,ÈfvfØf0f%f€ ,É ,Â ,¢ ,Ä

□@□@□@^È‰º, Ì, Qfvf□f0f‰f€, ª□AfAfbfvff□[fg□ì<Æ, ð□s, ✂^×, É•K–v, Å, ·□B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

, $\frac{3}{4}$, $\sqrt{3}$, $\text{cB} - \{fAf\}bfvff\}$ [fg
f]fbfs[]fffBfXfN™, ©, ç•È“r“üžè, µ, Å, -
ftf@fCf<, É, ÍŠÜ, Ü, ê, Ä, " , è, Ü, ¹, ñ]B

'[],Q[]F- $\frac{1}{4}$ fvf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-,
,©[]AŠÂ<<&I[]" "PATH"
,Ì[]Ý'è,³,ê, $\frac{1}{2}$ fffBfŒfNfgfŠ,É"ü,ê,Ä,",¢
,Ä‰º,³,¢[]B



i,Pj,PxD,S,S,l,aftfH[f}fbfg,μ,½<ó,«ftf]fbfs][ffffBfXfN,ð,P-≠-p^Ó,μ,Ü,·B

¶@¶i, Q¶j<ó, ¶fTfuffffBfŒfNfgfŠ, ¶fn¶[fhffffBfXfNfhf
‰fcfu, É¶i¶¬, µ, Ü, ·¶B

□@□@□@□@‘€□ì–á□F mkdir POI

~~~~~

‘€ì-áF CD POI

8

## UPDATE\_1

ŽÓŽ «ΠΕ

,±,Ì,·,•,¤,ft,f@,fC,f<,ð,ì,¬,·,é,Ì,É,È,‰,º,Ì,f\,ft,fg,fE,fF,fA,ð,Ž,g-p,,³,,¹,,Ä,,¢,  
,½,,¾,,«,,Ü,,μ,,½,□B  
,C,,¤,,à,,·,è,,¤,,Æ,,¤,,²,,‘,,¢,,Ü,,μ,,½,□B

LHA version 2.55b Copyright (c) H.Yoshizaki@i<sup>g</sup>è‰h'x@j,  
1988-92

WSP version 1.50 copyright (C) amaprof@Laptop 1992-93

 Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\304JDSK1\README\_X.TXT  
DISC2\DRIVER\ADAPTEC\304JDSK2\  
README\_X.TXT  
,  $\frac{3}{4}$ , <sup>3</sup>, ¢ B

EZ-SCSI 3.04J Rev.B -> EZ-SCSI 3.04J Rev.C

 fAfbfvfffg•û-@  
@%°<L, ÍŽè‡, ÅfAfbfvfffg, µ, Ä,, ¾, ³, çB®A'€ì-  
á, Í, R®D, TfCf“f`  
ftffbfsfffbfxfnfhf%fcfu, ª, `fhf  
%fcfuAfnfhffffbfxfn, ª, bfhf%fcfu, Å  
, é, ±, Æ, ð'0'ñ, Æ, µ, Ä, ç, Ü, ·B

•K-v ,ÈfvfØf0f%f€ ,É ,Â ,¢ ,Ä

É•K-  
v, Å, · B

- (1) LHA.EXE: "z•zftf@fCf<-<sup>1</sup><sub>4</sub> ALHA213.EXE  
(2) WSP.COM: "z•zftf@fCf<-<sup>1</sup><sub>4</sub> AWSP150.LZH

©@©@©@'®, PFFjfjtfefBfT[u™, Ifpf\fRf“’ÊM, à, µ, , ÍŽGŽ•t^, ÌCD-ROM, âft

,³, „, € B–{ f A f b f v f f [ fg f ¨ f b f s [ f f f B f X f N “™, ©, ç • È “ r “ ü Ž è , µ , Ä , - f t f @ f C f < , É , Í Š Ü , Ü , ê , Ä , „ , è , Ü , ¹ , ñ B

'□, Q□F- $\frac{1}{4}$ fvf□f0f%f€, ð□ì<Æ, ·, éfffBfŒfNfgfŠ, É, " , -  
, ©□AŠÂ<<>•Í□" "PATH" , Ì□Ý'è, <sup>3</sup>, ê,  $\frac{1}{2}$ fffBfŒfNfgfŠ, É"ü, ê, Ä, " , ¢  
, Ä%o, <sup>3</sup>, ¢□B

ì<ÆŽè‡F

i, Pj, PD, S, S, l, aftfH[f}fbfg, μ, ½<ó, «ftf]fbfs[ffffBfxN, ð, P-‡-  
p^Ó, μ, Ü, ·]B

 @ i,Q j  , fTfufffBf fNfgf , fn [fhfffBfXfNfhf  
%fCfu,  i  , , ,  B

□@□□□□@‘€□ì–á□F mkdir POI

~~~~~

□@i,R□j(,Q),Å□i,Á,½<ó,ÌfTfufffBfŒfNfgfŠ,ÉDISC2:04JRVc1
□@□@□@^È‰º,Ìftf@fCf<,ð,·,×,ÄfRfs□[,μ,Ä,,¾,³,¢□B

"PÓI", Í•"•‡, Í, », ê, $\frac{1}{4}$, ê, \check{z} •‡, ÍŠÂ<«, É†, í, \ddot{A}
"K \times •ÍX, μ, Ä, , $\frac{3}{4}$, $\ddot{\epsilon}$ B
„“

‘€_i–á F CD POI

8

UPDATE_1

ŽÓŽ«◻F
,±,Ì◻••²f f@fCf<,ð◻ì◻¬,·,é,Ì,É^È‰º,Ìf\ftfgfEfFfA,ðŽg-p,³,¹,Ä,¢
,¹/₂,³/₄,«,Ü,μ,¹/₂◻B
,ç,¤,à,¸,è,²Æ,¤,²,',¢,Ü,μ,¹/₂◻B

LHA version 2.55b Copyright (c) H.Yoshizaki@i^gè‰h'x@j,
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

 Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\304JRVC1\README_X.TXT
DISC2\DRIVER\ADAPTEC\304JRVC2\
README_X.TXT

EZ-SCSI 3.05J Rev.B -> EZ-SCSI 3.06J Rev.B

„« DOS/Windows-p „ú-{Œê"}Å
„« Äþ“½, 2/2
„« „«
„« „« '†-a
„«

“à-e

(1) "IBMfgfufbfNPC <y, IBMfgfufbfNPC
,É, " , - ,é•s<i‡, ÌC
 @‡@‡³B

(2) ftfBfŠfbfv» CD-R ,É, " , - ,é•s<i‡, ÌC³B

(3) ,Ù,Æ,ñ,Ç,ÌCD-ROMfhf%fcfu,Å,ÌfrfffICD,ðfTf|[]fgB

(4) fpfif\fjfbfN» PDfhf%fcfu,ðfTf|[]fgB

(5) DOS/V@,Å PC-98ftfH[]f}fbfg,Ì SCSI HD ,Ìf
%fcfgŒfŠ[]fh, %Å
 @"\\", ÉB

(6) Windows "Å Backup Basics ,Å SCSI fe[]fvfhf%fcfuffTf|
[]fg,Ì
'Ç‰ÅB

fAfbfvfffg•û-@
‰_o<L, Ížè‡, ÅfAfbfvfffg, µ, Ä, , ^¾, ^³, çB®A‘€í-
á, Í, RÐD, Tfcf“f`
ftffbfsffBfXfNfhf%fcfu, ª, `fhf
%fcfuAfnfffBfXfN, ª, bfhf%fcfu, Å
, é, ±, Æ, ð, '0', ñ, Æ, µ, Ä, ç, Ü, ·B

•K-v, Èfvfñf0f%f€, É, Â, ç, Ä

□@□@□@□@^È‰°,Ì, Qfvf□f0f‰f€, ^A AfAf b f v ff□[fg□ì<Æ, ð□s, x^x, É•K-
v, Å, ·B

(1) LHA.EXE: "z•zftf@fCf<-¹₄ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-¹₄AWSP150.LZH

, $\frac{3}{4}$, $\sqrt{3}$, $\text{cB} - \{fAf\}bfvff\}$ [fg
f]fbfs[]fffBfXfN™, ©, ç•È“r“üžè, µ, Å, -
ftf@fCf<, É, ÍŠÜ, Ü, ê, Ä, " , è, Ü, ¹, ñ]B

'[],Q[]F- $\frac{1}{4}$ fvf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-,
,©[]AŠÂ<<&I[]" "PATH"
,Ì[]Ý'è,³,ê, $\frac{1}{2}$ fffBfŒfNfgfŠ,É"ü,ê,Ä,",¢
,Ä‰º,³,¢[]B

1

i,Pj,PxD,S,S,l,aftfH[f}fbfg,μ,½×ó,«ftf]fbfs|[ffffBfXfN,ð,P-≠-p^Ó,μ,Ü,·]B

Ó, Qúj^ó, ÍfTfufffBfEfNfgfŠ, ðfn[fhfffBfXfNfhf
‰fCfu, Éùìù-, µ, Ü, ·ùB

'€̄i-á̄F mkdir

□@□i,R□j(,Q),Å□ì,Á,½<ó,ÌfTffffBfŒfNfgfŠ,ÉDISC2:\DRIVER\ADAPTEC\305B26B1

□@□@□@□@^È‰º, Ìftf@fCf<, ð, ·, ×, ÄfRfs□[, μ, Ä, , $\frac{3}{4}$, $\sqrt{3}$, €□B

í, Sjftf@fCf<, ð“WŠJ, μ, ½ffBfEfNfgfš, É^Ú, èAUPDATE_1.B,
, ðŽÀs, μ
@@@@@, Ü, · BŽÀs€ä, ÍA‰æ—Ê, É•\Ž|, ³, ê, éf@fbfZ@[fW, É@]
Á Ä‘€@ì, ll Ä‰o ³ f@B

‘€₀i-á₀F CD POI
~~~~~  
UPDATE  
~~~~~

žóž«◻F
,±,Ì◻·•¤ftf@fCf<,ð◻ì◻¬,·,é,Ì,É^È‰¤,Ìf\ftfgfEfFfA,ðžg-p,³,¹,Ä,¢
,½,¾,«,Ü,μ,½◻B
.C.¤,à,·,è,¤,Æ,¤,²,‘,¢,Ü,μ,¹³◻B

LHA version 2.55b Copyright (c) H.Yoshizaki@i-g.eh.h'xoj,
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

- - -
- - -

[?] Ú, μ, , ÍDI

README_X.TXT

, $\frac{3}{4}$, $\frac{3}{4}$, € B

EZ-SCSI 3.05J Rev.C -> EZ-SCSI 3.06J Rev.B

É•K-
v, Å, · B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

, $\frac{3}{4}$, $\sqrt{3}$, $\oint \mathbb{B} - \{ f A f b f v f f \} [fg$ $f \square f b f s \square [fff B f X f N^{\text{TM}}, \odot, \circ, \bullet, \hat{E}, r, \ddot{u}, \check{Z}, \dot{e}, \mu, \ddot{A}, -$
 $f t f @ f C f <, \acute{E}, \acute{I}, \acute{S}, \acute{U}, \ddot{U}, \hat{e}, \ddot{A}, \ddot{.}, \grave{e}, \ddot{U}, ^1, \tilde{n} \mathbb{B}$

'[],Q[]F- $\frac{1}{4}$ fVf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-,
,©[]AŠÂ<<>•Ï[] "PATH" ,Ì[]Ý'è,³,ê, $\frac{1}{2}$ fffBfŒfNfgfŠ,É"ü,ê,Ä,",¢
,Ä%o,³,¢[]B

10

i, Pj, PD, S, S, l, aftfH[f}fbfg, μ, ½<ó, «ftf]fbfs[ffffBfxN, ð, P-‡-
p^Ó, μ, Ü, ·]B

Ói, Qúj<ó, ÍfTfufffBfEfNfgfŠ, ðfnú[fhfffBfXfNfhf
%fCfu, Éúìú~, µ, Ü, ·úB

‘€@ì-á@F mkdir POI
~~~~~

□@□i,R□j(,Q),Å□ì,Á,½<ó,ÌfTfuffffBfŒfNfgfŠ,ÉDISC2:05C26B1  
□@□@□@^È‰º,Ìftf@fCf<,ð,·,×,ÄfRfs□[,μ,Ä,,¾,³,¢▀

‘€<sub>0</sub>i-á<sub>0</sub>F CD P0I

~~~~~

UPDATE_1

ŽÓŽ«□F

,±,Ì,·,•,¤,ftf@fCf<,ð,ì,¬,·,é,Ì,É,È‰º,Ìf\ftfgfEfFfA,ðŽg-p,³,¹,Ä,¢,
,½,¾,«,Ü,µ,½B
.C,¤,à,·,è,¤,Æ,¤,²,·,¢,Ü,µ,½B

LHA version 2.55b Copyright (c) H.Yoshizaki@i^gè‰h'×j,
1988-92

WSP version 1.50 copyright (c) amaprof@lf` 1992-93

...3. VERSIÓN 1.0.000 copia_29.01.03 (3) dmap.32768 1992-03

 Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\305C26B1\README_X.TXT
DISC2\DRIVER\ADAPTEC\305C26B1\
README_X.TXT

1/4, 3, € B

EZ-SCSI 3.06J Rev.A -> EZ-SCSI 3.06J Rev.B

„« ±ÀPIÑÃ», EZ-SCSI Version 3.06J

” <

„« DOS/Windows-p „ú-{Œê"Å

” <

„« $\tilde{A}P^{\cdot\cdot\frac{1}{2}}$. 2/2

„<

"<

"<

..<

11 <

- a a a a a a a a a a a a a a a a a a a ®

P/N *****-*** Rev A

二〇〇〇〇

四〇〇

~~~~~

ପ୍ରକାଶକ

ՊԱՌԱԲ/Ն \*\*\*\*\*-\*\*\*\* ԲԵՎ Բ

二〇〇〇〇〇〇〇

۱۰۰

~ ~ ~ ~ ~

Лекция



□C□<sup>3</sup> “à=e

(1) Windows "Å Backup Basics ,Å SCSI fe [fvfhf  
%fCfufTf| [fg, I  
'C%Å B

fAfbfyff□f fq•û—@

ft f□fbfs□[fffBfXfNfhf%fCfu, ` fhf

%fCfu@Afn@[ffffBfXfN, ^, bfhf%fcfu, Å

, , é, ±, Æ, ð, 'O', Ñ, Æ, μ, Ä, ¢, Ü, · □ B

□@•K–v, Èfvf□f0f%f€, É, Â, ç, Ä

É•K-  
v, Å, ·ΠB

(1) LHA.EXE: "z•zftf@fCf<-<sup>1</sup><sub>4</sub>ALHA213.EXE  
(2) WSP.COM: "z•zftf@fCf<-<sup>1</sup><sub>4</sub>AWSP150.LZH

©@©@©@'®, PFFjfjtfefBfT[u™, Ifpf\fRf“’ÊM, à, µ, , ÍŽGŽ•t^, ÌCD-ROM, âft

,  $\frac{3}{4}$ ,  $\sqrt{3}$ ,  $\oint B - \{ f A \} b f v f f \int g$   $f \square f b f s \square [ f f f B f X f N^{\text{TM}}, \odot, \circ, \bullet, \hat{E}, r, \ddot{u} \ddot{Z} \ddot{e}, \mu, \ddot{A}, -$   
 $f t f @ f C f <, \acute{E}, \acute{I} \acute{S} \acute{U}, \ddot{U}, \hat{e}, \ddot{A}, ^-, \grave{e}, \ddot{U}, ^1, \tilde{n} \square B$

'[],Q[]F-½fvf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-  
,©[]AŠÂ<<•ï[]" "PATH"  
,ì[]Ý'è,³,ê,½fffBfŒfNfgfŠ,É"ü,ê,Ä,",¢  
,Ä‰º,³,¢[]B



i, Pj, PD, S, S, l, aftfH[f}fbfg, μ, ½×ó, «ftf]fbfs|[fffBfxN, δ, P-‡-p^Ó, μ, Ü, ·]B

Ói, Qúj<ó, ÍfTfufffBfŒfNfgfŠ, ðfnÛ[fhfffBfXfNfhf  
‰fCfu, ÉÛìÛ~, µ, Ü, ·ÛB

'€@ì-á@F mkdir POI  
~~~~~

'€í-áF CD POI
~~~~~  
UPDATE\_1  
~~~~~

žóž

,±,Ì[],•·²ftf@fCf<,ð[]ì[]¬,·,é,Ì,É^È‰º,Ìf\ftfgfEfFfA,ðŽg-p,³,¹,Ä,¢
,½,¾,<<,Ü,μ,½[]B
,C,¤,à,¸,è,ª,Æ,¤,²,‘,¢,Ü,μ,½[]B

LHA version 2.55b Copyright (c) H.Yoshizaki@i^geh'xoj,
1988-92

WSP version 1.50 copyright (C) amaprof@lf` 1992-93

Ú, μ, , ÍDISC2\DRIVER\ADAPTEC\306A26B1\README_X.TXT
DISC2\DRIVER\ADAPTEC\306A26B2\
README_X.TXT

, $\frac{3}{4}$, $\frac{3}{4}$, ♂ B

EZ-SCSI V3.06J Rev.B → V3.07J Rev.A

Žû~^fffBfŒfNfgfŠ DISC2:\DRIVER\ADAPTEC\306B27A1
DISC2:\DRIVER\ADAPTEC\
306B27A2
DISC2:\DRIVER\ADAPTEC\
306B27A3

 fAf_bf_vff@fgftf@fCf<, É, Â, ¢, Ä
fAf_bf_vff@fgftf@fCf<, Í AEZ-SCSI 3.06J
Rev.B, Í»»·i"Å(ATŒÝŠ·.<@-p), „, æ, Ñ
fAf_bf_vff@fg"Åi3.06J Rev.B 'Š"-
Øj, ©, ç Å Vfo@fwf#f", IEZ-SCSI 3.07J Rev.A
ÉfAf_bf_vff@fg, ·, é, ½, ß, Ì, à, Ì, Å, · ØB

'[],P]FEZ-SCSI 2.XXJ,©,ç3.XXJ,Ö,Ìfo[]fWf#f“fAfbfv,Í-L]ž,Æ,È,Á,Ä,“,è,Ü,·
[]@[]@[],Ì,Å[]i%ñ,ÌfAfbfvff[]fgftf@fCf<,Í]AEZ-SCSI

2.0J, ð, "Ž, , ï, ï•û, Í, ^Žg
©©©©©-p, Å, «, Ü, ^, ñB

■ fAfbfvff[fgftf@fCf<, ïŽg-p•û-@
 ŠefffBfŒfNfgfS, É, ÍAfbfvff[fg•û-@, ðà-¾, µ, Ä, ¢
, éREADME_X.TXT[i'X', É, Í
 1`3, ï"Žš, ^ü, è, Ü, ·jftf@fCf<, ^ŠÜ, Ü, ê, Ä, ¢
, Ü, ., ï, ÅA, », ê, ç, ðŽQÆ, µ, Äì
 <æ, µ, Ä, , ¾, ³, ¢B

 ŠefAfbfvff[fgftf@fCf<, ðŽg-
p, ., é^x, É, ÍAfbfvff[fg'ÍÛ, Ä, È, éEZ-SCSI, ï
 Šefo[fWf†f"ifSfrfWf†f"j, ï»•i"Å, ^•K-v, Å, ·B, ±
, ê, ç, ÍA"ú-{éê"Å, ïfAf_fv
 fefbfN»•i, ïSCSI fzfxfgfAf_fvf^fLfbfg, É•t'®, ï, à, ï, ©AEZ-
SCSI 3.0Jf\ftfg
 fEfFfA'P'ï, Å"ï", , ³, ê, ½, à, ï, ^'Š"-, µ, Ü, ·B

 , "Ž, , ï, ïEZ-
SCSI, , ç, ïfAfbfvff[fgftf@fCf<, ÅfAfbfvff[fg, Å, «, é, ©, ÍA, », ê
 , ¼, ê, ïfAfbfvff[fgftf@fCf<, ÉŠÜ, Ü, ê, Ä, ¢
, éREADME_X.TXT[i'X', É, Í 1`3, ï"Žš
 , ^ü, è, Ü, ·jftf@fCf<, ðŽQÆ, µ, Ä, ^Šm"F, , ¾, ³, ¢B

fAfbfvff[fgì<æ, É•K-v, Efvf0f%f€, É, Å, ¢, Ä
 ^È‰º, ï, Qfvf0f%f€, ^Afbfvff[fgì<æ, ðs, ^x, É•K-
v, Å, ·B

- (1) LHA.EXE: "z•zftf@fCf<-¹₄ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-¹₄AWSP150.LZH

žóž«F

■@fAfbfvff[fg••^aftf@fCf<, ðì¬, ., é, ï, É^È‰º, ïf\ftfgfEfFfA, ðŽg-
p, , Ä, ¢, ½, ¾
, «, Ü, µ, ½B, Ç, ^, à, , è, ^, Ä, ^, ², ' , ¢, Ü, µ, ½B

LHA, ÍA<gè‰h'x, , ñ, ^ì¬, , ê, ½ftfŠ[f\ftfgfEfFfA, Å, ·B
WSP, ÍAamaprofLf`i~a"c_ ^êj, , ñ, ^ì¬, µ, ½ftfŠ[f\ftfgfEfFfA, Å, ·B

LHA version 2.55b Copyright (c) H.Yoshizaki*i*gè‰h'xj,
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

■ Ú, μ, ,ÍDISC2\DRIVER\ADAPTEC\306B27A1\README_X.TXT
DISC2\DRIVER\ADAPTEC\306B27A2\
README_X.TXT
DISC2\DRIVER\ADAPTEC\306B27A3\
README_X.TXT, ð, "“ç, ý, -
, ¾, ³, ¢■B

EZ-SCSI 98 3.04J Rev.A -> EZ-SCSI 98 3.06J Rev.B

 Žû~^~ffffBfŒfNfgfŠ DISC2:\DRIVER\ADAPTEC\984A26B1
ŒŒŒŒŒŒŒŒ DISC2:\DRIVER\ADAPTEC\984A26B2

* EZ-SCSI 98"Å V3.04J Rev.A ÄP^{1/2}, 1/2 -> 98"Å
* EZ-SCSI 98"Å V3.04J Rev.A ÄP^{1/2}, 2/2 -> 98"Å
* fAfbfvff[]fg[]••^aftf@fCf< '€[]i[]à—³₄
*
*
*

1995/9/6 % ü 'ù *

*

ƒAf_ƒvfeſbfNfWfffpf“Š”Ž®%iŽĐ *

□, ±, Ì, Í, Ï, Æ, É, Å, ¢, Ä

□□□□□

‘ÎÛfvf f0f%f€

(1) ,±,À,Ù,•¤ftf@fCf<,Í^È‰º,ÌfoÛ[fWf‡f“,ÌEZ-SCSI,ð’Û,Æ,µ,Ä,¢,Ü,·ÛB

¥-----¥
| ±ÀÞÌßÃ“, EZ-SCSI 98”Å Version

| Äbüt 1/2 3.-Ä -18 |

¥-----¥

SCSIfofXfŠfZfbfgŒfRf}f“fh,Ì“®Œì•s–ç,ÉŠÖ,·,é
HP»fxfLfff,Ì VASPID ‘¶ØÝŽž,Ì“®Œì,ðfTf|
,Ä,ÌŒCŒ³ŒB
(1) ftfBfŠfbfvfX» CD-R ,É,“,“,é•s<ïŒ‡,ÌŒCŒ³ŒB
(2) ASPI2DOS.SYS ,ÌŒCŒ³ŒBŒiASPIftf@f“fnfVf‡f“,SŒj
(3) APMfŒfwf...Œ[ŒfŒftf@f“fnfVf‡f“,É,Â,¢
,Ä,Ì•s<ïŒ‡,ÌŒCŒ³ŒB
(4) MOfhf‰fCfu•¶Žš,Ì“ñŒdfAfTfCf“,É,Â,¢
,Ä,ÌŒCŒ³ŒB
(5) ,Ù,Æ,ñ,Ç,Ì CD-ROMfhf‰fCfu,Å,ÌfrffffICD,ðfTf|
,Ä,ÌŒCŒ³ŒB
(6) ,Ù,Æ,ñ,Ç,ÌŒCŒ³ŒB
PC-98 <¤-p,É•ÌŒXŒB
(7) fpfif\ fjfbfN» PDfhf‰fCfu,ðfTf|Œ[ŒgŒB
(8) ASPICD.SYS <y,Ñ ASPIDISK.SYS ,¤ŒADOS/V ,Æ
‰ž,Ì‘¼,Ìfhf‰fCfu,É
(9) NEC» CD-ROM 74/84 <y,Ñf}f< f`fZfbfvf‡f“‘Ì
‰ž,Ì‘¼,Ìfhf‰fCfu,É
(10) fIfŠf“fpfX» MOfhf
‰fCfu,Ìf^fCfŒfAfEfg,É,“,“,é•s<ïŒ‡,ÌŒCŒ³ŒB
(11) ,Ù‘,«Øž,Ý•ÛŒìŒÍ,Ý,ÌfŠfŒŒ[Œfofuf< fŒffffBfAŽg-
pŽž,Ì SMARTDRV.EXE ,Æ

ASPIDISK.SYS ,ÉŠÖ ,· ,é•s<ï®‡ ,Ì®C®³®B

(12) AFDISK <y,N>

SCSIFMT('áfEfxf<ftfH[f}fbfgEfc[f<),^a PC-98

DOS ft fH [f} fbf g , ð fT f | [fg B

(13) DOS[ã, ÅfCf“fXfg|[f<, ÌÚ, Ì•s<ï‡, ðC³]B

(14) Windows "Å Backup Basics ,Å SCSI fe [fvfhf

’ Ç‰Á□B

' Ç%Á□B

fAfbfvff[]fg•û-@
‰º<L, ÍŽè[]‡, ÅfAfbfvff[]fg, µ, Ä, , ¾, ³, ¢B

•K–v, Èfvfóf0f%f€, É, Â, ¢, Ä

É@É@É@É@^È‰º, Ì, QfvfØf0f‰ƒ€, ªAƒAfØfbfvffØ[fgØì<Æ, ðØs, ✕^x, É•K–v, Å, ·ØB

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

□@□@□@□@'□, P□FfjftfefBfT□[fu"™, Ìfpf\frf"’Ê□M, à, µ, , ÍŽGŽ□•t~^, ÌCD-
ROM, áft

, $\frac{3}{4}$, $\sqrt{3}$, $\oint B - \{ f A f b f v f f \} [fg$ $f \square f b f s \square [fffBfXfN™, ©, ç•Ê“r“üžè, µ, Ä, -$
 $ftf@fCf<, É, ÍŠÜ, Ü, ê, Ä, ^, è, Ü, ^, ñ] B$

'□, Q□F-¹₄fvf□f0f%f€, ð□ì<Æ, ·, éfffBfŒfNfgfŠ, É, " , -
, ©AŠÄ<<•Ï∏" "PATH"

, ÌÙÝ'è, ³, ê, _½fffBfŒfNfgfŠ, É“ü, ê, Ä, “, ¢, Ä‰º, ³, ¢ÙB

ì<Æžè‡F

i,Pj,PxD,S,S,l,aftfH[f}fbfg,μ,½<ó,«ftf]fbfs|[fffBfXfN,ð,P-‡-p^Ó,μ,Ü,·B

Ói, QÓj<ó, ÍfTfuffffBfŒfNfgfŠ, ðfnÓ[fhfffBfXfNfhf
‰fCfu, ÉÓìÓ~, µ, Ü, ·ÓB

‘€̄ì-á̄Fmkdir POI

* '□^Ó□F
"POI", Ì•"•¤, Í, », ê, $\frac{1}{4}$, ê, \hat{Z} •¤, ÌŠÅ<«, É□‡, í, \hat{A} *
* "K<X•Ì□X, µ, Ä, , $\frac{3}{4}$, \hat{B}
*

'€[]í-á[]FCD POI
~~~~~  
UPDATE\_1  
~~~~~

* '□^Ó□F
"POI", I•"•‡, Í, », ê, $\frac{1}{4}$, ê, \hat{Z} •‡, IŠÅ<«, É□‡, í, \hat{A} *
* "K<X•I□X, µ, Ä, , $\frac{3}{4}$, \hat{B}
*

Å@Ó@^È@ä, Å@X@V@ì<Æ, Í@I@-¹, Å, ·@B@“-, ¶@l, É, µ, Ä, Q@-Ú, à@ó, ÌffffBfŒfNfg
Å@Ó@fS, ð@p@Ó, µ, Ä@ä@L, Ì@•@û@-@, Æ@“-, ¶@l, É, µ, ÄfAfbfvff@fg, µ, Ä, -
, $\frac{3}{4}$, $\frac{3}{4}$, ¢@B
Å@Ó@, ±, ê@~È@~fCf“fXfg@f<, ð@s, x@Û, É, Í@A, ±, Ìftf@fbfs@ffffBfXfN, ð,
Å@Ó@Zg, ¢@%o, $\frac{3}{4}$, ¢@B

ŽÓŽ<□F

,±,Ì[],•·²ftf@fCf<,ð[]ì[]¬,·,é,Ì,É^È‰º,Ìf\ftfgfEfFfA,ðŽg-p,³,¹,Ä,¢
,½,¾,«,Ü,μ,½[]B
,Ç,¤,à,¸,è,²,Æ,¤,²,‘,¢,Ü,μ,½[]B

LHA ,Í[]A<g[]è‰h'x,³,ñ,²[]ì[]-,³,ê,¹½ftfŠ[] [f\ftfgfEfFfA,Å,·[]B

WSP ,ÍAamaprofLf`i~a"c^éj,³,ñ,ºì¬,µ,½ftfS[f\ftfgfEfFfA,·B

LHA version 2.55b Copyright (c) H.Yoshizaki*i*gè‰h'×j,
1988-92

WSP version 1.50 copyright (C) amaprofLf` 1992-93

Ú,µ,,ÍDISC2\DRIVER\ADAPTEC\984A26B1\README_X.TXT
DISC2\DRIVER\ADAPTEC\984A26B2\

README_X.TXT

,δ, "“ç,Ý, -
,³, ³, ¢B

EZ-SCSI 98 3.06J Rev.A -> EZ-SCSI 98 3.06J Rev.B

 Žû~^~ffffBfŒfNfgfŠ DISC2:\DRIVER\ADAPTEC\986A26B1
ŒŒŒŒŒŒŒŒ DISC2:\DRIVER\ADAPTEC\986A26B2

* EZ-SCSI 98"Å V3.06J Rev.A ÄP¹/₂, 1/2 -> 98"Å
* V3.06J Rev.B *
* EZ-SCSI 98"Å V3.06J Rev.A ÄP¹/₂, 2/2 -> 98"Å
* V3.06J Rev.B *
* fAfbfvff[fg]••^äftf@fCf< '€íà—^¾
*
*
* 1995/9/6%ü'ù *
* fAf_fvfefbfNfwffffpf"Š"Ž®%ïŽĐ *

□, ±, Ìftf@fCf<, É, Â, ç, Ä

¥-----¥
| ±ÀPIÙÃÄ | EZ-SCSI 98"Å Version

(1) Windows "Å Backup Basics ,Å SCSI fe [fvfhf
%fCfufTf| [fg,Ì
'C%Á B

fAfbfvff□[fg•û-@
‰º<L, ïžè¶‡, ÅfAfbfvff□[fg, µ, Ä, , ¾, ³, ç]B

¶@•K–v, Èfvf¶f0f‰f€, É, Â, ç, Ä

□@□@□@□@^É‰º, Ì, Qfvf□f0f‰f€, ª□AfAfbfvff□[fg□ì<Æ, ð□s, ✕^×, É•K–v, Å, ·▀B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AwSP150.LZH

'[], Q[]F- $\frac{1}{4}$ f v f[]f0f%f€, ð[]ì<Æ, ·, éfffBfŒfNfgfŠ, É, " , -
 , ©[]AŠÂ<<• Í[]" "PATH"
 , Í[]Ý'è, ³, ê, $\frac{1}{2}$ fffBfŒfNfgfŠ, É"ü, ê, Ä, " , ¢
 , Ä‰º, ³, ¢[]B

 ï<Æžè[]‡[]F

[]i, P[]j, P[]D, S, S, l, aftfH[]f}fbfg, μ, $\frac{1}{2}$ <ó, «ftf[]fbfs[]ffffBfxN, ð, P-#-
 p^Ó, μ, Ü, ·[]B

[]i, Q[]j<ó, ÍftfufffBfŒfNfgfŠ, ðfn[]fhfffBfxNfhf
 %fcfu, É[]ì[]-, μ, Ü, ·[]B

'€[]ì-á[]Fmkdir POI
 ^^^^^^^^^^

[]@[]i, R[]j(, Q), Å[]ì, Á, $\frac{1}{2}$ <ó, ÍftfufffBfŒfNfgfŠ, ÉDISC2:86A26B1
 []@[]@[]@[]@^Ä‰º, Íftf@fcf<, ð, ·, ×, Äfrfs[][, μ, Ä, , $\frac{3}{4}$, ³, ¢[]B

* '[]^Ó[]F
 "POI", Í•"•^a, Í, », ê, $\frac{1}{4}$, ê, ²Ž[]•^a, ÍŠÂ<<, É[]‡, í, ¹, Ä
 * "K<X•Í[]X, μ, Ä, , $\frac{3}{4}$, ³, ¢[]B
 *

[]i, S[]j ftf@fcf<, ð"WŠJ, μ, $\frac{1}{2}$ fffBfŒfNfgfŠ, É^Ú, è[]UPDATE_1.BATftf@fcf<
 , ðŽÀ[]s, μ
 []@[]@[]@[], Ü, ·[]BŽÀ[]sŒä, Í[]A‰œ-Ê, É•\Ž|, ³, ê, éf[]fbfZ[]fW, É[]]
 , Ä, Ä'€[]ì, μ, Ä‰º, ³, ¢[]B

'€[]ì-á[]FCD POI
 ^^^^^^
 UPDATE_1
 ^^^^^^

* '[]^Ó[]F
 "POI", Í•"•^a, Í, », ê, $\frac{1}{4}$, ê, ²Ž[]•^a, ÍŠÂ<<, É[]‡, í, ¹, Ä
 * "K<X•Í[]X, μ, Ä, , $\frac{3}{4}$, ³, ¢[]B
 *

Í@Ó@^È@ä, Å@X@V@ì<Æ, Í@I-¹, Å, ·@B“-, ¶-l, É, µ, Ä, Q-‡-Ú, à<ó, ÌffffBfŒfNfg
Í@Ó@fŠ, ð-p^Ó, µ, Ä@ä<L, Ì•û-@, Æ“-, ¶-l, É, µ, ÄfAfbfvff@fg, µ, Ä, -
, $\frac{3}{4}$, $\frac{3}{4}$, ¢@B

Í@Ó@, ±, ê^È@~fCf“fXfg@f<, ð@s, x@Û, É, Í@A, ±, Ìftf@fbfs@ffffBfXfN, ð, “
Í@Ó@žg, ¢‰º, $\frac{3}{4}$, ¢@B

ŽÓŽ<@F

, ±, Ì@·•@ftf@fCf<, ð@ì@¬, ·, é, Ì, É^È‰º, Ìf\ftfgfEfFfA, ðžg-p, $\frac{3}{4}$, $\frac{1}{2}$, Ä, ¢
, $\frac{1}{2}$, $\frac{3}{4}$, <, Ü, µ, $\frac{1}{2}$ @B
, Ç, x, à, , è, $\frac{3}{4}$, Æ, x, $\frac{2}{3}$, ¢, Ü, µ, $\frac{1}{2}$ @B

LHA , Í@A<g@è‰h‘x, $\frac{3}{4}$, ñ, @@ì@¬, $\frac{3}{4}$, ê, $\frac{1}{2}$ ftfŠ@f\ftfgfEfFfA, Å, ·@B
WSP , Í@Aamaprof@fLf`@i~a“c@_ê@j, $\frac{3}{4}$, ñ, @@ì@¬, µ, $\frac{1}{2}$ ftfŠ@f\ftfgfEfFfA, Å, ·@B

LHA version 2.55b Copyright (c) H.Yoshizaki@i<g@è‰h‘x@j,
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

█ Ó@, µ, , ÍDISC2\DRIVER\ADAPTEC\986A26B1\README_X.TXT
DISC2\DRIVER\ADAPTEC\986A26B2\
README_X.TXT

, ð, ““Ç, Ÿ, -
, $\frac{3}{4}$, $\frac{3}{4}$, ¢@B

EZ-SCSI V3.06J Rev.B → V3.07J Rev.A

Žû~^fffBfŒfNfgfŠ DISC2:\DRIVER\ADAPTEC\986B27A1
DISC2:\DRIVER\ADAPTEC\986B27A2
DISC2:\DRIVER\ADAPTEC\986B27A3

 fAfbfvff[fgftf@fCf<,É,Â,¢,Ä
fAfbfvff[fgftf@fCf<,ÍAEZ-SCSI 3.06J Rev.B,Ì»•i"Å(PC-
98<@p), „,æ,Ñ
fAfbfvff[fg"Å]i3.06J Rev.B 'Š"-
]j,©,çÅVfo[fWf†f",IEZ-SCSI 3.07J Rev.A
,ÉfAfbfvff[fg,·,é,½,ß,ì,à,ì,Å,·]B

'[],PFFEZ-SCSI 2.XXJ,©,ç3.XXJ,Ö,Ìfo[]fwf#f“fAfbfv,Í-Lž,Æ,È,Á,Ä,“,è,Ü,.
@C@C@,Ì,Å[];‰ñ,ÌfAfbfvff[]fgftf@fCf<,ÍAEZ-SCSI

2.0J, ð, "ž, , ï, •û, Í, ²žg
©©©©©-p, Å, «, Ü, ¹, ñB

█ fAfbfvff[fgftf@fCf<, ïžg-p•û-@
 ŠefffBfŒfNfgfS, É, ÍAfAfbfvff[fg•û-@, ðà-¾, µ, Ä, ¢
, éREADME_X.TXT[i'X', É, Í
 1`3, ï"žš, ²ü, è, Ü, ·jftf@fCf<, ³šÜ, Ü, ê, Ä, ¢
, Ü, ., ï, ÅA, », ê, ç, ðžQÆ, µ, Äì
 <æ, µ, Ä, , ¾, ³, ¢B

 ŠefAfbfvff[fgftf@fCf<, ðžg-
p, ., é^x, É, ÍAfAfbfvff[fg'ÍÛ, Ä, È, éEZ-SCSI, ï
 Šefo[fWf†f"ifŠfrfWf†f"oj, ï»•i"Å, ²•K-v, Å, ·B, ±
, ê, ç, ÍA"ú-{éê"Å, ïfAf_fv
 fefbfN»•i, ïSCSI fzfxfgfAf_fvf^fLfbfg, É•t'®, ï, à, ï, ©AEZ-
SCSI 3.0Jf\ftfg
 fEfFfA'P'ï, Å"ï", , ³, ê, ½, à, ï, ²'S"-, µ, Ü, ·B

 "ž, , ïEZ-
SCSI, , ç, ïfAfbfvff[fgftf@fCf<, ÅfAfbfvff[fg, Å, «, é, ©, ÍA, », ê
 , ¼, ê, ïfAfbfvff[fgftf@fCf<, ÉšÜ, Ü, ê, Ä, ¢
, éREADME_X.TXT[i'X', É, Í 1`3, ï"žš
 , ²ü, è, Ü, ·jftf@fCf<, ðžQÆ, µ, Ä, ²šm"F, , ¾, ³, ¢B

fAfbfvff[fgì<æ, É•K-v, Efvf0f%f€, É, Å, ¢, Ä
 ^È‰º, ï, Qfvf0f%f€, ²AfAfbfvff[fgì<æ, ðs, x^x, É•K-
v, Å, ·B

(1) LHA.EXE: "z•zftf@fCf<-¹₄ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-¹₄AWSP150.LZH

žóž«F

©fAfbfvff[fg••²ftf@fCf<, ðì¬, ., é, ï, É^È‰º, ïf\ftfgfEfFfA, ðžg-
p, , Ä, ¢, ½, ¾
, «, Ü, µ, ½B, Ç, x, à, , è, ², Ä, x, ², 'ç, Ü, µ, ½B

LHA, ÍA<gè‰h'x, , ñ, ²ì¬, , ê, ½ftfŠ[f\ftfgfEfFfA, Å, ·B
WSP, ÍAamaprofLfL`i~a"c_êoj, , ñ, ²ì¬, µ, ½ftfŠ[f\ftfgfEfFfA, Å, ·B

LHA version 2.55b Copyright (c) H.Yoshizaki*i*gè‰h'xoj,
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

█ Ú, μ, ,ÍDISC2\DRIVER06B27A1\README_X.TXT
DISC2\DRIVER06B27A2\README_X.TXT
DISC2\DRIVER06B27A3\README_X.TXT, ð, "“ç, ý, -
, ¾, ³, ¢█ß

EZ-SCSI Pro 3.5J Rev.A -> EZ-SCSI Pro 3.5J Rev.B

Žú~^fffBfEfNfgfŠ DISC2:\DRIVER\ADAPTEC\P35JA2B1
DISC2:\DRIVER\ADAPTEC\P35JA2B2
DISC2:\DRIVER\ADAPTEC\P35JA2B3
DISC2:\DRIVER\ADAPTEC\P35JA2B4
DISC2:\DRIVER\ADAPTEC\P35JA2B5

* EZ-SCSI Pro V3.5J Rev.A Äp„½, 1/5 -> Pro
V3.5J Rev.B *
* EZ-SCSI Pro V3.5J Rev.A Äp„½, 2/5 -> Pro
V3.5J Rev.B *
* EZ-SCSI Pro V3.5J Rev.A Äp„½, 3/5 -> Pro
V3.5J Rev.B *
* EZ-SCSI Pro V3.5J Rev.A Äp„½, 4/5 -> Pro
V3.5J Rev.B *
* EZ-SCSI Pro V3.5J Rev.A Äp„½, 5/5 -> Pro
V3.5J Rev.B *
* fAfbfvffl[fgl••äftf@fCf< '€lìlå—¾
*
*
* 1995/9/6%ü'ù *
* fAf_fvfefbfNfwffffpf“Š”ž@%ižD *

¥-----¥
¥-----¥
3.5J | ±ÀPIÙÅ , EZ-SCSI Pro Version
| DOS/Windows-p "ú-{Eê"Å
| Äp"½ , 5/5 ¾ -Ä±-ÌÙ
| '†-¤
¥-----¥

□□□□
□□□³ “à-e

**ÀfAf_bf_vffÙ[fg•û-@
‰º<L, ÌžèÙ‡, ÅfAf_bf_vffÙ[fg, µ, Ä,, $\frac{3}{4}$, 3 , ¢ÙB**

□@•K–v, Èfvf□f0f%f€, É, Â, ç, Ä

É@É@É@^È‰º, Ì, QfvfÙf0f‰f€, ªÙAfAfbfvffÙ[fgÙì<Æ, ðÙs, x^x, É•K–v, Å, ·ÙB

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

, $\frac{3}{4}$, $\sqrt{3}$, $\emptyset \cup B - \{fA f b f v f f \cup [fg$ $f \cup fb fs \cup [fffBfXfN“™, ©, ç•Ê“r“üŽè, µ, Ä, - ft f @ f C f <, É, ÍŠÜ, Ü, ê, Ä, “, è, Ü, ¹, ñ \ B$

'[],Q[]F- $\frac{1}{4}$ fVf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-
,©[]AŠÂ<<>•Ï[] "PATH" ,Ì[]Ý'è,³,ê, $\frac{1}{2}$ fffBfŒfNfgfŠ,É“ü,ê,Ä,",¢
,Ä%o,³,¢[]B

10

i, Pj, PD, S, S, l, aftfH[f}fbfg, μ, ½<ó, «ftf]fbfs[ffffBfXfN, ð, P-‡-
p^Ó, μ, Ü, ·]B

Ói, Qúj<ó, ÍfTfufffBfEfNfgfŠ, ðfnú[fhfffBfXfNfhf
‰fCfu, Éúìú~, μ, Ü, ·úB

‘€[]ì–á[]Fmkdir POI
^^^^^

□@□i,R□j(,Q),Å□ì,Á,½<ó,ÌfTfufffBfEfNfgfŠ,ÉDISC2:\DRIVER\ADAPTEC\P35JA2B1

¶@¶@¶@¶@^È‰º, Ìftf@fCf<, ð, ·, ×, ÄfRfs[][, μ, Ä, , ¾, ³, ¢]B

"POI", I•"•^a, Í, »,^{*}_a, ê, $\frac{1}{4}$, ^{*}_a, ē, \check{Z} •^a, IŠÅ««, É‡, í, ¹, Ä, "K^{*}X•IÅX, µ, Ä, , $\frac{3}{4}$, ³, ÇÅB

ئى. Swift@fCf<. ð“WŠJ. μ. ½fffBfŒfNfgfŠ. É^Ú. è»AUPDATE 1. BATftf@fCf<

, ðŽÀs , μ , Ü

, · BŽÀs€ä , ÍA%æ—È , É•\Z| , ³ , ê , éf\fbfZ\[fW , É\]
, Á , Ä'€\ì , μ , Ä%o , ³ , ¢\B

'€\ì—á\FCD POI

~~~~~

UPDATE\_1

~~~~~

* '□^Ó□F

"POI" , Ì•"•² , Í , » , ê , ¼ , ê , ² Ž○•² , ÌŠÄ<« , É‡ , í , ¹ , Ä *
* "K>X•Ì\X , μ , Ä , , ¾ , ³ , ¢\B

*

□@□@^È\ä , Å\X\V\ì<Æ , Í\I-¹ , Å , ·\B“- , ¶-l , É , μ , Äžc , è , Ì , Ì , S-
‡ , à<ó , ÌfffBf€fN
□@□@fgfS , ð-p^Ó , μ , Ä\ä<L , Ì•û-@ , Æ“- , ¶-l , É , μ , ÄfAfbfvff\fg , μ , Ä , -
, ¾ , ³ , ¢\B
□@□@ , ± , ê^È\~fCf“fXfg\fg , ð\s , ×\û , É , Í\A , ± , Ìftf\fbfs\ff\BfXfN , ð , “
□@□@žg , ¢%o , ³ , ¢\B

ŽÓŽ«□F

, ± , Ì\·•²ftf@fCf< , ð\ì\¬ , · , é , Ì , É^È%o , Ìf\ftfgfEfFfA , ðžg-p , ³ , ¹ , Ä , ¢
, ½ , ¾ , << , Ü , μ , ½\B
, Ç , × , à , , è , ² , , ¢ , Ü , μ , ½\B

LHA , Í\A<g\è‰h‘× , ³ , ñ , ²\ì\¬ , ³ , ê , ½ftfS\fg\ftfgfEfFfA , Å , ·\B
WSP , Í\Aamaprof\Lf`\i~a“c_\^ê\j , ³ , ñ , ²\ì\¬ , μ , ½ftfS\fg\ftfgfEfFfA , Å , ·\B
ftfgfEfFfA , Å , ·\B

LHA version 2.55b Copyright (c) H.Yoshizaki\i<g\è‰h‘×\j ,
1988-92

WSP version 1.50 copyright (C) amaprof\Lf` 1992-93



□Ú , μ , , ÍDISC2\DRIVER\ADAPTEC\P35JA2B1\README_X.TXT

DISC2\DRIVER\ADAPTEC\P35JA2B1\

README_2.TXT

DISC2\DRIVER\ADAPTEC\P35JA2B1\

README_3.TXT

README_4.TXT

DISC2\DRIVER\ADAPTEC\P35JA2B1\

README_5.TXT

DISC2\DRIVER\ADAPTEC\P35JA2B1\

,³/₄, ³, ₩₩₩

,ð, "“ç, ý, -

Adaptec Windows 95 Driver Information

 Žû~^fffBfŒfNfgfŠ DISC2:\DRIVER\ADAPTEC\MNPD\98MNPD

ŠT-v

SCSI f~fjf|[]fg,Æ,Í ASCSI fzfxfgfAf_fvf^,Ìfff of CfX Ef hf
%fCfo,Ì§Œä,ðs,¤,à,Ì,Å,·BfAf_fvfefbfN,ISCSI fzfxfgfAf_fvf^
pAÅVf~fjf|[]fgEf hf%fCfo,¤,±,Ìftffbfs[],Ì't,Éü,Á,Ä,¢
,Ü,·B,±,ê,ç,Ìfhf%fCfo,Í APC-98-pWindows 95ê-p,Å,·B

,±,ÌftfØfbfsØ[,É“ü,Á,Ä,¢,éf~fjf|Ø[fgØEfhf%fCfo,Í^È‰º,Ì,à,Ì,Å,·ØF

□>□@SPARROW.MPD
□>□@SPARROWA.MPD

□c' □^ó

□ j%ñ, Í□AAHA-2940J' Í%ž, Í□Å□Vf~fjf|□[fg□Efhf
%fcfo, Í“ü, Á, Ä, „, è, Ü, ¹, ñ□B

Ε>ΩÝ, "Žg, ¢, ÌSCSI f~fjf| [] [fg]Efhf
%fcfo, ðfAfbfvff[] [fg, ·, é, É, Í]A ^ È‰º, ÌŽè¶‡, É¶], Á, Ä‰º, ³, ¢¶B

1.) fffofCfXf}fl|[fWff, ð<N“®, μ, Ä‰‰, ³, cfB(, ±
, ê, ÍAwf}fCfRf“fsf...[f^x, Ìä, Éf}fEfXf|fCf“f^, ðZ, Á, Ä, cf
, «Af}fEfX, ÁfNfŠfbfN, μA, ³, ç, É, », Ì't, ÌwfRf“fgf|[f<fpflf<x, ðfN
fŠfbfN, μA, », Ì't, ÌwfVfXfef€x, ðfNfŠfbfN, ., é, ÄAwfVfXfef€
, Ìfvf]fpfefBx, Å, cf
, »fEfBf“fhfE, ²E», ê, Ü, ·B, », Ì't, Éfff ofCfXf}fl|[fWff, Å, cf
, »fIfvfVf‡f“, ², , è, Ü, ·Bj

2.) ¶wffff ofCfXf}fl|[fWff|x, ÌfIfvfVf‡f“, ðfNfŠfbfN, μ, Ä‰‰, ³, cfB

3.) **W SCSI f Rf "fgf" [f% x, E, ¢ , » f If v f V f f " , a E C O , | , 1/2 , ç A , » , ê , ð N f Š f b f N , µ , Ä f c f Š [' S ' I , a E C O , | , é , æ , » , É , µ , Ä % o , ^ , ¢] B**

4.) , , È, $\frac{1}{2}$, ^a, "Žg, ¢, İSCSIfzfXfgfAf_fvf^, İ-
 $\frac{1}{4}$ '0, öf fuf<fnfŠfbfN, µ, Ä‰º, ³, ¤B

5.) $\exists x \forall f \exists C \forall o (f(C) \rightarrow \neg f(o))$, $\exists f \forall N \forall S \forall b \forall f (N \neq S \wedge b \in N \wedge b \notin S \wedge \forall f (f(N) \rightarrow f(b) \wedge f(S) \rightarrow \neg f(b)))$, $\mu(\bar{A}, \bar{B})$

6.) $\text{wfhf\%fCfo, I\cdot\ddot{I}X\ddot{X}xf\{f^hf'', \delta fNf\check{S}fbfN, \mu, \ddot{A}\%0, ^3, \phi B}$

7.) $\exists w \forall f \forall B \forall x \forall f' \{ f \wedge f' = x, \exists f' \forall N \forall S \forall b \forall f \forall N \mu \in \mathbb{A}^{\text{functions}}, \exists^3 c \forall B$

8.) $\text{w''z} \cdot \text{zftf@fCf}^<, \text{fRfs}[\text{E}^3 \text{x}, \text{I}, \text{A}, \pm$
 $, \ddot{\text{e}}, \text{AAw}, \text{aF}^2 \text{x}, \ddot{\text{U}}, \frac{1}{2}, \text{IA}, \text{E}, \frac{1}{2}, \text{I}, \text{o}, \text{b}, \text{iftf}^2 \text{fb}$
 $\text{fs}[\text{fhf}^2 \text{fcfu}, \text{I} \cdot \text{fZSifhf}^2 \text{fcfu} - \frac{1}{4} \text{F}^2 \text{j}, \ddot{\text{d}}^2 \text{u}, \ddot{\text{e}}, \ddot{\text{A}}^2 \text{o}, ^3, \text{fB}$

9.) fAf_fvfebfbN Ef~fjf| fgEfhf%fCfofZfbfg, IfffBfxfN i, ± , Iftf fbfs [j, ðftf]

fbfs[] [fhf%fcfu, É“ü, ê, ÄÅAÅwOKÅxf{f^f“, öfNfSfbfN, µ, Ä, , ³/₄, ³, ¢ÅB
10.) ¶wffffofcfX, î‘’’ öÅx fEfBf“fhfE, ÅÅA, “žq, ¢

,ÍSCSIfzfXfgfAf_fvf^,ð'Í'ð, µ@A\wOK

□x, ∃fNfSfbfN, μ, A_{oo}^o, ³, C□B
11 → □OK□x, ∃fNfCfbbfN

11.) wOKx, ðfNfSfbfN, μ, ½, ç[A], », ê, ç, Ifhf
%fCfo, ªfn[fhfffBfXfN, ÉfRfs[], ³, ê, Ü, ·[B]

12.) fhf%fCfo, Ì•ÏõX, ð-LÆø, É, ·, é, ½, ß, ÉõA, o, b, ð, à, ✷, P“x-
 §, ïõã, °'¼, ³, Ë, Î, È, è, Ü, ¹
 , ñõBõwfVfXfeféÝŒv, Ì•ÏõXõx, ÌfEfBf“fhfE, ², , ç, í, ê, ½, çõAõw, Í, ¢
 (, x)õx, ð'Í'ð, û, Ä, , ¾, ³, ¢õBõw, ¢, ¢
 , !(, m)õx, ðfNfŠfbfN, µ, ½, çõA, à, Æ, ÌõwfVfXfefé, ÌfvfõfpfefBõx, ÌfEfBf“
 fhfE, É-ß, è, Ü, ·õB



+ Tf≈fi

II-É € Å^o_o^o ³ € II-B à II-œ a ^

• 100% of the energy consumed by the plant is derived from renewable sources.

Adaptec Windows 95 Driver Information

 Žú~^fffBfŒfNfgfŠ DISC2:\DRIVER\ADAPTEC\MNPD\ATMNPD

 ŠT-v

SCSIf~fjf|[]fg,Æ,ÍASCSIzfXfgfAf_fvf^,Ìfff of CfXŒfhf
‰fcfo,ÌŒŒä,ðŒs,¤,à,Ì,Å,·ŒB–á,!,ÌAAHA-2940/2940J,ðWindows 95,Ì
‰º,ÅŽg–p,·,éŒ‡,É,ÍAaic78xx.mpd,Æ,¢,¤–¹/₄'0,Ìf~fjf|[]fgŒfhf
‰fcfo,ðŽg–p,·,é,±,Æ,É,È,è,Ü,·ŒB
fAf_fvfefbfN,ÌSCSIzfXfgfAf_fvf^–pŒAŒÅŒVf~fjf|[]fgŒfhf‰fcfo,·,±
,ÌftfŒfbfs[],Ì'†,É"ü,Á,Ä,¢,Ü,·ŒB,±,ê,ç,Ìfhf‰fcfo,ÌAATŒÝŠ·<@–
pWindows 95Œ–p,Å,·ŒB

,±,ÌftfŒfbfs[],É"ü,Á,Ä,¢,éf~fjf|[]fgŒfhf‰fcfo,Í^È‰º,Ì,à,Ì,Å,·ŒF
Œ>Œ@AIC78XX.MPD
Œ>Œ@AHA154X.MPD
Œ>Œ@SPARROW.MPD

 Ç»ŒÝ, "Žg,¢,ÌSCSIf~fjf|[]fgŒfhf
‰fcfo,ðfAfŒfbfvff|[]fg,·,é,È,ÍŒA^È‰º,ÌŽeŒ‡,É[]],Á,Ä‰º,·,¢ŒB

1.) ffff of CfXf}fl|[]fwff,ð<Œ“®,µ,Ä‰º,·,¢ŒB(,·,é,ÍŒAŒwf}fcfRf“fsf...
Œ|f^Œx,ÌŒä,Éf}fEfXf|fcf“f^,ðŽŒ,Á,Ä,¢
,«ŒAf}fEfX,ÅfNfŒfbfN,µŒA,·,ç,É,»,Ì'†,ÌŒwfRf“fgfŒ|[f<fpflf<Œx,ðfN
fŒfbfN,µŒA,»,Ì'†,ÌŒwfVfXfefŒx,ðfNfŒfbfN,·,é,ÆŒAŒwfVfXfefŒ
,ÌfvfŒfpfefBŒx,Æ,¢
,¤fEfBf“fhfE,·Œ»,é,Ü,·ŒB,»,Ì'†,Éfff of CfXf}fl|[]fwff,Æ,¢
,¤fIfvfvfVf‡f“,·,é,Ü,·ŒBŒj
2.) Œwffff of CfXf}fl|[]fwffŒx,ÌfIfvfvfVf‡f“,ðfNfŒfbfN,µ,Ä‰º,·,¢ŒB

3.) ŒwSCSIfRf“fgfŒ|[f‰Œx,Æ,¢
,¤fIfvfvfVf‡f“,·Œ®,|,·,çŒA,»,é,ðfNfŒfbfN,µ,ÄfcfSŒ|[‘S’Ì,·Œ®,|,é,æ,¤
,É,µ,Ä‰º,·,¢ŒB

4.) ,·,È,·,¤,·,é,Žg,¢,ÌSCSIzfXfgfAf_fvf^,Ì–¹/₄'0,ðf_fuf<fnfŒfbfN,µ,Ä
‰º,·,¢ŒB

5.) ŒwfŒfhf‰fcfoŒxŒfvfvf‡f“,ðfNfŒfbfN,µ,Ä‰º,·,¢ŒB

6.) ŒwfŒfhf‰fcfo,Ì•ŒXŒxŒ{f^f“,ðfNfŒfbfN,µ,Ä‰º,·,¢ŒB

7.) ŒwffffBfXfNŽg–pŒxŒ{f^f“,ðfNfŒfbfN,µ,Ä‰º,·,¢ŒB

8.) **W"z•zftf@fCf<,ÍfRfs[]Œ³Œx,Ì,A,±**
 ,ë,ÅŒAŒw,`ŒFŒx,Ü,½,ÍŒA, ,È,½,Ì,o,b,ÍftfŒfbfs[]fhf
 %fCfu,Ì•¶ŽšŒifhf%fCfu—¹¼ŒFŒj,ð“ü,ê,Ä‰º,³,¢ŒB

9.) **fAf_fvfefbfNŒEf~fjf|Œ[fgŒEfhf%fCfofZfbfg,ÍffffBfxNŒi,±**
 ,ÍftfŒfbfs[]Œj,ðftfŒfbfs[]fhf
 %fCfu,É“ü,ê,ÄŒAŒwOKŒxf{f^f”,ðfNfŠfbfN,μ,Ä, ,³,³,¢ŒB

10.) **WffffofCfX,Ì‘I‘ðŒxfEfBf“fhfE,ÅŒA,“Žg,¢**
 ,ÍSCSIzfXfgfAf_fvf^,ð‘I‘ð,μŒAŒwOKŒx,ðfNfŠfbfN,μ,Ä‰º,³,¢ŒB

11.) **WOKŒx,ðfNfŠfbfN,μ,½,çŒA,»,ê,ç,Ífhf**
 %fCfo,¤fnŒ[fhffffBfxN,ÉfRfs[],³,ê,Ü,·ŒB

12.) **fhf%fCfo,Ì•ŒX,ð–LŒø,É,·,é,½,ß,ÉŒA,o,b,ð,à,¤,P“x–**
 §,žŒä,°'¼,³,Ë,Î,È,è,Ü,¹,ñŒBŒwfVfxfefŒYŒv,Ì•ŒXŒx,ÌfEfBf“fhfE,¤,
 ,ç,í,ê,½,çŒAŒw,Í,¢(,x)Œx,ð‘I‘ð,μ,Ä, ,³,³,¢ŒBŒw,¢,¢
 ,Œ(,m)Œx,ðfNfŠfbfN,μ,½,çŒA,à,A,ÌŒwfVfxfefŒ
 ,ÍfvfŒfpfefBŒx,ÌfEfBf“fhfE,É–ß,è,Ü,·ŒB

'Œ^ÓŒFf~fjf|Œ[fgfhf%fCfoŒiAHA154X.MPD, SPARROW.MPD,
 AIC78XX.MPDŒj,ÍŒA, ,È,½,¤,“Žg,¢,Ì,o,b,ÌWindows95,Ì“ü,Á,Ä,¢
 ,éffffBfŒfNfgfŠ,ÍfTfufffBfŒfNfgfŠIOSUBSYS,ÉŒA,½,³/₄'P,ÉfRfs[],·,é,³/₄
 ,-,Å,àŒAfAfbfvffŒ[fg,·,é,±,Æ,¤œo–^,Ü,·ŒB

–áŒFŒ@ftfŒfbfs[]fhf%fCfu,¤,`fhf
 %fCfuŒWindows95,ÌffffBfŒfNfgfŠ,¤C:\windows,ÌŒêŒ‡
 C:\>copy a:*.mpd c:\windows\system\iosubsys

,à,μCD-ROMfoŒ[fWfŒf“,ÌWindows
 95,ð,“Œ,ß,ÌŒêŒ‡,É,ÍŒA,»,Ì‘¼,ÌSCSIzf~fjf|Œ[fgfhf%fCfo,¤Windows
 95,ÌCD-ROM,Ì\Drivers\Storage\ffffBfŒfNfgfŠ,É“ü,Á,Ä,¢,Ü,·ŒB

 **ExŒŒŒF**
 ,±,Ìf~fjf|Œ[fgŒEfhf%fCfo,ÍŒA,` ,sŒÝŠ·Œ@,ÌWindows95Œ–
 p,Å,·ŒB,o,bŒ|,X,W–p,É,ÍŽg–p,μ,È,¢,Ä‰º,³,¢ŒB,à,μ–œ,¤^ê,o,bŒ|
 ,X,W,ÉŽg–p,³,êŒA‰¹₂,ç,Œ,Ì•s<Œ‡,¤Œ¶,¶,½ŒŒ‡ŒA•³/₄ŽD,ÍŒ0”C,ð•%,¢
 ,Œ,È,Ü,·ŒB

