

# Windows 95 Test Report

Model Name : \_\_\_\_\_ Test By : \_\_\_\_\_  
 CPU Type : \_\_\_\_\_  
 Memory Size : \_\_\_\_\_ Approved By : \_\_\_\_\_  
 Hard Disk Model : \_\_\_\_\_  
 Main Board Rev : \_\_\_\_\_ System BIOS Rev : \_\_\_\_\_  
 L2 Cache :  Enable  Disable51 BIOS Rev : \_\_\_\_\_

<b>Upgrade &amp; install</b>			
Item	Description	OK	Fail
Win3.1	install DOS & Windows, upgrade to windows 95		
	set multi-boot		
WFWG	install DOS & Windows for Work Group to windows 95		
	set multi-boot		
Win NT	install windows NT and upgrade to windows 95		
	set multi-boot		
OS2	install OS2 & upgrade to windows 95		
	set multi-boot		
<b>Driver Usage</b>			
Item	Description	OK	Fail
VGA	Automatically install VGA device & load drivers		
	set to each resolution, 640x480x16, 256, 64K, 16M		
	set to each resolution, 800x600x16, 256		
	set to each resolution, 1024x768x16, 256		
Audio	Automatically install device & load drivers		
	play .WAV file		
	play .Midi file		
	play .AVI file		
	volume control		
	recording & playback		
PCMCIA	Automaticall install device & load drivers		
	Ethernet Lan card (DLink)		
	Token Ring (IBM)		
	Modem card (E-tech)		
	SRAM card 1MB		
	ATA type II card (sundisk 10MB)		
	ATA type III card		
	Login in novell (by Ethernet card) & pick a server's text file fax to 7629500 (by modem) (i.e. use Lan card & modem card at the same time)		

Track Ball	Automaticall install correct port		
------------	-----------------------------------	--	--

	usage, sensitive, smoothly		
Track Point	Automaticall install correct port		
	usage, sensitive, smoothly		
Track Pad	Automaticall install correct port		
	usage, sensitive, smoothly		
CMD	Automatically install device & drivers		
	windstone 95 performance		
PHDISK	create partition		
0vmakfil	create /delete 0v file		

### Device Function

Item	Description	OK	Fail
Ext. Mouse	use serial mouse		
PS2 Mouse			
IRDA	use terminal by IrDA interface		
Int. KBD			
Ext. KBD			
Printer	normal printer		
	use ECP mode to print (HP 5P printer)		
HDD	usage		
	HDD compress, DrvSpace		
	ScanDisk		
	Defrag		
FDD	720KB /1.44KB format		
	R/W		
	Formatting diskette only - measure second		
	Formatting diskette & open a DOS-Windows (dir endless)		

### Hot Key Function

Item	Description	OK	Fail
Display	Fn + F1 /F2		
	Fn + F3 /F4		
	Fn + F9 /F10 /F11		
	Fn + F12		
Audio	Fn + F5/F6		
	Fn + 'B' (disable low battery beep)		
PMU	Fn+ESC		
Setup	Ctrl + Alt + 'S'		
Warm Boot	Ctrl + Alt + 'D'		

### PMU Function

Item	Description	OK	Fail
------	-------------	----	------



