















“ú–{fqf...[]fŒfbfg[]EfpfbfJ[]fhŠ”Ž@%iŽĐ

 Windows95 ŠÖ~A

 Windows3.1 ŠÖ~A

Windows3.1 ŠÖ~A

-  HP LaserJet4LJ Pro fU[fvfŠf“f^-pfhf%fcfo
“ú-ŒWindows3.1 Ver 31.V3.00
-  HP LaserJet4V fU[fvfŠf“f^-pfhf%fcfo
“ú-ŒWindows3.1 Ver 31.V2.01
-  HP LaserJet5L fU[fvfŠf“f^-pfhf%fcfo
DOS/V“ú-ŒWindows3.1 Ver 31.0.2
-  HP LaserJet5L fU[fvfŠf“f^-pfhf%fcfo
NEC PC98“ú-ŒWindows3.1 Ver 31.0.2
-  HP ScanJet fRfs[ft][fefBfŠfefB (DOS/V-p)
-  HP ScanJet fRfs[ft][fefBfŠfefB (NEC PC98-p)
-  HP DeskScan II v2.2 (DOS/V-p)
-  HP DeskScan II v2.2 (NEC PC-98”Å)
-  HP DeskJet J- Series v5.0 for Windows 3.1
-  Hewlett-Packard HP-GL/2 Windowsfhf%fcfo (HP-GL/2 ,“,æ,Ń HP
RTL)
-  HP LaserJet 4PJ fvfŠf“f^fhf%fcfo
HPJ5E Version 31.V2.00 for Windows 3.1
-  HP Scanning Software v1.01

Windows95 ŠÖ~A



HP LaserJet5L fU[fvfŠ“f^-pfhf%fcfo
for NEC PC98 “ú-ŒWindows95 Ver 40.0.1



HP LaserJet5L fU[fvfŠ“f^-pfhf%fcfo
for DOS/V “ú-ŒWindows95 Ver 40.0.1

HP LaserJet5L fœ[fU[fvfŠf“f^–pfhf%fcfo NEC PC98“ú–
{œWindows3.1 Ver 31.0.2



Žû~^ffBfœfnfgfŠ DISC2:\DRIVER\HP\WIN31\LJ5L_N



“à–e

, í, ¶, ß, É

HP LaserJet 5L fvfŠf“fefBf“f0 f\ftfgfEfffA , ÍAHP
LaserJet 5L fvfŠf“f^–p, Íf\ftfgfEfffA, Å, ·B^È
%º, ì, à, ì, ºŠÜ, Ü, è, Ä, ç, Ü, ·B

- * fvfŠf“f^ fhf%fcfo
- * fXfe[f^fX[EfEfBf“fhfE

HP LaserJet 5L
fvfŠf“f^, ÍA600dpi, Å, ì, ·ižž, ©, Å, ‘–, È^óü, ð 1 MB
, ì·Wœ“<Üf[f, fŠ, ÅŽÀœ», µ, ½%æšú“Í, ÈfvfŠf“f^, Å, ·B

fvfŠf“f^ fhf%fcfo, ÍAf0f%ftfBfbfNfX, ÆfefLfxfg, Ì^óü, É·K
–v, Èf[f, fŠ, ðÅ“K, ÉŠÇ–, ·, é, ±, Æ, É, æ, Å, ÅA]–
^, Ì600dpi, Å, Ì^óü, Å, ÍAA’á 2 MB ’ö“x, Í·K–
v, ¾, Å, ½fvfŠf“f^, Ìf[f, fŠ, ð 1 MB
, Æ, µA, ©, Å·ižžA‘–“x, É’Å<|, µ, È, ç^óü, ð’á%žšì, ÅŽÀœ», µ, Ä, ç
, Ü, ·B

, Ü, ½A, ±, ÌfvfŠf“f^ fhf%fcfo, Å, ÍAqf...
[fœfbfg[EfpfbfJ[fhŽĐ, ÍŠJ”, µ, ½fvf[fbf^fšœä–p, Íœ¾œè HP-GL/2
, ðfTf|[fg, µ, Ä, ç, Ü, ·B·K–v, È%ž, ¶, Å HP-GL/2 , ðf0f
%ftfBfbfNfX, Ì^óü, ÉŽg–p, ·, é, ±
, Æ, É, æ, Å, ÅA, ‘–, Å, ©, Å”ü, µ, çf0f%ftfBfbfNfX, Ì^óü, ºÅ”\
, Å, ·B

fvfŠf“f^ fhf
%fcfo, ÍY’èf_fCfAf0, à^èV, ³, è, Ü, µ, ½Bft[fU, É, à, ³, µ, çY’è
, É%Á, !Afqf“fgî·ñ, à“–žž, É·\
Ž!, µ, Ü, ·B^óü·ižž, ðhŽ“®h, ÉY’è, ·, é, ±
, Æ, É, æ, èA, Ü, Æ, ñ, ç, Ì^óü, ºÅ“K, É[s, |, é, æ, º, Éfhf
%fcfo, ðY’è, µ, Ü, ·B^óü’–“x, ð, Æ, –
, Édž<, ·, éè±, â^óü·¶’ , º“Á, É·; ŽG, Åf[f, fŠ[EfI[fœ[f\ftf[[,
º”¶, ·, éè±[Af}fj...fAf<, ÅÜx, ÉY’è, ð[s, º, ±, Æ, à%Å”\
, Å, ·B

fXfe[f^fX[EfEfBf“fhfE, ÍAHP LaserJet 5L fvfŠf“f^–
p, ÌWindows f\

ftfgfEfFfA, Å, · □BfXfe □ [f^fX □ EfEfBf "fhfE, É, æ, è □ Af t □ [fU, Í, ç, Å, Å, à fvfŠf "f^, Ì ⊕ » □ Ý, Ì fXfe □ [f^fX □ i ó ' Ô □ j, ð ' m, é, ±, Æ, º, Å, «, Ü, · □ B, Ü, ½ □ AfXfe □ [f^fX □ EfEfBf "fhfE, Í □ AfvfŠf "f^, É - pŽt, º - ³, , È, Å, ½, Æ, «, È, Ç □ Af t □ [fU, É ' m, ç, ¹, ½, ç, ±, Æ, º - □ ¶, µ, ½ Žž □ AfEfBf "fhfE f □ fbfZ □ [fW, Æ, µ, Å • ñ □ □, µ, Ü, · □ B

fvfŠf "f^ fhf%fcfo, Ì "Á' ·

fvfŠf "f^ fhf%fcfo, É, Í □ A ^ È % °, Ì, æ, º, È "Á' ·, º, , è, Ü, · :

1) □ V, µ, ç f t □ [fU □ EfCf "f^ □ [f t f F f C f X
f J □ [f h □ E f t f @ f C f < È ` Ž ®, Å, í, ©, è, â, ·, -
□ A ' € □ ì, µ, â, ·, ç f t □ [fU □ EfCf "f^ f t f F f C f X, É ^ è □ V, ³, è, Ü, µ, ½ □ B f p f l f
<, É, Í □ A [-pŽt] □ A [^ ó □ ü • i Ž ÿ], , æ, Ñ [f I f v f v f f "], º -
p ^ Ó, ³, è □ A, » , è, ¼, è, Ì f p f l f <, É f } f E f X □ E f | f C f "f^, Ì ^ È ' u, É ' î
% ž, µ, ½ ' € □ ì, Ì f q f "f g, º • \ Ž | , ³, è, Ü, · □ B

2) , í, ©, è, â, ·, ç ^ ó □ ü • i Ž ÿ, Ì □ Ý ' è

[^ ó □ ü • i Ž ÿ] f p f l f <, Å, Í □ A, í, ©, è, â, ·, ç ^ ó □ ü • i Ž ÿ, Ì □ Ý ' è, ð -
p ^ Ó, µ, Ü, µ, ½ □ B

[Ž © " ®], ð ' I ' ð, ·, é, Æ □ i f f f t f H f < f g □ j f v f Š f "f^ fhf
%fcfo, º Ž g - p, µ, Å, ç, é f A f v f Š f P □ [f v f f " □ E f \
f t f g f E f F f A, ð " » • È, µ □ A, » , è, É " K " - , Æ Ž v, í, è, é f h f
%fcfo, Ì □ Ý ' è, ð [• ¶ Ž š, Ì f v f Š f "f g] □ A [f O f % f t f B f b f N f X, Ì f v f Š f "f g]
, Ì ' t, ©, ç Ž © " ® " I, É ' I ' ð, µ, Ü, · □ B [• ¶ Ž š, Ì f v f Š f "f g]
, º ' I ' ð, ³, è, é Ž â, È f A f v f Š f P □ [f v f f " □ E f \ f t f g f E f F f A, Í □ A ^ È
% °, Ì, à, Ì, Å, · :

Lotus 1-2-3, Lotus AmiPro, Lotus Approach, MS
Excel, MS Word, MS Access, MS Works, Windows Write, f □ f, ' ,
WordPerfect, Borland Paradox, Borland Quattro Pro

□ ® □ A f □ f, ' , Å, Í □ A 600 dpi, Ì ^ ó □ ü, Å □ ¶ f } □ [f w f " □ Ý ' è, É □ ³, µ, " □ ì, µ, È
, ç □ è □ †, º, , é, ½, ß □ A Ž © " ® " I, É 300 dpi, º ' I ' ð, ³, è, Ü, · □ B

[• ¶ Ž š, Ì f v f Š f "f g], Å, Í □ A Windows , Ì TrueType
f t f H f "f g, ð f v f Š f "f^, É □, ' - , É f _ f E f "f □ □ [f h □ B, ±, è, É, æ, è □ A f O f
% f t f B f b f N f X, Ì ^ ó □ ü, Ì, ½, ß, É Ž g -
p, Å, «, é f v f Š f "f^, Ì f □ f, f Š, Í □ \$ È Å, ³, è, Ü, ·, º □ A • ¶ Ž š, Ì ^ ó □ ü, Í < É, ß, Å
□, ' - , Æ, È, è f v f Š f "f^ f t f H f "f g, Ì, æ, º, É
% õ " K, Å, · □ B, à, µ □ A f □ f, f Š □ E f I □ [f o □ [f t f □ □ [, º " ¶ , ·, é □ è □ †, Í □ A [f o f
% f t f B f b f N f X, Ì f v f Š f "f g], ð ' I ' ð, µ, Ü, · □ B
[f o f % f t f B f b f N f X, Ì f v f Š f "f g], Å, Í □ A TrueType
f t f H f "f g, à f O f % f t f B f b f N f X, Æ, µ, Å □ ^ - □ □ B f v f Š f "f^, Ì f □ f, f Š, ð f O f
% f t f B f b f N f X, Ì □ ^ - □, É □ Å ' à È Å Ž g - p, ·, é, ±,
, Æ, É, æ, Å, Å □ A, æ, è • i Ž G, È f O f % f t f B f b f N f X, Ì ^ ó □ ü, à % Å " \

,Æ,μ,Ü,·□B,à,μ□Af□f,fŠ□EfI□[fo□[ftf□□[,a"-
□¶,·,é□ê□±,Í□A[300dpi fvfŠf"fg],ð'I'ð,μ,Ü,·□B
[□,·ižžfvfŠf"fg]
,Å,Í□AfvfŠf"f^,Ìf□f,fŠ,ª·s'«,μ,½□ê□±,É,à^ó□ü,ð%Å"\
,É,·,éfCf□□[fw□EfAf_fvfg,Ì<@"\,ðŽg-
p,μ,Ü,¹,ñ□i'¼,Ìf,□[fh,Å,ÍŽ©"®"I,ÉŽg-
p□j□B,» ,Ì,½,ß□Af□f,fŠ,ª·s'«,μ,½Žž,Å,àfCf□□[fw^³□k,ð□s,Á,Ä^ê
·",Ì·ižž,ð%°,°,Á^ó□ü,¹,·,É□Af□f,fŠ□EfI□[fo□[ftf□□[fGf
%□[,ð"□¶,μ,Ü,·□B0HPfv□[fg,Ì^ó□ü,È,Ç·K,□,·ižž,É□o-Í,ª·K-
v,ÉŽž□A-pŽt,ð-³'É,É,·,é,±,Æ,ª,è,Ü,¹,ñ□B
[300dpi fvfŠf"fg],Å,Í□A□,È,çfvfŠf"f^
f□f,fŠ,Å^ó□ü,ª%Å"\
,Å,·□B600dpi,Ì^ó□ü,Åf□f,fŠ□EfI□[fo□[ftf□□[,a"-
□¶,μ,Ä^ó□ü,Å,« ,È,ç□ê□±□A,±,Ì□Ý'è,ð'I'ð,μ,Ü,·□B

[f}fj f...fAf<□Ý'è],Å,Í□A,·,x,Ä,Ì□Ý'è,ðf}fj f...
fAf<,Å□s,±,Æ,ª%Å"\,Å,·□B

3) TrueType ftfHf"fg,Ì□, ' - ^ ó ü
[·¶Žž,ÌfvfŠf"fg],ð'I'ð,μ,½□ê□±□A,Ü,½,Í□A[f}fj f...
fAf<□Ý'è],©,ç[TrueType ,ðf_fEf"f□□[fh,·,é]
,ð'I'ð,μ,½□ê□±□AWindows ,Í TrueType
ftfHf"fg,ðfvfŠf"f^,É□, ' - ,Éf_fEf"f□□[fh,μ,Ä^ó□ü,μ,Ü,·□BfvfŠf
"f^ fhf%fcfo, ,æ,ñfvfŠf"f^,Å,ÌfLfffbfVf...
fefNfmf□fW□[,ªfvfŠf"f^
ftfHf"fg,É^ø, -,ð,Æ,ç,È,çfpftfH□[f}f"fX,ðŽÀ«»,μ,Ü,·□B

4) HP-GL/2 ,ÌfTf|□[fg
□]-^,Ì HP LaserJet fvfŠf"f^,Æ"-l,É□AHP-GL/2
,ªfvfŠf"f^ fhf%fcfo,ÅfTf|□[fg,³,ê,Ü,·□BfOf
%ftfBfbfNfX,Ì^ó□ü'-"x,ð"Á,É□dŽ<,·,é□ê□±□AHP-GL/2 ,ðŽg-
p,μ,Ä,Ì^ó□ü,ªÆ%É"Í,Å,·□B,½,¾,μ□A^ê"É,É HP-GL/2 ,ðŽg-
p,μ,½^ó□ü,Å,Í□AfOf%ftfBfbfNfX,ðf%fxf^ fOf
%ftfBfbfNfX,Æ,μ,Ä^ - □,·,é□ê□±,É"ä,x□AfvfŠf"f^,Ìf□f,fŠ,ð'½,-
·K-v,Æ,μ,Ü,·□B·K-v,É%ž,¶,Å□A[f}fj f...fAf<□Ý'è]
,©,ç'I'ð,μ,Ü,·□B

5) %ç·¶fvfŠf"f^ ftfHf"fg,ÌfTf|□[fg
fvfŠf"f^ fhf%fcfo,Å,Í□AHP LaserJet 5L ,ª"à' ,·,é
Intellifont ftfHf"fg,ðfTf|
□[fg,μ,Ü,·□BfvfŠf"f^"à' ftfHf"fg,Í□AfAfvfŠfP□[fvf±f"□Ef\
ftfgfEfFfA,Ì□h□' 'Ì'I'ð□h□fj f...□[,È,Ç,Å,Í□A□' 'Ì-¼,Ì□¶%
i,ÉfvfŠf"f^,ÌfAfCfRf"·t,« ,Å·\Ž| ,³,ê,Ä,ç,Ü,·□B,±
,é,ç,ÌftfHf"fg,É'Í,·,éfxfnfŠ□[f" ftfHf"fg,ª,É,ç
,½,ß□AfXfnfŠ□[f"□ä,Ì·\Ž|,Í Windows ,ªŽ□,Å,Ä,ç,é,È,é,x,-
<ß,ç·É,ÌftfHf"fg,ª'ä-p,³,ê,Ü,·,ª□A^ó□ü,É,ÌfvfŠf"f^"à' ,Ìfxf

P[f%uf<EftfHf“fg, aŽg-
p, ³, è, é, ½, ßA, ‘, ¬, ©, Â, •iŽž, É^óü, a□s, È, í, ê, Ü, •B

6) fOf%ftfBfbfNfX•iŽž, ÌfTf|□[fg
600dpi, Ìf, □[fh, É, “, ç, ÅA600A300A150dpi, Ì
%ð‘æ“x, a□A, Ü, ½A300dpi, Ìf, □[fh, “, ç, Å 300A150A75dpi, Ì
%ð‘æ“x, a fTf|□[fg, ³, è, Ä, ç, Ü, •B, ±, è, ç, Ì
%ð‘æ“x, ÌY’è, ÌA[f}fj...fAf<Y’è], ©, ç[fOf%ftfBfbfNfX•iŽž(Q)]
, É, “, -, é[□, •iŽž]A[•É]A[fhf%ftfg], Ì‘I’ð, É, æ, Á, Å□s, ç
, Ü, •B

7) fGfRfmf, □[fh, ÌfTf|□[fg
fgfi□[, ÌA”i-
Ê, ð□SÈÀ, µ□Afgfi□[fJ□[fgfŠfbfW, ð, æ, è’•, Žg-p, •, é, ±
, Æ, a, Å, «, Ü, •BfGfRfmf, □[fh, Å, Ìo-Í, Ì[fhf%ftfg], ÌfOf
%ftfBfbfNfX•iŽž, ÆŽ-, Å, ç, Ü, •Bfgfi□[, ÌA”i, ð□, È, •, •, é, ½, ß, ÉŽg
-p, •, éfhfbfg, a□, È, , È, é, æ, x, ÉfRf“fgf□□[f<, µ, Ä, ç
, Ü, •BÈo□Ì«ASÄ<<, É, â, ³, µ, ç<@”\, Å, •B

8) ^óü”Z“x, ÌfTf|□[fg

□D, Ý, É□#, í, ¹, Ä^óü”Z“x, aY’è, Å, «, Ü, •B□Y’è, Í5’iŠ□B[fIfvfVf
#f“]fpflf<, ÅY’è, µ, Ü, •B

9) fGf“fnf“fXfhI/0, ÌfTf|□[fg

fvfŠf“f^, ÌI/Ofobftf@, Ì‘ã, «, ³, ð□Å“K, ÉfRf“fgf□□[f<, •, é, ±
, Æ, É, æ, Á, Å□A, È, çfvfŠf“f^ f□f, fŠ, ð□Å‘ãÈÀ, ÉŽg-
p, µ, Ü, •B[fIfvfVf#f“]fpflf<, ÅY’è, µ, Ü, •B

10) REt, ÌfTf|□[fg

REt, Æ, ÌA^óü•iŽž, ðEü□ã, ³, ¹, é, ½, ß, Ìfqf...
□[fEfbfg□EfpbfJ□[fhŽĐ“ÆŽ©, Ì^óü<Z□p "Resolution
Enhancement technology", Å, •B[fIfvfVf#f“]fpflf<, É, “, ç
, Ä‘I’ð, µ, Ü, •B

Version 31.0.1, ©, ç, Ì•ÌX“_, É, Å, ç, Ä

Version 31.0.2, Å, ÌA^È%º, Ì€-Ú, a□C³A•ÌX, ³, è, Ü, µ, ½□B

[^óü•iŽž]fpflf<, ÅA[•Ÿš, ÌfvfŠf“fg]□A, à, µ, , Ì[Ž©“®]
, É, æ, Á, Ä[•Ÿš, ÌfvfŠf“fg], a‘I’ð, ³, è, é□ê#□A, Ü, ½□A[f}fj...
fAf<Y’è], É, æ, Á, Ä [TrueType, ðf_fEf“f□□[fh, •, é]
, ð‘I’ð, µ, ½□ê#:

1). LOTUS 1-2-3 for Windows, É, “, ç, Å□AfI□[fo□[f
%fbfv, ³, è, éfzf<“à, ÌfefLfXfg, a fNfŠfbfv, ³, è, È, ç, ±, Æ, a, , é□B

2). Borland Paradox 5.0J ,É,¨,ç,ÄA fZf<,É
%Ešň,¹,ðŽw'è,µ,½Žž,ÉAĚã,İ•ŕŽš,ª^óü,³,ê,È,ç,±,Æ,ª, ,éB

,» ,İ'¼:

3). Aldus PageMaker 5.0J ,É,¨,ç,ÄA "Á'è,İ-
pžtfTfCfY,ÄA^óü^É'u,ª, ,ê,é,±,Æ,ª, ,éB

•ŕŽš,İ^óü,É,¨,ç,ÄA•ŕŽš,İ^ê"•ª,İfNfšfbfv,Ífhf
%fCfo,İ\$ĚÀ,É,æ,è,Å,« ,Ü,¹,ňB2). ,Å<" ,° ,ç,ê,½ Borland
Paradox 5.0J ,İ,æ,ª
,ÉA^ê" ,İfAfvfšfP[fVf#f" ,Å,Í•ŕŽš,İf rfbfgf}fbfv,İ"à,İ^ê"•
ª,ðfZf<,İŠ0,ÉfNfšfbfv,·,é,æ,ª,ÉŽw'è,µ,Å^óü,·,é,à,İ,ª, ,è,Ü
,·BVersion 31.0.1 ,Å,ÍA,±,İ,æ,ª,È•ŕŽš,İ^óüo-
^,Ü,¹,ň,Å,µ,½,ªA31.0.2 ,Å,ÍA,±,İ,æ,ª,Èê# ,İ^'u,Æ,µ,Ä
WIN.INI ftf@fCf<,É^È%º,İ,æ,ª,ÈŸ'è,ð,·,é,±,Æ,ÅA,±
,ê,ð^óü,·,é,±,Æ,ð%Å"\ ,Æ,µ,Ü,µ,½B

1. fvf f0f%f€
f}fL[fWff,İ[f fCf"]f0f<[fv,æ,èA[fRf"fgf[f<
fpflf<]fAfCfRf",ðf_fuf< fNfšfbfN,µ,Ü,·B
2. [fRf"fgf[f<
fpflf<]fEfBf"fhfE,©,ç[fvfšf"f^]fAfCfRf",ð'I'ð,·,é,ÆA[fvfšf
"f^,İŸ'è]f_fCfAf f0 f{fbfNfX,ª•\Ž|,³,ê,Ü,·B
3. [Ÿ'è(S)...]f{f^f",ð'I'ð,µ,Ü,·B
4. [Ÿ'è]f_fCfAf f0
f{fbfNfX,ÄA[OK]f{f^f",ðfNfšfbfN,µ,Ü,·B
5. [I-¹]f{f^f",ðfNfšfbfN,µ,Ü,·B

^Èã,İ'€İ,ðs,È,ª,Æ Windows fffBfĚfNfgfš,İ win.ini
ftf@fCf<,É^È%º,İ,æ,ª,ÈZfNfVf#f",ª"o~^,³,ê,Ü,·iLPT1
,ÍAÜ'±,³,ê,½f| [fg-¼jB

[HP LaserJet 5L (JAPAN),LPT1]

f f, ' ,È,Ç,ðŽg-p,µ,ÄA,±,İfZfNfVf#f",É^È
%º,İfGf"fgfš,ð"o~^,·,é,ÆfNfšfbfv<<ŠEĚã,İ•ŕŽš,İ^óü,ª%Å"\
,Æ,È,è,Ü,·B

noBoundaryClipping=1

,Ü,½AŸ'è'l,ð 0 ,É,·,é,±,Æ,É,æ,è,±,İŸ'è,ð%ðæ,·,é,±
,Æ,ª,Å,« ,Ü,·B,±,İŸ'è,ÍAĚ'¥,Æ,µ,ÄĚX,İ^óüfWf#fu-
^,Éf`fFfbfN,³,ê,Ü,·,İ,ÅAŸ'è,İ•İX,İ,½,ß,É Windows
,ðÄ<N"®,·,é•K-v,Í, ,è,Ü,¹,ňB

Microsoft Windows 3.1J ,Ö,İ'g,Ÿž,Ÿ,É,Â,ç,Ä

*'□^Ó

fCf“fXfg□[f<□ì<Æ, ð□s, x'0, É□AfEfBf<fX□Ef`fFfbfN, âTSR□if□f, fŠ
□í'“Æ^□jf\ftfgfEfFfA□AHP LaserJet 4LJ Pro
fXfe□[f^fX□EfEfBf“fhfE , È, Ç, Ì□í'“Æ^f\ftfgfEfFfA, Í, ·, x, Ä□I-
¹, μ□A, » , è, ç, ªŽ““®“I, É<N“® , ³, è, È, ç-l, É, μ, ½Æä, É Windows
, ð□Ä<N“® , μ, Ä, , ¾, ³, ç□B

, È, “□A-{ fvfŠf“fefBf“f0 f\ftfgfEfFfA , ÉŠÜ, Ü, è, é
fXfe□[f^fX□EfEfBf“fhfE , Í□A HP LaserJet 4 LJ Pro
fvfŠf“f^, àfTf|□[fg, ·, é, ±, Æ, ª%Ä“\, Å, ·□B%pÆé”Å HP LaserJet
Printing System , ÉŠÜ, Ü, è, é fXfe□[f^fX□EfEfBf“fhfE
, â□A'¼ŽĐ□» , Ì“~Ží, Ìf\ftfgfEfFfA, Æ, Ì□-□Ý, ÍfTf|□[fg, μ, Ä, ç
, Ü, ¹, ñ□B□i, ½, ¾, μ□A, ²Žg-p't, ÌfvfŠf“f^□Efhf%fcfo, É, Ä, ç
, Ä, Í□A, ±, è, Ü, Å'É, è, É, ²Žg-p, ç, ½, ¾, -, Ü, ·□B□j□Ú, μ, -
, Í•É□Í, ð, ²ŽQ□Æ, , ¾, ³, ç□B

HP LaserJet 5L , ÌfvfŠf“fefBf“f0 f\ftfgfEfFfA
, É, Í□AMicrosoft Windows 3.1J , ÉfvfŠf“f^ fhf
%fcfo, ÆfXfe□[f^fX□EfEfBf“fhfE, ð'g, Ý□ž, p, ½, ß, ÌfZfbfgfAfbfv
fvf□f0f%fc€, ª•t, ç, Ä, ç, Ü, ·□B^É%º, Ìžè□‡, É□], Á, Ä'g, Ý□ž, ñ, Å
%º, ³, ç□B

1. Microsoft Windows 3.1J , ðfXf^□[fg, μ, Ä%º, ³, ç□B
2. HP LaserJet 5L , ÌfvfŠf“fefBf“f0 f\
ftfgfEfFfA, Ìftf□fbfs□[fffBfXfN, ð□AfffBfXfN fhf
%fcfu, É“ü, è, Ä%º, ³, ç□B
3. fvf□f0f%fc€ f}fL□[fwff, Å□A[fAfCfRf“(F)]f□fjf...
□[, ©, ç□A[ftf@fCf<-¼, ðžw'è, μ, ÄŽÀ□s(R)]fRf}f“fh, ð'I'ð, μ, Ü, ·□B
4. [ftf@fCf<-¼, ðžw'è, μ, ÄŽÀ□s]f_fCfAf□f0 f{fbfNfX, Å□AHP
LaserJet 5L , Ì fvfŠf“fefBf“f0 f\ftfgfEfFfA
fffBfXfN, Ì“ü, Á, Ä, ç, éfffBfXfN fhf%fcfu-¼, Æ SETUP.EXE
, ð[fRf}f“fh f%fcf“]fefLfXfg f{fbfNfX, Éf^fCfv, μ, Ü, ·□B
5. ^É□~□AfZfbfgfAfbfv fvf□f0f%fc€, ª•\Ž!, ·, éžwŽ!, É□], Á, Ä, -
, ¾, ³, ç□B

, Ü, ½□A□]-^, Ì, æ, x, É□AfvfŠf“f^ fhf%fcfo, Ì, Ý, ð Microsoft
Windows 3.1J , ÌfRf“fgf□□[f< fpflf<, ©, ç'g, Ý□ž, p, ±, Æ, à%Ä“\
, Å, ·□B, » , Ì□è□‡□A^É%º, Ì, æ, x, É'É□ì, ª•K-v, Å, · :

1. fvf□f0f%fc€
f}fL□[fwff, Ì[f□fCf“]f0f<□[fv, æ, è□A[fRf“fgf□□[f<
fpflf<]fAfCfRf“, ðf_fuf< fNfŠfbfN, μ, Ü, ·□B
2. [fRf“fgf□□[f<
fpflf<]fEfBf“fhfE, ©, ç[fvfŠf“f^]fAfCfRf“, ð'I'ð, ·, é, Æ□A[fvfŠf
“f^, Ì□Ý'è]f_fCfAf□f0 f{fbfNfX, ª•\Ž!, ³, è, Ü, ·□B

3. ['Ç%Á>>]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
4. ['g, Ý□ž, PfvfŠf" f^, Ì' I' ð], Ì^ê—, æ, è, [^ê—, É, È, çfvfŠf" f^, â□X□V, ³, è, ½fvfŠf" f^, Ì' g, Ý□ž, Ý], ð' I' ð, µ, Ü, ·□ifŠfXfg, Ì□Å□%, Ì□€—Ú, Å, ·□j□B
5. ['g, Ý□ž, Ý(I) ...]f{f^f", ð' I' ð, µ, Ü, ·□B
6. HP LaserJet 5L fvfŠf" fefBf" f0 f\ ftfgfEfFfA, Ìftf□fbfs□[fffBfXfN, ðfffBfXfN fhf %fCfu, É"ü, ê□Afhf%fCfu—¼, ðŽw"è, µ, Ü, ·□B
7. "HP LaserJet 5L (JAPAN)" , ð' I' ð, µ□A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
8. [□Ú±(C) ...]f{f^f", ð' I' ð, µ, Ü, ·□B
9. [□Ú±□æ(P)], Ì^ê—, ©, ç□AfvfŠf" f^, ðŠ,, è"— , Ä, é□Ú' ±□æ, ð' I' ð, µ, Ü, ·□B
10. [□, '¬, É^ó□ü], Ìf`fFfbfN f{fbfNfX, ð' I, ñ, ÅX^ó, ð•t, ~□A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
11. [□Ý'è(S) ...]f{f^f", ð' I' ð, µ, Ü, ·□B
12. [□Ý'è]f_fCfAf□f0 f{fbfNfX, Å□A•K—v, È□Ý'è, ð□s, ç, Ü, ·□B
13. [OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
14. ['É□íŽg, ðfvfŠf" f^, Æ, µ, Å□Ý'è(E)]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
15. [□I—¹]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B



ftf@fCf<□\□¬

RESOURCE DLL	20,992	96-01-30	10:16
SUPPORT DLL	89,456	96-01-30	10:16
MSSHLSTF DLL	14,832	96-01-30	10:16
MSUILSTF DLL	6,144	96-01-30	10:16
COMMCTRL DL_	33,901	96-01-30	10:16
CTL3DV2 DL_	12,279	96-01-30	10:16
HPJ5G1 DL_	28,533	96-01-30	10:16
HPJ5G2 DL_	23,557	96-01-30	10:16
HPJ5G3 DL_	73,634	96-01-30	10:16
HPJ5GFE DL_	14,071	96-01-30	10:16
HPJ5GUI DL_	42,494	96-01-30	10:16
HPLJ4QP DL_	5,134	96-01-30	10:16
HPLJCOMM DL_	4,327	96-01-30	10:16
HPPDF5LJ DL_	27,305	96-01-30	10:16
HPPJLMON DL_	6,596	96-01-30	10:16
HPTABJ16 DL_	43,144	96-01-30	10:16
MSCOMSTF DL_	41,344	96-01-30	10:16
MSCUISTF DL_	70,249	96-01-30	10:16
MSDETSTF DL_	14,949	96-01-30	10:16
MSINSSTF DL_	40,808	96-01-30	10:16
HPJ5G DRV	88,128	96-01-30	10:16
_MSSETUP EXE	9,813	96-01-30	10:16

_MSTEST	EXE	89,504	96-01-30	10:16
SETUP	EXE	24,624	96-01-30	10:16
HPDEI5LJ	EX_	14,714	96-01-30	10:17
HPSW	EX_	69,604	96-01-30	
10:17				
PRINTMAN	EX_	31,600	96-01-30	10:17
HPINSTAL	HLP	14,217	96-01-30	10:16
Windows à-ftf@fCf<				
PRINTMAN	HL_	34,844	96-01-30	10:17
HP5LJ	HL_	114,723	96-01-30	10:16
HPJ5G	HL_	29,071	96-01-30	10:16
SETUP	HP	4,321	96-01-30	
10:16				
DIALOGID	INC	1,275	96-01-30	10:16
SETUPAPI	INC	55,620	96-01-30	10:16
STRINGID	INC	51	96-01-30	10:16
STRINGS	INC	994	96-01-30	
10:16				
SUPPORT	INC	4,533	96-01-30	10:16
SYMBOLS	INC	1,065	96-01-30	10:16
OEMSETUP	INF	1,096	96-01-30	10:16
SETUP	INF	4,236	96-01-30	
10:16				
SETUP	IN_	1,363	96-01-30	
10:16				
MSDETECT	IN_	4,726	96-01-30	10:16
SETUP	LST	927	96-01-30	
10:16				
SETUP	LYT	7,444	96-01-30	
10:16				
SETUP	MST	39,254	96-01-30	10:16
THREED	VB_	33,489	96-01-30	10:16
README5G	WRI	43,904	96-01-30	10:16
à-ftf@fCf<				

HP LaserJet5L fC[fU[fvfŠf“f^~pfhf%fcfo DOS/V“ú-
{CêWindows3.1 Ver 31.0.2



Žû~^ffBfCfNfgfŠ DISC2:\DRIVER\HP\WIN31\LJ5L_V



“à-e

‘î%ž<@Ží

HP LaserJet5L

, í, ¶, ß, É

HP LaserJet 5L fvfŠf“fefBf“f0 f\ftfgfEfffA , íAHP
LaserJet 5L fvfŠf“f^~p, İf\ftfgfEfffA, Å, ·B^È
%º, İ, à, İ, ºŠÜ, Ü, ê, Ä, ç, Ü, ·B

- * fvfŠf“f^ fhf%fcfo
- * fXfe[f^fX[EfEfbf“fhfE

HP LaserJet 5L
fvfŠf“f^, İA600dpi, Å, İ, ·ižž, ©, Å, ‘¬, È^óü, ð 1 MB
, İ·W€“<Üf[f, fŠ, ÅŽÀ»», µ, ½%æŠú“İ, ÈfvfŠf“f^, Å, ·B

fvfŠf“f^ fhf%fcfo, İAf0%ftfBfbfNfX, ÆfefLfxfg, İ^óü, É·K
-v, Èf[f, fŠ, ðÅ“K, ÉŞÇ-□, ·, é, ±, Æ, É, æ, Á, ÄA□]-
^, İ600dpi, Å, İ^óü, Å, İA□Á’á 2 MB ’ö“x, İ·K-
v, ¾, Á, ½fvfŠf“f^, İf[f, fŠ, ð 1 MB
, Æ, µA, ©, Å·ižž□A’¬“x, É’Ä<|, µ, È, ç^óü, ð’á%žŠi, ÅŽÀ»», µ, Ä, ç
, Ü, ·B

, Ü, ½A, ±, İfvfŠf“f^ fhf%fcfo, Å, İAfqf...
□[fEfbfg□EfpfbfJ□[fhŽĐ, İŠJ”, µ, ½fvf□fbf^□ŞEä-p, İE¾Eê HP-GL/2
, ðfTf|□[fg, µ, Ä, ç, Ü, ·B·K-v, É%ž, ¶, Å HP-GL/2 , ðfOf
%ftfBfbfNfX, İ^óü, ÉŽg-p, ·, é, ±
, Æ, É, æ, Á, ÄA□, ‘¬, Å, ©, Å”ü, µ, çf0f%ftfBfbfNfX, İ^óü, ºÅ”\
, Å, ·B

fvfŠf“f^ fhf
%fcfo, İY’èf_fCfA□f0, à^êV, ³, ê, Ü, µ, ½Bft□[fU, É, â, ³, µ, çY’è
, É%Á, !□Afqf“fg□î·ñ, à“~žž, É·\
Ž|, µ, Ü, ·B^óü·ižž, ðhŽ©“@□h, ÉY’è, ·, é, ±
, Æ, É, æ, èA, Ü, Æ, ñ, Ç, İ^óü, ºÅ“K, É□s, |, é, æ, x, Éfhf
%fcfo, ðY’è, µ, Ü, ·B^óü’¬“x, ð, Æ, -
, É□dž<, ·, é□ê□#, â^óü·¶□’, º“Á, É·ižž, Åf□f, fŠ□EfI□[fo□[ftf□□l,

ª"□¶, ·, é□ê□±□Af}fj f...fAf<, Å□Ú□×, È□Ý'è, ð□s, ¨, ±, Æ, à%Å" \, Å, ·□B

fXfe□[f^fX□EfeFbf"fhfE, Í□AHP LaserJet 5L fvfŠf"f^~
p, ÌWindows f\
ftfgfEfFfA, Å, ·□BfXfe□[f^fX□EfeFbf"fhfE, É, æ, è□Aft□[fU, Í, ç
, Å, Å, àfvfŠf"f^, Ì«»□Ý, ÌfXfe□[f^fX□i□ó'Ô□j, ð'm, é, ±
, Æ, ª, Å, «, Ü, ·□B, Ü, ½□AfXfe□[f^fX□EfeFbf"fhfE, Í□AfvfŠf"f^, É~
pŽt, ª~³, , È, Å, ½, Æ, «, È, Ç□Aft□[fU, É'm, ç, ¹, ½, ç, ±, Æ, ª" -
□¶, µ, ½Žž□AfeFbf"fhfE f□fbfZ□[fW, Æ, µ, Ä•ñ□□, µ, Ü, ·□B

Version 31.0.1 , ©, ç, Ì•İ□X"_, É, Å, ç, Ä

Version 31.0.2 , Å, Í□A^È%º, Ì□€-Ú, ª□C□³□A•İ□X, ³, ê, Ü, µ, ½□B

[^ó□ü•iŽž]fpflf<, Å□A[•¶Žš, ÌfvfŠf"fg]□A, à, µ, , Í[Ž©"®]
, É, æ, Å, Ä[•¶Žš, ÌfvfŠf"fg], ª'I'ð, ³, è, é□ê□±□A, Ü, ½□A[f}fj f...
fAf<□Ý'è], É, æ, Å, Ä [TrueType , ðf_fEf"f□□[fh, ·, é]
, ð'I'ð, µ, ½□ê□±:

1). LOTUS 1-2-3 for Windows , É, ", ç, Ä□AfI□[fo□[f
%fbfv, ³, è, éfZf<"à, ÌfefLfXfg, ªfNfŠfbfv, ³, è, È, ç, ±, Æ, ª, , é□B

2). Borland Paradox 5.0J , É, ", ç, Ä□AfZf<, É
%EŠñ, ¹, ðŽw'è, µ, ½Žž, É□Åæ, Ì•¶Žš, ª^ó□ü, ³, è, È, ç, ±, Æ, ª, , é□B

, » , Ì'¼:

3). Aldus PageMaker 5.0J , É, ", ç, Ä□A"Á'è, Ì~
pŽtftfCfY, Å□A^ó□ü^È'u, ª, , , è, é, ±, Æ, ª, , é□B

•¶Žš, Ì^ó□ü, É, ", ç, Ä□A•¶Žš, Ì^ê"•ª, ÌfNfŠfbfv, Ífhf
%fCfo, Ì□\$Æ, É, æ, è, Å, «, Ü, ¹, ñ□B2). , Å<" , °, ç, è, ½ Borland
Paradox 5.0J , Ì, æ, ¨
, É□A^ê" , ÌfAfvfŠfP□[fvf±f" , Å, Í•¶Žš, Ìfrfbfgf}fbfv, Ì"à, Ì^ê"•
ª, ðfZf<, ÌŠO, ÉfNfŠfbfv, ·, é, æ, ¨, ÉŽw'è, µ, Å^ó□ü, ·, é, à, Ì, ª, , è, Ü
, ·□BVersion 31.0.1 , Å, Í□A, ±, Ì, æ, ¨, È•¶Žš, Í^ó□ü□o~
^, Ü, ¹, ñ, Å, µ, ½, ª□A31.0.2 , Å, Í□A, ±, Ì, æ, ¨, È□ê□±, Ì□^'u, Æ, µ, Ä
WIN.INI ftf@fCf<, É^È%º, Ì, æ, ¨, È□Ý'è, ð, ·, é, ±, Æ, Å□A, ±
, è, ð^ó□ü, ·, é, ±, Æ, ð%Å" \, Æ, µ, Ü, µ, ½□B

1. fvf□f0f%f€
f}fl□[fwff, Ì[f□fCf"]f0f<□[fv, æ, è□A[fRf"fghf□□[f<
fpflf<]fAfCfRf", ðf_fuf< fNfŠfbfN, µ, Ü, ·□B
2. [fRf"fghf□□[f<
fpflf<]fEfBf"fhfE, ©, ç[fvfŠf"f^]fAfCfRf", ð'I'ð, ·, é, Æ□A[fvfŠf
"f^, Ì□Ý'è]f_fCfAf□f0 f{fbfNfX, ª•\Ž|, ³, è, Ü, ·□B
3. [□Ý'è(S)...]f{f^f", ð'I'ð, µ, Ü, ·□B
4. [□Ý'è]f_fCfAf□f0

f{fbfNfX,Å□A[OK]f{f^f“,ðfNfŠfbfN,μ,Ü,·□B
5. [□I-¹]f{f^f“,ðfNfŠfbfN,μ,Ü,·□B

^È□ã,Ì‘€□ì,ð□s,È,¤,Æ Windows fffBfEfNfgfŠ,Ì win.ini
ftf@fCf<,É^È%º,Ì,æ,¤,ÈfZfNfVf†f“,ª“o~^,³,ê,Ü,·□iLPT1
,Í□A□Ú‘±,³,ê,½f|□[fg-¼□j□B

[HP LaserJet 5L (JAPAN),LPT1]

f□f,’,È,Ç,ðŽg-p,μ,Ä□A,±,ÌfZfNfVf†f“,É^È
%º,ÌfGf“fgfŠ,ð“o~^,·,é,ÆfNfŠfbfv<<SE□ã,Ì•¶Žš,Ì^ó□ü,ª%Â“\
,Æ,È,è,Ü,·□B

noBoundaryClipping=1

,Ü,½□A□Ý’è’l,ð θ ,É,·,é,±,Æ,É,æ,è,±,Ì□Ý’è,ð%ð□æ,·,é,±
,Æ,ª,Å,«,Ü,·□B,±,Ì□Ý’è,Í□A□E’¥,Æ,μ,Ä□A□X,Ì^ó□üfWf†fu-
^,Éf`fFfbfN,³,ê,Ü,·,Ì,Å□A□Ý’è,Ì•Í□X,Ì,½,ß,É Windows
,ð□Ä<N“®,·,é•K-v,Í, ,è,Ü,¹,ñ□B

fvfŠf“f^ fhf%fcfo,ì“Á’·

fvfŠf“f^ fhf%fcfo,É,Í□A^È%º,Ì,æ,¤,È“Á’·,ª, ,è,Ü,·:

1) □V,μ,¢ft□[fU□EfCf“f^□[ftfFfCfX
fJ□[fh□Eftf@fCf<E`Ž®,Å,í,©,è,â,·,-
□A‘€□ì,μ,â,·,¢ft□[fU□EfCf“f^ftfFfCfX,É^è□V,³,ê,Ü,μ,½□Bfpflf
<,É,Í□A[-pŽ†]□A[^ó□ü•iŽž] ,¨,æ,Ñ [fIfvfVf†f“],ª-
p^Ó,³,ê□A,» ,ê,¼,ê,Ìfpflf<,Éf}fEfX□Ef|fCf“f^,Ì^É’u,É’î
%ž,μ,½‘€□ì,Ìfqf“fg,ª•\Žž|,³,ê,Ü,·□B

2) ,í,©,è,â,·,¢^ó□ü•iŽž,Ì□Ý’è

[^ó□ü•iŽž]fpflf<,Å,Í□A,í,©,è,â,·,¢^ó□ü•iŽž,Ì□Ý’è,ð-
p^Ó,μ,Ü,μ,½□B

[Ž“®],ð‘I’ð,·,é,Æ□iffftfHf<fg□jfvfŠf“f^ fhf
%fcfo,ªŽg-p,μ,Ä,¢,éAfvfŠfP□[fVf†f“□Ef\
ftfgfEfFfA,ð”»•É,μ□A,» ,ê,É“K“- ,ÆŽv,í,ê,éfhf
%fcfo,Ì□Ý’è,ð[•¶Žš,ÌfvfŠf“fg]□A[fOf%ftfBfbfNfX,ÌfvfŠf“fg]
,Ì’t,©,çŽ“®“I,É‘I’ð,μ,Ü,·□B[•¶Žš,ÌfvfŠf“fg]
,ª‘I’ð,³,ê,éŽã,ÉAfvfŠfP□[fVf†f“□Ef\ftfgfEfFfA,Í□A^È
%º,Ì,à,Ì,Å,·:

Lotus 1-2-3, Lotus AmiPro, Lotus Approach, MS
Excel, MS Word, MS Access, MS Works, Windows Write, f□f,’,
WordPerfect, Borland Paradox, Borland Quattro Pro

ⓂⓂAƒⓂf, ' , Å, ÍⓂA600dpi, Ì^óⓂü, ÅⓂŕf}Ⓜ[ƒWf"ⓂÝ'è, ÉⓂ³, μ, "ⓂⓂì, μ, È
, çⓂêⓂ‡, ª, , é, ½, ßⓂAŽ©"Ⓜ"I, É300dpi, ª'I'ð, ³, ê, Ü, ·ⓂB

[•ŕŽš, ÌƒvfŠf"fg], Å, ÍⓂAWindows , Ì TrueType
ftfHf"fg, ðƒvfŠf"ƒ^, ÉⓂ, '¬, Éƒ_fEf"ƒⓂⓂ[ƒhⓂB, ±, è, É, æ, èⓂAƒOf
%ftfBƒbfNfX, Ì^óⓂü, Ì, ½, ß, ÉŽg-
p, Å, «, éƒvfŠf"ƒ^, ÌƒⓂf, ƒŠ, ÍⓂŒÆÀ, ³, ê, Ü, ·, ªⓂA•ŕŽš, Ì^óⓂü, Í<É, ß, Å
Ⓜ, '¬, Æ, È, èƒvfŠf"ƒ^ ftfHf"fg, Ì, æ, ƒ, É
%õ"K, Å, ·ⓂB, à, μⓂAƒⓂf, ƒŠⓂEfIⓂ[ƒoⓂ[ftfⓂⓂ[, ª"Ⓜŕ, ·, éⓂêⓂ‡, ÍⓂA[ƒOf
%ftfBƒbfNfX, ÌƒvfŠf"fg], ð'I'ð, μ, Ü, ·ⓂB

[ƒOf%ftfBƒbfNfX, ÌƒvfŠf"fg], Å, ÍⓂATrueType
ftfHf"fg, àƒOf%ftfBƒbfNfX, Æ, μ, ÅⓂ^--ⓂBƒvfŠf"ƒ^, ÌƒⓂf, ƒŠ, ðƒOf
%ftfBƒbfNfX, ÍⓂ^--Ⓜ, ÉⓂÅ'âÆÀŽg-p, ·, é, ±
, Æ, È, æ, Å, ÅⓂA, æ, è•iŽG, ÈƒOf%ftfBƒbfNfX, Ì^óⓂü, à%Å"\
, Æ, μ, Ü, ·ⓂB, à, μⓂAƒⓂf, ƒŠⓂEfIⓂ[ƒoⓂ[ftfⓂⓂ[, ª"-
Ⓜŕ, ·, éⓂêⓂ‡, ÍⓂA[300dpi ƒvfŠf"fg], ð'I'ð, μ, Ü, ·ⓂB

[Ⓜ, •iŽiƒvfŠf"fg]
, Å, ÍⓂAƒvfŠf"ƒ^, ÌƒⓂf, ƒŠ, ª•s'« , μ, ½ⓂêⓂ‡, É, à^óⓂü, ð%Å"\
, É, ·, éƒCƒⓂⓂ[ƒWⓂEfAƒ_fvfg, Ì<@"\, ðŽg-
p, μ, Ü, ¹, ñⓂi'¼, Ìƒ, Ⓜ[ƒh, Å, ÍŽ©"Ⓜ"I, ÉŽg-
pⓂjⓂB, » , Ì, ½, ßⓂAƒⓂf, ƒŠ, ª•s'« , μ, ½Žž, Å, àƒCƒⓂⓂ[ƒW^³Ⓜk, ðⓂs, Á, Ä^ê
•", Ì•iŽi, ð%º, °, Å^óⓂü, ¹, , , ÉⓂAƒⓂf, ƒŠⓂEfIⓂ[ƒoⓂ[ftfⓂⓂ[ƒGƒ
%Ⓜ[, ð"Ⓜŕ, μ, Ü, ·ⓂB0HPƒVⓂ[ƒg, Ì^óⓂü, È, Ç•K, Ⓜ, •iŽi, ÈⓂo-Í, ª•K-
v, ÈŽžⓂA-pŽ†, ð-³'É, É, ·, é, ±, Æ, ª, , è, Ü, ¹, ñⓂB
[300dpi ƒvfŠf"fg], Å, ÍⓂAⓂ, È, çƒvfŠf"ƒ^
ƒⓂf, ƒŠ, Å^óⓂü, ª%Å"\
, Å, ·ⓂB600dpi, Ì^óⓂü, ÅƒⓂf, ƒŠⓂEfIⓂ[ƒoⓂ[ftfⓂⓂ[, ª"-
Ⓜŕ, μ, Å^óⓂü, Å, «, È, çⓂêⓂ‡ⓂA, ±, ÌⓂÝ'è, ð'I'ð, μ, Ü, ·ⓂB

[f}fjƒ...ƒAƒ<ⓂÝ'è], Å, ÍⓂA, ·, ×, Ä, ÌⓂÝ'è, ðf}fjƒ...
ƒAƒ<, ÅⓂs, ƒ, ±, Æ, ª%Å"\, Å, ·ⓂB

3) TrueType ftfHf"fg, ÌⓂ, '¬^óⓂü
[•ŕŽš, ÌƒvfŠf"fg], ð'I'ð, μ, ½ⓂêⓂ‡ⓂA, Ü, ½, ÍⓂA[ƒ}fjƒ...
ƒAƒ<ⓂÝ'è], ©, ç[TrueType , ðƒ_fEf"ƒⓂⓂ[ƒh, ·, é]
, ð'I'ð, μ, ½ⓂêⓂ‡ⓂAWindows , Ì TrueType
ftfHf"fg, ðƒvfŠf"ƒ^, ÉⓂ, '¬, Éƒ_fEf"ƒⓂⓂ[ƒh, μ, Å^óⓂü, μ, Ü, ·ⓂBƒvfŠf
"ƒ^ ƒhƒ%ƒCƒo, " , æ, ÑƒvfŠf"ƒ^, Å, ÌƒLƒƒƒbƒVƒ...
ƒefNƒmfⓂƒWⓂ[, ªƒvfŠf"ƒ^
ftfHf"fg, È^ø, ^, ð, Æ, ç, È, çƒƒƒƒHⓂ[ƒ}ƒ"ƒX, ðŽÀÆ», μ, Ü, ·ⓂB

4) HP-GL/2 , ÌƒTƒ|Ⓜ[ƒg Ⓜ]^- , Ì HP LaserJet
ƒvfŠf"ƒ^, Æ"-l, ÉⓂAHP-GL/2 , ªƒvfŠf"ƒ^ ƒhƒ%ƒCƒo, ÅƒTƒ|
Ⓜ[ƒg, ³, ê, Ü, ·ⓂBƒOf
%ftfBƒbfNfX, Ì^óⓂü'-"x, ð"Á, ÉⓂdŽ<, ·, éⓂêⓂ‡ⓂAHP-GL/2 , ðŽg-
p, μ, Å, Ì^óⓂü, ªÆ%Ê" I, Å, ·ⓂB, ½, ¾, μⓂA^ê"Ê, É HP-GL/2 , ðŽg-

p, μ, ½^óü, Å, Í Af0f%ftfBfbfNfX, ðf%xf^ f0f
%ftfBfbfNfX, Æ, μ, Ä^ - , ·, éê±, É"ä, x AfvfŠf" f^, Ìf, fŠ, ð'½, -
•K-v, Æ, μ, Ü, · B•K-v, Éž, ¶, Å A[f}fjf...fAf<Y'è]
, ©, ç 'I' ð, μ, Ü, · B

5) %ç•¶fvfŠf" f^ ftfHf" fg, ÌfTf| [fg
fvfŠf" f^ fhf%fcfo, Å, Í AHP LaserJet 5L , "à' , ·, é
Intellifont ftfHf" fg, ðfTf|
[fg, μ, Ü, · BfvfŠf" f^ "à' ftfHf" fg, Í AfAfvfŠfP [fvf±f" Ef\
ftfgfEfFfA, Ìh " ' 'I' ð hf fjf... [, È, ç, Å, Í A " ' 'I-¼, Í ¶%
i, ÉfvfŠf" f^, ÌfAfCfRf" •t, «, Å•\Ž! , ³, ê, Å, ç, Ü, · B, ±
, ê, ç, ÌftfHf" fg, É'Î, ·, éxfNfŠ [f" ftfHf" fg, ª, È, ç
, ½, ß AfxfNfŠ [f" "ã, Ì•\Ž! , Í Windows , ªŽ, Å, Å, ç, é, È, é, x, -
<ß, ç•É, ÌftfHf" fg, ª'ã-p, ³, ê, Ü, ·, ª A^óü, É, ÌfvfŠf" f^ "à' , Ìxf
P [f%uf< EfTfHf" fg, ªŽg-
p, ³, ê, é, ½, ß A, '¬, ©, Å, •iŽ, É^óü, ªs, È, í, ê, Ü, · B

6) f0f%ftfBfbfNfX•iŽ, ÌfTf| [fg
600dpi , Ìf, [fh, É, ", ç, Å A600 A300 A150dpi , Ì
%ð'æ"x, ª A, Ü, ½ A300dpi , Ìf, [fh, ", ç, Å 300 A150 A75dpi , Ì
%ð'æ"x, ª fTf| [fg, ³, ê, Å, ç, Ü, · B, ±, ê, ç, Ì
%ð'æ"x, ÌY'è, Í A[f}fjf...fAf<Y'è], ©, ç [f0f%ftfBfbfNfX•iŽ (Q)]
, É, ", -, é [, •iŽ] A [• 'É] A [fhf%ftfg], Ì 'I' ð, É, æ, Á, Ä s, ç
, Ü, · B

7) fGfRfmf, [fh, ÌfTf| [fg
fgfi [, Ì A "i-
É, ð §À, μ Afghi [fJ [fgfŠfbfW, ð, æ, è' · , Žg-p, ·, é, ±
, Æ, ª, Å, «, Ü, · B
fGfRfmf, [fh, Å, Ìo-Í, Í [fhf%ftfg], Ìf0f%ftfBfbfNfX•iŽ, ÆŽ-
, Å, ç, Ü, · Bfgfi [, Ì A "i, ð, É, , ·, é, ½, ß, ÉŽg-p, ·, éfhfbfg, ª, È, -
, È, é, æ, ª, ÉfRf" fgf [f<, μ, Å, ç
, Ü, · Bæo Ì « AŠ <<, É, â, ³, μ, ç <@ "\ , Å, · B

8) ^óü"Z"x, ÌfTf| [fg
D, Y, É ±, í, ¹, Ä^óü"Z"x, ª Y'è, Å, «, Ü, · B Y'è, Í 5' iŠK B [fIvfVf
±f"] fpflf<, Å Y'è, μ, Ü, · B

9) fGf"fnf"fxfhI/0, ÌfTf| [fg
fvfŠf" f^, ÌI/OÊP-Ìš, Ì'å, «, ³, ð Å "K, ÉfRf" fgf [f<, ·, é, ±
, Æ, É, æ, Á, Ä A, È, çfvfŠf" f^ f, fŠ, ð Å 'åÀ, ÉŽg-
p, μ, Ü, · B [fIvfVf±f"] fpflf<, Å Y'è, μ, Ü, · B

10) REt , ÌfTf| [fg
REt , Æ, Í A^óü•iŽ, ðæüã, ³, ¹, é, ½, ß, Ìfqf...

[fCfEfbfgEfpfbfJ[fhZD“ÆŽ©,ì^óü<Zp "Resolution Enhancement technology" ,Å,·B[fIfvfVf#f“]fpflf<,É,“,ç ,Ä'I'ð,μ,Ü,·B

Microsoft Windows 3.1J ,Ö,ì'g,Ýž,Ý,É,Â,ç,Ä

*'□^Ó

fCf“fXfg□[f<□ì<Æ,ðs,α'0,É□AfEfBf<fX□Ef`fFfbfN,âTSR□if□f,fŠ □í'“Æ^□jf\ftfgfEfFfA□AHP LaserJet 4LJ Pro fXfe□[f^fX□EfEfBf“fhfE ,È,ç,ì□í'“Æ^f\ftfgfEfFfA,Í,·,×,Ä□I-¹,μ□A,» ,ê,ç,ªŽ©“®“I,É<N“® ,³,ê,É,ç-l,É,μ,½Æã,É Windows ,ð□Ä<N“® ,μ,Ä, ,³/₄,³,ç□B

,È,“□A-{ fvfŠf“fefBf“f0 f\ftfgfEfFfA ,ÉŠÜ,Ü,ê,é fXfe□[f^fX□EfEfBf“fhfE ,Í□A HP LaserJet 4 LJ Pro fvfŠf“f^,àfTf|□[fg,·,é,±,Æ,ªÄ“\ ,Å,·B%pÆê”Å HP LaserJet Printing System ,ÉŠÜ,Ü,ê,é fXfe□[f^fX□EfEfBf“fhfE ,â□A'¼ŽD□» ,ì“~Ží,ìf\ftfgfEfFfA,Æ,Í□-□Ý,ÍfTf|□[fg,μ,Ä,ç ,Ü,¹,ñ□B□i,¹/₂,³/₄,μ□A,²Žg-p't,ìfvfŠf“f^□Efhf%fcfo,É,Â,ç ,Ä,Í□A,±,ê,Ü,Å'É,è,É,²Žg-p,ç,¹/₂,³/₄,-,Ü,·B□j□Ú,μ,- ,Í•É□Í,ð,²ŽQ□Æ, ,³/₄,³,ç□B

HP LaserJet 5L ,ìfvfŠf“fefBf“f0 f\ftfgfEfFfA ,É,Í□AMicrosoft Windows 3.1J ,ÉfvfŠf“f^ fhf %fcfo,ÆfXfe□[f^fX□EfEfBf“fhfE,ð'g,Ýž,p,¹/₂,β,ìfZfbfgfAfbfv fvf□f0f%fc€,ª•t,ç,Ä,ç,Ü,·B^È%º,ìžè□‡,É□],Á,Ä'g,Ýž,ñ,Å %º,³,ç□B

1. Microsoft Windows 3.1J ,ðfXf^□[fg,μ,Ä%º,³,ç□B
2. HP LaserJet 5L ,ìfvfŠf“fefBf“f0 f\ ftfgfEfFfA,ìftf□fbfs□[fffBfXfN,ð□AfffBfXfN fhf %fcfu,É“ü,ê,Ä%º,³,ç□B
3. fvf□f0f%fc€ f}fl□[fwff,Å□A[fAfCfRf“(F)]f□fjf... □[,©,ç□A[ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀ□s(R)]fRf}f“fh,ð'I'ð,μ,Ü,·B
4. [ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀ□s]f_fCfAf□f0 f{fbfNfX,Å□AHP LaserJet 5L ,ì fvfŠf“fefBf“f0 f\ftfgfEfFfA fffBfXfN,ì“ü,Á,Ä,ç,éfffBfXfN fhf%fcfu-¼,Æ SETUP.EXE ,ð[fRf}f“fh f%fcf“]fefLfXfg f{fbfNfX,Éf^fCfv,μ,Ü,·B
5. ^É□~□AfZfbfgfAfbfv fvf□f0f%fc€,ª•\Žì,·,éžwŽì,É□],Á,Ä,- ,³/₄,³,ç□B

,Ü,½□A□]-^,ì,æ,α,É□AfvfŠf“f^ fhf%fcfo,ì,Ý,ð Microsoft Windows 3.1J ,ìfRf“fgf□□[f< fpflf<,©,ç'g,Ýž,p,±,Æ,ªÄ“\ ,Å,·B,»,ì□è□‡□A^È%º,ì,æ,α,É'€□ì,ª•K-v,Å,·:

1. fvf□f0f%fc€

- f}fL[fWff, Ì[fCf"]f0f<[fv, æ, è[A[fRf"fgf[f<
 fpjlf<]fAfCfRf", ðf_fuf< fNfŠfbfN, µ, Ü, ·B
2. [fRf"fgf[f<
 fpjlf<]fEfBf"fhfE, ©, ç[fvfŠf"f^]fAfCfRf", ð'I'ð, ·, é, Æ[A[fvfŠf
 "f^, ÌY'è]f_fCfAf f0 f{fbfNfX, ð·\Z|, ð, è, Ü, ·B
 3. ['Ç%Á>>]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 4. ['g, Yž, PfvfŠf"f^, Ì'I'ð], Ìê—, æ, è, [ê—
 , É, È, çfvfŠf"f^, âXV, ð, è, ½fvfŠf"f^, Ì'g, Yž, Y]
 , ð'I'ð, µ, Ü, ·ifŠfXfg, ÌÅ%, Ì€-Ú, Å, ·jB
 5. ['g, Yž, Y(I)...]f{f^f", ð'I'ð, µ, Ü, ·B
 6. HP LaserJet 5L fvfŠf"fefBf"f0 f\
 ftfgfEfFfA, Ìftf fbfs[fffBfXfN, ðfffBfXfN fhf
 %fCfu, É"ü, êAfhf%fCfu-¼, ðŽw'è, µ, Ü, ·B
 7. "HP LaserJet 5L (JAPAN)"
 , ð'I'ð, µ[A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 8. [Ü±(C)...]f{f^f", ð'I'ð, µ, Ü, ·B
 9. [Ü±æ(P)], Ìê—, ©, çAfvfŠf"f^, ðŠ,, è—
 , Ä, éÜ'±æ, ð'I'ð, µ, Ü, ·B
 10. [, '¬, É^óü], Ìf`fFfbfN
 f{fbfNfX, ð'I, ñ, ÅX^ó, ð·t, ^A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 11. [Y'è(S)...]f{f^f", ð'I'ð, µ, Ü, ·B
 12. [Y'è]f_fCfAf f0 f{fbfNfX, ÅA·K-v, ÈY'è, ðs, ç, Ü, ·B
 13. [OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 14. ['ÊíŽg, çfvfŠf"f^, Æ, µ, ÅY'è(E)]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 15. [I-¹]f{f^f", ðfNfŠfbfN, µ, Ü, ·B



ftf@fCf< \ -

MSUILSTF DLL	6,144	96-01-30	10:03
RESOURCE DLL	20,992	96-01-30	10:03
SUPPORT DLL	89,456	96-01-30	10:04
MSCOMSTF DLL	74,432	96-01-30	10:02
MSCUISTF DLL	190,172	96-01-30	10:02
MSDETSTF DLL	24,544	96-01-30	10:03
MSINSSTF DLL	65,408	96-01-30	10:03
MSSHLSTF DLL	14,832	96-01-30	10:03
HPLJ4QP DL_	5,134	96-01-30	10:05
COMMCTRL DL_	33,901	96-01-30	10:01
CTL3DV2 DL_	12,279	96-01-30	10:01
HPJ5G1 DL_	28,533	96-01-30	10:02
HPJ5G2 DL_	23,557	96-01-30	10:02
HPJ5G3 DL_	73,634	96-01-30	10:02
HPJ5GFE DL_	14,071	96-01-30	10:02
HPJ5GUI DL_	42,494	96-01-30	10:02

HPLJCOMM	DL_	4,319	96-01-30	10:02
HPPDF5LJ	DL_	27,305	96-01-30	10:02
HPPJLMON	DL_	6,596	96-01-30	10:02
HPTABJ16	DL_	43,144	96-01-30	10:02
HPJ5G	DRV	88,128	96-01-30	10:01
_MSSETUP	EXE	9,813	96-01-30	10:01
_MSTEST	EXE	89,504	96-01-30	10:01
SETUP	EXE	24,624	96-01-30	10:03
PRINTMAN	EX_	31,600	96-01-30	10:05
HPDEI5LJ	EX_	14,714	96-01-30	10:01
HPSW	EX_	69,604	96-01-30	
10:02				
HPINSTAL	HLP	14,217	96-01-30	10:01
Windowsfwf	<fvftf@fCf<			
PRINTMAN	HL_	34,844	96-01-30	10:05
HP5LJ	HL_	114,723	96-01-30	10:01
HPJ5G	HL_	29,071	96-01-30	10:01
SETUP	HP	4,321	96-01-30	
10:03				
DIALOGID	INC	1,275	96-01-30	10:01
SYMBOLS	INC	1,065	96-01-30	10:04
SETUPAPI	INC	55,620	96-01-30	10:03
STRINGID	INC	51	96-01-30	10:03
STRINGS	INC	994	96-01-30	
10:03				
SUPPORT	INC	4,533	96-01-30	10:04
MSDETECT	INC	22,097	96-01-30	10:03
OEMSETUP	INF	1,096	96-01-30	10:03
SETUP	INF	4,315	96-01-30	
10:03				
SETUP	IN_	1,380	96-01-30	
10:03				
SETUP	LST	927	96-01-30	
10:03				
SETUP	LYT	7,455	96-01-30	
10:03				
SETUP	MST	39,254	96-01-30	10:03
THREED	VB_	33,489	96-01-30	10:05
README5G	WRI	43,904	96-01-30	10:03

□à-¾ftf@fCf<

HP LaserJet4LJ Pro fU[fvfŠf“f^–pfhf%fcfo “ú–
{EWindows3.1 Ver 31.V3.00



Žû~^ffBfCfNfgfŠ DISC2:\DRIVER\HP\WIN31\LJ4LJ



“à–e

, Í, ¶, ß, É

HPJL5E fvfŠf“f^ fhf%fcfo, ÍAHP LaserJet 4LJ Pro fvfŠf“f^–
p, ÌfvfŠf“f^ fhf%fcfo , Å, ·BHP LaserJet 4LJ Pro
fvfŠf“f^, ÍAMicrosoft Windows 3.1J , ÌW€
, Å, , éTrueTypeftfHf“fg, Ìf%xf^f%fcfU, ð“<Ú, µA–”AMS –
¾’©, ÆMS fSfVfbfN, Ì2“‘Ì, ðW€, Å“<Ú, µ, ½ 600dpi , Ì“ú–
{EfvfŠf“f^, Å, ·B–{fvfŠf“f^, “, æ, ÑfvfŠf“f^ fhf%fcfo, ÅfTf|
[fg, µ, Å, ç, éfqf...

[fCfbfgEfpfbfJ[fhŽĐ, ÌW€fy[fW<LqE¾Eè, Å, , é PCL
, ÍA2fofCfg fR[fh, ÌfTf|[fg, ðs, Á, Ä, ç, Ü, ·B]
, Å, ÅAMicrosoft Windows 3.1J , Æ HP LaserJet 4LJ Pro
fvfŠf“f^, ð’g, Ý±, í, ¹, é, ±, Æ, É, æ, Á, ÄA, ±
, ê, Ü, Å, É, È, ç, ‘, ¬, Å, ©, Å, ·iŽž, È’óü, æÅ”\, Æ, È, è, Ü, µ, ½B

, ±, ÌfvfŠf“f^ fhf%fcfo, Å, ÍAHP-GL/2 , ðfTf|[fg, µ, Å, ç
, Ü, ·BHP-GL/2 , ÍAfqf...[fCfbfgEfpfbfJ[fhŽĐ, ÌSJ”-
, µ, ½fvf[fbf^SÆä–p, ÌE¾Eè, ÅA·; ŽG, ÈfOf
%ftfBfbfNfX, à, ‘, ¬, É, ©, Å”ü, µ, ^óü, ·, é, ±, Æ, æÅ”\, Å, ·B

HPJL5E fvfŠf“f^ fhf%fcfo, Å, ÍA[Ý’è]f_fcAf_f0 f{fbfNfX, È–
, ç, Ä–lX, ÈÝ’è, æÅ”\, Å, ·, æA“Á, ÉK–v, ä–³, çEÀ, èAfOf
%ftfBfbfNfX f, [fh, ð HP-GL/2 , Æ, µ, Å, “Žg, ç, ç, ½, ¾, , ±
, Æ, ð, “E, ß, µ, Ü, ·B

HP LaserJet 4LJ Pro fvfŠf“f^ fhf%fcfo HPJL5E , Ì“Á’.

HP LaserJet 4LJ Pro fvfŠf“f^ fhf%fcfo HPJL5E fo[fWf#f“
31.V3.00 , É, ÍA^Èº, Ì, æ, ¨, È“Á’·, ª, , è, Ü, ·:

- 1) fOf%ftfBfbfNfX·iŽž, ÌfTf|[fg
600dpi , Ìf, [fh, É, “, ç, ÅA600A300A150dpi , Ì
%ð’æ“x, æA, Ü, ½A300dpi , Ìf, [fh, É, “, ç, Å 300A150A75dpi , Ì
%ð’æ“x, æfTf|[fg, ³, ê, Ä, ç, Ü, ·B, ±, ê, ç, Ì
%ð’æ“x, ÌÝ’è, ÍAŽÀÛ, É, Í”Žš, Å, Í, È, -
A, » , ê, ¼, è[fIfvfVf#f“]f_fcAf_f0 f{fbfNfX, Ì[f0f

ftfBfbfNfX•iž;(Q)],É,¨,´,é[[],•iž;(Q)]A[•'É]A[fhf%ftfg]
,I'I'ð,É,æ,Á,Äs,ç,Ü,•B

2) HP-GL/2 ,İfTf|[]fg
HP-GL/2 ,^a HPJL5E fvfŠf“f^ fhf%fcfo,ÅfTf|
[]fg,³,ê,Ü,•B

[fIfvfVf#f“]f_fCfAf[]f0 f{fbfNfX,İ[fOf%ftfBfbfNfX
f,[]fh(G)],É,¨,ç,ÄY'è,Å,«,Ü,•BfOf%ftfBfbfNfX f,[]fhY'è,İ
[HP-GL/2],Æ[f%fxf^],İ“ñ,Ä,^a‘I'ð%Ä”\,Ä,•B[HP-GL/2]
,ð'I'ð,•,é,ÆA^è”É”I,É[]D,Ü,µ,çfpftfH[]f}f“fX,^aŠú'ò,Å,«,Ü,•B
B[]],Ä,ÄffftfHf<fg,Å,İHP-GL/2 ,^aY'è,³,ê,Ü,•B

,±,İffftfHf<fg,İY'è,Å^óü,Å,«,É,ç[]ê[]#[]A[f%fxf^]
,ÉY'è,ð•İ[]X,µ,Ä,à,æ^è“x^óü,µ¹/₄,µ,Ä,Y,Ä,,³/₄,³,ç[]B[f%fxf^]
,ÉY'è,µ,¹/₂Æã[]A[]X,É[TrueType ^óü(P)],ð[fOf
%ftfBfbfNfX,Æ,µ,Å^óü],ÉY'è,µ,Å^óü,•,é,ÆA^óü,Å,«,é[]ê[]#,à,
,è,Ü,•B[]U,µ,,İ[]A[fIfvfVf#f“]f_fCfAf[]f0
f{fbfNfX,İfwf<fv,ðZQ[]Æ,µ,Ä,,³/₄,³,ç[]B

3) fGfRfmf,[]fh,İfTf|[]fg
[fGfRfmf,[]fh(E)],İY'è,İ[]A[fIfvfVf#f“]f_fCfAf[]f0
f{fbfNfX,Äs,ç,Ü,•BfGfRfmf,[]fh,Ä,İ[]o-İ,İ[fhf%ftfg],İfOf
%ftfBfbfNfX•iž;(Q),ÆZ-,Ä,ç,Ü,•Bfgfi[][,İ[]A”i,ð[],É,,•,é,¹/₂,ß,ÉŽg
-p,•,éfhfbfg,^a[],È,,È,é,æ,æ,ÉfRf“fgf[][]f<,µ,Ä,ç,Ü,•B

4) ^óü”Z“x,İfTf|[]fg
[fIfvfVf#f“]f_fCfAf[]f0 f{fbfNfX,É,¨,ç
,Ä[]A[^óü”Z“x(B)],^aY'è,Å,«,Ü,•B[]Y'è,İ[]A1[]i”-, -
[]j,©,ç5[]i”Z,[]j,Ü,Ä,İ5'iŠK,Ä,•B

5) REt ,İfTf|[]fg
REt ,Æ,İ[]A^óü•iž;(Q),ðEü[]ã,³,¹,é,¹/₂,ß,İfqf...
[]f(efbfg[]EfpbfJ[]fhZð“ÆŽ©,İ^óü<Z[]p,Ä,•B[fIfvfVf#f“]f_fCf
Af[]f0 f{fbfNfX,É,¨,ç,Ä[]A,»,İY'è,İ“x[]#,^a‘I'ð%Ä”\,Ä,•B,±,±
,Ä,İY'è,İ[]A[f%fcfg]A[f~fffbfAf€]A[f_[]fn]A[fift]
,İ4'l,©,çs,ç,Ü,•B

HPJL5E fvfŠf“f^ fhf%fcfo Version 31.V2.00
,©,ç,İ•İ[]X”_,É,Ä,ç,Ä

HPJL5E fvfŠf“f^ fhf%fcfo Version 31.V3.00
,Ä,İ[]AfIfvfVf#f“[]Ef_fCfAf[]f0,İ[TrueType ,ðfOf
%ftfBfbfNfX,Æ,µ,Å^óü],^a [TrueType ^óü],Æ•İ[]X,³,ê[]A[fOf
%ftfBfbfNfX[]Ef,[]fh],É,¨,ç,Ä [HP-GL/2],ð'I'ð,µ,¹/₂ê[]#,İ
[fvfŠf“f^ f%fxf^f%fcfUŽg-p],Æ [frfbfgf}fbfv f_fEf“f[][]fh]
,^a[]A,Ü,¹/₂ [f%fxf^],ð'I'ð,µ,¹/₂ê[]#,İ,³,ç,É [fOf
%ftfBfbfNfX,Æ,µ,Å^óü],^a‘I,x,é,æ,æ,É,È,è,Ü,µ,¹/₂[]B

,Ü,½□A^È%º,Ì□€-Ú,É,Â,ç,Ä□C□³□A•İ□X,³,ê,Ü,μ,½□B

fI fvfVf#f"□E f_fCfAf□f0,İ [f0f%ftfBfbfNfX□E f,□[fh]
,É,¨,ç,Ä [HP-GL/2] ,ð'I'ð,μ,½□ê□#□A,Ü,½,Í□A [f%fXf^]
,ð'I'ð,μ,Ä [TrueType ^óü] ,Å [f0f%ftfBfbfNfX,Æ,μ,Ä^óü]
^ÈŠ0,ð'I'ð,μ,½□ê□#:

- 1). LOTUS 1-2-3 for Windows ,É,¨,ç,Ä□A fI□[fo□[f
%fbfv,³,ê,é fZf<"à,İ fefLfXfg,ª fNfŠfbfv,³,ê,É,ç,±,Æ,ª, ,é□B
- 2). Borland Paradox 5.0J ,É,¨,ç,Ä□A fZf<,É
%Ešň,¹,ðŽw'è,μ,½Žž,É□ÅĚã,İ•Ųžš,ª^óü,³,ê,È,ç,±,Æ,ª, ,é□B
- 3). TrueType •Ųžš,İ%ň"],ª,Å,« ,É,ç□B
- 4). □c□',«^óü,É,¨,ç,Ä□AŠ0žš•Ųžš,İ^óü^Ê'u,ª, ,ê,é,±,Æ,ª, ,é
□B
- 5). □c□A,à,μ, ,Í% ;•ûËü,ö,ì"C^ó" {Šp,İ^óü,ª,Å,« ,É,ç□B

,» ,İ'¼:

- 6). Aldus PageMaker 5.0J ,É,¨,ç,Ä□A "Á'è,İ-
pž†fTfCfY,Å□A^óü^Ê'u,ª, ,ê,é,±,Æ,ª, ,é□B

•Ųžš,İ^óü,É,¨,ç,Ä□A•Ųžš,İ^ê•"•ª,İ fNfŠfbfv,İ fhf
%fCfo,İ□ŠĚÀ,É,æ,è,Å,« ,Ü,¹,ň□B2). ,Å<" ,° ,ç,ê,½ Borland
Paradox 5.0J ,İ,æ,ª
,É□A^ê•" ,İ fAfvfŠfP□[fvf#f" ,Å,İ•Ųžš,İ frfbfgf}fbfv,İ "à,İ^ê•"
ª,ð fZf<,İŠ0,É fNfŠfbfv, ,é,æ,ª,ÉŽw'è,μ,Ä^óü, ,é,à,İ,ª, ,è,Ü
,•□B Version 31.V2.00 ,Å,Í□A,±,İ,æ,ª,É•Ųžš,İ^óü□o-
^ ,Ü,¹,ň,Å,μ,½,ª□A31.V3.00 ,Å,Í□A,±,İ,æ,ª,É□ê□#,İ□^'u,Æ,μ,Ä
WIN.INI ftf@fCf<,É^È%º,İ,æ,ª,É□Ý'è,ð, ,é,±,Æ,Å□A,±
,ê,ð^óü, ,é,±,Æ,ð%Å"\ ,Æ,μ,Ü,μ,½□B

1. fvf□f0f% f€
f}fl□[fwff,İ [f□fCf"]f0f<□[fv,æ,è□A [fRf"fgf□□[f<
fpflf<] fAfCfRf" ,ð f_fuf< fNfŠfbfN,μ,Ü,•□B
2. [fRf"fgf□□[f<
fpflf<] fEfBf"fhfE,©,ç [fvfŠf" f^] fAfCfRf" ,ð'I'ð, ,é,Æ□A [fvfŠf
"f^,İ□Ý'è] f_fCfAf□f0 f{fbfNfX,ª•\Ž|,³,ê,Ü,•□B
3. [□Ý'è(S)...] f{f^f" ,ð'I'ð,μ,Ü,•□B
4. [□Ý'è] f_fCfAf□f0
f{fbfNfX,Å□A[OK] f{f^f" ,ð fNfŠfbfN,μ,Ü,•□B
5. [□I-¹] f{f^f" ,ð fNfŠfbfN,μ,Ü,•□B

^È□ã,İ'€□ì,ð□s,È,ª,Æ Windows fffBfĚfNfgfŠ,İ win.ini
ftf@fCf<,É^È%º,İ,æ,ª,É fZfNfVf#f" ,ª"o~^,³,ê,Ü,•□iLPT1
,Í□A□Ú'±,³,ê,½ f|□[fg-¼□j□B

[HP LaserJet 4LJ Pro,LPT1]

f f, ' ,È,Ç,đŽg-p,μ,ÄA,±,İfZfNfVf#f“,É^È
%º,İfGf“fgfŠ,đ“o~^,·,é,ÆfNfŠfbfv<<ŠE□ã,İ•ŋŽš,İ^ó□ü,ª%Â”\
,Æ,È,è,Ü,·□B

noBoundaryClipping=1

,Ü,½□A□Y'è'l,đ 0 ,É,·,é,±,Æ,É,æ,è,±,İ□Y'è,đ%đ□æ,·,é,±
,Æ,ª,Å,«,Ü,·□B,±,İ□Y'è,İ□AÆ'¥,Æ,μ,ÅÆA□X,İ^ó□üfWf#fu-
^,Éf`fFfbfN,³,ê,Ü,·,İ,Å□A□Y'è,İ•İ□X,İ,½,ß,É Windows
,đ□A<N“®,·,é•K-v,Í, ,è,Ü,¹,ñ□B

fvfŠf“f^,İ TrueType f%fXf^f%fCfU,É,æ,é□c□A,à,μ,,Í%
;•ûÆü,Ö,İ”C^Ó”{Šp,İ^ó□ü,İ□AÆ»□Y,İ,Æ,±,ëfhf
%fCfo,İ□ŠÆÀ,É,æ,è,Å,«,Ü,¹,ñ□B5).,Å<“,°,ç,é,½□c□A,à,μ,,Í%
;•ûÆü,Ö,İ”C^Ó”{Šp,İ^ó□ü,đ□s,È,¤□ê□#,É,İ□AfIfvfVf#f“□Ef_fCfA
f□f0,İ□hTrueType ^ó□ü(P)□h,Å□hfrfbfgf}fbfv
f_fEf“f□□[fh□h,đ'I'đ,·,é,±,Æ,Å,±,é,ª%Â”\
,Æ,È,è,Ü,·□B

*'□^Ó

Version 31.V3.00 ,Å,İ□AfvfŠf“f^ fhf
%fCfo,İ,Ý,ªfAfbfvff□[fg,³,ê□Af\ftfgfEfFfA,É,İfvfŠf“f^ fhf
%fCfo,İftf@fCf<,İ,Ý,ªŠÜ,Ü,ê,Ü,·□B,»,İ,½,ß□AVersion 31.V3.00
,İfCf“fXfg□[f<,İ□]-^,İfvfŠf“f^ fhf%fCfo,İ,æ,¤,É Microsoft
Windows 3.1J ,İfRf“fgf□□[f< fpflf<,©,ç'g,Ý□ž,P,±
,Æ,É,È,è,Ü,·□BHP LaserJet 4LJ Pro ,İ Printing System
,İfCf“fXfg□[f<,É,İ□A□»•i,É•t'®,İftf□fbfs□[fffBfXfN,đ,²Žg-
p,,³/₄,³,ç□B

Microsoft Windows 3.1J ,Ö,İ'g,Ý□ž,Ý,É,Â,ç,Ä

*'□^Ó

Version 31.V3.00 ,Å,İ□AfvfŠf“f^ fhf
%fCfo,İ,Ý,ªfAfbfvff□[fg,³,ê□Aftf□fbfs□[fffBfXfN,É,İfvfŠf“f^
fhf%fCfo,İftf@fCf<,İ,Ý,ªŠÜ,Ü,ê,Ü,·□B,»,İ,½,ß□AVersion
31.V3.00 ,İfCf“fXfg□[f<,İ□]-^,İfvfŠf“f^ fhf%fCfo,İ,æ,¤,É
Microsoft Windows 3.1J ,İfRf“fgf□□[f< fpflf<,©,ç'g,Ý□ž,P,±
,Æ,É,È,è,Ü,·□BHP LaserJet 4LJ Pro ,İ Printing System
,İfCf“fXfg□[f<,É,İ□A□»•i,É•t'®,İftf□fbfs□[fffBfXfN,đ,²Žg-
p,,³/₄,³,ç□B

^È%º,İ,æ,¤,Èžè□#,ÅfRf“fgf□□[f< fpflf<,©,ç'g,Ý□ž,ñ,Å,-
,³/₄,³,ç□B

1. fvf□f0f%€

- f}fl[fwff,ì[fCf"]f0f<[fv,æ,è[AfRf"fgf[f<
 fpjlf<]fAfCfRf",ðf_fuf< fNfŠfbfN,μ,Û,·B
2. [fRf"fgf[f<
 fpjlf<]fEfBf"fhfE,©,ç[fvfŠf"f^]fAfCfRf",ð'I'ð,·,é,Æ[AfvfŠf
 "f^,ìY'è]f_fCfAf0 f{fbfNfX,ª•\Ž|,³,è,Û,·B
 3. [Ç%Á>>]f{f^f",ðfNfŠfbfN,μ,Û,·B
 4. ['g,Ýž,þfvfŠf"f^,ì'I'ð],ì^ê—,æ,è[A[^ê—
 ,É,È,çfvfŠf"f^,âXV,³,è,½fvfŠf"f^,ì'g,Ýž,Ý]
 ,ð'I'ð,μ,Û,·ifŠfXfg,ìÅ%,ì€-Ú,Å,·jB
 5. ['g,Ýž,Ý(I)...]f{f^f",ð'I'ð,μ,Û,·B
 6. HPJL5E fvfŠf"f^ fhf
 %fCfo,ìftf[fbfs[fffBfXfN,ðffBfXfN fhf%fCfu,É"ü,è[Afhf
 %fCfu-¼,ðŽw'è,μ,Û,·B
 7. "HP LaserJet 4LJ Pro"
 ,ð'I'ð,μ[A[OK]f{f^f",ðfNfŠfbfN,μ,Û,·B
 8. [Ú'±(C)...]f{f^f",ð'I'ð,μ,Û,·B
 9. [Ú'±æ(P)],ì^ê—,©,ç[AfvfŠf"f^,ðŠ,,è—
 ,Ä,éÚ'±æ,ð'I'ð,μ,Û,·B
 10. [, '¬,É^óü],ìf`fFfbfN
 f{fbfNfX,ð'I,ñ,ÅX^ó,ð•t,`A[OK]f{f^f",ðfNfŠfbfN,μ,Û,·B
 11. [Y'è(S)...]f{f^f",ð'I'ð,μ,Û,·B
 12. [Y'è]f_fCfAf0 f{fbfNfX,ÅA•K-v,ÈY'è,ðs,ç,Û,·B
 13. [OK]f{f^f",ðfNfŠfbfN,μ,Û,·B
 14. ['ÊíŽg,¼fvfŠf"f^,Æ,μ,ÅY'è(E)]f{f^f",ðfNfŠfbfN,μ,Û,·B
 15. [I⁻¹]f{f^f",ðfNfŠfbfN,μ,Û,·B



ftf@fCf<[]\~

HPJL5E1	DLL	76,864	96-01-23	11:41
HPJL5E2	DLL	61,968	96-01-23	11:43
HPJL5E3	DLL	141,582	96-01-23	11:46
HPJL5E4	DLL	32,768	96-01-23	11:46
HPJL5E	DRV	106,224	96-01-23	11:41
HPJL5E	HLP	18,531	96-01-23	10:31
Windowsfwf<fvftf@fCf<				
HPJL5E0	HLP	16,416	96-01-23	10:31
Windowsfwf<fvftf@fCf<				
OEMSETUP	INF	835	96-01-23	10:31
READMEHP	WRI	26,240	96-01-23	10:31
à-¾ftf@fCf<				

HP LaserJet4V fU fvfŠf“f^~pfhf%fcfo “ú-
{ÊWindows3.1 Ver 31.V2.01



Žû~^ffBfBfNfgfŠ DISC2:\DRIVER\HP\WIN31\LJ4V



“à-e

, í, ¶, ß, É

HPJV5E fvfŠf“f^Efhf%fcfo, íAHP LaserJet 4V (JAPAN)
fvfŠf“f^~p, İfvfŠf“f^Efhf%fcfo, Å, ·BHP LaserJet 4V (JAPAN)
fvfŠf“f^, İAMicrosoft Windows 3.1J , İ·W€ , Å , éTrueType
ftfHf“fg, İf%xf^f%fcfU, ð“<Ú, µAMS -¾’©AMSfSfvfbfN
, İ2‘ ‘İ, ð·W€ , Å“<Ú, µ, ½600dpi, İ“ú- {ÊfvfŠf“f^, Å, ·B-
{fvfŠf“f^, “, æ, ÑfvfŠf“f^fhf%fcfo, ÅfTf| [fg, ³, è, ½HP ŽĐ, İ·W€
, Å , , éfy [fW<LqÊPCL, İA2fofCfgr [fh, İfTf|
 [fg, ðs, Á, Ä, ç, Ü, ·B, ±, è, É, æ, èAMicrosoft Windows 3.1J , Æ
HP LaserJet 4V (JAPAN) fvfŠf“f^, İ‘g, Ý, í, ¹, É, æ, Á, ÄA, ±
, è, Ü, Å, É, È, ç, ‘, ¬, Å, ©, Å, ·iŽ; , È^óü, ð, ²~ -p, ç, ½, ¾, , ±, Æ, æÅ“\
, Æ, È, è, Ü, µ, ½B

, ±, İfvfŠf“f^Efhf%fcfo, Å, íAHP-GL/2 , ðfTf| [fg, µ, Ä, ç
, Ü, ·BHP-GL/2 , íAHP ŽĐ, İŠJ” , µ, ½fvfBfbf^\$Êä-
p, İÊÊ, Å , , èAHP-GL/2 , İfTf| [fg, É, æ, è·iŽG, ÈfOf
%ftfBfbfNfX, İ^óü, à, ‘, ¬, Å, ©, Å, ·iŽ; , És, x, ±, Æ, æÅ“\ , Å, ·B

HPJV5E fvfŠf“f^Efhf%fcfo, Å, íA‘èf_fcfa f0, æ, è-
lX, ÈY‘è, æÅ“\ , Å, · , æA“Á·É, È·K-v, æ-³, çÊ, è fOf
%ftfBfbfNfXf, [fh, ð HP-GL/2 , Æ, µ, Ä, “Žg, ç, ç, ½, ¾, , ±
, Æ, ð, “, ·, ·, ß, µ, Ü, ·B

HP LaserJet 4V (JAPAN) fvfŠf“f^fhf%fcfo HPJV5E, İ“Á’·

HP LaserJet 4V (JAPAN) fvfŠf“f^fhf%fcfo HPJV5E fo [fwf#f“
31J.V2.01 , É, íA^È%º, İ, æ, x, È“Á’· , æ , , è, Ü, · :

- 1). fOf%ftfBfbfNfX·iŽ; , İfTf| [fg
600 dpi , İf, [fh, É, “, ç, ÅA 600, 300, 150 dpi , İ
%ð‘æ“x, æA, Ü, ½A300 dpi , İ f, [fh, É, “, ç, Å 300, 150,
75 dpi , İ%ð‘æ“x, æfTf| [fg, ³, è, Ä, ç, Ü, ·B, ±, è, ç, İ
%ð‘æ“x, İY‘è, íAŽAÜ, É, İ“Žš, Å, í, È, -
A, » , è, ¼, èfİfvfVf#f“Ef_fcfa f0, İ úwfOf
%ftfBfbfNfX·iŽ; úW, É, “, -, éúW , ·iŽ; úWAúW· ‘ÉúWAúWfhf

ftfgúW,ì'I'ð 'I'ð,É,æ,Á,Äs,ç,Ü,·B

2). HP-GL/2 ,ìfTf|[]fg

HP-GL/2 ,^a HPJV5E fvfŠf“f^Efhf%fcfo,ÁfTf|
[]fg,³,ê,Ü,·B fIvfVf‡f“Ef_fCfAf0,ìúWfOf
ftfBfbfNfX[]Ef,[]fhúW,É,“,ç,Ä'I'ð%Ä"\,Á,·B ,±,±,Á,Í
"HP-GL/2"[]A"f%xf^",ì"ñ,Ä,^a'I'ð%Ä"\,Á,·B"HP-GL/2",ì'I'ð,í[]
A fpftfH[]f}f“fX,ì,æ,çÝ'è,Á,·BffftfHf<fg,Á,Í HP-
GL/2 ,^aÝ'è,³,ê,Ü,·B

,±,ìffftfHf<fg,ìÝ'è,Á^óü,Á,«,È,ç[]ê[]A"f
%xf^",ÉÝ'è,ð·í[]X,μ,Á,à,κ^ê"x ^óü,μ,É,“,μ,Ä,Ý,Ä,-
,³/₄,³,ç[]B []Ü,μ,-
,í[]AfIvfVf‡f“Ef_fCfAf0,ìfwf<fv,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

3). fGfRfm[]Ef,[]fh,ìfTf|[]fg

fGfRfm[]Ef,[]fh,ìÝ'è,í[]AfIvfVf‡f“Ef_fCfAf0,Ás,ç
,Ü,·BfGfRfm[]Ef,[]fh ,Á,ì[]o-í,í"fhf%ftfg",ìfOf
ftfBfbfNfX·iŽ;ÆŽ-,Ä,ç,Ü,·Bfgfi[][,ì[]Á"i,ð[] ,È,-
,·,é,¹/₂,β,ÉŽg-p,·,éfhfbfg,^a[],È,,É,é,æ,κ
,ÉfRf“fgf[][]f<,μ,Ü,·B

4). RET ,ìfTf|[]fg

RET ,Æ,í[]A^óü·iŽ; ,ðEü[]ã,³,¹,é,¹/₂,β,ìfqf..
[]f[]fbfg[]EfpfbfJ[]fhŽĐ“ÆŽ°,ì
^óü<Z[]p,Á,·BfIvfVf‡f“Ef_fCfAf0,É,“,ç
,Ä,»,ìÝ'è,ì"x[]‡,^a'I'ð%Ä"\ ,Á,·B,±,±,Á,í[]A"f
%fcfg"[]A"f~ffBfAf€"[]A"f_[]fN"[]A"fIft",^a'I'ð%Ä"\,Á,·B

Version 31.V1.01 ,©,ç,ì·í[]X“_,É,Ä,ç,Ä

HPJL5E fvfŠf“f^ fhf%fcfo Version 31.V2.01
,Á,í[]AfIvfVf‡f“Ef_fCfAf0,ì [TrueType ,ðfOf
ftfBfbfNfX,Æ,μ,Á^óü] ,^a [TrueType ^óü] ,Æ·í[]X,³,ê[]A[fOf
ftfBfbfNfX[]Ef,[]fh] ,É,“,ç,Ä [HP-GL/2] ,ð'I'ð,μ,¹/₂[]ê[]‡,í
[fvfŠf“f^,ìf%xf^f%fcfU,ðŽg-p] ,Æ
[frfbfgf}fbfv,Æ,μ,Äf_fEf“f[][]fh] ,^a[]A,Ü,¹/₂ [f%xf^]
,ð'I'ð,μ,¹/₂[]ê[]‡,í,³,ç,É [f%xf^ fOfftfBfbfNfX,Æ,μ,Á^óü]
,^a'I,x,é,æ,κ,É,È,è,Ü,μ,¹/₂[]B

,Ü,¹/₂[]A^È%°,ì[]€-Ú,É,Ä,ç,Ä[]C[]³[]A·í[]X,³,ê,Ü,μ,¹/₂[]B

fIvfVf‡f“Ef_fCfAf0,ìúWfOf
ftfBfbfNfX[]Ef,[]fhúW,É,“,ç,Ä"HP-GL/2",ð'I'ð,μ,¹/₂[]ê[]‡[]A,Ü,¹/₂,
í[]A"f%xf^",ð'I'ð,μ,Ä[]hTrueType ^óü[]h,Á[]hf%xf^ fOf
ftfBfbfNfX,Æ,μ,Á^óü[]h^ÈŠ0,ð'I'ð,μ,¹/₂[]ê[]‡:

1). LOTUS 1-2-3 for Windows ,É, ",ç,Ä AfI [fo [f
%fbfv, ³, ê, éfzf<"à, ÌfefLfxfg, ªfNfŠfbfv, ³, ê, È, ç, ±, Æ, ª, , éB

2). Borland Paradox 5.0J ,É, ",ç,Ä Afzf<, É
%EŠň, ¹, ðžw'è, µ, ½Žž, ÉÄã, Ì•¶ Žš, ª^óü, ³, ê, È, ç, ±
, Æ, ª, , éB

3). TrueType •¶Žš, Ì%ň"], ª, Å, «, È, çB

4). □c□', «^óü, É, ",ç,Ä AŠOŽš•¶Žš, Ì^óü^Ê'u, ª, , , ê, é, ±, Æ, ª, , é
□B

5). □c□A, à, µ, , Í%j •ûËü, ö, Ì"C^ó" {Šp, Ì^óü, ª, Å, «, È, çB

, » , Ì'¼ :

6). Aldus PageMaker 5.0J ,É, ",ç,Ä A"Á'è, Ì-
pžtfTfCfY, ÅA^óü^Ê'u, ª, , , ê, é, ±, Æ, ª, , éB

•¶Žš, Ì^óü, É, ",ç,Ä A•¶Žš, Ì^è" •ª, ÌfNfŠfbfv, Ìfhf
%fCfo, Ì\$Æ, É, æ, è, Å, «, Ü, ¹, ñB2). , Å<" , °, ç, ê, ½ Borland
Paradox 5.0J , Ì, æ, ª
, ÉA^è" , ÌfAfvfŠfP [fvf±f" , Å, Í•¶Žš, Ìfrfbfgf}fbfv, Ì"à, Ì^è" •
ª, ðfzf<, ÌŠ0, ÉfNfŠfbfv, , é, æ, ª, Éžw'è, µ, Å^óü, , é, à, Ì, ª, , è, Ü
, •BVersion 31.V1.01 , Å, Í□A, ±, Ì, æ, ª, È•¶Žš, Ì^óü□o-
^, Ü, ¹, ñ, Å, µ, ½, ªA31.V2.01 , Å, Í□A, ±, Ì, æ, ª
, Èê±, Ì^'u, Æ, µ, ÄWIN.INI ftf@fCf<, É^È%º, Ì, æ, ª
, ÈÝ'è, ð, , é, ±, Æ, Å□A, ±, è, ð^óü, , é, ±, Æ, ð%Å"\ , Æ, µ, Ü, µ, ½□B

1. fvf□f0f%f€
f}fl□[fwff, Ì[f□fCf"]f0f<□[fv, æ, è□A[fRf"fgh□□[f<
fpflf<]fAfCfRf", ðf_fuf< fNfŠfbfN, µ, Ü, •□B
2. [fRf"fgh□□[f<
fpflf<]fEfBf"fhfE, ©, ç[fvfŠf"f^]fAfCfRf", ð'I'ð, , é, Æ□A[fvfŠf
"f^, ÌÝ'è]f_fCfAf□f0 f{fbfNfX, ª•\Ž|, ³, ê, Ü, •□B
3. [Ý'è(S)...]f{f^f", ð'I'ð, µ, Ü, •□B
4. [Ý'è]f_fCfAf□f0
f{fbfNfX, Å□A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, •□B
5. [□I-¹]f{f^f", ðfNfŠfbfN, µ, Ü, •□B

^È□ã, Ì'€□ì, ð□s, È, ª, Æ Windows fffBfÆfNfgfŠ, Ì win.ini
ftf@fCf<, É^È%º, Ì, æ, ª, ÈzfNfVf±f", ª"o~^, ³, ê, Ü, •□iLPT1
, Í□A□Ú'±, ³, ê, ½f|□[fg-¼□j□B

[HP LaserJet 4V (JAPAN), LPT1]

f□f, ' , È, Ç, ðžg-p, µ, Ä□A, ±, ÌfzfNfVf±f", É^È
%º, ÌfGf"fghŠ, ð"o~^, , é, ÆfNfŠfbfv<<ŠE□ã, Ì•¶Žš, Ì^óü, ª%Å"\
, Æ, È, è, Ü, •□B

noBoundaryClipping=1

,Ü,½□A□Ý'è'l,ð 0 ,É,·,é,±,Æ,É,æ,è,±,Ì□Ý'è,ð%ð□æ,·,é,±
,Æ,ª,Å,«,Ü,·□B,±,Ì□Ý'è,Í□AÆ'¥,Æ,µ,ÄÆÅ□X,Ì^óüfWf‡fu-
^,Éf`fFfbfN,³,è,Ü,·,Ì,Å□A□Ý'è,Ì•Ì□X,Ì,½,ß,É Windows
,ð□Å<N"@,·,é•K-v,Í, ,è,Ü,¹,ñ□B

fvfŠf“f^,Ì TrueType f%fXf^f%fcfU,É,æ,é□c□A,à,µ,,Í%
;•ûÆü,Ö,Ì"C^Ó" {Šp,Ì^ó□ü,Í□AÆ»□Ý,Ì,Æ,±,ëfhf
%fcfo,Ì□§ÆÀ,É,æ,è,Å,«,Ü,¹,ñ□B5).,Å<“,°,ç,è,½□c□A,à,µ,,Í%
;•ûÆü,Ö,Ì"C^Ó" {Šp,Ì^ó□ü,ð□s,È,¤□ê□‡,É,Í□AfIfvfVf‡f“□Ef_fCfA
f□f0,Ì□hTrueType
^óü□h,Å□hf rfbf g}fbfv,Æ,µ,Äf_fEf“f□□[fh□h,ð‘I’ð,·,é,±
,Æ,Å,±,è,ª%Å“\,Æ,È,è,Ü,·□B

Microsoft Windows 3.1J ,Ö,Ì'g,Ý□ž,Ý,É,Å,ç,Ä

HPJV5E fvfŠf“f^□Efhf%fcfo,ð Microsoft Windows 3.1J
,É'g,Ý□ž,µ,½,ß,É,Í□A^È%º,Ì,æ,¤,È'€□ì,ª•K-v,Å,·:

1. fvf□f0f
%f€□Ef}fl□[fwff,Ìf□fCf“,Ìf0f<□[fv,æ,è□AfRf“fgf□□[f<□Efpflf<
,ð‘I’ð,µ,Ü,·□B
2. fRf“fgf□□[f<□Efpflf<,©,çfvfŠf“f^□EfAfCfRf“,ð‘I’ð,·,é,Æ□Afvf
Šf“f^,Ì□Ý'èf_fCfAf□f0,ª•\Ž! ,³,è,Ü,·□B
3. ['Ç%Å>>] f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
4. úV'g,Ý□ž,PfvfŠf“f^,Ì'I'ðúV,ÌfŠfXfg□Ef{fbfNfX,æ,èúV^è
—
,É,È,çfvfŠf“f^,â□X□V,³,è,½fvfŠf“f^,Ì'g,Ý□ž,ÝúV,ð‘I’ð,µ,Ü,·□
ifŠfXfg,Ì□Å□%,Ì□€-Ú,Å,·□j□B
5. ['g,Ý□ž,Ý...] f{f^f“,ð‘I’ð,µ,Ü,·□B
6. HPJV5E fvfŠf“f^□Efhf
%fcfo,Ìftf□fbfsfB□[□EfffBfXfN,ðfffBfXfN□Efhf
%fcfu,É“ü,è□Afhf%fcfu-¼,ðŽw'è,µ,Ü,·□B
7. "HP LaserJet 4V (JAPAN)"
,ð‘I’ð,µ□A[OK]f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
8. [□Ü'±...] f{f^f“,ð‘I’ð,µ,Ü,·□B
9. úV□Ü'±□æúVfŠfXfg□Ef{fbfNfX,©,çf|□[fg,ð‘I’ð,µ,Ü,·□B
10. '□,‘¬,É^ó□ü' ,ð‘I’ð,µ□A[OK]f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
11. [□Ý'è...] f{f^f“,ð‘I’ð,µ,Ü,·□B
12. □Ý'èf_fCfAf□f0,Å□A•K-v,É□Ý'è,ð□s,ç,Ü,·□B
13. [OK] f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
14. ['Ê□íŽg,¤fvfŠf“f^,Æ,µ,Ä□Ý'è}f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
15. [□I-¹]f{f^f“,ðfNfŠfbfN,µ,Ü,·□B



ftf@fCf<\

HPJV5E1	DLL	76,860	96-01-23	9:37
HPJV5E2	DLL	61,824	96-01-23	9:39
HPJV5E3	DLL	141,534	96-01-23	9:51
HPJV5E4	DLL	31,744	96-01-23	9:40
HPJV5E	DRV	109,024	96-01-23	9:49
HPJV5E	HLP	17,653	96-01-23	7:37
Windowsfwf<fvftf@fCf<				
HPJV5E0	HLP	15,762	96-01-23	7:37
Windowsfwf<fvftf@fCf<				
OEMSETUP	INF	851	96-01-23	7:37
README	TXT	18,994	96-01-23	7:37

à-ftf@fCf<

HP LaserJet5L fU[fvfŠf“f^–pfhf%fcfo for NEC PC98
“ú–{EWindows95 Ver 40.0.1

 Žû~^ffBfNfgfŠ DISC2:\DRIVER\HP\WIN95\LJ5L_N

 “à–e

@PC-9800fvfŠ[fY–p,ÌHP LaserJet 5LfvfŠf“f^fhf%fcfo Windows
95”Å,Å,·BWindows 3.1,Û,½,Í,»,ê^È‘0,ÌŠÂ<«,ÍfTf| [fg,³,ê,Ä,ç
,È,ç,Ì,Å,²’^Ó,,¾,³,çB

@@Ú,μ,,ÍAà–¾ftf@fcf<,ð,“Ç,Ý,,¾,³,çB

 ftf@fcf< \ \ ~

CTL3DV2	DLL	21,648	96-01-16	18:47
HPJ5G1	DLL	48,484	96-01-16	19:14
HPJ5G2	DLL	40,960	96-01-16	19:21
HPJ5G3	DLL	148,144	96-01-16	19:29
HPJ5GFE	DLL	27,136	96-01-16	19:30
HPJ5GUI	DLL	83,616	96-01-16	19:02
HPLJCOMM	DLL	6,752	95-10-01	23:03
HPPJLMON	DLL	10,736	95-10-01	23:03
HPTABJ16	DLL	76,816	96-01-16	18:47
HPJ5G	DRV	89,392	96-01-16	19:11
HPJ5G	HLP	70,932	96-01-16	18:47

Windowsfwf<fvftf@fcf<

OEMSETUP	INF	1,103	96-01-16	18:47
README95	TXT	27,105	96-01-29	19:08 à–

¾ftf@fcf<

HP LaserJet5L fU[fvfŠf“f^~pfhf%fcfo for DOS/V “ú-
{ÊWindows95 Ver 40.0.1



Žû~^ffBfÆfnfgfŠ

DISC2:\DRIVER\HP\WIN95\95LJ5L_V



“à-e

@DOS/V-p,ÌHP LaserJet 5LfvfŠf“f^fhf%fcfo Windows
95”Å,Å,·BWindows 3.1,Û,½,Í,»,ê^È‘0,ÌŠÂ<<,ÍfTf| [fg,³,ê,Ä,ç
,È,ç,Ì,Å,²’^Ó,,¾,³,çB

@@Ú,μ,,ÍAà-¾ftf@fcf<,ð,“Ç,Ý,,¾,³,çB



ftf@fcf< \-

HPJ5G1	DLL	48,484	96-01-16	19:14
CTL3DV2	DLL	21,648	96-01-16	18:47
HPJ5G2	DLL	40,960	96-01-16	19:21
HPJ5G3	DLL	148,144	96-01-16	19:29
HPJ5GFE	DLL	27,136	96-01-16	19:30
HPJ5GUI	DLL	83,616	96-01-16	19:02
HPLJCOMM	DLL	6,944	96-01-16	18:47
HPPJLMON	DLL	10,736	96-01-16	18:47
HPTABJ16	DLL	76,816	96-01-16	18:47
HPJ5G	DRV	89,392	96-01-16	19:11
HPJ5G	HLP	70,932	96-01-16	18:47
Windowsfwf<fvftf@fcf<				
OEMSETUP	INF	1,103	96-01-16	18:47
README95	TXT	27,105	96-01-29	18:52

à-¾ftf@fcf<

HP ScanJet fRfs [ft [fefBfŠfefB (NEC PC98-p)



Žû~^fffbfCfNfgfŠ DISC2:\DRIVER\HP\WIN31\COPY10N



“à-e

,æ,è,æ,çfRfs [E<%Ê,ð“¾,é,É,Íc

* HP ColorSmartfvfŠf“f^,Æfhf%fcfo,ìŽg-p,ð,“Š©,ß,µ,Û,·B

* PCLfhf%fcfo,ð~-p,Å,«,éê# ,ÍAPostScriptfhf
%fcfo,Å,Í,È,

PCLfhf%fcfo,ìŽg-
p,ð,“Š©,ß,µ,Û,·BfRfs [ŽžŠÔ,ª'Zk,Å,«,Û,·B

šCf“fXfg [f<•û-@

@%½,à“ü,Á,Ä,ç,È,ç<ó,ìftfH [f}fbfg [Ī,Ýftf [fbfs [fffbfXfN,ð-
p^Ó,µ,ÄA

@DISC2:\DRIVER\HP\WIN31\COPY10N

%º,ì,·,×,Ä,ìftf@fcf<,ðfRfs [,µ,Ä,¾,³,çB

@@,» ,ìftf [fbfs [“à,É, ,éSETUP.EXE,ðŽÀs,µ,Ä,¾,³,çB



ú,µ,,ÍDISC2:\DRIVER\HP\WIN31\COPY10N\README2.TXT,ð,²—,-
¾,³,çB

HP Scanning Software v1.01

インストールの実行



Žû~^ffBfĉfNfgfŠ DISC2:\DRIVER\HP\WIN31\PP101



“à-e

□@HP PicturePlace□AHP PicturePlace Editor□AHP
PictureScan□AHP Copier□A,»,İ'¼,İHP Scanning
Software,İft□[fēfBfŠfēfBfvf□f0f%f€,Å,·□B



□Ú,μ,,ÍDISC2:\DRIVER\HP\WIN31\PP101\DISK1\README.TXT,ð,²—,-
,³/₄,³,ç□B

HP ScanJet fRfs[]ft[]fefBfŠfefB



Žû~^fffbfçfnfgfŠ

DISC2:\DRIVER\HP\WIN31\COPY10V



“à-e

,æ,è,æ,çfRfs[][ç<%Ê,ð“¾,é,É,Íc

* HP ColorSmartfvfŠf“f^,Æfhf%fcfo,ìŽg-p,ð,“Š©,ß,µ,Û,·B

* PCLfhf%fcfo,ð~-p,Å,«,éê[]#,Í[]ApostScriptfhf
%fcfo,Å,Í,È,

PCLfhf%fcfo,ìŽg-
p,ð,“Š©,ß,µ,Û,·BfRfs[][ŽžŠÔ,ª'Z[]k,Å,«,Û,·B

fCf“fXfg[]f<•û-ç

[]@%½,à“ü,Á,Ä,ç,È,ç<ó,ÌftfH[]f}fbfg[]İ,Ýftf[]fbfs[]fffbfXfN,ð-
p^Ó,µ,Ä[]A

[]@DISC2:\DRIVER\HP\WIN31\COPY10V

%º,ì,·,×,Ä,Ìftf@fcf<,ðfRfs[][,µ,Ä,,¾,³,çB

[]@,»,Ìftf[]fbfs[][“à,É, ,éSETUP.EXE,ðŽÀ[]s,µ,Ä,,¾,³,çB



[]Ú,µ,,ÍDISC2:\DRIVER\HP\WIN31\COPY10V\README2.TXT,ð,²—,-
,¾,³,çB

インストールの実行



Žû~^ffjBjÆfNfgfŠ DISC2:\DRIVER\HP\WIN31\DJ50



“à-e

□š<Æfhf%fcfo,Æ-{fhf%fcfo,Æ,ì‘Š^á”_

□@□æ<Æ HP DeskJet J- fVfŠ□[fYfvfŠf“f^fhf%fcfo□iv2.0

^É‘0,Ìfhf%fcfo□j,ðfAfbfvf0fÆ□[fh,·,é□Ú□A^É

‰º,ì“_,ª<ÆfvfŠf“f^fhf%fcfo,Æ^Ù,È,è,Û,·□B

□@ o Ž““®fJf%□[^ó□ü

□@ o □V,µ,¢fvfŠf“f^f_fCfAf□f0f{fbfNfX

□@ o <Æfhf%fcfo•t‘®Ì«YÄ[-¾‘©,ł]□A[Roman PS],ðfTf|

□[fg,µ,È,¢

□@o ^óŽš%Â”\-ì^æ

□@ o Microsoft Windows 3.0 ,ðfTf|□[fg,µ,È,¢

□šfRf“fgf□□[f<fpflf<,©,ç,ÌfCf“fXfg□[f<

□@□æfRf“fgf□□[f<fpflf<,æ,èfvfŠf“f^fhf

%fcfo,ðfCf“fXfg□[f<,·,é,±,Æ,Í”ð,¯,Ä,-

,¾,¾,¢□BfCf“fXfg□[f<,ª□¾,µ,□s,í,ê,È,¢,±,Æ,ª, ,è,Û,·□BfRf“fg

f□□[f<fpflf<,æ,èfvfŠf“f^fhf%fcfo,ðfCf“fXfg□[f<,µfgf

%fuf<,ª”□¶,µ,½□ê□‡,Í□AHPSETUP.EXEfVf□f0f%fc

,ðŽg,Á,ÄfvfŠf“f^fhf%fcfo,ð□Ä“xfCf“fXfg□[f<,µ,Ä,,¾,¾,¢□B



□Ú,µ,,ÍDISC2:\DRIVER\HP\WIN31\DJ50\README.TXT,ð,²—,,¾,¾,¢□B

HP DeskScan II v2.2 (NEC PC-98"Å)



Žû~^ffBfçfnfgfŠ DISC2:\DRIVER\HP\WIN31\DSII22N



“à-e

šfCf“fXfg[f<•û-@

@@%½,à“ü,Á,Ä,ç

,É,ç<ó,ìftfH[f}fbfgï,Ýftf[]fbfs[][fffBfXfN,ð-p^Ó,μ,ÄA

@@DISC2:\DRIVER\HP\WIN31\DSII22N

%º,ì,·,×,Ä,ìftf@fCf<,ðfRfs[][,μ,Ä,,¾,³,çB


@@@,»ìftf[]fbfs[]["à,É, ,éSETUP.EXE,ðŽÀ[s,μ,Ä,,¾,³,çB



ú,μ,,ÍDISC2:\DRIVER\HP\WIN31\DSII22N\README.TXT,ð,²—,-
,¾,³,çB

Hewlett-Packard HP-GL/2
Windowsfhf%fcfo (HP-GL/2 , ,æ,Ñ HP RTL)

インストールの実行

 Žũ~^fffbfœfnfgfŠ DISC2:\DRIVER\HP\WIN31\HPGL210

 “à-e

□š‘Î%ž□»•i

- HP fffUfCf“fWfFfbfg (C1633A/B)
- HP fffUfCf“fWfFfbfg 200
- HP fffUfCf“fWfFfbfg 220
- HP fffUfCf“fWfFfbfg 230
- HP fffUfCf“fWfFfbfg 250C
- HP fffUfCf“fWfFfbfg 600
- HP fffUfCf“fWfFfbfg 650C
- HP fffUfCf“fWfFfbfg 750C

□šfhf%fcfo, Ìfcf“fXfg□[f<
□d-v, ±, Ìfhf
%fcfo, ðfcf“fXfg□[f<’t, Í□A‘¼, ÌfAfvfŠfP□[fVf#f“, ð<N“® , µ, È, ç
, Å, , ¾, ¾, ç□B

□œWindows 3.1 , Å, Ìfcf“fXfg□[f<

□@•\‘è•”•ª, Ìfcf“fXfg□[f<f{f^f“, ð%ÿ, µ, Å, , ¾, ¾, ç□B

□œWindows 95 , Å, Ì•W□€fcf“fXfg□[f<

□@
□@- {fhf%fcfo, Í□A Windows 95
, Ì‘□ŠúfŠfŠ□[fX”Å, Éœü, -, Ä□Ýœv, ¾, è, Å, ç, Ü, •□B

□@
□@Žÿ, Ìžè□‡, Å□A“Á, Éž|, ¾, È, çœÀ, è□Af}fEfX, ÌfnfŠfbfN, Í□¶f{f^f“,
ðžg-p, •, é, ±, Æ, ð‘0’ñ, Æ, µ, Å, ç, Ü, •□B

□@
□@1. Windows 95 , ð<N“® , µ□ADISC2:\DRIVER\HP\WIN31\
HPGL210^È%º, È, , é, •, ×, Å, Ìtft@fcf<, ðfRfs□[, µ, ½ftf□fbfs□[fffb
fXfN, ðfffbfXfN, ð“ü, è, Ü, •□B□mfXf^□[fg□n, ðfnfŠfbfN, µ□A□m□Y’è□
n, ð‘I’ð, µ, ½, ç□A□mfvfŠf“f^□n, ð‘I’ð, µ, Å□mfvfŠf“f^□nf_fCfAf□f0
f{fbfNfX, ðŠJ, «, Ü, •□B

␣@
␣@2. ␣mfvfŠf“f^, Ì'Ç
%Á␣nfAfCfRf“, ðf_fuf<fNfŠfbfN, µ␣A␣mfvfŠf“f^
fEfBfU␣[fh␣nf_fCfAf␣f0 f{fbfNfX, ðŠJ, «, Ü, ·␣B
␣@
␣@3. %æ-Ê, Ê•\Ž! , ³, ê, éŽwŽ! , Ê␣] , ç, Ü, ·␣BfVfXfef€␣\
␣-, Ê, æ, Á, Ä, Í␣AZÏ, Ì, æ, ¢, ÊŽ;-â, ð, ³, ê, é, ©, à, µ, ê, Ü, ¹, ñ␣B
␣@
␣@ fvf␣fbf^, Í, Ç, ±, Ê␣Ú'±, ³, ê, Ä, ç, Ü, ·, ©?
␣@ -----
␣@ 'I'ðfIfvfVf#f“␣F
␣@ f␣␣[fJf< fvfŠf“f^ fvfŠf“f^, ÆfRf“fsf...
␣[f^, ¢fP␣[fuf<, Á'¼␣Ú␣Ú'±, ³, ê, Ä, ç, é␣ê␣#␣B
␣@ flfbfgf␣␣[fN fvfŠf“f^ fvfŠf“f^, Êflfbfgf␣␣[fN
fIfvfVf#f“␣i"HP JetDirect flfbfgf␣␣[fN fCf“f^ftfF␣[fX"
“™␣j, ¢fCf“fXfg␣[f<, ³, ê, Ä, ç, Ä␣AfvfŠf“f^, Æ, Ì'Ê␣M, ÊŽg-
p, ·, é␣ê␣#␣B
␣@
␣@ MS-DOS, Ìfvf␣f0f%f€, ©, ç^ó␣ü, µ, Ü, ·, ©?
␣@ -----
␣@ ␣m, ç, ç, !␣n, ð'I'ð, ·, é, ±
, Æ, ð, “Š©, ß, µ, Ü, ·␣B␣m, Í, ç␣n, Í␣A MS-DOS fhf
%fCfo, ðfCf“fXfg␣[f<, µ, Ä, ç, Ä␣A HP fffUfCf“fwfFfbfg
fVfŠ␣[fY, Ìfvf␣fbf^, Ê␣o-Ì, Ä, «, é␣ê␣#, Ê, Ì, Ý'I'ð, µ, Ä, , ¾, ³, ç␣B
␣@
␣@4. fCf“fXfg␣[f<Žè␣#, Ì␣ÁĚă, Ì•û, Á␣Afhf%fCfo, Ìfwf<fv
fVfXfef€, Êf\ftfgfEfFfAfAvfŠfP␣[fVf#f“ fm␣[fg, ¢•\
Ž! , ³, ê, Ü, ·␣B, ²Žg-p, ÌfAvfŠfP␣[fVf#f“, ÊŠÖ, ·, é␣€
, ð, “Ç, Ý, Ê, È, é, æ, ¢
, “Š©, ß, µ, Ü, ·␣B“Ç, Ý␣I, Á, Äfwf<fvftf@fCf<, ð•Â, ¶, é, Æ␣AWindows
95 , Ì␣mfvfŠf“f^ fEfBfU␣[fh␣nf_fCfAf␣f0 f{fbfNfX, Ê-ß, è, Ü, ·␣B
␣@
␣@5. fhf%fCfo, ÌfCf“fXfg␣[f< fffBfXfN, ðŽæ, è␣o, µ, Ü, ·␣B



␣Ú, µ, , ÍDISC2:\DRIVER\HP\WIN31\README.TXT, ð, ²—, , ¾, ³, ç␣B

HP LaserJet 4PJ fvfŠf“f^fhf%fcfo HPJ5E
Version 31.V2.00 for Windows 3.1J



Žû~^fffbfBfœfnfgfŠ

DISC2:\DRIVER\HP\WIN31\LJ4PJ20



“à-e


□@HPJ5E fvfŠf“f^□Efhf%fcfo,Í□AHP LaserJet 4PJ fvfŠf“f^—
p,ìfvfŠf“f^□Efhf%fcfo,Å,·□BHP LaserJet 4PJ
fvfŠf“f^,Í□AMicrosoft Windows 3.1J ,Ì•W□€ ,Å ,éTrueType
ftfHf“fg,Ìf%fxf^f%fcfU,ð“<□Ú,μ□A,ł,r —¼’□□A,ł,r fSfVfbfN
,Ì,Q□‘ ‘Ì,ð•W□€ ,Å“<□Ú,μ,½600dpi,Ì“ú—{œfvfŠf“f^,Å,·□B—
{fvfŠf“f^,“,æ,ÑfvfŠf“f^fhf%fcfo,ÅfTf|□[fg,³,è,½HP ŽĐ,Ì•W□€
,Å , éfy□[fw<L□qœ¾œè,o,b,k,Í□A,QfofCfgr□[fh,ÌfTf|
□[fg,ð□s,Å,Å,ç,Ü,·□B,±,è,É,æ,è□AMicrosoft Windows 3.1J ,Æ
HP LaserJet 4PJ fvfŠf“f^,Ì’g,Ý□±,í,¹,É,æ,Á,Ä□A,±
,è,Ü,Å,É,È,ç□,‘¬,Å,©,Å□,•iŽž,È^ó□ü,ð,²~—p,ç,½,¾,±,Æ,æ%Å”\
,Æ,È,è,Ü,μ,½□B,±,ìfvfŠf“f^□Efhf%fcfo,Å,Í□AHP-GL/2 ,ðfTf|
□[fg,μ,Ä,ç,Ü,·□BHP-GL/2 ,Í□AHP ŽĐ,ÌŠJ”,μ,½fvf□fbf^□Sœä—
p,Ìœ¾œè,Å , è□AHP-GL/2 ,ÌfTf|□[fg,É,æ,è•;ŽG,Éfof
%ftfbfbfNfX,Ì^ó□ü,à□,‘¬,Å,©,Å□,•iŽž,É□s,±,±,Æ,æ%Å”\,Å,·□B

□@HPJ5E fvfŠf“f^□Efhf%fcfo,Å,Í□A□Ý’èf_fCfAf□f0,æ,è—
l□X,È□Ý’è,æ%Å”\,Å,·,æ□A“Á•É,È•K—v,æ—³,çœÁ,è f0f
%ftfbfbfNfXf,□[fh,ð HP-GL/2 ,Æ,μ,Ä,“Žg,ç,ç,½,¾,±
,Æ,ð,“,·,·,·,β,μ,Ü,·□B

□šfCf“fXfg□[f<•û—@

□@□@HPJ5E fvfŠf“f^□Efhf%fcfo,ð Microsoft Windows 3.1J
,É’g,Ý□ž,β,½,β,É,Í□A^È%º,Ì,æ,±,È’€□ì,æ•K—v,Å,·□F
□@
□@1. fvf□f0f
%f€□Ef}fl□[fwff,Ìf□fCf“,Ìf0f<□[fv,æ,è□Afrf“fgf□□[f<□Efpflf<
,ð’I’ð,μ,Ü,·□B
□@2.
frf“fgf□□[f<□Efpflf<,©,çfvfŠf“f^□EfAfCfRf“,ð’I’ð,·,é,Æ□Afvf
Šf“f^,Í□Ý’èf_fCfAf□f0,æ•\Žž,³,è,Ü,·□B
□@3. [‘Ç%Å>] f{f^f“,ðfnfŠfbfN,μ,Ü,·□B
□@4.
úV’g,Ý□ž,βfvfŠf“f^,Ì’I’ðúV,ÌfŠfXfg□Ef{fbfNfX,æ,èúV^è—
,É,È,çfvfŠf“f^,â□X□V,³,è,½fvfŠf“f^,Ì’g,Ý□ž,ÝúV,ð’I’ð,μ,Ü,·□
ifŠfXfg,Í□Å%º,Í□€—U,Å,·□j□B
□@5. [‘g,Ý□ž,Ý...] f{f^f“,ð’I’ð,μ,Ü,·□B

- Ⓜ@6. HPJ5E fvfŠf“f^Efhf%fcfo,ì, ,éDISC2:\DRIVER\HP\WIN31\LJ4PJ20,ÉAêŠ,đŽw'è,μ,Û,·B
- Ⓜ@7. "HP LaserJet 4PJ",đ'I'đ,μA[OK]f{f^f“,đfNfŠfbfN,μ,Û,·B
- Ⓜ@8. [Ú'±...] f{f^f“,đ'I'đ,μ,Û,·B
- Ⓜ@9. úVÚ'±æúVfŠfXfgE{fbfNfX,©,çf|[fg,đ'I'đ,μ,Û,·B
 - 10. ' , '¬,É^óü' ,đ'I'đ,μA[OK]f{f^f“,đfNfŠfbfN,μ,Û,·B
 - 11. [Ý'è...] f{f^f“,đ'I'đ,μ,Û,·B
 - 12. Ý'èf_fCfAf0,ÅA•K-v,ÈÝ'è,đs,ç,Û,·B
 - 13. [OK] f{f^f“,đfNfŠfbfN,μ,Û,·B
 - 14. ['ÊíŽg,xfvfŠf“f^,Æ,μ,ÅÝ'è]f{f^f“,đfNfŠfbfN,μ,Û,·B
 - 15. [I⁻¹]f{f^f“,đfNfŠfbfN,μ,Û,·B

 Ú,μ,,ÍDISC2:\DRIVER\HP\WIN31\LJ4PJ20\README.TXT,đ,²—,-
³/₄,³,çB

HP DeskScan II v2.2



Žů~^ffBfCfNfgfŠ

DISC2:\DRIVER\HP\WIN31\PSII22V



“à-e

□šDeskScan, Ì‘0, Ìfo□[fWf#f“, ©, ç, ÌfofC□[fhfAfbfv
DeskScan IIfo□[fWf#f“2.2, ÌfZfbfgfAfbfvfvf□fof%€
, Í□A<Cfo□[fWf#f“, ÌDeskScan f\
ftfgfEfFfA, ðŽ©“®“I, ÉfAfbfvf0fC□[fh, µ, Ü, ·□B

fo□[fWf#f“2.2, Í□AHP ScanJet
Plus×3c×IIc×IIcx×IIp×3pf^fCfv, ÌfXfLfffi, ðfTf|
□[fg, µ, Ä, ¨, è, Ü, ·□B

, È, ¨fo□[fWf#f“2.2, ÍASPI, ¨, æ, ÑCAM‘Î
%ž, ÌSCSI fJ□[fh, ½, ß, ÌHP ScanJetfhf%fcfo, ð”ö, |, Ä, ç, Ü, ·□B, ±
, Ìfhf%fcfo, ÍHP ScanJet
3c×IIc×IIcx×IIp×3pf^fCfv, ÌfXfLfffi^ÈŠ0, É, Ížg-p, Å, «, Ü, ¹, ñ□B

Šù, ÉASPI, Ü, ½, ÍCAM SCSI fJ□[fh, ð, ²žg-p, Ìft□[fU, Í□A, ±
, Ì□V, µ, çfhf%fcfo, É, æ, Á, ÄfCf“f^ftfF□[fX-pfJ□[fhfXf□fbfg, Ìžg-
p□”, ð1, ÂÉ, , ç, ·, ±, Æ, ª, Å, «, Ü, ·□B, Ü, ½×ROM, Ìžg-p-Ì^æ, ð□B-
ñ, ·, é, ±, Æ, à, Å, «, Ü, ·□B

fo□[fWf#f“2.2, Ö, ÌfAfbfvf0fC□[fh, ð□s, ×Žž□AŠù‘¶, Ì
DESKSCAN.INIftf@fCf<, Í DESKSCAN.BAK , Æ, ç, ×-
¼‘0, Å•Ü‘¶, ³, è, Ü, ·□B□]-^, ÌDeskScan, Ìfo□[fWf#f“, Åžg, Á, Ä, ç
, ½fLfffsfufC□[fvf#f“□İ, Ý, Ìfvfšf“fgfpfX, ð^ø, «‘±, «žg-
p, µ, ½, ç□ê□#, Í□A, ±, Ì DESKSCAN.BAK
ftf@fCf<, ©, ç□Ä“x“ç, Ý□o, µ, Åžg-p, ·, é, ±
, Æ, ª, Å, «, Ü, ·□i<C, çfLfffsfufC□[fvf#f“ftf@fCf<, Ì
%ñ•æ, ÉŠÖ, ·, é, ³, ç, É□Ú, µ, ç□î•ñ, Í□A, ±
, ÌÆä, Ì□uDESKSCAN.INIftf@fCf<□v, Ì□B, ðžQ□Æ, µ, Ä, , ¾, ³, ç□j□B

□šfCf“fXfg□[f<•û-@
□@□@%½, à“ü, Á, Ä, ç
, É, ç<ó, ÌftfH□[f}fbfg□İ, Ýftf□fbfs□[fffBfXfN, ð-p^ó, µ, Ä□A
□@□@DISC2:\DRIVER\HP\WIN31\PSII22V
%º, Ì, ·, ×, Ä, Ìftf@fCf<, ðfRfs□[, µ, Ä, , ¾, ³, ç□B

□@□@, » , Ìftf□fbfs□[“à, É, , éSETUP.EXE, ðžÀ□s, µ, Ä, , ¾, ³, ç□B



Ú, μ, , ÍDISC2:\DRIVER\HP\WIN31\PSII22V\README.TXT, ð, ²—, -
, ³/₄, ³, ç B

