

Microsoft fVfXfef€î•ñ

Microsoft fVfXfef€î•ñ, í AfVfXfef€î•ñ, ðŽúW, ·, éŠî- {fc[f<, Å, ·B, ±, ìfc[f<, í AfVfXfef€, É-
â'è, ^a<N, «, ½, Æ, «, É Af} fCfNf fVfXfef€î•ñ, ðŽúW, ·, éŠî- {fc[f<, Å, ·B, ±, ìfc[f<, í AfVfXfef€, É-
%o†, ·, é, ½, Æ, «, É Af} fCfNf fVfXfef€î•ñ, ðŽúW, ·, éŠî- {fc[f<, Å, ·B, ±, ìfc[f<, í AfVfXfef€, É-

[ftf@fCf<] fffj...[.lfRf}f“fh

[ftf@fCf<] fffj...[.É,íAŽŸ,lfRf}f“fh,a, ,è,Ü,·B

•Ű‘¶HID_FIL •a—p,ì^è—,Æ•a—p,²,Æ,ì¶•ñ,ð•Ű‘¶,μ,Ü,·B
E_SAVE>pro
c4

^óüHID_FIL •a—p,ì^è—,Æ•a—p,²,Æ,ì¶•ñ,ð^óü,μ,Ü,·B
E_PRINT>pro
c4

ftf@fCf<- ŽÀs,.,éfAfvfšfP[fVf#“ ,ðžw’è,.,é,½,ß,lf_fCfAf¶
¼,ðžw’è,μ,Ä O,ðCEÄ,Ño,μ,Ü,·B

ŽÄsHID_FIL
E_RUN>proc
4

¶l— Microsoft fvfxfef€¶î•ñ,ð¶l—¹,μ,Ü,·B

¶HID_APP_EX
IT>proc4

[•ÒW] fffj...[l,lfRf}f“fh

[•ÒW] fffj...[l,É,íAZŸ,lfRf}f“fh,ª, ,è,Ü,·B

fRfs[HID_EDIT ^è—,É•\Z|,ª,è,Ä,ç
_COPY>proc4 ,éff[f^,ðfNfSfbvf{[fh,ÉfRfs[l,µ,Ü,·B
.,x,Ä'1'ðHID_S ^è—,É•\Z|,ª,è,Ä,ç,é€-U,ð,.,x,Ä'1'ð,µ,Ü,·B
ELECT_ALL>pr
oc4

[•\Ž!:] f[]fj...[][,]fRf}f“fh

[•\Ž!:] f[]fj...[][,É,Í[]AŽŸ,]fRf}f“fh,a, ,è,Û,·[]B

```

fc[][f<fo[][HID_      fc[][f<fo[][,ì•\Ž!,Æ”ñ•\Ž!,ð[]Ø,è‘Ö,!,Û,·[]B
VIEW_TOOLBA
R>proc4
fXfe[][f^fX      fXfe[][f^fX fo[][,ì•\Ž!,Æ”ñ•\Ž!,ð[]Ø,è‘Ö,!,Û,·[]B
fo[][HID_VIEW_
STATUS_BAR>
proc4
[]Å[]V,ì[]î•ñ,É[]  CE>[]Ÿ‘!‘ð,³,ê,Ä,ç,é•ª—p,ì[]€-Û^ê—
X[]VHID_VIEW      ,ð[]X[]V,μ,Û,·[]B
_REFRESH>pr
oc4
[]í,ÉŽè‘O,É•\      Microsoft fVfXfef€[]î•ñ ,ð[]í,ÉŽè‘O,É•\
Ž!;HID              Ž!,·,é[]f[]v[]f[]f“ ,]f[]f“ ,Æ[]f[]t,ð[]Ø,è‘Ö,!,Û,·[]B
_ALWAYS_ONT
OP>proc4

```

[fwf<fv] f[]fj...[][,]fRf}f“fh

[fwf<fv] f[]fj...[][,É,Í[]ŽŸ,]fRf}f“fh,a, ,è[]AMicrosoft fVfXfef€[]î•ñ,ðŽg,¤,Æ,«,É-ð—š,¿,Û,·[]B

```

fwf<fv              fwf<fv fgfsfbfN,ð[]ð^ø,ÅCEŸ[]ð,μ,Û,·[]B
fgfsfbfNHID_HE
LP_INDEX>proc
4
fo[][fWf[]f“[]î•ñH  Microsoft
ID_APP_ABOUT      fVfXfef€[]î•ñ,ì‘~[]èCE ,Æfo[][fWf[]f“[]î•ñ,ð•\
>proc4              Ž!,μ,Û,·[]B

```

[•Ů'ŋ] fRf}f“fh ([ftf@fCf<] f fjjf...[])

□€-ú,î^ê—,Æ□€-ú,ìî•ñ,ð•Ů'ŋ,μ,Û,•□B

[ftf@fCf<-¼,đŽw'è,μ,ĂŽÀs] fRf}f“fh ([ftf@fCf<] fñfjf...□□)

'¼,lfAfvfŠfP□[fVf#f“,đ<N“@,μ,Ü,·□B,±,lfRf}f“fh,đŽg,ϣ,Æ□A<ϣ'Êft□[fefBfŠfefB,đ'1'đ,·,é,½,ß,ì^ê—,đ•\
Ž|,·,éf_fCfAfvfO,^aCEĂ,Ń□o,³,ê,Ü,·□B,Ü,½□A•W□€,lfyf@fCf<,đŠ],f_fCfAfvfO,đŽg,Á,Ă□AfAfvfŠfP□[fVf#f“
ftf@fCf<,đŽQ□Æ,Ă,«,Ü,·□B

[0!-1] fRf}f“fh ([ftf@fCf<] f0fjf...0I)

fAfvfŠfP[fVf#f“ ,đ0!-1,μ,Ü,·BfAfvfŠfP[fVf#f“ ,}fRf“fgf00[f< f0fjf...0I,ì [•Â,¶,é]
,đŽg,Á,ÄAfAfvfŠfP[fVf#f“ ,đ0!-1,·,é,±,Æ,à,À,«,Ü,·B

[fRfs[] fRf}f“fh ([•Ö[]W] f[]jf...[])

'l'đ,³,ê,½ff[]f^,đfNfŠfbfvf{[]fh,ÉfRfs[],μ,Ü,·[]Bff[]f^,²'l'đ,³,ê,Ä,ç,È,ç[]ê[]#,Í[]A,±,}fRf}f“fh,đŽg—
p,Å,«,Ü,³,ň[]B

ff[]f^,đfNfŠfbfvf{[]fh,ÉfRfs[],·,é,Æ[]A,»ê,Ü,ÅfNfŠfbfvf{[]fh,É•Ü'¶,³,ê,Ä,ç,½ff[]f^,ÍŽ,·,í,ê,Ü,·[]B

[fc[f<fo[] fRf}f“fh ([•\Ž:] f[]fj...[])

fc[]f<fo[],ì•\Ž!,Æ”ñ•\Ž!,ð[]ø,è’Ö,!,Ü,·[]Bfc[]f<fo[],É,í[]A[•Û’¶],È,Ç[]A,æ,-
Žg,xfRf}f“fh,lf{f^f“,^a, ,è,Ü,·[]Bfc[]f<fo[],^a•\Ž!,³,ê,Ä,ç,é[]é[]‡,í[]A[]f[]fj...[][[]€-Ú,ì[]æ“^a,Éf`fFfbfN
f}[]fN,^a•t,¯,ç,ê,Ü,·[]B

fc[f<fo]

fc[f<fo[,íAFAfVfŠfP[fVf#f“ fEfBf“fhfE,ìã•”,É, ,éfffj...[fo[,ì%º,É•\Ž!,³,é,Ü,·Bfc[f<fo[,ðŽg,α
,ÆAMicrosoft fVfXfef€î•ñ,ífc[f<,ÉAF}fEfX‘€ì,¾,¯,Å,·,î,â,fAfNfZfX,Å,«,Ü,·B

fc[f<fo[,ì•\Ž!,Æ”ñ•\Ž!,ð∅,è’Ö,!,é,É,íA[•\Ž!] fffj...[,ì [fc[f<fo[[] ,ð’ð,μ,Ü,·B,Ü,½,íAAItAVAT
fL[,ð%ÿ,μ,Ü,·B

[fXfe[f^fX fo[] fRf}f“fh ([•\Ž:] f[]jf...[]]

fXfe[f^fX fo[],i•\Ž!,Æ”ñ•\Ž!,ð∅,è‘Ö,!,Ü,·BfXfe[f^fX fo[],É,íA‘l’ð,³ê,Ä,ç,éf[]jf...[]€-
Ú,âfc[]f<fo[],lf{f^f“,ì<@”\à-¾,^a•\Ž!,³ê,Ü,·BfXfe[f^fX fo[],^a•\Ž!,³ê,Ä,ç,éê[]#,íA[]jf...[]€-
Ú,ìæ“^a,Éf`fFfbfN f}[]fN,^a•t,¯,ç,ê,Ü,·B

fXfe[f^fX fo]

fXfe[f^fX fo], í Af Cf“ fEfBf“fhfE, ì%º•”, É•\Ž!,³, é, Ü, · BfXfe[f^fX fo], ì•\Ž!, Æ”ñ•\ Ž!, ðØ, è, Ò, ì, é, É, í Af [•\Ž!] fffj... [l, ì [fXfe[f^fX fo]] , ðŽg, ç, Ü, · B

-í^ófl [l, ðŽg, Á, Äffj... [ŠÖ, ð^Ú“ ®, , é, Æ Af I' ð, ³, é, ½ffj... [l [€-Ú, ì<@“\à-¾, fXfe[f^fX fo], É•\ Ž!,³, é, Ü, · B, Ü, ½ Af c [f<fo [l, ì {f^f“ , ðf} fEfX f|fCf“f^, Äf|Cf“fg, µ, Ä, ç, é ŠÖ Af {f^f“ , ì<@“\à-¾, ð•\ Ž!,³, é, Ü, · B

[fwf<fv fgfsfbfN] fRf}f“fh ([fwf<fv] f□fjf...□I)

,±,ìfRf}f“fh,í□Afwf<fv,ì [fgfsfbfN,ìĀÿ□ō] f_fCfAf□fO f{fbfNfX,ð•\Ž|,·,é,ì,ÉŽg,ç,Ü,·□B,±,ìf_fCfAf□fO
f{fbfNfX,©,ç□AMicrosoft fVfXfefē□i•ň,ì‘€□ìŽè□±,ì□à-¾,â□A,³,Ü,´,Ü,ÉŽí—p,ìŽQ□I□i•ň,ÉfWffff“fv,·,é,±
,Æ,ª,Ā,«,Ü,·□B

fwf<fv fEfBf“fhfE,ì [fgfsfbfN] f{f^f“,ðfNfŠfbfN,·,é,Æ [fgfsfbfN,ìĀÿ□ō] f_fCfAf□fO f{fbfNfX,É-ß,é,±
,Æ,ª,Ā,«,Ü,·□B

[fo [fWf#f“ [î•ñ] fRf}f“fh ([fwf<fv] f [fjf... [l]

Microsoft fVfXfef€ [î•ñ, ì~ [ì€ ,Æfo [fWf#f“ [î•ñ, ð•\Ž|, μ, Ü, · [B

[fwf<fv] f{f^f“

Microsoft fVfXfef€î•ñ,lf|fbfv fqf“fg,đ•\Ž! ,μ,Ü,·□Bfc□[f:fo□l,ì [fwf<fv] ,đfNfŠfbfN,·,é,Æ□Af}fEfX fl
fCf“f^,lfwf<fv flfCf“f^,É•l,í,è,Ü,·□BŽŸ,É□A‘¼,lf{f^f“,É,Ç□AfEfBf“fhfE“à,ì□€-
Ú,đfNfŠfbfN,μ,Ü,·□BfNfŠfbfN,μ,½□€-Ú,É‘‰ž,·,é|fbfv fqf“fg,ª•\Ž! ,³,è,Ü,·□B

,±,ì—ì^æ,É'í%ž,·,éfwf<fv fgfsfbfN,í, ,è,Ü,¹,ñ

fEfBf“fhfE,ì,±,ì•”•â,É'í%ž,·,éfwf<fv fgfsfbfN,í, ,è,Ü,¹,ñ□B

,±,ì—ì^æ,É'í%ž,·,éfwf<fv fgfsfbfN,í, ,è,Ü,¹,ñ

,±,ìf□fbfZ□lfW f{fbfNfX,É'í%ž,·,éfwf<fv fgfsfbfN,í, ,è,Ü,¹,ñ□B

[^óü] fRf}f“fh ([ftf@fCf·] fffj...[])

€-ú,ì,·,×,Ä,ìî•ñ,îê—,ð^óü,μ,Û,·B

f, fVfXfef€, VoiceView f,ff€,ðfTf|[]fg,μ,Ä,ç,éê[]‡,íAflfvfVf‡“,ðŽg,Á,Äî•ñ,ðf,ff€'—M,·,é,±,Æ,^a,Ä,«,Û,·B

[.,×,Ä'İ'ð] fRf}f“fh ([•ÒW] fffj...[I)

%E'α,İfEfBf“fhfE~g,É•\Ž|,³,ê,Ä,ç,é€-Ú,ð,·,×,Ä'İ'ð,μ,Û,·B

[ÅV,î•ñ,ÉXV] fRf}f“fh ([\Ž:] fffj...[])

«»Ý'đ,³,ê,Ä,ç,é€-Ú,ì“à—e,ðXV,μ,Û,·B,½,Æ,î,ÎA[fVfXfef€] ,ª'í'đ,³,ê,Ä,ç
,éê‡,íA[ÅV,îî•ñ,ÉXV] fRf}f“fh,đŽg,Á,Žg—p%Å“\,Éff,fŠ—e—Ê,Ë,Ç,îî•ñ,ðXV,Å,«,Û,·B

[í,ÉŽè'O,É•\Ž!} fRf}f“fh ([•\Ž!} f fjf...)]

,±,lfRf}f“fh,đŽg,α,Æ□A'¼,lfAfvfŠfP□[fVf#f“ ,lfEfBf“fhfE,Å□ì<Æ,μ,Ä,ç,éŠÔ,à□AMicrosoft
fvfXfef€î•ň,lfEfBf“fhfE,đí,ÉŽè'O,É•\Ž!,μ,Ä,“,±,Æ,^a,Å,«,Ü,·□B

[fVfXfef€i•ñ]

Žg—p,μ,Ä,ç,éfRf“fsf...[f^,É,Â,ç,Ä,ìî•ñ,ð•\Ž!,μ,Ü,·□B,±,ìî•ñ,í□AfvfXfef€,ìfgf%ofuf<fvf...[fefBf“fO,É-ð—
š,ž,Ü,·□B

“Á`è,ì□€-Ú,ìî•ñ,ð•\Ž!,·,é,É,í□A□q‘α,ìfEfBf“fhfE~g,É•\Ž!,³,è,Ä,ç,é□€-Ú,ð‘l‘ð,μ,Ü,·□B%oE‘α,ìfEfBf“fhfE~g,ì—
ñCE©□o,μ,ðfNfŠfbfN,·,é,Æ□A—ñ,ìff□[f^,ð•Ä,x‘Ö,ì,é,±,Æ,ª,Ä,«,Ü,·□B

%oE‘α,ìfEfBf“fhfE~g,Á‘l‘ð,μ,Ä,ç,é□s,ìff□[f^,ðfRfs□[,Ä,«,Ü,·□BfRfs□[,·,é□s,ì 1 —ñ-Ú,ðfNfŠfbfN,μ□A[•Ò□W]
f□jf...□[,ì [fRfs□[],ð‘l‘ð,·,é,©□ACtrl fL□[,ð%ÿ,μ,É,ª,ç C fL□[,ð%ÿ,μ,Ü,·□Bff□[f^,ìf^fu,Ä<æ□Ø,ç,è,Ä,ç
,é,ì,Ä□AExcel ,ìf□□[fNfV□[fg,É“\,è•t,·,é,±,Æ,ª,Ä,«,Ü,·□B

[fVfXfef€]

fRf“fsf... [f^,]fn [fhfEfffA,É,Â,ç,Ä,]î•ň,ð•Ž!,μ,Û,·B

[fVfXfef€] ,i€-Ú

flfyf€ [fefBf"fo fVfXfef€: Žg—p't,lfRf"fsf... [f^,iftf@fCf< fAfNfZfX,ÆfffBfXfN fAfNfZfX,ðŒS€ä.,.é\ftfgfEfffA,Ā,·□B

Windows fo [fWf†f"': Žg—p't,ì Windows ,ifo [fWf†f"'"Ô□t,Ā,·□B

CPU ,iŽí—p: CPU ('t%>□^—□'•'u) ,i€^,Ā,·□B

'Sf□f,fŠ: fCf"Xfg□[f<,³,è,Ā,ç,é RAM (f%of"f_f€ fAfNfZfX f□f,fŠ) ,ì—e—Ê,ì□‡€v,Ā,·□B

Žg—p%Ā" f□f,fŠ: •" —□ RAM (f%of"f_f€ fAfNfZfX f□f,fŠ) ,ì<ó,«—e—Ê (KB 'P^Ê) ,Ā,·□B

Žg—p%Ā" \ USER f□f,fŠ: Windows ft□[fU□[fRf" f□[fif"fg,lfŠ\□[fX,ì<ó,«,ìŠ,,□‡,Ā,·□B

Žg—p%Ā" \ GDI f□f,fŠ: Windows Graphic Design Interface (GDI) ,lfŠf□[fX,ì<ó,«,ìŠ,,□‡,Ā,·□B

%¼'zf□f,fŠ ftfCfY: %¼'zf□f,fŠ,Æ,μ,ĀŽg—p,.,éVfXfef€ ftf@fCf<,iftfCfY,Ā,·□B

%¼'zf□f,fŠ,ìŽg—p□ó<μ: Windows %¼'zf□f,fŠ,ìŽg—pŠ,,□‡,Ā,·□B

%¼'zf□f,fŠ,ìY'è: Ž " ®Y'è,âTfCfYŽw'è,È,Ç,ì□A%¼'zf□f,fŠ,ì□Y'è,ìfifv†f†f" ,Ā,·□B

<ó,«fffBfXfN—e—Ê x: Žg—p,μ,Ā,ç,éhf%ofCfu,lfBfXfN fXfy□[fX,ì<ó,«—e—Ê (KB'P^Ê) ,Ā,·□B

Windows ftfHf<f_: Windows ftfHf<f_,iftf< fpfX-¼,Ā,·□B

fef"flf%ofŠ ftfHf<f_: Temp ftfHf<f_,iftf< fpfX-¼,Ā,·□B

%¼'zf,fš

f,fššÇ—•û-@,ì`èŽíB%¼'zf,fš,đŽg—p,·,é,ÆA,æ,è½,,lfvfOf%€,"~žž,ÉŽÀs,Å,«,Ü,·B•—
ff,fš,ì—e—Ê,íCÈ,ç,ê,Ä,ç,é,ì,ÅAfvfOf%€,đŽÀs,Å,«,é~—ff,fš,ì—e—Ê,đ',â,·,½,ß,ÉffBfXfN
fXfy[fX,đŽg—p,μ,Ü,·B[V,μ,çfvfOf%€,đŽÀs,·,é,ÆAZg—p•p"x,ì'á,çfvfOf%€,â¼,lfvfOf%€
,lff[f^,íA•—ff,fš,©,çffBfXfNä,ì"A•É,Èftf@fCf<,É^Ü,³,ê,Ü,·B

fLffofCfg (KB)

f f, fŠ, Ü, ½, ífffBfXfN fXfy[fX, ìî•ñ, ì'P^ÊB1 fLffofCfg (KB) , íA1024 fofCfg, Ü, ½, í"¼Šp 1024 •¶Žš, É'S"-
, µ, Ü, •B

[fvfŠf“f^]

‘g,Ýž,Ü,ê,Ä,ç,éfvfŠf“f^ fhf%ofCfo,É,Â,ç,Ä,ìî•ň,ð•Ž|,μ,Ü,·B

[fvfŠf“f^] ,i€-Ú

'ÊiŽg,xfvfŠf“f^: Žg—p't,lfvfŠf“f^,Å,·B

fvfŠf“f^ fXfv[f%oo,đŽg—p,·,é: fvfŠf“f^,É^óüfWf#fu,đ'¼Ú'—,é'ã,í,è,ÉAfvfŠf“fg

f}f[fWff,đŽg,Á,Á^óüff[f^,đfXfv[f<,μ,Ä,č,é,©,Ç,α,©,đŽ!,μ,Û,·B

Unidriver (UNIDRV.DLL): "Ä—p fvfŠf“f^ fhf%ofCfo,lftf@fCf<i•ñ,Å,·B

Gen drv (GENDRV.DLL): ^ê"Êf%ofCfuf%ofŠ fhf%ofCfo,lftf@fCf<i•ñ,Å,·B

fCf“fXfg[f<,³,ê,Ä,č,éfvfŠf“f^: fCf“fXfg[f<,³,ê,Ä,č,éfvfŠf“f^,l-¼'O,Æftf@fCf<,i•ñ,Å,·B

[VfXfef€ DLL]

Windows VfXfef€ ftfHf<f_ (,½,Æ,!,îAc:\windows\system) ,iše DLL ,iftf@fCf<-
¼Afo[Wf#f“A”ú•tAfTfCfYfA,“,æ,Ńfrf<fh No. ,đ•Ž!,μ,Ü,·B,Ü,½Af[f,fsă,Ö,lf[fhó<μ,à•\
Ž!,μ,Ü,·B

[fVfXfef€ DLL] ,i€-Ú

Š€-Ú,íAWindows fVfXfef€ ftfHf<f_ (,½,Æ,!,íAc:\windows\system ,Ü,½,Í c:\winnt\system32) ,i DLL (f<Cfif~fbfN fŠ“fN f%oCfuf%ofŠ) ftf@fCf<,Å,·BŽŸ,ì,æ,æ,Èî•ñ,a•Žì,³,ê,Ü,·B

ftf@fCf<-¼: DLL ,iftf@fCf<-¼,Å,·B

fo[fWf#f#“: 4.0.0.500 ,ì,æ,æ

,Éfo[fWf#f#“Ôt,Å,·B’ÉíAf[fWff[“Ôt.f}fCfi[“Ôt.fŠfrfWf#f#“Ôt.ç“Ôt ,ì,æ,æ,É•Žì,³,ê,Ü,·B

“ú•t: DLL ,i“ú•t (u“çv“ú•t) ,Å,·B

fTfCfY: ftf@fCf< fTfCfY (fofCfG’P^Ê) ,Å,·B

f[f,fŠä: DLL ,íŽA[só<µ (f[f,fŠä,Éf[fh,³,ê,Ä,ç,é,©,Ç,æ,©) ,Å,·B

frf<fh No.: çŽ•É”Ôt,ðŠÜ,bfo[fWf#f#“Ôt,Å,·B

[ftfHf“fg]

fVfXfef€, ìftfHf“fg fGf“fWf“, É, Â, ç, Ä, ìî•ñ, ð•Ž!, μ, Û, ·□B

[ftfHf“fg’u,«Š.,l]

,æ,Žg,ɤftfHf“fg,ʰg,Ýž,Ü,ê,Ä,ç,È,çêç,ì’ǎ’ÖftfHf“fg,ð•\Ž!,μ,Ü,·B

[ftfHf“fg f}fi[fWff]

ftfHf“fg fTfCfY[A Ž®[AfffUfCf“[A,“,æ,ŃfCfCfAfEfg,ð[sCEä,.,éfAfvfŠfP[fVf#f“,ð•\Ž!,μ,Ü,·[B

[•¶'Z³fc[f<]

—p<`CEêŽ«“T□AfXfyf< f`fFfbfN□A,“,æ,Ñ•¶-@f`fFfbfN,É,Â,ç,Ä,ìî•ñ,ð•Žì,μ,Û,·□B

["o~^]

Windows fCfWfXfgfŠ,É“o~^,³,ê,Ä,ç,é•¶□Z□³fc□[f<,î^ê—,ð•\Ž!,μ,Ü,·□B

[INI ǝ'è]

Win.ini ftf@fCf<,É“o~^,³,ê,Ä,ç,é•¶□'□Z□³fc□[f<,î^ê—,ð•\Ž!,μ,Û,·□B

[ftf@fCf<î•ñ]

•¶'Z³fc[f<,ìftf@fCf<-¼Afo[fWf#f""Ô+¶Aftf@fCf<,ìì-“ú•t¶Aftf@fCf< fTfCfY¶Afrf<fh
No.¶A,“,æ,Nftf< fpfX-¼,ð•Ž,µ,Û,·B,Û,½A•¶'Z³fc[f<,¶f,fSã,Éf[fh,³,ê,Ä,ç,é,©,Ç,æ,©,à•\
Ž,µ,Û,·B

[fOf%oftfBfbfN ftfBf<f^]

fOf%oftfBfbfNfX,lfCf"f|[]fg," ,æ,ÑfGfNfXf|[]fg<@"\,É,Â,ç,Ä,ìî•ñ,ð•\Ž!,μ,Û,·[]B

["o~^]

Windows fCfWfXfgfŠ,É“o~^,³,ê,Ä,č,éfOf%oftfBfbfN ftfBf<f^,î^ê—,đ•\Ž!,μ,Ü,·□B

[INI]'è]

Win.ini ftf@fCf<,É“o~^,³,ê,Ä,ç,éfOf%oftfBfbfN ftfBf<f^,ì^ê—,ð•\Ž|,μ,Û,·.B

[ftf@fCf<î•ñ]

fOf%oftfBfbfN ftfBf<f^,ÉŠÖ~A,·,éŠeftf@fCf<,ìftf@fCf<-¼Afo[fWf#f“”ÔtAftf@fCf<,ì)ï-“ú•tAftf@fCf<
ftfCfYAfrr<fh No. A,“,æ,Ñftf<fpfX-¼,ð•\Z!,μ,Û,·B,Û,½Aftf@fCf<,³ff,fSã,Éf[fh,³,è,Ä,ç,é,©,Ç,π
,©,à•\Z!,μ,Û,·B

[fefLjXfg fRf“fo[f^]

fefLjXfg,lfCf“f[f,“ ,æ,ÑfGfNfXf|[fg<@“\,É,Â,ç,Ä,ìí•ñ,ð•Ž{,μ,Ü,·B

["o~^]

Windows fCfWfXfgfŠ,É“o~^,³,ê,Ä,č,éfefLjXfg fRf“fo[f^,î^ê—,ø•\Ž|,μ,Ü,·B

[INI ǎ'è]

Win.ini ftf@fCf<,É“o~^,³,ê,Ä,ç,éfefLfXfg fRf“fo[f^,ì^ê—,ð•\Žì,μ,Û,·B

[ftf@fCf<î•ñ]

fefLjXfg fRf“fo[]f^,ÉŠÖ~A,.,éŠeftf@fCf<,ìftf@fCf<-¼[]Afo[]fWf#f“”Ô[]+[]Aftf@fCf<,ì[]-“ú•t[]Aftf@fCf<
fTfCfY[]Afrf<fh No.[]A,“,æ,Ñftf< fpfX-¼,đ•\Z!,μ,Û,·[]B,Û,½[]Aftf@fCf<,³f[]f,š[]ă,Éf[][]fh,³,è,Ä,ç,é,©,Ç,¤,
,©,à•\Z!,μ,Û,·[]B

[ffBfXfvfCfC]

CE»Ÿg—p,μ,Ä,ç,éfrfffl fhf%ofCfo,ìftf@fCf<-¼Afo[fWfjf“A“ú•tA,“,æ,ÑfTfCfY,ð•Ž!,μ,Ü,·B

[ffBfXfvfCfC] ,i€-Ú

flfvfVf#f" ,lfhf%ofCfo,ìà-¾

fhf%ofCfo,ìtf@fCf<-¼: fo[fWf#f"A"ú•tA, ,æ,ÑfTfCfY (fofCf'P^Ê) ,ª•Ž!,³,ê,Ü,·B

[ŽÄ's't,lfAfvfŠfP[fVf#f"]

,·,x,Ä,ìŽÄsfvfOf%of€ (EXE ,Ü,½,í COM ftf@fCf<) ,ìf,jwf...[f<-¼AfvfZfX IDA," ,æ,Ñ 16 frfbfg,©,Ç,¤
,©,đ•\Z¡,µ,Û,·B

[ŽÄs't,lfAvfŠfP[fVf#f"] ,i€-Ú

Še€-Ú,íAŽÄs't,ì Windows fAvfŠfP[fVf#f" ,Å,·BŽŸ,ì,æ,α,Èí•ñ,ª•\Ž!,³,ê,Ü,·B

f,fWf...[f<-¼: fffBfCefNfgfŠ,lfpfX-¼,ðŠÜ,ñ,¼fAvfŠfP[fVf#f" ftj@fCf<-¼,Å,·B

ID: flfyfC[fefBf"fo fVfXfef€,ªŽg,αfAvfŠfP[fVf#f" ,ìŽ·ÉŽq,Å,·B

16 frfbfg: 'ÉíAWindows ,l<Cefo[fWf#f" —p,ÉYCEv,³,ê,½fAvfŠfP[fVf#f" ,ðŽ!,μ,Ü,·B
f[f, V,μ,çft[fefBfŠfefB,É,íACEYŠ·«,ð•Ü,Å,½,β,É 16 frfbfg,ði—p,μ,Å,ç,é,à,ì,à, ,è,Ü,·B

[OLE]

Windows fCfWfXfgfŠ,Æ Win.ini ftf@fCf<,É“o~^,³,ê,Ä,ç,é OLE fT[]fo[] fGf“fgfŠ,ì^ê—,ð•\Ž!,μ,Û,·B

["o~^]

fŒfWfXfgfŠ,É“o~^,³,ê,Ä,ç,é OLE fT□[fo□[fGf“fgfŠ,î^ê—,đ•\Ž!,μ,Û,·□B

[INI ǎ'è]

Win.ini ftf@fCf<,É“o~^,³,ê,Ä,ç,é OLE fT[fō[f fGf“fgfŠ,ì^ê—,đ•\Ž|,μ,Ü,·B

[fAfNfefBfu f,fWf...[f<]

f□f,fŠ□ä,Éf□□[fh,³,è,Ä,ç,é,·,×,Ä,lf,fWf...□[f< (fhf%oofCfo□AftfHf“fg□Af_fCfif~fbfN fŠf“fN f%oofCfuf
%oofS□A,“,æ,ŃŽĀ□sftf@fCf<) ,lf,fWf...□[f<-¼□Afo□[fWf#f“□Aftf@fCf<,l□i□→“ú•t□AftfCfY□A16 frfbfg,©,Ç,π
,©□A,“,æ,Ńftf< fpfX-¼,đ•\Ž!,μ,Û,·□B

[fAfNfefBfu f,fWf...[f<] ,i€-Ú

Še€-Ú,íA Af f,fŠă,Éf[h,³,ê,Ä,ç,éfAfvfŠP[fVf#f",ìŠg'£<@"\,âfVfXfef€ fŠf\ [fX,Å,·BŽŸ,ì,æ,æ,Èî•ň,²\ Ž,³,ê,Û,·B

f,fWf...[f<-¼: f,fWf...[f<,ìftf@fCf<-¼,Å,·B

fo[fWf#f": 3.51.0.1057 ,ì,æ,æ

,Éfo[fWf#f""Ôt,Å,·B'ÉíA f[fWff["Ôt.f}fCfi["Ôt.fŠfrfWf#f""Ôt.ç"Ôt ,ì,æ,æ,É•Ž,³,ê,Û,·B

"ú•t: DLL ,ì"-"ú•t (u»'çv"ú•t) ,Å,·B

fTfCfY: ftf@fCf< fTfCfY (fofCfG'P^Ê) ,Å,·B

16 frfbfg: 'ÉíA Windows ,l<Efo[fWf#f"-p,ÉYEv,³,ê,½f,fWf...[f<,©,Ç,æ,©,ðŽ,ì,µ,Ä,ç,Û,·B
f, V,µ,ç,f,fWf...[f<,É,íACEÝŠ·«,ð•Û,Å,½,ß,É 16 frfbfg,ðì-p,µ,Ä,ç,é,à,ì,à, ,è,Û,·B

fpfX: ftf< fpfX-¼,ðŠÛ,ň,¼ftf@fCf<-¼,Å,·B

["ú-{"Œê"ü-íVfXfef€]

Œ»ŸŸ'è,³,ê,Ä,ç,é"ú-{"Œê"ü-í,îê—,ð•\Ž!,μ,Ü,·B

[fjXf^f€ DLL]

ft[fU[.Žw'è,μ,½ffBfEfNfgfŠ,ìŠe DLL ,ìftf@fCf<-¼Afo[fWf#""Ô†A"ú•tAfTfCfY[A,,"æ,Ñfrf<fh No.
,ð•\Ž,μ,Ü,·B,Ü,½A,»,) DLL ,af[f,Šă,Éf[fh,³,ê,Ä,ç,é,©,Ç,α,©,à•\Ž,μ,Ü,·B,±,ì€-Ú,ð•\
Ž,·,é,É,íA"msinfo32 /c [My DLL'}s] c:\mydir" ,ì,æ,α,ÉAfRf}f"fh f%ofCf",Å /C flfvfVf#",ðŽw'è,μ,Ü,·B

ff[]f^,ðfRfs[][,·,é

%E'x,lfEjBf"fhfE~g,ðfAfNfefBfu,É,μ[]AfRfs[][,·,é[]s,ì 1 —ñ-Ú,ðfNfŠfbfN,μ[]A[•Ò[]W] f[]ffj...[][,ì [fRfs[][]
,ð'ìð,·,é,©[]ACtrl fL[][,ð%[]ÿ,μ,È,ª,ç C fL[][,ð%[]ÿ,μ,Û,·[]B

ff[]f^,ð•À,x'Ö,!,é

%oE'x,lfEfBf"fhfE~g,ðfAfNfefBfu,É,μ[]A•À,x'Ö,!,é—

ñ,ìCE©[]o,μ,ðfNfŠfbfN,μ,Û,·[]BCE©[]o,μ,ð,à,x^ê"xfnfŠfbfN,·,é,Æ[]A•À,x'Ö,!,ì[]#[]~,ðCE³,É-ß,·,±
,Æ,ª,À,«,Û,·[]B

□i•ñ,ð•Ů'¶,•,é

[ftf@fCf<] f□ffj...□[.] [•Ů'¶] ,ð'l'ð,•,é,©□ACtrl fL□[,ð%Ÿ,μ,È,ª,ç S fL□[,ð%Ÿ,μ,Ů,•□B

í•ñ,ð^óü,·,é

[ftf@fCf<] fffj... [^óü] ,ð'ð,·,é,©ACtrl fL[,ð%Ÿ,μ,È,ç P fL[,ð%Ÿ,μ,Ü,·B

fjfbfgf[]fNfhf%ofCfu,ì<ó,«—e—Ê,ð•\Ž!,•,é

Shift fL[],đ%Ÿ,μ,È,ç[]A[fVfXfef€] ,đ'ì'đ,μ,Û,·[]B[fVfXfef€] ,đŠù,É'ì'đ,μ,Ä,ç,é[]ê[]‡,í[]AShift fL[],đ
%Ÿ,μ,È,ç[]A[[]X[]V] ,đ'ì'đ,μ,Û,·[]B

Microsoft fVfXfef€[]î•ñ,ð•\Ž!,μ,Ä,ç,éŠÔ[]A[]í,Éfjfbfgf[]fN fhf%ofCfu,ìî•ñ,ð•\Ž!,•,é,É,í[]A"MSInfo32 /n"
,ì,æ,æ,É[]AfRf}f“fh f%ofCf“ ,Ä /N flfvfVf‡f“,đŽw'è,μ,Ä Microsoft fVfXfef€[]î•ñ,đŽÄ[]s,μ,Û,·[]B

f[]f, fjfbfgf[]fN,ì^—[],ÉŽžŠÔ,ç,©,©,é,ì,Ä[]A•W[]€[]Ý'è,Ä,í[]Afjfbfgf[]fN fhf%ofCfu,ì<ó,«—e—Ê,í•\
Ž!,³,ê,Û,¹,ñ[]B

