

[fAf_fvfefbfNŠ"Ž®%iŽĐ](#)

 [EZ-SCSI Ver.3 ŠÖ~A□••¤](#)

 [EZ-SCSI 98 ŠÖ~A□••¤](#)

 [EZ-SCSI Pro ŠÖ~A□••¤](#)

 [Windows 95 f~fjf|□\[fg□Efhf%oCfo](#)

EZ-SCSI Ver.3 ŠÖ~A□••¤

▶ [EZ-SCSI 3.04J Rev.A -> 3.04J Rev.C](#)

▶ [EZ-SCSI 3.04J Rev.C -> 3.06J Rev.B](#)

▶ [EZ-SCSI 3.04J Rev.A -> EZ-SCSI 3.04J Rev.C](#)

▶ [EZ-SCSI 3.04J Rev.B -> EZ-SCSI 3.04J Rev.C](#)

▶ [EZ-SCSI 3.04J Rev.B -> EZ-SCSI 3.04J Rev.C](#)

▶ [EZ-SCSI 3.05J Rev.B -> EZ-SCSI 3.06J Rev.B](#)

▶ [EZ-SCSI 3.05J Rev.C -> EZ-SCSI 3.06J Rev.B](#)

▶ [EZ-SCSI 3.06J Rev.A -> EZ-SCSI 3.06J Rev.B](#)

▶ [EZ-SCSI 3.06J Rev.B -> EZ-SCSI 3.07J Rev.A](#)

□@□@,±,ê,ç,Ìftf@fCf<,Í“WŠJ,³,ê,½Œ` ,ÅCD-ROM,ÉŽÙ~^,³,ê,Ä,¢,Ü,·□B

EZ-SCSI 98 ŠÖ~A□·•¤

▶ [EZ-SCSI 98 3.04J Rev.A -> EZ-SCSI 98 3.06J Rev.B](#)

▶ [EZ-SCSI 98 3.06J Rev.A -> EZ-SCSI 98 3.06J Rev.B](#)

▶ [EZ-SCSI 98 3.06J Rev.B -> EZ-SCSI 98 3.07J Rev.A](#)

□@□@,±,ê,ç,Ìftf@fCf<,Í“WŠJ,³,ê,½Œ` ,ÅCD-ROM,ÉŽû~^,³,ê,Ä,¢,Ü,·□B

EZ-SCSI Pro ŠÖ~A□·•¤

 EZ-SCSI Pro 3.5J Rev.A -> EZ-SCSI Pro 3.5J Rev.B
□@□@,±,ê,ç,Ìftf@fCf<,Í“WŠJ,³,ê,½Œ` ,ÅCD-ROM,ÉŽû~^,³,ê,Ä,¢,Ü,·□B

Windows 95 f~fjf|□[fg]Efhf%fCfo

▶ AT&TYS · <@-pf~fjf|□[fg]Efhf%fCfo

▶ PC-98-p f~fjf|□[fg]Efhf%fCfo

□@□@, ±, ê, ç, Ìftf@fCf<, Í“WŠJ, ³, ê, ½Œ` , ÅCD-ROM, ÉŽû~^, ³, ê, Ä, ç, Ü, · □B

EZ-SCSI 3.04J Rev.A -> 3.04J Rev.C

ŠT-v

□□□□
‘ÎÛfvf□f0f%f€

UPDATE_1.BAT
UPDATE_2.BAT

□@□@□@
▢ ft f@fCf < “à-e

(1) UPDATE_1.BAT : 1/2ffffBfXfN,IfAfbfvff[]fg[]^–
[],ð[]s,E,¤

fofbf`ftf@fcf<

(2) UPDATE_2.BAT : 2/2fffBfXfN,IfAfbfvfffg^-


fofbf`ftf@fCf<

(3) README .TXT : ,±,Íftf@fCf<Ž©Ùg

10


 C 3 “à-e

EZ-SCSI 3.01J»•i"Å, ð, "Ž, , ï•û, ÅA3.04J(Rev.A)
, ö, ïfAfbfvff[fg].
•¤, ðŽg-p, µ, Ä3.04J(Rev.A) 'Š"-, É, ³, ê, Ä, ¢
, é, ê, #A3.04J(Rev.C), ö, ïfAf
fvff[fg, ¤, x, Ü, , ¢, «, Ü, ¹, ñB, ±, ê, ÍA
‰¤L, ï, Qftf@fCf<, ïf^fCf€fXf^f"
fv, ¤ê'v, µ, È, ¢^x, Å, ·B



□@① UPDATE_1.BAT
□@□@ DISC2:\DRIVER\ADAPTEC\1T04TOC'†,‡UPDATE_1.BAT,Æ□·,µ‘Ö,‡
□@□@□@.Ä%o.³.¢▀B

□@② UPDATE_2.BAT
□@□@□@DISC2:\DRIVER\ADAPTEC\1T04TOC'†,ÌUPDATE_2.BAT,Æ□·,µ'ö, |
□@□@□@,Ä‰°, „,¢□B



EZ-SCSI 3.04J Rev.C -> EZ-SCSI 3.06J Rev.B

„« DOS/Windows-p „ú-{Œê"Å
„« Äþ“½, 2/2
„« „«
„« „« '†_a
„«

 3 “à-e

,É, „, „, é

□[fg]B

%fCfuftTf|□[fg, Ì

(1) “ŒžÅfm□[fgfufbfNPC <y, Ñ IBMfm□[fgfufbfNPC

•s<í‡, Ì□C□³□B

(2) ftfbfŠfbfv» CD-R ,É, „, „, é•s<í‡, Ì□C□³□B

(3) ,Ù,Æ,ñ,ç,Ì CD-ROMfhf%fCfu,Å,ÌfrffffICD,ðfTf|

(4) fpfif\jfjfbfN» PDfhf%fCfu,ðfTf|□[fg]B

(5) DOS/V<@, Å PC-98ftfH□[f]fbfg, Ì SCSI HD , Ì f%fCfg□EfŠ□[fh, „, „, É]B

(6) Windows "Å Backup Basics , Å SCSI fe□[fvfhf

'Ç‰Á]B

▶ fAfbfvff□[fg•û-@
‰º<L, IŽè‡, ÅfAfbfvff□[fg, μ, Ä,, ¾, ³, ¢B®A‘€ì-
á, Í, R®D, TfCf“f`
ftf□fbfs□[fffBfxNfhf%fCfu, ª, `fhf
‰fCfu□Afn□[fhfffBfxN, ª, bfhf%fCfu, Å
, , é, ±, Å, ð'0'ñ, Å, μ, Ä, ¢, Ü, ·B
□@•K-v, Èfvf□f0f%f€, É, Å, ¢, Ä

É•K-
v, Å, · B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

□@□@□@'□, P□FfjfefBfT□[fu“™, Ìfpf\frf“'Ê□M, à, µ, , ÍŽGŽ□•t^, ÌCD-
ROM, âft f□fbfs□[ffffBfxN“™, ©, ç•Ê“r“üžè, µ, Ä, -
, ¾, ³, ¢□B-{fAfbfvff□[fg ftf@fCf<, É, ÍŠÜ, Ü, ê, Ä, “, è, Ü, ¹, ñ□B
'□, Q□F-¼fvf□f0f%f€, ð□ì<Æ, ·, éfffBfEfNfgfŠ, É, “, -
, ©□AŠÂ<<•Ï□" "PATH" , Ì□Ý'è, ³, ê, ½fffBfEfNfgfŠ, É“ü, ê, Ä, “, ¢
, Ä%o, ³, ¢□B



i, Pj, PD, S, S, l, aftfH[f}fbfg, μ, ½<ó, «ftf]fbfs][ffffBfxN, δ, P-‡-
p^Ó, μ, Ü, ·]B

Ói, Qújšó, ÍfTfufffBfEfNfgfŠ, ðfnú[fhfffBfXfNfhf
‰fCfu, Éúìú-, µ, Ü, ·úB

‘€_ì-á_ F mkdir POI
~~~~~

□@□i,R□j(,Q),Å□ì,Á,½×ó,ÌfTffffBfEfNfgfŠ,ÉDISC2:\DRIVER\ADAPTEC\304C26B1  
□@□@□@^È‰°,Ìftf@fCf<,ð,·,×,ÄfRfs□[ ,μ,Ä,,¾,³,¢□B

'€ì-áF CD POI  
~~~~~  
UPDATE_1
~~~~~

“It is a very good book, but it is not the best book in the world. It is not the best book in the world.

ŽÓŽ «ΠΕ

,±,Ì,·,•,¤,ft,f@,fC,f<,ð,ì,û,¬,·,é,Ì,É,^,È,‰,º,Ì,f\,f,t,f,g,f,E,f,F,f,A,ð,Ž,g-p,,³,,¹,,Ä,,¢,  
,½,,¾,,«,,Ü,,µ,,½,Û,B  
,C,,¤,,à,,¸,,è,,¤,,Æ,,¤,,²,,‘,,\$,Ü,,µ,,½,Û,B

LHA version 2.55b Copyright (c) H.Yoshizaki@i<sup>g</sup>eh'xoj,  
1988-92

WSP version 1.50 copyright (C) amaprof 1992-93

 Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\304C26B1\README\_1.TXT  
DISC2\DRIVER\ADAPTEC\304C26B2\  
README\_2.TXT  
  
,  $\frac{3}{4}$ ,  $^3$ , ₩ □ B

EZ-SCSI 3.04J Rev.A -> EZ-SCSI 3.04J Rev.C

EMM386.EXE 'göz, Ýžž, İfCf“fXfg[]f<'t, İ•s<İ#‡, İÇC³  
SCSIFMT.EXE, ðASPIfx[]fX, İfAfvfŞfP[]fVf‡f“, É•İÇX  
EMM386.EXE 'göz, ÝžžADOSä, Å, İfCf“fXfg[]f<'t, İ•s<İ#‡, İÇC³  
SCSIfffofCfXfŞfZfbfgŽž, İ•s<İ#‡, İÇC³

[fAfbfvff][fg•ü—@  
@@%o<L, ÍŽè‡, ÅfAfbfvff][fg, µ, Ä, , ¾, ³, ¢B®A‘€]í—  
á, Í, R]D, TfCf“f`  
ftf]fbfs][fffBfxfNfhf%fcfu, ª, `fhf  
%fcfu]Afn][fhfffBfxfN, ª, bfhf%fcfu, Å  
, é, ±, Æ, ð'0'ñ, Æ, µ, Ä, ¢, Ü, ·]B

□@•K–v, Èfvf□f0f%f€, É, Â, ç, Ä

É@É@É@^É‰º, Ì, Qfvf]f0f‰f€, ªAfAfbfvff][fg]ì<Æ, ð]s, ✕^×, É•K-  
v, Å, ·]B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE  
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

□i,P□j,P□D,S,S,l,aftfH□[f}fbfg,μ,½<ó,«ftf□fbfs□[fffBfXfN,ð,P-‡-  
p^Ó,μ,Ü,·□B  
□@□i,Q□j<ó,ÌfTfuffffBf€fNfgfŠ,ðfn□[fhffffBfXfNfhf  
%fCfu,É□ì□¬,μ,Ü,·□B

□@□□□□@‘€□ì–á□F mkdir POI

~~~~~

¶@i,R®j(,Q),Å®i,Á,½<ó,ÌfTfufffBfŒfNfgfŠ,ÉDISC2:04JA2C1
¶@¶@¶@^È‰º,Ìftf@fCf<,ð,·,×,ÄfRfs®[,µ,Ä,,¾,³,¢®B

παπαπαπα' επὶ-άπι F CD POI

88

UPDATE_1

DISC2\DRIVER\ADAPTEC\304JA2C1\README_1.TXT
DISC2\DRIVER\ADAPTEC\304JA2C2\
README_2.TXT , „ “ Ç , Ý , -
, $\frac{3}{4}$, $\frac{3}{4}$, ₩ ₩ B

EZ-SCSI V3.04J Rev.A ||| 3.04J Rev.C

- (1) DOS/Windows "ÅfCf" fXfg[] [f‰, I<@"\<%>
(2) ASPI2DOS.SYS, I<@"\<%>

- (3) ASPI4DOS.SYS, І<@"\<%»
- (4) ASPI7DOS.SYS, ІEddgef gfŠfKfTf|□[fg
- (5)

ASPI8DOS.SYS, Intel® PCI fbfvfZfbfgfTf|fg
(6) ASPICD.SYS, <@"\%>y, NfTf|fg<@Ží, Šg' f
(7) WINASPI.DLL, AHA-294X' Žž
(8) Šefwf<fv, IfŠftf@fCf"

□□□□
▶, o, b , c, n, r , i, U□D, R□^, u, ð€ä—~—p, Ì•û, Ö, Ì, "Šè, ¢

ÍAEZ-SCSI 3.04J Rev.A Rev.B, ÉÉÅ-L, ÍŒ»Û, Å, ·BRev.C, ÉfAf^b
ÍAEZ-SCSI@fvff[fg, ðs, xZ-, Å%ðÁ, µ, Ü, ·B

fAfbfvff [fg•û—@
@%o<L, ÍŽè‡, ÅfAfbfvff [fg, µ, Ä, , ¾, ³, çÙBÙ®ÙA‘€Ùì—
á, Í, RÙD, TfCf“f`
ftfÙfbfsÙ [fffBfxNfhf%fcfu, ª, `fhf
%fcfuÙAfnÙ [fhfffBfxN, ª, bfhf%fcfu, Å
, é, ±, Æ, ð‘0’ñ, Æ, µ, Ä, ç, Ü, ·ÙB

•K-v ,ÈfvfØf0f%f€ ,É ,Â ,¢ ,Ä

É@É@É@^É‰º, Ì, Qfvf]f0f‰f€, ªAfAfbfvff][fg]ì<Æ, ð]s, ✕^×, É•K-
v, Å, ·]B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH



i,Pj,PxD,S,S,l,aftfH[f}fbfg,μ,½<ó,«ftf]fbfs|[ffffBfXfN,ð,P-≠-p^Ó,μ,Ü,·]B

¶@¶i, Q¶j <ó, ¶fTfuffffBfŒfNfgfŠ, ¶fn¶[fhffffBfXfNfhf
‰fcfu, É¶ì¶¬, µ, Ü, ·¶B

□@□□□□@‘€□ì–á□F mkdir POI

^ ^ ^ ^ ^ ^ ^

Παπαπαπαπα' επὶ-άπει CD POI

8

UPDATE 1

ŽÓŽ «ΠΕ

,±,Ì[],•,ª,ftf@fCf<,ð[]ì[],¬,·,é,Ì,É^È‰º,Ìf\ftfgfEfFfA,ðŽg-p,³,¹,Ä,¢
,½,¾,«,Ü,μ,½[]B
,C,¤,à,¸,è,ª,Æ,¤,²,‘,¢,Ü,μ,½[]B

LHA version 2.55b Copyright (c) H.Yoshizaki@iug.ohio.edu, 1988-92

WSP version 1.50 copyright (C) amaprof@Laptop 1992-93

DISC2\DRIVER\ADAPTEC\304JDSK1\README_X.TXT
DISC2\DRIVER\ADAPTEC\304JDSK2\
README_X.TXT
, δ, "“ç, Ý, -
, $\frac{3}{4}$, $\frac{3}{4}$, \$B

EZ-SCSI 3.04J Rev.B -> EZ-SCSI 3.04J Rev.C

fAfbfvff [fg•û—@
@@@^o<L, ÍZè‡, ÅfAfbfvff [fg, µ, Ä, , ³/₄, ³, çÙBÙ®ÙA ‘€Ùì—
á, Í, RÙD, TfCf“f`
ftfÙfbfs [fffBfxfNfhf%fcfu, ª, `fhf
%fcfuÙAfn [fhfffBfxfN, ª, bfhf%fcfu, Å
, é, ±, Æ, ð‘0’ñ, Æ, µ, Ä, ç, Ü, ·ÙB

•K-v, Èfvfjf0f%f€, É, Â, ç, Ä

É•K-
v, Å, · B

- (1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

©@©@©@'®, PFFjfjtgefBfT[u™, Ifpf\fRf“’ÊM, à, µ,, ÍŽGŽ•t^, ÌCD-ROM, áft

, $\frac{3}{4}$, $\sqrt{3}$, $\text{¢} \square B - \{ f A f b f v f f \square [f g$ $f \square f b f s \square [f f f B f X f N^{\text{TM}}, \text{©}, \text{ç} \bullet \text{Ê}^{\text{“}} r^{\text{“}} \ddot{u} \ddot{Z} \ddot{e}, \mu, \ddot{A}, -$
 $ft f @ f C f <, \acute{E}, \acute{I} \acute{S} \acute{U}, \ddot{U}, \acute{e}, \ddot{A}, ^{\text{“}}, \grave{e}, \ddot{U}, ^1, \tilde{n} \square B$

'[],Q[]F- $\frac{1}{4}$ fVf[]f0f%f€,ð[]ì<Æ,·,éffffBfŒfNfgfŠ,É,"",-
,©[]AŠÂ<<>•Í[] "PATH" ,Í[]Ý'è,³,ê, $\frac{1}{2}$ ffffBfŒfNfgfŠ,É"ü,ê,Ä,"",¢
,Ä%o,³,¢[]B



i,Pj,PxD,S,S,l,aftfH[f}fbfg,μ,½<ó,«ftf]fbfs|[fffBfXfN,ð,P-≠-p^Ó,μ,Ü,·B

Ó@í, Qj<ó, ÍfTfufffBfŒfNfgfŠ, ðfnº[fhfffBfXfNfhf
‰fCfu, Éíœ, µ, Ü, ·œB

□@□□□□@‘€□ì–á□F mkdir POI

~~~~~

□@i,R□j(,Q),Å□i,Á,½<ó,ÌfTfufffBfŒfNfgfŠ,ÉDISC2:04JRVc1  
□@□@□@^È‰º,Ìftf@fCf<,ð,·,×,ÄfRfs□[,μ,Ä,,¾,³,¢□B

"PÓI", Í•"•‡, Í, », ê,  $\frac{1}{4}$ , ê,  $\check{z}$ •‡, ÍŠÂ<«, É†, í,  $\ddot{A}$   
"K $\times$ •ÍX, μ, Ä, ,  $\frac{3}{4}$ ,  $\ddot{\epsilon}$ B  
„“

‘€ì-áF CD POI

8

## UPDATE\_1

ŽÓŽ«◻F  
,±,Ì◻••<sup>2</sup>f f@fCf<,ð◻ì◻¬,·,é,Ì,É^È‰º,Ìf\ftfgfEfFfA,ðŽg-p,<sup>3</sup>,<sup>1</sup>,Ä,¢  
,<sup>1</sup>/<sub>2</sub>,<sup>3</sup>/<sub>4</sub>,«,Ü,μ,<sup>1</sup>/<sub>2</sub>◻B  
,ç,¤,à,¸,è,<sup>2</sup>Æ,¤,<sup>2</sup>,',¢,Ü,μ,<sup>1</sup>/<sub>2</sub>◻B

LHA version 2.55b Copyright (c) H.Yoshizaki@i<sup>g</sup>è‰h'x@j,  
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

 Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\304JRVC1\README\_X.TXT  
DISC2\DRIVER\ADAPTEC\304JRVC2\  
README\_X.TXT  
,  $\frac{3}{4}$ ,  $^3$ , ₩ B

EZ-SCSI 3.05J Rev.B -> EZ-SCSI 3.06J Rev.B

„« DOS/Windows-p „ú-{Œê"}Å  
„« Äþ“½, 2/2  
„« „«  
„« „« '†-a  
„«

(1) "Œžƒm [fgfufbfNPC <y, IBM [fgfufbfNPC  
,É, " , - , é•s<i ‡, Ì C  
 @ @   B  
(2) ftfBfŠfbfv » CD-R ,É, " , - , é•s<i ‡, Ì C   B  
(3) ,Ù,Æ,ñ,Ç,ÌCD-ROMfhf%fcfu,Å,ÌfrfffICD,ðftf| [fg B  
(4) fpfif\ fjfbfN » PDfhf%fcfu,ðftf| [fg B  
(5) DOS/V<@,Å PC-98ftfH [f}fbfg,Ì SCSI HD ,Ìf  
%fcfg EfŠ [fh, %Å  
 @"\ ,É B  
(6) Windows "Å Backup Basics ,Å SCSI fe [fvfhf%fcfuftf|  
 [fg,Ì  
'Ç%Å B

▶ fAfbfvff□[fg•û-@  
‰°<L, ĪŽè‡, ÅfAfbfvff□[fg, μ, Ä,, ¾, ³, ¢B®A‘€ì-  
á, Í, R□D, TfCf“f`  
ftf□fbfs□[ffffBfXfNfhf%fcfu, , `fhf  
%fcfu□Afn□[fhfffBfXfN, , bfhf%fcfu, Å  
, , é, ±, Æ, ð‘0’ñ, Æ, μ, Ä, ¢, Ü, · □B

•K–v, Èfvfjf0f%f€, É, Â, ç, Ä

É•K-  
v, Å, · B

(1) LHA.EXE: "z•zftf@fCf<-<sup>1</sup><sub>4</sub>ALHA213.EXE  
(2) WSP.COM: "z•zftf@fCf<-<sup>1</sup><sub>4</sub>AWSP150.LZH

,  $\frac{3}{4}$ ,  $\sqrt{3}$ ,  $\text{cB} - \{fAf\}bfvff\}\{fg$  f\fbfs\{fffBfXfN™, ©, ç•Ê“r“üžè, µ, Å, - ftf@fCf<, É, ÍŠÜ, Ü, ê, Ä, „, è, Ü, ¹, ñ\B

'[],Q[]F- $\frac{1}{4}$ f fv f[]f 0f%f€, ð[]ì<Æ, ·, éfffBfŒfNfgfŠ, É, " , - , ©[]AŠÂ<<>•Í[]" "PATH" , Í[]Ý'è,  $\hat{\text{e}}$ ,  $\hat{\text{e}}$ ,  $\frac{1}{2}$ fffBfŒfNfgfŠ, É"ü, ê, Ä, " , ¢ , Ä‰º,  $\hat{\text{e}}$ , ¢[]B



i, Pj, PD, S, S, l, aftfH[f}fbfg, μ, ½<ó, «ftf]fbfs][ffffBfXfN, δ, P-‡-  
p^Ó, μ, Ü, ·]B

Ó, Ój, ó, ÍfTfufffBfŒfNfgfŠ, ðfn[fhfffBfXfNfhf  
‰fCfu, ÉÓìÓ¬, µ, Ü, ·ÓB

'€@ì-á@F mkdir

□@□i,R□j(,Q),Å□ì,Á,½<ó,ÌfTffffBfŒfNfgfŠ,ÉDISC2:\DRIVER\ADAPTEC\305B26B1

□@□@□@□@^È‰º, Ìftf@fCf<, ð, ·, ×, ÄfRfs□[ , μ, Ä, ,  $\frac{3}{4}$ ,  ${}^3$ , ¢□B

í, Sjftf@fCf<, ð“WŠJ, μ, ½fffBfŒfNfgfŠ, É^Ú, èAUPDATE\_1.B  
, ðŽÀs, μ  
@@@@@, Ü, ·BŽÀsŒä, ÍA‰æ—Ê, É•\Ž|, ³, ê, éfŒfbfZŒ[fW, ÉŒ]  
Á Ä‘ŒŒì, ll Ä‰œ³ ŒŒ

‘€<sub>0</sub>i-á<sub>0</sub>F CD POI  
~~~~~  
UPDATE
~~~~~

žóž«ӮF  
,±,Í□·•᷑ftf@fCf<,ð□ì□¬,·,é,Ì,É^È‰º,Ìf\ftfgfEfFfA,ðŽg-p,³,¹,Ä,¢  
,¹²,³⁴,«,Ü,μ,¹²□B  
,C,¤,à,¸,è,᷑Æ,¤,²,‘,¢,Ü,μ,¹²□B

LHA version 2.55b Copyright (c) H.Yoshizaki@i<sup>g</sup>eh'x@j,  
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

- - - - -

**-----**

**DISC2\DRIVER\ADAPTEC\305B26B1\README\_X.TXT**

EZ-SCSI 3.05J Rev.C -> EZ-SCSI 3.06J Rev.B



É•K-  
v, Å, · B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE  
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

,  $\frac{3}{4}$ ,  $\sqrt{3}$ ,  $\text{¢}$   $\text{B} - \{ f A f b f v f f \} [ f g$   $f \square f b f s \square [ f f f B f X f N^{\text{TM}}$ , ©, ç • Ê “ r “ ü Ž è , µ , Ä , - ft f @ f C f < , É , Í Š Ü , Ü , ê , Ä , " , è , Ü , <sup>1</sup> , ñ  $\text{B}$

'[],Q[]F- $\frac{1}{4}$ fVf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-,  
,©[]AŠÂ<<>•Ï[]" "PATH"  
,Ä%o,³,¢[]B  
,Ì[]Ý'è,³,ê, $\frac{1}{2}$ fffBfŒfNfgfŠ,É"ü,ê,Ä,",¢



i, Pj, PD, S, S, l, aftfH[f}fbfg, μ, ½<ó, «ftf]fbfs|[ffffBfXfN, δ, P-‡-  
p^Ó, μ, Ü, ·]B

Ói, Qúj<ó, ÍfTfufffBfŒfNfgfŠ, ðfnÛ[fhfffBfXfNfhf  
‰fCfu, ÉÛìÛ~, µ, Ü, ·ÛB

‘€@ì-á@F mkdir POI  
~~~~~

‘€₀i-á₀F CD P0I

8

UPDATE_1

ŽÓŽ«□F

,±,Ì,·,•,¤,ftf@fCf<,ð,ì,¬,·,é,Ì,É,È‰º,Ìf\ftfgfEfFfA,ðŽg-p,³,¹,Ä,¢,
,½,¾,«,Ü,µ,½B
.C,¤,à,·,è,¤,Æ,¤,²,·,¢,Ü,µ,½B

LHA version 2.55b Copyright (c) H.Yoshizaki@i^gè‰h'×j,
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93



Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\305C26B1\README_X.TXT
DISC2\DRIVER\ADAPTEC\305C26B2\
README_X.TXT

1/4, 3, € B

EZ-SCSI 3.06J Rev.A -> EZ-SCSI 3.06J Rev.B

„« ±ÀPIBÃ „, EZ-SCSI Version 3.06J

”<

„« DOS/Windows-p „ú-{Œê”Å

„<

„« AP”^{1/2}, 2/2

“<

"<

"<

..<

11 <

- a a a a a a a a a a a a a a a a a a a ®

P/N *****-*** Rev A

Папа Папа

Page P/N *****-*** Rev B

□□□□□



□C□³ “à-e

(1) Windows "Å Backup Basics ,Å SCSI fe [fvfhf
%fCfufTf| [fg,Ì 'C%Á B



fAfbfvff□[fg•û-@

‰°<L, ÌŽè‡‡, ÅfAfbfvff‡[fg, μ, Ä, , ¾, ³, ¢B®A‘€‡ì–

á, Í, RÓD, TfCf“f”

ftf□fbfs□[fffBfXfNfhf%fcfu, `fhf

%fCfu@Afñ@[fhffffBfxfN, ª, bfhf%fCfu, Å

, –, é, ±, Æ, ð, ‘, ’, ñ, Æ, μ, Ä, ¢, Ü, · □ B

□@•K–v , Èfvf□f0f%f€ , É , Â , ¢ , Ä

É@É@É@É@^È‰º, Ì, QfvfÍf0f‰f€, ªAfAfbfvffÍ[fgÍì<Æ, ðÍs, x^x, É•K-
v, Å, ·ÍB

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

©@©@©@'®, PFFjfjtfefBfT[u™, Ifpf\fRf“’ÊM, à, µ,, ÍŽGŽ•t^, ÌCD-ROM, âft

, $\frac{3}{4}$, 3 , $\diamond \square B - \{ f A f b f v f f \square [f g$ $f \square f b f s \square [f f f B f X f N^{TM}, \odot, \circ, \cdot, ^E, r, "u\ddot{Z}e, \mu, \ddot{A}, -$
 $f t f @ f C f <, \acute{E}, \acute{I}\acute{S}\acute{U}, \ddot{U}, \hat{e}, \ddot{A}, ^", \grave{e}, \ddot{U}, ^1, \tilde{n} \square B$

'[],Q[]F-½fvf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-
,©[]AŠÂ<<•ï[]" "PATH" ,ì[]Ý'è,³,ê,½fffBfŒfNfgfŠ,É"ü,ê,Ä,",¢
,Ä‰º,³,¢[]B



i,Pj,PxD,S,S,l,aftfH[f}fbfg,μ,½<ó,«ftf]fbfs|[fffBfXfN,ð,P-≠-p^Ó,μ,Ü,·B

Ói, Qúj<ó, ÍfTfuffffBfŒfNfgfŠ, ðfnÛ[fhfffBfXfNfhf
‰fCfu, ÉÛìÛ~, µ, Ü, ·ÛB

‘€@ì-á@F mkdir POI
~~~~~

'€ñì-áñF CD POI  
~~~~~  
UPDATE_1
~~~~~

žóž«◻F  
, $\pm$ , ĩ□·•<sup>ä</sup>f tf@f Cf<, ð□ì□¬, ·, é, ĩ, É^È‰º, Ìf\ftfgfEfFfA, ðŽg-p, <sup>³</sup>, <sup>¹</sup>, Ä, ¢  
,  $\frac{1}{2}$ ,  $\frac{3}{4}$ , «, Ü, μ,  $\frac{1}{2}$ ◻B  
, Ç, x, à, , è, <sup>ä</sup>, Æ, x, <sup>²</sup>, ' , ¢, Ü, μ,  $\frac{1}{2}$ ◻B

DISC2\DRIVER\ADAPTEC\306A26B1\README\_X.TXT  
DISC2\DRIVER\ADAPTEC\306A26B2\  
README\_X.TXT , „ “ Ç , Ý , -  
,  $\frac{3}{4}$ ,  $^3$ , \$ B

EZ-SCSI V3.06J Rev.B → V3.07J Rev.A

DISC2:\DRIVER\ADAPTEC\306B27A1  
DISC2:\DRIVER\ADAPTEC\306B27A2  
DISC2:\DRIVER\ADAPTEC\306B27A3

[▶] fAfbfvff|[fgftf@fCf<, É, Â, ¢, Ä  
                  fAfbfvff|[fgftf@fCf<, Í]AEZ-SCSI 3.06J  
Rev.B, Ì»»·i”Å(ATŒÝŠ·.<@-p), „, æ, Ñ  
                  fAfbfvff|[fg”Åí3.06J Rev.B ‘Š“-  
Øj, ©, ç]ÅVfo|[fWf‡f”, IEZ-SCSI 3.07J Rev.A  
                  , ÉfAfbfvff|[fg, ·, é, ½, ß, Ì, à, Ì, Å, ·]B

'[],P]FEZ-SCSI 2.XXJ,©,ç3.XXJ,Ö,Ìfo[]fWf#f“fAfbfv,Í-L]ž,Æ,È,Á,Ä,“,è,Ü,·  
[]@[]@[],Ì,Å[]i%ñ,ÌfAfbfvff[]fgftf@fCf<,Í]AEZ-SCSI

2.0J, ð, "Ž, , ï, ï•û, Í, ^Žg  
©©©©©-p, Å, «, Ü, ^, ñB

►fAfbfvff[fgftf@fCf<, ïŽg-p•û-@  
    ŠefffBfŒfNfgfS, É, ÍA Afbfvff[fg•û-@, ðà-¾, µ, Ä, ¢  
, éREADME\_X.TXT[i'X', É, Í  
    1`3, ï"Žš, ^ü, è, Ü, ·jftf@fCf<, ^ŠÜ, Ü, ê, Ä, ¢  
, Ü, ., ï, ÅA, », ê, ç, ðŽQÆ, µ, Äì  
    <Æ, µ, Ä, , ¾, ^, ¢B  
  
    ŠefAfbfvff[fgftf@fCf<, ðŽg-  
p, ., é^x, É, ÍA AfAfbfvff[fg'ÍÛ, Ä, È, éEZ-SCSI, ï  
    Šefo[fWf†f"ifSfrfWf†f"j, ï»•i"Å, ^•K-v, Å, ·B, ±  
, ê, ç, ÍA"ú-{Œê"Å, ïfAf\_fv  
    fefbfN»•i, ïSCSI fzfxfgfAf\_fvf^fLfbfg, É•t'®, ï, à, ï, ©AEZ-  
SCSI 3.0Jf\ftfg  
    fEfFfA'P'ï, Å"ï", , ^, ê, ½, à, ï, ^'Š"-, µ, Ü, ·B  
  
    ,"Ž, , ïEZ-  
SCSI, ^, ç, ïfAfbfvff[fgftf@fCf<, ÅfAfbfvff[fg, Å, «, é, ©, ÍA, », ê  
    , ¾, ê, ïfAfbfvff[fgftf@fCf<, ÉŠÜ, Ü, ê, Ä, ¢  
, éREADME\_X.TXT[i'X', É, Í 1`3, ï"Žš  
    , ^ü, è, Ü, ·jftf@fCf<, ðŽQÆ, µ, Ä, ^Šm"F, , ¾, ^, ¢B  
  
fAfbfvff[fgì<Æ, É•K-v, Efvf0f%f€, É, Å, ¢, Ä  
    ^È‰º, ï, Qfvf0f%f€, ^A AfAfbfvff[fgì<Æ, ðs, ^x, É•K-  
v, Å, ·B

- (1) LHA.EXE: "z•zftf@fCf<-¹/₄ALHA213.EXE  
(2) WSP.COM: "z•zftf@fCf<-¹/₄AWSP150.LZH

-----  
-----  
žóž«F

©fAfbfvff[fg••^aftf@fCf<, ðì¬, ., é, ï, É^È‰º, ïf\ftfgfEfFfA, ðŽg-  
p, ^, , Ä, ¢, ½, ¾  
, «, Ü, µ, ½B, Ç, ^, à, , è, ^, Ä, ^, ², ^, ¢, Ü, µ, ½B

LHA, ÍA<g‰h'x, ^, ñ, ^ì¬, ^, ê, ½ftfŠ[f\ftfgfEfFfA, Å, ·B  
WSP, ÍAamaprofLf`i~a"c\_ ^êj, ^, ñ, ^ì¬, µ, ½ftfŠ[f\ftfgfEfFfA, Å, ·B

LHA version 2.55b Copyright (c) H.Yoshizaki*i*g‰h'xj,  
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

-----

-----

► ÙÚ, µ, ,ÍDISC2\DRIVER\ADAPTEC\306B27A1\README\_X.TXT  
DISC2\DRIVER\ADAPTEC\306B27A2\  
README\_X.TXT  
DISC2\DRIVER\ADAPTEC\306B27A3\  
README\_X.TXT, ð, "“ç, ý, -  
,  $\frac{3}{4}$ ,  $^3$ , \$B

EZ-SCSI 98 3.04J Rev.A -> EZ-SCSI 98 3.06J Rev.B

►žû~^ffffBfŒfNfgfŠ@DISC2:\DRIVER\ADAPTEC\984A26B1  
DISC2:\DRIVER\ADAPTEC\984A26B2

\*\*\*\*\*  
\*\*\*\*\*  
\* EZ-SCSI 98"Å V3.04J Rev.A Äþ„½, 1/2 -> 98"Å  
V3.06J Rev.B \*  
\* EZ-SCSI 98"Å V3.04J Rev.A Äþ„½, 2/2 -> 98"Å  
V3.06J Rev.B \*  
\* fAfbfvffŒ[fgŒ·•¤ftfŒfCf< '€ŒìŒà—¾  
\*  
\*  
1995/9/6‰ü'ù \*  
\*  
fAf\_fvfefbfNfWfffpf“Š”Ž®‰iŽĐ \*  
\*\*\*\*\*  
\*\*\*\*\*

►,±,ÌftfŒfCf<,É,Â,¢,Ä

►'ÌÛfvfŒf0f‰f€  
(1) ,±,ÌÛ·•¤ftfŒfCf<,Í^È‰o,ÌfoŒ[fWf‡f“,ÌEZ-  
SCSI,ð'ÌÛ,Æ,µ,Ä,¢,Ü,·ŒB

¥-----¥  
3.04J | | ±ÀPÌßÃ“, EZ-SCSI 98"Å Version  
| | DOS/Windows-p “ú-{Œê"Å  
| | Äþ„½, 1/2 ¾-Ä±-Ìß  
| |  
| |  
| | '†-¤  
|  
¥-----¥  
¥-----¥

3.04J |  
|  
|  
|  
|  
|

| ±ÀPÌßÃ~, EZ-SCSI 98"Å Version

| DOS/Windows-p "ú-{Œê"Å

| ÄP<sup>..1/2</sup>, 2/2

|

|

'†-a

¥-----¥

±ÀC@C@C@ '®, P®F ftf®fbfs®[fffBfXfNf%fxf<, I^E‰o, I•"•a, I®AEZ-  
SCSI, I®fŠfrfWf‡f"

±ÀC@C@C@C@C@C@C@, A, IŠÖŒW, , è, Ü, , ñ®B

±ÀC@C@C@C@C@C@ P/N \*\*\*\*\*-\*\*\*\*\* Rev A

±ÀC@C@C@C@ C@C@ ~~~~~

±ÀC@C@C@C@ C@C@P/N \*\*\*\*\*-\*\*\*\*\* Rev B

±ÀC@C@C@C@ C@C@ ~~~~~

±ÀC@C@C@

► I®C®³“à-e

- (1) ftfBfŠfbfvfX» CD-R , É, " , - , é•s<i®‡, I®C®³®B  
(2) ASPI2DOS.SYS , I

SCSIfofXfŠfZfbfg®EfRf}f"fh, I"®ì•s-C, ÉŠÖ, . , é

®C®³®B®iASPIftf@f"fnfvf‡f", S®j

- (3) HP»fxflffff, I VASPID '¶ÝŽž, I"®ì, ðfTf|

I®fg®B

- (4) APMfŒfwf...I®f€®EfTf@f"fnfvf‡f", É, A, ¢  
, Ä, I®C®³®B

(5) M0fhf%fCfu•¶Žš, I"ñ®dfAfTfCf", É, A, ¢

, Ä, I•s<i®‡, I®C®³®B

- (6) , Ù, A, ñ, Ç, I CD-ROMfhf%fCfu, Å, I®rfffICD, ðfTf|

I®fg®B

- (7) fpfib\fjfbfn» PDfhf%fCfu, ðfTf|I®fg®B  
(8) ASPICD.SYS <y, Ñ ASPIDISK.SYS , ¢ADOS/V , A

PC-98 <¤-p, É•I®X®B

- (9) NEC» CD-ROM 74/84 <y, Ñf}f< f`fZfbfvf‡f"‘ I  
‰ž, I'1/4, I®fhf%fCfu, É

, " , - , é•s<i®‡, I®C®³®B

- (10) fIfŠf"fpfx» M0fhf

%fCfu, I®f^fCf€fAfEf, É, " , - , é•s<i®‡, I®C®³®B

- (11) I®', «Ž, Ÿ•ÛŒì®I, Ÿ, I®fŠf€I®fofuf< f®ffffBfAŽg-  
pŽž, I SMARTDRV.EXE , A

ASPIDISK.SYS , ÉŠÖ , · , é•s<ï¶‡ , Ì¶C¶³¶B

(12) AFDISK <y,N>

SCSIFMT('áf\xfx\xft\xfh\x[f}\xfbf\xfq\xEfc\x[f<'), a PC-98

DOS ft fH [f}fbfg, ðfTf | □ [ fg □ B

(13) DOSã, ÁfCf "fXfg [f<, I Ü, I • s < i #, ð C ³ B

(14) Windows "Å Backup Basics ,Å SCSI fe [fvfhf

%fCfufTf|□[fg,i

'C%Á□B



॥ J A J B J V J T U L J G u ॥

•  $\{x, y, z\} \in \{a, b, c\}$  if and only if  $x = a$ ,  $y = b$ , and  $z = c$ .



•K=v, Efvfjf0føf€, E,A,¢,A

□@□@□@^E%o,I,Qfvf□f0f%f€,□AfAfbfvff□[fg□i<Æ,ð□s,¤^x,E•K-v,Å,·□B

(2) LSPD.COM "z•zftf@fCf<-\frac{1}{4} ALSPD150.LZH

(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

ЀѠѠѠѠѠѠ’Ѡ, PѠFfjftfefBfTѠ[fu“™, Єfpf\fRf“’ЀѠM, à, µ,, ЀŽGŽѠ•t~^, ЀCD-  
ROM, áft

,¾, ³, €kB-{fAfbfvff[]fg ffbfs[]ffffBfxN™, ©, ç•Ê“r“üžè, µ, Ä, - ftf@fCf<, É, ÍŠÜ, Ü, ê, Ä, „, è, Ü, ¹, ñkB

'[],Q[]F- $\frac{1}{4}$ fvf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-.  
.©AŠÂ<<•ÏΠ" "PATH"

,ÍÙÝ'è,³,ê,½ffffBfŒfNfgfŠ,É“ü,ê,Ä,“,¢  
,Ä‰º,³,¢ÙB



1

□i,P□j,P□D,S,S,l,aftfH□[f}fbfg,μ,½<ó,«ftf□fbfs□[ffffBfXfN,ð,P-‡-p^Ó.μ.Ü.,·□B

Ói, Qjó, IfTfufffBfEfNfgfS, ðfn[fhfffBfXfNfhf  
%fCfu, Éñìñ-, µ, Ü, ·ñB

## ‘€̄ì-á̄Fmkdir POI

í@í,Rj(,Q),Åí,Á, $\frac{1}{2}$ <ó,ÍfTfufffBfŒfNfgfŠ,ÉDISC2:84A26B1  
í@í@í@í@^È‰°,Íftf@fCf<,ð,·,×,ÄfRfs[][,μ,Ä,, $\frac{3}{4}$ ,³,¢B

\*\*\*\*\*  
\* '□^Ó□F  
"POI", Ì•"•¤, Í, », ê,  $\frac{1}{4}$ , ê,  $\overset{2}{\check{Z}}$ •¤, ÌŠÅ<<, É□‡, í,  $\overset{1}{\check{A}}$  \*  
\* "K $\times$ •Ì□X, µ, Ä, ,  $\frac{3}{4}$ ,  $\overset{3}{\check{B}}$ , ¢□B  
\*

'€[]í-á[]FCD POI  
~~~~~  
UPDATE 1
~~~~~

\*\*\*\*\*  
\* '□^Ó□F  
"POI", Ì•"•¤, Í, » , ê,  $\frac{1}{4}$ , ê,  $\overset{2}{\check{Z}}$ •¤, ÌŠÅ<<, É□‡, í,  $\overset{1}{\ddot{A}}$  \*  
\* "K<X•Ì□X, µ, Ä, ,  $\frac{3}{4}$ ,  $\overset{3}{\ddot{B}}$ , ¢□B  
\*

À@À^È@ä, Å@X@V@ì<Æ, Í@I<sup>-1</sup>, Å, ·@B“-, ¶-l, É, µ, Ä, Q-‡-Ú, à<ó, ÌffffBfŒfNfg  
@@@fŠ, ð-p^Ó, µ, Ä@ä<L, Ì•û-@, Æ“-, ¶-l, É, µ, ÄfAfbfvff@fg, µ, Ä, -  
,  $\frac{3}{4}$ ,  $\frac{3}{4}$ , ¢@B  
@@@, ±, ê^È@~fCf“fXfg@f<, ð@s, x@Û, É, Í@A, ±, Ìftf@fbfs@ffffBfXfN, ð,  
@@@žg, ¢%º,  $\frac{3}{4}$ , ¢@B

ŽÓŽ<□F

,±,Ì,·,•,¤,ftf@fCf<,ð,ì,¬,·,é,Ì,É,È,‰,º,Ìf\ftfgfEfFfA,ðZg-p,³,¹,Ä,¢,  
,½,¾,«,Ü,μ,½B  
,Ç,¤,à,¸,è,¤,Æ,¤,²,‘,¢,Ü,μ,½B

LHA ,Í[]A<g[]è‰h'x,³,ñ,²[]ì[]-,³,ê,¹½ftfŠ[] [f\ftfgfEfFfA,Å,·[]B

 Ú, μ,, ÍDISC2\DRIVER\ADAPTEC\984A26B1\README\_X.TXT  
DISC2\DRIVER\ADAPTEC\984A26B2\  
README\_X.TXT , Ó, "“Ç, Ý, -  
,  $\frac{3}{4}$ ,  $\frac{3}{4}$ , ¢ B

EZ-SCSI 98 3.06J Rev.A -> EZ-SCSI 98 3.06J Rev.B

\*\*\*\*\*  
\*\*\*\*\*  
\* EZ-SCSI 98"Å V3.06J Rev.A Äp<sup>..</sup><sub>½</sub>, 1/2 -> 98"Å  
V3.06J Rev.B \*  
\* EZ-SCSI 98"Å V3.06J Rev.A Äp<sup>..</sup><sub>½</sub>, 2/2 -> 98"Å  
V3.06J Rev.B \*  
\* fAfbfvff[fg]••<sup>a</sup>ftf@fCf< '€[]ì[]à—<sup>3</sup>  
\*  
\*  
\* 1995/9/6 ü 'ù \*  
\* fAf\_fvfefbfNfWffffpf“Š”Ž®%iŽĐ \*  
\*\*\*\*\*  
\*\*\*\*\*

¥-----¥  
| ±ÀPÌßÃ , EZ-SCSI 98"Å Version

3.06J | | DOS/Windows-p "ú-{Œê"}Å  
| | Äp<sup>1</sup>/<sub>2</sub>, 2/2  
| |  
| |  
| | '†-¤  
|  
¥-----¥  
████████ '█, P█F ftf█fbfs█[ffffBfxNf%fxf<, I^E‰º, I•"•¤, Í█AEZ-  
SCSI, IfŠfrfwf‡f"  
████████████████████████, Æ, ÍŠÖŒW, , è, Ü, <sup>1</sup>, ñ█B  
████████████████████████ P/N \*\*\*\*\*-\* Rev A  
████████████████ █████ ~~~~~~  
████████████████ █@█@P/N \*\*\*\*\*-\* Rev B  
████████████████ █@█@ ~~~~~~  
████████████████  
█████████████████ C ³"à-e

# (1) Windows "Å Backup Basics ,Å SCSI fe [fvfhf ‰fCfufTf| [fg, I 'C‰Á B

fAfbfvff□[fg•û-@  
‰º<L, Ìžè□‡, ÅfAfbfvff□[fg, μ, Ä,,  $\frac{3}{4}$ ,  $\sqrt{3}$ , ¢□B

¶@•K–v, Èfvf¶f0f‰f€, É, Â, ç, Ä

□@□@□@□@^É‰º, Ì, Qfvf□f0f‰f€, ª□AfAfbfvff□[fg□ì<Æ, ð□s, ✕^×, É•K–v, Å, ·□B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE  
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AwSP150.LZH

,¾,³,¢B-{fAfbfvff[Bfg ffbfs[BfffBfXfN™,©,ç•Ê“r“üžè,µ,Ä,-ftf@fCf<,É,ÍŠÜ,Ü,ê,Ä,“,è,Ü,¹,ñ[B

'[],Q[]F- $\frac{1}{4}$ fVf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-  
 ,©[]AŠÂ<<•Ï[]" "PATH"  
 ,Ì[]Ý'è,³,ê, $\frac{1}{2}$ fffBfŒfNfgfŠ,É"ü,ê,Ä,",¢  
 ,Ä‰º,³,¢[]B

ï<Æžè[]‡[]F

[]i,P[]j,P[]D,S,S,l,aftfH[]f}fbfg,μ, $\frac{1}{2}$ <ó,«ftf[]fbfs[]ffffBfXfN,ð,P-#-  
 p^Ó,μ,Ü,·[]B

[]i,Q[]j<ó,ÌfTfufffBfŒfNfgfŠ,ðfn[]fhfffBfXfNfhf  
 %fCfu,É[]ì[]-,μ,Ü,·[]B

'€[]ì-á[]Fmkdir POI

~~~~~

[]@[]i,R[]j(,Q),Å[]ì,Á, $\frac{1}{2}$ <ó,ÌfTfufffBfŒfNfgfŠ,ÉDISC2:86A26B1
 []@[]@[]@[]@^È‰º,Ìftf@fCf<,ð,·,×,ÄfRfs[][,μ,Ä,, $\frac{3}{4}$,³,¢[]B

* '[]^Ó[]F

"POI",Ì•"•²,Í,»,ê, $\frac{1}{4}$,ê, $\frac{2}{3}$ Z®•²,ÌŠÂ<<,É[]‡,í,¹,Ä
 * "K<X•Ï[]X,μ,Ä,, $\frac{3}{4}$,³,¢[]B

*

[]i,S[]jftf@fCf<,ð"WŠJ,μ, $\frac{1}{2}$ fffBfŒfNfgfŠ,É^Ú,è[]UPDATE_1.BATftf@fCf<
 ,ðŽÀ[]s,μ
 []@[]@[]@[],Ü,·[]BŽÀ[]sŒä,Í[]A‰æ-Ê,É•\Ž|,³,ê,éf[]fbfZ[]fW,É[]]
 ,Ä,Ä'€[]ì,μ,Ä‰º,³,¢[]B

'€[]ì-á[]FCD POI

~~~~~

UPDATE\_1

~~~~~

* '[]^Ó[]F

"POI",Ì•"•²,Í,»,ê, $\frac{1}{4}$,ê, $\frac{2}{3}$ Z®•²,ÌŠÂ<<,É[]‡,í,¹,Ä
 * "K<X•Ï[]X,μ,Ä,, $\frac{3}{4}$,³,¢[]B

*

Í@Ó@^È@ä, Å@X@V@ì<Æ, Í@I-¹, Å, ·@B“-, ¶-l, É, µ, Ä, Q-‡-Ú, à<ó, ÌffffBfŒfNfg
Í@Ó@fŠ, ð-p^Ó, µ, Ä@ä<L, Ì•û-@, Æ“-, ¶-l, É, µ, ÄfAfbfvff@fg, µ, Ä, -
, $\frac{3}{4}$, $\frac{3}{4}$, ¢@B

Í@Ó@, ±, ê^È@~fCf“fXfg@f<, ð@s, x@Û, É, Í@A, ±, Ìftf@fbfs@ffffBfXfN, ð, “
Í@Ó@žg, ¢‰º, $\frac{3}{4}$, ¢@B

ŽÓŽ<@F

, ±, Ì@·•@ftf@fCf<, ð@ì@¬, ·, é, Ì, É^È‰º, Ìf\ftfgfEfFfA, ðžg-p, $\frac{3}{4}$, $\frac{1}{2}$, Ä, ¢
, $\frac{1}{2}$, $\frac{3}{4}$, <, Ü, µ, $\frac{1}{2}$ @B
, Ç, x, à, , è, $\frac{3}{4}$, Æ, x, $\frac{2}{3}$, ¢, Ü, µ, $\frac{1}{2}$ @B

LHA , Í@A<g@è‰h‘x, $\frac{3}{4}$, ñ, @@ì@¬, $\frac{3}{4}$, ê, $\frac{1}{2}$ ftfŠ@f\ftfgfEfFfA, Å, ·@B
WSP , Í@Aamaprof@fLf`@i~a“c@_ê@j, $\frac{3}{4}$, ñ, @@ì@¬, µ, $\frac{1}{2}$ ftfŠ@f\ftfgfEfFfA, Å, ·@B

LHA version 2.55b Copyright (c) H.Yoshizaki@i<g@è‰h‘x@j,
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

► Ú, µ, , ÍDISC2\DRIVER\ADAPTEC\986A26B1\README_X.TXT
DISC2\DRIVER\ADAPTEC\986A26B2\
README_X.TXT

, ð, ““Ç, Ÿ, -
, $\frac{3}{4}$, $\frac{3}{4}$, ¢@B

EZ-SCSI V3.06J Rev.B → V3.07J Rev.A

[▶] fAf bfv ff [fgftf@fCf<, É, Â, ¢, Ä
fAf bfv ff [fgftf@fCf<, Í AEZ-SCSI 3.06J Rev.B, Ì»•í"Å(PC-
98<@p), „, æ, Ñ
fAf bfv ff [fg"Å i3.06J Rev.B 'Š"-
[]j, ©, ç Å Vfo [fwf#f", Ì EZ-SCSI 3.07J Rev.A
, ÉfAf bfv ff [fg, ., é, ½, ß, Ì, à, Ì, Å, · B
'[], P FEZ-SCSI 2.XXJ, ©, ç3.XXJ, Ö, Ì fo [fwf#f" fAf bfv, Í-
L ž, Æ, È, Á, Ä, „, è, Ü, ·
[]@[]@[], Ì, Å i%ñ, Ì fAf bfv ff [fgftf@fCf<, Í AEZ-SCSI

2.0J, ð, "Ž, , ï, ï•û, Í, ^Žg
©©©©©-p, Å, «, Ü, ^, ñB

►fAfbfvff[fgftf@fCf<, ïŽg-p•û-@
 ŠefffBfŒfNfgfS, É, ÍA Afbfvff[fg•û-@, ðà-¾, µ, Ä, ¢
, éREADME_X.TXT[i'X', É, Í
 1`3, ï"Žš, ^ü, è, Ü, ·jftf@fCf<, ^ŠÜ, Ü, ê, Ä, ¢
, Ü, ., ï, ÅA, », ê, ç, ðŽQÆ, µ, Äì
 <Æ, µ, Ä, , ¾, ^, ¢B

 ŠefAfbfvff[fgftf@fCf<, ðŽg-
p, ., é^x, É, ÍA AfAfbfvff[fg'ÍÛ, Ä, È, éEZ-SCSI, ï
 Šefo[fWf†f"ifSfrfWf†f"j, ï»•i"Å, ^•K-v, Å, ·B, ±
, ê, ç, ÍA"ú-{Œê"Å, ïfAf_fv
 fefbfN»•i, ïSCSI fzfxfgfAf_fvf^fLfbfg, É•t'®, ï, à, ï, ©AEZ-
SCSI 3.0Jf\ftfg
 fEfFfA'P'ï, Å"ï", ^, ê, ½, à, ï, ^'Š"-, µ, Ü, ·B

 ,"Ž, , ïEZ-
SCSI, ^, ç, ïfAfbfvff[fgftf@fCf<, ÅfAfbfvff[fg, Å, «, é, ©, ÍA, », ê
 , ¾, ê, ïfAfbfvff[fgftf@fCf<, ÉŠÜ, Ü, ê, Ä, ¢
, éREADME_X.TXT[i'X', É, Í 1`3, ï"Žš
 , ^ü, è, Ü, ·jftf@fCf<, ðŽQÆ, µ, Ä, ^Šm"F, , ¾, ^, ¢B

fAfbfvff[fgì<Æ, É•K-v, Efvf0f%f€, É, Å, ¢, Ä
 ^È‰º, ï, Qfvf0f%f€, ^A AfAfbfvff[fgì<Æ, ðs, ^x, É•K-
v, Å, ·B

- (1) LHA.EXE: "z•zftf@fCf<-¹₄ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-¹₄AWSP150.LZH

žóž«F

©fAfbfvff[fg••^aftf@fCf<, ðì¬, ., é, ï, É^È‰º, ïf\ftfgfEfFfA, ðŽg-
p, ^, , Ä, ¢, ½, ¾
, «, Ü, µ, ½B, Ç, ^, à, , è, ^, Ä, ^, ², ^, ¢, Ü, µ, ½B

LHA, ÍA<gè‰h'x, ^, ñ, ^ì¬, ^, ê, ½ftfŠ[f\ftfgfEfFfA, Å, ·B
WSP, ÍAamaprofLf`i~a"c_ ^êj, ^, ñ, ^ì¬, µ, ½ftfŠ[f\ftfgfEfFfA, Å, ·B

LHA version 2.55b Copyright (c) H.Yoshizaki*i*gè‰h'xj,
1988-92

WSP version 1.50 copyright (C) amaprof@fLf` 1992-93

► ÙÚ, µ, ,ÍDISC2\DRIVER06B27A1\README_X.TXT
DISC2\DRIVER06B27A2\README_X.TXT
DISC2\DRIVER06B27A3\README_X.TXT, ð, "“ç, ý, -
, ¾, ³, ¢ß

EZ-SCSI Pro 3.5J Rev.A -> EZ-SCSI Pro 3.5J Rev.B

►žû~^fffBfŒfNfgfŠ@DISC2:\DRIVER\ADAPTEC\P35JA2B1
□□□□□□□□□□□□□□□□□ DISC2:\DRIVER\ADAPTEC\P35JA2B2
□□□□□□□□□□□□□□□□□ DISC2:\DRIVER\ADAPTEC\P35JA2B3
□□□□□□□□□□□□□□□□□ DISC2:\DRIVER\ADAPTEC\P35JA2B4
□□□□□□□□□□□□□□□□□ DISC2:\DRIVER\ADAPTEC\P35JA2B5

* EZ-SCSI Pro V3.5J Rev.A Äp¹/₂, 1/5 -> Pro
V3.5J Rev.B *
* EZ-SCSI Pro V3.5J Rev.A Äp¹/₂, 2/5 -> Pro
V3.5J Rev.B *
* EZ-SCSI Pro V3.5J Rev.A Äp¹/₂, 3/5 -> Pro
V3.5J Rev.B *
* EZ-SCSI Pro V3.5J Rev.A Äp¹/₂, 4/5 -> Pro
V3.5J Rev.B *
* EZ-SCSI Pro V3.5J Rev.A Äp¹/₂, 5/5 -> Pro
V3.5J Rev.B *
* fAfbfvff□[fg□·•¤ftf@fCf< ‘€□ì□à—³/₄
*
*
1995/9/6‰ü'ù *
*
fAf_fvfefbfNfWfffpf“Š”Ž®‰iŽĐ *

►,±,Ìftf@fCf<,É,Â,¢,Ä

□□□□□

►‘ÌÛfvf□f0f%f€

(1) ,±,ÌÛ·•¤ftf@fCf<,Í^È‰º,Ìfo□[fWf‡f“,ÌEZ-
SCSI,ð’ÌÛ,Æ,µ,Ä,¢,Ü,·□B

¥-----¥
3.5J | ±ÄPÌßÄ“, EZ-SCSI Pro Version
| DOS/Windows-p “ú-{Œê”Ä
| Äp¹/₂, 1/5 ¾-Ä±-Ìß

The graph illustrates the performance characteristics of the EZ-SCSI Pro Version 3.5J controller card. The Y-axis represents Performance (0 to 100), and the X-axis represents Transfer Rate (0 to 100). Two data series are plotted: DOS/Windows-p (open circles) and "ú-{Ee}"Å (solid squares). Both series show a primary peak performance of approximately 90 at a transfer rate of about 60. The DOS/Windows-p series also exhibits a secondary performance peak of about 40 at a transfer rate of approximately 40.

Transfer Rate	DOS/Windows-p (Performance)	"ú-{Ee}"Å (Performance)
0	0	0
20	0	0
40	40	0
60	90	90
80	0	0
100	0	0

► fAf_bf_vf_f□[fg•û-@
‰º<L, Īžè□‡, ÅfAf_bf_vf_f□[fg, μ, Ä, , ³₄, ³, ¢□B
□@•K-v, Èfvf□f0f‰f€, É, Â, ¢, Ä

É@É@É@^É‰º, Ì, Qfvf0f‰f€, ªAfAfbfvff[fg]ì<Æ, ðs, x^x, É•K–v, Å, ·B

(1) LHA.EXE: "z•zftf@fCf<-\frac{1}{4}ALHA213.EXE
(2) WSP.COM: "z•zftf@fCf<-\frac{1}{4}AWSP150.LZH

, $\frac{3}{4}$, $\sqrt{3}$, ¢ $\text{B} - \{ f A f b f v f f \} [f g$ $f \square f b f s \square [f f f B f X f N^{\text{TM}}$, ©, ç • Ê “ r “ ü Ž è , µ , Ä , - ft f @ f C f < , É , Í Š Ü , Ü , ê , Ä , " , è , Ü , ¹ , ñ B

'[],Q[]F- $\frac{1}{4}$ fVf[]f0f%f€,ð[]ì<Æ,·,éfffBfŒfNfgfŠ,É,",-,
,©[]AŠÂ<<>•Ï[]" "PATH"
,Ä%o,³,¢[]B
,Ì[]Ý'è,³,ê, $\frac{1}{2}$ fffBfŒfNfgfŠ,É"ü,ê,Ä,",\$



i,Pj,PxD,S,S,l,aftfH[f}fbfg,μ,½×ó,«ftf]fbfs[ffffBfXfN,ð,P-‡-p^Ó,μ,Ü,·]B

Ó, Ój, ó, ÍfTfufffBfŒfNfgfŠ, ðfn[fhfffBfXfNfhf
‰fCfu, ÉÓìÓ¬, µ, Ü, ·ÓB

‘€[]ì-á[]Fmkkdir POI
~~~~~

□@□i,R□j(,Q),Å□ì,Á,½<ó,ÌfTfufffBfŒfNfgfŠ,ÉDISC2:\DRIVER\ADAPTEC\P35JA2B1

□@□@□@□@^È‰º, Ìftf@fCf<, ð, ·, ×, ÄfRfs□[ , μ, Ä, ,  $\frac{3}{4}$ ,  ${}^3$ , ¢□B

\*\*\*\*\*

"POI", Í•"•¤, Í, », ê,  $\frac{1}{4}$ , ê,  $\check{Z}$ •¤, ÍŠÅ<«, É‡, í,  $\acute{A}$  "K>X•ÍX, µ, Ä, ,  $\frac{3}{4}$ ,  $\frac{3}{4}$ , ¢B

\*\*\*\*\*

□i,S□j ft f@fCf<, ð“WŠJ, μ, ½fffBfŒfNfgfŠ, É^Ú, è□AUPDATE\_1.BAT ft f@fCf<

, ðŽÀ}s, μ, Ü

‘€[]ì-á[]FCD POI

8

## UPDATE\_1

\*\*\*\*\*

\* , □^Ó□F

"POI", I • "• a, Í, » , ê,  $\frac{1}{4}$ , ê,  $\frac{2}{7}$  C • a, I Š A < «, É Ø f, í,  $\frac{1}{4}$ , Ä \*  
\* "K < X • I Ø X, µ, Ä, ,  $\frac{3}{4}$ ,  $\frac{3}{4}$ , Ø B

\*\*\*\*\*

Å@^Èä, Å[X]Vì<Æ, ÍI<sup>-1</sup>, Å, ·B“-, ¶-l, É, µ, ÄŽc, è, Ì, Ì, S-  
‡, à<ó, ÌffBfŒfN  
Å@fgfŠ, ð-p^Ó, µ, Ää<L, Ì•û-@, Æ“-, ¶-l, É, µ, ÄfAfbfvff[fg, µ, Ä, -  
,  $\frac{3}{4}$ ,  $\frac{3}{4}$ , ¢B  
Å@±, ê^È~fCf“fXfg[fc, ðs, xÛ, É, ÍA, ±, Ìftf[fbfs[ffffBfXfN, ð, “  
Å@žg, ¢%o,  $\frac{3}{4}$ , ¢B

žóž

,±,Ì[],••ªftf@fCf<,ð[]ì[]¬,·,é,Ì,É^È‰º,Ìf\ftfgfEfFfA,ðŽg—p,³,¹,Ä,¢  
,½,¾,<,Ü,μ,½[]B  
,C,¤,à,¸,è,ªÆ,¤,²,‘,¢,Ü,μ,½[]B

LHA version 2.55b Copyright (c) H.Yoshizaki*i<gè‰h'×oj*,  
1988-92

WSP version 1.50 copyright (c) amaprof@flf` 1992-93

W32 VERSION 1.90 copyright (c) amap.org, 1992 33



► D:\U\U..TDTSC2\DRIVER\ADAPTEC\P351A2B1\README\_X.TXT

DISC2\DRIVER\ADAPTEC\P35JA2B1\

## README 2.TXT

## DISC2\DRIVER\ADAPTEC\P35JA2B1\

# README 3.TXT

README\_4.TXT

DISC2\DRIVER\ADAPTEC\P35JA2B1\

README\_5.TXT

DISC2\DRIVER\ADAPTEC\P35JA2B1\

,<sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ₩₩₩

,ð, "“ç, ý, -

## Adaptec Windows 95 Driver Information

► Žú~^fffBfEfNfgfŠ@DISC2:\DRIVER\ADAPTEC\MNPD\98MNPD

► ŠT-v

SCSI f~fjf|[]fg, Å, Í ASCSI fzfxfgfAf\_fvf^, IfffofCfxEfhf  
%fcfo, Í‰S€ä, ðs, à, Å, ·BfAf\_fvfefbfN, Í SCSI fzfxfgfAf\_fvf^–  
pAÅVf~fjf|[]fgEfhf%fcfo, a, ±, Iftffbfs[], Í't, É“ü, Å, Ä, ¢  
, Ü, ·B, ±, è, ç, Ifhf%fcfo, Í APC-98-pWindows 95ê–p, Å, ·B

, ±, Iftffbfs[], É“ü, Å, Ä, ¢, éf~fjf|[]fgEfhf%fcfo, Í^È  
‰o, Í, à, Í, Å, ·F

►>@SPARROW.MPD  
►>@SPARROWA.MPD

Ø¢'Ø^Ó

-----  
-----  
Øj‰ñ, Í AAHA-2940J'‰ž, Í ÅVf~fjf|[]fgEfhf  
%fcfo, Í“ü, Å, Ä, " , è, Ü, ^, ñB

► E»ØÝ, "žg, ¢, Í SCSI f~fjf|[]fgEfhf  
%fcfo, ðfAfbfvff|[]fg, ·, é, È, Í A^È‰o, Í ZèØ‡, È[], Å, Ä‰o, ^, ¢B

1.) fffofCfxf}fl|[]fwff, ð<N"®, µ, Ä‰o, ^, ¢B(, ±  
, è, Í Awf}fcfrf"fs...|[]f^Øx, Í ä, È}fefXf|fcf"f^, ðZØ, Å, Ä, ¢  
, «Af}fefX, ÅnfSfbfN, µA, ^, ç, È, », Í't, Í wfRf"fgf|[]f<fpflf<Øx, ðfn  
fSfbfN, µA, », Í't, Í wfVfxfefØx, ðnfSfbfN, ·, è, È AwfVfxfefÈ  
, IfvffpfefBØx, Å, ¢  
, xfEfBf"fhfE, aÈ, è, Ü, ·B, », Í't, È fffofCfxf}fl|[]fwff, Å, ¢  
, xfIfvfVf‡f", a, , è, Ü, ·Bj  
2.) ØwffffofCfxf}fl|[]fwffØx, IfIfvfVf‡f", ðnfSfbfN, µ, Ä‰o, ^, ¢B

3.) ØwSCSIfrf"fgf|[]f‰Øx, Å, ¢  
, xfIfvfVf‡f", aÈ, |, ½, çA, », è, ðnfSfbfN, µ, ÄfcfS|['S  
'Í, aÈ, |, è, æ, ø, È, µ, Ä‰o, ^, ¢B

4.) , , È, ½, a, "žg, ¢, Í SCSI fzfxfgfAf\_fvf^, Í–  
¼'0, ðf\_fuf<fnfSfbfN, µ, Ä‰o, ^, ¢B

5.)  $\exists x \forall f \forall C \forall o (C \neq o \rightarrow \neg f(C) \vee f(o))$

6.)  $\text{wfhf\%fCfo, I\cdot\ddot{I}X\ddot{X}xf\{f^hf'', \delta fNf\check{S}fbfN, \mu, \ddot{A}\%0, ^3, \phi B}$

7.)  $\text{w} \text{f} \text{f} \text{f} \text{B} \text{f} \text{X} \text{f} \text{N} \check{\text{z}} \text{g} - \text{p} \text{f} \text{x} \text{f} \{ \text{f} \text{f}^{\prime \prime}, \check{\text{d}} \text{f} \text{N} \text{f} \check{\text{S}} \text{f} \text{b} \text{f} \text{N}, \mu, \ddot{\text{A}} \text{oo} \text{o}, ^3, \text{c} \text{f} \text{B}$

8.)  $\text{w''z} \cdot \text{zftf}@{\text{Cf}}<, \text{fRfs}[{\text{E}^3}{\text{x}}, \text{I}, \text{A}, \pm$   
 $, \ddot{\text{e}}, \text{A}[\text{w}, \text{a}[\text{F}\text{x}, \ddot{\text{U}}, \frac{1}{2}, \text{I}[\text{A}, \text{, E}, \frac{1}{2}, \text{I}, \text{o}, \text{b}, \text{ftf}]\text{fb}$   
 $\text{fs}[{\text{hf}}%{\text{Cfu}, \text{I} \cdot \text{fifhfs}[{\text{Cfu}} - \frac{1}{4}\text{F}\text{j}, \ddot{\text{u}}, \text{e}, \ddot{\text{A}}^{30}, ^3, \text{f}\text{B}$

9.) fAf\_fvfebfNØEf~fj|Ø[fgØEfhf%fcfofZfbfg, IfffBfxfNØi, ± , IfftfØfbfsØ[Øj, ØftfØ

fbfs[ fhf%fcfu, É“ü, ê, Ä¤A¤wOK¤xf{f^f“, ðfNfSfbfN, µ, Ä, , ¾, ³, ¢¤B  
10.) ¤wffffofCfx. T‘T‘ð¤x fFfBf“fhffE. Å¤A. „žq. ¢

10.) [w] i [j] o [t] x, i [t] u [x] e [b] j [l] e, A [A], z g, & , ïSCSIfzfXfgfAf\_fvf^, ð 'I 'ð , μ [A] wOK  
[x, ð fNfŠfbfN, μ, Ā‰, ³, € [B]

11.) *WOKx, ðfNfŠbfN, μ, ½, çA, », ê, ç, īfhf  
%fCfo, fn[ fhfffBfxfN, ÉfRfs[ [ , ³, ê, Ü, · B*

12.) fhf%fCfo, Ì•ÌØX, ð-LÆø, É, ·, é, ½, ß, ÉØA, o, b, ð, à, ✷, P“x-  
§, ¿ä, °'¼, ³, Ë, Î, È, è, Ü, ¹  
, ñØBØwfVfXfef€ØÝŒv, Ì•ÌØXØx, ÌfEfBf“fhfE, ª, , ç, í, ê, ½, cØAØw, Í, ¢  
(, x)Øx, ð'I'ð, µ, Ä, , ¾, ³, ¢ØBØw, ¢, ¢  
, !(, m)Øx, ðfNfSfbfN, µ, ½, çØA, à, Æ, ÌØwfVfXfef€, ÌfvfØfpfefBØx, ÌfEfBf“  
fhfE, É-ß, è, Ü, ·ØB



 ExplanF

,±,Íf~fjf|[]fg]Efhf%fCfo,Í[A,o,b]|,X,W,ÍWindows95ê-

p, Å, · ØB, , SŒÝŠ · <@, É, ÍŽg-p

, μ, È, ¢, Å‰°, ³, ¢□B, à, μ–œ, ^ê, ` , sŒÝŠ·<@, ÉŽg–p, ³, ê□A

‰½, ç, ©, ™, •, *s*, *i*, †, ², ¶, ¶, ½, ê, ‡, A, •, ¾, Ž, Đ, Í, Ó, "C, ð, •, ¢, ©, Ë, Ü, ·, B

# Adaptec Windows 95 Driver Information

Žú~^fffBfEfNfgfŠ@DISC2:\DRIVER\ADAPTEC\MNPD\ATMNPD

 ŠT-v

SCSI f\_jf|fg, Å, Í ASCSI fzfXfgfAf\_fvf^, Í fffofCfX Efhf  
%fcfo, Í §ä, ðs, x, à, ï, Å, ·B-á, |, Í AAHA-2940/2940J, ðWindows 95, ï  
‰, Åžg-p, ., éê†, É, Í Aaic78xx.mpd, Å, ¢, x-¼'0, Í f~fjf|fg Ehf  
%fcfo, ðžg-p, ., é, ±, Å, É, È, è, Ü, ·B  
fAf\_fvfefbfN, Í SCSI fzfXfgfAf\_fvf^ - pAÅVf~fjf|fg Ehf%fcfo, ¢, ±  
, Í ftf fbfs[], Í 't, É"ü, Á, Ä, ¢, Ü, ·B, ±, ê, ç, Í fhf%fcfo, Í AATÉÝS·<@-  
pWindows 95]é-p, Å, ·B

,±,Íftf[]fbfs[],É“ü,Á,Ä,¢,éf~fjf|[]fg[]Efhf%fCfo,Í^È‰º,Ì,à,Ì,Å,·[]F

100@AIC78XX.MPD

□>□@AHA154X.MPD

□>□@SPARROW.MPD

► E>Ý, "Žg, ¢, ÌSCSI f~fj f| [fg] Ef hf  
‰fcfo, ðf Af bfv ff|[fg, ·, é, È, Í] A ^ È‰º, ÌŽè‡, È[] , Á, Ä‰º, ³, ¢ B

1.) fffofCfXf}fl|[fWff, ð<N“®, μ, Ä‰°, ³, ç]B(, ±, ê, Í]A]wf}fCfRf“fsf...  
|[f^]x, Ì]ä, Éf}fEfXf|fCf“f^, ðŽ] , Á, Ä, ç  
, «]Af}fEfX, ÁfNfŠfbfN, μ]A, ³, ç, É, »), Ì'†, Ì]wfRf“fgf] [f<fpflf<]x, ðfN  
fŠfbfN, μ]A, »), Ì'†, Ì]wfVfXfef€]x, ðfNfŠfbfN, ·, é, Æ]A]wfVfXfef€  
, Ìfvf]fpfefB]x, Æ, ç  
, ×fEfBf“fhfE, ªŒ», ê, Ü, ·]B, »), Ì'†, ÉfffofCfXf}fl|[fWff, Æ, ç  
, ×fIfvfVf+f“, ª, , è, Ü, ·]B]j  
2.) ]wffffofCfXf}fl|[fWff]x, ÌfIfvfVf+f“, ðfNfŠfbfN, μ, Ä‰°, ³, ç]B

4.) , , È, ½, ª, "Žg, ¢, ÌSCSIƒzƒXfgfAf\_ƒvf^, Ì-¼'0, ðf\_fuf<ƒNfŠfbfN, µ, Ä  
‰º. ¸. ¢]B

6.)  $\text{wfhf\%fCfo, I\cdot\ddot{I}X\|xf\{f^f", \ddot{f}Nf\check{S}fbfN, \mu, \ddot{A}\%0, ^3, \ddot{C}B}$

7.)  $\exists x \forall f \exists g \neg (f \circ g = g \circ f)$

8.) **W"z•zftf@fCf<,ÍfRfs[]Œ³Œx,Ì,A,±**  
 ,ë,ÅŒAŒw,`ŒFŒx,Ü,½,ÍŒA, ,È,½,Ì,o,b,ÍftfŒfbfs[]fhf  
 %fCfu,Ì•¶ŽšŒifhf%fCfu—¹¼ŒFŒj,ð“ü,ê,Ä‰º,³,¢ŒB

9.) **fAf\_fvfefbfNŒEf~fjf|Œ[fgŒEfhf%fCfofZfbfg,ÍffffBfxNŒi,±**  
 ,ÍftfŒfbfs[]Œj,ðftfŒfbfs[]fhf  
 %fCfu,É“ü,ê,ÄŒAŒwOKŒxf{f^f”,ðfNfŠfbfN,μ,Ä, ,³,³,¢ŒB

10.) **WffffofCfX,Ì‘I‘ðŒxfEfBf“fhfE,ÅŒA,“Žg,¢**  
 ,ÍSCSIzfXfgfAf\_fvf^,ð‘I‘ð,μŒAŒwOKŒx,ðfNfŠfbfN,μ,Ä‰º,³,¢ŒB

11.) **WOKŒx,ðfNfŠfbfN,μ,½,çŒA,»,ê,ç,Ífhf**  
 %fCfo,¤fnŒ[fhfffBfxN,ÉfRfs[],³,ê,Ü,·ŒB

12.) **fhf%fCfo,Ì•ŒX,ð–LŒø,É,·,é,½,ß,ÉŒA,o,b,ð,à,¤,P“x–**  
 §,žŒä,°'¼,³,Ë,Î,È,è,Ü,¹,ñŒBŒwfVfxfefŒYŒv,Ì•ŒXŒx,ÌfEfBf“fhfE,¤,  
 ,ç,í,ê,½,çŒAŒw,Í,¢(,x)Œx,ð‘I‘ð,μ,Ä, ,³,³,¢ŒBŒw,¢,¢  
 ,Œ(,m)Œx,ðfNfŠfbfN,μ,½,çŒA,à,A,ÌŒwfVfxfefŒ  
 ,ÍfvfŒfpfefBŒx,ÌfEfBf“fhfE,É–ß,è,Ü,·ŒB

'Œ^ÓŒFf~fjf|Œ[fgfhf%fCfoŒiAHA154X.MPD, SPARROW.MPD,  
 AIC78XX.MPDŒj,ÍŒA, ,È,½,¤,“Žg,¢,Ì,o,b,ÌWindows95,Ì“ü,Á,Ä,¢  
 ,éfffBfŒfNfgfŠ,ÍfTfufffBfŒfNfgfŠIOSUBSYS,ÉŒA,½,³/₄'P,ÉfRfs[],·,é,³/₄  
 ,·,Å,àŒAfAfbfvffŒ[fg,·,é,±,Æ,¤œo–^,Ü,·ŒB

–áŒFŒ@ftfŒfbfs[]fhf%fCfu,¤,`fhf  
 %fCfuŒWindows95,ÍffffBfŒfNfgfŠ,¤C:\windows,ÌŒêŒ‡  
 C:\>copy a:\\*.mpd c:\windows\system\iosubsys

,à,μCD-ROMfoŒ[fWf†f“,ÌWindows  
 95,ð,“<Œ,ß,ÌŒêŒ‡,É,ÍŒA,»,Ì‘¼,ÍSCSIzf~fjf|Œ[fgfhf%fCfo,¤Windows  
 95,ÌCD-ROM,Ì\Drivers\Storage\fffBfŒfNfgfŠ,É“ü,Á,Ä,¢,Ü,·ŒB

 **ExŒŒŒF**  
 ,±,Íf~fjf|Œ[fgŒEfhf%fCfo,ÍŒA,` ,sŒÝŠ·<@,ÌWindows95Œ–  
 p,Å,·ŒB,o,bŒ|,X,W–p,É,ÍŽg–p,μ,È,¢,Ä‰º,³,¢ŒB,à,μ–œ,¤^ê,o,bŒ|  
 ,X,W,ÉŽg–p,³,êŒA‰¹₂,ç,©,Ì•s<iŒ‡,¤Œ¶,¶,¹₂ŒêŒ‡ŒA•³/₄ŽD,ÍŒ0”C,ð•%,¢  
 ,©,È,Ü,·ŒB



