

Microsoft Project 95 fšš[]fX fm[]fg

- Še[]€-Ú,đ,“Ç,Ý,,¾,¾,č[]B
- > .í,ñ,ß,É
- > “dŽqf[]f< fv[]fOf%of€,Æ’g,Ý[]ž,í,¹,Ä,ìŽg—p
- > Microsoft Exchange ,Ö,ì“Š[]e
- > Microsoft Project 95 Q&A[]W
- > Microsoft Project 95 []Å[]V[]î•ñ

,Í,ŕ,Œ,É

Microsoft(R) Project for Windows(R) 95 (^È%º Microsoft Project 95) ,đŽg—p,·,é,É,ÍAMicrosoft(R)
Windows(R) 95 (^È%º Windows 95) ^È~A,Û,½,Í Microsoft(R) Windows NT(R) Workstation Version
3.51 ^È~ (^È%º Windows NT),ª•K—v,Å,·B
Microsoft Project 95 ,đfZfbfgfAfbfv,·,é'O,ÉA,±,ìfŠfŠ[fX fm[fq,¨,æ,Ñ SETUP.WRI ,đ,¨“Ç,Ý,,¾,¾,çB

“dŽqf□□lf< fv□fOf%of€„Æ’g,Ý□‡,í,¹,Ä,ìŽg—p

Microsoft Project 95 ,đ Microsoft(R) Mail (^È%º Microsoft Mail) ,Ü,½,í¼,ì MAPI ,É€<’,μ,½“dŽqf□□lf< fv□fOf%of€□A,Ü,½,Í 16 bit "Å Vendor Independent Messaging (^È%º VIM) ,É€<’,μ,½“dŽqf□□lf< fv□fOf%of€„Æ’g,Ý□‡,í,¹,ÄŽg—p,·,é„Æ□Afv□fWfFfNfg,ìŠÖCEWŽÖ□Afv□fWfFfNfg,ìŠÇ—□ŽÖ□A□d—v,Éf^fXfN,ì~A—□□æ,È,Ç,©,ç,ìftfB□[fhfobfN,đ□A,Ü,Æ,ß,ÄÇø—!,æ,ŠÇ—□,Ä,«,Ü,·□B

- f^fXfN,ìŠ,,è“-Ä,º%oÄ“\,©,Ç,¤,©,đ□Afv□fWfFfNfg,ìf□“fo□[,É,·,â,‘Å□f,Ä,«,Ü,·□B
 - fv□fWfFfNfg,ìf□“fo□[,Éf^fXfN,ìŽÄŽ{□ó<μ,ì•ñ□□,đfŠfNfGfXfg,Ä,«,Ü,·□B
 - fXfPfWf...□lf<,âf^fXfNŠ,,è“-Ä,É•ì□X,ª, ,Ä,½,Æ,«□Afv□fWfFfNfg,ìf□“fo□[,ÉŽ©“®“l,É’É’m,³,è,Ü,·□B
- B
- ñ□□,³,è,½f^fXfN,ìŽÄŽ{□ó<μ,ÉŠî,Ä,ç,Ä□Afv□fWfFfNfg...□lf<,ªŽ©“®“l,É□X□V,³,è,Ü,·□B

“dŽqf□□lf< fv□fOf%of€„đŽg—p,μ,Äfv□fWfFfNfg,đŠÇ—□,·,é•û-@,É,Ä,ç,Ä,í□Aflf“f%ofCf“ fwf,fv,ìç Microsoft Project ,ìŠî-{'€□ì£,ìç“dŽqf□□lf<,đŽg,Ä,½fXfPfWf...□lf<ŠÇ—□£,đŽQ□Æ,μ,Ä,,¾,³,ç□B

Microsoft Project 95 ,ìf□□[fNfOf<□[fv<@“\,ìfZfbfgfAfbfv•û-@,É,Ä,ç,Ä,í□ASETUP.WRI ,ìç Microsoft Project 95 ,ìf□□[fNfOf<□[fv<@“\,ìfZfbfgfAfbfv£,đŽQ□Æ,μ,Ä,,¾,³,ç□B

Microsoft Exchange ,Ö,ì“Š□e

“dŽqf□□[f< fVfXfef€ ,Æ,μ,Ä Microsoft(R) Exchange Server Networking Series (^È%° Exchange) ,°%° ^
—p,³,ê,Ä,ç,é□ê□#,í□AMicrosoft Project 95 ,ì [ftf@fCf<] f□ffj...□,É [Exchange ,ìftfHf<f_É“Š□e]
fRf}f“fh,°•\Žì,³,ê,Ü,·□B,±,ìfRf}f“fh,ðŽg—p,μ,Ä□AExchange ,Å□ì□—,μ,½fopfufŠfbfN
ftfHf<f_Éftf@fCf<,ð“Š□e,·,é,Æ□A“dŽqf□□[f<,ì,Ü,©,ìf□□[fU□□,É Microsoft Project 95
ftf@fCf<,ð’ñ<Ÿ,Ä,« ,Ü,·□B

f□f,

- Microsoft Project 95 ftf@fCf< (.MPP) ,Éf}fNf□,°“o~^,³,ê,Ä,ç ,Ä,à□Aftf@fCf<,Æ^ê□□,É“Š□e,³,ê,Ü,¹,ñ□B
- fŠf“fN“\,è•t,□Aftfufvf□fWfFfNfg□Ašf□□[fX,ì<α—
L□A,Ü,½,ì“□□#fvf□fWfFfNfg,É,æ,éšf“fN,°□Ÿ’è,³,ê,Ä,ç,éftf@fCf<,ð Exchange
f□□[fo□□,ìftfHf<f_É“Š□e,μ,½□ê□#□Ašf“fN,É•Ü’¶,³,ê,Ä,ç,½fopfX,í-³Æø,É,È,è,Ü,·□B
- ftf@fCf<,É□Ÿ’è,³,ê,Ä,ç,½fopfXf□□[fh,í□AExchange
f□□[fo□□,ìftfHf<f_É“Š□e,μ,½’iŠK,ÄŽ , ,í,è,Ü,·□BExchange
f□□[fo□□,ìftfHf<f_ ,©,ç,í□A,Ç,ìftf@fCf<,Å,àfopfXf□□[fh,É,μ,ÅŠ], ,±,Æ,° ,Å,« ,Ü,·□B
- “□□#fvf□fWfFfNfg ftf@fCf<,â□ì<Æ□ó’Öftf@fCf<,ð Exchange f□□[fo□□,ìftfHf<f_É“Š□e,·,é,±
,Æ,í,Ä,« ,Ü,¹,ñ□B“□□#fvf□fWfFfNfg
ftf@fCf<,â□ì<Æ□ó’Öftf@fCf<,É,í□AZQ□Æ,·,éftf@fCf<,ìfopfX,¾, ,°•Ü’¶,³,ê,Ä,ç,Ü,·,°□A,» ,ì□î•ñ,í□AExchange
f□□[fo□□,ìftfHf<f_É“Š□e,μ,½’iŠK,ÄŽ , ,í,è,Ä,μ,Ü,ç,Ü,·□B,±,ì,æ,α,ÈŽí—p,ìftf@fCf<,Ä,à□Afhf%°fbfO fAf“fh
fhf□fbfv’€□,Ä Exchange f□□[fo□□,ìftfHf<f_É“Š□e,Ä,« ,Ü,·,°□AExchange f□□[fo□□,ìftfHf<f_ ,©,çŠ],ç
,½□ê□#□A,» ,ì<@“\,í□³,μ,□ÄÆ»,³,ê,Ü,¹,ñ□B
- Exchange f□□[fo□□,ìftfHf<f_ ,©,ç•j□”,ìftf@fCf<,ðŠ],ç,Ä,ç,é□ê□#□A,·,×,Ä,ìftf@fCf<,ð%°æ-É,É•\
Žì,·,é,É,í□AMicrosoft Project 95 ,ì [fEfBf“fhfE] f□ffj...□,ì [□□—ñ] ,ðfNfŠfbfN,μ,Ü,·□B“Ä’è,ìfvf□fWfFfNfg
ftf@fCf<,ð’O-É,É•\Žì,·,é,É,í□A,» ,ìftf@fCf< fEfBf“fhfE,ìf^fCf< fo□□,ðf_fuf<fNfŠfbfN,μ,Ü,·□B
- Exchange f□□[fo□□,ìftfHf<f_ ,©,çftf@fCf<,ðŠ],ç,½,Æ,« ,É Microsoft Project 95 ,°<N“° ,μ,Ä,ç
,È,ç□ê□#□A□ì<ÆftfHf<f_ ,í Windows 95 ,ìffXfNfgfbfv ftfHf<f_É□Ÿ’è,³,ê,Ü,·□B

Microsoft Project 95

1. Microsoft Project 95 Windows NT 4.0 Access for Windows(R) Version 2.0 (^E% Access) ^E~ ,lfo [fWf#f" ,đ , Žg, c, lRf" fsf... [f^ ,ÉfCf" fXfg [f, μ, Ä, c ,É, c [é# , lAfv [fWfFfNfg, lff [f^ ,đ Access , lff [f^ [fXftf@fCf< ,É•Ü'¶, Ä, «, Ü, 1, ñBff [f^ fXftf ft [fefBfŠfefB, đ [μ, " @ [, 3, 1, é, 1/2, B, É, Í Microsoft (R) ODBC Version 3.0 , đfCf" fXfg [f< , , é•K— v, a, , é, l, Ä A U x, É, Ä, c, Ä, í• 3/4 ŽĐ fXf^ f} fT [f rX fZf" f^ [, É, " -â, c [, í, 1, , 3/4, 3, c [B

2. , ±, lŠfŠ [fX, l Microsoft Project 95 , Ä, l A Microsoft Project , l [fNfOf< [fv< @ " \ , ÉŠÖ, , , éftf@fCf< , ¶Afbfvff [fg, 3, é, Ä, c, Ü, - [Bf^ fXfN [• ñ, lCEđŠ, l, 1/2, Bf [fNfOf< [fv< @ " \ , đ , Žg, c , l [é# [Afv< [fv, l [f" fo ['S^ ö, ¶Afbfvff [fg, 3, é, 1/2 [fNfOf< [fv< @ " \ , đfCf" fXfg [f< , μ, Ä, c, é•K—v, a, , è, Ü, · [B

- Windows 95 A Windows NT 3.51 A, Ü, 1/2, l Windows NT 4.0 , lft [fU [, l A Microsoft Project 95 , lft [fbfs [fffBfXfN, l 1 - , B A, Ü, 1/2, l CD-ROM , l f< [fgffBfCfNfgfŠ, ÉŠi" [, 3, é, Ä, c, é WGSETUP.EXE , đ<N" @ , μ A • K—v, Éftf@fCf< , đfZfbfgfAfbfv, μ, Ä, , 3/4, 3, c [B
- Windows 3.1 , lft [fU [, l A Microsoft Project 95 , l CD-ROM " Ä, l [FWFSETUP] ftfHf<f , ÉŠi" [, 3, é, Ä, c , é WFWSETUP.EXE , đ<N" @ , μ A • K—v, Éftf@fCf< , đfZfbfgfAfbfv, μ, Ä, , 3/4, 3, c [B, Ü, 1/2 A Window 3.1 , lft [fU [, Ä A Microsoft Project 95 , l ftf [fbfs [fffBfXfN" Ä, đ , Žg, c, l • ü, l A • 3/4 ŽĐ , l fXf^ f} fT [f rX fZf" f^ [, É Afv [fNfOf< [fv< @ " \ , l Afbfvff [fg, É, Ä, c, Ä, " -â, c [, í, 1, , 3/4, 3, c [B

3. "ú- {CEê"ü- lfvXfef€ , É, Ä, c, Ä A ^E% , l " _ , É' [^ Ó, μ, Ä, , 3/4, 3, c [B

- Microsoft Project 95 , l A "ú- {CEê"ü- lfvXfef€ , l Šg' £ < @ " \ (MS-IME , l ['PŠ ŽŠCEÿó] , È, Ç) , É, æ, é • ¶ Žš "ü- l , đftf [fg, μ, Ä, c, Ü, 1, ñB' 1/4 U "ü- l , a, Ä, «, E, c [é# , l fNfŠfbfvf { [fh, đ Žg—p, μ, Ä, , 3/4, 3, c [B
- ATOK , Ä A Šm' è' 1/4 CEä, l • ¶ Žš —ñ, đfAf" fhD , , é< @ " \ (Ctrl + Back Space fL []) , l A Microsoft Project 95 , Ä, l Žg—p, Ä, «, Ü, 1, ñ [B
- Windows 95 , Ä Windows 3.1 —p, l "ú- {CEê"ü- lfvXfef€ , đ , Žg, c, l [é# [Afv< [f< fo [, l f^ f" -1/4, a • \ Ž , 3, é, È, c, ±, Æ, a, , è, Ü, · [B

4. [Rf" fg [f< fpf [f<] , l ['n^ æ] fAfvRf" , l ['n^ æ, lfvf [fpfB] f fCfAfv [f< fbfNfX, l ['n^ æ] f^ fu, Ä A ["ú- {CEê} , a' l' đ , 3, é, Ä, c, É, c [é# [A Microsoft (R) Visual Basic (R) Visual Basic (R) Applications Edition for Windows (R) (^E % Access Visual Basic for Applications) , l [3 [, É " @ [, μ, Ü, 1, ñB • K, , ["ú- {CEê} , đ' l' đ, μ, Ä, , 3/4, 3, c [B

5. ^ Ü, È, é Š Ä « , l Microsoft (R) Project , Ä [] - , μ, 1/2 ftf@fCf< , đ Microsoft Project 95 , Ä " Ç, Y [Ž, p [é# , É, l A ^E% , l " _ , É' [^ Ó, μ, Ä, , 3/4, 3, c [B

- Microsoft (R) Project Version 4.0 for Windows (R) , Ü, 1/2, l Microsoft (R) Project for Macintosh (R) , È, Ç, l Microsoft Project ' 1/4 CE 3/4 CE ê " Ä (^E% Microsoft Project ' 1/4 CE 3/4 CE ê " Ä) , Ä' è< , μ, 1/2 fff... [, âfe [fuf< , l - 1/4 ' O A, Ü, 1/2, l , » , é, ç, É Š Ü, Ü, è, éft [fU [Y' è [€ - Ü, l - 1/4 ' O, l A " è " É, ÉCE 3, l CE 3/4 CE è, l, Ü, Ü • \ Ž , 3, é, Ü, · [B "ú- {CEê, É " ^ è, μ, 1/2, c [é# , l A Microsoft Project 95 "ú- {CEê" Ä, Ä, » , é, ç, l [€ - Ü, đ' è< , μ' 1/4, · • K—v, a, , è, Ü, · [B
- Microsoft Project 95 "ú- {CEê" Ä, l A Microsoft Project ' 1/4 CE 3/4 CE ê " Ä , Ä [] - , μ, 1/2 [AÉ [ó ' Ö ftf@fCf< (* .MPW) , l " Ç, Y [Ž, Y , đftf [fg, μ, Ä, c, Ü, 1, ñ [B
- ' 1/4, lfp [[fvf< fRf" fsf... [f^ [, l Microsoft Project 95 , Ä [] - , 3, é, 1/2 [AÉ [ó ' Ö ftf@fCf< (* .MPW) , đ " Ç, Y [Ž, p, A [f< [f<] f [fj... [, l [fvfVf#f"] , l ['S" É] f^ fu, É, , é [ft [fU - 1/4] , a [A [AÉ [ó ' Ö ftf@fCf< , l [] - Ž Ö, l - 1/4 ' O, Ä' u, « Š , l, ç, è, Ü, · [B

6. ftf@fCf<- 1/4, l " 1/4 Šp 250 • ¶ Žš, Ü, Ä "ü- l , Ä, «, Ü, · [B

7. Microsoft Project 95 , l ^ ó [ü< @ " \ , É, Ä, c, Ä A ^E% , l " _ , É' [^ Ó, μ, Ä, , 3/4, 3, c [B

- • ¶ Žš [Ž @ , đ Ž i' l , É [Y' è , , é, A [A % æ - É [ä, Ä • ¶ Žš , l % E [ä, a CE # , , Ä • \ Ž , 3, é, é, ±, Æ, a, , è, Ü, · , a [fvfŠf" f^ ^ , É, æ, é ^ ó [ü, l [3 [, É [s, í, è, Ü, · [B
- fvfŠf" f^ , l < Ž , É, æ, Ä, Ä, l A ~ g [ü, a ^ ó [ü, 3, é, È, c, ±, Æ, a, , è, Ü, · [B, ±, l, æ, x, É [é# [A Windows 95 , l

[fRf"fgf□□[f< fpflf<] ,ì [fvfŠf" f^] fAfCfRf" ,đf_fuf<fNfŠfbfN,μ□A[ftf@fCf<] f□fjf...□[,ì [fvf□ppfefB] ,đNfŠfbfN,μ,Ü,·□BŽÝ,É [fOf%oftfBfbfNfX] f^fu,đNfŠfbfN,μ□A[fOf%oftfBfbfNfX f,□[fh] f{fbfNfX,ì [f%ofXf^ fOf%oftfBfbfN ,đŽg,α] ,đNfŠfbfN,μ,Ä, ,¾,¾, ç□B,½,¾,μ□AfvfŠf" f^ ,ì<@Ží,É,æ,A,Ä,í□AfOf%oftfBfbfNfX f,□[fh,ì□Y'è,ª,Ä,« ,É,ç□è□±,ª ,è,Ü,·□B

8. Microsoft Project 95 ,Ä OLE (Object Linking and Embedding) <@"\,đ, "Žg,ç,É,È,é□è□±□A^È %º,ì" _ ,É'□^Ó,μ,Ä, ,¾,¾, ç□B

- Microsoft Project 95 ,ìff□[f^ ,đflfufWfFfNfg,Æ,μ,Ä'¼,ìfAfvfŠfP□[fvf±f" ,É"\" ,è•t, ,½Çä,É□AflfufWfFfNfg,ìfTfCfY,đ•ì□X,·,é,Æ□A,» ,ìfufufWfFfNfg,ª□í,É•\Ží,Ü,½,í^ó□ü,³,è,È,ç,±,Æ,ª ,è, Ü,·□B,Ü,½□AfRf" fefi fAfvfŠfP□[fvf±f" "α,ÄfY□[f€<@"\,đŽg—p,μ,½□è□±,à" —I,Ä,·□B
- '¼,ìfAfvfŠfP□[fvf±f" ,ìff□[f^ ,đflfufWfFfNfg,Æ,μ,Ä Microsoft Project 95 ,É"\" ,è•t, ,½Çä,É□AflfufWfFfNfg,ìfTfCfY,đ•ì□X,·,é,Æ□A,» ,ìfufufWfFfNfg,ª□í,É•\Ží,Ü,½,í^ó□ü,³,è,È,ç,±,Æ,ª ,è, Ü,·□B

9. [fc□[f<] f□fjf...□[,ì [flfvfVf±f"] ,ì [fjfÇf" f_□□] f^fu,ì ["N,ìŠjŽnÇŽ] ,đ [1 ÇŽ] ^ÈŠO,É□Y'è,μ,Ä, "Žg,ç ,É,È,é□è□±,í□A^Èº,ì" _ ,É'□^Ó,μ,Ä, ,¾,¾, ç□B

- f^fCf€fXfP□[f<,Ä~a—i,đšÜ,b"ú•t□Ž® ([•½□—6"N 'æ1Ží'¼Šú] ,È,Ç) ,đ'ì'đ,·,é,Æ□A"N,ìŠjŽnÇŽ,æ,è'O,ìÇŽ,ì"N□t,í□³,μ,•\Ží,³,è,Ü,¹,ñ□B
- "ú—{ ,Æ□¼—m,Ä,í%öiÇv"N"x,ì•\L,É 1 "N,ì, ,è,ª ,è,Ü,·,ª□AMicrosoft Project 95 ,ìf^fCf€fXfP□[f<,í□¼—mŽ® ,É,ì,Ý'í%ž,μ,Ä,ç,Ü,·□B,½,Æ,ì,í□A["N,ìŠjŽnÇŽ] ,đ [4 ÇŽ] ,É□Y'è,μ,½□è□±□A1996 "N 4 ÇŽ ,ì f^fCf€fXfP□[f<□ä,Ä,í "1997 "N 4 ÇŽ" ,Æ•\Ží,³,è,Ü,·□B

10. Š®—¹,μ,½f^fXfN,ìfKf"fg fo□[,đf}fEfX,Äfhf %ofbfO,μ,Ä^Ú"® ,·,é,Æ□Af^fXfN,ì□î•ñ,ªŽ , ,í,è,é□è□±,ª ,è,Ü,·□B

- ATOK ,íŠ"Ž®%öiŽĐfWffffXfgfVfXfef€,ì"o~^□±•W,Ä,·□B

