


“ú–{fqf...[]fŒfbfg[]EfpbfJ[]fhŠ”Ž@%iŽĐ

 Windows 95 ŠÖ~A

 Windows3.1 ŠÖ~A

Windows 95 ŠÖ~A

-  HP ScanJet Scanner 4c/4p Series Patch file

-  HP DeskJet850CfCf“fNfWfFfbfgfvfŠf“f^-pfhf%fCfo
for NEC PC98 “ú-{{ÊWindows3.1/95

-  HP DeskJet850CfCf“fNfWfFfbfgfvfŠf“f^-pfhf%fCfo
for DOS/V “ú-{{ÊWindows3.1/95

-  HP LaserJet4V f@[]fU[]fvfŠf“f^-pfhf%fCfo
for “ú-{{ÊWindows95 Ver 40.00.01

-  HP LaserJet4LJ Pro f@[]fU[]fvfŠf“f^-pfhf%fCfo
for “ú-{{ÊWindows95 Ver 40.00.01fÀ













-  HP LaserJet5L f@[]fU[]fvfŠf“f^-pfhf%fCfo
for NEC PC98 “ú-{{ÊWindows95

-  HP LaserJet5L f@[]fU[]fvfŠf“f^-pfhf%fCfo
for DOS/V “ú-{{ÊWindows95

-  “ú-{{ÊWindows‘Î%ž HP ScanJetfVfŠ[]fY-p
fXfLfffjf“f0f\ftfgfEfFfA(V2.3.1a)(NEC PC []ê-p)

-  “ú-{{ÊWindows‘Î%ž HP ScanJetfVfŠ[]fY-p
fXfLfffjf“f0f\ftfgfEfFfA(V2.3.1a)(DOS/V []ê-p)

Windows 3.1 ŠÖ~A


-  HP ScanJet Scanner 4c/4p Series Patch file
-  HP ScanJet Scanner 4s Series Patch file
-  HP LaserJet4LJ Pro fÆ[]fU[]fvfŠf“f^~pfhf%fcfo
“ú~{ÆêWindows3.1 Ver 31.V3.00
-  HP LaserJet4V fÆ[]fU[]fvfŠf“f^~pfhf%fcfo
“ú~{ÆêWindows3.1 Ver 31.V2.01
-  HP LaserJet5L fÆ[]fU[]fvfŠf“f^~pfhf%fcfo
DOS/V“ú~{ÆêWindows3.1 Ver 31.0.2
-  HP LaserJet5L fÆ[]fU[]fvfŠf“f^~pfhf%fcfo
NEC PC98“ú~{ÆêWindows3.1 Ver 31.0.2
-  HP ScanJet fRfs[]ft[]fefBfŠfefB (DOS/V~p)
-  HP ScanJet fRfs[]ft[]fefBfŠfefB (NEC PC98~p)
-  HP DeskJet J- Series v5.0 for Windows 3.1
-  Hewlett-Packard HP-GL/2 Windowsfhf%fcfo (HP-GL/2 ,“,æ,Ñ HP
RTL)
-  HP LaserJet 4PJ fvfŠf“f^fhf%fcfo
HPJ5E Version 31.V2.00 for Windows 3.1
-  HP Scanning Software v1.01

HP LaserJet4LJ Pro fU[fvfŠf“f^–pfhf%fcfo “ú–
{ÊWindows 95

 Žû~^ffBfBfNfgfŠ DISC2:\DRIVER\HP\WIN95\LJ4V40

 “à–e

HPJV5E fvfŠf“f^Efhf%fcfo,ÍAHP LaserJet 4V (JAPAN)
fvfŠf“f^–p,İfvfŠf“f^Efhf%fcfo,Å,·BHP LaserJet 4V (JAPAN)
fvfŠf“f^,ÍAMicrosoft Windows 95 ,İ•W€€,Å, ,é TrueType
ftfHf“fg,İf%fxf^f%fcfU,ð“<Ú,µA,ł, r –
¾’©A,ł,rfSfVfbfN,İ,Q‘‘İ,ð•W€€,Å“<Ú,µ,½,U,0,0,, ,%,İ“ú–
{ÊfvfŠf“f^,Å,·B
–{fvfŠf“f^,“,æ,ÑfvfŠf“f^ fhf%fcfo,Åftf| [fg,µ,Ä,ç,éfqf...
 [fEfbfgEfpfbfJ [fhŽĐ,İ•W€€fy [fW<Lq¾Ê,Å, ,é PCL
,ÍA,QfofCfg fR [fh,İftf| [fg,ðs,Á,Ä,ç,Ü,·B
,Á,ÄAMicrosoft Windows 95 ,Æ HP LaserJet 4LJ Pro
fvfŠf“f^,ð’g,Ý†,í,¹,é,±,Æ,É,æ,Á,ÄA,±
,ê,Ü,Å,É,È,ç,‘¬,Å,©,Â,•iŽž,È^óü,ª%Ä“\,Æ,È,è,Ü,µ,½B,±
,İfvfŠf“f^ fhf%fcfo,Å,ÍAHP-GL/2 ,ðftf| [fg,µ,Ä,ç,Ü,·BHP-
GL/2 ,ÍAfqf... [fEfbfgEfpfbfJ [fhŽĐ,İSJ” ,µ,½fvf^fbf^SÊä–
p,İ¾Ê,ÅA•iŽG,Èf0%ftfBfbfNfX,à,‘¬,É,©,Ä”ü,µ,^óü,·,é,±
,Æ,ª%Ä“\,Å,·B

 Ú,µ,,ÍDISK2:\DRIVER\HP\WIN95\LJ4V40\README.TXT,ð,²—,-
,¾,¾,çB

HP LaserJet4LJ Pro fCfU[fvfŠf“f^~pfhf%fcfo
for “ú-ŕWindows95 Ver 40.00.01fÀ



Žû~^ffBfCfNfgfŠ DISC2:\DRIVER\HP\WIN95\LJ4LJP40



“à-e

-{BETA”Å, ÍA, P, X, X, U”N, TĚŽ—
ŽŸŠú³Ž®”Å, afŠfŠ[fX, ³, ê, é, Ü, Å, ĨŠÔ, Ĩ, Ý, ²~—p%º, ³, çB
HPJL5E fvfŠf“f^ fhf%fcfo, ÍAHP LaserJet 4LJ Pro fvfŠf“f^~
p, ĨfvfŠf“f^ fhf%fcfo , Å, ·BHP LaserJet 4LJ Pro
fvfŠf“f^, ÍAMicrosoft Windows 95 , Ĩ·W€
, Å, , éTrueTypeftfHf“fg, Ĩf%fxf^f%fcfU, ð“<Ú, µA—”AMS -
¾’©, ÅMS fSfVfbfN, Ĩ, Q’ ‘ Ĩ, ð·W€ , Å“<Ú, µ, ½ 600dpi, Ĩ“ú-
{ĚfvfŠf“f^, Å, ·B
-{fvfŠf“f^, , æ, ÑfvfŠf“f^ fhf%fcfo, ÅfTf| [fg, µ, Ä, ç, éfqf...
[fĚfbfgEfpfbfJ [fhŽĐ, Ĩ·W€fy [fW<LqĚ¾Ě, Å, , é PCL
, ÍA, QfofCfg fR [fh, ĨfTf| [fg, ðs, Å, Å, ç, Ü, ·B
, Å, ÄAMicrosoft Windows 95 , Å HP LaserJet 4LJ Pro
fvfŠf“f^, ð’g, Ý, í, ¹, é, ±, Å, É, æ, Á, ÄA, ±
, ê, Ü, Å, É, È, ç, ‘, Å, ©, Å, ·iž; È^óü, æÅ”\, Å, È, è, Ü, µ, ½B, ±
, ĨfvfŠf“f^ fhf%fcfo, Å, ÍAHP-GL/2 , ðfTf| [fg, µ, Ä, ç, Ü, ·BHP-
GL/2 , ÍAfqf... [fĚfbfgEfpfbfJ [fhŽĐ, ĨŠJ” , µ, ½fvf fbfbf^ŠĚä-
p, ĨĚ¾Ě, ÅA·ižG, Èfof%ftfBfbfNfX, à, ‘, Å, É, ©, Å”ü, µ, ^óü, ·, é, ±
, Å, æÅ”\, Å, ·B



Ú, µ, , ÍDISK2:\DRIVER\HP\WIN95\LJ4LJP40\README.TXT, ð, ²—, -
, ¾, ³, çB

HP LaserJet5L fCfUfvfŠf“f^–pfhf
%fCfo@#@#@#@#@#@for NEC PC98 “ú–{EêWindows95



Žû~^ffBfEfNfgfŠ DISC2:\DRIVER\HP\WIN95\LJ5L_N40




“à–e

HP LaserJet 5L fvfŠf“f^ fhf%fCfo ,ÍA Microsoft Windows 95
(^È%°AWindows 95,Æİ,·j‘Î%ž,ÌAHP LaserJet 5L fvfŠf“f^–
pf\ftfgfEfFfA,Å,·B ,±,İHP LaserJet 5L fvfŠf“f^ fhf
%fCfo,ÍA Windows 95 •t’®,Ì [fvfŠf“f^,ì’Ç%Á] fEfBfU[fh,đŽg
–p,µA‘g,Ýž,Ð,±,Æ,ª,Å,«,Ü,·B,±,İfvfŠf“f^ fhf%fCfo,Í
Microsoft Windows 3.1 ,Ü,½,Í,»,ê^È‘0,İŠÂ««,Å,İ“®ì,ÍfTf|
[fg,µ,Ä,“,è,Ü,¹,ñBMicrosoft Windows 3.1,đ,²Žg–p,Ì,“<q–
l,ÍAMicrosoft Windows 3.1–pHP LaserJet 5L fvfŠf“f^ fhf
%fCfo,đ,²Žg–p,,³/₄,³,¢B



Ú,µ,,ÍDISC2:\DRIVER\LJ5L_N40\README95.WRI,đ,²—,,³/₄,³,¢B

HP LaserJet5L fU[fvfŠf“f^–pfhf%fcfo
for DOS/V “ú–{êWindows95

 **Žû~^ffBfçfnfgfŠ** DISC2:\DRIVER\HP\WIN95\LJ5L_V40


 **“à–e**

HP LaserJet 5L fvfŠf“f^ fhf%fcfo ,ÍA Microsoft Windows 95
(^È%°AWindows 95,Æİ,·j‘Î%ž,ÌAHP LaserJet 5L fvfŠf“f^–
pf\ftfgfEfFfA,Å,·B ,±,İHP LaserJet 5L fvfŠf“f^ fhf
%fcfo,ÍA Windows 95 •t’®,Ì [fvfŠf“f^,ì’Ç%Á] fEfBfU[fh,đŽg
–p,µA‘g,Ýž,Ð,±,Æ,ª,Å,«,Ü,·B,±,İfvfŠf“f^ fhf%fcfo,Í
Microsoft Windows 3.1 ,Ü,½,Í,»,ê^È‘0,İŜÂ<«,Å,İ“®ì,ÍfTf|
[fg,µ,Ä,“,è,Ü,¹,ñBMicrosoft Windows 3.1,đ,²Žg–p,İ,“<q–
l,ÍAMicrosoft Windows 3.1–pHP LaserJet 5L fvfŠf“f^ fhf
%fcfo,đ,²Žg–p,,³/₄,³,çB

 **Ú,µ,,ÍDISC2:\DRIVER\LJ5L_V40\README95.WRI,đ,²—,,³/₄,³,çB**

“ú-{\@èWindows‘î%ž HP ScanJetfVfš[]fY-p
fXfLffffjff“f0f\ftfgfEfFfA(V2.3.1a)(NEC PC []è-p

インストールの実行

 žû~^ffBf@Nfgfš DISC2:\DRIVER\HP\WIN95\DS2_N23\
DISK1\5


‘î%ž<@ží
HP ScanJet 3c /4c

 “à-e

HP, ìfXfLffffi, Éfof“fhf<, ³, è, ½SCSI{[]fh, ðžg, *[]è[]‡, í[]A, , ç, ©
, ¶, ßWindows95, ÉICLWin95fhf%fCfo, ð‘g, Ý[]ž, ñ, Å, “, •K-v, ª, , è, Û,
·[]B‘g, Ý[]ž, Ý•û-@, í[]A1/4ffffBfXfN, ÉŠÛ, Û, è, éICL.TXT, ð, æ, -
, “Ç, Ý, , ¾, ³, ¶[]B


-{fvf[]f0f%f€
, ìfCf“fXfg[]f<, í[]AWindows, ©, ç"SETUP.EXE", ðžÀ[]s, µ, Ä, -
, ¾, ³, ¶[]Bfn[]fhffffBfXfN, ©, çfCf“fXfg[]f<, ·, é, Æ, ¨, Û, []s, ©, È, ¶, ±
, Æ, ª, , è, Û, ·[]B, ±
, ì[]è[]‡, É, í[]A^è“xftf[]fbfsfffBfXfN, É‘Sftf@fCf<, ðfRfs[][, µ[]Aftf
[]fbfs, ©, çfCf“fXfg[]f<, µ, Ä, , ¾, ³, ¶[]B

[]@-{\f\ftfgfEfFfAfCf“fXfg[]f<, ì[]Å[]%, É[]APaperPort, ìf\ftfg, ð-
v<[], ³, è, Û, ·, ª[]ufLffff“fZf<[]v, ð‘I‘ð, µ[]ADeskScanII, ìfCf“fXfg[]f<
f<, É[]i, ñ, Å, , ¾, ³, ¶[]B

 []ú, µ, , íDISC2:\DRIVER\DS2_N23\DISK1\README.WRI, ð, ²—, -
, ¾, ³, ¶[]B

“ú-ŕWindows‘İ%ž HP ScanJetfVfŠ[]fY-p
fXfLffffjff“f0f\ftfgfEfFfA(V2.3.1a)(DOS/V) []ê-p

インストールの実行

 žû~^ffBf€fnfgfŠ DISC2:\DRIVER\HP\WIN95\DS2_V23\
DISK1\5


‘İ%ž<@Ží
HP ScanJet IIp /IIc /IIcx /3p /3c /4c

 “à-e

HP, ìfXfLffffi, Éfof“fhf<, ³, ê, ½SCSI{[]fh, ðŽg, *[]ê[]‡, Í[]A, , ç, ©
, ¶, ßWindows95, ÉICLWin95fhf%fCfo, ð‘g, Ý[]ž, ñ, Å, “, •K-v, ª, , è, Û,
·[]B‘g, Ý[]ž, Ý•û-@, Í[]A1/4ffffBfXfN, ÉŠÛ, Û, ê, éICL.TXT, ð, æ, -
, “Ç, Ý, , ¾, ³, ¶[]B

-{fvf[]f0f%f€
, ìfCf“fXfg[]f<, Í[]AWindows, ©, ç"SETUP.EXE", ðŽÀ[]s, µ, Ä, -
, ¾, ³, ¶[]Bfn[]fhffffBfXfN, ©, çfCf“fXfg[]f<, ·, é, Æ, * , Û, []s, ©, È, ¶, ±
, Æ, ª, , è, Û, ·[]B, ±
, ì[]ê[]‡, É, Í[]A^ê“xftf[]fbfsfffBfXfN, É‘Sftf@fCf<, ðfRfs[]l, µ[]Aftf
[]fbfs, ©, çfCf“fXfg[]f<, µ, Ä, , ¾, ³, ¶[]B

[]@-{}f\ftfgfEfFfAfCf“fXfg[]f<, ì[]Å[]%, É[]APaperPort, ìf\ftfg, ð-
v<[], ³, ê, Û, ·, ª[]ufLffff“fZf<[]v, ð‘I‘ð, µ[]ADeskScanII, ìfCf“fXfg[]f<
f<, É[]i, ñ, Å, , ¾, ³, ¶[]B

 []Ú, µ, , ÍDISC2:\DRIVER\DS2_V23\DISK1\README.WRI, ð, ²—, -
, ¾, ³, ¶[]B

HP LaserJet4V fU[fvfŠf“f^~pfhf%fcfo “ú-
{ÊWindows3.1 Ver 31.V2.01

▶ Žû~^ffBfBfNfgfŠ DISC2:\DRIVER\HP\WIN31\LJ4V

▶ “à-e

, í, ¶, ß, É

HPJV5E fvfŠf“f^Efhf%fcfo, íAHP LaserJet 4V (JAPAN)
fvfŠf“f^~p, İfvfŠf“f^Efhf%fcfo, Å, ·BHP LaserJet 4V (JAPAN)
fvfŠf“f^, İAMicrosoft Windows 3.1J , İW€Å, , éTrueType
ftfHf“fg, İf%xf^f%fcfU, ð“<Ú, µAMS -¾’©AMSfSfvfbfN
, İ2‘ ‘İ, ðW€Å, Å“<Ú, µ, ½600dpi, İ“ú- {ÊfvfŠf“f^, Å, ·B-
{fvfŠf“f^, “, æ, ÑfvfŠf“f^fhf%fcfo, ÅfTf| [fg, ³, ê, ½HP ŽĐ, İW€
, Å, , éfy [fW<LqÊPCL, İA2fofCfgr [fh, İfTf|
 [fg, ðs, Á, Ä, ç, Ü, ·B, ±, ê, É, æ, èAMicrosoft Windows 3.1J ,Æ
HP LaserJet 4V (JAPAN) fvfŠf“f^, İ’g, Ý¶, í, ¹, É, æ, Á, ÄA, ±
, ê, Ü, Å, É, È, ç, ‘, ¬, Å, ©, Å, ·iŽž, È^óü, ð, ²~ -p, ç, ½, ¾, , ±, Æ, æÅ“\
, Æ, È, è, Ü, µ, ½B

, ±, İfvfŠf“f^Efhf%fcfo, Å, íAHP-GL/2 , ðfTf| [fg, µ, Ä, ç
, Ü, ·BHP-GL/2 , íAHP ŽĐ, İŠJ” , µ, ½fvf¶fbf^§Êä-
p, İÊÊ, Å, , èAHP-GL/2 , İfTf| [fg, É, æ, è·iŽG, ÈfOf
%ftfBfbfNfX, İ^óü, à, ‘, ¬, Å, ©, Å, ·iŽž, É[s, x, ±, Æ, æÅ“\ , Å, ·B

HPJV5E fvfŠf“f^Efhf%fcfo, Å, íA‘èf_fcfa f0, æ, è-
lX, ÈY’è, æÅ“\ , Å, ·, æA“Á·É, ÈK-v, æ-³, çEA, è fOf
%ftfBfbfNfXf, [fh, ð HP-GL/2 , Æ, µ, Ä, “Žg, ç, ç, ½, ¾, , ±
, Æ, ð, “, ·, ·, ß, µ, Ü, ·B

HP LaserJet 4V (JAPAN) fvfŠf“f^fhf%fcfo HPJV5E, İ“Á’·

HP LaserJet 4V (JAPAN) fvfŠf“f^fhf%fcfo HPJV5E fo [fwf#f“
31J.V2.01 , É, íA^È%º, İ, æ, x, È“Á’·, ª, , è, Ü, ·:

- 1). fOf%ftfBfbfNfX·iŽž, İfTf| [fg
600 dpi , İf, [fh, É, “, ç, ÅA 600, 300, 150 dpi , İ
%ð‘æ“x, ªA, Ü, ½A300 dpi , İ f, [fh, É, “, ç, Å 300, 150,
75 dpi , İ%ð‘æ“x, ªfTf| [fg, ³, ê, Ä, ç, Ü, ·B, ±, ê, ç, İ
%ð‘æ“x, İY’è, íAŽAÜ, É, İ“Žš, Å, í, È, -
A, » , ê, ¼, êfİfvfVf#f“Ef_fcfa f0, İ úwfOf
%ftfBfbfNfX·iŽžúW, É, “, -, éúW, ·iŽžúW AúW· ‘ÉúW Aúwfhf

ftfgúW,ì'I'ð 'I'ð,É,æ,Á,Äs,ç,Ü,·B

2). HP-GL/2 ,ìfTf|[]fg

HP-GL/2 ,^a HPJV5E fvfŠf“f^Efhf%fcfo,ÁfTf|
[]fg,³,ê,Ü,·B fIvfVf‡f“Ef_fCfAf0,ìúWf0f
ftfBfbfNfX[]Ef,[]fhúW,É,“,ç,Ä'I'ð%Ä"\,Á,·B ,±,±,Á,Í
"HP-GL/2"[]A"f%xf^",ì"ñ,Ä,^a'I'ð%Ä"\,Á,·B"HP-GL/2",ì'I'ð,í[]
A fpfTfH[]f}f“fX,ì,æ,çY'è,Á,·BffftfHf<fg,Á,Í HP-
GL/2 ,^aY'è,³,ê,Ü,·B

,±,ìffftfHf<fg,ìY'è,Á^óü,Á,«,È,ç[]ê[]A"f
%xf^",ÉY'è,ð·I[]X,μ,Á,à,κ^ê“x ^óü,μ,É,“,μ,Ä,Ý,Ä,-
,³/₄,³,ç[]B []Ü,μ,-
,í[]AfIvfVf‡f“Ef_fCfAf0,ìfwf<fv,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

3). fGfRfm[]Ef,[]fh,ìfTf|[]fg

fGfRfm[]Ef,[]fh,ìY'è,í[]AfIvfVf‡f“Ef_fCfAf0,Ás,ç
,Ü,·BfGfRfm[]Ef,[]fh ,Á,ì[]o-í,í"fhf%ftfg",ìf0f
ftfBfbfNfX·iŽç,ÆŽ-,Ä,ç,Ü,·Bfgfi[][,ì[]Á"i,ð[] ,È,-
,·,é,¹/₂,β,ÉŽg-p,·,éf hfbfg,^a[],È,,É,é,æ,κ
,ÉfRf“fgf[][]f<,μ,Ü,·B

4). RET ,ìfTf|[]fg

RET ,Æ,í[]A^óü·iŽç,ðEü[]ã,³,¹,é,¹/₂,β,ìfqf..
[]f[]fbfg[]EfpfbfJ[]fhŽĐ“ÆŽ©,ì
^óü<Z[]p,Á,·BfIvfVf‡f“Ef_fCfAf0,É,“,ç
,Ä,»,ìY'è,ì“x[]‡,^a'I'ð%Ä"\ ,Á,·B,±,±,Á,í[]A"f
%fcfg"[]A"f~ffBfAf€"[]A"f_[]fN"[]A"fIft",^a'I'ð%Ä"\,Á,·B

Version 31.V1.01 ,©,ç,ì·I[]X“_,É,Ä,ç,Ä

HPJL5E fvfŠf“f^ fhf%fcfo Version 31.V2.01
,Á,í[]AfIvfVf‡f“Ef_fCfAf0,ì [TrueType ,ðf0f
ftfBfbfNfX,Æ,μ,Á^óü],^a [TrueType ^óü] ,Æ·I[]X,³,ê[]A[f0f
ftfBfbfNfX[]Ef,[]fh] ,É,“,ç,Ä [HP-GL/2] ,ð'I'ð,μ,¹/₂[]ê[]‡,í
[fvfŠf“f^,ìf%xf^f%fcfU,ðŽg-p] ,Æ
[frfbfgf}fbfv,Æ,μ,Äf_fEf“f[][]fh] ,^a[]A,Ü,¹/₂ [f%xf^]
,ð'I'ð,μ,¹/₂[]ê[]‡,í,³,ç,É [f%xf^ f0f%ftfBfbfNfX,Æ,μ,Á^óü]
,^a'I,x,é,æ,κ,É,È,è,Ü,μ,¹/₂[]B

,Ü,¹/₂[]A^È%°,ì[]€-Ú,É,Ä,ç,Ä[]C[]³[]A·I[]X,³,ê,Ü,μ,¹/₂[]B

fIvfVf‡f“Ef_fCfAf0,ìúWf0f
ftfBfbfNfX[]Ef,[]fhúW,É,“,ç,Ä"HP-GL/2",ð'I'ð,μ,¹/₂[]ê[]‡[]A,Ü,¹/₂,
í[]A"f%xf^",ð'I'ð,μ,Ä[]hTrueType ^óü[]h,Á[]hf%xf^ f0f
ftfBfbfNfX,Æ,μ,Á^óü[]h^ÈŠ0,ð'I'ð,μ,¹/₂[]ê[]‡:

1). LOTUS 1-2-3 for Windows ,É, ",ç,Ä AfI [fo [f
%fbfv, ³, ê, éfzf<"à, ÌfefLfxfg, ªfNfŠfbfv, ³, ê, È, ç, ±, Æ, ª, , éB

2). Borland Paradox 5.0J ,É, ",ç,Ä Afzf<, É
%EŠň, ¹, ðžw'è, µ, ½Žž, ÉÄã, Ì•¶ Žš, ª^óü, ³, ê, È, ç, ±
, Æ, ª, , éB

3). TrueType •¶Žš, Ì%ň"], ª, Å, «, È, çB

4). □c□', «^óü, É, ",ç,Ä AŠOŽš•¶Žš, Ì^óü^Ê'u, ª, , ê, é, ±, Æ, ª, , é
□B

5). □c□A, à, µ, , Í%j •ûËü, ö, Ì"C^ó" {Šp, Ì^óü, ª, Å, «, È, çB

, » , Ì'¼ :

6). Aldus PageMaker 5.0J ,É, ",ç,Ä A"Á'è, Ì-
pžtfTfCfY, ÅA^óü^Ê'u, ª, , ê, é, ±, Æ, ª, , éB

•¶Žš, Ì^óü, É, ",ç,Ä A•¶Žš, Ì^è" •ª, ÌfNfŠfbfv, Ìfhf
%fCfo, Ì\$Æ, É, æ, è, Å, «, Ü, ¹, ñB2). , Å<" , °, ç, ê, ½ Borland
Paradox 5.0J , Ì, æ, ª
, ÉA^è" , ÌfAfvfŠfP [fvf±f" , Å, Í•¶Žš, Ìfrfbfgf}fbfv, Ì"à, Ì^è" •
ª, ðfzf<, ÌŠ0, ÉfNfŠfbfv, , é, æ, ª, Éžw'è, µ, Å^óü, , é, à, Ì, ª, , è, Ü
, •BVersion 31.V1.01 , Å, Í□A, ±, Ì, æ, ª, È•¶Žš, Ì^óü□o-
^, Ü, ¹, ñ, Å, µ, ½, ªA31.V2.01 , Å, Í□A, ±, Ì, æ, ª
, Èê±, Ì^'u, Æ, µ, ÄWIN.INI ftf@fCf<, É^È%º, Ì, æ, ª
, ÈÝ'è, ð, , é, ±, Æ, Å□A, ±, è, ð^óü, , é, ±, Æ, ð%Ä"\ , Æ, µ, Ü, µ, ½□B

1. fvf□f0f%f€

f}fl□[fwff, Ì[f□fCf"]f0f<□[fv, æ, è□A[fRf"fgf□□[f<
fpflf<]fAfCfRf", ðf_fuf< fNfŠfbfN, µ, Ü, •□B

2. [fRf"fgf□□[f<

fpflf<]fEfBf"fhfE, ©, ç[fvfŠf"f^]fAfCfRf", ð'I'ð, , é, Æ□A[fvfŠf
"f^, ÌÝ'è]f_fCfAf□f0 f{fbfNfX, ª•\Ž|, ³, ê, Ü, •□B

3. [Ý'è(S)...]f{f^f", ð'I'ð, µ, Ü, •□B

4. [Ý'è]f_fCfAf□f0

f{fbfNfX, Å□A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, •□B

5. [□I-¹]f{f^f", ðfNfŠfbfN, µ, Ü, •□B

^È□ã, Ì'€□ì, ð□s, È, ª, Æ Windows fffBfÆfNfgfŠ, Ì win.ini
ftf@fCf<, É^È%º, Ì, æ, ª, ÈZfNfVf±f", ª"o~^, ³, ê, Ü, •□iLPT1
, Í□A□Ú'±, ³, ê, ½f|□[fg-¼□j□B

[HP LaserJet 4V (JAPAN), LPT1]

f□f, ' , È, Ç, ðžg-p, µ, Ä□A, ±, ÌfzfNfVf±f", É^È

%º, ÌfGf"fgfŠ, ð"o~^, , é, ÆfNfŠfbfv<<ŠE□ã, Ì•¶Žš, Ì^óü, ª%Ä"\
, Æ, È, è, Ü, •□B

noBoundaryClipping=1

,Ü,½□A□Ý'è'l,ð 0 ,É,·,é,±,Æ,É,æ,è,±,Ì□Ý'è,ð%ð□æ,·,é,±
,Æ,ª,Å,«,Ü,·□B,±,Ì□Ý'è,Í□AÆ'¥,Æ,µ,ÄÆÅ□X,Ì^óüfWf±fu-
^,Éf`fFfbfN,³,è,Ü,·,Ì,Å□A□Ý'è,Ì•Ì□X,Ì,½,ß,É Windows
,ð□Å<N"@,·,é•K-v,Í, ,è,Ü,¹,ñ□B

fvfŠf“f^,Ì TrueType f%fXf^f%fcfU,É,æ,é□c□A,à,µ, ,Í%
;•ûÆü,Ö,Ì"C^Ó" {Šp,Ì^ó□ü,Í□AÆ»□Ý,Ì,Æ,±,ëfhf
%fcfo,Ì□§ÆÀ,É,æ,è,Å,«,Ü,¹,ñ□B5).,Å<“,°,ç,è,½□c□A,à,µ, ,Í%
;•ûÆü,Ö,Ì"C^Ó" {Šp,Ì^ó□ü,ð□s,È,¤□ê□±,É,Í□AfIfvfVf±f“□Ef_fcfa
f□f0,Ì□hTrueType
^óü□h,Å□hfrfbfj}fbfv,Æ,µ,Äf_fEf“f□□[fh□h,ð‘I’ð,·,é,±
,Æ,Å,±,è,ª%Å“\,Æ,È,è,Ü,·□B

Microsoft Windows 3.1J ,Ö,Ì'g,Ý□ž,Ý,É,Å,ç,Ä

HPJV5E fvfŠf“f^□Efhhf%fcfo,ð Microsoft Windows 3.1J
,É'g,Ý□ž,µ,½,ß,É,Í□A^È%º,Ì,æ,¤,È'€□ì,ª•K-v,Å,·:

1. fvf□f0f
%f€□Ef}fl□[fwff,Ìf□fcf“,Ìf0f<□[fv,æ,è□Afrf“fgf□□[f<□Efpflf<
,ð‘I’ð,µ,Ü,·□B
2. fRf“fgf□□[f<□Efpflf<,©,çfvfŠf“f^□EfAfCfRf“,ð‘I’ð,·,é,Æ□Afvf
Šf“f^,Ì□Ý'èf_fcfa□f0,ª•\Ž! ,³,è,Ü,·□B
3. ['Ç%Å>>] f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
4. úV'g,Ý□ž,PfvfŠf“f^,Ì'I'ðúV,ÌfŠfXfg□Ef{fbfNfX,æ,èúV^è
—
,É,È,çfvfŠf“f^,â□X□V,³,è,½fvfŠf“f^,Ì'g,Ý□ž,ÝúV,ð‘I’ð,µ,Ü,·□
ifŠfXfg,Ì□Å□%,Ì□€-Ú,Å,·□j□B
5. ['g,Ý□ž,Ý...] f{f^f“,ð‘I’ð,µ,Ü,·□B
6. HPJV5E fvfŠf“f^□Efhhf
%fcfo,Ìftf□fbfsfB□[□EfffBfXfN,ðfffBfXfN□Efhhf
%fcfu,É“ü,è□Afhf%fcfu-¼,ðŽw'è,µ,Ü,·□B
7. "HP LaserJet 4V (JAPAN)"
,ð‘I’ð,µ□A[OK]f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
8. [□Ü'±...] f{f^f“,ð‘I’ð,µ,Ü,·□B
9. úV□Ú'±□æúVfŠfXfg□Ef{fbfNfX,©,çf|□[fg,ð‘I’ð,µ,Ü,·□B
10. '□,‘-,É^ó□ü' ,ð‘I’ð,µ□A[OK]f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
11. [□Ý'è...] f{f^f“,ð‘I’ð,µ,Ü,·□B
12. □Ý'èf_fcfa□f0,Å□A•K-v,É□Ý'è,ð□s,ç,Ü,·□B
13. [OK] f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
14. ['Ê□íŽg,¤fvfŠf“f^,Æ,µ,Ä□Ý'è}f{f^f“,ðfNfŠfbfN,µ,Ü,·□B
15. [□I-¹]f{f^f“,ðfNfŠfbfN,µ,Ü,·□B



ftf@fCf< \ \ -

HPJV5E1	DLL	76,860	96-01-23	9:37
HPJV5E2	DLL	61,824	96-01-23	9:39
HPJV5E3	DLL	141,534	96-01-23	9:51
HPJV5E4	DLL	31,744	96-01-23	9:40
HPJV5E	DRV	109,024	96-01-23	9:49
HPJV5E	HLP	17,653	96-01-23	7:37
Windowsfwf<fvftf@fCf<				
HPJV5E0	HLP	15,762	96-01-23	7:37
Windowsfwf<fvftf@fCf<				
OEMSETUP	INF	851	96-01-23	7:37
README	TXT	18,994	96-01-23	7:37
à-¼ftf@fCf<				

HP LaserJet4LJ Pro fU[fvfŠf“f^–pfhf%fcfo “ú–
{EWindows3.1 Ver 31.V3.00

▶ Žû~^ffBfCfNfgfŠ DISC2:\DRIVER\HP\WIN31\LJ4LJ

▶ “à–e

, í, ¶, ß, É

HPJL5E fvfŠf“f^ fhf%fcfo, íAHP LaserJet 4LJ Pro fvfŠf“f^–
p, ìfvfŠf“f^ fhf%fcfo , Å, ·BHP LaserJet 4LJ Pro
fvfŠf“f^, íAMicrosoft Windows 3.1J , ìW€
, Å, , éTrueTypeftfHf“fg, ìf%xf^f%fcfU, ð“<Ú, µA–”AMS –
¾’©, ÆMS fSfVfbfN, ì2“‘ì, ðW€ , Å“<Ú, µ, ½ 600dpi , ì“ú–
{EfvfŠf“f^, Å, ·B–{fvfŠf“f^, “, æ, ÑfvfŠf“f^ fhf%fcfo, ÅfTf|
[fg, µ, Å, ç, éfqf...

[fCfbfgEfpfbfJ[fhŽĐ, ìW€fy[fW<LqE¾Eè, Å, , é PCL
, íA2fofCfg fR[fh, ìfTf|[fg, ðs, Á, Ä, ç, Ü, ·B]
, Å, ÅAMicrosoft Windows 3.1J , Æ HP LaserJet 4LJ Pro
fvfŠf“f^, ð’g, Ý±, í, ¹, é, ±, Æ, É, æ, Á, ÄA, ±
, ê, Ü, Å, É, È, ç, ‘, ¬, Å, ©, Å, ·iŽž, È’óü, æÅ”\, Æ, È, è, Ü, µ, ½B

, ±, ìfvfŠf“f^ fhf%fcfo, Å, íAHP-GL/2 , ðfTf|[fg, µ, Å, ç
, Ü, ·BHP-GL/2 , íAfqf...[fCfbfgEfpfbfJ[fhŽĐ, ìSJ”-
, µ, ½fvf[bf^SÆä–p, ìE¾Eè, ÅA·; ŽG, ÈfOf
%ftfBfbfNfX, à, ‘, ¬, É, ©, Å”ü, µ, ^óü, ·, é, ±, Æ, æÅ”\, Å, ·B

HPJL5E fvfŠf“f^ fhf%fcfo, Å, íA[Ý’è]f_fcAf_f0 f{fbfNfX, É–
, ç, Ä–lX, ÈÝ’è, æÅ”\, Å, ·, æA“Á, ÉK–v, ä–³, çEÀ, èAfOf
%ftfBfbfNfX f, [fh, ð HP-GL/2 , Æ, µ, Å, “Žg, ç, ç, ½, ¾, , ±
, Æ, ð, “E, ß, µ, Ü, ·B

HP LaserJet 4LJ Pro fvfŠf“f^ fhf%fcfo HPJL5E , ì“Á’·

HP LaserJet 4LJ Pro fvfŠf“f^ fhf%fcfo HPJL5E fo[fWf#f“
31.V3.00 , É, íA^Èº, ì, æ, ¨, È“Á’·, ª, , è, Ü, ·:

- 1) fOf%ftfBfbfNfX·iŽž, ìfTf|[fg
600dpi , ìf, [fh, É, “, ç, ÅA600A300A150dpi , ì
%ð’æ“x, æA, Ü, ½A300dpi , ìf, [fh, É, “, ç, Å 300A150A75dpi , ì
%ð’æ“x, æfTf|[fg, ³, ê, Ä, ç, Ü, ·B, ±, ê, ç, ì
%ð’æ“x, ìÝ’è, íAZÀÛ, É, í”Žš, Å, í, È, -
A, » , ê, ¼, ê[fIfvfVf#f“]f_fcAf_f0 f{fbfNfX, ì[f0f

%ftfBfbfNfX•iŽi(Q)],É,¨,˘,é[[],•iŽi]□A[•□'Ê]□A[fhf%ftfg],
ı'ı'đ,É,æ,Á,Ä□s,ç,Ü,•□B

2) HP-GL/2 ,İfTf|□[fg
HP-GL/2 ,^a HPJL5E fvfŠf“f^ fhf%fcfo,ÅfTf|
□[fg,³,ê,Ü,•□B
[fIfvfVf#f“]f_fCfAf□f0 f{fbfNfX,İ[fOf%ftfBfbfNfX
f,□[fh(G)],É,¨,ç,Ä□Y'è,Å,«,Ü,•□BfOf%ftfBfbfNfX f,□[fh□Y'è,ı
[HP-GL/2],Æ[f%fxf^],İ“ň,Ä,^aı'ı'đ%Ä“\,Ä,•□B[HP-GL/2]
,đ'ı'đ,•,é,Æ□A^è”Ê“ı,É□D,Ü,μ,çfpftfH□[f}f“fX,^aŠú'ò,Å,«,Ü,•□
B□],Ä,ÄffftfHf<fg,Å,ıHP-GL/2 ,^a□Y'è,³,ê,Ü,•□B

,±,İffftfHf<fg,İ□Y'è,Å^ó□ü,Å,«,È,ç□ê□#□A[f%fxf^]
,É□Y'è,đ•İ□X,μ,Ä,à,ı^è“x^ó□ü,μ'¹/₄,μ,Ä,Y,Ä,,³/₄,³,ç□B[f%fxf^]
,É□Y'è,μ,¹/₂Æã□A□X,É[TrueType ^ó□ü(P)],đ[fOf
%ftfBfbfNfX,Æ,μ,Å^ó□ü],É□Y'è,μ,Å^ó□ü,•,é,Æ□A^ó□ü,Å,«,é□ê□#,à,
,è,Ü,•□B□ú,μ,,ı□A[fIfvfVf#f“]f_fCfAf□f0
f{fbfNfX,İfwf<fv,đŽ□Æ,μ,Ä,,³/₄,³,ç□B

3) fGfRfmf,□[fh,İfTf|□[fg
[fGfRfmf,□[fh(E)],İ□Y'è,ı□A[fIfvfVf#f“]f_fCfAf□f0
f{fbfNfX,Ä□s,ç,Ü,•□BfGfRfmf,□[fh,Å,İ□o-ı,ı[fhf%ftfg],İfOf
%ftfBfbfNfX•iŽi,ÆŽ-,Ä,ç,Ü,•□Bfgfi□[ı,İ□A”i,đ□,É,,•,é,¹/₂,ß,ÉŽg
-p,•,éfhfbfg,^a□,È,,È,é,æ,ı,ÉfRf“fgf□□[f<,μ,Ä,ç,Ü,•□B

4) ^ó□ü”Z“x,İfTf|□[fg
[fIfvfVf#f“]f_fCfAf□f0 f{fbfNfX,É,¨,ç
,Ä□A[^ó□ü”Z“x(B)],^a□Y'è,Å,«,Ü,•□B□Y'è,ı□A1□i”-,
□j,©,ç5□i”Z,□j,Ü,Å,ı5'ıSK,Å,•□B

5) REt ,İfTf|□[fg
REt ,Æ,ı□A^ó□ü•iŽi,đÆü□ã,³,¹,é,¹/₂,ß,İfqf...
□[fÆfbfg□EfpfbfJ□[fhŽĐ“ÆŽ©,İ^ó□ü<Z□p,Ä,•□B[fIfvfVf#f“]f_fCf
Af□f0 f{fbfNfX,É,¨,ç,Ä□A,»,İ□Y'è,İ“x□#,^aı'ı'đ%Ä“\,Ä,•□B,±,±
,Ä,İ□Y'è,ı□A[f%fcfg]□A[f~fffbfAf€]□A[f_□[fn]□A[fift]
,ı4'ł,©,ç□s,ç,Ü,•□B

HPJL5E fvfŠf“f^ fhf%fcfo Version 31.V2.00
,©,ç,İ•ı□X“_ ,É,Ä,ç,Ä

HPJL5E fvfŠf“f^ fhf%fcfo Version 31.V3.00
,Ä,ı□A[fIfvfVf#f“]f_fCfAf□f0,İ[TrueType ,đfOf
%ftfBfbfNfX,Æ,μ,Å^ó□ü] ,^a [TrueType ^ó□ü] ,Æ•İ□X,³,ê□A[fOf
%ftfBfbfNfX□Ef,□[fh] ,É,¨,ç,Ä [HP-GL/2] ,đ'ı'đ,μ,¹/₂□ê□#,ı
[fvfŠf“f^ f%fxf^f%fcfUŽg-p] ,Æ [frfbfgf}fbfv f_fEf“f□□[fh]
,^a□A,Ü,¹/₂ [f%fxf^] ,đ'ı'đ,μ,¹/₂□ê□#,ı,³,ç,É [fOf
%ftfBfbfNfX,Æ,μ,Å^ó□ü] ,^aı,ı,é,æ,ı,É,È,è,Ü,μ,¹/₂□B

,Ü,½□A^È%º,Ì□€-Ú,É,Â,ç,Ä□C□³□A•İ□X,³,ê,Ü,μ,½□B

fIfvfVf#f"□Ef_fCfAf□f0,İ [f0f%ftfBfbfNfX□Ef,□[fh]
,É,¨,ç,Ä [HP-GL/2] ,ð'I'ð,μ,½□ê□#□A,Ü,½,Í□A [f%fXf^]
,ð'I'ð,μ,Ä [TrueType ^óü] ,Å [f0f%ftfBfbfNfX,Æ,μ,Ä^óü]
^ÈŠ0,ð'I'ð,μ,½□ê□#:

- 1). LOTUS 1-2-3 for Windows ,É,¨,ç,Ä□AfI□[fo□[f
%fbfv,³,ê,éZf<"à,İfefLfXfg,ªfNfŠfbfv,³,ê,É,ç,±,Æ,ª, ,é□B
- 2). Borland Paradox 5.0J ,É,¨,ç,Ä□AfZf<,É
%Ešň,¹,ðŽw'è,μ,½Žž,É□ÅĚã,İ•¶Žš,ª^óü,³,ê,È,ç,±,Æ,ª, ,é□B
- 3). TrueType •¶Žš,İ%ň"],ª,Å,«,È,ç□B
- 4). □c□',«^óü,É,¨,ç,Ä□AŠ0žš•¶Žš,İ^óü^Ê'u,ª,¨,ê,é,±,Æ,ª, ,é
□B
- 5). □c□A,à,μ,¨,Í%¡•ûËü,Ö,İ"C^Ó" {Šp,İ^óü,ª,Å,«,È,ç□B

,» ,İ'¼:

- 6). Aldus PageMaker 5.0J ,É,¨,ç,Ä□A"Á'è,İ-
pž†fTfCfY,Å□A^óü^Ê'u,ª,¨,ê,é,±,Æ,ª, ,é□B

•¶Žš,İ^óü,É,¨,ç,Ä□A•¶Žš,İ^ê"•ª,İfNfŠfbfv,İfhf
%fCfo,İ□ŠĚÀ,É,æ,è,Å,«,Ü,¹,ň□B2). ,Å<" ,° ,ç,ê,½ Borland
Paradox 5.0J ,İ,æ,ª
,É□A^ê" ,İfAfvfŠfP□[fvf#f" ,Å,İ•¶Žš,İfrfbfgf}fbfv,İ"à,İ^ê"•
ª,ðfZf<,İŠ0,ÉfNfŠfbfv,¨,é,æ,ª,ÉŽw'è,μ,Ä^óü,¨,é,à,İ,ª, ,è,Ü
,·□BVersion 31.V2.00 ,Å,Í□A,±,İ,æ,ª,È•¶Žš,İ^óü□o-
^,Ü,¹,ň,Å,μ,½,ª□A31.V3.00 ,Å,Í□A,±,İ,æ,ª,È□ê□#,İ□^'u,Æ,μ,Ä
WIN.INI ftf@fCf<,É^È%º,İ,æ,ª,È□Ý'è,ð,¨,é,±,Æ,Å□A,±
,ê,ð^óü,¨,é,±,Æ,ð%Å"\ ,Æ,μ,Ü,μ,½□B

1. fvf□f0f%€
f}fl□[fwff,İ[f□fCf"]f0f<□[fv,æ,è□A[fRf"fgf□□[f<
fpflf<]fAfCfRf",ðf_fuf< fNfŠfbfN,μ,Ü,·□B
2. [fRf"fgf□□[f<
fpflf<]fEfBf"fhfE,©,ç[fvfŠf"f^]fAfCfRf",ð'I'ð,¨,é,Æ□A[fvfŠf
"f^,İ□Ý'è]f_fCfAf□f0 f{fbfNfX,ª•\Ž¡,³,ê,Ü,·□B
3. [□Ý'è(S)...]f{f^f",ð'I'ð,μ,Ü,·□B
4. [□Ý'è]f_fCfAf□f0
f{fbfNfX,Å□A[OK]f{f^f",ðfNfŠfbfN,μ,Ü,·□B
5. [□I-¹]f{f^f",ðfNfŠfbfN,μ,Ü,·□B

^È□ã,İ'€□ì,ð□s,È,ª,Æ Windows fffBfĚfNfgfŠ,İ win.ini
ftf@fCf<,É^È%º,İ,æ,ª,ÈfZfNfVf#f",ª"o~^,³,ê,Ü,·□iLPT1
,Í□A□Ú'±,³,ê,½f|□[fg-¼□j□B

[HP LaserJet 4LJ Pro,LPT1]

f f, ' ,È,Ç,đŽg-p,μ,ÄA,±,İfZfNfVf‡f“,É^È
%º,İfGf“fgfŠ,đ“o~^,·,é,ÆfNfŠfbfv<<ŠE□ă,İ•ŋŽš,İ^ó□ü,â%Â”\
,Æ,È,è,Û,·□B

noBoundaryClipping=1

,Û,½□A□Y'è'l,đ 0 ,É,·,é,±,Æ,É,æ,è,±,İ□Y'è,đ%đ□æ,·,é,±
,Æ,â,Â,«,Û,·□B,±,İ□Y'è,İ□AÆ'¥,Æ,μ,ÄÆA□X,İ^ó□üfWf‡fu-
^,Éf`fFfbfN,³,ê,Û,·,İ,Å□A□Y'è,İ•İ□X,İ,½,ß,É Windows
,đ□A<N“®,·,é•K-v,Í, ,è,Û,¹,ñ□B

f v f Š f “ f ^ , İ TrueType f % f X f ^ f % f C f U , É , æ , é □ c □ A , à , μ , , İ %
ı • û Æ ü , Ö , İ “ C ^ Ó ” { Š p , İ ^ ó □ ü , İ □ A E » □ Y , İ , Æ , ± , ë f h f
% f C f o , İ □ Š E Ä , É , æ , è , Å , « , Û , ¹ , ñ □ B 5) . , Å < “ , ° , ç , é , ½ □ c □ A , à , μ , , İ %
ı • û Æ ü , Ö , İ “ C ^ Ó ” { Š p , İ ^ ó □ ü , đ □ s , È , x □ ê □ ‡ , É , İ □ A f İ f v f V f ‡ f “ □ E f _ f C f A
f □ f 0 , İ □ h TrueType ^ ó □ ü (P) □ h , Å □ h f r f b f g f } f b f v
f _ f E f “ f □ □ [f h □ h , đ ‘ İ ‘ đ , · , é , ± , Æ , Å , ± , ê , â % Â ” \ , Æ , È , è , Û , · □ B

*'□^Ó

Version 31.V3.00 ,Å,İ□AfvfŠf“f^ fhf
%fCfo,İ,Y,âfAfbfvff□[fg,³,ê□Aftf□fbfs□[fffBfXfN,É,İfvfŠf“f^ fhf
%fCfo,İftf@fCf<,İ,Y,âŠÛ,Û,ê,Û,·□B,»,İ,½,ß□AVersion 31.V3.00
,İfCf“fXfg□[f<,İ□]-^,İfvfŠf“f^ fhf%fCfo,İ,æ,x,É Microsoft
Windows 3.1J ,İfRf“fgf□□[f< fpflf<,©,ç'g,Ý□ž,P,±
,Æ,É,È,è,Û,·□BHP LaserJet 4LJ Pro ,İ Printing System
,İfCf“fXfg□[f<,É,İ□A□»•i,É•t'®,İftf□fbfs□[fffBfXfN,đ,²Žg-
p,,³/₄,³,ç□B

Microsoft Windows 3.1J ,Ö,İ'g,Ý□ž,Ý,É,Â,ç,Ä

*'□^Ó

Version 31.V3.00 ,Å,İ□AfvfŠf“f^ fhf
%fCfo,İ,Y,âfAfbfvff□[fg,³,ê□Aftf□fbfs□[fffBfXfN,É,İfvfŠf“f^ fhf
fhf%fCfo,İftf@fCf<,İ,Y,âŠÛ,Û,ê,Û,·□B,»,İ,½,ß□AVersion
31.V3.00 ,İfCf“fXfg□[f<,İ□]-^,İfvfŠf“f^ fhf%fCfo,İ,æ,x,É
Microsoft Windows 3.1J ,İfRf“fgf□□[f< fpflf<,©,ç'g,Ý□ž,P,±
,Æ,É,È,è,Û,·□BHP LaserJet 4LJ Pro ,İ Printing System
,İfCf“fXfg□[f<,É,İ□A□»•i,É•t'®,İftf□fbfs□[fffBfXfN,đ,²Žg-
p,,³/₄,³,ç□B

^È%º,İ,æ,x,Èžè□‡,ÅfRf“fgf□□[f< fpflf<,©,ç'g,Ý□ž,ñ,Å,-
,³/₄,³,ç□B

1. fvf□f0f%f€

- f}fl[fwff,ì[fCf"]f0f<[fv,æ,è[A[fRf"fgf[f<
 fpjlf<]fAfCfRf",ðf_fuf< fNfŠfbfN,μ,Û,·B
2. [fRf"fgf[f<
 fpjlf<]fEfBf"fhfE,©,ç[fvfŠf"f^]fAfCfRf",ð'I'ð,·,é,Æ[A[fvfŠf
 "f^,ìY'è]f_fCfAf0 f{fbfNfX,ª•\Ž|,³,è,Û,·B
 3. [Ç%Á>>]f{f^f",ðfNfŠfbfN,μ,Û,·B
 4. ['g,Ýž,þfvfŠf"f^,ì'I'ð],ì^ê—,æ,è[A[^ê—
 ,É,È,çfvfŠf"f^,âXV,³,è,½fvfŠf"f^,ì'g,Ýž,Ý]
 ,ð'I'ð,μ,Û,·ifŠfXfg,ìÅ%,ì€-Ú,Å,·jB
 5. ['g,Ýž,Ý(I)...]f{f^f",ð'I'ð,μ,Û,·B
 6. HPJL5E fvfŠf"f^ fhf
 %fCfo,Ìftf[fbfs[fffBfXfN,ðffBfXfN fhf%fCfu,É"ü,è[Afhf
 %fCfu-¼,ðŽw'è,μ,Û,·B
 7. "HP LaserJet 4LJ Pro"
 ,ð'I'ð,μ[A[OK]f{f^f",ðfNfŠfbfN,μ,Û,·B
 8. [Ú'±(C)...]f{f^f",ð'I'ð,μ,Û,·B
 9. [Ú'±æ(P)],ì^ê—,©,ç[AfvfŠf"f^,ðŠ,,è—
 ,Ä,éÚ'±æ,ð'I'ð,μ,Û,·B
 10. [, '¬,É^óü],Ìf`fFfbfN
 f{fbfNfX,ð'I,ñ,ÅX^ó,ð•t,~[A[OK]f{f^f",ðfNfŠfbfN,μ,Û,·B
 11. [Y'è(S)...]f{f^f",ð'I'ð,μ,Û,·B
 12. [Y'è]f_fCfAf0 f{fbfNfX,ÅA•K-v,ÈY'è,ðs,ç,Û,·B
 13. [OK]f{f^f",ðfNfŠfbfN,μ,Û,·B
 14. ['ÊíŽg,¼fvfŠf"f^,Æ,μ,ÅY'è(E)]f{f^f",ðfNfŠfbfN,μ,Û,·B
 15. [I⁻¹]f{f^f",ðfNfŠfbfN,μ,Û,·B



ftf@fCf<[]\~

HPJL5E1	DLL	76,864	96-01-23	11:41
HPJL5E2	DLL	61,968	96-01-23	11:43
HPJL5E3	DLL	141,582	96-01-23	11:46
HPJL5E4	DLL	32,768	96-01-23	11:46
HPJL5E	DRV	106,224	96-01-23	11:41
HPJL5E	HLP	18,531	96-01-23	10:31
Windowsfwf<fvftf@fCf<				
HPJL5E0	HLP	16,416	96-01-23	10:31
Windowsfwf<fvftf@fCf<				
OEMSETUP	INF	835	96-01-23	10:31
READMEHP	WRI	26,240	96-01-23	10:31
à-¾ftf@fCf<				

HP LaserJet5L fœ[fU[fvfŠf“f^–pfhf%fcfo NEC PC98“ú–
{œWindows3.1 Ver 31.0.2

 Žû~^ffBfœfnfgfŠ DISC2:\DRIVER\HP\WIN31\LJ5L_N

 “à–e

, í, ¶, ß, É

HP LaserJet 5L fvfŠf“fefBf“f0 f\ftfgfEfffA , íAHP
LaserJet 5L fvfŠf“f^–p, íf\ftfgfEfffA, Å, ·B^È
%º, ì, à, ì, ºŠÜ, Ü, è, Ä, ç, Ü, ·B

- * fvfŠf“f^ fhf%fcfo
- * fXfe[f^fX[EfEfBf“fhfE

HP LaserJet 5L
fvfŠf“f^, íA600dpi, Å, ì, ·iŽž, ©, Å, ‘–, È^óü, ð 1 MB
, ì·Wœ“<Üf[f, fŠ, ÅŽÀœ», µ, ½%æŠú“I, ÈfvfŠf“f^, Å, ·B

fvfŠf“f^ fhf%fcfo, íA f0f%ftfBfbfNfX, ÆfefLfxfg, ì^óü, É·K
–v, Èf[f, fŠ, ðÅ“K, ÉŠÇ–, ·, é, ±, Æ, É, æ, Å, ÅA]–
^, ì600dpi, Å, ì^óü, Å, íAÅ’á 2 MB ’ö“x, í·K–
v, ¾, Å, ½fvfŠf“f^, ìf[f, fŠ, ð 1 MB
, Æ, µA, ©, Å·iŽžA‘–“x, É’Å<|, µ, È, ç^óü, ð’á%žšì, ÅŽÀœ», µ, Ä, ç
, Ü, ·B

, Ü, ½A, ±, ìfvfŠf“f^ fhf%fcfo, Å, íA f qf...
[fœfbfg[EfpfbfJ[fhŽĐ, íŠJ”, µ, ½fvf[fbf^fœä–p, ìœ¾œ HP-GL/2
, ðfTf|[fg, µ, Ä, ç, Ü, ·B·K–v, È%ž, ¶, Å HP-GL/2 , ðf0f
%ftfBfbfNfX, ì^óü, ÉŽg–p, ·, é, ±
, Æ, É, æ, Å, ÅA, ‘–, Å, ©, Å”ü, µ, çf0f%ftfBfbfNfX, ì^óü, ºÅ”\
, Å, ·B

fvfŠf“f^ fhf
%fcfo, ìY’èf_fCfA[f0, à^èV, ³, è, Ü, µ, ½Bft[fU, É, à, ³, µ, çY’è
, É%Å, !A f qf“fgî·ñ, à“–Žž, É·\
Ž!, µ, Ü, ·B^óü·iŽž, ðhŽ“®h, ÉY’è, ·, é, ±
, Æ, É, æ, èA, Ü, Æ, ñ, ç, ì^óü, ºÅ“K, É[s, |, é, æ, º, Éfhf
%fcfo, ðY’è, µ, Ü, ·B^óü’–“x, ð, Æ, –
, ÉdŽ<, ·, éè±, à^óü·¶’ , º“Á, É·jŽG, Åf[f, fŠ[EfI[fœ[f f t f [,
º”¶, ·, éè±[Af}fj f...fA f < , ÅÜx, ÉY’è, ð[s, º, ±, Æ, à%Å”\
, Å, ·B

fXfe[f^fX[EfEfBf“fhfE, íAHP LaserJet 5L fvfŠf“f^–
p, ìWindows f\

ftfgfEfFfA, Å, · □BfXfe □ [f^fX □ EfEfBf "fhfE, É, æ, è □ Af t □ [fU, Í, ç, Å, Å, à fvfŠf "f^, Ì ⊕ » □ Ý, Ì fXfe □ [f^fX □ i ó ' Ô □ j, ð ' m, é, ±, Æ, º, Å, «, Ü, · □ B, Ü, ½ □ AfXfe □ [f^fX □ EfEfBf "fhfE, Í □ AfvfŠf "f^, É - pŽt, º - ³, , È, Å, ½, Æ, «, È, Ç □ Af t □ [fU, É ' m, ç, ¹, ½, ç, ±, Æ, º - □ ¶, µ, ½ Žž □ AfEfBf "fhfE f □ fbfZ □ [fW, Æ, µ, Å • ñ □ □, µ, Ü, · □ B

fvfŠf "f^ fhf%fcfo, Ì "Á' ·

fvfŠf "f^ fhf%fcfo, É, Í □ A ^ È % °, Ì, æ, º, È "Á' ·, º, , è, Ü, · :

1) □ V, µ, ç f t □ [fU □ EfCf "f^ □ [f t f F f C f X
f J □ [f h □ E f t f @ f C f < È ` Ž ®, Å, í, ©, è, â, ·, -
□ A ' € □ ì, µ, â, ·, ç f t □ [fU □ EfCf "f^ f t f F f C f X, É ^ ê □ V, ³, ê, Ü, µ, ½ □ B f p f l f
<, É, Í □ A [-pŽt] □ A [^ ó □ ü • i Ž ÿ], , æ, Ñ [f I f v f v f f "], º -
p ^ Ó, ³, ê □ A, » , ê, ¼, ê, Ì f p f l f <, É f } f E f X □ E f | f C f "f^, Ì ^ Ê ' u, É ' î
% ž, µ, ½ ' € □ ì, Ì f q f "f g, º • \ Ž |, ³, ê, Ü, · □ B

2) , í, ©, è, â, ·, ç ^ ó □ ü • i Ž ÿ, Ì □ Ý ' è

[^ ó □ ü • i Ž ÿ] f p f l f <, Å, Í □ A, í, ©, è, â, ·, ç ^ ó □ ü • i Ž ÿ, Ì □ Ý ' è, ð -
p ^ Ó, µ, Ü, µ, ½ □ B

[Ž © " ®], ð ' I ' ð, ·, é, Æ □ i f f f t f H f < f g □ j f v f Š f "f^ fhf
%fcfo, º Ž g - p, µ, Å, ç, é f A f v f Š f P □ [f v f f " □ E f \
f t f g f E f F f A, ð " » • Ê, µ □ A, » , ê, É " K " - , Æ Ž v, í, ê, é f h f
%fcfo, Ì □ Ý ' è, ð [• ¶ Ž š, Ì f v f Š f "f g] □ A [f O f % f t f B f b f N f X, Ì f v f Š f "f g]
, Ì ' t, ©, ç Ž © " ® " I, É ' I ' ð, µ, Ü, · □ B [• ¶ Ž š, Ì f v f Š f "f g]
, º ' I ' ð, ³, ê, é Ž â, É f A f v f Š f P □ [f v f f " □ E f \ f t f g f E f F f A, Í □ A ^ È
% °, Ì, à, Ì, Å, · :

Lotus 1-2-3, Lotus AmiPro, Lotus Approach, MS
Excel, MS Word, MS Access, MS Works, Windows Write, f □ f, ' ,
WordPerfect, Borland Paradox, Borland Quattro Pro

□ ® □ A f □ f, ' , Å, Í □ A 600 dpi, Ì ^ ó □ ü, Å □ ¶ f } □ [f w f " □ Ý ' è, É □ ³, µ, " □ ì, µ, È
, ç □ ê □ †, º, , é, ½, ß □ A Ž © " ® " I, É 300 dpi, º ' I ' ð, ³, ê, Ü, · □ B

[• ¶ Ž š, Ì f v f Š f "f g], Å, Í □ A Windows , Ì TrueType
f t f H f "f g, ð f v f Š f "f^, É □, ' - , É f _ f E f "f □ □ [f h □ B, ±, ê, É, æ, è □ A f O f
% f t f B f b f N f X, Ì ^ ó □ ü, Ì, ½, ß, É Ž g -
p, Å, «, é f v f Š f "f^, Ì f □ f, f Š, Í □ \$ È Å, ³, ê, Ü, ·, º □ A • ¶ Ž š, Ì ^ ó □ ü, Í < É, ß, Å
□, ' - , Æ, È, é f v f Š f "f^ f t f H f "f g, Ì, æ, º, É
% õ " K, Å, · □ B, à, µ □ A f □ f, f Š □ E f I □ [f o □ [f t f □ □ [, º " □ ¶, ·, é □ ê □ †, Í □ A [f o f
% f t f B f b f N f X, Ì f v f Š f "f g], ð ' I ' ð, µ, Ü, · □ B
[f o f % f t f B f b f N f X, Ì f v f Š f "f g], Å, Í □ A TrueType
f t f H f "f g, à f O f % f t f B f b f N f X, Æ, µ, Å □ ^ - □ □ B f v f Š f "f^, Ì f □ f, f Š, ð f O f
% f t f B f b f N f X, Ì □ ^ - □, É □ Å ' à È Å Ž g - p, ·, é, ±,
, Æ, É, æ, Å, Å □ A, æ, è • i Ž G, È f O f % f t f B f b f N f X, Ì ^ ó □ ü, à % Å " \

,Æ,μ,Ü,·□B,à,μ□Af□f,fŠ□EfI□[fo□[ftf□□[,a"-
□¶,·,é□ê□±,Í□A[300dpi fvfŠf"fg],ð'I'ð,μ,Ü,·□B
[□,·ižžfvfŠf"fg]
,Å,Í□AfvfŠf"f^,Ìf□f,fŠ,ª·s'«,μ,½□ê□±,É,à^ó□ü,ð%Å"\
,É,·,éfCf□□[fw□EfAf_fvfg,Ì<@"\,ðŽg-
p,μ,Ü,¹,ñ□i'¼,Ìf,□[fh,Å,ÍŽ©"®"I,ÉŽg-
p□j□B,»¹,½,β□Af□f,fŠ,ª·s'«,μ,½Žž,Å,àfCf□□[fw^³□k,ð□s,Á,Ä^ê
·",Ì·ižž,ð%°,°,Á^ó□ü,¹,,É□Af□f,fŠ□EfI□[fo□[ftf□□[fGf
%□[,ð"□¶,μ,Ü,·□B0HPfv□[fg,Ì^ó□ü,È,Ç·K,□,·ižž,É□o-Í,ª·K-
v,ÉŽž□A-pŽt,ð-³'É,É,·,é,±,Æ,ª,è,Ü,¹,ñ□B
[300dpi fvfŠf"fg],Å,Í□A□,È,çfvfŠf"f^
f□f,fŠ,Å^ó□ü,ª%Å"\
,Å,·□B600dpi,Ì^ó□ü,Åf□f,fŠ□EfI□[fo□[ftf□□[,a"-
□¶,μ,Ä^ó□ü,Å,«¹,È,ç□ê□±□A,±,Ì□Ý'è,ð'I'ð,μ,Ü,·□B

[f}fj f...fAf<□Ý'è],Å,Í□A,·,x,Ä,Ì□Ý'è,ðf}fj f...
fAf<,Å□s,±,±,Æ,ª%Å"\,Å,·□B

3) TrueType ftfHf"fg,Ì□, ' - ^ ó ü
[·¶Žž,ÌfvfŠf"fg],ð'I'ð,μ,½□ê□±□A,Ü,½,Í□A[f}fj f...
fAf<□Ý'è],©,ç[TrueType ,ðf_fEf"f□□[fh,·,é]
,ð'I'ð,μ,½□ê□±□AWindows ,Í TrueType
ftfHf"fg,ðfvfŠf"f^,É□, ' - ,Éf_fEf"f□□[fh,μ,Ä^ó□ü,μ,Ü,·□BfvfŠf
"f^ fhf%fcfo, ,æ,ñfvfŠf"f^,Å,ÌfLfffbfvf...
fefNfmf□fW□[,ªfvfŠf"f^
ftfHf"fg,É^ø, -,ð,Æ,ç,È,çfpftfH□[f}f"fX,ðŽÀ«»,μ,Ü,·□B

4) HP-GL/2 ,ÌfTf|□[fg
□]-^,Ì HP LaserJet fvfŠf"f^,Æ"-l,É□AHP-GL/2
,ªfvfŠf"f^ fhf%fcfo,ÅfTf|□[fg,³,é,Ü,·□BfOf
%ftfBfbfNfX,Ì^ó□ü'-"x,ð"Á,É□dŽ<,·,é□ê□±□AHP-GL/2 ,ðŽg-
p,μ,Ä,Ì^ó□ü,ªÆ%É"Í,Å,·□B,½,¾,μ□A^ê"É,É HP-GL/2 ,ðŽg-
p,μ,½^ó□ü,Å,Í□AfOf%ftfBfbfNfX,ðf%fxf^ fOf
%ftfBfbfNfX,Æ,μ,Ä^ - □,·,é□ê□±,É"ä,x□AfvfŠf"f^,Ìf□f,fŠ,ð'½,-
·K-v,Æ,μ,Ü,·□B·K-v,É%ž,¶,Å□A[f}fj f...fAf<□Ý'è]
,©,ç'I'ð,μ,Ü,·□B

5) %ç·¶fvfŠf"f^ ftfHf"fg,ÌfTf|□[fg
fvfŠf"f^ fhf%fcfo,Å,Í□AHP LaserJet 5L ,ª"à' ,·,é
Intellifont ftfHf"fg,ðfTf|
□[fg,μ,Ü,·□BfvfŠf"f^"à' ftfHf"fg,Í□AfAfvfŠfP□[fvf±f"□Ef\
ftfgfEfFfA,Ì□h□' 'Ì'I'ð□hf□fj f...□[È,Ç,Å,Í□A□' 'Ì-¼,Ì□¶%
i,ÉfvfŠf"f^,ÌfAfCfRf"·t,«¹,Å·\Ž|,³,é,Ä,ç,Ü,·□B,±
,é,ç,ÌftfHf"fg,É'Í,·,éfxfnfŠ□[f" ftfHf"fg,ª,É,ç
,½,β□AfXfnfŠ□[f"□ä,Ì·\Ž|,Í Windows ,ªŽ□,Å,Ä,ç,é,È,é,x,-
<β,ç·É,ÌftfHf"fg,ª'ä-p,³,é,Ü,·,ª□A^ó□ü,É,ÌfvfŠf"f^"à' ,Ìfxf

P[f%ufj<EftfHf“fg, aŽg-
p, ³, è, é, ½, ßA, ‘, ¬, ©, Â, •iŽž, É^óü, a□s, È, í, ê, Ü, •B

6) fOf%ftfBfbfNfX•iŽž, ÌfTf|□[fg
600dpi, Ìf, □[fh, É, “, ç, ÅA600A300A150dpi, Ì
%ð‘æ“x, a□A, Ü, ½A300dpi, Ìf, □[fh, “, ç, Å 300A150A75dpi, Ì
%ð‘æ“x, a fTf|□[fg, ³, è, Ä, ç, Ü, •B, ±, è, ç, Ì
%ð‘æ“x, ÌY’è, ÌA[f}fj...fAf<Y’è], ©, ç[fOf%ftfBfbfNfX•iŽž(Q)]
, É, “, -, é[□, •iŽž]□A[•É]□A[fhf%ftfg], Ì‘I’ð, É, æ, Á, Å□s, ç
, Ü, •B

7) fGfRfmf, □[fh, ÌfTf|□[fg
fgfi□[, ÌA”i-
È, ð□SÈÀ, µ□Afgfi□[fJ□[fgfŠfbfW, ð, æ, è’•, Žg-p, •, é, ±
, Æ, a, Å, «, Ü, •BfGfRfmf, □[fh, Å, Ìo-Í, Ì[fhf%ftfg], ÌfOf
%ftfBfbfNfX•iŽž, ÆŽ-, Å, ç, Ü, •Bfgfi□[, ÌA”i, ð□, È, •, •, é, ½, ß, ÉŽg
-p, •, éfhfbfg, a□, È, , È, é, æ, x, ÉfRf“fgf□□[f<, µ, Ä, ç
, Ü, •BÈo□Ì«ASÄ<<, É, â, ³, µ, ç<@”\, Å, •B

8) ^óü”Z“x, ÌfTf|□[fg

□D, Ý, É□#, í, ¹, Ä^óü”Z“x, aY’è, Å, «, Ü, •B□Y’è, Í5’iŠ□B[fIfvfVf
#f“]fpflf<, ÅY’è, µ, Ü, •B

9) fGf“fnf“fXfhI/0, ÌfTf|□[fg

fvfŠf“f^, ÌI/Ofobftf@, Ì‘ã, «, ³, ð□Å“K, ÉfRf“fgf□□[f<, •, é, ±
, Æ, É, æ, Á, Å□A, È, çfvfŠf“f^ f□f, fŠ, ð□Å‘ãÈÀ, ÉŽg-
p, µ, Ü, •B[fIfvfVf#f“]fpflf<, ÅY’è, µ, Ü, •B

10) REt, ÌfTf|□[fg

REt, Æ, ÌA^óü•iŽž, ðEü□ã, ³, ¹, é, ½, ß, Ìfqf...
□[fEfbfg□EfpbfJ□[fhŽĐ“ÆŽ©, Ì^óü<Z□p "Resolution
Enhancement technology", Å, •B[fIfvfVf#f“]fpflf<, É, “, ç
, Ä‘I’ð, µ, Ü, •B

Version 31.0.1, ©, ç, Ì•ÌX“_, É, Å, ç, Ä

Version 31.0.2, Å, ÌA^È%º, Ì€-Ú, a□C³□A•ÌX, ³, è, Ü, µ, ½□B

[^óü•iŽž]fpflf<, Å□A[•Ÿš, ÌfvfŠf“fg]□A, à, µ, , Ì[Ž©“®]
, É, æ, Á, Ä[•Ÿš, ÌfvfŠf“fg], a‘I’ð, ³, è, é□ê□#□A, Ü, ½□A[f}fj...
fAf<Y’è], É, æ, Á, Ä [TrueType, ðf_fEf“f□□[fh, •, é]
, ð‘I’ð, µ, ½□ê□#:

1). LOTUS 1-2-3 for Windows, É, “, ç, Å□AfI□[fo□[f
%fbfv, ³, è, éfzf<“à, ÌfefLfXfg, a fNfŠfbfv, ³, è, È, ç, ±, Æ, a, , é□B

2). Borland Paradox 5.0J ,É,¨,ç,ÄA fZf<,É
%Ešň,¹,ðŽw'è,µ,½Žž,ÉAĚã,İ•ŕŽš,ª^óü,³,ê,È,ç,±,Æ,ª, ,éB

,» ,İ'¼:

3). Aldus PageMaker 5.0J ,É,¨,ç,ÄA "Á'è,İ-
pžtfTfCfY,ĀA^óüĚ'u,ª, ,ê,é,±,Æ,ª, ,éB

•ŕŽš,İ^óü,É,¨,ç,ÄA•ŕŽš,İ^ê"•ª,İfNfšfbfv,Ífhf
%fCfo,İ§ĚA,É,æ,è,Ā,« ,Ü,¹,ňB2). ,Ā<" ,° ,ç,ê,½ Borland
Paradox 5.0J ,İ,æ,ª
,ÉA^ê" ,İfAfvfšfP[fVf#f" ,Ā,Í•ŕŽš,İf rfbfgf}fbfv,İ"à,İ^ê"•
ª,ðfZf<,İŠ0,ÉfNfšfbfv,·,é,æ,ª,ÉŽw'è,µ,Ā^óü,·,é,à,İ,ª, ,è,Ü
,·BVersion 31.0.1 ,Ā,ÍA,±,İ,æ,ª,È•ŕŽš,İ^óüo-
^,Ü,¹,ň,Ā,µ,½,ªA31.0.2 ,Ā,ÍA,±,İ,æ,ª,Èê# ,İ^'u,Æ,µ,Ā
WIN.INI ftf@fCf<,ÉĚ%º,İ,æ,ª,ÈŸ'è,ð,·,é,±,Æ,ĀA,±
,ê,ð^óü,·,é,±,Æ,ð%Ā"\ ,Æ,µ,Ü,µ,½B

1. fvf f0f% f€
f}fl[fWff,İ[f fCf"]f0f<[fv,æ,èA[fRf"fgf[f<
fpflf<]fAfCfRf",ðf_fuf< fNfšfbfN,µ,Ü,·B
2. [fRf"fgf[f<
fpflf<]fEfBf"fhfE,©,ç[fvfšf"f^]fAfCfRf",ð'I'ð,·,é,ÆA[fvfšf
"f^,İŸ'è]f_fCfAf f0 f{fbfNfX,ª•\Ž|,³,ê,Ü,·B
3. [Ÿ'è(S)...]f{f^f",ð'I'ð,µ,Ü,·B
4. [Ÿ'è]f_fCfAf f0
f{fbfNfX,ĀA[OK]f{f^f",ðfNfšfbfN,µ,Ü,·B
5. [I-¹]f{f^f",ðfNfšfbfN,µ,Ü,·B

ĚAã,İ'€İ,ðs,È,ª,Æ Windows fffBfEfNfgfš,İ win.ini
ftf@fCf<,ÉĚ%º,İ,æ,ª,ÉZfNfVf#f",ª"o~^,³,ê,Ü,·iLPT1
,ĀAÜ'±,³,ê,½f| [fg-¼jB

[HP LaserJet 5L (JAPAN),LPT1]

f f, ' ,È,Ç,ðŽg-p,µ,ĀA,±,İfZfNfVf#f",ÉĚ
%º,İfGf"fgfš,ð"o~^,·,é,ÆfNfšfbfv<<ŠEĚã,İ•ŕŽš,İ^óü,ª%Ā"\
,Æ,È,è,Ü,·B

noBoundaryClipping=1

,Ü,½AŸ'è'l,ð 0 ,É,·,é,±,Æ,É,æ,è,±,İŸ'è,ð%ðæ,·,é,±
,Æ,ª,Ā,« ,Ü,·B,±,İŸ'è,ĀĚ'¥,Æ,µ,ĚAĀX,İ^óüfWf#fu-
^,Éf`fFfbfN,³,ê,Ü,·,İ,ĀAŸ'è,İ•İX,İ,½,ß,É Windows
,ðĀ<N"®,·,é•K-v,Í, ,è,Ü,¹,ňB

Microsoft Windows 3.1J ,Ö,İ'g,Ÿž,Ÿ,É,Ā,ç,Ā

*'□^Ó

fCf“fXfg□[f<□ì<Æ, ð□s, x'0, É□AfEfBf<fX□Ef`fFfbfN, âTSR□if□f, fŠ
□í'“Æ^□jf\ftfgfEfFfA□AHP LaserJet 4LJ Pro
fXfe□[f^fX□EfEfBf“fhfE , È, Ç, Ì□í'“Æ^f\ftfgfEfFfA, Í, ·, x, Ä□I-
¹, μ□A, » , è, ç, ªŽ““®“I, É<N“® , ³, è, È, ç-l, É, μ, ½Æä, É Windows
, ð□Ä<N“® , μ, Ä, , ¾, ³, ç□B

, È, “□A-{ fvfŠf“fefBf“f0 f\ftfgfEfFfA , ÉŠÜ, Ü, è, é
fXfe□[f^fX□EfEfBf“fhfE , Í□A HP LaserJet 4 LJ Pro
fvfŠf“f^, àfTf|□[fg, ·, é, ±, Æ, ª%Ä“\, Å, ·□B%pÆé”Å HP LaserJet
Printing System , ÉŠÜ, Ü, è, é fXfe□[f^fX□EfEfBf“fhfE
, à□A'¼ŽĐ□» , Ì“~Ží, Ìf\ftfgfEfFfA, Æ, Ì□-□Ý, ÍfTf|□[fg, μ, Ä, ç
, Ü, ¹, ñ□B□i, ½, ¾, μ□A, ²Žg-p't, ÌfvfŠf“f^□Efhf%fcfo, É, Ä, ç
, Ä, Í□A, ±, è, Ü, Å'É, è, É, ²Žg-p, ç, ½, ¾, -, Ü, ·□B□j□Ú, μ, -
, Í•É□Í, ð, ²ŽQ□Æ, , ¾, ³, ç□B

HP LaserJet 5L , ÌfvfŠf“fefBf“f0 f\ftfgfEfFfA
, É, Í□AMicrosoft Windows 3.1J , ÉfvfŠf“f^ fhf
%fcfo, ÆfXfe□[f^fX□EfEfBf“fhfE, ð'g, Ý□ž, p, ½, ß, ÌfZfbfgfAfbfv
fvf□f0f%fc€, ª•t, ç, Ä, ç, Ü, ·□B^É%º, Ìžè□‡, É□], Á, Ä'g, Ý□ž, ñ, Å
%º, ³, ç□B

1. Microsoft Windows 3.1J , ðfXf^□[fg, μ, Ä%º, ³, ç□B
2. HP LaserJet 5L , ÌfvfŠf“fefBf“f0 f\
ftfgfEfFfA, Ìftf□fbfs□[fffBfXfN, ð□AfffBfXfN fhf
%fcfu, É“ü, è, Ä%º, ³, ç□B
3. fvf□f0f%fc€ f}fL□[fwff, Å□A[fAfCfRf“(F)]f□fjf...
□[, ©, ç□A[ftf@fCf<-¼, ðžw'è, μ, ÄŽÀ□s(R)]fRf}f“fh, ð'I'ð, μ, Ü, ·□B
4. [ftf@fCf<-¼, ðžw'è, μ, ÄŽÀ□s]f_fCfAf□f0 f{fbfNfX, Å□AHP
LaserJet 5L , Ì fvfŠf“fefBf“f0 f\ftfgfEfFfA
fffBfXfN, Ì“ü, Á, Ä, ç, éfffBfXfN fhf%fcfu-¼, Æ SETUP.EXE
, ð[fRf}f“fh f%fcf“]fefLfXfg f{fbfNfX, Éf^fCfv, μ, Ü, ·□B
5. ^É□~□AfZfbfgfAfbfv fvf□f0f%fc€, ª•\Ž!, ·, éžwŽ!, É□], Á, Ä, -
, ¾, ³, ç□B

, Ü, ½□A□]-^, Ì, æ, x, É□AfvfŠf“f^ fhf%fcfo, Ì, Ý, ð Microsoft
Windows 3.1J , ÌfRf“fgf□□[f< fpflf<, ©, ç'g, Ý□ž, p, ±, Æ, à%Ä“\
, Å, ·□B, » , Ì□è□‡□A^É%º, Ì, æ, x, É'É□ì, ª•K-v, Å, · :

1. fvf□f0f%fc€
f}fL□[fwff, Ì[f□fCf“]f0f<□[fv, æ, è□A[fRf“fgf□□[f<
fpflf<]fAfCfRf“, ðf_fuf< fNfŠfbfN, μ, Ü, ·□B
2. [fRf“fgf□□[f<
fpflf<]fEfBf“fhfE, ©, ç[fvfŠf“f^]fAfCfRf“, ð'I'ð, ·, é, Æ□A[fvfŠf
“f^, Ì□Ý'è]f_fCfAf□f0 f{fbfNfX, ª•\Ž!, ³, è, Ü, ·□B

3. ['Ç%Á>>]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
4. ['g, Ý□ž, PfvfŠf" f^, Ì 'I' ð], Ì ^ê—, æ, è, [^ê—, É, È, çfvfŠf" f^, â□X□V, ³, è, ½fvfŠf" f^, Ì 'g, Ý□ž, Ý], ð 'I' ð, µ, Ü, ·□ifŠfXfg, Ì □Å□%, Ì □€—Ú, Å, ·□j□B
5. ['g, Ý□ž, Ý(I) ...]f{f^f", ð 'I' ð, µ, Ü, ·□B
6. HP LaserJet 5L fvfŠf" fefBf" f0 f\ ftfgfEfFfA, Ì ftf□fbfs□[fffBfXfN, ðfffBfXfN fhf %fCfu, É"ü, ê□Afhf%fCfu—¼, ðŽw'è, µ, Ü, ·□B
7. "HP LaserJet 5L (JAPAN)" , ð 'I' ð, µ□A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
8. [□Ú±(C) ...]f{f^f", ð 'I' ð, µ, Ü, ·□B
9. [□Ú±□æ(P)], Ì ^ê—, ©, ç□AfvfŠf" f^, ðŠ,, è"— , Ä, é□Ú±□æ, ð 'I' ð, µ, Ü, ·□B
10. [□, '¬, É^ó□ü], Ì f`fFfbfN f{fbfNfX, ð 'I, ñ, ÅX^ó, ð•t, ~□A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
11. [□Ý'è(S) ...]f{f^f", ð 'I' ð, µ, Ü, ·□B
12. [□Ý'è]f_fCfAf□f0 f{fbfNfX, Å□A•K—v, È□Ý'è, ð□s, ç, Ü, ·□B
13. [OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
14. ['É□íŽg, ðfvfŠf" f^, Æ, µ, Å□Ý'è(E)]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B
15. [□I—¹]f{f^f", ðfNfŠfbfN, µ, Ü, ·□B



ftf@fCf<□\□¬

RESOURCE DLL	20,992	96-01-30	10:16
SUPPORT DLL	89,456	96-01-30	10:16
MSSHLSTF DLL	14,832	96-01-30	10:16
MSUILSTF DLL	6,144	96-01-30	10:16
COMMCTRL DL_	33,901	96-01-30	10:16
CTL3DV2 DL_	12,279	96-01-30	10:16
HPJ5G1 DL_	28,533	96-01-30	10:16
HPJ5G2 DL_	23,557	96-01-30	10:16
HPJ5G3 DL_	73,634	96-01-30	10:16
HPJ5GFE DL_	14,071	96-01-30	10:16
HPJ5GUI DL_	42,494	96-01-30	10:16
HPLJ4QP DL_	5,134	96-01-30	10:16
HPLJCOMM DL_	4,327	96-01-30	10:16
HPPDF5LJ DL_	27,305	96-01-30	10:16
HPPJLMON DL_	6,596	96-01-30	10:16
HPTABJ16 DL_	43,144	96-01-30	10:16
MSCOMSTF DL_	41,344	96-01-30	10:16
MSCUISTF DL_	70,249	96-01-30	10:16
MSDETSTF DL_	14,949	96-01-30	10:16
MSINSSTF DL_	40,808	96-01-30	10:16
HPJ5G DRV	88,128	96-01-30	10:16
_MSSETUP EXE	9,813	96-01-30	10:16

_MSTEST	EXE	89,504	96-01-30	10:16
SETUP	EXE	24,624	96-01-30	10:16
HPDEI5LJ	EX_	14,714	96-01-30	10:17
HPSW	EX_	69,604	96-01-30	
10:17				
PRINTMAN	EX_	31,600	96-01-30	10:17
HPINSTAL	HLP	14,217	96-01-30	10:16
Windows à-¾ftf@fCf<				
PRINTMAN	HL_	34,844	96-01-30	10:17
HP5LJ	HL_	114,723	96-01-30	10:16
HPJ5G	HL_	29,071	96-01-30	10:16
SETUP	HP	4,321	96-01-30	
10:16				
DIALOGID	INC	1,275	96-01-30	10:16
SETUPAPI	INC	55,620	96-01-30	10:16
STRINGID	INC	51	96-01-30	10:16
STRINGS	INC	994	96-01-30	
10:16				
SUPPORT	INC	4,533	96-01-30	10:16
SYMBOLS	INC	1,065	96-01-30	10:16
OEMSETUP	INF	1,096	96-01-30	10:16
SETUP	INF	4,236	96-01-30	
10:16				
SETUP	IN_	1,363	96-01-30	
10:16				
MSDETECT	IN_	4,726	96-01-30	10:16
SETUP	LST	927	96-01-30	
10:16				
SETUP	LYT	7,444	96-01-30	
10:16				
SETUP	MST	39,254	96-01-30	10:16
THREED	VB_	33,489	96-01-30	10:16
README5G	WRI	43,904	96-01-30	10:16
à-¾ftf@fCf<				

HP LaserJet5L fC[fU[fvfŠf“f^~pfhf%fcfo DOS/V“ú-
{CêWindows3.1 Ver 31.0.2

 Žû~^ffBfCfNfgfŠ DISC2:\DRIVER\HP\WIN31\LJ5L_V

 “à-e

‘î%ž<@Ží

HP LaserJet5L

, í, ¶, ß, É

HP LaserJet 5L fvfŠf“fefBf“f0 f\ftfgfEfffA , íAHP
LaserJet 5L fvfŠf“f^~p, İf\ftfgfEfffA, Å, ·B^È
%º, İ, à, İ, ºŠÜ, Ü, ê, Ä, ç, Ü, ·B

- * fvfŠf“f^ fhf%fcfo
- * fXfe[f^fX[EfEfbf“fhfE

HP LaserJet 5L
fvfŠf“f^, İA600dpi, Å, İ, ·ižž, ©, Å, ‘¬, È^óü, ð 1 MB
, İ·W€“<ÜfJf, fŠ, ÅŽÀ»», µ, ½%æŠú“İ, ÈfvfŠf“f^, Å, ·B

fvfŠf“f^ fhf%fcfo, İAf0%ftfBfbfNfX, ÆfefLfxfg, İ^óü, É·K
-v, ÈfJf, fŠ, ðÅ“K, ÉŞÇ- , ·, é, ±, Æ, É, æ, Á, ÄA]-
^, İ600dpi, Å, İ^óü, Å, İA“Á’á 2 MB ’ö“x, İ·K-
v, ¾, Á, ½fvfŠf“f^, İfJf, fŠ, ð 1 MB
, Æ, µA, ©, Å·ižžA‘¬“x, É’Ä<|, µ, È, ç^óü, ð’á%žŠi, ÅŽÀ»», µ, Ä, ç
, Ü, ·B

, Ü, ½A, ±, İfvfŠf“f^ fhf%fcfo, Å, İAfqf...
[fEfbfg[EfpfbfJ[fhŽĐ, İŠJ”, µ, ½fvfJfbf^ŞEä-p, İE¾Eê HP-GL/2
, ðfTf|[fg, µ, Ä, ç, Ü, ·B·K-v, É%ž, ¶, Å HP-GL/2 , ðfJf
%ftfBfbfNfX, İ^óü, ÉŽg-p, ·, é, ±
, Æ, É, æ, Á, ÄA, ‘¬, Å, ©, Å”ü, µ, çf0%ftfBfbfNfX, İ^óü, ºÅ”\
, Å, ·B

fvfŠf“f^ fhf
%fcfo, İY’èf_fCfAf0, à^êV, ³, ê, Ü, µ, ½Bft[fU, É, â, ³, µ, çY’è
, É%Á, İAfqf“fgi·ñ, à“~žž, É·\
Ž|, µ, Ü, ·B^óü·ižž, ðhŽ©“@h, ÉY’è, ·, é, ±
, Æ, É, æ, èA, Ü, Æ, ñ, Ç, İ^óü, ºA“K, És, |, é, æ, x, Éfhf
%fcfo, ðY’è, µ, Ü, ·B^óü’¬“x, ð, Æ, -
, Édž<, ·, ééê±, â^óü·¶’ , º“Á, É·ižž, ÅfJf, fŠEfI[f0[ftf[,

ª"□¶, ·, é□ê□±□Af}fj f...fAf<, Å□Ú□×, È□Ý'è, ð□s, ¤, ±, Æ, à%Å" \, Å, ·□B

fXfe□[f^fX□EfeFbf"fhfE, Í□AHP LaserJet 5L fvfŠf"f^~
p, ÌWindows f\
ftfgfEfFfA, Å, ·□BfXfe□[f^fX□EfeFbf"fhfE, É, æ, è□Aft□[fU, Í, ç
, Å, Å, àfvfŠf"f^, Ì€»□Ý, ÌfXfe□[f^fX□i□ó'Ô□j, ð'm, é, ±
, Æ, ¢, Å, «, Ü, ·□B, Ü, ½□AfXfe□[f^fX□EfeFbf"fhfE, Í□AfvfŠf"f^, É~
pŽt, ¢~³, , È, Å, ½, Æ, «, È, Ç□Aft□[fU, É'm, ç, ¹, ½, ç, ±, Æ, ¢" -
□¶, µ, ½Žž□AfeFbf"fhfE f□fbfz□[fW, Æ, µ, Ä•ñ□□, µ, Ü, ·□B

Version 31.0.1 , ©, ç, Ì•İ□X"_, É, Å, ç, Ä

Version 31.0.2 , Å, Í□A^È%º, Ì□€-Ú, ¢□C□³□A•İ□X, ³, ê, Ü, µ, ½□B

[^ó□ü•ižž]fpflf<, Å□A[•¶žš, ÌfvfŠf"fg]□A, à, µ, , Í[žž"®]
, É, æ, Å, Ä[•¶žš, ÌfvfŠf"fg], ¢'I'ð, ³, è, é□ê□±□A, Ü, ½□A[f}fj f...
fAf<□Ý'è], É, æ, Å, Ä [TrueType , ðf_fEf"f□□[fh, ·, é]
, ð'I'ð, µ, ½□ê□±:

1). LOTUS 1-2-3 for Windows , É, ", ç, Ä□AfI□[fo□[f
%fbfv, ³, è, éfzf<"à, ÌfefLfXfg, ¢fNfŠfbfv, ³, è, È, ç, ±, Æ, ¢, , é□B

2). Borland Paradox 5.0J , É, ", ç, Ä□Afzf<, É
%Ešñ, ¹, ðžw'è, µ, ½žž, É□Åã, Ì•¶žš, ¢^ó□ü, ³, è, È, ç, ±, Æ, ¢, , é□B

, » , Ì'¼:

3). Aldus PageMaker 5.0J , É, ", ç, Ä□A"Á'è, Ì-
pžtfTfCfY, Å□A^ó□ü^È'u, ¢, , , è, é, ±, Æ, ¢, , é□B

•¶žš, Ì^ó□ü, É, ", ç, Ä□A•¶žš, Ì^ê"•ª, ÌfNfŠfbfv, Ífhf
%fCfo, Ì□\$€À, É, æ, è, Å, «, Ü, ¹, ñ□B2). , Å<" , °, ç, è, ½ Borland
Paradox 5.0J , Ì, æ, ¤
, É□A^ê" , ÌfAfvfŠfP□[fvf±f" , Å, Í•¶žš, Ìfrfbfgf}fbfv, Ì"à, Ì^ê"•
ª, ðfzf<, ÌŠO, ÉfNfŠfbfv, ·, é, æ, ¤, Éžw'è, µ, Å^ó□ü, ·, é, à, Ì, ¢, , è, Ü
, ·□BVersion 31.0.1 , Å, Í□A, ±, Ì, æ, ¤, È•¶žš, Í^ó□ü□o-
^, Ü, ¹, ñ, Å, µ, ½, ¢□A31.0.2 , Å, Í□A, ±, Ì, æ, ¤, È□ê□±, Ì□^'u, Æ, µ, Ä
WIN.INI ftf@fCf<, É^È%º, Ì, æ, ¤, È□Ý'è, ð, ·, é, ±, Æ, Å□A, ±
, è, ð^ó□ü, ·, é, ±, Æ, ð%Å" \, Æ, µ, Ü, µ, ½□B

1. fvf□f0f%f€
f}fl□[fwff, Ì[f□fCf"]f0f<□[fv, æ, è□A[fRf"fghf□□[f<
fpflf<]fAfCfRf", ðf_fuf< fNfŠfbfN, µ, Ü, ·□B
2. [fRf"fghf□□[f<
fpflf<]fEfBf"fhfE, ©, ç[fvfŠf"f^]fAfCfRf", ð'I'ð, ·, é, Æ□A[fvfŠf
"f^, Ì□Ý'è]f_fCfAf□f0 f{fbfNfX, ¢•\žž, ³, è, Ü, ·□B
3. [□Ý'è(S)...]f{f^f", ð'I'ð, µ, Ü, ·□B
4. [□Ý'è]f_fCfAf□f0

f{fbfNfX,Å□A[OK]f{f^f“,ðfNfŠfbfN,μ,Ü,·□B
5. [□I-¹]f{f^f“,ðfNfŠfbfN,μ,Ü,·□B

^È□ã,Ì‘€□ì,ð□s,È,¤,Æ Windows fffBfEfNfgfŠ,Ì win.ini
ftf@fCf<,É^È%º,Ì,æ,¤,ÈfZfNfVf†f“,ª“o~^,³,ê,Ü,·□iLPT1
,Í□A□Ú‘±,³,ê,½f|□[fg-¼□j□B

[HP LaserJet 5L (JAPAN),LPT1]

f□f,’,È,Ç,ðŽg-p,μ,Ä□A,±,ÌfZfNfVf†f“,É^È
%º,ÌfGf“fgfŠ,ð“o~^,·,é,ÆfNfŠfbfv<<SE□ã,Ì•¶Žš,Ì^ó□ü,ª%Â“\
,Æ,È,è,Ü,·□B

noBoundaryClipping=1

,Ü,½□A□Ý’è’l,ð θ ,É,·,é,±,Æ,É,æ,è,±,Ì□Ý’è,ð%ð□æ,·,é,±
,Æ,ª,Å,«,Ü,·□B,±,Ì□Ý’è,Í□A□E’¥,Æ,μ,Ä□A□X,Ì^ó□üfWf†fu-
^,Éf`fFfbfN,³,ê,Ü,·,Ì,Å□A□Ý’è,Ì•Í□X,Ì,½,ß,É Windows
,ð□Ä<N“®,·,é•K-v,Í, ,è,Ü,¹,ñ□B

fvfŠf“f^ fhf%fcfo,ì“Á’·

fvfŠf“f^ fhf%fcfo,É,Í□A^È%º,Ì,æ,¤,È“Á’·,ª, ,è,Ü,·:

1) □V,μ,¢ft□[fU□EfCf“f^□[ftfFfCfX
fJ□[fh□Eftf@fCf<E`Ž®,Å,í,©,è,â,·,-
□A‘€□ì,μ,â,·,¢ft□[fU□EfCf“f^ftfFfCfX,É^è□V,³,ê,Ü,μ,½□Bfpflf
<,É,Í□A[-pŽ†]□A[^ó□ü•iŽž] ,¨,æ,Ñ [fIfvfVf†f“],ª-
p^Ó,³,ê□A,» ,ê,¼,ê,Ìfpflf<,Éf}fEfX□Ef|fCf“f^,Ì^É’u,É’î
%ž,μ,½‘€□ì,Ìfqf“fg,ª•\Žž|,³,ê,Ü,·□B

2) ,í,©,è,â,·,¢^ó□ü•iŽž,Ì□Ý’è

[^ó□ü•iŽž]fpflf<,Å,Í□A,í,©,è,â,·,¢^ó□ü•iŽž,Ì□Ý’è,ð-
p^Ó,μ,Ü,μ,½□B

[Ž“®],ð‘I’ð,·,é,Æ□iffftfHf<fg□jfvfŠf“f^ fhf
%fcfo,ªŽg-p,μ,Ä,¢,éAfvfŠfP□[fVf†f“□Ef\
ftfgfEfFfA,ð”»•É,μ□A,» ,ê,É“K“- ,ÆŽv,í,ê,éfhf
%fcfo,Ì□Ý’è,ð[•¶Žš,ÌfvfŠf“fg]□A[fOf%ftfBfbfNfX,ÌfvfŠf“fg]
,Ì’t,©,çŽ“®“I,É‘I’ð,μ,Ü,·□B[•¶Žš,ÌfvfŠf“fg]
,ª‘I’ð,³,ê,éŽã,ÉAfvfŠfP□[fVf†f“□Ef\ftfgfEfFfA,Í□A^È
%º,Ì,à,Ì,Å,·:

Lotus 1-2-3, Lotus AmiPro, Lotus Approach, MS
Excel, MS Word, MS Access, MS Works, Windows Write, f□f,’,
WordPerfect, Borland Paradox, Borland Quattro Pro

ⓂⓂAƒⓂf, ' , Å, ÍⓂA600dpi, Ì^óⓂü, ÅⓂŕf}Ⓜ[ƒWf“ⓂÝ'è, ÉⓂ³, μ, “Ⓜì, μ, È
, çⓂêⓂ‡, ª, , é, ½, ßⓂAŽ©“Ⓜ“I, É300dpi, ª'I'ð, ³, ê, Ü, ·ⓂB

[•ŕŽš, ÌƒvfŠf“fg], Å, ÍⓂAWindows , Ì TrueType
ftfHf“fg, ðƒvfŠf“f^, ÉⓂ, '¬, Éf_fEf“fⓂⓂ[ƒhⓂB, ±, è, É, æ, èⓂAƒOf
ⓂftfBƒbƒNƒX, Ì^óⓂü, Ì, ½, ß, ÉŽg–
p, Å, «, éƒvfŠf“f^, ÌfⓂf, fŠ, ÍⓂŒÅ, ³, ê, Ü, ·, ªⓂA•ŕŽš, Ì^óⓂü, Í<É, ß, Å
Ⓜ, '¬, Æ, È, èƒvfŠf“f^ ftfHf“fg, Ì, æ, ƒ, É
Ⓜõ“K, Å, ·ⓂB, à, μⓂAƒⓂf, fŠⓂEfIⓂ[foⓂ[ftfⓂⓂ[, ª”Ⓜŕ, ·, éⓂêⓂ‡, ÍⓂA[ƒOf
ⓂftfBƒbƒNƒX, ÌƒvfŠf“fg], ð'I'ð, μ, Ü, ·ⓂB

[ƒOfⓂftfBƒbƒNƒX, ÌƒvfŠf“fg], Å, ÍⓂATrueType
ftfHf“fg, àƒOfⓂftfBƒbƒNƒX, Æ, μ, ÅⓂ^–ⓂBƒvfŠf“f^, ÌfⓂf, fŠ, ðƒOf
ⓂftfBƒbƒNƒX, ÌⓂ^–Ⓜ, ÉⓂÅ'âÆŽg–p, ·, é, ±
, Æ, È, æ, Å, ÅⓂA, æ, è•iŽG, ÈƒOfⓂftfBƒbƒNƒX, Ì^óⓂü, àⓂÅ”\
, Æ, μ, Ü, ·ⓂB, à, μⓂAƒⓂf, fŠⓂEfIⓂ[foⓂ[ftfⓂⓂ[, ª”–
Ⓜŕ, ·, éⓂêⓂ‡, ÍⓂA[300dpi ƒvfŠf“fg], ð'I'ð, μ, Ü, ·ⓂB

[Ⓜ, •iŽiƒvfŠf“fg]
, Å, ÍⓂAƒvfŠf“f^, ÌfⓂf, fŠ, ª•s'« , μ, ½ⓂêⓂ‡, É, à^óⓂü, ðⓂÅ”\
, É, ·, éƒCfⓂⓂ[ƒWⓂEfAƒ_fvfg, Ì<@”\
p, μ, Ü, ¹, ñⓂi'¼, Ìf, Ⓜ[ƒh, Å, ÍŽ©“Ⓜ“I, ÉŽg–
pⓂjⓂB, » , Ì, ½, ßⓂAƒⓂf, fŠ, ª•s'« , μ, ½Žž, Å, àƒCfⓂⓂ[ƒW^³Ⓜk, ðⓂs, Á, Ä^ê
•” , Ì•iŽi, ðⓂ°, °, Å^óⓂü, ¹, , , ÉⓂAƒⓂf, fŠⓂEfIⓂ[foⓂ[ftfⓂⓂ[ƒGf
ⓂⓂ[, ð”Ⓜŕ, μ, Ü, ·ⓂB0HPƒVⓂ[fg, Ì^óⓂü, È, Ç•K, Ⓜ, •iŽi, ÈⓂo–Í, ª•K–
v, ÈŽžⓂA–pŽ†, ð–³'É, É, ·, é, ±, Æ, ª, , è, Ü, ¹, ñⓂB
[300dpi ƒvfŠf“fg], Å, ÍⓂAⓂ, È, çƒvfŠf“f^
fⓂf, fŠ, Å^óⓂü, ªⓂÅ”\
, Å, ·ⓂB600dpi, Ì^óⓂü, ÅfⓂf, fŠⓂEfIⓂ[foⓂ[ftfⓂⓂ[, ª”–
Ⓜŕ, μ, Å^óⓂü, Å, «, È, çⓂêⓂ‡ⓂA, ±, ÌⓂÝ'è, ð'I'ð, μ, Ü, ·ⓂB

[f}fjƒ...ƒAƒ<ⓂÝ'è], Å, ÍⓂA, ·, ×, Ä, ÌⓂÝ'è, ðf}fjƒ...
ƒAƒ<, ÅⓂs, ƒ, ±, Æ, ªⓂÅ”\
Å, ·ⓂB

3) TrueType ftfHf“fg, ÌⓂ, '¬^óⓂü
[•ŕŽš, ÌƒvfŠf“fg], ð'I'ð, μ, ½ⓂêⓂ‡ⓂA, Ü, ½, ÍⓂA[f}fjƒ...
ƒAƒ<ⓂÝ'è], ©, ç[TrueType , ðf_fEf“fⓂⓂ[ƒh, ·, é]
, ð'I'ð, μ, ½ⓂêⓂ‡ⓂAWindows , Ì TrueType
ftfHf“fg, ðƒvfŠf“f^, ÉⓂ, '¬, Éf_fEf“fⓂⓂ[ƒh, μ, Å^óⓂü, μ, Ü, ·ⓂBƒvfŠf
“f^ ƒhƒⓂCfo, “, æ, ÑƒvfŠf“f^, Å, ÌƒLƒƒƒbƒVƒ...
ƒefNƒmfⓂƒWⓂ[, ªƒvfŠf“f^
ftfHf“fg, È^ø, ^, ð, Æ, ç, È, çƒƒƒHⓂ[f}f“fX, ðŽÀÆ», μ, Ü, ·ⓂB

4) HP-GL/2 , ÌƒTf|Ⓜ[fg Ⓜ]–^, Ì HP LaserJet
ƒvfŠf“f^, Æ“–l, ÉⓂAHP-GL/2 , ªƒvfŠf“f^ ƒhƒⓂCfo, ÅƒTf|
Ⓜ[fg, ³, ê, Ü, ·ⓂBƒOf
ⓂftfBƒbƒNƒX, Ì^óⓂü'–“x, ð“Á, ÉⓂdŽ<, ·, éⓂêⓂ‡ⓂAHP-GL/2 , ðŽg–
p, μ, Å, Ì^óⓂü, ªÆøÈ“I, Å, ·ⓂB, ½, ¾, μⓂA^ê”È, É HP-GL/2 , ðŽg–

p, μ, ½^óü, Å, Í Af0f%ftfBfbfNfX, ðf%xf^ f0f
%ftfBfbfNfX, Æ, μ, Ä^ - , ·, éê±, É"ä, x AfvfŠf" f^, Ìf, fŠ, ð'½, -
•K-v, Æ, μ, Ü, · B•K-v, Éž, ¶, Ä A[f}fjf...fAf<Y'è]
, ©, ç 'I' ð, μ, Ü, · B

5) %ç•¶fvfŠf" f^ ftfHf" fg, ÌfTf| [fg
fvfŠf" f^ fhf%fcfo, Å, Í AHP LaserJet 5L , "à' , ·, é
Intellifont ftfHf" fg, ðfTf|
[fg, μ, Ü, · BfvfŠf" f^ "à' ftfHf" fg, Í AfAfvfŠfP [fvf#f" Ef\
ftfgfEfFfA, Ìh " ' 'I' ð hf fjf... [, È, ç, Å, Í A " ' 'I-¼, Í ¶%
i, ÉfvfŠf" f^, ÌfAfCfRf" •t, «, Å•\Ž! , ³, ê, Ä, ç, Ü, · B, ±
, ê, ç, ÌftfHf" fg, É'Î, ·, éxfNfŠ [f" ftfHf" fg, ª, È, ç
, ½, ß AfxfNfŠ [f" "ã, Ì•\Ž! , Í Windows , ªŽ, Å, Ä, ç, é, È, é, x, -
<ß, ç•É, ÌftfHf" fg, ª'ã-p, ³, ê, Ü, ·, ª A^óü, É, ÌfvfŠf" f^ "à' , Ìxf
P [f%uf< EfTfHf" fg, ªŽg-
p, ³, ê, é, ½, ß A, '¬, ©, Å, •iŽ, É^óü, ªs, È, í, ê, Ü, · B

6) f0f%ftfBfbfNfX•iŽ, ÌfTf| [fg
600dpi , Ìf, [fh, É, ", ç, Ä A600 A300 A150dpi , Ì
%ð'æ"x, ª A, Ü, ½ A300dpi , Ìf, [fh, ", ç, Ä 300 A150 A75dpi , Ì
%ð'æ"x, ª fTf| [fg, ³, ê, Ä, ç, Ü, · B, ±, ê, ç, Ì
%ð'æ"x, ÌY'è, Í A[f}fjf...fAf<Y'è], ©, ç [f0f%ftfBfbfNfX•iŽ (Q)]
, É, ", -, é [, •iŽ] A [• 'É] A [fhf%ftfg], Ì 'I' ð, É, æ, Á, Ä s, ç
, Ü, · B

7) fGfRfmf, [fh, ÌfTf| [fg
fgfi [, Ì A "i-
É, ð §À, μ Afghi [fJ [fgfŠfbfW, ð, æ, è' · , Žg-p, ·, é, ±
, Æ, ª, Å, «, Ü, · B
fGfRfmf, [fh, Å, Ìo-Í, Í [fhf%ftfg], Ìf0f%ftfBfbfNfX•iŽ, ÆŽ-
, Å, ç, Ü, · Bfgfi [, Ì A "i, ð, É, , ·, é, ½, ß, ÉŽg-p, ·, éfhfbfg, ª, È, -
, È, é, æ, ª, ÉfRf" fgf [f<, μ, Ä, ç
, Ü, · Bæo Ì « AŠ <<, É, â, ³, μ, ç <@ "\ , Å, · B

8) ^óü"Z"x, ÌfTf| [fg
D, Y, É ±, í, ¹, Ä^óü"Z"x, ª Y'è, Å, «, Ü, · B Y'è, Í 5' iŠK B [fIvfVf
#f"] fpflf<, Å Y'è, μ, Ü, · B

9) fGf"fnf"fxfhI/0, ÌfTf| [fg
fvfŠf" f^, ÌI/OÊP-Ìš, Ì'å, «, ³, ð Å "K, ÉfRf" fgf [f<, ·, é, ±
, Æ, É, æ, Á, Ä A, È, çfvfŠf" f^ f, fŠ, ð Å 'åÀ, ÉŽg-
p, μ, Ü, · B [fIvfVf#f"] fpflf<, Å Y'è, μ, Ü, · B

10) REt , ÌfTf| [fg
REt , Æ, Í A^óü•iŽ, ðæüã, ³, ¹, é, ½, ß, Ìfqf...

[fCfbfgEfpfbfJ[fhZD“ÆŽ©,ì^óü<Zp "Resolution Enhancement technology" ,Å,·B[fIfvfVf#f“]fpflf<,É,“,ç ,Ä'I'ð,μ,Ü,·B

Microsoft Windows 3.1J ,Ö,ì'g,Ýž,Ý,É,Â,ç,Ä

*'□^Ó

fCf“fXfg□[f<□ì<Æ,ðs,α'0,É□AfEfBf<fX□Ef`fFfbfN,âTSR□if□f,fŠ □í'“Æ^□jf\ftfgfEfFfA□AHP LaserJet 4LJ Pro fXfe□[f^fX□EfEfBf“fhfE ,È,ç,ì□í'“Æ^f\ftfgfEfFfA,Í,·,×,Ä□I-¹,μ□A,» ,ê,ç,ªŽ©“®“I,É<N“® ,³,ê,É,ç-l,É,μ,½Æã,É Windows ,ð□Ä<N“® ,μ,Ä, ,³/₄,³,ç□B

,È,“□A-{ fvfŠf“fefBf“f0 f\ftfgfEfFfA ,ÉŠÜ,Ü,ê,é fXfe□[f^fX□EfEfBf“fhfE ,Í□A HP LaserJet 4 LJ Pro fvfŠf“f^,àfTf|□[fg,·,é,±,Æ,ªÄ“\ ,Å,·B%pÆê”Å HP LaserJet Printing System ,ÉŠÜ,Ü,ê,é fXfe□[f^fX□EfEfBf“fhfE ,â□A'¼ŽD□» ,ì“~Ží,ìf\ftfgfEfFfA,Æ,Í□-□Ý,ÍfTf|□[fg,μ,Ä,ç ,Ü,¹,ñ□B□i,¹/₂,³/₄,μ□A,²Žg-p't,ìfvfŠf“f^□Efhf%fcfo,É,Â,ç ,Ä,Í□A,±,ê,Ü,Å'É,è,É,²Žg-p,ç,¹/₂,³/₄,-,Ü,·B□j□Ú,μ,- ,Í•É□Í,ð,²ŽQ□Æ, ,³/₄,³,ç□B

HP LaserJet 5L ,ìfvfŠf“fefBf“f0 f\ftfgfEfFfA ,É,Í□AMicrosoft Windows 3.1J ,ÉfvfŠf“f^ fhf %fcfo,ÆfXfe□[f^fX□EfEfBf“fhfE,ð'g,Ýž,p,¹/₂,β,ìfZfbfgfAfbfv fvf□f0f%fc€,ª•t,ç,Ä,ç,Ü,·B^È%º,ìžè□‡,É□],Á,Ä'g,Ýž,ñ,Å %º,³,ç□B

1. Microsoft Windows 3.1J ,ðfXf^□[fg,μ,Ä%º,³,ç□B
2. HP LaserJet 5L ,ìfvfŠf“fefBf“f0 f\ ftfgfEfFfA,ìftf□fbfs□[fffBfXfN,ð□AfffBfXfN fhf %fcfu,É“ü,ê,Ä%º,³,ç□B
3. fvf□f0f%fc€ f}fl□[fwff,Å□A[fAfCfRf“(F)]f□fjf... □[,©,ç□A[ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀ□s(R)]fRf}f“fh,ð'I'ð,μ,Ü,·B
4. [ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀ□s]f_fCfAf□f0 f{fbfNfX,Å□AHP LaserJet 5L ,ì fvfŠf“fefBf“f0 f\ftfgfEfFfA fffBfXfN,ì“ü,Á,Ä,ç,éfffBfXfN fhf%fcfu-¼,Æ SETUP.EXE ,ð[fRf}f“fh f%fcf“]fefLfxfg f{fbfNfX,Éf^fCfv,μ,Ü,·B
5. ^É□~□AfZfbfgfAfbfv fvf□f0f%fc€,ª•\Žì,·,éžwŽì,É□],Á,Ä,- ,³/₄,³,ç□B

,Ü,½□A□]-^,ì,æ,α,É□AfvfŠf“f^ fhf%fcfo,ì,Ý,ð Microsoft Windows 3.1J ,ìfRf“fgf□□[f< fpflf<,©,ç'g,Ýž,p,±,Æ,ªÄ“\ ,Å,·B,»,ì□è□‡□A^È%º,ì,æ,α,É'€□ì,ª•K-v,Å,·:

1. fvf□f0f%fc€

- f}fL[fWff, Ì[fCf"]f0f<[fv, æ, è[AfRf"fgf[f<
 fpjlf<]fAfCfRf", ðf_fuf< fNfŠfbfN, µ, Ü, ·B
2. [fRf"fgf[f<
 fpjlf<]fEfBf"fhfE, ©, ç[fvfŠf"f^]fAfCfRf", ð'I'ð, ·, é, Æ[AfvfŠf
 "f^, ÌY'è]f_fCfAf f0 f{fbfNfX, ð·\Z|, ð, è, Ü, ·B
 3. ['Ç%Á>>]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 4. ['g, Yž, PfvfŠf"f^, Ì'I'ð], Ìê—, æ, è, [ê—
 , É, È, çfvfŠf"f^, âXV, ð, è, ½fvfŠf"f^, Ì'g, Yž, Y
 , ð'I'ð, µ, Ü, ·ifŠfXfg, ÌÅ%, Ì€-Ú, Å, ·jB
 5. ['g, Yž, Y(I)...]f{f^f", ð'I'ð, µ, Ü, ·B
 6. HP LaserJet 5L fvfŠf"fefBf"f0 f\
 ftfgfEfFfA, Ìftf fbfs[fffBfXfN, ðfffBfXfN fhf
 %fCfu, É"ü, êAfhf%fCfu-¼, ðŽw'è, µ, Ü, ·B
 7. "HP LaserJet 5L (JAPAN)"
 , ð'I'ð, µA[OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 8. [Ü±(C)...]f{f^f", ð'I'ð, µ, Ü, ·B
 9. [Ü±æ(P)], Ìê—, ©, çAfvfŠf"f^, ðŠ,, è—
 , Ä, éÜ'±æ, ð'I'ð, µ, Ü, ·B
 10. [, '¬, É^óü], Ìf`fFfbfN
 f{fbfNfX, ð'I, ñ, ÅX^ó, ð·t, ^A[OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 11. [Y'è(S)...]f{f^f", ð'I'ð, µ, Ü, ·B
 12. [Y'è]f_fCfAf f0 f{fbfNfX, ÅA·K-v, ÈY'è, ðs, ç, Ü, ·B
 13. [OK]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 14. ['ÊíŽg, ðfvfŠf"f^, Æ, µ, ÅY'è(E)]f{f^f", ðfNfŠfbfN, µ, Ü, ·B
 15. [I-¹]f{f^f", ðfNfŠfbfN, µ, Ü, ·B



ftf@fCf<\-~

MSUILSTF DLL	6,144	96-01-30	10:03
RESOURCE DLL	20,992	96-01-30	10:03
SUPPORT DLL	89,456	96-01-30	10:04
MSCOMSTF DLL	74,432	96-01-30	10:02
MSCUISTF DLL	190,172	96-01-30	10:02
MSDETSTF DLL	24,544	96-01-30	10:03
MSINSSTF DLL	65,408	96-01-30	10:03
MSSHLSTF DLL	14,832	96-01-30	10:03
HPLJ4QP DL_	5,134	96-01-30	10:05
COMMCTRL DL_	33,901	96-01-30	10:01
CTL3DV2 DL_	12,279	96-01-30	10:01
HPJ5G1 DL_	28,533	96-01-30	10:02
HPJ5G2 DL_	23,557	96-01-30	10:02
HPJ5G3 DL_	73,634	96-01-30	10:02
HPJ5GFE DL_	14,071	96-01-30	10:02
HPJ5GUI DL_	42,494	96-01-30	10:02

HPLJCOMM	DL_	4,319	96-01-30	10:02
HPPDF5LJ	DL_	27,305	96-01-30	10:02
HPPJLMON	DL_	6,596	96-01-30	10:02
HPTABJ16	DL_	43,144	96-01-30	10:02
HPJ5G	DRV	88,128	96-01-30	10:01
_MSSETUP	EXE	9,813	96-01-30	10:01
_MSTEST	EXE	89,504	96-01-30	10:01
SETUP	EXE	24,624	96-01-30	10:03
PRINTMAN	EX_	31,600	96-01-30	10:05
HPDEI5LJ	EX_	14,714	96-01-30	10:01
HPSW	EX_	69,604	96-01-30	
10:02				
HPINSTAL	HLP	14,217	96-01-30	10:01
Windowsfwf	<fvftf@fCf<			
PRINTMAN	HL_	34,844	96-01-30	10:05
HP5LJ	HL_	114,723	96-01-30	10:01
HPJ5G	HL_	29,071	96-01-30	10:01
SETUP	HP	4,321	96-01-30	
10:03				
DIALOGID	INC	1,275	96-01-30	10:01
SYMBOLS	INC	1,065	96-01-30	10:04
SETUPAPI	INC	55,620	96-01-30	10:03
STRINGID	INC	51	96-01-30	10:03
STRINGS	INC	994	96-01-30	
10:03				
SUPPORT	INC	4,533	96-01-30	10:04
MSDETECT	INC	22,097	96-01-30	10:03
OEMSETUP	INF	1,096	96-01-30	10:03
SETUP	INF	4,315	96-01-30	
10:03				
SETUP	IN_	1,380	96-01-30	
10:03				
SETUP	LST	927	96-01-30	
10:03				
SETUP	LYT	7,455	96-01-30	
10:03				
SETUP	MST	39,254	96-01-30	10:03
THREED	VB_	33,489	96-01-30	10:05
README5G	WRI	43,904	96-01-30	10:03

□à-¾ftf@fCf<

HP LaserJet5L fU[fvfŠf“f^–pfhf%fcfo for NEC PC98
“ú–{ÊWindows95 Ver 40.0.1

▶ Žû~^ffBfBfNfgfŠ DISC2:\DRIVER\HP\WIN95\LJ5L_N

▶ “à–e

, í, ¶, ß, É

, ±, Ì, ½, Ñ, ÍA•¾ŽĐ»•i, ð, ²w“ü, ç, ½, ¾, «, Ü, µ, ÄA½, É, , è, ª, Æ, ¨
, ², ´, ç, Ü, ·B

HP LaserJet 5L fvfŠf“f^ fhf%fcfo ,ÍA Microsoft Windows 95
(^È%°AWindows 95,ÆI,·j‘Îž,ÌAHP LaserJet 5L fvfŠf“f^–
pf\ftfgfEfFfA,Å,·B ,±,ÌHP LaserJet 5L fvfŠf“f^ fhf
%fcfo,ÍA Windows 95 •t’®,Ì [fvfŠf“f^,Ì’Ç%Á] fEfBfU[fh,ðŽg
–p,µA’g,Ýž,þ,±,Æ,ª,Å,«,Ü,·B,±,ÌfvfŠf“f^ fhf%fcfo,Í
Microsoft Windows 3.1 ,Ü,½,Í,»,ê^È’O,ÌŠÂ««,Å,Ì“®ì,ÍfTf|
|[fg,µ,Ä,“,è,Ü,¹,ñB

HP LaserJet 5L fvfŠf“f^,ÍA600dpi,Å,Ì,·iŽž,©,Å,‘¬,È^óü,ð
1MB ,Ì•w€“<üf[f, fŠ,ÅŽÀE»,µ,½æSú“I,ÈfvfŠf“f^,Å,·B,±
,ÌfvfŠf“f^,Ìf[f, fŠ,Í•Ê”„,è,Ìf[f, fŠ fJ[fh,ðŽæ,è•t,¯,é,±
,Æ,ÅAÅ’â 9MB ,Ü,ÅŠg’£,·,é,±,Æ,ª,Å,«,Ü,·B

fvfŠf“f^ fhf%fcfo,ÍAfOf%ftfBfbfNfX,ÆfefLfxfg,Ì^óü,É•K–
v,Èf[f, fŠ,ðÅ“K,ÉŠC–,·,é,±,Æ,É,æ,Á,ÄA]–
^,Ì600dpi,Å,Ì^óü,Å,ÍAÅ’á 2MB ,Í•K–
v,¾,Á,½fvfŠf“f^,Ìf[f, fŠ,ð 1MB
,Æ,µA,©,Å•iŽžA‘¬“x,É’Å<|,µ,È,ç^óü,ð’á%žŠi,ÅŽÀE»,µ,Ä,ç
,Ü,·B

,Ü,½A,±,ÌfvfŠf“f^ fhf%fcfo,Å,ÍAfqf...
|[fEfBfgEfpfbfJ[fhŽĐ,ÌŠJ”,µ,½fvf[fbf^°§Eä–p,ÌE¾Ê HP-GL/2
,ðfTf|[fg,µ,Ä,ç,Ü,·B•K–v,É%ž,¶,Å HP-GL/2 ,ðfOf
%ftfBfbfNfX,Ì^óü,ÉŽg–p,·,é,±
,Æ,É,æ,Á,ÄA,‘¬,Å,©,Å”ü,µ,çfOf%ftfBfbfNfX,Ì^óü,æÅ”\
,Å,·B

fvfŠf“f^ fhf
%fcfo,ÍY’èf_fCfAf[f0,à^êV,³,é,Ü,µ,½Bft|[fU,É,â,³,µ,çY’è
,É%Á,|[Afqf“fgi•ñ,à“~žž,É•\Ž|,µ,Ü,·B^óü•iŽž,ð [Ž“®]
,ÉY’è,·,é,±,Æ,É,æ,èA,Ü,Æ,ñ,Ç,Ì^óü,ªÅ“K,É[s,|,é,æ,¨,Éfhf
%fcfo,ðY’è,µ,Ü,·B^óü‘¬“x,ð,Æ,-

,É□dŽ<,·,é□ê□±,â^ó□ü•¶□',ª“Á,É•;ŽG,Åf□f,fŠ
fI□[fo□[ftf□□[,ª”□¶,·,é□ê□±□Af}]fj f...fAf<,Å□Ú□×,È□Ý'è,ð□s,±,±
,Æ,à%Å”\,Å,·□B

fvfŠf“f^ fhf%fcfo,ì“Á'·

fvfŠf“f^ fhf%fcfo,É,Í□A^È%º,Ì,æ,±,È“Á'·,ª, ,è,Ü,·:

1) Windows 95 ,ì [fvfŠf“f^,Ìfvf□fpfefB] fCf“f^□[ftfF□[fX

,í,©,è,â,·,□A'€□ì,µ,â,·,¢ft□[fU
fCf“f^ftfF□[fX□A[fvfŠf“f^,Ìfvf□fpfefB] f_fCfAf□f0
f{fbfNfX,É,Í□A 5,Å,Ìfpflf<,ª-p^Ó,³,è,Ä,¢,Ü,·□B

[□î•ñ] □A[□Ú□×] fpflf<,Í□AWindows 95
•t'®,ÌfCf“f^□[ftfF□[fX,Å,·□B,±
,è,ç,ÉŠÖ,·,é□Ú□×,Í□Af_fCfAf□f0f{fbfNfX,Ì%E□ã,Ì [□H] ,Å%æ-
È,Ì,»,è,¼,è,Ì□€-Ú,ðfNfŠfbfN,µ□A□à-¾,ðŽQ□Æ,µ,Å, ,¾,³,¢□B

,Ü,½□A HP LaserJet 5L fvfŠf“f^ fhf%fcfo,ÉŠÖ,µ,Ä,Í□A[-pŽt]
□A[^ó□ü•iŽì] , ,æ,Ñ [fIfvfVf±f“] fpflf<,ª-
p^Ó,³,è□A,»,è,¼,è,Ìfpflf<,Ì%º•” ,É□Af}fEfX,Ìf|
fCf“f^,Ì^È'u,É'Í%ž,µ,½'€□ì,Ìfqf“fg,ª•\
Ž! ,³,è,Ü,·□B,»,Ì'¼,Ì□Ú□×,É,Å,¢,Ä,Í□A[fwf<fv] f{f^f“,ð
%Ý,µ□Afwf<fvftf@fCf<,ð,²ŽQ□Æ, ,¾,³,¢□B

,±,Ì [fvfŠf“f^,Ìfvf□fpfefB] f_fCfAf□f0 f{fbfNfX,ð•\
Ž! ,·,é,É,Í□A[fXf^□[fg] f{f^f“,ðfNfŠfbfN,µ□A[□Ý'è(S)] ,ðf|
fCf“fg,µ,Ü,·□BŽÝ,É [fvfŠf“f^(P)] ,ðfNfŠfbfN,µ□A[fvfŠf“f^]
f_fCfAf□f0 f{fbfNfX,ðŠJ,«,Ü,·□B HP LaserJet 5L fvfŠf“f^ fhf
%fcfo,ÌfAfCfRf“,ð'I'ð,µ□A[ftf@fCf<(F)] f□fj f...□[,Ì
[fvf□fpfefB(R)] ,ðfNfŠfbfN,µ,Ü,·□B

2) ,í,©,è,â,·,¢^ó□ü•iŽì,Ì□Ý'è
[^ó□ü•iŽì] fpflf<,Å,Í□A,í,©,è,â,·,¢^ó□ü•iŽì,Ì□Ý'è,ð-
p^Ó,µ,Ü,µ,½□B

[Ž“®](ffftfHf<fg),ð'I'ð,·,é,ÆfvfŠf“f^ fhf%fcfo,ªžg-
p,µ,Ä,¢,éAfvfŠfP□[fVf±f“ f\ftfgfEfFfA,ð”»•È,µ□A,»,è,É“K“-
,ÆŽv,í,è,éfhf%fcfo,Ì□Ý'è,ð [•¶Žš,ÌfvfŠf“fg] □A[f0f
%ftfBfbfNfX,ÌfvfŠf“fg] ,Ì't,©,çŽ“®“I,É'I'ð,µ,Ü,·□B
[•¶Žš,ÌfvfŠf“fg] ,ª'I'ð,³,è,éŽã,ÈfAfvfŠfP□[fVf±f“ f\
ftfgfEfFfA,Í□A^È%º,Ì,à,Ì,Å,·:
Lotus 1-2-3, Lotus Approach, MS Excel, MS Word, MS Access,
MS Works,f□□[fhfpfbfh, f□f,' , WordPerfect, Borland
Paradox, Borland Quattro Pro

□®□A□f, ' , Å, Í□A600dpi, Ì^ó□ü, Å□¶f}□[fwf"□Ý'è, º³, µ, "®□ì, µ, È
, ç□ê□‡, º, , é, ½, ß□AZ©"®"I, É300dpi, º'I'ð, º, ê, Ü, ·□B

Lotus Freelance 2.1J ,Æ Aldus PageMaker 5.0J ,ðŽg-
p, Ì□Û□A[Z©"®](ffftfHf<fg)□Ý'è, ð'I'ð, ·, é, Æ□A^óüff□[f^, ºf
ºfXf^ºfCfY, º, ê□A, ©, Å TrueType ftfHf"fg, ºf0f
ºftfBfbfNfX, Æ, µ, Ä, Å, Í, È, -
□Afrfbfgf}fbfv, Æ, µ, ÄfvfŠf"f^, Éf_fEf" f□□[fh, º, ê, Ü, ·□B

[□, ·iŽifvfŠf"fg]
, Å, Í□AfvfŠf"f^, Ìf□f, fŠ, º·s'« , µ, ½□ê□‡, É, à^ó□ü, ð%Å"\
, É, ·, éfCf□□[fw fAf_fvfg, Ì<@"\, ðŽg-p, µ, Ü, º, ñ
('¼, Ìf, □[fh, Å, ÍZ©"®"I, ÉŽg-
p)□Bf□f, fŠ, º·s'« , µ, ½ŽŽ, Å, àfCf□□[fw^³□k, ð□s, Á, Ä^ê·", Ì·iŽi, ð
ºº, °, Å^ó□ü, µ, È, ç^×□A□f□f, fŠ fI□[fo□[ftf□□[fgfº□[, º"-
□¶, ·, é□ê□‡, º, , è, Ü, ·□BOHPfV□[fg, Ì^ó□ü, È, Ç·K, , □, ·iŽi, È□o-
Í, º·K-v, ÈŽŽ□A-pŽ†, ð-³'É, É, ·, é, ±, Æ, º, , è, Ü, º, ñ□B

[·¶Žš, ÌfvfŠf"fg] , Å, Í□A[HP-GL/2] f0fºftfBfbfNfX
f, □[fh, º'I'ð, º, ê□AWindows , ÌTrueType
ftfHf"fg, ðfvfŠf"f^, É□, '¬, Éf_fEf"f□□[fh, µ, Ü, ·□B, ±
, è, É, æ, è□A□f0fºftfBfbfNfX, Ì^ó□ü, Ì, ½, ß, ÉŽg-
p, Å, «, éfvfŠf"f^, Ìf□f, fŠ, Í□SÆÅ, º, ê, Ü, ·, º□A·¶Žš, Ì^ó□ü, Ì<É, ß, Ä
□, '¬, Æ, È, èfvfŠf"f^ ftfHf"fg, Ì, æ, º, Éºó"K, Å, ·□B, à, µ□A□f□f, fŠ
fI□[fo□[ftf□□[, º"□¶, ·, é□ê□‡, Í□A[f0fºftfBfbfNfX, ÌfvfŠf"f^]
, ð'I'ð, µ, Ü, ·□B

[f0fºftfBfbfNfX, ÌfvfŠf"fg] , Å, Í□A[fºfXf^] f0fºftfBfbfNfX
f, □[fh, º'I'ð, º, ê□ATrueType ftfHf"fg, àf0fºftfBfbfNfX, Æ, µ, Ä□^
-□, µ, Ü, ·□BfvfŠf"f^, Ìf□f, fŠ, ðf0fºftfBfbfNfX, Ì□^ -□, É□Å'âÆAZg-
p, ·, é, ±, Æ, É, æ, Á, Ä□A, æ, è·iŽG, Èf0fºftfBfbfNfX, Ì^ó□ü, à%Å"\
, Æ, µ, Ü, ·□B, à, µ□A□f□f, fŠ fI□[fo□[ftf□□[, º"-
□¶, ·, é□ê□‡, Í□A[300dpi fvfŠf"fg] , ð'I'ð, µ, Ü, ·□B

[300dpi fvfŠf"fg] , Å, Í□A□, È, çfvfŠf"f^ f□f, fŠ, Å^ó□ü, º%Å"\
, Å, ·□B600dpi, Ì^ó□ü, Åf□f, fŠ fI□[fo□[ftf□□[, º"-
□¶, µ, Å^ó□ü, Å, «, È, ç□ê□‡□A, ±, Ì□Ý'è, ð'I'ð, µ, Ü, ·□B
[f}fj...fAf<□Ý'è) , Å, Í□A, ·, x, Ä, Ì□Ý'è, ðf}fj...fAf<, Å□s, º, ±, Æ, º
º%Å"\, Å, ·□B

3) fvfŠf"f^¼, ÌfJfXf^f}fCfY
HP LaserJet 5L fvfŠf"f^ fhfºfCfo, Ì¼'0, ðŽg, ç, â, ·, ç-
¼'0, É□AZŽ, Ì·û-@, ÅfJfXf^f}fCfY, ·, é, ±, Æ, º, Å, «, Ü, ·□B
[fXf^□[fg] f{f^f", ðfNfŠfbfN, µ□A[□Ý'è(S)] , ðf|
fCf"fg, µ, Ü, ·□BŽŽ, É [fvfŠf"f^(P)] , ðfNfŠfbfN, µ□A[fvfŠf"f^]
f_fCfAf□f0 f{fbfNfX, ðŠJ, «, Ü, ·□B HP LaserJet 5L fvfŠf"f^ fhf
ºfCfo, ÌfAfCfRf", ð'I'ð, µ□A[ftf@fCf<(F)] f□fj...□[, Ì [-

¼'0, Ì•İX(M)] , ðfNfŠfbfN, µ, Ü, ·BfvfŠf“f^, Ì¼'0, ð”C^Ó, Ì-
¼'0, É•İX, µA[fŠf^ [f“] fL [, ð%ÿ, µ, Ü, ·BfvfŠf“f^-
¼, Ì•Ÿš” , ÍAÅ, 31•Ÿš, Ü, Å, Æ, È, è, Ü, ·B

4) EMF fXfv [f< ff [f^`Ž®
, ±, ÌfI fvfVf†f“ , ðŽg-p, ·, é, ±, Æ, É, æ, è Afvf fOf% f€ , ^óü^ -
 , ©, ç%ð•ú, ³, è, é, Ü, Å, ÌŽšŠÔ, ^Z, , È, è, Ü, ·BŽÀÜ, Ì^óüo-
 ÌŽšŠÔ, Í'Êí, æ, è'á%º, ·, é%Â“\« , ^, , è, Ü, ·, ^A^óüŽÀs't, ÉA¼
, Ìfvf fOf% f€ , ð'±s, ·, é, ±, Æ, ^, Å, «, Ü, ·B
EMF`Ž®, ð'I'ð, ·, é, É, ÍA[fvfŠf“f^, Ìfvf fpfefB]
f_fCfAf fOf{fbfNfX, Ì't, Ì [Üx] fpf\ f<, ðŠJ, «, Ü, ·BŽÿ, É
[fXfv [f<, Ìÿ'è(L)] f{f^f“ , ðfNfŠfbfN, µA[fXfv [f<
ff [f^`Ž®(F)] f{fbfNfX, Ì't, ©, ç [EMF] , ð'I'ð, µ, Ü, ·B

' : EMF`Ž®, ðŽg-pŽž, ÉA, ç, , Å, ©, ÌWindows 3.1'Î
%ž, ÌAfvfŠfP [fVf†f“ (Harvard Graphics, Micrographics
Designer™) , Å-â'è, ^<N, «, é%Â“\« , ^, , é, ±, Æ, ^•ñ , ³, è, Ä, ç
, Ü, ·B , ±, Ì, æ, x, ÉAEMF`Ž®, Å-
â'è, ^<N, «, éê†, ÍAfffftfHf<fg, Ì [RAW] `Ž®, ð, ²Žg-p, , ¼, ³, çB

5) fvf%fo fAf“fh fvfEfC
fvfŠf“f^, ^fpf% fEf< f| [fg, ÉÜ'±, ³, è, Ä, ç, éê†AWindows 95
, Í, “Žg, ç, ÌfvfŠf“f^, ð”FŽ , µAê-p, ÌfvfŠf“f^ fhf
%fCfo, ðfCf“fXfg [f<, ·, é, æ, xŽwŽ| , µ, Ü, ·B, Ü, ½AWindows 95
, ÌfvfŠf“f^, Ìó'Ó, ð•\Ž| , µ, Ü, ·B, ½, Æ, | , ÍAfvfŠf“f^, Ì-
pŽt, ^, È, , È, Å, ½ê†AWindows 95 , ^<Žt, ·, é, æ, xŽwŽ| , ð'-
, è, Ü, ·B-pŽt, ð•â<<, ·, é, È, Ç-â'è, ð%ð^ , ·, é, ±
, Æ, É, æ, èA'Êí^óüfWf†fu, ^ÄŠJ, ³, è, Ü, ·B^óüfWf†fu, ^ÄŠJ, ³,
è, È, ©, Å, ½ê†, ÍA, à, x^ê“x^óüfWf†fu, ðŽÀs, µ, Å, Ý, Å, , ¼, ³, çB

6) ^óüfWf†fu, ÌŠÇ-
Windows 95 , Å, Í [fvfŠf“fg f}f\ [fWff] , ÍfTf| [fg, ³, è, Ä, ç
, Ü, ¹, ñB, “Žg, ç, ÌPC, ÉÜ'±, ³, è, Ä, ç
, é, » , è, ¼, è, ÌfvfŠf“f^, ², Æ, ÉAfWf†fu, Ìó'Ô, âfhfLf...
f“fg, ÌfI [fi [“™, Ìî•ñ, ðŠÜ, YAfWf†fu, ÌŠÇ- , ^%Â“\ , È
[fvfŠf“f^ fEfBf“fhfE] , ð•\Ž| , ·, é, ±, Æ, ^, Å, «, Ü, ·B, ±, Ì
[fvfŠf“f^ fEfBf“fhfE] , ðŠJ, , É, ÍA[fvfŠf“f^]
fEfBf“fhfE, ÅAfvfŠf“f^, ÌfvfŠf“f^, ÌfAfCfRf“ , ðf_fuf<
fNfŠfbfN, µ, Ü, ·B

7) ' , çftf@fCf<-¼
”¼Šp, Å8•Ÿš^É“à, ÌŠî-{-¼, ÆA3•Ÿš^É“à, ÌŠg' fŽq, Æ, ç, x\$ÈÀ, ^
Windows 95 , Å, Í, È, , È, èAftf@fCf<-¼, ðŽ©-R, ÉŽw'è, Å, «, é, æ, x
, É, È, è, Ü, µ, ½B, » , è, É”º, çAfvfŠf“f^ fhf% fCfo, Ì¼'0, àŽ©-
R, ÉŽw'è, Å, «, Ü, ·BfvfŠf“f^-
¼, Ì•Ÿš” , ÍAÅ, 31•Ÿš, Ü, Åÿ'è, Å, «, Ü, ·B

8) TrueType ftFhf"fg, Ì, ' - ^ ó ü
[• ¶ Ž š, Ì f v f Š f " f g] , ð ' I ' ð , µ, ½, Ê, ð, A, Ü, ½, Í, A [f } f j f ... f A f < Ý ' è]
, ©, ç [TrueType , ð f _ f E f " f [[f h , . , é] , ð ' I ' ð , µ, ½, Ê, ð, A Windows
, Ì TrueType
ftFhf"fg, ð f v f Š f " f ^ , É, ' - , É f _ f E f " f [[f h , µ, Ä ^ ó ü , µ, Ü , . B f v f Š f
" f ^ f h f % f C f o , " , æ , Ñ f v f Š f " f ^ , Ä , Ì f L f f f b f v f ...
f e f N f m f [f W [, a f v f Š f " f ^
ftFhf"fg, É ^ ø , - , ð , Æ , ç , È , ç f p f t f H [f } f " f X , ð Ž À È » , µ, Ü , . B

9) HP-GL/2 , Ì f T f | [f g
[] - ^ , Ì HP LaserJet f v f Š f " f ^ , Æ " - l , É AHP-GL/2 , a f v f Š f " f ^ f h f
% f C f o , Å f T f | [f g , ^ , é , Ü , . B f o f
% f t f B f b f N f X , Ì ^ ó ü ' - " x , ð " Á , É d Ž < , . , é [Ê, ð, AHP-GL/2 , ð Ž g -
p , µ, Ä , Ì ^ ó ü , a E % Ê " I , Å , . B , ½, ¾, µ A ^ ê " Ê , É HP-GL/2 , ð Ž g -
p , µ, ½ ^ ó ü , Å , Í A f o f % f t f B f b f N f X , ð f % f X f ^ f o f
% f t f B f b f N f X , Æ , µ, Ä ^ - [, . , é [Ê, ð, É " ä , x A f v f Š f " f ^ , Ì f [f , f Š , ð ' ½ , -
• K - v , Æ , µ, Ü , . B • K - v , É % Ž , ¶ , Ä A [f } f j f ... f A f < Ý ' è]
, ©, ç ' I ' ð , µ, Ü , . B

10) % ç • ¶ f v f Š f " f ^ f t F h f " f g , Ì f T f | [f g
f v f Š f " f ^ f h f % f C f o , Å , Í AHP LaserJet 5L , a " à ' , . , é
Intellifont ftFhf"fg, ð f T f |
[f g , µ, Ü , . B f v f Š f " f ^ " à ' f t F h f " f g , Í A f A f v f Š f P [f v f # f " f \
f t f g f E f F f A , Ì [' ' Ì ' I ' ð] f [f j f ... [, É , ç , Å , Í A [' ' Ì - ¼ , Ì ¶ %
i , É f v f Š f " f ^ , Ì f A f C f R f " • t , « , Å • \ Ž | , ^ , é , Ä , ç , Ü , . B , ±
, é , ç , Ì f t f H f " f g , É ' Ì , . , é f X f N f Š [f " f t f H f " f g , a , È , ç
, ½ , ß A f X f N f Š [f " ä , Ì • \ Ž | , Í Windows , a Ž [, Å , Ä , ç , é , È , é , x , -
< ß , ç • Ê , Ì f t f H f " f g , a ' ä - p , ^ , é , Ü , . , a A ^ ó ü , É , Ì f v f Š f " f ^ " à ' , Ì f X f
P [f % f u f < • ¶ Ž š , Ì f v f Š f " f g f t f H f " f g , a Ž g -
p , ^ , é , é , ½ , ß A [, ' - , © , Å [, • i Ž i , É ^ ó ü , a s , È , í , é , Ü , . B

11) f o f % f t f B f b f N f X • i Ž i , Ì f T f | [f g
600dpi , Ì f , [f h , É , " , ç , Ä A 600 A 300 A 150 dpi , Ì
% ð ' æ " x , a A , Ü , ½ A 300 dpi , Ì f , [f h , " , ç , Ä 300 A 150 A 75 dpi , Ì
% ð ' æ " x , a f T f | [f g , ^ , é , Ä , ç , Ü , . B , ± , é , ç , Ì
% ð ' æ " x , Ì Ý ' è , Í A [f } f j f ... f A f < Ý ' è] , ©, ç [f o f
% f t f B f b f N f X • i Ž i (Q)] , É , " , - , é [[, • i Ž i] A [• ' Ê] A [f h f % f t f g]
, Ì ' I ' ð , É , æ , Á , Ä s , ç , Ü , . B

12) f G f R f m f , [f h , Ì f T f | [f g
f g f i [, Í A " i - Ê , ð s E Ä , µ A f g f i [f J [f g f Š f b f W , ð , æ , è ' . , Ž g -
p , . , é , ± , Æ , a , Å , « , Ü , . B
f G f R f m f , [f h , Å , Ì o - Í , Í [f h f % f t f g] , Ì f o f % f t f B f b f N f X • i Ž i , Æ Ž -
, Å , ç , Ü , . B f g f i [, Í A " i , ð , É , , . , é , ½ , ß , É Ž g - p , . , é f h f b f g , a [, È , -
, È , é , æ , x , É f R f " f g f [[f < , µ, Ä , ç
, Ü , . B E o [Ì « A Š Å < « , É , â , ^ , µ , ç < @ " \ , Å , . B

13) ^óü"Z"x, ìfTf| [fg
D, Ý, É, í, ¹, Ä5' iSK, Ì^óü"Z"x, àY'è, Å, «, Ü, ·B [fIvfVf#f"]
fpflf<, ÅY'è, µ, Ü, ·B

14) fGf"fnf" fXfhI/0, ìfTf| [fg
fvfŠf"f^, ÌI/0fobftf@, Ì'ã, «, ³, ðÅ"K, ÉfRf"fgf [f<, ·, é, ±
, Æ, É, æ, Á, ÄA, È, çfvfŠf"f^ f [f, fŠ, ðÅ'ãÆ, ÉŽg-p, µ, Ü, ·B
[fIvfVf#f"] fpflf<, ÅY'è, µ, Ü, ·B

15) REt , ìfTf| [fg
REt , Æ, ÍA^óü•iŽž, ðËüä, ³, ¹, é, ½, ß, Ìfçf...
 [fÆfbfgEfpbfJ [fhŽĐ"ÆŽ©, Ì^óü<ZpAResolution
Enhancement technology , Å, ·B [fIvfVf#f"]
fpflf<, Å'I'ð, µ, Ü, ·B

Microsoft Windows 95 , ð, ÌfZfbfgfAfbfv, É, Å, ç, Ä

*' ^Ó

fCf" fXfg [f< ì<Æ, ðs, «'O, ÉAfEfBf< fX
f`fFbfN, àTSR(f [f, fŠí'"Æ^) f\ftfgfEfFfA, È, Ç, Ìí'"Æ^f\
ftfgfEfFfA, Í, ·, x, ÄI⁻¹, µA, », ê, ç, àŽ©"®"I, É<N"®, ³, ê, È, ç-
l, É, µ, ½Æä, É Windows , ðÅ<N"®, µ, Ä, , ¾, ³, çB

HP LaserJet 5L fvfŠf"f^ fhf%fcfo, ÍAWindows 95 •t'®, Ì
 [fvfŠf"f^, Ì'Ç%Á] fEfBfU [fh, ðŽg-p, µA^È%º, ÌŽè [f, É]
, Á, ÄfZfbfgfAfbfv, ðs, Á, Ä%º, ³, çB

1. Windows 95 , ð<N"®, µ, Ä%º, ³, çB

2. [fXf^ [fg] f{f^f", ðfNfŠfbfN, µA [Y'è] , ðf|
fCf"fg, µ, Ü, ·BŽY, ÉA [fvfŠf"f^] , ðfNfŠfbfN, µ, Ü, ·B

3. [fvfŠf"f^, Ì'Ç%Á] fAfCfRf", ðf_fuf<fNfŠfbfN, µ, Ü, ·B

4. æ-Ê, É•\Žž, ³, ê, éEfBfU [fh, ÌžwŽž, É]

, Á, ÄfZfbfgfAfbfv, ðs, ç, Ü, ·B

, ±, ÌÜA uWindows fAfvfŠfP [fVf#f", ÅA, ±

, ÌfvfŠf"f^, ð'Éí, ÌfvfŠf"f^, Æ, µ, ÄŽg, ç, Ü, ·, ©Hv, Æ, ç, æŽž-
â, É'Î, µA u, Í, çv, ð'I'ð, µ, Ä, , ¾, ³, çB

(u, ç, ç

, Ìv, ð'I'ð, µ, ÄfZfbfgfAfbfv, ð'±s, µ, ½è [f, ÍAfZfbfgfAfbfvI-

¹Æä, É [HP LaserJet 5L , Ì(Japan)] fvfŠf"f^ fhf

%fcfo, ÌfAfCfRf", ð'I'ð, µA [ftf@fCf<] f [fj f... [, Ì

['ÉíŽž, æfvfŠf"f^, ÉY'è] , ð'I'ð, µ, Ü, ·B)

5. fZfbfgfAfbfv, àI⁻¹, ·, é, ÆA [HP LaserJet 5L (Japan)]

fvfŠf"f^ fhf%fcfo, ÌfAfCfRf", àV, µ, [fvfŠf"f^]

fEfBf“fhfE,É•\Ž! , ³, êAŽg-p, Å, «, éó‘Ô, É, È, è, Ü, ·B

fvfŠf“f^, ÌŸ‘è, ð•İX, ·, é•K-v, Ì, , éê±, ÍA[fvfŠf“f^]
fEfBf“fhfE, Ì [HP LaserJet 5L, Ì(Japan)] fvfŠf“f^ fhf
%fCfo, ÌfAfCfRf“, ð‘I‘ð, µA[ftf@fCf<] fffj...[, Ì [fvf@fpfefB]
, ðfNfŠfbfN, µA•K-v, ÈŸ‘è, ðs, ç, Ü, ·BŸ‘è“à-
e, ÉŠÖ, ·, éÚ×, ÍA•Êİ, Ü, ½, Ífhf
%fCfo•t‘@, Ìfwf<fvftf@fCf<, ð, ²ŽQÆ, , ¾, ³, çB

[fvfŠf“f^]
fEfBf“fhfE, ÅAfvfŠf“f^, ÌfAfCfRf“, ðf_fuf<fnfŠfbfN, ·, é, ÅA^ó
ü’t, ÌfhfLf...f“fg, â^óü‘Ö, ç, ÌfhfLf...f“fg, ð•\
Ž!, µA^óü, Ìó‘Ô, ðŠÇ-
A, «, Ü, ·B, Ü, ½A^óü, ð^èŽž‘âŽ~, µ, ½, èA’tŽ~, ·, é, ±
, Å, à, Å, «, Ü, ·B

^óü, ÉŠÖ, ·, éÚ×, É, Å, ç, Ä, ÍAWindows 95
, Ìfwf<fv, ÌA[fL[f[fh] æ-Ê, Å [^óü] , ð‘Tð, µAà-
¾, ðŽQÆ, µ, Å, , ¾, ³, çB

 **ftf@fCf< \-**

CTL3DV2	DLL	21,648	96-01-16	18:47
HPJ5G1	DLL	48,484	96-01-16	19:14
HPJ5G2	DLL	40,960	96-01-16	19:21
HPJ5G3	DLL	148,144	96-01-16	19:29
HPJ5GFE	DLL	27,136	96-01-16	19:30
HPJ5GUI	DLL	83,616	96-01-16	19:02
HPLJCOMM	DLL	6,752	95-10-01	23:03
HPPJLMON	DLL	10,736	95-10-01	23:03
HPTABJ16	DLL	76,816	96-01-16	18:47
HPJ5G	DRV	89,392	96-01-16	19:11
HPJ5G	HLP	70,932	96-01-16	18:47
Windowsfwf<fvftf@fCf<				
OEMSETUP	INF	1,103	96-01-16	18:47
README95	TXT	27,105	96-01-29	19:08
à-¾ftf@fCf<				

HP LaserJet 5L fvfŠf“f^–pfhf%fcfo for DOS/V “ú–
{ÈWindows95 Ver 40.0.1

▶ Žû~^ffBfBfNfgfŠ DISC2:\DRIVER\HP\WIN95\95LJ5L_V

▶ “à–e

, í, ¶, ß, É

, ±, ì, ½, Ñ, ÍA•¾ŽĐ»•i, ð, ²w“ü, ç, ½, ¾, «, Ü, µ, ÄA½, É, , è, ª, Æ, ¨
, ², ´, ç, Ü, ·B

HP LaserJet 5L fvfŠf“f^ fhf%fcfo ,ÍA Microsoft Windows 95
(^È%AWindows 95,ÆI,·j‘Îž,ÌAHP LaserJet 5L fvfŠf“f^–
pf\ftfgfEfFfA,Å,·B ,±,ÌHP LaserJet 5L fvfŠf“f^ fhf
%fcfo,ÍA Windows 95 •t’®,ì [fvfŠf“f^,ì’Ç%Á] fEfBfU[fh,ðŽg
–p,µA’g,Ýž,þ,±,Æ,ª,Å,«,Ü,·B,±,ÌfvfŠf“f^ fhf%fcfo,Í
Microsoft Windows 3.1 ,Ü,½,í,»,ê^È’0,ÌŠÂ««,Å,Ì“®ì,ÍfTf|
|[fg,µ,Ä,“,è,Ü,¹,ñB

HP LaserJet 5L fvfŠf“f^,ÍA600dpi,Å,ì,·iŽž,©,Å,‘¬,È^óü,ð
1MB ,ì•w€“<Üf[f, fŠ,ÅŽÀ»µ,½æSú“I,ÈfvfŠf“f^,Å,·B,±
,ÌfvfŠf“f^,Ìf[f, fŠ,í•Ê”„,è,Ìf[f, fŠ fJ[fh,ðŽæ,è•t,´,é,±
,Æ,ÅAÅ’â 9MB ,Ü,ÅŠg’£,·,é,±,Æ,ª,Å,«,Ü,·B

fvfŠf“f^ fhf%fcfo,ÍAfOf%ftfBfbfNfX,ÆfefLfxfg,ì^óü,É•K–
v,Èf[f, fŠ,ðÅ“K,ÉŠC–,·,é,±,Æ,É,æ,Á,ÄA]–
^,Ì600dpi,Å,ì^óü,Å,ÍAÅ’á 2MB ,í•K–
v,¾,Á,½fvfŠf“f^,Ìf[f, fŠ,ð 1MB
,Æ,µA,©,Å•iŽžA‘¬“x,É’Å<|,µ,È,ç^óü,ð’á%žŠi,ÅŽÀ»µ,Ä,ç
,Ü,·B

,Ü,½A,±,ÌfvfŠf“f^ fhf%fcfo,Å,ÍAfqf...
|[fEfBfgEfpfBfJ[fhŽĐ,ÌŠJ”,µ,½fvf[fBf^f%ä–p,ÌÈ¾È HP-GL/2
,ðfTf|[fg,µ,Ä,ç,Ü,·B•K–v,É%ž,¶,Å HP-GL/2 ,ðfOf
%ftfBfbfNfX,ì^óü,ÉŽg–p,·,é,±
,Æ,É,æ,Á,ÄA,‘¬,Å,©,Å”ü,µ,çfOf%ftfBfbfNfX,ì^óü,æÅ”\
,Å,·B

fvfŠf“f^ fhf
%fcfo,ÍY’èf_fCfAf[f0,à^èV,³,é,Ü,µ,½Bft|[fU,É,à,³,µ,çY’è
,É%Á,|[fAfqf“fgi•ñ,à“~žž,É\Ž|,µ,Ü,·B^óü•iŽž,ð [Ž“®]
,ÉY’è,·,é,±,Æ,É,æ,èA,Ü,Æ,ñ,Ç,ì^óü,ªÅ“K,É[s,|,é,æ,¨,Éfhf
%fcfo,ðY’è,µ,Ü,·B^óü’¬“x,ð,Æ,-

,É□dŽ<,·,é□ê□±,â^ó□ü•¶□',^a“Á,É•;ŽG,Åf□f,fŠ
fI□[fo□[ftf□□[^a”□¶,·,é□ê□±□Af}]fj f...fAf<,Å□Ú□×,È□Ý'è,ð□s,±,±
,Æ,à%Å”\,Å,·□B

fvfŠf“f^ fhf%fcfo,İ“Á'·

fvfŠf“f^ fhf%fcfo,É,Í□A^È%^o,İ,æ,±,È“Á'·,^a, ,è,Ü,·:

1) Windows 95 ,İ [fvfŠf“f^,İfvf□fpfefB] fCf“f^□[ftfF□[fX

,í,©,è,â,·,□A'€□ì,μ,â,·,çft□[fU
fCf“f^ftfF□[fX□A[fvfŠf“f^,İfvf□fpfefB] f_fCfAf□f0
f{fbfNfX,É,Í□A 5,Å,İfpflf<,^a-p^0,³,è,Ä,ç,Ü,·□B

[□î•ñ] □A[□Ú□×] fpflf<,Í□AWindows 95
•t'®,İfCf“f^□[ftfF□[fX,Å,·□B,±
,è,ç,ÉŠÖ,·,é□Ú□×,Í□Af_fCfAf□f0f{fbfNfX,İ%E□ã,İ [□H] ,Å%æ-
É,İ,»,è,¼,è,İ□€-Ü,ðfNfŠfbfN,μ□A□à-¾,ðŽQ□Æ,μ,Å,¾,³,ç□B

,Ü,½□A HP LaserJet 5L fvfŠf“f^ fhf%fcfo,ÉŠÖ,μ,Ä,Í□A[-pŽt]
□A[^ó□ü•iŽì] , ,æ,Ñ [fIfvfVf±f“] fpflf<,^a-
p^0,³,è□A,»,è,¼,è,İfpflf<,İ%^o•”,É□Af}fEfX,İf|
fCf“f^,İ^É'u,É'İ%ž,μ,½'€□ì,İfqf“fg,^a•\
Ž!,³,è,Ü,·□B,»,İ'¼,İ□Ú□×,É,Å,ç,Ä,Í□A[fwf<fv] f{f^f“,ð
%Y,μ□Afwf<fvftf@fCf<,ð,²ŽQ□Æ,,¾,³,ç□B

,±,İ [fvfŠf“f^,İfvf□fpfefB] f_fCfAf□f0 f{fbfNfX,ð•\
Ž!,·,é,É,Í□A[fXf^□[fg] f{f^f“,ðfNfŠfbfN,μ□A[□Ý'è(S)] ,ðf|
fCf“fg,μ,Ü,·□BŽY,É [fvfŠf“f^(P)] ,ðfNfŠfbfN,μ□A[fvfŠf“f^]
f_fCfAf□f0 f{fbfNfX,ðŠJ,«,Ü,·□B HP LaserJet 5L fvfŠf“f^ fhf
%fcfo,İfAfCfRf“,ð'I'ð,μ□A[ftf@fCf<(F)] f□fj f...□[,İ
[fvf□fpfefB(R)] ,ðfNfŠfbfN,μ,Ü,·□B

2) ,í,©,è,â,·,ç^ó□ü•iŽì,İ□Ý'è
[^ó□ü•iŽì] fpflf<,Å,Í□A,í,©,è,â,·,ç^ó□ü•iŽì,İ□Ý'è,ð-
p^0,μ,Ü,μ,½□B

[Ž“®](ffftfHf<fg),ð'I'ð,·,é,ÆfvfŠf“f^ fhf%fcfo,^ažg-
p,μ,Ä,ç,éAfvfŠfP□[fVf±f“ f\ftfgfEfFfA,ð”»•É,μ□A,»,è,É“K“-
,ÆŽv,í,è,éfhf%fcfo,İ□Ý'è,ð [•¶Žš,İfvfŠf“fg] □A[f0f
%ftfBfbfNfX,İfvfŠf“fg] ,İ't,©,çŽ“®“I,É'I'ð,μ,Ü,·□B
[•¶Žš,İfvfŠf“fg] ,^aI'ð,³,è,éŽã,ÉfAfvfŠfP□[fVf±f“ f\
ftfgfEfFfA,Í□A^È%^o,İ,à,İ,Å,·:
Lotus 1-2-3, Lotus Approach, MS Excel, MS Word, MS Access,
MS Works,f□□[fhfpbfh, f□f,' , WordPerfect, Borland
Paradox, Borland Quattro Pro

□@□A□f□f, ' , Å, Í□A600dpi, Ì^ó□ü, Å□¶f□□[fWf“□Ý'è, °□³, μ, “□ì, μ, È, ç□ê□‡, °, , é, ½, ß□AZ©“□@“I, É300dpi, °‘I’ð, °, ê, Ü, ·□B

Lotus Freelance 2.1J ,Æ Aldus PageMaker 5.0J ,ðŽg–
p, Ì□Ü□A[Z©“□@](ffftfHf<fg)□Ý'è, ð‘I’ð, ·, é, Æ□A^ó□üff□[f^, °f
°fXf^°fCfY, °, ê□A, ©, Å TrueType ftfHf“fg, °f0f
°ftfBfbfNfX, Æ, μ, Å, Å, Í, È, -
□Afrfbfgf}fbfv, Æ, μ, ÄfvfŠf“f^, Éf_fEf“ f□□[fh, °, ê, Ü, ·□B

[□, ·iŽi fvfŠf“fg]
, Å, Í□AfvfŠf“f^, Ìf□f, fŠ, °s'« , μ, ½□ê□‡, É, à^ó□ü, ð%Å“\
, É, ·, éfCf□□[fW fAf_fvfg, Ì<@“\
(‘¼, Ìf, □[fh, Å, ÍŽ©“□@“I, ÉŽg–
p)□Bf□f, fŠ, °s'« , μ, ½ŽŽ, Å, àfCf□□[fW^³□k, ð□s, Á, Ä^ê·, Ì·iŽi, ð
°° , °, Å^ó□ü, μ, È, ç^×□A□f□f, fŠ fI□[fo□[ftf□□[fGf°□[, °”-
□¶, ·, é□ê□‡, °, , è, Ü, ·□BOHPfV□[fg, Ì^ó□ü, È, Ç·K, , □, ·iŽi, È□o–
Í, °K–v, ÈŽŽ□A–pŽ†, ð–³‘É, É, ·, é, ±, Æ, °, , è, Ü, °, ñ□B

[·¶Žš, ÌfvfŠf“fg] , Å, Í□A[HP-GL/2] f0f°ftfBfbfNfX
f, □[fh, °‘I’ð, °, ê□AWindows , ÌTrueType
ftfHf“fg, ðfvfŠf“f^, É□, ‘¬, Éf_fEf“f□□[fh, μ, Ü, ·□B, ±
, è, É, æ, è□A□f0f°ftfBfbfNfX, Ì^ó□ü, Ì, ½, ß, ÉŽg–
p, Å, «, éfvfŠf“f^, Ìf□f, fŠ, Í□SÆÅ, °, ê, Ü, ·, °□A·¶Žš, Ì^ó□ü, Ì<É, ß, Å
□, ‘¬, Æ, È, èfvfŠf“f^ ftfHf“fg, Ì, æ, ¨, É°ó“K, Å, ·□B, à, μ□A□f□f, fŠ
fI□[fo□[ftf□□[, °”□¶, ·, é□ê□‡, Í□A[f0f°ftfBfbfNfX, ÌfvfŠf“fg]
, ð‘I’ð, μ, Ü, ·□B

[f0f°ftfBfbfNfX, ÌfvfŠf“fg] , Å, Í□A[f°fXf^] f0f°ftfBfbfNfX
f, □[fh, °‘I’ð, °, ê□ATrueType ftfHf“fg, àf0f°ftfBfbfNfX, Æ, μ, Å□^
–□, μ, Ü, ·□BfvfŠf“f^, Ìf□f, fŠ, ðf0f°ftfBfbfNfX, Ì□^–□, É□Å‘âÆÅŽg–
p, ·, é, ±, Æ, É, æ, Á, Å□A, æ, è·iŽG, Èf0f°ftfBfbfNfX, Ì^ó□ü, à%Å“\
, Æ, μ, Ü, ·□B, à, μ□A□f□f, fŠ fI□[fo□[ftf□□[, °”-
□¶, ·, é□ê□‡, Í□A[300dpi fvfŠf“fg] , ð‘I’ð, μ, Ü, ·□B

[300dpi fvfŠf“fg] , Å, Í□A□, È, çfvfŠf“f^ f□f, fŠ, Å^ó□ü, °%Å“\
, Å, ·□B600dpi, Ì^ó□ü, Åf□f, fŠ fI□[fo□[ftf□□[, °”-
□¶, μ, Å^ó□ü, Å, «, È, ç□ê□‡□A, ±, Ì□Ý'è, ð‘I’ð, μ, Ü, ·□B

[f}fj f...fAf<□Ý'è] , Å, Í□A, ·, ×, Ä, Ì□Ý'è, ðf}fj f...fAf< , Å□s, ¨, ±
, Æ, °%Å“\
, Å, ·□B

3) fvfŠf“f^–¼, ÌfJfXf^f}fCfY
HP LaserJet 5L fvfŠf“f^ fhf°fCfo, Ì–¼‘0, ðŽg, ç, â, ·, ç–
¼‘0, É□AZŽ, Ì·ù–@, ÅfJfXf^f}fCfY, ·, é, ±, Æ, °, Å, «, Ü, ·□B
[fXf^□[fg] f{f^f“ , ðfNfŠfbfN, μ□A[□Ý'è(S)] , ðf|
fCf“fg, μ, Ü, ·□BŽŽ, É [fvfŠf“f^(P)] , ðfNfŠfbfN, μ□A[fvfŠf“f^]
f_fCfAf□f0 f{fbfNfX, ðŠJ, «, Ü, ·□B HP LaserJet 5L fvfŠf“f^ fhf

‰fCfo, ÌfAfCfRf“, ð‘I‘ð, µ□A[ftf@fCf<(F)] f□fjf...□[, Ì [-
¼‘0, Ì•İ□X(M)] , ðfNfŠfbfN, µ, Ü, ·□BfvfŠf“f^, Ì-¼‘0, ð“C^Ó, Ì-
¼‘0, É•İ□X, µ□A[fŠf^□[f“] fL□[, ð‰ÿ, µ, Ü, ·□BfvfŠf“f^-
¼, Ì•Ÿš□”, Í□A□Å□, 31•Ÿš, Ü, Å, Æ, È, è, Ü, ·□B

4) EMF fXfv□[f< ff□[f^€`Ž®
, ±, ÌfIfvfVf†f“, ðŽg-p, ·, é, ±, Æ, É, æ, è□Afvf□fOf‰f€ , ^óüü^ -
□, ©, ç‰•ó, ³, è, é, Ü, Å, ÌŽŽŠÔ, ^Z, , È, è, Ü, ·□BŽÀ□Ü, Ì^óüüo-
ÌŽŽŠÔ, Í‘É□í, æ, è‘á‰, ·, é‰Å“\□«, ^, , è, Ü, ·, ^□A^óüüŽÀ□s‘t, É□A‘¼
, Ìfvf□fOf‰f€, ð‘±□s, ·, é, ±, Æ, ^, Å, «, Ü, ·□B
EMF€`Ž®, ð‘I‘ð, ·, é, É, Í□A[fvfŠf“f^, Ìfvf□fpfefB]
f_fCfAf□fOf{fbfNfX, Ì‘t, Ì [□Ü□×] fpflf<, ðŠJ, «, Ü, ·□BŽÿ, É
[fXfv□[f<, ÌŸ‘è(L)] f{f^f“, ðfNfŠfbfN, µ□A[fXfv□[f<
ff□[f^€`Ž®(F)] f{fbfNfX, Ì‘t, ©, ç [EMF] , ð‘I‘ð, µ, Ü, ·□B

‘□: EMF€`Ž®, ðŽg-pŽž, É□A, ç, , Å, ©, ÌWindows 3.1‘Î
‰ž, ÌfAfvfŠfP□[fvf†f“ (Harvard Graphics, Micrographics
Designer™), Å-â‘è, ^<N, «, é‰Å“\□«, ^, , é, ±, Æ, ^•ñ□□, ³, è, Å, ç
, Ü, ·□B , ±, Ì, æ, µ, É□AEMF€`Ž®, Å-
â‘è, ^<N, «, é□ê□†, Í□AfffTfHf<fg, Ì [RAW] €`Ž®, ð, ²Žg-p, , ¾, ³, ç□B

5) fvf‰f0 fAf“fh fvf€fC
fvfŠf“f^, ^fpf‰f€f< f|□[fg, É□Ü‘±, ³, è, Ä, ç, é□ê□†□AWindows 95
, Ì, ˆŽg, ç, ÌfvfŠf“f^, ð“Fž, µ□A□ê-p, ÌfvfŠf“f^ fhf
‰fCfo, ðfCf“fXfg□[f<, ·, é, æ, µŽwŽ!, µ, Ü, ·□B, Ü, ½□AWindows 95
, ÌfvfŠf“f^, Ìó‘0, ð•\Ž!, µ, Ü, ·□B, ½, Æ, |, Í□AfvfŠf“f^, Ì-
pŽt, ^, È, , È, Á, ½□ê□†□AWindows 95 , ^<Žt, ·, é, æ, µŽwŽ!, ð‘-
, è, Ü, ·□B-pŽt, ð•â<<, ·, é, È, Ç-â‘è, ð‰ð€^, ·, é, ±
, Æ, É, æ, è□A‘É□í^óüüfWf†fu, ^□ÄŠJ, ³, è, Ü, ·□B^óüüfWf†fu, ^□ÄŠJ, ³,
è, È, ©, Á, ½□ê□†, Í□A, à, µ^è“x^óüüfWf†fu, ðŽÀ□s, µ, Å, Ý, Ä, , ¾, ³, ç□B

6) ^óüüfWf†fu, ÌŠÇ-□
Windows 95 , Å, Ì [fvfŠf“fg f}fL□[fWff] , ÌfTf|□[fg, ³, è, Ä, ç
, Ü, ¹, ñ□B, ˆŽg, ç, ÌPC, É□Ü‘±, ³, è, Ä, ç
, é, » , è, ¼, è, ÌfvfŠf“f^, ², Æ, É□Afvf†fu, Ìó‘0, âfhfLf...
f□f“fg, ÌfI□[fi□[“™, Ì□î•ñ, ðŠÜ, Ý□Afvf†fu, ÌŠÇ-□, ^‰Å“\, È
[fvfŠf“f^ fEfBf“fhfE] , ð•\Ž!, ·, é, ±, Æ, ^, Å, «, Ü, ·□B, ±, Ì
[fvfŠf“f^ fEfBf“fhfE] , ðŠJ, , È, Í□A[fvfŠf“f^]
fEfBf“fhfE, Å□AfvfŠf“f^, ÌfvfŠf“f^, ÌfAfCfRf“, ðf_fuf<
fNfŠfbfN, µ, Ü, ·□B

7) ‘·, çftf@fCf<-¼
“¼Šp, Å8•Ÿš^È“à, ÌŠî-{-¼, Æ□A3•Ÿš^È“à, ÌŠg‘£žq, Æ, ç, µ□S€À, ^
Windows 95 , Å, Ì, È, , È, è□Aftf@fCf<-¼, ðŽ©-R, ÉŽw‘è, Å, «, é, æ, µ
, È, È, è, Ü, µ, ½□B, » , è, É”º, ç□AfvfŠf“f^ fhf‰fCfo, Ì-¼‘0, àŽ©-
R, ÉŽw‘è, Å, «, Ü, ·□BfvfŠf“f^-
¼, Ì•Ÿš□”, Í□A□Å□, 31•Ÿš, Ü, Å□Ÿ‘è, Å, «, Ü, ·□B

8) TrueType ftHf“fg, Ì, ‘-^óü
[•Ÿš, ÌfvfŠf“fg] , ð‘I’ð, µ, ½, Ê, Ì, Ü, ½, Í, A[f]fjf...fAf<Ÿ’è
, ©, ç [TrueType , ðf_fEf“f[fh, ., é] , ð‘I’ð, µ, ½, Ê, Ì, Ü, ½, Í, A[f]fjf...fAf<Ÿ’è
, Ì TrueType
ftHf“fg, ðfvfŠf“f^, É, ‘-, Éf_fEf“f[fh, µ, Ä^óü, µ, Ü, .BfvfŠf
“f^ fhf%fcfo, “, æ, ÑfvfŠf“f^, Ä, ÌfLfffbfVf...
fefNfmfW[, , ðfvfŠf“f^
ftHf“fg, É^ø, -, ð, Æ, ç, È, çfpftH[f]f“fX, ðžÀ«», µ, Ü, .B

9) HP-GL/2 , ÌfTf| [fg
]-^, Ì HP LaserJet fvfŠf“f^, Æ“-l, ÉAHP-GL/2 , ðfvfŠf“f^ fhf
%fcfo, ÅTf| [fg, ^, ê, Ü, .BfOf
%ftfBfbfNfX, Ì^óü’-“x, ð“Á, Édž<, ., éÊ, Ì, Ü, ½, Í, A[f]fjf...fAf<Ÿ’è
p, µ, Ä, Ì^óü, ð, Å, .B, ½, ¾, µA^ê”É, É HP-GL/2 , ðžg-
p, µ, ½^óü, Å, ÍAfOf%ftfBfbfNfX, ð%fxf^ fOf
%ftfBfbfNfX, Æ, µ, Ä^-, ., éÊ, Ì, Ü, ½, Í, A[f]fjf...fAf<Ÿ’è
•K-v, Æ, µ, Ü, .B•K-v, Éž, ¶, ÄA[f]fjf...fAf<Ÿ’è
, ©, ç ‘I’ð, µ, Ü, .B

10) %ç•ŸfvfŠf“f^ ftHf“fg, ÌfTf| [fg
fvfŠf“f^ fhf%fcfo, Å, ÍAHP LaserJet 5L , ð“à’ , ., é
Intellifont ftHf“fg, ðTf|
[fg, µ, Ü, .BfvfŠf“f^“à’ ftHf“fg, ÍAfAfvfŠfP[fVf#f“ f\
ftfgfEfFA, Ì [‘‘I’ð] f[fjf...[, É, ç, Å, ÍA‘‘I-¼, ÌŸ%
i, ÉfvfŠf“f^, ÌfAfCfRf“•t, «, Å\ž|, ^, ê, Ä, ç, Ü, .B, ±
, é, ç, ÌftHf“fg, É‘Î, ., éXfNfŠ[f“ ftHf“fg, ð, È, ç
, ½, ßAfXfNfŠ[f“ä, Ì\ž|, Í Windows , ð, Å, Ä, ç, é, È, é, x, -
<ß, ç•É, ÌftHf“fg, ð‘ä-p, ^, ê, Ü, ., ðA^óü, É, ÌfvfŠf“f^“à’ , ÌfXf
P[f%uf<•Ÿš, ÌfvfŠf“fgftHf“fg, ðžg-
p, ^, ê, é, ½, ßA, ‘-, ©, Å, •iž, É^óü, ðs, È, í, ê, Ü, .B

11) fOf%ftfBfbfNfX•iž, ÌfTf| [fg
600dpi , Ìf, [fh, É, “, ç, ÄA600A300A150dpi , Ì
%ð‘æ“x, ðA, Ü, ½A300dpi , Ìf, [fh, “, ç, Ä 300A150A75dpi , Ì
%ð‘æ“x, ðTf| [fg, ^, ê, Ä, ç, Ü, .B, ±, é, ç, Ì
%ð‘æ“x, ÌŸ’è, ÍA[f]fjf...fAf<Ÿ’è] , ©, ç [fOf
%ftfBfbfNfX•iž(Q)] , É, “, -, é [•iž] A[•‘É] A[fhf%ftfg]
, Ì‘I’ð, É, æ, Å, Äs, ç, Ü, .B

12) fGfRfmf, [fh, ÌfTf| [fg
fgfi[, ÌA“i-Ê, ðSÄ, µAfgfi[fJ[fgfŠfbfW, ð, æ, è’ ., žg-
p, ., é, ±, Æ, ð, Å, «, Ü, .B
fGfRfmf, [fh, Å, Ìo-Í, Í [fhf%ftfg] , ÌfOf%ftfBfbfNfX•iž, Æž-
, Ä, ç, Ü, .Bfgfi[, ÌA“i, ð, É, , ., é, ½, ß, Éžg-p, ., éfhfbfg, ð, È, -
, È, é, æ, ð, ÉRf“fgf[f<, µ, Ä, ç
, Ü, .BÇoI«AŠ««, É, â, ^, µ, ç<@“\, Å, .B

13) ^óü"Z"x, ìfTf| [fg
D, Ý, É, í, ^5' iSK, I^óü"Z"x, áY'è, Å, «, Ü, ·B [fIfvfVf#f"]
fpflf<, ÅY'è, µ, Ü, ·B

14) fGf"fnf" fXfhI/O, ìfTf| [fg
fvfŠf"f^, ÌI/Ofofbftf@, ì'ã, «, ^, ðÅ"K, ÉfRf"fgf [f<, ·, é, ±
, Æ, É, æ, Á, ÄA, È, çfvfŠf"f^ f, fŠ, ðÅ'âÆÀ, ÉŽg-p, µ, Ü, ·B
[fIfvfVf#f"] fpflf<, ÅY'è, µ, Ü, ·B

15) REt , ìfTf| [fg
REt , Æ, ÍA^óü•iŽi, ðËüã, ^, ^, é, ½, ß, Ìfqf...
[fÆfbfgEfpbfJ [fhŽĐ"ÆŽ©, Ì^óü<ZpAResolution
Enhancement technology , Å, ·B [fIfvfVf#f"]
fpflf<, Å'I'ð, µ, Ü, ·B

Microsoft Windows 95 , ð, ÌfZfbfgfAfbfv, É, Å, ç, Ä

*' ^ó

fCf" fXfg [f< ì<Æ, ðs, «'O, ÉAfEfBf< fX
f` fFbfN, âTSR(f, fŠí"Æ^) f\ftfgfEfFA, È, Ç, Ìí"Æ^f\
ftfgfEfFA, Í, ·, x, ÄI⁻¹, µA, », ê, ç, áŽ©"I, É<N"®, ^, ê, É, ç-
l, É, µ, ½Æã, É Windows , ðÅ<N"®, µ, Å, , ¾, ^, çB

HP LaserJet 5L fvfŠf"f^ fhf%fcfo, ÍAWindows 95 •t'®, Ì
[fvfŠf"f^, Ì'Ç%Á] fEfBfU [fh, ðŽg-p, µA^È%°, ÌŽè, É]
, Å, ÄfZfbfgfAfbfv, ðs, Å, Å%°, ^, çB

1. Windows 95 , ð<N"®, µ, Å%°, ^, çB

2. [fXf^ [fg] f{f^f", ðfNfŠfbfN, µA [Y'è] , ðf|
fCf"fg, µ, Ü, ·BŽY, ÉA [fvfŠf"f^] , ðfNfŠfbfN, µ, Ü, ·B

3. [fvfŠf"f^, Ì'Ç%Á] fAfCfRf", ðf_fuf<fNfŠfbfN, µ, Ü, ·B

4. æ-Ê, É\Ži, ^, ê, éEfBfU [fh, ÌŽwŽi, É]

, Å, ÄfZfbfgfAfbfv, ðs, ç, Ü, ·B

, ±, ÌÜA uWindows fAfvfŠfP [fVf#f", ÅA, ±

, ÌfvfŠf"f^, ð'Éí, ÌfvfŠf"f^, Æ, µ, ÄŽg, ç, Ü, ·, ©Hv, Æ, ç, «Ži-
â, É'Î, µA u, Í, çv, ð'I'ð, µ, Å, , ¾, ^, çB

(u, ç, ç

, Ìv, ð'I'ð, µ, ÄfZfbfgfAfbfv, ð'±s, µ, ½ê, ÍA fZfbfgfAfbfv I-

¹Æã, É [HP LaserJet 5L , Ì(Japan)] fvfŠf"f^ fhf

%fcfo, ÌfAfCfRf", ð'I'ð, µA [ftf@fCf<] f f j f... [, Ì

['ÉíŽg, «fvfŠf"f^, ÉY'è] , ð'I'ð, µ, Ü, ·B)

5. fZfbfgfAfbfv, áI⁻¹, ·, é, ÆA [HP LaserJet 5L (Japan)]

fvfŠf“f^ fhf%fcfo,İfAfCfRf“,ªV,µ, [fvfŠf“f^]
fEfBf“fhfE,É·\Ž!,³,êAŽg-p,Å,«,éó‘Ô,É,È,è,Û,·B

fvfŠf“f^,İY’è,ð·İX,·,é·K-v,İ, ,éê‡,ÍA[fvfŠf“f^]
fEfBf“fhfE,İ [HP LaserJet 5L ,İ(Japan)] fvfŠf“f^ fhf
%fcfo,İfAfCfRf“,ð‘I’ð,µA[ftf@fcf<] fffj...[,İ [fvf‡pfefB]
,ðNfŠfbfN,µA·K-v,ÈY’è,ðs,ç,Û,·BŸ’è“à-
e,ÉŠÖ,·,éÚ×,ÍA·Êİ,Û,½,İfhf
%fcfo·t’®,İfwf<fvftf@fcf<,ð,²ŽQÆ,,¾,³,çB

[fvfŠf“f^]
fEfBf“fhfE,ÅAfvfŠf“f^,İfAfCfRf“,ðf_fuf<fNfŠfbfN,·,é,ÆA^ó
ü’t,İfhfLf...ff“fg,â^óü’Ô,¿,İfhfLf...ff“fg,ð·\
Ž!,µA^óü,İó‘Ô,ðŠç-
A,Å,«,Û,·B,Û,½A^óü,ð^êžž’âž~,µ,½,èA’tž~,·,é,±
,Æ,à,Å,«,Û,·B

^óü,ÉŠÖ,·,éÚ×,É,Â,ç,Ä,ÍAWindows 95
,İfwf<fv,İA[fL[f‡[fh] æ-É,Å [^óü] ,ð’Tð,µAà-
¾,ðŽQÆ,µ,Ä,,¾,³,çB



ftf@fcf<\~

HPJ5G1	DLL	48,484	96-01-16	19:14
CTL3DV2	DLL	21,648	96-01-16	18:47
HPJ5G2	DLL	40,960	96-01-16	19:21
HPJ5G3	DLL	148,144	96-01-16	19:29
HPJ5GFE	DLL	27,136	96-01-16	19:30
HPJ5GUI	DLL	83,616	96-01-16	19:02
HPLJCOMM	DLL	6,944	96-01-16	18:47
HPPJLMON	DLL	10,736	96-01-16	18:47
HPTABJ16	DLL	76,816	96-01-16	18:47
HPJ5G	DRV	89,392	96-01-16	19:11
HPJ5G	HLP	70,932	96-01-16	18:47
Windowsfwf<fvftf@fcf<				
OEMSETUP	INF	1,103	96-01-16	18:47
README95	TXT	27,105	96-01-29	18:52
à-¾ftf@fcf<				

HP ScanJet fRfs [ft [fefBfŠfefB (NEC PC98-p)

 **Žû~^fffbfœfnfgfŠ** DISC2:\DRIVER\HP\WIN31\COPY10N

 **“à-e**

,æ,è,æ,çfRfs [[œ<%Ê, ð“¾, é, É, Íc

* HP ColorSmartfvfŠf“f^,Æfhf%fCfo, ÌŽg-p, ð, “Š©, ß, µ, Ü, ·B
* PCLfhf%fCfo, ð~-p, Å, «, éê# , ÍAPostScriptfhf
%fCfo, Å, Í, È,
PCLfhf%fCfo, ÌŽg-
p, ð, “Š©, ß, µ, Ü, ·BfRfs [[ŽžŠÔ, ª'Zk, Å, «, Ü, ·B

šfCf“fXfg [f<•û-@

@%½, à“ü, Á, Ä, ç, È, ç<ó, ÌftfH [f}fbfg [İ, Ýftf [fbfs [fffBfXfN, ð-
p^Ó, µ, ÄA

@DISC2:\DRIVER\HP\COPY10N

%º, Ì, ·, ×, Ä, Ìftf@fCf<, ðfRfs [[µ, Ä, ,¾, ³, çB

@@, » , Ìftf [fbfs [“à, É, , éSETUP.EXE, ðŽÀs, µ, Ä, ,¾, ³, çB

 **ú, µ, , ÍDISC2:\DRIVER\HP\COPY10N\WIN31\README2.TXT, ð, ²—, -**
,¾, ³, çB

HP Scanning Software v1.01

インストールの実行



Žû~^ffBf&fNfgfŠ

DISC2:\DRIVER\HP\WIN31\PP101



□Ú,μ,,ÍDISC2:\DRIVER\HP\WIN31\PP101\DISK1\README.TXT,ð,²—,-
,³/₄,³,¢□B

HP ScanJet fRfs[]ft[]fefBfŠfefB



Žû~^fffbfCfNfgfŠ

DISC2:\DRIVER\HP\WIN31\COPY10V



“à-e

,æ,è,æ,çfRfs[][E<%Ê,ð“¾,é,É,Íc

* HP ColorSmartfvfŠf“f^,Æfhf%fcfo,ìŽg-p,ð,“Š©,ß,µ,Û,·B

* PCLfhf%fcfo,ð~p,Å,«,éê# ,ÍAPostScriptfhf
%fcfo,Å,Í,È,

PCLfhf%fcfo,ìŽg-
p,ð,“Š©,ß,µ,Û,·BfRfs[][ŽžŠÔ,ª'Zk,Å,«,Û,·B

fCf“fXfg[]f<•û-@

[]@%½,à“ü,Á,Ä,ç,È,ç<ó,ÌftfH[]f}fbfg[]İ,Ýftf[]fbfs[][fffbfXfN,ð-
p^Ó,µ,ÄA

[]@DISC2:\DRIVER\HP\WIN31\COPY10V


%º,ì,·,×,Ä,Ìftf@fcf<,ðfRfs[][,µ,Ä,,¾,³,çB

[]@,»,Ìftf[]fbfs[][“à,É, ,éSETUP.EXE,ðŽÀs,µ,Ä,,¾,³,çB



[]Ú,µ,,ÍDISC2:\DRIVER\HP\WIN31\COPY10V\README2.TXT,ð,²—, -
,¾,³,çB

インストールの実行

 **Žû~^ffjBjÆfNfgfŠ** DISC2:\DRIVER\HP\WIN31\DJ50

 **“à-e**

□š<Æfhf%fcfo,Æ-{fhf%fcfo,Æ,ì‘Š^á”_

□@□æ<Æ HP DeskJet J- fVfŠ□[fYfvfŠf“f^fhf%fcfo□iv2.0

^É‘0,Ìfhf%fcfo□j,ðfAfbfvf0fÆ□[fh,·,é□Ú□A^É

‰º,ì“_,ª<ÆfvfŠf“f^fhf%fcfo,Æ^Ù,È,è,Û,·□B

□@ o Ž““®fJf%□[^ó□ü

□@ o □V,µ,çfvfŠf“f^f_fCfAf□f0f{fbfNfX

□@ o <Æfhf%fcfo•t‘®Ì«ÝÄ[-¾‘©,ł]□A[Roman PS],ðfTf|

□[fg,µ,È,ç

□@o ^óŽš%Â”\–ì^æ

□@ o Microsoft Windows 3.0 ,ðfTf|□[fg,µ,È,ç

□šfRf“fgf□□[f<fpflf<,©,ç,ìfCf“fXfg□[f<

□@□æfRf“fgf□□[f<fpflf<,æ,èfvfŠf“f^fhf


%fcfo,ðfCf“fXfg□[f<,·,é,±,Æ,Í”ð,¯,Ä,-

,¾,¾,ç□BfCf“fXfg□[f<,ª□¾,µ,□s,í,ê,È,ç,±,Æ,ª, ,è,Û,·□BfRf“fg

f□□[f<fpflf<,æ,èfvfŠf“f^fhf%fcfo,ðfCf“fXfg□[f<,µfgf


%fuf<,ª”□¶,µ,½□ê□‡,Í□AHPSETUP.EXEfvf□f0f%fc

,ðŽg,Á,ÄfvfŠf“f^fhf%fcfo,ð□Ä“xfCf“fXfg□[f<,µ,Ä,¾,¾,ç□B

 □ú,µ,,ÍDISC2:\DRIVER\HP\WIN31\DJ50\README.TXT,ð,²—,-
,¾,¾,ç□B

Hewlett-Packard HP-GL/2
Windowsfhf%fcfo (HP-GL/2 , ,æ,Ñ HP RTL)

インストールの実行

 **Žũ~^fffbfœfnfgfŠ** DISC2:\DRIVER\HP\WIN31\HPGL210

 **“à-e**

□š‘Î%ž□»•i

- HP fffUfCf“fWfFfbfg (C1633A/B)
- HP fffUfCf“fWfFfbfg 200
- HP fffUfCf“fWfFfbfg 220
- HP fffUfCf“fWfFfbfg 230
- HP fffUfCf“fWfFfbfg 250C
- HP fffUfCf“fWfFfbfg 600
- HP fffUfCf“fWfFfbfg 650C
- HP fffUfCf“fWfFfbfg 750C

□šfhf%fcfo, Ìfcf“fXfg□[f<
□d-v, ±, Ìfhf
%fcfo, ðfcf“fXfg□[f<’t, Í□A‘¼, ÌfAfvfŠfP□[fVf#f“, ð<N“®, µ, È, ç
, Å, , ¾, ¾, ç□B

□œWindows 3.1 , Å, Ìfcf“fXfg□[f<

□@•\‘è•”•ª, Ìfcf“fXfg□[f<f{f^f“, ð%ÿ, µ, Å, , ¾, ¾, ç□B

□œWindows 95 , Å, Ì•W□€fcf“fXfg□[f<
□@
□@-{fhf%fcfo, Í□A Windows 95
, Ì‘□ŠúfŠfŠ□[fX”Å, Éœü, -, Ä□Ýœv, ¾, è, Å, ç, Ü, •□B
□@
□@Žÿ, Ìžè□‡, Å□A“Á, Éž|, ¾, È, çœÀ, è□Af}fEfX, ÌfnfŠfbfN, Í□¶f{f^f“,
ðžg-p, •, é, ±, Æ, ð‘0’ñ, Æ, µ, Å, ç, Ü, •□B

□@1. Windows 95 , ð<N“®, µ□ADISC2:\DRIVER\HP\WIN31\
HPGL210^È%º, È, , é, •, ×, Å, Ìtft@fcf<, ðfRfs□[, µ, ½ftf□fbfs□[fffb
fXfN, ðfffbfXfN, ð“ü, è, Ü, •□B□mfXf^□[fg□n, ðfnfŠfbfN, µ□A□m□Y’è□
n, ð‘I’ð, µ, ½, ç□A□mfvfŠf“f^□n, ð‘I’ð, µ, Å□mfvfŠf“f^□nf_fCfAf□f0
f{fbfNfX, ðŠJ, «, Ü, •□B

@
 @2. mfvfšf“f^,ì'ç
 %ÁnfAfCfRf“,đf_fuf<fNfšfbfN,µAmfvfšf“f^
 fEfBfU[fh_nf_fCfAf_f0 f{fbfNfX,đšJ,«,Û,·B
 @
 @3. æ-Ê,É•\Ž! ,³,ê,éžwŽ! ,É],ç,Û,·BfvfXfef€\
 -,É,æ,Á,Ä,ÍAŽŸ,ì,æ,«,ÉŽ;-â,đ,³,ê,é,©,à,µ,ê,Û,¹,ñB
 @
 @ fvffbf^,í,ç,±,ÉÚ'±,³,ê,Ä,ç,Û,·,©?
 @ -----
 @ 'I'đfIvfVf#f“fF
 @ f[fJf< fvfšf“f^ fvfšf“f^,ÆfRf“fsf...
 [f^,ªfP[fuf<,Á'¼ÚÚ'±,³,ê,Ä,ç,éê±B
 @ flfbfgf[fN fvfšf“f^ fvfšf“f^,Éflfbfgf[fN
 fIvfVf#f“i"HP JetDirect flfbfgf[fN fCf“f^ftfF[fX"
 “™j,ªfCf“fXfg[f<,³,ê,Ä,ç,ÄAfvfšf“f^,Æ,ì'ÉM,ÉŽg-
 p,·,éê±B
 @
 @ MS-DOS,ìfvf_f0f%f€,©,ç^óü,µ,Û,·,©?
 @ -----
 @ m,ç,ç,¡n,đ'I'đ,·,é,±
 ,Æ,đ,“š©,ß,µ,Û,·Bm,í,çn,íA MS-DOS fhf
 %fCfo,đfCf“fXfg[f<,µ,Ä,ç,ÄA HP fffUfCf“fwfFfbfg
 fVfš[fY,ìfvffbf^,Éo-Í,Ä,«,éê±,É,ì,Ý'I'đ,µ,Ä,,³/₄,³,çB
 @
 @4. fCf“fXfg[f<žè±,ìAĚă,ì•û,ÁAfhf%fCfo,ìfwf<fv
 fVfXfef€,Éf\ftfgfEfFfAfAvfšfP[fVf#f“ fm[fg,ª•\
 Ž! ,³,ê,Û,·B,²Žg-p,ìfAvfšfP[fVf#f“,ÉšÖ,·,é€
 ,đ,“ç,Ý,É,È,é,æ,«
 ,“š©,ß,µ,Û,·B“ç,ÝI,Á,Äfwf<fvftf@fCf<,đ•Â,¶,é,ÆAWindows
 95 ,ìmfvfšf“f^ fEfBfU[fh_nf_fCfAf_f0 f{fbfNfX,É-ß,è,Û,·B
 @
 @5. fh%fCfo,ìfCf“fXfg[f< fffBfXfN,đžæ,èo,µ,Û,·B



Ú,µ,,ÍDISC2:\DRIVER\HP\WIN31\README.TXT,đ,²—,,³/₄,³,çB

HP LaserJet 4PJ fvfŠf“f^fhf%fcfo HPJ5E
Version 31.V2.00 for Windows 3.1J

 Žû~^fffbfBfœfnfgfŠ DISC2:\DRIVER\HP\WIN31\LJ4PJ20

 “à-e


□@HPJ5E fvfŠf“f^□Efhf%fcfo,Í□AHP LaserJet 4PJ fvfŠf“f^—
p,ìfvfŠf“f^□Efhf%fcfo,Å,·□BHP LaserJet 4PJ
fvfŠf“f^,Í□AMicrosoft Windows 3.1J ,Ì•W□€ ,Å ,éTrueType
ftfHf“fg,ìf%fxf^f%fcfU,ð“<□Ú,μ□A,λ,r —¾’©□A,λ,rfSfVfbfN
,ì,Q□‘ ‘ì,ð•W□€ ,Å“<□Ú,μ,½600dpi,ì“ú—{œfvfŠf“f^,Å,·□B—
{fvfŠf“f^,“,æ,ÑfvfŠf“f^fhf%fcfo,ÅfTf|□[fg,³,è,½HP ŽĐ,Ì•W□€
,Å ,éfy□[fw<L□qœ¾œè,o,b,k,Í□A,QfofCfgr□[fh,ìfTf|
□[fg,ð□s,Å,Ä,ç,Û,·□B,±,è,É,æ,è□AMicrosoft Windows 3.1J ,Æ
HP LaserJet 4PJ fvfŠf“f^,Ì’g,Ý□±,í,¹,É,æ,Á,Ä□A,±
,è,Û,Å,É,È,ç□,‘¬,Å,©,Å□,•iŽì,È^ó□ü,ð,²~—p,ç,½,¾,±,Æ,æ%Å”\
,Æ,È,è,Û,μ,½□B,±,ìfvfŠf“f^□Efhf%fcfo,Å,Í□AHP-GL/2 ,ðfTf|
□[fg,μ,Ä,ç,Û,·□BHP-GL/2 ,Í□AHP ŽĐ,ÌŠJ”,μ,½fvf□fbf^□Sœä—
p,Íœ¾œè,Å ,è□AHP-GL/2 ,ìfTf|□[fg,É,æ,è•;ŽG,Éfof
%ftfbfbfNfX,Ì^ó□ü,à□,‘¬,Å,©,Å□,•iŽì,É□s,±,±,Æ,æ%Å”\
,Å,·□B

□@HPJ5E fvfŠf“f^□Efhf%fcfo,Å,Í□A□Ý’èf_fCfAf□f0,æ,è—
l□X,È□Ý’è,æ%Å”\
%ftfbfbfNfXf,□[fh,ð HP-GL/2 ,Æ,μ,Ä,“Žg,ç,ç,½,¾,±
,Æ,ð,“,·,·,·,β,μ,Û,·□B

□šfCf“fXfg□[f<•û—@


- @□@HPJ5E fvfŠf“f^□Efhf%fcfo,ð Microsoft Windows 3.1J
,É’g,Ý□ž,β,½,β,É,Í□A^È%º,Ì,æ,±,È’€□ì,æ•K—v,Å,·□F
□@
□@1. fvf□fof
%f€□Ef}fl□[fwff,ìf□fcf“,ìfof<□[fv,æ,è□Afrf“fgf□□[f<□Efpflf<
,ð’I’ð,μ,Û,·□B
□@2.
frf“fgf□□[f<□Efpflf<,©,çfvfŠf“f^□EfAfCfRf“,ð’I’ð,·,é,Æ□Afvf
Šf“f^,Í□Ý’èf_fCfAf□f0,æ•\Žì,³,è,Û,·□B
□@3. [‘Ç%Å>] f{f^f“,ðfnfšfbfN,μ,Û,·□B
□@4.
úV’g,Ý□ž,βfvfŠf“f^,Ì’I’ðúV,ìfŠfXfg□Ef{fbfNfX,æ,èúV^è—
,É,È,çfvfŠf“f^,â□X□V,³,è,½fvfŠf“f^,Ì’g,Ý□ž,ÝúV,ð’I’ð,μ,Û,·□
ifŠfXfg,Í□Å%º,Í□€—Ú,Å,·□j□B
□@5. [‘g,Ý□ž,Ý...] f{f^f“,ð’I’ð,μ,Û,·□B

- Ⓜ@6. HPJ5E fvfŠf“f^Efhf%fcfo,ì, ,éDISC2:\DRIVER\HP\LJ4PJ20,ÉAêŠ,ðŽw'è,μ,Û,·B
 - Ⓜ@7. "HP LaserJet 4PJ"
,ð'I'ð,μA[OK]f{f^f“,ðfNfŠfbfN,μ,Û,·B
 - Ⓜ@8. [Ú'±...] f{f^f“,ð'I'ð,μ,Û,·B
 - Ⓜ@9. úVÚ'±æúVfŠfXfgEf{fbfNfX,©,çf|[fg,ð'I'ð,μ,Û,·B
 - 10. ' , '¬,É^óü' ,ð'I'ð,μA[OK]f{f^f“,ðfNfŠfbfN,μ,Û,·B
 - 11. [Ý'è...] f{f^f“,ð'I'ð,μ,Û,·B
 - 12. Ý'èf_fCfAf0,ÅA•K-v,ÈÝ'è,ðs,ç,Û,·B
 - 13. [OK] f{f^f“,ðfNfŠfbfN,μ,Û,·B
 - 14. ['ÊíŽg,xfvfŠf“f^,Æ,μ,ÅÝ'è]f{f^f“,ðfNfŠfbfN,μ,Û,·B
 - 15. [I⁻¹]f{f^f“,ðfNfŠfbfN,μ,Û,·B
- Ⓜ@


 Ú,μ,,ÍDISC2:\DRIVER\HP\WIN31\LJ4PJ20\README.TXT,ð,²—,-
,³/₄,³,çB

HP DeskJet850CfCf“fNfWfFfbfgfvfŠf“f^~pfhf%fcfo
for DOS/V “ú-ŕWindows3.1/95

インストールの実行


 @Žú~^fffbfƒfNfgfŠ DISC2:\DRIVER\HP\WIN95\DJ85C80V

%Eã,É, ,éfcf“fXfg[f<f{f^f“ ,đ%Ÿ,μ,½,Æ,«,ÉŽÀs,³,ê,éfcf“fXfg[f
%[,ÍWindows3.1ã,Ä,İ,Ÿ“®ì,μ,Ü, ·BWindows95,đ,“Žg,ç,İ•û,Í
%º<L,İfcf“fXfg[f<•û-@,É],Ä,Ä, ,¾,³,çB

 fhf%fcfo,İfcf“fXfg[f<•û-@


E“ú-ŕWindows3.1,Ö,İfcf“fXfg[f<
@•K, Windows3.1,İfvf[f0f%f€f}fl[fWff,©,ç "setup.exe"
,đŽÀs,μ,Ä, ,¾,³,çB
i-áFa:.exej
fRf“fgf[f<fpflf<,©,ç,İfcf“fXfg[f<,Í,Ä,«,Ü,¹,ñB

E“ú-ŕWindows95,Ö,İfcf“fXfg[f<
@fRf“fgf[f<fpflf<,©,çfvfŠf“f^,đ‘I,ÑA,³,ç,ÉfvfŠf“f^,İ‘Ç
%Á,đ‘I‘đ,μ,Ü, ·B, ,Æ,ÍA•\
Ž!,³,ê,½Žè‡,İ,μ,½,ª,Ä,Äfcf“fXfg[f<,đŠ®-¹,μ,Ä, ,¾,³,çB


 ú,μ, ,ÍDISC2:\DRIVER\HP\WIN95\DJ85C80V\HPWJREAD.TXT,đ,²—
, ,¾,³,çB

HP DeskJet850CfCf“fNfWfFfbfgfvfŠf“f^~pfhf%fcfo
for NEC PC98 “ú-{\EWindows3.1/95

インストールの実行


 @Žû~^fffbfEfnfgfŠ DISC2:\DRIVER\HP\WIN95\DJ85C80N

%E□ã,É, ,éfcf“fXfg□[f<f{f^f“ ,đ%Ÿ,μ,½,Æ,«,ÉŽÀ□s,³,ê,éfcf“fXfg□[f
%□[,ÍWindows3.1□ã,Ä,İ,Ÿ“®□ì,μ,Ü,·□BWindows95,đ,“Žg,ç,İ•û,Í
%°<L,İfcf“fXfg□[f<•û-@,É□],Ä,Ä, ,¾,³,ç□B

 fhf%fcfo,İfcf“fXfg□[f<•û-@

□E“ú-{\EWindows3.1,Ö,İfcf“fXfg□[f<
□@•K, Windows3.1,İfvf□f0%f€f}fł□[fWff,©,ç "setup.exe"
,đŽÀ□s,μ,Ä, ,¾,³,ç□B
□i-á□Fa:.exe□j
fRf“fgf□□[f<fpflf<,©,ç,İfcf“fXfg□[f<,Í,Ä,«,Ü,¹,ñ□B

□E“ú-{\EWindows95,Ö,İfcf“fXfg□[f<
□@fRf“fgf□□[f<fpflf<,©,çfvfŠf“f^,đ‘I,Ñ□A,³,ç,ÉfvfŠf“f^,İ‘Ç
%Á,đ‘I‘đ,μ,Ü,·□B, ,Æ,Í□A•\
Ž!,³,ê,½Žè□#,İ,μ,½,ª,Ä,Äfcf“fXfg□[f<,đŠ®-¹,μ,Ä, ,¾,³,ç□B

 □ú,μ,,ÍDISC2:\DRIVER\HP\WIN95\DJ85C80N\HPWJREAD.TXT,đ,²—
,,¾,³,ç□B

HP ScanJet Scanner4c/4pSeries Patch file



Žû~^ffjBfĚfnfgfŠ DISC2:\DRIVER\HP\WIN31\4C4P



@“à–e

□;‰ñ, Ì□••^aftf@fCf<, Í^È‰^o, Ì, S, Â, Ì-â‘è“_ , ð
‰ñ”ð, •, é, ½, ß, Ì□C□³□••^aftf@fCf<, Â, •□B

A)HP ScanJet 4c NECfo□[fWf#f“, É•t‘® , μ, Ä, ç, éPaperPort, ð, ²Žg–
p, Ì•û, ÅWindows 3.1J/Windows95J<N“®Žž, É□uPaperportfGf
‰□[□@PaperportfffofCfXfhf‰fCfo, ÍfVfXfef€, Åf|
□[fg, ðĚY□o, Å, «, Ü, ¹, ñ, Å, μ, ½□B□v, Ìf□fbfZ□[fW, ^a•\
Ž! , ³, é, éĚ»□Ů□B

B)HP ScanJet 4c•t‘® , ÌPaperport software, ð, ²Žg–
p, Ì•û, Å□AWindows 3.1J□ã, ÌfAfvfŠfP□[fVf#f“, ©, ç□uPaperport
Desktop□v^ó□ü, ð□s, ɹ, Ě□A” ’Ž†□o–Í, Ě, È, éĚ»□Ů□B

C)HP ScanJet 4c/4p•t‘® , ÌPaperport software, ð, ²~–
p, Ì•û, Å□AWindows 95J□ã, ÌfAfvfŠfP□[fVf#f“, ©, ç□uPaperport
Desktop□v^ó□ü, ð□s, ɹ□Ů□APaperport, ^a<N“® , μ, Ä, ç
, È, ç□ó‘Ů, Å^ó□ü, ð□s, ɹ, Ě□A□uPaperportfGf‰□[□v, ^a•\
Ž! , ³, é, éĚ»□Ů□B

D)HP ScanJet
4c•t‘® , ÌPaperportft□[fUfCf“f^□[ftfFfCfX□ã, É•ŋŽž
‰» , - , ^a□”‰ó□Š , , éĚ»□B



□@□Ů, μ, , Í□ADISC2:\DRIVER\HP\WIN31\4C4P\README.TXT, ð, ²—
‰^o, ³, ç□B

HP ScanJet Scanner 4s Patch file



Žû~^ffjBf&fNfgfŠ

DISC2:\DRIVER\HP\WIN31\4S



@“à–e

□i%ñ, Ì□••ªftf@fCf<, Í^È%º, Ì, S, Â, Ì-â‘è“_ , ð
%ñ”ð, ·, , é, ½, ß, Ì□C□³□••ªftf@fCf<, Å, ·□B

A)Windows 3.1J□ã, ÌfAfvfŠfP□[fVf#f“, ©, ç□uPaperport
Desktop□v^ó□ü, ð□s, ¨, Æ□A”’Ž†□o-Í, Æ, È, é«»□Ú□B

B)Paperport, Ìft□[fUfCf“f^□[ftfFfCfX□ã, É•¶Žš%» , ^ , a□”%Ó□Š, , é
«□□B



□@□Ú, µ, , Í□ADISC2:\DRIVER\HP\WIN31\4S\README.TXT, ð, ²—%º, ³, ç□B

