

FWindows fIf“f%fCf“f\ftfgfEfFfA for Windows3.1/95

–{Ž, ÅD•]~AÚ’t, ÌuNIFTY-Serve Windows
Forum’ÊMv, Æ~A“®, µ, ½fR[fì[, Å, ·B
; Ě, ÍA uWindows ŽÀ–pftfH[f%f€iFWINALjv, ©, ç
fGfffBf^ [ŠÖ~A, Ìfvf f0f%f€, ð’t S, ÉŽû~^, µ, Å, , è, Ů, ·B
–{Ž, Æ, , í, ¹, Ä, Šy, µ, Ý, , ¾, ³, çB

fGfffBf^ [ŠÖ~AfIf“f%fCf“f\ftfgfEfFfA



Ä.½Ä’Äp”À,p,wv4.0 forWin3.1



•qŽš–ñËÿöQGREP v2.11 forWin3.1



Ä.½Ä’Äp”À,p,wİ Ův4.0 Win3.1



,l,lfGfffBf^ V2.20



qGŠÛfGfffBf^–p@€`f}fNf

Fwindows“Á’IfIf“f%fCf“f\ftfgfEfFfA



ŠÈ’P,É“ú<L,ð’,±,¤@V8.8



f%fCfA,¿,á,ñ ffrf... [



f%fCfA,¿,á,ñ,Ì<x’§(Rev.2.0)



,l,lfGfffBf^ V2.20

インストールの実行



%æ-Éfcf[]fw

The screenshot shows the Mm EDITOR application window. The title bar reads "M M". The menu bar includes "ファイル(F)", "編集(E)", "検索(S)", "ウインドウ(W)", "マクロ(M)", "その他(T)", and "通信(C)". The status bar shows "<挿入> 31: 1 000AH 480行 1668/20940". The toolbar contains various icons for file operations and editing. The main text area displays the content of "C:\TMP\MM95270\READ.ME". The text is in Japanese and describes the editor's capabilities, such as editing large files (up to 100,000 lines) and supporting high-speed commands like 32-bit Intel. The text is displayed in a vertical orientation.



Zû~^fffbf@fnfgfš DISC1:\FWINDOWS\MM220



[]ižò <{[]è[]@%Ã-¾ Ž[]



“à-e

MMfGfffBf^ V2.20,ÍAWindows3.1 ã,Å“@ì,·,é-
{Ši”h,İfefLfXfgfGfffBf^,Å,·B



ftf@fCf<\-

MM220

LZH

414,220

97-01-06

15:59



f%fcfA,¿,á,ñ ffrf...[]

ファイルのコピー



%æ-Éfcf[] [fw





Žû~^ffBf&fNfgfŠ DISC1:\FWINDOWS\NE_KK001



□ìžò "□-ø□□•c ž□



"à-e

"□-ø□□•c ž□, ì•`, ©, ê, ½fIjšfWfif<CG□uf
%fCfA□EjAfNfZf<□vfVfš□[fY, ì'æ, P'e, Å, •□B
□@•Çž†, â□ACGfRf&fNfVf†f", È, Ç, É, Ç, ✕, ¼□B



ftf@fCf<□\□~

NE_KK001 LZH

78,859

97-01-06

16:35




f%fcfA,¿,á,ñ,İ<x'§(Rev.2.0)

ファイルのコピー



%æ-Éfcf[]fW



Žû~^ffBf@fnfgfŠ DISC1:\FWINDOWS\NE_KK002



□ìžò "□-ø□□•c ž□



“à-e

”-ø•c ž, ì•`, ©, ê, ½fIfŠfwfif<CGuf
%fcfA EfAfNfZf<vfVfŠ[fY, Ì'æ2'e, Å, •B
@•çŽ†, âACGfRfÆfNfVf†f“, È, ç, É, ç, ¨, ¼B



ftf@fCf<\-

NE_KK002 LZH

62,362

97-01-06

16:35



ŠÈ'P,É“ú<L,đ□',±,×□@V8.8

インストールの実行



%æ-ÉfCf□□[fW



Žû~^fffbf@fnfgfš DISC1:\FWINDOWS\NIKKI88



□ižò □ò□@□Wži ž□



“à-e

“ú<L,đ□',,½,β,İf\ftfg,Å,·□B
,Ù,Æ,ñ,Ç'SŽ©“®,Å,â,Á,Ä,,é,é,İ,Å□AŠÈ'P,Éžg,|,é“ú<L,Å,·□B





ftf@fCf<□\□~

NIKKI88 LZH 165,978 97-01-06 16:23

 • 検索文字列: QGREP v2.11 forWin3.1



 %æ-ÉfCf [fw



 žû~^ffjBf@fnfgfš DISC1:\FWINDOWS\QGREP211

 []žò araken ž[]

 "à-e

@Windows 3.1 -p • Žš-ñŸfc[f<(GREP),Å,·B



ftf@fCf<\-

QGREP211 LZH

60,032


97-01-06

15:56

Ã·½Ä´ÃP`À,p,wv4.0 forWin3.1



%æ-ÉfCf [fW



Žû~^ffBf@fNfgfŠ DISC1:\FWINDOWS\QX40



□îž0 araken ž□



“à-e

@Windows 3.1 -p, ìfefLfXfgfGffffBf^, Å,
 □@fefLfXfg·¶□', Ì□ì□-□Afvf□f0f
 %f~f“f0, ©, ç□A·“□', «Ëü, □c□', «·0□W, È, Ç'½,, ìfj□[fY, É, “
 %ž, |, µ, Û, ·□Bfpf\frf“□%□SŽ0, ©, çfvf□, ÌŠJ”Ž0, Û, ÅŽg-p, Å, «, Û, ·□B



ftf@fCf<□\□~


QX40

LZH

514,944

97-01-06

17:12

 Ā·½Ä´ÃP`À,p,wİ,Ūv4.0 Win3.1



Žû~^ffBfĈfnfgfŠ DISC1:\FWINDOWS\QXM40



□iž0 araken ž□




“à-e

□@fefLfXfgfGfffBf^QX(QX40.LZH)
,Å□Af}fNf□,đŽÅ□s,·,é,½,β,İfLfbfg,Å,·□B
□@QX,İf}fNf□,ÍBASIC,Æ,ç,×Ĉ¼Ĉê,Æ,Ū,Ū“`-ł,İ•¶-@,Å,·□B



ftf@fCf<□\□~

QXM40	LZH	185,561	97-01-06	17:13
-------	-----	---------	----------	-------

 GŠÛfGffffBf^-p®E`f}fNf



Žû~^fffbf@fNfgfŠ DISC1:\FWINDOWS\SEIKEI



ìžò , $\frac{1}{2}$,É,Á,± Ž
<http://user.cnet.or.jp/t/taniguti/>



“à-e

GŠÛfGffffBf^-pfAfbfvf[fhftf@fCf<,ì®E`-p,ìf}fNf,Å,·B
Žw'è,μ, $\frac{1}{2}$ E...”,Å%üs,ð“ü,ê,Û,·B,Û, $\frac{1}{2}$ AŽw'è,μ, $\frac{1}{2}$ ^ø-p•,,^a,,é s,
Í®E`,ì'îÛ,É,μ,Û,¹,ñB



ftf@fCf<\-

SEIKEI

LZH

4,865

97-01-06

16:23

