

FWindows fIf“f%fCf“f\ftfgfEfFfA for Windows 95/NT

–{Ž, Å[D•]~AÚ’t, ÌuNIFTY-Serve Windows
Forum’ÊMv, Æ~A“®, µ, ½fR[fï[, Å, ·B
; Ě, ÍAWindows ŽA–pftfH[f%f€iFINALjv, ©, ç
fGffBf^ [ŠÖ~A, Ìfvf0f%f€, ð’tS, ÉŽû~^, µ, Å, , è, Û, ·B
–{Ž, Æ, , í, ¹, Ä, Šy, µ, Ý, , ¾, ³, çB

fGffBf^ [ŠÖ~AfIf“f%fCf“f\ftfgfEfFfA



Ä.½Ä’ÄP”À,p,wv4.0 forNT&95



•¶Žš–ñŒÿöQGREP v3.0 NT&95



fNfŠfbfvf{°fh–š–ðTClip1.11



Ä.½Ä’ÄP”À,p,wv4.0 ÍÙÌB·-Ä



Ä.½Ä’ÄP”À,p,wİ_Ûv4.0 NT&95



,p,w–pvz•–.°’è<`&İ_Û v1.0



,l,lfGffBf^95 V2.70



OG,Ü,é,“,Ìf}fNfT[fo Version 1.2



“ú- {Æê•¶Íí-Žx%‡/□’, «f}fNf□’æ, o□WVer.2.20(H)



□GŠÛfGffBf^, ©, çPRTwin, ð<N“®, ., éf}fNf□



□GŠÛ □@E` □•^ø-p•,, “~Žžf}fNf□



fe fL fXfg^óüf\ftfg ,o,q,swin95 Version 1.77



WinLPrt for Windows95 Ver 5.19 ÌÙ¼-Ä

Fwindows“Á‘IfIf“f%fcf“f\ftfgfEjFfA



,j,‰,f,< ,‰,Ž for WindowNT4.0/95 V4.06



B'Wings32 Ver 2.13 Win95/NT”Ä



“džq”é□’32 Ver5.03



“džq”é□’32-p‰¹□°ff□[f^



Windows95, ²^Ä“àÆW, Ì□-, ÌžqfZfbfg



%æ-Ê, ì't, ì-, ìŽq[i, P, 0]j



f of j [[f K [[f < , ì Win 95 < N " @ & [I - 1 % æ - Ê



, v, h, m, X, T < N " @ • [I - 1 % æ - Ê [w, v, n, q, s, g [Q, 0, P [x FOR DOS / V



, v, h, m, X, T < N " @ f V f " f v f <



B'Wings32 Ver 2.13 Win95/NT"Å

インストールの実行

ŽÀ□s,É•K-v,ÈDLL,ÌfCf“fXfg□[f< □!□æ,ÉŽÀ□s,μ,Ä,,¼,³,¢

インストールの実行



%æ-ÊfCf□□[fW



Žû~^ffBfCfNfgfš

DISC1:\FWINDOWS\BWG32213



□ìŽÒ TERA Ž□



“à-e

B'Wings32,Í□A□, <@”\,È•ÇŽ†f`fFf“fWff□[,Å,·□B,±
,ê,Û,Å□Aft□[fU□[, ãŽè□ì<Æ,Å□s,Á,Ä,«,½ŠeŽíftfH□[f}fbfg•İŠ•□^f
TfCfY'²□@□^Æ,□F“™,đŠ®'S,ÉŽ©“®%»,μ,Û,·□B
fAfCfRf“,đfNfšfbfN,·,é,¼,~,ÅSg'å□^%ñ“]□^~ñ•\Ž!□D□D□D“™
□%□SŽÒ,ì•û,Å,à•ÇŽ†,đŽ©-RŽ©□Y,É•İ□X,Å,«,Û,·□BCD-
ROM“à,Ì^³□kf□[f^“™,à'¼□ÚŽw'è,Å,«,Û,·□B



ftf@fCf<□\□~

BWG32213 LZH

410,761

97-01-06

16:40



Windows95, ^Ä“àÆW, Ì□-, ÌŽqfZfbfg

インストールの実行



%æ-ÉfCf□□[fw



Žû~^fffbf@fnfgfŠ DISC1:\FWINDOWS\HH95SET



□ìžò , ù, μ, Ì□™, í, é, © Ž□
<http://village.infoweb.or.jp/~fwbc7244/>



“à-e

Windows95ê-pfSfZfbfg@,±,İf\ftfgfEfFfA,Í,v,%,Ž,,,,□,-
,"X,T,İ<N"@A<y,ÑI-1Žž,É•\Ž!,³,ê,éfS□i%æ-
ÉjW□C<y,ÑfCf"fXfg□[f%,Å,·□B
□@"Y•t,İfCf"fXfg□[f%,Å□A,c,n,r□^,u□A<y,Ñ,m,d,b
,o,b,X,W,İfpf\Rf",İf□fS,ð□AÆ»□Ý□Ý'è,³,ê,Ä,ç
,éf□fS,ðÆ©,È,ª,çŠÈ'P,É•İ□X,Å,«,Ü,·□B
□@,c,n,r□^,u□A<y,Ñ,m,d,b ,o,b,X,W-p,İf□fS,ð,»,ê,¼,ê,SŽí-
P,,Å"-••,μ,Ä, ,è,Ü,·,İ,Å□A,"<C,É"ü,è,İf□fS,É•İ□X,μ,Ä
%º,³,ç□B



ftf@fCf<□\□-

HH95SET

LZH

917,253

97-01-06

16:34



æ-Ê, ì'†, ì- , ÌŽq i, P, 0 j

ファイルのコピー



æ-Ê f C f [f W



Žû~^ffBf&fNfgfŠ DISC1:\FWINDOWS\HHWP11



ìžò , ù, μ, ì™, Í, é, © Ž
<http://village.infoweb.or.jp/~fwbc7244/>



“à-e

, ù, μ, ì™, Í, é, © Ž, ì·` , ©, ê, ½CG, Å, ·B•ÇŽ†, âfXf^ [fefBf“f0æ-
ÊACGfRf&fNfvf†f“, È, Ç, É, Ç, ¨, ¼B



ftf@fCf<\-

HHWP11

LZH

126,537

97-01-06

16:27



“dŽq”é□‘32 Ver5.03

インストールの実行



%æ-ÉfCf□□[fW



Žû~^ffBf@fNfgfŠ

DISC1:\FWINDOWS\HISY0503



□iž0

□i•ó □i ž□

<http://www2a.meshnet.or.jp/~denhisyo/>



“à-e

ŠÈ’P□A%ō“K,ÉfXfP□[fWf...□[f<f\ftfg,Å,·□B



ftf@fCf<□\□~

HISY0503 LZH

453,918

97-01-06

16:21



“dŽq”é‘32-p%¹°ff[f^

ファイルのコピー



Žû~^ffBf&fNfgfŠ

DISC1:\FWINDOWS\HISYOWAV



□ižò □i•ó □i Ž□

<http://www2a.meshnet.or.jp/~denhisyo/>



“à-e

fvf□fAfiEf“fT□['ñ<ÿ,É,æ,é“dŽq”é□‘□A“dŽq”é□‘32-p
%¹°ff[f^,Å,·□B“dŽq”é□‘,É,“,μ,á,x,è,³,¹,¹/₂,ç•û,É,Í•K□{,ìff□
[f^,Å,·□B



ftf@fCf<□\□~

HISYOWAV LZH

193,521

97-01-06

16:18



“ú–{Œê•¶Íì–Žx%‡/□’,«f}fNf□’æ,o□WVer.2.20(H)

ファイルのコピー



Žû~^ffBfŒfNfgfŠ DISC1:\FWINDOWS\KAKIMACP



□ìžò □...<â□... Ž□□@□^□@□–“c –³/₄•v Ž□



“à–e

□@HMWLP.mac,Í□AWinLPrt,ì□,“x,È^ó□ü<@”\
,đ□GŠŮfGfffBf^,©,çŠÈ’P,É–~–
p,·,é,½,ß,Ì□GŠŮf}fNf□,Å,·□B□GŠŮ,É□w□c□’,«,â’i’g□x,È,Ç,Ì□,“x
,È^ó□ü□•fvfŒfrf...□[<@”\,đ(ŽÀŽ;“I,É)•t%Á,μ□A
%õ“K,È^ó□ü(fvfŒfrf...□[)ŠÂ<<,đ□ì,è,Û,·□B



ftf@fCf<□\□–

KAKIMACP LZH 290,155 97-01-07 12:50



, j, %, f, < , %, Ž for WindowNT4.0/95 V4.06

インストールの実行



æ-Efcf [fw



Žû~^fffbf@fnfgfŠ DISC1:\FWINDOWS\KICKV406



□iž0 , d. , s. Ž□



“à-e

Kick in , í□A, Ü, Á, ½, Žx-, , É, È, ç, , □A, » , ê, Å, ç, Ä<@”\
□[ŽÀ, ÌfvfFf<, Å, ·□B
(·□’i, Í, È, É, à•\Ž!, , ³, ê, , □A•ÇŽ+“™, ðfnfŠfbfN, ·, é, æ-E, É•\
Ž!, , ³, ê, Ü, ·)

, ±, Ìfvf□f0f%f€ , ÍWindowsNT4.0/Windows95, Å, Ì, Ý“®□ì, µ, Ü, ·□BWin
dowsNT3.51, Å, Í“®□ì, µ, Ü, ¹, ñ□B



ftf@fCf<\-

KICKV406 LZH

243,284

97-01-06

15:47

☐G,Ü,é,“,Ìf}fNf□fT□[fo Version 1.2



%æ-ÉfCf□□[fW



Žû~^ffBf@fNfgfŠ DISC1:\FWINDOWS\MACSRV12



□ìžò □Ä“i□G•v Ž□



“à-e

□@□G,Ü,é,“,Ìf}fNf□fT□[fo□imacserv.exe□j,Í□A□GŠÛ,â□GTerm,È,Ç
,ÌDDEfNf%fCfAf“fg<@”\
,đŽ□,Á,½f}fNf□□¾Æê,©,çÆÄ,Ñ□o,μ,Äftf@fCf<,ì‘€□ì□A-
â,ç□#,í,¹,È,Ç,đ□s,¤
,½,ß,Ì,c,c,dfT□[fofAfvfŠfP□[fVf#f“,Å,·□Bf}fNf□fT□[fo‘P‘Ì,Å,
Í%½,à,Å,«,Ü,¹,ñ□B
□@ftf@fCf<ŠÖÆW,ÌfT□[frfX,Æf_fCfAf□fof{fbfNfX,đ□o,·fT□[frfX,
đ’ñ<Ý,μ,Å,ç,Ü,·□B



ftf@fCf<□\□~

MACSRV12 LZH

39,445

97-01-06

16:16

?,l,lfGffffBf^95 V2.70



%æ-ÉfCf[]fW



Žû~^fffbf@fnfgfš DISC1:\FWINDOWS\MM95270



□ižò <{□è□@%Ã-¾ Ž□



“à-e

MMfGfffBf^95 ,ÍAWindows 95 / Windows NT
ã,Å“®ì,·,éAc‘,«•òW<@”\,đfTf|
[fg,μ,½fefLfXfgfGfffBf^,Å,·B



ftf@fCf<\-

MM95270

LZH

657,432


97-01-06

16:03

fefLfXfg^óüf\ftfg ,o,q,swin95 Version 1.77



%æ-ÉfCf[]fW



Žû~^ffBf@fNfgfš DISC1:\FWINDOWS\PRT95177



□ižò H.TOYO ž□ <http://www.vector.co.jp/authors/VA000568/>



“à-e

,o,q,swin95,ÍAfefLfXfgftf@fCf<,ð-
łX,È'Ž®,Å^óü,·,é,½,ß,İft[lfefBfŠfefBf\ftfg,Å,·BWindows
95, Windows NT 3.51,4.0 ã,Å"®ì,μ,Û,·iWindows 3.1
,Å,Í"®ì,μ,Û,¹,ñBVer1.50,ð,²~~p%^{0,3},çB,Û,½ Windows NT
3.5 ,Å,Ífc[f<fo[,^a•\Ž| ,³,é,Û,¹,ñBVer1.62 ,ð,²~~p
%^{0,3},çBj



ftf@fCf< \ \ -

PRT95177 LZH

84,641

97-01-06

16:04

 GŠÛfGffffBf^,©,çPRTwin,đ<N“®,.,é}fNf



Žû~^ffBfçfNfgfŠ DISC1:\FWINDOWS\PRTWIN03



ìžò ko^ji ž



“à–e

GŠÛfGffffBf^95,©,ç
PRTwin95,đ<N“®,.,é}fNf,Å,·BPRTwin,đ<N“®,.,é’0,É^óüfXf^f
Cf<,đ’I’đ,.,éžd–l,Å,·B
GŠÛ,Å”Í^Í’I’đ,μ,½•”•a,đPRTwin,Å^óü,μ,½,çê†,É•Ö–
~,Å,·BBOX”Í^Í’I’đ,É,à, ,é’ö“x’Îž,μ,Å,ç,Û,·B
fNfCbfNf,[fh,Å,Ì^óü,à,Å,«,Û,·B
f†[fU[fj...
[,©fc[f<fo[,É}fNf,đ“o~^,μ,Äi’¬,ç}fVf“,Åj–~–p,.,é,Æ
%õ“K,Å,·B
,±
,ì}fNf,ìžÀs,É,íuG,Û,é,,ì}fNfT[fov(MACSRV12.LZH)
,đ•Ê“r•K–v,Æ,È,è,Û,·B



ftf@fCf<\~

PRTWIN03 LZH


4,858


97-01-06


16:24


 • ħŽš-ñŒŸōōQGREP v3.0 NT&95



 %æ-ÉfCf[] [fW



 Žû~^ffjBfŒNfgfŠ DISC1:\FWINDOWS\QGREPN3

 []ižò araken ž[]


 “à-e

@Windows NT3.51 & NT4.0 & Windows 95 -p •Žš-
ňĚřřfc[f<(GREP),Å,·B



ftf@fCf<\-

QGREPN3	LZH	101,252	97-01-06	15:55
---------	-----	---------	----------	-------

 fNfŠfbfvf{°fh-š-đQTclip1.11



%æ-ÉfCf[] [fW



Žû~^ffBfCfNfgfŠ DISC1:\FWINDOWS\QTCLIP1P



[]iž0 araken ž[]



“à–e

□@fefLfXfgĚ`Ž®, ÌfNfŠfbfvf{□[fh–š–đ
□@fefLfXfg•ŮŠÇ<@”\ (f□□[fvf□, Ì'Z•ŕ“o~^, Ì, æ, ɣ, È<@”\, Å, ·)

□@fNfŠfbfvf{□[fh–š–
đ, Í50ĚÂ, Ů, Å□AfefLfXfg•ŮŠÇ, Í100ĚÂ, Ů, Å•Ů'ŕ, Å, «, Ů, ·□B
□@, n, k, d, Qfhf%fbf0&fhf□fbfv' Í
%ž, ÌfAfvfŠfP□[fvf#f“ŠŮ, Å'ŠĚÝ, Éfhf%fbf0&fhf□fbfv, Å, «, Ů, ·□B



ftf@fCf<□\□~

QTCLIP1P LZH 27,597 97-01-06 15:56

☐GŠÛ ☐®€`☐•^ø-p•,,“~Žžf}fNf☐



Žû~^fffbf€fNfgfŠ DISC1:\FWINDOWS\QUOTE120



☐ìžò noro ž☐



“à-e

quote2.mac ,Í☐A☐GŠÛfGfffbf^
☐ã,Å•0☐W't,ÌfefLfXfg,Ì'I'ð,μ,½"Í^Í,ð'Î☐Û,É☐A
ç☐s,Æ☐s,ÌŠÔ,Å•¶,Ì☐Û'±€ã☐A<Ö'¥☐^–☐,ð,μ,È,^a,çŽw'è€...☐",Å
%ü☐s'}“ü£ ,Æ☐A çinput'<,©,ç“ü–Í,μ,½ "C^Ó•¶Žš–ñ(☐%Šú•\Ž|,Í"
☐t"),ð☐s“^a,É'}“ü£ ,ð☐A ç“~Žžf –”,Í ç^ê•û£,ðf☐fjf...
☐[,©,ç'I'ð,μ☐Afrfs☐[,â'£•t,¯,Å,Í⁻³,☐Aç☐'Š•,|£
,ÅŽÀ☐s,·,éf}fNf☐fvf☐f0f%f€,Å,·☐B



ftf@fCf<☐\☐~

QUOTE120 LZH

12,803


97-01-06

16:24

☐ ã·½ã´ã`à,p,wv4.0 forNT&95



%æ-ÉfCf☐☐[fW



Žû~^ffBfCfNfgfŠ DISC1:\FWINDOWS\QXN40



☐ìžò araken ž☐



“à-e

☐@Windows NT3.51 & Windows NT4.0 & Windows 95 –
 p,İfefLfXfgfGffffBf^,Å,·
 ☐@fefLfXfg·¶☐',İ☐ì☐-☐Afvf☐f0f
 %f~f“f0,©,ç☐A·“☐',«Eü,`☐c☐',«·ò☐W,È,ç'½,,İfj☐[fY,É,“

ž, |, μ, Ů, ·Bfpf\frf“%SŽÒ, ©, çfvf, ĪŠJ”ŽÒ, Ů, ĀŽg-p, Ā, «, Ů, ·B



ftf@fcf<\-


QXN40

LZH

651,815

97-01-06

15:51

 Ā·½Ä´Āp`À,p,wv4.0 ÍÙÌß·`Ä



Žû~^fffbfçfnfgfš DISC1:\FWINDOWS\QXNH40



□ìžò araken ž□



“à-e

□@fefLfxfgfGfffbf^QX(ŠÜf}fNf□), Ìfwf<fv, Å, ·□B


□@“Æžç`ž®, Ìftf@fCf<,ª,», Ì, Û, Û“ü, Á, Ä, ç
, Û, ·, Ì, Å□A“Y•t, Ìfc□[f<, É, æ, èfefLfxfgç`ž®(.TXT)
, ”, æ, Ñ .RTF(Rich Text Format)ç`ž®, É•İš·, Å, «, Û, ·□B

□@.HLP , Å, Í‘S-e, ð, Å, ©, p, Ì,ª□ç“ì,Æ, ç, ¨•û, Í,º, Ð, Ç, ¨,¼. . .



ftf@fCf<□\□~

QXNH40 LZH 231,472 97-01-06 15:54

 Ã·½Ä´Ãƒ`À,p,wİ,Ûv4.0 NT&95



 Žû~^ffBfĉfNfgfŠ DISC1:\FWINDOWS\QXNM40


 ĩžò araken ž

 “à-e

[@fefLfxfgfGfffBf^QX(QXN40.LZH)
,Å[Af}fNf,đŽÀ[s,·,é,½,ß,İfLfbfg,Å,·B
[@QX,İf}fNf,ÍBASIC,Æ,č,×ĉ¼ĉê,Æ,Û,Û“⁻l,İ•¶-@,Å,·B

 ftf@fCf<[\~

QXNM40	LZH	180,262	97-01-06	15:53
--------	-----	---------	----------	-------

 ,p,w-pvz•-·°'è<`&ĩ,û v1.0



Žû~^ffjBf&fNfgfš DISC1:\FWINDOWS\QXVZM10



□ižò araken ž□




“à-e

□@fefLfXfgfGffjBf^QX,ðVZ•-
,İfL□[‘€□ì,É,·,é,½,ß,İfL□[‘è<`ftf@fCf<<y,Ñf}fNf□,Å,·□B
□@fefLfXfgfXf^fbfN,ðŽg-p,·,é,½,ß,É,Í fNfšfbfvf{□[fh-š-ð
QTclip ,^â•K-v,Å,·□B




ftf@fCf<□\□~

QXVZM10 LZH 13,248 97-01-06 15:54

 ,v,h,m,X,T<N“®fVf“fvf<



%æ-ÊfCf[]fW



Žû~^ffBfĉfNfgfŠ DISC1:\FWINDOWS\STARTUP



□îžò ‘¾“c□@’q ž□



“à-e

,±,ìf\ftfg,ÍWindows 95,ì<N“®,É•\Ž|,³,ê,é%æ-
Ê,ð•Ī,|,é,½,β,É,Â,,Á,Ä, ,è,Û,·□BfIfŠfWfif<,Ì%æ-
Ê•Ī□X,μ,½,ϕ□ê□‡,È,Ç,É,Ç,ϣ,¼□B



ftf@fCf<\-

STARTUP

LZH

2,389

97-01-06

16:26

fofj[]fK[]f<,iWin95<N"@&[]I-1%æ-Ê



%æ-ÊfCf[][]fW



Žû~^ffBf@fNfgfŠ DISC1:\FWINDOWS\TAKE007



[]ižò '|“à “N ž[]



“à-e

,±,ìCG,ðžg-p,·,é,Æ[]AWindows 95,ì<N"@,â[]I-1,ì%æ-Ê,ð[]Afofj[]fK[]f<,“o[]ê,·,é%æ-Ê,ö•İ[]X,Å,«,Û,·[]B



ftf@fCf<\□□-

TAKE007

LZH

158,658


97-01-06

16:25

?, v, h, m, X, T < N " ® • I - 1 % æ - Ê w, v, n, q, s, g Q, 0, P x FOR DOS/V



% æ - Ê f C f [f W



Ž ũ ~ ^ f f B f C f N f g f Š DISC1: \ F W I N D O W S \ W O R T H _ 0 1



□ ì ž ò “ C □ @ C x - ç ž □ http://www.nsknet.or.jp/~ken_h/index.html



“ à - e

, ±, ì f \ f t f g, Í W i n d o w s 9 5, ì < N “ ®, Æ I - 1 Ž ž, É • \ Ž !, ³, é, é % æ -
Ê, ð • Ī, !, é, ½, ß, É, Â, , ç, ê, Ü, µ, ½ □ B f I f Š f W f i f <, Ì % æ -
Ê, ð • Ī □ X, µ, ½, ç □ ê □ †, È, Ç, É, Ç, x, ¼ □ B



ftf@fCf<\-

WORTH_01 LZH

87,068


97-01-06

16:26

WinLprt for Windows95 Ver 5.19



WinLprt for Windows95



DISC1:\FWINDOWS\WPRT519F



h_tosh



“à–e

@WinLPrt,íAWindows 95, Windows NT 3.51–
p,İfefLfXfgftf@fCf<,đ^óü,·,é,½,ß,İfc[f<,Å,·B



ftf@fCf<\-

WPRT519F EXE

1,326,768

97-01-06

16:15

