

□G,Ü,é,“,lf}fNf□fT□lfo Version 1.2

ŠT—v ==~—p•ú-@

<¤'ÉfT□lfrfX
ftf@fCf<fT□lfrfX
f_fCfAf□fOfT□lfrfX

<¤'ÉfT□lfrfX

□@ddeexecuteRf}f“fh^ê—□F
 exit f}fNf□fT□lfo,ì□l—¹
□@dderequest□€-Ú^ê—
 result Œ<%oÉfR□lfrh

ftf@fCf<fT□lfrfX□ifT□lfrfX-¼□□"FileService"□j

□@ddeexecuteRf}f“fh^ê—□F
 setcurdir fJfŒf“fgfffBfŒfNfgfŠ,ì□Y'è
 copy ftf@fCf<,lfRfs□l
 appendcopy ftf@fCf<,l~ACE<
 appendcopytext fefLfXfgftf@fCf<,l~ACE<
 rename ftf@fCf<-¼,ì•ì□X
 delete ftf@fCf<,ì□í□œ
 run,È,C fvf□fOf%of€,ì<N“®
 enumfile ftf@fCf<^ê—Žæ“¾,ìŠJŽn
 enumdir fTfufffBfŒfNfgfŠ^ê—Žæ“¾,ìŠJŽn

□@dderequest□€-Ú^ê—
 isreadonly □',<Š,;,<ÖŽ~,l-â,Œ□#,í,¹
 sizeof fTfCfY,ì-â,Œ□#,í,¹
 timestampof ftf@fCf<,l“ú•t,ì-â,Œ□#,í,¹
 timecountof ftf@fCf<,l1980“N1ŒŽ1“ú,©,ŒŽžŠÔ
 existfile ftf@fCf<,l'¶□Y,ì-â,Œ□#,í,¹
 findnext ftf@fCf<^ê—,lŽæ“¾

□@ddepoke□€-Ú^ê—
 ,È,μ

f_fCfAf□fOfT□lfrfX□ifT□lfrfX-¼□□"DlgService"□j

□@f_fCfAf□fO□i□→,ìŠT—v

□@fTf“fvf<f}fNf□

□@ddeexecutefRf}f“fh^ê—□F

dialog f_fCfAf□fO,ð□o,·

enddialog f_fCfAf□fO,ð□Á,·

□@dderequest□€-Ú^ê—

getstate fRf“fgf□□[f<,ì□ó'Ô,ì-à,¢□#,í,¹

getstring fRf“fgf□□[f<,ì•¶Žš,ðŠì“¾

□@ddepoke□€-Ú^ê—

newdialog □V,μ,¢f_fCfAf□fO,ð”z'u

newcontrol □V,μ,¢fRf“fgf□□[f<,ð”z'u

item fRf“fgf□□[f<“à,ì□€-Ú,ð'Ç%oÁ

height fRf“fgf□□[f<,ì□,³,ð•ĭ,ì,é

default fRf“fgf□□[f<,ì□%oŠú□ó'Ô

notify 'É'mfR□[fh,ðCE^,β,é

newcolumn □V,μ,¢□c,ì—ñ

newpage □V,μ,¢%o_j,ì—ñ

part Žg—p,·,é•□,ð^êŽŽ“l,É•ĭ,ì,é

□@fAfhf□fCfY□€-Ú^ê—

dlgresult f_fCfAf□fO,ìCE<%oÊ,ðŽó,~Žæ,é

ŠT—v

□@□G,Ü,é,¨,lf}}fNf□fT□[fo□imacserv.exe□j,í□A□GŠÚ,â□GTerm,È,Ç,ì,c,c,dfNf%ofCfAf“fg<@”\
,àŽ□,Á,½f}}fNf□CE¾CEé,©,çCEÄ,Ñ□o,μ,Äftf@fCf<,ì‘€□ì□A-â,ç□±,í,¹,È,Ç,ð□s,κ
,½,β,ì,c,c,dfT□[fofAfvfŠfP□[fVf±f“,Ä,·□Bf}}fNf□fT□[fo‘P‘ì,Ä,í%o½,à,·,é,±,Æ,í,Ä,«,Ü,¹,ň□B

□@f}}fNf□fT□[fo,ìŽg,ç•ú,É,Â,ç,Ä,í□A□GŠÚf}}fNf□,©,çCEÄ,Ñ□o,μ,ÄŽg,κ—á,ð□ä,°,Ä□à-¾,μ,Ü,·□B

~ -p•û-@

```
{}fNf{}fT{}fo,{}fT{}f{}fX,{}ð~ -p,·,é,É,íA,Ü,·f}fNf{}fT{}fo,{}<N"®,³,ê,Ä,ç,é•K-v,ª, ,è,Ü,·Bf}fNf{}fT{}fo,í“  
ñd,É<N"®,³,¹,æ,æ,Æ,µ,Ä,à,P,Â,µ,©<N"®,Ä,«,È,çŽd'g,Ý,É,È,Á,Ä,ç  
,é,ì,ÄA<N"®,ìÜ,í'P{}f,Érun,Ä<N"®,·,·,é,í,ç,ç,Ä,·B
```

```
@-á{}F  
run "macserv.exe";
```

```
{}f}fNf{}fT{}fo,{}<N"®,³,ê,é,ÆfAfCfRf“,É,È,Ä,Ä%æ-  
É,ÉE»,è,Ü,·Bmacserv.exe<N"®Žž,{}f{}fVf{}f“,Æ,µ,Ä/h,Æ,ç,æ,ì,ª, ,è,Ü,·B,±  
,é,ðŽw'è,·,é,Æ{}A{}f}fNf{}fT{}fo,íE©,ì,È,çó'Ö,Ä<N"®,³,ê,Ü,·B
```

```
@-á{}F  
run "macserv.exe /h";
```

```
{}f}fNf{}fT{}fo,{}<N"®,µ,½,çAZŽÿ,É~ -p,µ,½,çfT{}f{}fX-¼,ðŽw'è,µ,Ädeinitiate,µ,Ä,¾,¾,çB
```

```
{}fT{}f{}fX,Æ,µ,ÄE»Ý'ñ<ÿ,³,ê,Ä,ç,é,ì,í"FileService",Æ"DlgService",Ä,·BfAfVfŠfP{}fVf{}f“-  
¼,í"HideMacroServer",Ä,·B  
@,Ä,àŽÄ,{}fT{}f{}fX-¼,É"AllService",ðŽw'è,·,é,ÆA'S,Ä,{}fT{}f{}fX,ð~ -p,·,é,±,Æ,ª,Ä,«,é,æ,æ,É,È,Á,Ä,ç  
,Ü,·B
```

```
@-á{}F  
ddeinitiate "HideMacroServer", "FileService";
```

```
{}f}fNf{}fT{}fo,{}Ž©'ì,{}f{}fE{}f“fgfhf%ofCfu{}^{}f{}fE{}f“fgffBf{}fE{}fNfgfŠ,íA{}fNf%ofCfAf“fgfAfVfŠfP{}fVf{}f“,Æ“~,¶,Ä,  
,é,Æ,íEÄ,ç,È,ç,ì,ÄA^è"É,Éddeinitiate'¼Eä,Éddeexecute,Äsetcurdir,ðŽÄs,³,¹,Ä,¾,¾,çB
```

```
-á{}F  
ddeexecute "setcurdir " + directory;
```

```
{}f}fNf{}fT{}fo,{}ì~ -p,ª,í,Á,½,çAddeexecute,Äexit,ðŽÄs,³,¹,Ä{}A{}f}fNf{}fT{}fo,{}ð-¹,³,¹,Ä,¾,¾,çB
```

```
@-á{}F  
ddeexecute "exit";
```

```
{}fNf%ofCfAf“fgfAfVfŠfP{}fVf{}f“‘æ,Ä,í"Ä,Éddeterminate,·,é•K-v,í, ,è,Ü,¹,ñB{}if}fNf{}fT{}fo,{}ª-  
¹,·,éŽž,ÉfNf%ofCfAf“fg'æ,É,c,c,d'Ä,ç{}Ø,è,ª'É'm,³,ê,Ü,·j
```

```
{}fT{}f{}f[fg,³,ê,Ä,È,çfRf}f“fh,ðexecute,µ,æ,æ,Æ,µ,½,è{}A{}fT{}f{}f[fg,³,ê,Ä,È,ç€-Ü,Ärequest,µ,æ,æ  
,Æ,µ,½,è,·,é,ÆfGf%{}[,É,È,è,Ü,·B
```

@@execute,Å,ì|—¹fR[]fh,í[]AfGf%°[][,²"[]¶,µ,½[]ê[]‡,íGf%°[][]A,»,,Å,È,ç[]ê[]‡,í[]³[]í|—
¹,Æ,È,è,Û,·[]B[]GŠÛ,ì[]ê[]‡,¾,Æ[]Addeexecute,ì'¼[]Eã,Åresult,Å[]ð[]E[]"»'è,Å,«,Û,·[]B

```
ddeexecute "copy abc.txt xyz.txt";  
if( !result ) {  
    message "copy failed. error code = " + dderequest( "result" );  
    endmacro;  
}
```

setcurdir [ifjfcf“fgfhf%ofCfu^fjfcf“fgffBfcfNfgfš,ìý’èj

FileService, execute

@setcurdir,íAf}fNf[]fT[]fo,ìjfcf“fgfhf%ofCfu^fjfcf“fgffBfcfNfgfš,ðý’è,μ,Û,·[]Bfpf
%of[]f^,ÅfpfX,ðžw’è,μ,Ä,,¾,¾,ç[]Bfhf%ofCfu-¼,ðšÛ,bftf<fpfX,ªžw’è,¾,ê,Ä,ç,é•K—v,ª, ,è,Û,·[]B

@—á[]F

ddeexecute "setcurdir c:\\";

copy `iftf@fCf<,lfRfs[]j`

FileService, execute

`@copy,íAftf@fCf<,đfRfs[][,μ,Ü,·B'æ^êfpf%of^,ÅfRfs[][CE³,iftf@fCf<-¼,đŽw'è,μ,ÄA'æ"ñfpf
%of^,ÅfRfs[][]æ,iftf@fCf<-¼,đŽw'è,μ,Ä,,¾,¾,çB`

`@—áF`

`ddeexecute "copy " + $filename1 + " " + $filename2;`

appendcopy `iftf@fCf<,l~ACE<[]j`

FileService, execute

```
@appendcopy,í[]A'æ,Pfpf%of[]f^,ÅŽw'è,³,ê,½ftf@fCf<,É'æ,Qfpf
%of[]f^,ÅŽw'è,³,ê,½ftf@fCf<,ð~ACE<,μ,Û,·[]B'æ,Qfpf%of[]f^,ÅŽw'è,μ,½ftf@fCf<,í,»,ì,Û,ÛŽc,è,Û,·[]B
```

```
@—á[]F
```

```
ddeexecute "appendcopy " + $filename1 + " " + $filename2;
```


appendcopytext ifefLjXfgftf@fCf<,l~ACE<[]j

FileService, execute

```
@appendcopytext,í[]A'æ,Pfpf%of[]f^,ÅŽw'è,³,ê,½ftf@fCf<,É'æ,Qfpf
%of[]f^,ÅŽw'è,³,ê,½ftf@fCf<,đ~ACE<,μ,Û,·[]B'æ,Qfpf%of[]f^,ÅŽw'è,μ,½ftf@fCf<,í,»,ì,Û,ÛŽc,è,Û,·[]B
[]@ftf@fCf<,l~ACE<,íEOF[]$CEä•¶Žš,đ^ÓŽ~,μ,Ä[]s,í,ê,Û,·[]B
```

```
[]@—á[]F
```

```
ddeexecute "appendcopytext " + $filename1 + " " + $filename2;
```

rename `iftf@fCf<-¼,i•iXj`

FileService, execute

```
@rename,íAftf@fCf<-¼,đ•iX,μ,Ü,·B'æ^êfpf%of^,ÅfRfs[CE³,iftf@fCf<-¼,đŽw'è,μ,ÄA'æ"ñfpf  
%of^,ÅV,μ,tftf@fCf<-¼,đŽw'è,μ,Ä,,¾,¾,tB
```

```
@rename,íAfhf%ofCfu"à,iffBfCEfNfgfŠŠÔ,ì^Ú"® ,ÉŽg,±,±,Æ,à,Ä,«,Ü,·B
```

```
@-áF
```

```
ddeexecute "rename " + $filename1 + " " + $filename2;
```

delete

FileService, execute

@delete,íAftf@fCf<,đíœ,μ,Û,·Bfpf%off^,Åftf@fCf<-¼,đŽw'è,μ,Ä,,¾,¾,¼B

—áF

ddeexecute "delete abc.txt";

run,È,Ç□ifvf□fOf%of€,ì<N“®□j

FileService, execute

□@run, iconrun, maxrun, hiderun,Í□Afpf%of□f^,ĂŽw'è,³,ê,½fvf□fOf%of€,ð<N“®,μ,Û,·□B

run •□'É,Éfvf□fOf%of€,ð<N“®

iconrun fAfCfRf“□ó'Ô,Ă<N“®

maxrun □Ă'â%o»,μ,Ă<N“®

hiderun Ć©,!,É,ç□ó'Ô,Ă<N“®

—á□F

ddeexecute "iconrun winfile.exe";

exit **if** **fNf** **fT** **[fo,** **l** **l-¹** **j**

<æ'ÊfT[frfX, execute

@exit, [Af}fNf fT [fo, ðl-^{1,3,1}, Ü, ·BDDE, ì'í~b, àŽ © "® "l, É't'f,^{3,1}, ç, ê, é, ì, Å AfNf%ofCfAf"fg'æ, Å, í, ±, ì, ,Æ"Á
,Éddeterminate, ì^ - [, ð, ·, é • K - v, í, , è, Ü, ¹, ñ B

@, ±, ìexit, [Af}fNf fT [fo, æ'ñ<ÿ, ·, é, ·, x, Ä, ìfT [frfX, ì, Ç, ±, Å, à - ~ - p, ·, é, ±, /E, ^a, Å, «, Ü, · B [i, /E, ç
, Á, Ä, à [; , ì Š FileService, µ, ©, È, ç, Å, ·, ^a [j

-á [F

ddeexecute "exit";

enumfile

FileService, execute

```
@enumfile, íAfpf%of^, ÅŽw'è, µ, ½fCf<fhfj[fh, Éf}fbf` , ; éftf@fCf<-¼^è—Žæ“¾, ÌŠŽn, ðs, ç
, Ü, ·BŽÅÜ, Éftf@fCf<-¼, ðŽó, Žæ, é, É, Ídderequest, ifindnext, ðŽg, ç, Ü, ·Bftf@fCf<-¼^ÈŠO, ìî•ñ, É, Å, ç
, Å, ifindnext, µ, ½Æä, Étimestampof, âsizeof, Åftf@fCf<-¼, ðŽw'è, µ, È, ç, ÅŽg, ¡, ¡, » , iftf@fCf<, É, Å, ç
, Å, ìî•ñ, ð“¾, é, ±, Æ, à, Å, «, Ü, ·B
@fCf<fhfj[fh, ÍfZf~fRf“ , ÅæØ, Å, Ä•j“Žw'è, ·, é, ±, Æ, à, Å, «, Ü, ·B
```

—áF

```
ddeexecute "enumfile *.*"
#i = 0
while(1) {
    $name[#i] = dderequest( "findnext" );
    if( $name[#i] == "" ) breakloop;
    #size[#i] = dderequest( "sizeof" );
    #i = #i + 1;
}
```

ŽQÆFfindnext, isreadonly, sizeof, timestampof, timecountof, enumdir

enumdir ifTfufffBfCEfNfgfŠ-¼^ê—Žæ“¾,ìŠŽn

FileService, execute

```
@enumdir,íAfpf%of^,ÅŽw'è,μ,½fCf<fhfj[fh,Éf}fbf^,.,éTfufCEfBfCEfNfgfŠ-¼^ê—  
Žæ“¾,ìŠŽn,ðs,ç,Û,·BŽÀÛ,ÉfTfufffBfCEfNfgfŠ-¼,ðŽó,~Žæ,é,É,Ídderequest,ìfindnext,ðŽg,ç,Û,·B  
@'Éí,ìffBfCEfNfgfŠ,ìê‡,í•K,,".",Æ".."ªCE©,Â,©,è,Û,·B
```

—áF

```
ddeexecute "enumdir *.*"  
#i = 0  
while(1) {  
    $name[#i] = dderequest( "findnext" );  
    if( $name[#i] == "" ) breakloop;  
    #i = #i + 1;  
}
```

ŽQÆFfindnext, enumfile

result

<request

@result

message

—á

```
ddeexecute "copy abc.txt xyz.txt";  
if( dderequest( "result" ) != "" ) {  
    message "ftf@fCf<,lfRfs[ ,Ž, "s,μ,Ü,μ,½B";  
}
```


isreadonly i' , «Š·, !<ÖŽ~ , ©, Ç, x, ©, ì-â, ç[]†, í, ¹[]j

FileService, request

[]@isreadonly, í[]Afpf%of[]f^ , ÅŽw'è, ³, è, ½ftf@fCf<, a[]' , «Š·, !<ÖŽ~>[]read only[]j, ©, Ç, x
, ©, ð'², x, Ä[]A, » , ìCE<%oÊ, ð•Ô, µ, Û, ·[]B

[]@[]' , «Š·, !<ÖŽ~ , ì[]ê[]†, í!"[]A, » , x
, Å, È, ç[]ê[]†, í"" , ð•Ô, µ, Û, ·[]Bftf@fCf<, aCE©, Â, ©, , ç, È, ©, Á, ½[]ê[]†, à"" , ð•Ô, µ, Û, ·[]B

[]@findnext, ðfŠfNfGfXfg, µ, ½CEä, Åftf@fCf<-¼, ðŽw'è, µ, È, ç, ÅfŠfNfGfXfg, ·, é, Æfindnext, µ, ½ftf@fCf<, É, Â, ç
, Ä, ì[]î•ñ, ð•Ô, µ, Û, ·[]B

—á[]F

```
if( dderequest( "isreadonly abc.txt" ) != "" ) {  
    message "[]' , «Š·, !<ÖŽ~ , Å, ·";  
}
```

sizeof iftf@fCf<, ìTfCfY, ì-â, ç ð, í, ðj

FileService, request

@sizeof, íAfpf%of f^, ÅŽw'è, ð, è, ½ftf@fCf<, ìTfCfY, ð•Ô, µ, Ü, ·Bfindnext, ðfŠfNfGfXfg, µ, ½Eã, Åftf@fCf<-
¼, ðŽw'è, µ, È, ç, ÅfŠfNfGfXfg, ·, é, Æfindnext, µ, ½ftf@fCf<, É, Â, ç, Ä, ìî•ñ, ð•Ô, µ, Ü, ·B

—áF

```
#a = val( dderequest( "sizeof abc.txt" ) );
```

@ftf@fCf<, ð'¶Y, µ, È, çêð, í"" , ð•Ô, µ, Ü, ·B

timestampofiftf@fCf<,l"ú•t,ì-â,ç†,í,¹j

FileService, request

@timestampof,íAfpf%of^,ÅŽw'è,³,ê,½ftf@fCf<,l"ú•t,ÆŽž,ð•Ô,μ,Û,·B

@"ú•t,ÆŽž,íA^È%º,ì,æ,π,ÈĈ`Ž®,Å•Ô,³,ê,Û,·B

"94/09/11 11:23:30"@@i,X,S"N,XĈŽ,P,P"ú,P,PŽž,Q,R•ª,R,O•b,ìê†j

@findnext,ðfŠfNfGfXfg,μ,½Ĉä,Åftf@fCf<-¼,ðŽw'è,μ,È,ç,ÅfŠfNfGfXfg,·,é,Æfindnext,μ,½ftf@fCf<,É,Å,ç,Ä,ìî•ñ,ð•Ô,μ,Û,·B

—áF

message dderequest("timestamp of abc.txt");

@ftf@fCf<,ªĈ©,Å,©,ç,È,çê†,í"",ð•Ô,μ,Û,·B

timecountof iftf@fCf·,l1980”N1CEŽ1“ú,©,çŽžŠÔ

FileService, request

@timecountof,íAftf@fCf<,lf^fCf€fXf^f“fv,đ1980”N1CEŽ1“ú0Žž0•a0•b,©,çA%½•bCEo%oB,μ,Ä,ç
,é,©,Æ,ç,π'l,đ,Q,ÅŠ,,Á,½'l,Å•Ô,μ,Ü,·Bfindnext,đfŠfNfGfXfg,μ,½CEã,Åftf@fCf<-¼,đŽw'è,μ,È,ç
,ÅfŠfNfGfXfg,·,é,Æfindnext,μ,½ftf@fCf<,É,Ä,ç,Ä,ìi•ñ,đ•Ô,μ,Ü,·B

@—áF

```
#a = val( dderequest( "timecountof abc.txt" ) );
```


findnext iftf@fCf<-¹/₄^ê—,ižæ“³/₄j

FileService, request

@enumfile,Ü,¹/₂,lenumdir,ÅšJžn,³,ê,¹/₂ftf@fCf<žæ“³/₄^—,đ,đ,P
%ñs,çA,»,ìCE<%oÊ,đžæ,èo,μ,Ü,·Bftf@fCf<-¹/₄^ÈŠO,iî•ñ,É,Â,ç
,Ä,ífindnext,ìCEã,Ésizeof,âtimestampof,đšfNfGfXfg,·,é,Æ“³/₄,é,±,Æ,³/₄,Â,«,Ü,·B

žQÆFenumfile, enumdir

dialogif_fCfAf_fO,đo,oj

DlgService, execute

```
@ddepoke€-Ú,ÁÝ'è,è,½f_fCfAf_fO,ì"z'uî•ň,ÉŠí,Ă,«Af_fCfAf_fOf{fbfNfX,đòì¬,μ,Ă•\Ž!,μ,Ü,·B
@fpf%of^,ÉfEfBf"fhfEfnf"fhf<,đŽw'è,.,é,ÆAefEfBf"fhfE,đŽw'è,.,é,±
,Æ,ª,Ă,«,Ü,·BfEfBf"fhfEfnf"fhf<,íA,P,Oí",ì•¶Žš—ň,Ă•\L,μ,Ă,,¾,¾,čBfpf%of^,đÈ—
ª,.,é,ÆAefEfBf"fhfE,íŽw'è,è,Ü,¹,ňB
@"z'u,ì,μ,©,½,É,Ă,č,Ă,íAf_fCfAf_fOì¬,ìŠT—v,đŽQÆ,μ,Ă,,¾,¾,čB
```

```
@—áF
```

```
//efEfBf"fhfE,È,μ
ddeexecute "dialog";
```

```
@—á,QF
```

```
//efEfBf"fhfE, ,è
#hwnd = hidemaruhandle(0);
ddeexecute "dialog " + str(hwnd);
```

enddialog if fCfAf fO,đÁ,·j

DlgService, execute

@dialogRf}f“fh,Á·\Ž!,μ,½f_CfAf fOf{fbfNfX,đÁ<Ž,μ,Ü,·B

getstate ifRf“fgf[f<,ìó‘Ô,ì-â,ç†,í,¹j

DlgService, request

@fRf“fgf[f<,ìó‘Ô,ð-â,ç†,í,¹,Û,·Bfpf%of^,ÉfRf“fgf[f<-¼,ðŽw’è,μ,ÄCEÄ,Ño,μ,Ä,-
,¾,¾,çBfRf“fgf[f<-¼,Æ,ÍAnewcontrol,ÄŽw’è,μ,½fRf“fgf[f<,É-¼•t,¯,ç,è,½CEÄ-L,ì-¼‘O,Å,·B
@,±,ì€-Ú,ÍAdialogRf}f“fh,æÄ,î,è,½CEä,Ä,È,ç,Æ-LCEø,Ä, ,è,Û,¹,ñB
@•Ô,·l,ÍAfRf“fgf[f<,ìŽí-p,É,æ,Ä,Ä^Û,È,è,Û,·B

@@fŠXfgf{fbfNfX@@@‘l’ð,³,è,Ä,ç,é€-Ú,ì”Ô+@i,P,©,ç” ,l,½‘l@j
@@@f`fFfbfNf{fbfNfX@“0”,æ`fFfbfN,³,è,Ä,ç,È,çA“1”,æ`fFfbfN,³,è,Ä,ç,é
@@@f%ofWfIf{f^f“@@@‘l’ð,³,è,Ä,ç,é€-Ú,ì”Ô+@i,P,©,ç” ,l,½‘l@j
@@@fvfbfVf...f{f^f“@@@-³CEø
@@@fGffBfbfg@@@@“l,²“ü-í,³,è,Ä,ç,è,ÎA,»,ìl

@-áF
\$a = dderequest("getstate MyCheckbox");

getString() if Rf "fgf" [f<, ì•¶Žš, ðŠI "¾j

DlgService, request

@@fRf"fgf"[f<, ì•¶Žš, ìóÔ, ð-à, ç¶, í, Û, ·Bfpf%of^, ÉfRf"fgf"[f<-¼, ðŽw'è, μ, ÄCEÄ, Ño, μ, Ä, -, ¾, ¾, çBfRf"fgf"[f<-¼, Æ, ÍAnewcontrol, ÄŽw'è, μ, ½fRf"fgf"[f<, É-¼•t, ¯, ç, è, ½CEÄ-L, ì-¼'O, Ä, ·B @@, ±, ì€-Ú, ÍAdialogRf}f"fh, æÄ, Í, è, ½CEä, Ä, È, ç, Æ-LCEø, Ä, , è, Û, ¹, ñB @@•Ô, ·¶Žš, ÍAfRf"fgf"[f<, ìŽí-b, É, æ, Ä, Ä^Ù, È, è, Û, ·B

@@@fŠXfgf{fbfNfX@@@'l'ð, ¾, è, Ä, ç, é€-Ú, ì"à-e
@@@f fFfbfNf{fbfNfX@@-³CEø
@@@f%ofWfIf{f^f"@@@@@-³CEø
@@@fVfbfVf...f{f^f"@@@@@-³CEø
@@@fGffBfbfg@@@@"ü-í, ¾, è, Ä, ç, é•¶Žš-ñ

@@-áF

```
$a = dderequest("getString MyEdit");
```

newdialog i V, μ, ϕ f C f A f f O, ð " z ' u j

DlgService, poke

@ @ \ • ¶ F ddepoke "newdialog", "[width],[title]";

@ f C f A f f O " z ' u f o f b f t f @ , ð ' S , Ä Á < Ž , μ A " z ' u f o f b f t f @ " à , É V , μ , ϕ f C f A f f O , ð i , è , Ü , · B
@ dialog f R f } f " f h , ð Æ Ä , Ô ' O , É A • K , , ± , ì € - Ú , ð Ý ' è , μ , È , , Ä , í , ϕ , ¯ , Ü , ¹ , ñ B
@ € - Ú " à — e , í A f C f A f f O , ì • , Æ f ^ f C f g f < , ð j f " f } , Å < æ Ø , è , Ü , · B • , í " ¼ Š p • ¶ Ž Š ' P ^ Ê , Å , · B

@ — á F
ddepoke "newdialog", "40,f_CfAf_fOf^fCgf<";

newcontrol i V, μ, cfRf“fgf [f<, δ”z’u]

DlgService, poke

```
@\•Fddpoke "newcontrol", "type,[controlname],[text]";
```

```
@f_fCfAf“z’ufofbftf@,ÉV,μ,cfRf“fgf [f<,δ”z’u,μ,Ü,·Bnewdialog,δÝ’è,μ,½CEã,Å,È,ç,Æ—LCEø,Å,Í, ,è  
,Ü,¹,ñB’ÉíAfrf“fgf [f<,ì”z’u,ÍAã,©,ç†”Ö,ÉAnewdialog,ÅŽw’è,³,ê,½^ê’è,ì•,Å”z’u,μ,Ä,ç  
,«,Ü,·B”z’u,ì—,ê,δ·ī,¡,é,É,ÍAnewcolumn,newpage,part,È,Ç,δŽw’è,·,ê,Í,Å,«,Ü,·B
```

```
@@utypev,Í^È%º,ì,à,ì,δŽw’è,Å,«,Ü,·B
```

```
@@list fŠfXfgf{fbfNfX,δ”z’u
```

```
@@check f`fFfbfNf{fbfNfX,δ”z’u
```

```
@@radio f%ofWfif{f^f“,δ”z’uifOf<[fvf{fbfNfX•t,«<
```

```
@@button fvfbfVf...f{f^f“,δ”z’u
```

```
@@defbutton fvfbfVf...f{f^f“,δ”z’uiffftfHf<fgfvfbfVf...f{f^f“<
```

```
@@edit fGfffBfbfgfRf“fgf [f<,δ”z’u
```

```
@@text fXf^fefBfbfNfefLfxfg,δ”z’u
```

```
@@okcancel uOKvf{f^f“,Æu·¬Ý¾Üvf{f^f“,δ”z’uB
```

```
uOKvf{f^f“,Æu·¬Ý¾Üvf{f^f“,ÍA,»,ê,¼,ê’Ê’mfR [fh,É,P,Æ,O,δ·Ô,μ,Ü,·B
```

```
@ucontrolnamev,ÍA,»,ìfrf“fgf [f<,É-¼•t, ,é”C^Ó,ì-¼’O,Å,·B,±,ì-
```

```
¼’O,ÍAgetstate,Ü,½,Ígetstring,Å-â,ç,í,¹,é,Æ,«,ÉŽg,ç,Ü,·B•K—v,È, ,ê,ÍÈ—º%Å”\,Å,·B
```

```
@utextv,ÍA,»,ìfrf“fgf [f<,ìfefLfxfg“à—e,Å,·BfŠfXfgf{fbfNfX,Å,Í^Ó-i,ª, ,è,Ü,¹,ñB
```

```
@fŠfXfgf{fbfNfX,Æf%ofWfif{f^f“,ÍAnewcontrol,ìCEã,Éitem,δÝ’è,μ,Ä,â,ç,È,.,Ä,Í,ç, ,Ü,¹,ñB
```

```
@•Žš,ì’O,É’&’,δ•t, ,é,ÆAAIt+•Žš,Å^Ú” @,Å,«,éfRf“fgf [f<,É,·,é,±,Æ,ª,Å,«,Ü,·B
```

```
@—áF
```

```
ddpoke "newcontrol", "check,MyCheckbox1,f`fFfbfNf{fbfNfX,P(&C)";
```

itemifRf“fgf[]f<“à,ì€-Ú,ð’Ç%Áj

DlgService, poke

[]@[]@[]\•[]Fddpoke "item", "text";

[]@f_fCfAf[]fO”z’ufofbftf@,ìÁ[]V,ìfRf“fgf[]f<,É[]AfRf“fgf[]f<“à,ì€-Ú,ð’Ç%Á,μ,Û,·[]BfŠfXfgf{fbfNfX,Æf
%fWf{f^f”,Å,μ,©^Ó-j,ª, ,è,Û,¹,ñ[]B

[]@•;[]”,ì€-Ú,ð’Ç%Á,·,é[]é[]‡,í%½“x,Å,à,â,Á,Ä,,¾,³,ç[]B

[]@—á[]F

ddpoke "newcontrol", "list,MyList,";

ddpoke "item", "fŠfXfg,ì€-Ú,P";

ddpoke "item", "fŠfXfg,ì€-Ú,Q";

ddpoke "item", "fŠfXfg,ì€-Ú,R";

height ifRf“fgf[]f<,l,,³,đ•İ,ı,éj

DlgService, poke

@@@\•[]Fddpoke "height", "num";

@f_fCfAf[]fO”z’ufofbftf@,l[]Å[]V,lfRf“fgf[]f<,l[]A[],³,đCE^,β,Ü,·[]B•[]Žš’P^Ê,Å,·[]B
@’Ê[]í,ı,±,[]€-Ú,đ[]Ý’è,μ,È,Ä,à[]A“K”-,È[],³,^aı,î,ê,Ü,·[]BfšfXfgf{fbfNfX,[]³,đCE^,β,é,Æ,«,È,Ç,ÉŽg—p,μ,Ä,-
,³/₄,³,ç[]B’¼,lfRf“fgf[]f<,l,,³,đ•İ,ı,Ä,à, ,Ü,è^Ó-ı,^a, ,è,Ü,¹,ñ[]B

@—á[]F
ddpoke "newcontrol", "list,MyList,";
ddpoke "height", "8";

default

DlgService, poke

ddepoke "default", "num";

z'ufobftf@,lfRf"fgf[f<,i%Šúó'Ôj
p,É,æ,Á,Ä^Ó-j,ª^Ù,È,è,Û,·B

fŠfXfgf{fbfNfX@Å%É'í'ð,·é€-Ú,ì"Ô+ti,P,©,ç",!,½'lj
f`fFfbfNf{fbfNfX@"0",ªf`fFfbfN,ª,è,Ä,ç,È,çA"1",ªf`fFfbfN,ª,è,Ä,ç,é
f%WfIf{f^f"@@Å%É'í'ð,·é€-Ú,ì"Ô+ti,P,©,ç",!,½'lj
f^f"@@-³Eø
fGfffBfbfg@@@-³Eøi%Šúó'Ô,ínewcontrol,ìtext ,Åÿ'è,µ,Û,·j

—áF
ddepoke "newcontrol", "check,MyChecobox,f`fFfbfNf{fbfNfX,P(&C)";
ddepoke "default", "1";

notify i'É'mfR[fh,ðĈ^,β,éj

DlgService, poke

```
@@@\•fFddepoke "notify", "num";
```

```
@_f_CfAfO"z'ufobftf@,lÅV,lfRf"fgf[f<,lA'É'mfR[fh,ðĈ^,β,Ü,·B
@'É'mfR[fh,íAfrf"fgf[f<,º%Ÿ,³,ê,½,Æ,«,È,ÇADDEfNf%ofCfAf"fg,É'É'm,³,ê,Ü,·BDDEfNf
%ofCfAf"fg,º'É'm,ðŽó,~Žæ,é,Æ,«,ÍAfhfofCfYf<[fv,É"ü,Á,Ä,ç,È,~,ê,Î,È,è,Ü,¹,ñB'É'm,º"-
f,·,é,Ædlgresult[€-Ü,º•İX,³,ê,Ü,·BdialogRf}f"fh,ºĈÄ,Î,ê,½Ĉä,Å,È,ç,Æ'É'm,³,ê,Ü,¹,ñB
@unum [v,Í,P,Oi",l"l,Å,È,~,ê,Î,ç,~,Ü,¹,ñB[i—áF"123",â"3000"j
@'É'm,³,ê,é^fCf~f"fo,lfRf"fgf[f<,lŽí—p,É,æ,Á,Ä^Ü,È,è,Ü,·B
```

```
@@fŠXfgf{fbfNfX@@@f_fufNfŠfbfN,³,ê,½,Æ,«
@@@f_ffbfNf{fbfNfX@%ºŸ,³,ê,½,Æ,«
@@@f%ofWfIf{f^f"@@@@%ºŸ,³,ê,½,Æ,«
@@@fvfbfVf...f{f^f"@@@@%ºŸ,³,ê,½,Æ,«
@@@fGfffBfbfg@@@@@@-³Ĉø
```

```
@—áF
```

```
//_f_CfAfO,ð,è,é
ddepoke "newcontrol", "button,,f{f^f",P";
ddepoke "notify", "1";
ddepoke "newcontrol", "button,,f{f^f",Q";
ddepoke "notify", "2";
```

```
//AfhfofCfYf<[fv
ddeexecute "dialog";
ddestartadvice "dlgresult", $a;
while( strlen($a) == 0 ) {
    ddewaitadvice $a, 100;
}
ddestopadvice "dlgresult";
ddeexecute "enddialog";
```

```
if( $a == "1" ) {
    //f{f^f",P,º%Ÿ,³,ê,½
} else if( $a == "2" ) {
    //f{f^f",Q,º%Ÿ,³,ê,½
}
```


newcolumn i V, μ, φ c, ì—ñ j

DlgService, poke

```
@\•¶Fdepoke "newcolumn", "num";
```

```
@'ÉíAfrf"fgf[f<,ì"z'u,íä,©,ç#”Ô,É"z'u,³,ê,Ä,φ,«,Ü,;ªAnewcolumn€-  
Ú,đÝ'è,·,é,ÆAZŽ,É"z'u,·,éRf"fgf[f<,đV,μ,φc,ì—ñ,É"z'u,·,é,æ,α,É,μ,Ü,·B
```

```
@V,μ,φc,ì—ñ,íA,φ,Ü,Ü,Ä,ìc—ñ,ì%oE'α,É,Ä,«,Ü,·B
```

```
@ŽŸ,©,ç"z'u,³,ê,éRf"fgf[f<,ì•,íunum v,ĂŽw'è,³,ê,½•,É,È,è,Ü,·B^P^Ê,í¼Šp•¶Žš'P^Ê,Ä,·B
```

```
@—áF
```

```
depoke "newcolumn", "40";
```

newpage i V, μ, φ % i, ð - ñ j

DlgService, poke

@ @ \ • ¶ ddepoke "newpage", "num";

@ , ± , ð € - Ú , í ¶ Anewcolumn, Æ • 1, 1, Ā Ž g - p, μ, Ü, · ¶ B

@ ' Ê í ¶ Anewcolumn, ð % ½ " x, © , â , é , Æ Ž Ÿ ¶ X, É ¶ c - ñ , a % i, É ¶ L, a, Á, Ā, ç, «, Ü, ·, a ¶ Anewpage ¶ € -

Ú, ð ¶ Ý ' è, ·, é, Æ ¶ A, Ü, ½ ^ ê " Ô ¶ ¶ ' ¶ x, © , ç ¶ c - ñ, ð ¶ ð ¶ - , μ, Ā, ç, , æ, ¶ x, É, È, è, Ü, · ¶ B ¶ i, ç, Ü, Ü, Ā, É ¶ o - ^, ½ " z ' u, ð ' S ' ð, ð

% °, É ¶ V, ½, É ¶ ð ¶ - , ·, é, æ, ¶ x, É, È, è, Ü, · ¶ B ¶ j

@ Ž Ÿ, ©, ç " z ' u, ³, é, é ¶ R f " f g f ¶ ¶ [f <, ð •, í ¶ unum ¶ v, Ā Ž w ' è, ³, é, ½ • ¶, É, È, è, Ü, · ¶ B ' P ^ Ê, í " ¼ Š p • ¶ Ž š ' P ^ Ê, Ā, · ¶ B

@ - á ¶ F

ddepoke "newpage", "40";

part iŽg—p, ., é•, ð^èŽŽ“l, É•í, l, éj

DlgService, poke

@@ \•¶F ddepoke "part", "(num | half)";

@f_fCfAf□fO"z'ufofbftf@, ìÅ□V, ìfRf"fgf□□[f<, ìA•□, ð•í, l, Ü, :□B□unum
□v, ÅŽw'è, ,³, é, ½•□, É, È, è, Ü, :□B'P^Ê, í"¼Šp•¶Žš'P^Ê, Å, :□Bhalf, Æ, ç, x•¶Žš—
ň, ðŽw'è, , é, Æ□ACE»□Ý, ì•□, ì"¼•^a, ì•□, É, È, è, Ü, :□B

@•í, l, ½•□, ^aCE³, ì•□, æ, è, à□-, ³, ç□ê□#□AŽŸ, É"z'u, ³, é, éfRf"fgf□□[f<, í□A, ç, Ü"z'u, μ, ½fRf"fgf□□[f<, ì%°E'x, ì<ó, ç
, ½□Š, É"z'u, ³, é, Ü, :□B

@•□, ì^èŽŽ“l, É•í, í, é, ¾, -, Å□AŽŸ, ìŽŸ, ©, ç"z'u, , éfRf"fgf□□[f<, íCE³, ì•□, É-ß, è, Ü, :□B

@—á□F

- ddepoke "newdialog", "40,f^fCfjf<";
- ddepoke "newcontrol", "button,,%°E'x, ì{f^f""";
- ddepoke "part", "20";
- ddepoke "newcontrol", "button,,¶'x, ì{f^f""";

f_fCfAf_fO_i-~,iŠT-v

~ -pžè†

```
@_f_fCfAf_fO_f{fbfNfX,đ^μ,κ,É,ÍAddeinitiate,Å"DlgService",đŽw'è,μ,Ä,,¼,³,¢B
```

```
@-áF
```

```
ddeinitiate "HideMacroServer", "DlgService";
```

```
@_f_fCfAf_fO,đo,.,É,ÍAddeexecute,Å"dialog"fRf}f"fh,đŽÀs,μ,Û,·B,ªA,±  
,İfRf}f"fh,đŽÀs,.,é'O,Éf_fCfAf_fO,ì"z'uî•ñ,đŸ'è,μ,Ä,â,ç,È,,Ä,İf_fCfAf_fO,đo,.,±,Æ,Í,Å,«,Û,¹,ñB  
@"z'uî•ñ,đŸ'è,.,é,É,ÍAddepoke,Å^È%º,ižè†,ÅŸ'è,μ,Û,·B
```

```
,P□Dnewdialog,Å"z'ufobftf@,đ%Šú%»,,.éB  
,Q□Dnewcontrol,ÅfRf"fgf□□[f<,đ"z'ufobftf@,É'Ç%Á,.,éB  
,R□D•K-v,Å, ,ê,ÎAitem, default, notify,È,Ç,Å□A□u,Q□v,Å"z'u,μ,½fRf"fgf□□[f<,đ□C□ù,.,éB  
,S□D,³,ç,ÉfRf"fgf□□[f<,đ"z'u,μ,½,¯,ê,ÎA□u,Q□v,É-β,éB  
,T□Ddeexecute,ÅdialogfRf}f"fh,đŽÀs,.,éB
```

```
@dialogfRf}f"fh,đŽÀs,μ,½CEã,ÍACE<%º,đŽó,~Žæ,é,½,βAfAfhfofCfYf<□[fv,É"ü,Å,Ådlgresult□€-  
Ú,ª,İ□X,³,ê,é,ì,đ'Ò<@,μ,È,,Ä,Í,¢,¯,Û,¹,ñB  
@□ÅCEã,Édialog,ì•Ž!,đ,â,β,é,Æ,«,ÍAenddialogfRf}f"fh,đŽÀs,μ,Û,·B
```

```
@ŽÀÛ,ÉGSÛ,İf}fNf□,Å□',¢,½éè†,Í^È%º,ì,æ,κ,É,È,è,Û,·B
```

```
//"z'uî•ñ,đŸ'è,.,é  
ddepoke "newdialog", "40,f^fCfYf<";  
ddepoke "newcontrol", "list,,";  
ddepoke "item", "fŠfXfg,ì□€-Ú,P";  
ddepoke "item", "fŠfXfg,ì□€-Ú,Q";  
ddepoke "item", "fŠfXfg,ì□€-Ú,R";  
ddepoke "newcontrol", "check,,f`fFfbfNf{fbfNfX,P";  
ddepoke "newcontrol", "check,,f`fFfbfNf{fbfNfX,Q";
```

```
//•\Ž!  
ddeexecute "dialog";
```

```
//fAfhfofCfYf<□[fv  
ddestartadvice "dlgresult", $a;  
while( strlen($a) == 0 ) {  
    ddwaitadvice $a, 100;  
}
```

```
ddestopadvice "dlgresult";
```

```
//□Á<Ž
```

```
ddeexecute "enddialog";
```

f_fCfAf_fO_i-.,lftf“fvf<f}fNf

□@f_fCfAf_fOfT□[fxfX,đŽg,Á,½fTf“fvf<f}fNf□,Ä,·□B□ä,©,ç□#“Ô,É^è,Â^è,ÂÆ©,Ä,ç,,Æ%øđ,è,â,·,ç,Ä,·□B
□@fTf“fvf<,Á,í□Addeinitiate,È,Ç□%Šú%»»,ì”•²,đ□È,ç,Ä,ç,Ü,·□B□%Šú%»»,ì”•²,í~—p•û-
@,đŽQ□Æ,μ,Ä,,¾,¾,ç□B
□@,±,łftf“fvf<,í□A“Y•tftf@fCf<,ldlgtest.mac,É□’,©,è,Ä,ç,Ü,·□B

Šî-{-•Ò

□@f_fFfbfNf{fbfNfX
□@fŠfXfgf{fbfNfX
□@f%øfWfif{f^f“
□@fGfffBfbgfRf“fgf□□[f<
□@fvfbfVf...f{f^f“
□@ffftfHf<fg’l,ì□Y’è
□@fj□[f.fjfbfN,ìŽw’è

%øž—p•Ò

□@heightŽg—p,ì—á
□@partŽg—p,ì—á
□@newcolumnŽg—p,ì—á
□@newpageŽg—p,ì—á

f`fFfbfNf{fbfNfX,lfTf“fvf·f}fNf

```
@·S,O•ŕŽš•ª,lf_fCfAfŕfO,ðŕŕ¬,µŕA,»,'t,É`fFfbfNf{fbfNfX,ð,R,Âŕi,Á,Ä,ç,Û,·ŕB
^ê”Ô%º,É,ÍŕuOKŕvf{f^f“,Æŕu·¬Ý¼Ûŕvf{f^f“,ð”z’u,µ,Ä,ç,Û,·ŕB
@,R,Â,lf`fFfbfNf{fbfNfX,ÍŕA,»,ê,¼,êŕuMyCheck1ŕvŕuMyCheck2ŕvŕuMyCheck3ŕv,Æ-½-
¼,³,ê,Ä,“,èŕAf_fCfAfŕfOŕl—¹Æä,Égetstate,Â,»,ê,¼,ê,ìŕó’Ô,ð-â,çŕ‡,í,¹,Ä,ç,Û,·ŕB
```

```
//***** f`fFfbfNf{fbfNfX,lfefXfg *****
```

```
ddepoke "newdialog", "40,f`fFfbfNf{fbfNfX,lfefXfg";
ddepoke "newcontrol", "check,MyCheck1,f`fFfbfNf{fbfNfX,P";
ddepoke "newcontrol", "check,MyCheck2,f`fFfbfNf{fbfNfX,Q";
ddepoke "newcontrol", "check,MyCheck3,f`fFfbfNf{fbfNfX,R";
ddepoke "newcontrol", "okcancel";
```

```
call MakeDialog;
```

```
message "f`fFfbfN,P,ìŕó’Ô = " + dderequest("getstate MyCheck1") + "\n" +
    "f`fFfbfN,Q,ìŕó’Ô = " + dderequest("getstate MyCheck2") + "\n" +
    "f`fFfbfN,R,ìŕó’Ô = " + dderequest("getstate MyCheck3");
```


fŠfXfgf{fbfNfX,İfTf“fvf·f}fNf□

```
□@fŠfXfgf{fbfNfX,đ“z’u,μ,½ĈĖã□Aitem□€-Ú,đŽg,Á,ĂfŠfXfgf{fbfNfX,İ“à—e,đ□Ý’è,μ,Ă,ç,Û,·□B
□@f_fCfAf□fO□I—¹ĈĖã,Égetstate,Á‘l’đ,³,ê,Ă,ç,é□€-Ú,đ-â,ç□‡,í,¹,Ă,ç,Û,·□BgetString,Ă-â,ç□‡,í,¹,é,Æ□A□€-
Ú,İ”Ö□†,Ă,İ,È,□A□€-Ú,İ“à—e□i,½,Æ,İ,İ□ufŠfXfg,İ□€-Ú,P□v,Æ,ç,α•ŋŽš—ñ□v□j,đ-â,ç□‡,í,¹,é,±,Æ,ª,Ă,«,Û,·□B
```

```
//***** fŠfXfgf{fbfNfX,İfefXfg *****
```

```
ddepoke "newdialog", "40,fŠfXfgf{fbfNfX,İfefXfg";
```

```
ddepoke "newcontrol", "list,MyListbox,";
```

```
ddepoke "item", "fŠfXfg,İ□€-Ú,P";
```

```
ddepoke "item", "fŠfXfg,İ□€-Ú,Q";
```

```
ddepoke "item", "fŠfXfg,İ□€-Ú,R";
```

```
ddepoke "item", "fŠfXfg,İ□€-Ú,S";
```

```
ddepoke "newcontrol", "okcancel";
```

```
call MakeDialog;
```

```
message dderequest("getstate MyListbox") + " "Ö-Ú,ª‘l,İ,ê,Û,μ,½\ŋ" +
```

```
"‘l,İ,ê,½□€-Ú,İ“à—e = □u" + dderequest("getString MyListBox") + "□v";
```

f%Wf{f^f},lTf“fvf<f}fNf

@f%Wf{f^f},ð”z’u,μ,Ä,ç,Û,·BŽÀÛ,ÍAnewcontrol,μ,½,¾,¯,Ä,Íf
%Wf{f^f},ð”z’u,·,é,½,B,ì~g,μ,©,Å,«,Û,¹,ñBfŠfXfgf{fbfNfX,Æ“—l,ÉAitem€-Ú,ðÝ’è,μ,Ä,â,é,ÆAf
%Wf{f^f},ã~g,ì†,É”z’u,³,ê,Û,·B

```
//***** f%Wf{f^f},lTfXfg *****  
ddepoke "newdialog", "40,f%Wf{f^f},lTfXfg";  
ddepoke "newcontrol", "radio,MyRadio,fOf<[fv";  
ddepoke "item", "f%Wf{f^f},P";  
ddepoke "item", "f%Wf{f^f},Q";  
ddepoke "item", "f%Wf{f^f},R";  
ddepoke "newcontrol", "okcancel";
```

```
call MakeDialog;  
message dderequest("getstate MyRadio") + " "Ô-Ú,lTf{f^f},ã¹,î,ê,Û,μ,½";
```

fGfffBfbfgfRf“fgf[f<,l}Tf“fvf<f}fNf

```
@fGfffBfbfgfRf“fgf[f<,đ”z’u,μ,Ä,ç,Ü,·B
@f_fCfAf[fO—¹EãAgetstate,Ægetstring,Å-â,ç,í,¹,Ä,ç,Ü,·B“”l,ª“ü—í,³,ê,Ä,ç
,éê,íAgetstate,ìE<%oÊ,í”l,É,È,è,Ü,·B“”l,¶,á,È,ç•¶Žš—ñ,ª“ü—í,³,ê,Ä,ç
,éê,íAgetstate,ìE<%oÊ,í,O,É,È,è,Ü,·Bgetstring,ìE<%oÊ,íA,Æ,É,©,“ü—í,³,ê,Ä,ç,½•¶Žš—
ñ,É,È,è,Ü,·B
```

```
//***** fGfffBfbfg,l}efXfg *****
```

```
ddepoke "newdialog", "40,fGfffBfbfg,l}efXfg";
```

```
ddepoke "newcontrol", "edit,MyEdit,";
```

```
ddepoke "newcontrol", "okcancel";
```

```
call MakeDialog;
```

```
message “”l,ª“ü—í,³,ê,½ê = " + dderequest("getstate MyEdit") + "\n" +
```

```
“”l,©•¶Žš,ª“ü—í,³,ê,½ê = " + dderequest("getstring MyEdit");
```

fvfbfVf...f{f^f",}fTf"fvf<f}fNf

```
@fvfbfVf...f{f^f",δ"z'u,μ,½, ,Æ□Anotify□€-Ú,ð□Ý'è,μ,Ä□A'É'mfR□[fh,ðCE^,β,Ä,ç,Ü,·□B
@'É'mfR□[fh,í□Adlgresult,ì•ï□X,Æ,μ,Ä'É'm,³,ê,Ü,·□BDDEfNf
%oCfAf"fg,ÍfAfhfofCfYf<□[fv,ð□ì,Á,Ädlgresult,ì•ï□X,ä'É'm,³,ê,é,ì,ð'Ò<@,μ,È, -,ê,î,È,è,Ü,¹,ñ□B□icall
MakeDialog; ,ì"•ª□j
@□uOK□vf{f^f",Æ□u·-Ý¾¼Ü□vf{f^f",í□A, ,ç, ©, ¶,βnotify,Ä,P,Æ,O,ªŽw'è,³,ê,Ä,ç,é,ì,Ä□A□uOK□v,ª
%oÝ,³,ê,½,Æ,«,í,P,ª□A□u·-Ý¾¼Ü□v,ª%oÝ,³,ê,½,Æ,«,í,O,ä'É'm,³,ê,Ü,·□B
```

```
//***** fvfbfVf...f{f^f",}fXfg *****
```

```
ddepoke "newdialog", "40,fvfbfVf...f{f^f",}fXfg";
ddepoke "newcontrol", "button,f{f^f",P";
ddepoke "notify", "123";
ddepoke "newcontrol", "button,f{f^f",Q";
ddepoke "notify", "456";
ddepoke "newcontrol", "okcancel";
```

```
call MakeDialog;
```

```
if( $$return == "0" ) {
    message "·-Ý¾¼Ü,ª%oÝ,³,ê,Ü,μ,½";
} else if( $$return == "1" ) {
    message "OK,ª%oÝ,³,ê,Ü,μ,½";
} else if( $$return == "123" ) {
    message "f{f^f",P,ª%oÝ,³,ê,Ü,μ,½";
} else if( $$return == "456" ) {
    message "f{f^f",Q,ª%oÝ,³,ê,Ü,μ,½";
}
```

ffffHf<fg'l,ìY'è,ìfTf“fvf<f}fNf

□@fRf“fgf□□[f<,đ“z'u,μ,½, ,Æ□Adefault□€-Ú,đ□Y'è,μ,Ä□%Šú□ó'Ô,đCE^,β,Ä,ç,Û,·□B
□@fGfffBfbfgfRf“fgf□□[f<,É,Â,ç,Ä,Í□A□%Šú□ó'Ô,Ídefault,ÅCE^,β,,.É□Anewcontrol,ìfpf
%of□f^,ÄŽw'è,μ,Û,·□B

```
//***** ffffHf<fg'l,ìY'è,ìfefXfg *****  
ddepoke "newdialog", "40,ffffHf<fg'l,ìY'è,ìfefXfg";  
ddepoke "newcontrol", "check,MyCheck,f`fFfbfNf{fbfNfX";  
ddepoke "default", "1";  
ddepoke "newcontrol", "list,MyListbox,";  
ddepoke "item", "fŠfXfg,ì€-Ú,P";  
ddepoke "item", "fŠfXfg,ì€-Ú,Q";  
ddepoke "item", "fŠfXfg,ì€-Ú,R";  
ddepoke "default", "3";  
ddepoke "newcontrol", "radio,MyRadio,fOf<□[fv";  
ddepoke "item", "f%ofWfjf{f^f“,P";  
ddepoke "item", "f%ofWfjf{f^f“,Q";  
ddepoke "item", "f%ofWfjf{f^f“,R";  
ddepoke "default", "2";  
ddepoke "newcontrol", "edit,MyEdit,□%Šú%»•¶Žš";  
ddepoke "newcontrol", "okcancel";
```

call MakeDialog;

fj[f,fjfbfN,ìžw'è,ìfTf"fvf<f}fNf

```
@fj[f,fjfbfN,Æ,íAf_fCfAfO,ðfL[f{[fh'€],,é,Æ,«AAAlt+fL[ ,Å'€],,éL[,ì,±,Æ,Å,-BfRf"fgf[f<,ìfefLfXfg,ÉAfj[f,fjfbfN,É,μ,½,¢•¶Žš,ì'O,Éu&v,ð,Å,~,Ä,â,é,±,Æ,ÅAfj[f,fjfbfN,ðCE^,β,é,±,Æ,ª,Å,«,Ü,·B  
@fŠfXfgf{fbfNfX,âfGfffBfbfgfRf"fgf[f<,É,Å,¢,Ä,íAfRf"fgf[f<,ìfefLfXfg,ÅCE^,β,é,±,Æ,í,Å,«,È,¢,ì,ÄA"z'u,.,é'O,Étext[ifXf^fefBfbfNfefLfXfg[j,ð"z'u,.,é,Æ,Å,«,Ü,·B
```

```
//***** fj[f,fjfbfN,ìfefXfg *****  
ddepoke "newdialog", "40,fj[f,fjfbfN,ìfefXfg";  
ddepoke "newcontrol", "check,MyCheck,f`fFfbfNf{fbfNfX(&C)";  
ddepoke "newcontrol", "text,,fŠfXfgf{fbfNfX(&L)";  
ddepoke "newcontrol", "list,MyListbox,";  
ddepoke "item", "fŠfXfg,ì€-Ú,P";  
ddepoke "item", "fŠfXfg,ì€-Ú,Q";  
ddepoke "item", "fŠfXfg,ì€-Ú,R";  
ddepoke "newcontrol", "radio,MyRadio1,fOf<[fv,P(&G)";  
ddepoke "item", "f%ofWfjf{f^f",P";  
ddepoke "item", "f%ofWfjf{f^f",Q";  
ddepoke "item", "f%ofWfjf{f^f",R";  
ddepoke "newcontrol", "radio,MyRadio2,fOf<[fv,Q";  
ddepoke "item", "f%ofWfjf{f^f",P(&1)";  
ddepoke "item", "f%ofWfjf{f^f",Q(&2)";  
ddepoke "item", "f%ofWfjf{f^f",R(&3)";  
ddepoke "newcontrol", "text,,fGfffBfbfg(&E)";  
ddepoke "newcontrol", "edit,MyEdit,";  
ddepoke "newcontrol", "okcancel";
```

```
call MakeDialog;
```

heightŽg—p,ì—á

□@fŠfXfgf{fbfNfX,đ"z'u,μ,½, ,Æ,Éheight□€-Ú,đ□Ý'è,.,é,Æ□AfŠfXfgf{fbfNfX,ì□,,³,đCE^,β,é,±
,Æ,ª,Å,«,Ü,·□BfTf"fvf<,Á,í□A□,,³,ª,Q•¶Žš•ª,ìfŠfXfgf{fbfNfX,Æ,W•¶Žš•ª,ìfŠfXfgf{fbfNfX,đ□ì□¬,μ,Ä,¢,Ü,·□B

```
//***** height,ìfefXfg *****  
ddepoke "newdialog", "40,height,ìfefXfg";  
ddepoke "newcontrol", "text,,',á,¢fŠfXfgf{fbfNfX";  
ddepoke "newcontrol", "list,MyListbox1,";  
ddepoke "item", "fŠfXfg,ì□€-Ú,P";  
ddepoke "item", "fŠfXfg,ì□€-Ú,Q";  
ddepoke "item", "fŠfXfg,ì□€-Ú,R";  
ddepoke "height", "2";  
ddepoke "newcontrol", "text,,□,,¢fŠfXfgf{fbfNfX";  
ddepoke "newcontrol", "list,MyListbox2,";  
ddepoke "item", "fŠfXfg,ì□€-Ú,P";  
ddepoke "item", "fŠfXfg,ì□€-Ú,Q";  
ddepoke "item", "fŠfXfg,ì□€-Ú,R";  
ddepoke "height", "8";  
ddepoke "newcontrol", "okcancel";
```

call MakeDialog;

partŽg—p,ì—á

□@fRf“fgf□□[f<,đ”z’u,μ,½, ,Æ□Apart□€-Ú,đ□Ý’è,·,é,Æ□A,ç,Ü”z’u,μ,½fRf“fgf□□[f<,ì•□,đ•ì,!,é,±
,Æ,ª,Å,«,Ü,·□BŽŸ,É”z’u,·,éfRf“fgf□□[f<,í□A%ºº,É”z’u,³,ê, ,□A%ºE,ì<ó,ç,½•”•ª,É”z’u,³,ê,Ü,·□B<ó,ç
,½•”•ª,É,È,à”z’u,μ,½,,È,ç□é□‡,í□A•¶Žš—ñ,È,μ,ìtext□ifXf^fefBfbfNfefLfXfg□j,đ”z’u,·,ê,ì,ç,ç,Å,·□B
□@part,đ~A’±,μ,ÄŽg—p,·,é,±,Æ,à%ºÅ”\,Å,·□B

```
//***** part,ìfefXfg *****  
ddepoke "newdialog", "40,part,ìfefXfg";  
ddepoke "newcontrol", "text,,fGfffBfbfg(&E)□F";  
ddepoke "part", "16";  
ddepoke "newcontrol", "edit,MyEdit,,";  
ddepoke "part", "10";  
ddepoke "newcontrol", "text,,"; //(f_f~□□)  
ddepoke "newcontrol", "radio,MyRadio,fOf<□[fv,P(&G)";  
ddepoke "item", "f%ºfWfl,P";  
ddepoke "item", "f%ºfWfl,Q";  
ddepoke "item", "f%ºfWfl,R";  
ddepoke "part", "30";  
ddepoke "newcontrol", "text,,"; //(f_f~□□)  
ddepoke "newcontrol", "button,,□¶";  
ddepoke "part", "13";  
ddepoke "newcontrol", "button,,’†";  
ddepoke "part", "13";  
ddepoke "newcontrol", "button,,%ºE";  
ddepoke "newcontrol", "okcancel";
```

call MakeDialog;

newcolumnŽg—p,ì—á

□@newcolumn□€-Ú,đ□Ý'è,·,é,Æ□AŽÝ,©,ç“z'u,·,éfRf“fgf□□[f<,í□V,μ,ç—ñ,É,È,è,Ü,·□B
□@ŽÀ□Ú,É,â,Á,Ä,Ý,ê,Î,í,©,è,Ü,·□B

//***** newcolumn,ìfefXfg *****

```
ddepoke "newdialog", "20,newcolumn,ìfefXfg";  
ddepoke "newcontrol", "check,,f`fFbfN,P(P□s-Ú)";  
ddepoke "newcontrol", "check,,f`fFbfN,Q(P□s-Ú)";  
ddepoke "newcontrol", "check,,f`fFbfN,R(P□s-Ú)";  
ddepoke "newcolumn", "30";  
ddepoke "newcontrol", "button,,f{f^f“,P(Q□s-Ú)";  
ddepoke "newcontrol", "button,,f{f^f“,Q(Q□s-Ú)";  
ddepoke "newcolumn", "30";  
ddepoke "newcontrol", "radio,,,R□s-Ú";  
ddepoke "item", "f%ofWfl,P";  
ddepoke "item", "f%ofWfl,Q";  
ddepoke "item", "f%ofWfl,R";  
ddepoke "item", "f%ofWfl,S";  
ddepoke "item", "f%ofWfl,T";  
ddepoke "newcontrol", "okcancel";
```

call MakeDialog;

newpageŽg—p,ì—á

␣@newpage␣€-Ú,đ␣Ý'è,·,é,Æ␣AŽŸ,©,ç"z'u,·,é␣u—ñ␣v,ª␣V,μ,ç␣u'i␣v,É,È,è,Û,·␣B
␣@,±,ê,àŽÀ␣Û,É,â,Á,Ä,Ÿ,ê,Î,í,©,è,Û,·␣B

//***** newpage,ÌfefXfg *****

```
ddepoke "newdialog", "20,newpage,ÌfefXfg";
ddepoke "newcontrol", "check,,f`fFfbfN,P(P␣s-Ú)";
ddepoke "newcontrol", "check,,f`fFfbfN,Q(P␣s-Ú)";
ddepoke "newcontrol", "check,,f`fFfbfN,R(P␣s-Ú)";
ddepoke "newcolumn", "30";
ddepoke "newcontrol", "button,,f{f^f",P(Q␣s-Ú)";
ddepoke "newcontrol", "button,,f{f^f",Q(Q␣s-Ú)";
ddepoke "newcolumn", "30";
ddepoke "newcontrol", "radio,,,R␣s-Ú";
ddepoke "item", "f%ofWfl,P";
ddepoke "item", "f%ofWfl,Q";
ddepoke "item", "f%ofWfl,R";
ddepoke "item", "f%ofWfl,S";
ddepoke "item", "f%ofWfl,T";

ddepoke "newpage", "40";
ddepoke "newcontrol", "text,,␣«,±,±,©,çnewpage";
ddepoke "newcontrol", "list,,";
ddepoke "newcolumn", "30";
ddepoke "newcontrol", "text,,␣«newpage,Ì, ,Ænewcolumn";
ddepoke "newcontrol", "check,,f`fFfbfN,R(Q'i-Ú,Ì,Q␣s-Ú)";
ddepoke "newcontrol", "check,,f`fFfbfN,S(Q'i-Ú,Ì,Q␣s-Ú)";
ddepoke "newcontrol", "okcancel";
```

call MakeDialog;

fTf“fvf:f}fNf,ÅŽg—p,μ,Ä,ç,éTfuf<[f`f“,Å,·B
f_fCfAf_fO,ðo,μ,ÄAf_fCfAf_fO,ìE<%oÊ’Ò,ì,ð,μ,Ä,ç,Ü,·B

MakeDialog:

```
#hwnd = hidemaruhandle(0);  
ddeexecute "dialog " + str(#hwnd);  
$$a = "";  
ddestartadvice "dlgresult", $$a;  
while( strlen($$a) == 0 ) {  
    ddwaitadvice $$a, 100;  
}  
ddestopadvice "dlgresult";  
ddeexecute "enddialog";  
return $$a;
```

