

,co-,f,`,ĀŽn,β,é,â,³,μ,ϕ,b,ffAfjff[fVf‡f“

Win32s,İfCf“fXfg[f<@@

インストールの実行


 Žû~^fffbfEfNfgfŠ@DISC1:\VPR_DATA\DOGA

@,co-,f,`,ÍA‘½,,İfAf}f`f...fA,İ‘ŠÉY<|-Í,É,æ,Á,ÄAfpp[f\
fif<fx[fX,İ,b,ffAfjff[fVf‡f“i^È%^o,b,f,`,É-
^a,·j\$İŠĀ<<,ð“ö,μAZ^o·^a,Āi,éffffWf^f<%f‘æ•¶%»,ðL,β,Ä,ϕ,±
,x,Æ,ϕ,xfvfWfFfNfg,Ā,·B

@·t~^fffbfXfN,É,ÍA“-f`[f€,^a’ñ<ÿ,μ,½,b,f,`“ü-åfLfbfguDOGA-
L1v[i‘İ€±”Ā,Ā,Í,È,Š“S”Āj,ðŽû~^,μ,Ā,ϕ,Ü,·B,^o,Đ,²—,,³/₄,³,ϕB

**,±,ê,ç,İf\ftfgfEjFfA,İ32bitfvf[f0f%f€
,Ā,·,İ,ĀWindows3.1,ð,“Žg,ϕ
,İ•û,ÍWin32s,ðæ,ÉfCf“fXfg[f<,μ,Ā,©,çuDOGA-
L1v,âuPolyEditv,ðfCf“fXfg[f<,μ,Ā,,³/₄,³,ϕBWindows95,ðŽg-
p,μ,Ā,ϕ,é•û,ÍWin32s,ðfCf“fXfg[f<,·,é•K-v,Í, ,è,Ü,¹,ñB**

 @uCGA “ü-åfLfbfg DOGA-L1v

 @u3Df|fŠfSf“f,fff%[] PolyEditv

 @uCGA “ü-åfLfbfg DOGA-L1 f\[fXfvf[f0f%f€v

uCGA “ü-åfLfbfg DOGA-L1v

インストールの実行



Žû~^ffBfEfNfgfŠ@DISC1:\VPR_DATA\DOGA\DOGAL1

@DOGA-L1,Æ, íA, Ü, Á, ½, %SŽò, Ì•û, Å, àAŽèËy, ÉCGfAfjff[fVf#f“ (^È
%°CGA, É-ª, ·) , ÌŠy, µ, ³, ð' Ì±, µ, Ä, ç, ½, ¾, , ±, Æ, ð-Ú“I, ÉŠJ”-

, ³, ê, ½ACGA“ü-åfVfXfef€

, Å, ·BfIfŠfwfif<fJ, ðfffUfCf“, µA, », ê, É“®, «, ð, Å, ^A

%F'^<óŠÔ, ðfofbfN, Éí“-<@, Ìfhfbf0ftf@fCfg, Æ, ç

, Á, ½fAfjff[fVf#f“, ¢ŠÈ'P, Éì- , Å, «, Ü, ·B



@Ú, µ, , íADISC1:\VPR_DATA\DOGA\DOGAL1\README.TXT, ð, ²—, -

, ¾, ³, çB


© PolyEdit

インストールの実行

インストールの実行

Žû~^ffBfEfNfgfŠ@DISC1:\VPR_DATA\DOGA\POLYEDIT

PolyEdit , í AX680x0-p DoGA CGA System , ì Å VQ^f,fff
% [AModel.X , ð MS-Windows
, É^Ú A, µ, ½, à, ì, Å, · BOS, É^È '¶, · , é • " • a, a, È, ç, ½, ß A, ³, Ü, ´, Ü, Èfvf
%fbfgfz [f€ , Å " ® ì, µ, Ü, · , a A, » , ì, ©, í, è AWindows , ç, µ, -
, È, çft [fU [fCf " f^ [ftfF [fX, É, È, Á, Ä, µ, Ü, Á, Ä, ç, Ü, · B

 @ Ú, µ, , í DISC1:\VPR_DATA\DOGA\POLYEDIT\README.TXT , ð, ² — , -
, ¾, ³, ç B

uCGA "ü-âflfbfg DOGA-L1 f\ [fXfvf fOf%f€v

 Žû~^fffbf€fnfgfš@DISC1:\VPR_DATA\DOGA\SOURCE

, ±, ìfffbf€fnfgfš, É, Í DOGA-L1 , ÉŽg-p, μ, Ä, ç, éfvf fOf%f€ , ìf\
 [fXftf@fCf<, ªŽû~^, ³, ê, Ä, ç, Ü, ·B

EBorland C++ Ver.4.0 , Å, Ì, ÝRf"fpfCf<‰Å"\, Èfvf fOf%f€

PASM.LZH fp [fcfAfZf" fuf%

MEDIT.LZH f, [fVf#f" fGfffbf^

TCH2AVI.LZH AVI fRf"fo [f^ (f€ [fr [[ì [~p)

WIREVIEW.LZH f [fCf, [fRf... [(f, [fVf#f" fGfffbf^, ©, çÄ, Ño, μ)

MEC2SUF.LZH f [fJfRf"fo [f^

E<@Ží^È'¶, Ì, È, çfvf fOf%f€

REND.LZH ºæ'æ [ìæfvf fOf%f€

MS-Windows(Borland C++ Ver.4.0)

ATÉÝŠ·<@(DJGPP)

PC9801(DJGPP)

X68000(GNU-C)

UNIX(GNU-C)

UNIX + X-Window(GNU-C)

POLYEDIT.LZH 3Df|fšfSf" fGfffbf^ PolyEdit

MS-Windows(Borland C++ Ver.4.0)

X68000(GNU-C)

ATÉÝŠ·<@(DJGPP) *1

PC9801(DJGPP) *1

*1: ºß<Ž, É, ÍfRf"fpfCf< [o-^, Ä, ç, ½, ªA [V"Å, ÅfRf"fpfCf<‰Å"\, ©, Ç, ¸
, ©, Í·s-¾, È, "A, ±, ê, ç, ìfvf fOf%f€ , ìfo [fWf#f" fAfbfv, ÉŠÖ, μ, Ä, Í [Af\
 [fX, àŠÜ, ß, ÄA

URL: <http://www.yo.rim.or.jp/~taka2/DoGA/>

, ÉÉöŠJ, ·, é-\ 'è, Å, ·B½, ©Ž; -â"™, , è, Ü, μ, ½, çA

support@doga.higashiyodogawa.osaka.jp

, Ü, Åf [f<, ð, , ¾, ³, çB

1996.8.2 Project Team DoGA

