


“ú–{ DEC

@BIOS Update


 HiNote VP BIOS V 1.11 Update kit

 HiNote/HiNote Ultra #U BIOS Version 2.10 Update Kit


 HiNote/HiNote Ultra BIOS Version 2.08 Update Kit

 StrageWorks RAID Array 200fVfŠ[]fY BIOS
ftf@[]f€fEfFfAfAbfvf0f€[]fh

 Prioris HX Server fVfXfef€BIOS,frfffIBIOSfAbfvf0f€[]fh


 DECpc XL Server fVfXfef€BIOSfAbfvf0f€[]fh


@Driver Update


 HiNote Ultra II LTS5133/LTS5150
Windows 95 30°ÄP[]@FDDÄP×²ÊP[]i%ü'ù"Å[]j

 HiNote VP LSS5100/LTS5120 Windows 95 TouchPad Driver V4.0


 Venturis FX Video Driver for W-NT


 HiNote Ultra II Windows 95 C&T65548 Display Driver Module


 HiNote Ultra/HiNote Ultra II
Mobile Media Windows 95 Driver Module Update"Å

 [MGA Win95 Millenium Display Driver](#)


 [Matrox MGA Millenium Drivers for Windows NT 3.5/3.51](#)

 [IDE CD-ROM DRIVE\(FR-PCXCR-AM\) Device Drivers](#)


 @,»,ì'¼


 [Windows NT 4.0 fAfbfvf0f@\[\]fhfKfCfh](#)




 [Prioris Server@ÿ\[\],-pf,fWf...\[\]f< F-PROT V2.24C](#)


 [Prioris ServerfVfŠ\[\]fY-pRCUf,fWf...\[\]f<](#)

 [Pentium“<\[\]ÚPC,ÉWindows NT Workstation
3.51,ðfCf“fXfg\[\]f<,.,é\[\]Û,ì'\[\]^ÓŽ-\[\]€](#)

 [Prioris LX ServerfVfŠ\[\]fY OSfCf“fXfg\[\]f<fKfCfh](#)

 [Windows 95,ðDigital PC ,ÅŽg-p,.,é\[\]ê\[\]‡,ì'\[\]^Ó](#)

 [NT Inst Guide for Quick Launch V1.0-1.4](#)

 [Digital HiNote/HiNote UltrafVfŠ\[\]fY-p
VESA Function Support Utility](#)

StrageWorks RAID Array 200fVfŠ [fY
BIOS, ftf@ [f€fEfFfAfAfbvf0f@ [fh



Žû~^ffBf@fnfgfŠ DISC2:\DRIVER\DEC\RASA21J



“à-e

RAIDfRf“fgf [f% StrageWorks RAID Array
200fVfŠ [fY, ÌBIOS, Æftf@ [f€fEfFfA, ÌfAfbvf0f@ [fhfvf [f0f%f€
, Å, · B



ftf@fCf< \ \ -

DOSIMAGE DOC	1,077	93-08-17	11:43 à-
³ ftf@fCf<			
DOSIMAGE EXE	8,527	91-11-01	12:54
LICENSE TXT	4,006	95-06-27	16:40
README TXT	7,144	95-09-15	
<u>0:59 à-³ftf@fCf<</u>			
SA21J IMG	1,474,560	95-09-14	10:56

HiNote/HiNote Ultra BIOS Version 2.08 Update Kit



Žû~^ffBfçfnfgfš DISC2:\DRIVER\DEC\BIOS208



“à–e

Digital HiNote/HiNote Ultra fVfš [fY, ÌSystem
BIOS, ðÅV, ÌVersion 2.08, ÉfAfbfvff [fg, ·, évf [fOf% f€, Å, ·B

CD-ROM, Ì'†, ÌBF2-

208.EXE, ðŽÀs, ·, é, Æ'¼ Úftf [fbfs [fffBfXfN, a Ì Ì-, ³, ê, Ü, ·, Ì, Å
1.44, ÌftfH [f}fbfg Ì, Ý, ÌfffBfXfN, ð^ê–†–p^Ó, µAfhf
%fCfu, É' }“ü, µ, Ä, ©, çBF2-208.EXE, ðŽÀs, µ, Ä, , ¾, ³, çB



□Ú, µ, , ÍDISC2:\DRIVER\DEC\BIOS208\README.1ST, ð, ²—, , ¾, ³, çB

IDE CD-ROM DRIVE(FR-PCXCR-AM) Device Drivers



Žů~^fffbfCfNfgfŠ DISC2:\DRIVER\DEC\CDRDRV



“à-e

f\ftfgD%î

•¾ŽĐfffXfNfgfbfvPC-pfIfvfVf†f“,Æ,μ,Ä”ì”,,’†,ì“à’ Ę^ 4”{‘¬
IDE CD-ROMfhf%fcfuFR-PCXCR-AMv,đ DOS/Windows 3.1
ŠÂ<«,ĂŽg-p,·,é,½,ß,İfhf%fcfo,Ă,·B

FR-PCXCR-AM,É,ÍMITSUMI»fhf%fcfu,ÆTOSHIBA»fhf
%fcfu,ª,·,è,Û,·BŽg-p,·,éfhf%fcfo,İfhf
%fcfu,İ»‘çĚ³,É,æ,Ă,Ă^Û,È,è,Û,·,ªA,±,İfLfbfg,É,Í-¼•û,İfhf
%fcfo,ªŠÛ,Û,è,Ă,ç,Û,·,İ,ĂAfhf%fcfuă-Ê,İf
%xf<,É<LÛ³,è,Ă,ç,é»‘çĚ³,đ,²Šm”F,İăA³,μ,çfhf
%fcfo,đ,“Žg,ç,,¾,³,çB

fhf%fcfo,İ“±“ü

(1) fhf%fcfo,İfRfs[

fhf
%fcfofLfbfg,đfn[fhfffbfXfN,ÉfRfs[,μ,Û,·B,½,Æ,†,İAC:fhf
%fcfu,É CD-ROM ,Æ,ç,×fffbfCfNfgfŠ,đ,Ă,,èA,»,±
,ÉfRfs[,·,éê†,É,İA

```
C:\> MD CD-ROM
C:\> COPY A:*.* C:ROM
```

,Æ,μ,Û,·B

(2) CONFIG.SYS ,İC³

Windows•t’®,İf,‘ “™,İfGfffbf^,ĂACONFIS.SYS
,đC³,μ,Û,·B

TOSHIBA»fhf%fcfu,İê†

ŽŸ,ìs,đ%Ă,†,Û,·B

```
DEVICE=C:\CD-ROM\D011V200.SYS /D:MSCD000
```

MITSUMI

ŽŸ, ì1s, ð%Á, |, Ü, ·B

DEVICE=C:\CD-ROM\MTMCDAI.SYS /D:MSCD000

(3) AUTOEXEC.BAT , ìC³

ŽŸ, ì1s, ð%Á, |, Ü, ·B i MITSUMI ATOSHIBA < ¨j

C:\DOS\MSCDEX /D:MSCD000 /M:10 /L:D

MSCDEX.EXE i DOS6.2/V, É•t'®j, º C:\DOS
fffbfçfnfgfš^ÈŠ0, É, , éêç, É, ÍAC:\DOS , É'ã, |, ÄŠY“–
, ·, éfffbfçfnfgfš, ðŽw'è, µ, Ä, , ¾, ³, çB

(4) SYSTEM.INI , ìC³

Windows fffbfbfçfnfgfš, É, , é SYSTEM.INI, ì [386Enh]
fZfNfVfçf“, ÉŽŸ, ì^êçs, ð%Á, |, Ü, ·B i MITSUMI fhf
%fCfu, ìêç, ì, Ýj

DEVICE=C:\CDROM\MTMCDAI.386



ftfçfç< \ç

D011V200	SYS	23,426	95-12-07	9:43
MTMCDAI	386	5,449	95-12-07	9:43
MTMCDAI	SYS	14,470	95-12-07	9:43
README	TXT	959	95-12-07	
<hr/>				
9:43	à-¾	ftfçfç<		
READMEJ	TXT	2,478	95-12-20	
<hr/>				
20:09	à-¾	ftfçfç<		

Digital HiNote/HiNote UltraVfŠ [fY-pVESA Function Support Utility



Žû~^ffBf@fNfgfŠ DISC2:\DRIVER\DEC\CTVESA



“à-e

Digital HiNote,“,æ,ÑDigital HiNote UltraVfŠ [fY,ÅŽg-
p,µ,Ä,ç,éChips & TechnologiesŽĐ»frfffIf`fbfvC&T
65540,“,æ,ÑC&T65545,ÌVESA Support,ðs,¤
,½,ß,İft [fefBfŠfefB,Å,·B



ftf@fCf< \ \ -

README	TXT	877	95-06-16
18:47	à-¾ftf@fCf<		
SETVESA	EXE	8,245	90-04-04 16:55
VESA	COM	4,925	94-10-20
21:01			
VTEST	EXE	42,164	93-11-17 16:34

Prioris HX Server fVfXfef€BIOS,frfffIBIOSfAfbfvf0f€[]fh



Žû~^ffBf€fnfgfŠ DISC2:\DRIVER\DEC\HXBI0107



“à-e

Prioris HX
Server, ÌfVfXfef€BIOS, ", æ, ÑfrfffIBIOS, ðfAfbfvf0f€[]fh, ., évf
[]f0f%f€, Å, .[]B



ftf@fCf<[]\[]~

BIOS107	IMG	1,474,560	95-09-13	6:15
DOSIMAGE	DOC	1,077	93-08-17	11:43 à-
<hr/>				
DOSIMAGE	EXE	8,527	91-11-01	12:54
LICENSE	TXT	4,006	95-06-27	16:40
README	TXT	10,997	95-09-14	
<hr/>				
22:51 à-	¾ftf@fCf<			
SCU106	IMG	1,474,560	95-09-14	11:33

Prioris LX ServerfVfŠ [fY OSfCf“fXfg [f<fKfCfh



Žû~^ffBf&fNfgfŠ DISC2:\DRIVER\DEC\LX_SETUP



“à-e

Prioris LX ServerfVfŠ [fY-
p, ĨŠeŽí0SfCf“fXfg [f<fKfCfh, Å, · BWindows NT Server ANetWare
3.12J/V ANetWare 4.1J/V, ĨfKfCfh, a, , è, Ü, · B



ftf@fCf< \ \ -

LX_NT	DOC	47,104	95-09-07
20:42 à-¾ftf@fCf<			
LX_NWR3	DOC	43,520	95-09-06
18:24 à-¾ftf@fCf<			
LX_NWR4	DOC	45,568	95-09-06
18:24 à-¾ftf@fCf<			
LX_SETUP	DOC	1,049,088	95-09-07
21:05 à-			
¾ftf@fCf<			

HiNote Ultra/HiNote Ultra II
Mobile Media Windows 95 Driver Module Update"Å



Žû~^ffBfœfNfgfŠ DISC2:\DRIVER\DEC\WIN95_MM2



"à-e

Digital HiNote Ultra/Ultra II fVfŠ[]fY-
pfIfvfVf+f"[]uMobile Media[]v,ðWindows 95,ÅŽg-p,·,é,½,ß,İfhf
%fCfo,İUpdate"Å,Å,·[]B[]@

Windows 95"ú-{}Ê"Å,ÅMobile MediaŽg-p,·,é[]ê[]±,É,Í[]A,±
,İfhf%fCfo,ðŽg-p,μ,Ü,·[]BWindows 95"ú-{}Ê"Å,ÅŽg-
p,·,é[]ê[]±,İfCf"fXfg[][f<fKfCfh,àŠÜ,Ü,ê,Ü,·[]BHiNote Ultra II
fVfŠ[]fY,É,Í[]A,±,İfhf
%fCfo,Æ"~,¶,à,Ì,ªfCf"fXfg[][f<[]İ,Ý,Å,·,Ì,Å[]AfAfbfvff[][fg,·,é
•K-v,Í, ,è,Ü,¹,ñ[]B

[]œ[]@[]ì[]-,·,é'0,É

[]E,±,İfLfbbfg,ð[]ì[]-,·,é,½,ß,É,Í[]A^È%º,İftf@fCf<,ª•K-v,Å,·[]B
W95_MM2.EXE

[]E,±,İftf@fCf<,É,Í^È%º,İfefLfXfg,ªŠÜ,Ü,ê,Ü,·[]B
README.1ST (,±,İfefLfXfg)

[]@[]@INSTALL.TXT (Windows 95,Å,İfCf"fXfg[][f<fKfCfh)
RELEASE.TXT (Update"à-e,É,Å,ç,Å)

[]œ[]@[]ì[]-•û-@,É,Å,ç,Ä

1. ftf@fCf<,ð'S,Ä[]A1.44MB,ÉftfH[][f}fbfg[]İ,Ý,Ì3.5" 2HD
FD,ÉfRfs[][,μ,Ä%º,³,ç[]B

2. Žg-p•û-@,É,Å,ç,Ä,Í[]AINSTALL.TXT,ð,²ŽQ[]Æ,,³/₄,³,ç[]B

3. ,±,İfvf[]f0f%f€,ÍF-PROT v2.21a,ÅfefBf<fXf`fFfbfN,ð,"±
,È,Å,Ä," ,è,Ü,·[]B

[]y'~[]ì[]@ []A[]Ä"z•z"™,É,Å,ç,Ä[]z

,P. -{f\ftfgfEfFfA,Ì'~[]ì[]@ ,ÍDigital Equipment
Corp.,ª-L,μ,Ä,ç,Ü,·[]B

,Q. -{f\ftfgfEfFfA,ð[]ª-p-Ú"I,ÅŽg-p,·,é,±
,Æ,Í<ÖŽ~,μ,Ü,·[]B

,R. -{f\ftfgfEfFfA,Ì"[]Ú,Í<ÖŽ~,μ,Ü,·[]B



Ú, μ, , ÍDISC2:\DRIVER\DEC\W95_MM2\INSTALL.TXT, ÆDISC2:\
DRIVER\DEC\W95_MM2\README.1ST, ð, “Ç, Ý, , ³/₄, ³, çB

Windows 95, Digital PC , ÅŽg—p, ., éê±, ì' ^Ó



Žû~^ffBf€fnfgfŠ DISC2:\DRIVER\DEC\W95UPG



“à-e

Windows 95, Digital PC , ÅŽg—p, ., éê±, ì' ^Ó, Æ§€ÀŽ-€
, É, Â, ç, Ä, ÌfhfLf...f“fg, Å, ·B



ftf@fCf< \-

README	TXT	562	95-11-24
17:17	à-¾ftf@fCf<		
W95UPG	DOC	67,584	95-11-24
10:38	à-¾ftf@fCf<		

DECpc XL Server fVfXfef€BIOSfAfbfvf0f€[fh



Žû~^ffBf€fnfgfŠ DISC2:\DRIVER\DEC\XLBI0104



“à-e

DECpc XL Server, ÌfVfXfef€BIOS, ðfAfbfvf€[fh, ·, éfvf□f0f%f€
, Å, ·□B



ftf@fCf<□\□-

BIOS104	IMG	1,474,560	95-08-11	5:09
DOSIMAGE	DOC	1,077	93-08-17	11:43□à-
<hr/>				
DOSIMAGE	EXE	8,527	91-11-01	12:54
LICENSE	TXT	4,006	95-06-27	
<hr/>				
16:40□à-¾ftf@fCf<				
README	TXT	13,485	95-08-12	
<hr/>				
11:55□à-¾ftf@fCf<				
SCU103	IMG	1,474,560	95-08-11	5:05

Pentium“<ÚPC,ÉWindows NT Workstation
3.51,đfCf“fXfg[f<,·,éÚ,ì’^ÓŽ-€



Žû~^ffBf€fNfgfŠ DISC2:\DRIVER\DEC\NT351WS



“à-e

Pentium“<Ú,ìffXfNfgfbfvPC,É Windows NT Workstation
3.51,đfCf“fXfg[f<,·,éÚ,ì’^ÓŽ-€,É,Â,ç,Ä,ìfhfLf...
f“fg,Å,·B



ftf@fCf<\-

NT351WS	TXT	17,402	96-02-05
---------	-----	--------	----------

19:57 à-¾ftf@fCf<

Prioris ServerfVfŠ[fY,ÉNetWare,Ü,½,Í
Windows NT Server,đfCf“fXfg[f<,·,éÜ,ì’^ÓŽ–€



Žû~^ffBf€fnfgfŠ DISC2:\DRIVER\DEC\PRI_QL10



“à–e

,±,İftf@fCf<,ÍAServerWORKS Quick Launch Version
1.0`1.4,Æ,ç,ƒf\ftfgfEƒFfA,ªCD-ROM,Å“Y•t,³,ê,Ä,ç,éPrioris
ServerfVfŠ[fY,ÉNetWare,Ü,½,ÍWindows NT
Server,đfCf“fXfg[f<,·,éÜ,ì’^ÓŽ–€É,Â,ç,Äà–
¾,µ,½,à,Ì,Å,·B

Žg–p•û–@

1. PRI_QL.EXE,đŽÀs,µ,Äftf@fCf<,đ%đ“€µ,Ü,·B
2. %đ“€,·,é,Æ^È%º,İftf@fCf<,ªì–,³,ê,Ü,·B
Prioris HX ServerfVfŠ[fYWindows NT
ServerfCf“fXfg[f<fKfCfh
HXNT1312.DOC ServerWORKS Quick Launch
Version 1.0`1.3–p Version 1.2
HXNT1410.DOC ServerWORKS Quick Launch
Version 1.4–p Version 1.0
Prioris XL ServerfVfŠ[fYWindows NT
ServerfCf“fXfg[f<fKfCfh
XLNT1312.DOC ServerWORKS Quick Launch
Version 1.0`1.3–p Version 1.2
XLNT1410.DOC ServerWORKS Quick Launch
Version 1.4–p Version 1.0
Prioris LX ServerfVfŠ[fYWindows NT
ServerfCf“fXfg[f<fKfCfh
LXNT1311.DOC ServerWORKS Quick Launch
Version 1.0`1.3–p Version 1.1
LXNT1410.DOC ServerWORKS Quick Launch
Version 1.4–p Version 1.0
- 3.,²Žg–p,İPrioris
Server,“,æ,ÑfCf“fXfg[f<,·,éOS,É, ,í,¹,ÄAfCf“fXfg[f<fKfCf
h ,đ,²—,É,É,Å,ÄfCf“fXfg[f<,µ,Ä,,¾,³,çB

MGA Win95 Millennium Display Driver

 **Žů~^ffjBf@fNfgfŠ** DISC2:\DRIVER\DEC\MGA_W95

 **“à-e**

,±,Ìf\ftfgfEjFfA,ÍACElebris GL,ÅWindows 95,đŽg-
 p,·,é,½,β,ÍV,μ,¢frfffIhf%fcfo,Å,·BMGA Millennium
 PowerDesk for Windows 95,Æ,¢,¼fvf[]f0f%f€,É,æ,èAZÿ,ì<@"\
 ,_a'ñ<ÿ,³,ê,Ü,·B
 []E,æ,è[],'¬,ÈWindows 95fffBfXfvf@fCfhf%fcfo v2.x
 []EDDC-2b,“,æ,ÑWindows 95'Î%žfvf
 %f0fAf“fhfvf@fCf,fjf^[],ÌfTf|[]fg
 []EMGAf,fjf^[]fvf[]f0f%f€(f,fjf^[],ìÅ“K%»)
 []EWindows 95'Î%ž MGAfvf[]pfefBfV[]fg
 []EMGAfNfCfbfNfAfNfZfX(fc[]f<fo[])

 **ftf@fCf<[]\[]-**

	READMEJ	TXT	4,691	96-03-18
22:54	à-¾ftf@fCf<			
	_SETUP	LIB	12,991	95-02-22
12:27	SETUP	EXE	399,872	95-08-17
14:10	SETUP	INS	30,975	95-08-21
2:00	SETUP	PKG	575	95-08-
21	2:00			
	ENG	STR	3,709	95-08-
21	2:00			
	MGA	INI	2,876	95-08-
21	2:00			
	WIZ_ENG	DLL	41,472	95-08-21
2:00				
	PDESK	Z	82,481	95-08-
21	2:00			
	PD_ENG	Z	38,448	95-08-21
2:00				
	DRIVERS	Z	254,999	95-08-21
2:00				
	DRV_ENG	Z	24,938	95-08-21

2:00	README		7,628	95-08-
21	2:00			
	ONLINE	DOC	34,816	95-08-21
2:00	MGAPDX64	VXD	26,937	95-08-21
2:00	MGAPDX64	DRV	98,096	95-08-21
2:00	MGAPDX64	INF	1,741	95-08-21
2:00	MGAPDX64	DLL	63,808	95-08-21
2:00	LICENSE	TXT	4,104	93-03-30
16:09				

HiNote Ultra II Windows 95 C&T65548 Display Driver Module

 Žû~^ffBfœfNfgfŠ DISC2:\DRIVER\DEC\W95_CT

 “à–e

Digital HiNote Ultra II fVfŠ [fY–p, ÌWindows 95, ÌfffbfXfvfœfC [Efhf%fcfo, Å, · □B

HiNote Ultra II fVfŠ [fY, É, Í □A, ±, Ìfhf %fcfo, Æ“~, ¶, à, Ì, °fcf“fXfg [f< □İ, Ý, Å, ·, Ì, Å □A □Äfcf“fXfg [f<, ·, é•K–v, Í, , è, Ü, ¹, ñ □B, Ü, ¹ □]–^, ÌHiNote Ultra fVfŠ [fY, Å, ±, Ìfhf %fcfo, ðŽg–p, ·, é, ±, Æ, Í, Å, «, Ü, ¹, ñ □B

Windows 95ŠÅ««, ð □Ä □\ 'z, µ □A fffbBfXfvfœfC [Efhf %fcfo, ÌfofbfNfAfbfv, ^{a–3}, ç □ê □#“™, É, ² Žg–p, , ³/₄, ³, ç □B

□œ □@ □ì □–, ·, é ‘0, É

□E, ±, ÌfLfbfg, ð □ì □–, ·, é, ¹/₂, ß, É, Í □A ^È%°, Ìftf@fcf<, °K–v, Å, · □B
W95_CT.EXE

□E, ±, Ìftf@fcf<, É, Í ^È%°, ÌfefLfxfg, °ŠÜ, Ü, è, Ü, · □B
README.1ST (, ±, ÌfefLfxfg)


□@ □@INSTALL.TXT (Windows 95, Å, Ìfcf“fXfg [f< fKfCfh)

□œ □@ □ì □–•û–@, É, Å, ç, Ä

1. ftf@fcf<, ð ‘S, Ä □A1.44MB, ÉftfH □[f}fbfg □İ, Ý, Ì3.5" 2HD
FD, ÉfRfs □[, µ, Ä%°, ³, ç □B

2. Žg–p•û–@, É, Å, ç, Ä, Í □AINSTALL.TXT, ð, ² ŽQ □Æ, , ³/₄, ³, ç □B

3. , ±, Ìfvf □f0f%fc€, ÍF-PROT v2.21a, ÅfEfBf<fXf`fFfbfN, ð, “, ±, É, Å, Ä, “, è, Ü, · □B

 □Ú, µ, , ÍDISC2:\DRIVER\DEC\W95_CT\INSTALL.TXT, ÆDISC2:\DRIVER\DEC\W95_CT\README.1ST, ð, ““Ç, Ý, , ³/₄, ³, ç □B

Venturis FX Video Driver for W-NT



Žû~^ffBfĚfnfgfŠ DISC2:\DRIVER\DEC\WNT_S3



“à-e

,±,Ïf\ftfgfEfFfA,ÍAVenturis FX/FXsfVfŠ[fY,ÅWindows NT
3.51 Workstation,ð256F,ÅŽg-p,·,éê±A•ŕŽš%»,-,ª”-
ŕŕ,·,é,Æ,ç,«-â'è,ð%ðĚ^,·,é,½,ß,ÏV,μ,çfrfffIfhf%fcfo,Å,·B



fCf“fXfg[f<

“WŠJ,μ,Äì¬,³,ê,éftf@fcf<,ð'S,ÄA1.44MB,ÉftfH[f}fbfgİ,Ý,
Ï3.5"2HD FD ,ÉfRfs[,μ,Ä,,¾,³,çB



ŕú,μ,,ÍADISC2:\DRIVER\DEC\WNT_S3\REAMDE.1STADISC2:\
DRIVER\DEC\WNT_S3\INSTALL.TXT,ð,²—,,¾,³,çB

HiNote VP BIOS V 1.11 Update kit



Žů~^ffBf&fNfgfŠ DISC2:\DRIVER\DEC\VPBIOS11



“à-e

Digital HiNote VP LSS5100/LTS5120, ÌSystem
BIOS, ðÅV, ÌVersion 1.11b, ÉfAfbfvff[fg, ·, éfvf[]f0f%f€[]B

HiNote VPfVfŠ[]fY, Å, Ìf^fbf`fpfbfh, Ì“®[]ì[]áŠQ, É‘Î%ž, μ, Ä, ç
, Ü, ·[]B HiNote VPfVfŠ[]fY-pf^fbf`fpfbfh[]Efhf%fCfo v4.0, Æ•¹-
p, μ, Ä, ,³/₄, ³, ç[]B



[]Ú, μ, , ÍDISC2:\DRIVER\DEC\VPBIOS11\README.1ST, ð, ²—, -
,³/₄, ³, ç[]B

HiNote/HiNote Ultra BIOS Version 2.10 Update Kit



Žů~^ffBf&fNfgfŠ DISC2:\DRIVER\DEC\BIOS210



“à-e

Digital HiNote/HiNote UltrafVfŠ[fY, ÌSystem
BIOS, ðÅV, ÌVersion 2.10, ÉfAfbfvff[fg, ·, éfvf[fOf%f€, Å, ·B

CD-

ROM, Ì't, ÌBGP8210A.EXE, ðŽÀ[s, ·, é, Æ'¼Úftf[fbfs[ffBfXfN, àì
[¬, ³, ê, Û, ·, Ì, Å1.44, ÌftfH[f}fbfg[Ï, Ý, ÌffBfXfN, ð^ê-†-
p^Ó, µ[Afhf%fCfu, É'}“ü, µ, Å, ©, çBGP8210A.EXE, ðŽÀ[s, µ, Å, -
, ¾, ³, çB



Ú, µ, , ÍDISC2:\DRIVER\DEC\BIOS210\README.1ST, ð, ²—, , ¾, ³, çB

HiNote VP LSS5100/LTS5120 Windows 95 TouchPad Driver V4.0



Žů~^ffBfœfnfgfš DISC2:\DRIVER\DEC\VPTOUCH



“à-e

Digital HiNote VP LSS5100/LTS5120-pWindows 95 TouchPad
Driver, Å, · □B

Windows 95“ú- {œê”Å, ÅBIOS V1.11b, ðŽg-p, ·, é□ê□‡, É, Í□A, ±, Ìfhf
%fCfo, ðŽg-p, μ, Ü, · □B

Windows 95“ú- {œê”Å, ÅŽg-
p, ·, é□ê□‡, ÌfCf“fXfg□[f<fKfCfh, àŠÜ, Ü, ê, Ü, · □B



□Ú, μ, , ÍDISC2:\DRIVER\DEC\VPTOUCH\README.1ST, ð, ²—, , ³/₄, ³, ç□B

HiNote Ultra II LTS5133/LTS5150
Windows 95 30°ÄP@FDDÄP×²ÊP i%ü'ù"Å[]j

 **Žû~^ffjBfÆfNfgfŠ** DISC2:\DRIVER\DEC\LTS3MD

 **“à–e**

Digital HiNote Ultra II LTS5133/LTS5150–pWindows 95 30°ÄP
FDDÄP×²ÊP,Å,·[]B
Windows 95“ú–{Æê"Å,ÅNEC PC-9800¼Ø°½P–
p1.2MBftfH[]f}fbfg,ÌFD,ðŽg–p,·,é[]ê[]#,É,Í[]A ,±,Ìfhf%fcfo,ðŽg
–p,μ,Ü,·[]B
Windows 95“ú–{Æê"Å,ÅŽg–
p,·,é[]ê[]#,Ìfcf“fXfg[]f<fKfCfh,àŠÜ,Ü,ê,Ü,·[]B
fhf%fcfo,ðfcf“fXfg[]f<Æã[]AfAf“fcf“fXfg[]f<[]o–^,È,ç[]áŠQ,ð
%ü'P,μ,Ü,μ,½[]B

 []Ú,μ,,ÍDISC2:\DRIVER\DEC\LTS3MD\README.1ST,ð,²—,,¾,³,ç[]B

Prioris Server ĆŸ, -pf, fWf... [f< F-PROT V2.24C



Žû~^fffbfĀfnfgfŠ DISC2:\DRIVER\DEC\SCRUB



“à-e

Digital Prioris Server, É“Y•t, ³, ê, éCD-ROM Quick Launch
v2.0, ĪRCU, ÉŠÜ, Ü, ê, Ä, ç, éfEfbf<fX, ^afVfXfef€, ÉŠ´□ō, μ, Ä, ç, È, ç
, ©ĀŸ□o, μ□A□æ<Ž, ·, éfvf□fOf%€□B

□ì□¬•û-@

DISC2:\DRIVER\DEC\SCRUB\SCRUB.EXE, ðŽÀ□s, μ, Ü, ·□B

FD, ð-v<□, ·, é%æ-É, ^a•\

Ž|, ³, ê, ¹/₂, çftfH□[f}fbfg□Ī, Ý, ĪFD, ð´}“ü, μ, Ä[Enter], ð%Ÿ, μ, Ü, ·□B

FD, ^a□ì□¬, ³, ê, ¹/₂, ç[Esc], ð%Ÿ, μ, Ü, ·□B

□ì□¬, μ, ¹/₂FD, Í•K, , □´, «□ž, Ý<ÖŽ~, É, μ, Ä, , ³/₄, ³, ç□B

Prioris Server fVfŠ [fY-pRCUf, fWf... [f<



Žû~^ffBf&fNfgfŠ DISC2:\DRIVER\DEC\CONFIG



“à-e

Digital Prioris Server, É“Y•t, ³, ê, éRCU(RAID Configuration Utility) BQuick Launch v2.0 CD-ROM, æ, è<N“@-
pFD, ðìì¬, ·, é, ÆfEfbf<fX, ÉŠ´ ðö, ·, é, “, » , ê, ^a, , è, Ü, ·, Ì, Å A, ±
, ÿ, ç, ð, “Žg, ç, , ³/₄, ³, ç B

ìì¬•û-@

DISC2:\DRIVER\DEC\CONFIG\CONFIG.EXE, ðŽÀ s, µ, Ü, · B

FD, ð-v< , ·, é%æ-Ê, ^a•\

Ž|, ³, ê, ¹/₂, çftfH [f}fbfg Ì, Ý, ÌFD, ð’}“ü, µ, Ä[Enter], ð%ÿ, µ, Ü, · B

FD, ^aìì¬, ³, ê, ¹/₂, ç[Esc], ð%ÿ, µ, Ü, · B

ìì¬, µ, ¹/₂FD, Í•K, , ð’, «ž, Ý<ÖŽ~, É, µ, Ä, , ³/₄, ³, ç B

Windows NT 4.0 fAfbfvf0fC[fhfKfCfh



Žû~^ffBfCfNfgfŠ

DISC2:\DRIVER\DEC\NT40UPG



“à-e

Microsoft Windows NT 4.0, ðDECŽÐPC»•i, ÉfCf“fXfg[f<, µ, Ä, ²Žg
-p', , ã, Å, Ì' ^ ÓŽ-€ , É, Â, ç, Ä A%º<L, Ìftf@fCf<, É, Û, Æ, ß, Ä, , è, Û
, · BfefLfXfg`Ž®, Ìftf@fCf<, Æ AMicrosoft Word
7.0E`Ž®, Ìftf@fCf<, ª, , è, Û, ·, ª'tg, Í“-, ¶, à, Ì, Å, · B

NT40UPG.DOC : Microsoft Word Ver 7.0 E`Ž® (20•Å)

NT40UPG.TXT : fefLfXfgE`Ž®

