

Windows 95 を Digital PC で使用する場合の注意 並びに制限事項について

“-fffffffffffff\$Z%Ž
f□ffffffff□fŽ←•

1995”11E24“

機種分類

	Product	
A	Celebris GL/GL ST	Windows 95 ‘%□•
	Venturis 5xx	Windows 95 ‘%□• (Power Management□,□CEŽ□,,, □
	Digital HiNote Ultra	Windows 95 ‘%□• / BIOS , Upgrade ,•—,,□
B	Digital HiNote	BIOS , Upgrade ,•—,,□
	Celebris XL	Power Management ,,Ž—□CE,,,□
	Venturis 4xx	Plug & Play ‘?’□Power Management ,,Ž—□CE,,,□
	Celebris/Celebris ^{FP}	Power Management ,,Ž—□CE,,,□
C	DECpc LPv	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPv+	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx+	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc LPx 5xx	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc XL	Windows 95 Hardware •□Ž—,-,,,,,□
	DECpc Note	Windows 95 Hardware •□Ž—,-,,,,,□
D	DECpc LP	Windows 95 ,,Ž—,,,,,□
	DECpc MT	Windows 95 ,,Ž—,,,,,□
	DECpc MTE	Windows 95 ,,Ž—,,,,,□
	f□f□•	Windows 95 ,,Ž—,,,,,□

-
- A** Windows 95 ‘%□•
 - B** CE‘,, Windows 95,ff□f‘□Š,,,,,□CE□,□CEŽ□,,—%□,□Ž—,,,,,%”,,□
 - C** Windows 95,Ž—,,,,,•□Ž—,-,,,,,□Windows 95,,Ž—,,,,,ff□f‘□Š,,,,,□
 - D** Windows 95,Ž—,,,,,□
-

一般情報

Install

Windows95,ffff□f,,□•, Windows95,ffffff,Š,ffffff□ff□ff□f,,CD-ROM/FD,README.TXT,,“,%o,,□

Windows 95 ,ffff□f,,“,”□□Windows 95 <“ffff□,□□,,”,-,□,,,,,,□%o“,,——,fff□f□E,Windows 95
,□,“□,,□□,•—,□,□Windows 95 <“ffff□,□□,□,□

ffffff 8MB ,fff,□□□ffffff,□’,,,,,,Windows 95 ,ffff□f,,,,,,□□,□,□

Windows 95 ,ffff□f’,BIOS Setup,Power Management <”,,,ffff,ffff□’,,,,,□%o-
,,,,•Ž,,,,,□□,□,□,□ffff□f,□,’□BIOS Setup ,—,Power Management ,Š,□’,-E,,,,,□

DOS / Windows 3.1 ,ffff□f,,,,,fff, Windows 95 ,ffff□ffff□f,,□□,□DOS , CONFIG.SYS
, AUTOEXEC.BAT ,,<□,ffff□f,’Š,,,ffff□f□E, Windows 95 ,<“,-,,%o—,•^”,□□,□,□

Power Management

%o<,□%o,,,DECpc/Digital PC,,□Hardware Requirement for Windows 95 ,’□, APM V1.1 ,Š’,“%o
,,,,,,□Windows 95 ,ff□ffffff,□□,<”,,,□□,□,□

Windows 95 ,, Power Management ,<”,,,,, □<□“,APM 1.0f□f,,(A) □,,,□-,-E,,,,,□□,□,□

Display

Windows 95 ,,Ž—,ffffff—,fff,“•,,,,,□ffffff,’,<,,,□□,fff,“•,,,,,□□,□,□

Windows 95 ,, VIPER VLB/PCI —, Driver ,“•,,,,,□ Microsoft ,,,, Driver , Windows 95 □,,□Žff□f,,,,,□

S3 ,ffffff,“,,,<Ž,,□DOS / Windows 3.1ffffff□f□fff,“•,,,, SMTR.EXE ,—,ffffff,□’,□,,,%o-
,,,,□□,□,□

SMTR.EXE , Windows 95 ,MS-DOSffff,Ž□,,,,,□

ffff□f,’,,,□□,□,□,ff□f□—,fff□’f□f,Ž—,fff□’,□,,,%o-,,,,,□□,□,□

FR-PCXCR-AH (Philips 2倍速 IDE CD-ROM Drive)

FR-PCXCR-AH (Philips CM207 CD-ROM) , Windows 95 , Ž—, □□□%Š,,□□,Ž,,,,,□

FR-PCXCR-AH,Ž—,,, CONFIG.SYS , DDATAPI.SYS (FR-PCXCR-AH , MS-DOS —,fff)
,‘□,,,□ffffff,, CD-ROM ,fff,□,,,fff,,,,,□Š”□,□□,,,□Windows95ffff□fffĒ,ff’,,Ž—
,□CONFIG.SYS,,DDATAPI.SYS,□□,,,□□,%,□

FR-PCXCR-AH , Secondary Port , Slave ,Masterfff,,□‘,,,fff□fff,—,□□,,,□
,□□,□Master ,□‘,,,,,□

FR-PCXCR-AH,,”CD-ROM,,,□,,, Windows 95 ,Ž—,□□□fff,, CD-
ROM” ,□‘,,, ”,□’,,,,,Ž,,,,,□,,,Ē,,□’,,,□□,□^%Ž□□,□□,,,□

1. fff□fff,Š,□
2. ffffffff,fffffff,,□
3. fff□ffff,ffff,,□
4. ffffffff□,-,,ff,□,fff,□
5. □fff,•-,□“%□□”“fff□□’ ,□
6. □“—□□•,□,fff,□—,□

ICU (ISA Configuration Utility)

Windows 95 Ž□, Plug & Play OS ,,,,□DOS/Windows3.1ffff□f□fff,fff□f,,,, ICU ,Ž—,•—,,,,,□
Windows 95 □, ICU,“,,,ff□,”□,Ž□,,,,,□

Windows 95 □, Plug & Play ISA card ,□’,,Ē□Dual Boot ,,,<”,—, DOS / Windows3.1 ,<“, ICU ,,Ž—
,,□Windows 95 ,□’,,, ISA Card ,□”Ž,,,,f□f□,,,□Unknown device□,•Ž,,,,□

Getting Started

DOS/Windows3.1ffff□f□fff,fff□f,,,, Getting Started ,Windows 95 ,Ž—,,,,,,,□Windows 95
□,“,,Ž,%”,,,□,’fff□,, Windows 95,,Ž—,,,,,,,□

PMCU (Power Management Utility) for DOS / Windows 3.1

DOS / Windows3.1ffff□f□fff,fff□f,,,, PMCU , Windows 95 □,“%”<”,,,,,Ē,,,□-’,-‘,%
,,,%”□,,,,,□

DMI Editor (Desktop Management Interface Editor)

```
DOS / Winodws3.1 ,ffff, DMI Editor ,ffff□f,,,,□□,,□DOS , CONFIG.SYS ’,, “DEVICE=C:\DECDMI”  
,,□,,,,,REM ,—,ffffff,,□□,,, Windows 95 fffff□ffff□f,□,,,□Windows 95 , CONFIG.SYS  
’,□,Ž,□□,,,,□□, “DEVICE=C:\DOS\EMM386.SYS” ,□,,’,□□Windows 95 ,□Ž,^%  
.ff□fff□f,•Ž,,fff,,□
```

EMM386: Unrecoverable privileged operation error #1 - press enter to reset

```
,,,,□‘Š,□□,,□□Windows 95 □“ffff□ffff□,—,fff,—,□□CONFIG.SYS ’, “DEVICE=C:\DECDMI”  
,,□□□□,, “DEVICE=C:\DOS\EMM386” ,□,^“,,,,,□
```

```
Windows 95 □, DMI Editor ,Ž—,,,,□^%□,Ž□,□,,,,,□
```

```
AUTOEXEC.BAT ,^%□,□,%□,,,,,□
```

```
\DMI\DOS\BIN\SL.EXE  
PATH=%PATH%;c:\dmi\win16\bin
```

```
,,,□,%□,,,,□^%□,ff□fff□f,•Ž,,,,□
```

```
"cannot find dmiapi.dll".
```

```
Ž,CONFIG.SYS , “DEVICE=C:\DOS\EMM386.EXE” ,□,,^%□,□,%□,,,,,□
```

```
DEVICE=C:\DECDMI.SYS
```

```
,,□Windows 95 fffff,, “IOS.INI”ffff, [Safelist] ff□f,%□,^%□,□,%□,,,,,□
```

```
sl.exe ; Service Layer for DMI
```

Logitech Mouse Driver / Utility

```
Logitech Mouse Driver / Utility ,□Windows 95 □,,□,□,□,□Logitech Mouse Driver & Utility , Pre Load ,,,,□Ž  
( Venturis, HiNote, HiNote Ultra, Celebris XL, Celebris GL “□, Windows 95  
.ffff□ffff□f,,,,,f□fffff,,,, Windows 95,□□,,,,,□^%□,Ž□,□,,,,,□Š,,,,,□
```

1. Windows 3.1 ,fffff,fffffffff,,□
2. SETUP ,Ž□,□fff,□fffffffff□,□□,□
3. ““,ffff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,ffffff,,□
5. WIN.INI ffff, SAVE ,□

3 mode FDD

DOS/Windows3.1—, 3mode FDD Driver , Windows 95 □,Ž—,,,,,,,,,□,□DOS/Windows3.1
 ,fff□f,,,fff, Windows 95, Upgrade Install ,,□□□“—,,,’<,,DOS/Windows3.1—, 3 mode FDD Driver
 , CONFIG.SYS ’, Load ,,,,,,—,’□,,□□,,,,,□,,,,, CONFIG.SYS ,, AUTOEXEC.BAT ,,Š“,, 3mode FDD
 Driver ,□□,,,,,□

Windows 95 , 3mode FDD ,Ž—,,,□Š<Ž□—, 3mode FDD miniport driver ,•—,,□^%o,<Ž,,,,□Windows 95 —
 , 3mode FDD miniport driver ,□”,,,,,□

Ž	Driver –
Digital Venturis 4xx	(digital2.vxd)
Digital Venturis 5xx	(digital1.vxd)
Digital Celebris XL	(digital1.vxd)
Digital HiNote Ultra	(digital3.vxd)
Digital HiNote	(digital3.vxd)

Digital Celebris GL —, 3mode FDD miniport driver , Windows 95 ’,,□”,,,,,□Digital Celebris XL —,,,‘—
 ,,,,,,□Digital HiNote Ultra/ Digital HiNote —, 3mode FDD miniport driver ,,Ž—,,,□□,,□
 %□fff,fff□ffffffffffffff,•Ž,,’,□’,,,,,,□,,□□,□□Ž□,,□

,,Windows 95 — 3mode FDD miniport driver ,□^%o,Ž□,fff□f,,,□

1. ffff□f fff, [fff] ffff,fffffff
2. [fff ff□ff] ff,ffff
3. [fff□ ffff ffff□f] ,fffffff
4. [fff□f ffff□ ffff ffff□f,ffff] ,fff
5. [ffff] fff,ffff
6. [fff] ff,ffff,□[fff,•] fff,ffff
7. [,,,ffff,•Ž] ffffffff,ffff
8. ffff□f, [□‘□],[fff],‘,
9. [OK] fff,ffff

Windows 95 , 3mode FDD miniport driver,<”□fff□□MS-DOSffff□,, 3.5”
 1.2MBfff□,□,,fff,“□,□,□,‘,fff□ffff□f□ffff□f,,ff□f,,,□1.2MB
 ffff□,ff□fff,□ff□f,,,,,□

上述した以外の機種については、Windows 95 上での 3mode FDD 対応は予定されておりません。

SCSI Tape Drive

Windows 95 ,“•,,,,,fffffff□f "Microsoft Backup" ,,□SCSI Tape Drive ,Ž—,,,,,□—□Š,,□"Microsoft Backup"
 ,fff,ff□f,,,,,Ž<□,,,,,□

DOS , CONFIG.SYS ' , , DMI (Desktop Management Interface) Editor , Ž— , , , , “DEVICE=C:\DECDCMI”
 , , , , , , REM , — , , ffffff , , , , , Windows 95 ffffff ffffff f , , , , , Windows 95 , CONFIG.SYS
 ' , , , , Ž , , , , , , , , , , “DEVICE=C:\DOS\EMM386.SYS” , , , , , Windows 95 , “Ž , ^% , ff fff f , Ž , fff , , ,

EMM386: Unrecoverable privileged operation error #1 - press enter to reset

, , , , , Š , , , , , Windows 95 < “ffff fffff , — , ffff , — , , CONFIG.SYS ' , “DEVICE=C:\DECDCMI”
 , , , , , , “DEVICE=C:\DOS\EMM386” ; ‘ , ^ , , , , , ,

Windows 95 , DMI Editor , Ž— , , , , ^% , Ž , , , , , , ,

AUTOEXEC.BAT , ^% , , , ^% , , , , , ,

\DMI\DOS\BIN\SL.EXE
 PATH=%PATH%;c:\dmi\win16\bin

, , , , , ^% , , , , ^% , ff fff f , Ž , , , , ,

"cannot find dmiapi.dll".

Ž , CONFIG.SYS , “DEVICE=C:\DOS\EMM386.EXE” , , , , ^% , , , ^% , , , , , ,

DEVICE=C:\DECDCMI.SYS

, , , Windows 95 ffffff , , , “IOS.INI” ffff , [Safelist] ff f , ^% , ^ , ^% , , , , , ,

sl.exe ; Service Layer for DMI

Windows 95 , ffff ffff パワー マネジメント ' , , , , • , , , , ff , , , , APM < ' , -E , , , , APM , —
 , , , , , , , , , , , fffff , , , , , ,

Windows 95 , 3mode FDD , Ž— , , , , , Windows 95 — , 3mode FDD miniport driver , •— , , ,
 DOS / Windows3.1 — , 3mode FDD Driver , Ž— , , , , , , Celebris GL/GLST — , 3mode FDD miniport driver
 , Windows 95 , “• , , , , , , Digital Celebris XL — , , , , — , Ž , , , , , Windows 95 — 3mode FDD miniport driver , □ ^
 % , Ž , , ffff f , , , ,

1. ffff f fff , [ffff] ffff , ffffffff
2. [ffff ff ff] ff , ffff
3. [ffff ffff ffff f] , ffffffff
4. [ffff f ffff ffff ffff ffff] , ffff
5. [fffff] fff , ffff
6. [ffff] ff , ffff , □ [ffff , •] fff , ffff
7. [, , , ffff , Ž] ffffffff , ffff
8. ffff f , [□ 'E] , [fff] , ‘ ,
9. [OK] fff , ffff

Windows 95 , 3mode FDD miniport driver, <" , fff□□MS-DOSffff□,, 3.5"
1.2MBffff□,□,,fff,“ ,□, ,E,,,,□, ,‘,ffff□ffff□f□ffff□f,,ff□f,,,,□1.2MB
ffff□,ff□fffff,□ff□f,,,,,□

Venturis 5xx / Venturis^{FP} 5xx

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, Getting Started ,□Windows 95 □,,Ž—,,,,□

Windows 95 Ž□, Plug & Play OS ,,,, DOS/Windows3.1 fffff□f□fff,fff□f,,,, **ICU(ISA Configuration Utility)** ,Ž—,,•—,,,,□ Windows 95 □, ICU, <“,,ff□,”□,Ž□,,,,□

Windows 95 □, Plug & Play ISA card ,□’ ,E□Dual Boot ,,,<” —, DOS / Windows3.1 <“ , ICU ,,,Ž—
,,□Windows 95 ,□’ ,, ISA Card ,□”Ž,,,f□f□,,□Unknown device□,•Ž,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,fff□’f□f ”SMTR.EXE” ,□Windows 95 □,,fff□’□,□,,•—
,,,□,• ,,,,,□Windows 95 ffff□fE,%—,,,,,□□,□ SMTR , DOS
f□f, <“ ,□,fffff,□’ ,,,,,,%,□□,□□,□□,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, Logitech Mouse Driver / Utililty , Windows 95 □,,Ž—
,,,,□Windows 95 ,ffff□ffff□f,,□□,□□,□□,□%Ž□,□, Windows 3.1 ,, Logitech Mouse Utility ,Š,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. ““ ,fff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM —, ,fffff,,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,, ff□fffff□ffff,□^E Windows 95
□, <” ,,,,,E,,,,□—’ ,□ ,% ,%”□,□□,□

Windows 95 □, DMI Editor ,Ž—,,,,□^%Ž□,□□,□□,□□,□□

AUTOEXEC.BAT ,^%□, %□,□□,□□,□□

```
\DMI\DOS\BIN\SL.EXE  
PATH=%PATH%;c:\dmi\win16\bin
```

,,,□, %□,□□,□^% ,ff□fff□f,•Ž,,,□

"cannot find dmiapi.dll".

Ž,CONFIG.SYS , “DEVICE=C:\DOS\EMM386.EXE” ,□,‘,^%□,‘,%□,,,,,□

DEVICE=C:\DECDMI.SYS

,,□Windows 95 ffffff,,, “IOS.INI”ffff, [Safelist] ff□f,^%□,^□,‘,%□,,,,,□

sl.exe ; Service Layer for DMI

Windows 95 □,□BIOS ,□’,,,System Standby Timer / System Suspend Timer ,<’,,,□,,,Venturis 5xx / Venturis^{FP} 5xx,,□ĚŽ□,,,□

Windows 95 □, 3mode FDD ,Ž—,,,,,□Windows 95 —, 3mode FDD miniport driver ,•—,,□Venturis 5xx / Venturis^{FP}5xx —, 3mode FDD miniport driver ,□,,,Windows 95 ,“•,,,,,□ Windows 95 — 3mode FDD miniport driver ,□^%□,Ž□,ffff□f,,,□

1. ffff□f fff, [ffff] ffff,ffffff
2. [ffff ff□ff] ff,ffff
3. [ffff□ ffff ffff□f] ,ffffff
4. [ffff□f ffff□ ffff ffff□f,ffff] ,fff
5. [ffff] fff,fff
6. [ffff] ff,fff,□[ffff,•] fff,fff
7. [,,,ffff,•Ž] ffffffff,fff
8. ffff□f, [□‘Ě],[fff],‘,
9. [OK] fff,fff

Windows 95 , 3mode FDD miniport driver,<’□fff□□MS-DOSffff□,,, 3.5" 1.2MBffff□,□,,,ffff,“□,‘Ě,,,,□,‘,ffff□ffff□f□ffff□f,,,ff□f,,,,,□1.2MB ffff□,ff□fffff,□ff□f,,,,,□

Digital HiNote Ultra

Digital HiNote Ultra , Windows 95 ,Ž—,,,,□V1.40 ,,,^□, System BIOS ,,Upgrade,□□—fff,,,’□,•—,,□

V1.40 ^□, System BIOS , Upgrade ,,□□□V3.05 ^‘, EZ-SCSI ,Ž— ,,,ffff□fffff,fff,,,,,□V3.06^□,,, EZ-SCSI Pro V3.5J,,Ž—,,,,□

DOS / Windows 3.1 ffffff□f□ fff,fff□f,,,,, Logitech Mouse Driver / Utility ,Windows 95 □,,,Ž— ,,,,,□Windows 95 ,ffff□ffff□f,,□□,□,,,,,^%□,Ž□,□, Windows 3.1 ,, Logitech Mouse Utility ,Š,,,,,□

1. Windows 3.1 ,ffffff,ffffff,fff,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,□
3. ““ ,fff□,□Windows ffffff,,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—, ,ffffff,□
5. WIN.INI ffff, SAVE ,,□

BIOS , □ , , , Advanced Power Management , Š , □ , □ Windows 95 □ , □ , , , , , □ , — Ć , , , , □ , , □ Digital HiNote Ultra , Ž — , , □

Windows 95 □ , 3mode , Ž — , , , , , □ Windows 95 — , 3mode FDD miniport driver , • — , □ Digital HiNote Ultra— 3mode FDD miniport driver , □ , , , Windows 95 , “ • , , , , , □ , □ , , miniport Driver , Ž — , , , □ % □ fff , fff □ fff fff fff fff fff fff , — , , , , , • Ž , , , □ , □ Ž — □ , □ Ć Ž □ , □ Windows 95 — 3mode FDD miniport driver , □ ^ % , Ž □ , fff □ f , , , □

1. fff □ f fff , [fff] fff , fff fff
2. [fff ff □ ff] ff , fff
3. [fff □ fff fff □ f] , fff fff
4. [fff □ f fff □ fff fff □ f , fff fff] , fff
5. [fff] ff , fff
6. [fff] ff , fff , □ [fff , • □] ff , fff
7. [, , , fff , • Ž] fff fff fff
8. fff □ f , [□ Ć] , [fff] , ‘ ,
9. [OK] ff , fff

Windows 95 , 3mode FDD miniport driver , < ” , □ fff □ □ MS-DOS fff □ , , , 3.5" 1.2MB fff □ , □ , , , fff , “ , □ , Ć , , , □ , ‘ , fff □ fff □ f □ fff □ f , , , ff □ f , , , , □ 1.2MB fff □ , ff □ fff fff , □ ff □ f , , , , , □

HiNote Ultra , □ fff fff , □ ’ , 800 □ 600 16colors , , , □ LCD ‘ , • Ž , , , — ^ Š , % — fff □ f , , , , , , , , , □

Group B

Digital HiNote

Digital HiNote , Windows 95 , System BIOS , Upgrade , V1.40

V1.40 , System BIOS , Upgrade , V3.05 , EZ-SCSI , V3.06 , EZ-SCSI Pro V3.5J

DOS / Windows 3.1 , Logitech Mouse Driver / Utility , Windows 95 , Windows 95 , Logitech Mouse Utility

- Windows 3.1
- SETUP
- Windows , WIN.INI
- load=MOUSE\WBUTTONS.EXE
- WIN.INI

BIOS , Advanced Power Management , Windows 95 , Digital HiNote

Windows 95 , 3mode FDD , Windows 95 — 3mode FDD miniport driver , Digital HiNote — 3mode FDD miniport driver , Windows 95 , miniport Driver , Windows 95 — 3mode FDD miniport driver

- ffff
- [ffff ff]
- [ffff ffff]
- [ffff ffff ffff]
- [ffff] fff
- [ffff] ff,fff
- [,,,fff,Ž] ffffffff
- ffff
- [OK] fff,fff

Windows 95 , 3mode FDD miniport driver , MS-DOS , 3.5” 1.2MB , 1.2MB

Celebris XL

DOS / Windows 3.1 , Getting Started , Windows 95

Windows 95 , Plug & Play OS , DOS/Windows3.1 , ICU (ISA Configuration Utility)

Windows 95 □, Plug & Play ISA card ,□',,E□Dual Boot ,,,<'—, DOS / Windows3.1 ,<,, ICU ,,,Ž—
,,□Windows 95 ,□',,, ISA Card ,□”Ž,,,f□f□,,□Unknown device□,•Ž,,,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,,fff□'f□f ”S64MODE.EXE” ,□Windows 95 □,fff□',□,,,•—
,,,□,•',,,,,,□Windows 95 ffff□fE,%o—,,,,,□□,,□SMTR , DOS
f□f,<“,□,,fffff,□',,,,,,%,□□,,□□,□□,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,, Logitech Mouse Driver / Utililty , Windows 95 □,Ž—
,,,,,□Windows 95 ,ffff□ffff□f,,□□,,□,,,^%o,Ž□,□, Windows 3.1 ,, Logitech Mouse Utility ,Š,,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. ““,fff□,□Windows ffffff,,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,,fffff,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 ffffff□f□fff,ffff□f,,,,, ff□fffff□fffff,□^E Windows 95
□,<' ,,,,,,E,,,□-',-,%o,,,%o”□,,,,,□

Windows 95 □,,□BIOS ,□',,,Auto-Suspend,<' ,,,,,□,,,Ž—□,□EŽ□,,□

Windows 95 □, ffffff□fffff,—E,□',,,□□<□“,APM 1.0f□f,,, (A) □,—
E,,,,,fff□ffff□,ff□ffffffffff,•Ž,,,□□,□□,□

Windows 95 □, 3mode FDD ,Ž—,,,,,□Windows 95 —, 3mode FDD miniport driver ,•—,□Celebris XL—
, 3mode FDD miniport driver ,□,,, Windows 95 ,“•,,,,,□ Windows 95 — 3mode FDD miniport driver ,□^%o
.Ž□,fff□f,,,□

1. ffff□f fff, [ffff] ffff,fffff
2. [fff ff□ff] ff,ffff
3. [fff□ fff fff□f] ,fffff
4. [fff□f fff□ fff fff□f,fffff] ,fff
5. [ffff] ff,fff
6. [fff] ff,fff,□[fff,•□] ff,fff
7. [, ,fff,•Ž] fffffff,fff
8. fff□f, [□^E],[ff],‘,
9. [OK] ff,fff

Windows 95 , 3mode FDD miniport driver,<' ,□fff□□MS-DOSffff□,,, 3.5"
1.2MBfff□,□,,,fff,“□,□,□E,,,□,‘,fff□ffff□f□ffff□f,,,ff□f,,,□1.2MB
fff□,ff□fffff,□ff□f,,,,,□

Celebris / Celebris^{FP}

Windows 95 Ž□, Plug & Play OS ,,,,,□DOS/Windows3.1 ffffff□f□fff,ffff□f,,,,, **ICU(ISA Configuration Utility)** ,Ž—,•—,,,,,□ Windows 95 □, ICU,<“,fff□,□,Ž□,□□,□

Windows 95 □, Plug & Play ISA card , □', ,E□Dual Boot ,,,'—, DOS / Windows3.1 , <' , ICU ,,Ž—
 ,, □Windows 95 , □', ,, ISA Card , □”Ž,,,f□f□,, □Unknown device□, •Ž,,, □

Windows 95 , CONFIG.SYS' , EMM386 , fffff "X=E000-EFFF" , <□, , , , □Plug & Play , <' , , , , Ž—, , , , □□, , , , □

DOS / Windows 3.1 fffffff□f□fff,fff□f,,,fff□'f□f "SMTR.EXE" , □Windows 95 □, ,fff□', □, , , , •—
 , , , , □, •, , , , □Windows 95 ffff□f□E,%00—, , , , , □□, □SMTR , DOS
 f□f, <' , □, , fffffff, □', , , , , , , %0□, , □□, , , , □

Windows 95 □, fffffff□ffffff, —E, □', , , □, , 「強制的に APM 1.0 モードにする(A)」, —
 E, , , , , ffff□ffff□ff□ffffff, •Ž,,, □□, , , , □

fff□ffffff<' , , , fffff, , , f□ffff, □f□f□f, , , —, fff, “, , , , fff, , , fffff, , , , , , □

Celebris / Celebris^{FP} , □Windows 95 □, , 3mode FDD はサポートされておりません。

DOS / Windows —, 3mode FDD Driver , Windows 95 □, Ž—, , , , , □, □3mode FDD Driver , Windows 95
 , CONFIG.SYS, Load ,, □ffff,fff, , , □Š, ^, <, <, , , □CONFIG.SYS', \$ _12FD.SYS—
 , \$ _12FD2.SYS, <□, , , □, '□, □□, , □Windows95ffffff□fff^<' , □, □□, , %0, , □

CELEB590.SYS , DOS , CONFIG.SYS ' , Load , , , , , ffff, Windows 95 , fffff□ffffff□f, , , , fff, , □, , , □DOS
 , CONFIG.SYS , CELEB590.SYS , Š, <□, '□, , , Ž, Š” , □'□, □□, □□, , , □□, , □

Celebris / Celebris^{FP} CD-ROM fff, “□, , , , FR-PCXCR-AH (Philips CM207 CD-ROM Drive) , Windows 95 , Ž—
 , □□□%0Š,,, □□, , Ž, , , , , □

FR-PCXCR-AH , Ž—, □, , CONFIG.SYS , DDATAPI.SYS (FR-PCXCR-AH , MS-DOS —, fff)
 , '□, , □ffffff,fff, , , , □Š, ”□, □□, , , □Windows95ffffff□fff□E,ff”<, Ž—
 , □CONFIG.SYS, DDATAPI.SYS, <□, , , □□□, %0, , □

FR-PCXCR-AH , Secondary Port , Slave , Master ,, □' , , , fff□fff, —, □□, , , , □, □□, □Master , □' , , , , □

FR-PCXCR-AH , ”□ CD-ROM Drive ,, □, , , Windows 95 , Ž—, □□□fff, , , CD-ROM Drive
 , •□' , , , ”□' , , , , Ž, , , , □, , , , E, □' , , , □□, □□, □^%0, Ž□, □□, , , , □

1. ffff□fff,Š, □
2. fffffff,ffffff, □
3. fff□ffff,fff, □
4. ffffffffff□, - , , ff, □, ffff, □
5. □fff, •—, □“%0□, □”“ffff□, □' , □
6. □“—□□•, □, ffff, □—, □

Venturis 4xx / Venturis^{FP} 4xx

Windows 95 ffff□f',ffff,ffff,,□%o-%o,Ž,,,,,□□,,,,,□ffff□f,,',□BIOS Setup ,,—,ffffffffff,-
Ā,□',,,,,,□

Š•fffff,,,,,, BIOS ,□',Š•fffff,—Ā,,,,,,□Windows ,□—Ž,fffff,,Ž,,,,,□Š•fffff,Ž',,,,,,□□,□BIOS
,Š•fffff,Š,,□',—Ā,,,,,Ž—,,,,,□

Windows 95 □,,□**Plug & Play Card を自動設定できない**□□,,,,,□,,□□,,□Ž“□',,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, **Getting Started** ,□Windows 95 □,,Ž—,,,,,□

Windows 95 Ž□, Plug & Play OS ,,,,,□DOS/Windows3.1 fffff□f□fff,fff□f,,,,, **ICU(ISA Configuration
Utility)** ,Ž—,,—,,,,,□ Windows 95 □, ICU,‘,,,ff□,”□,Ž□,,,,,□

Windows 95 □, Plug & Play ISA card ,□',Ā□Dual Boot ,,,‘,—, DOS / Windows3.1 ,‘,, ICU ,,,Ž—
,,□Windows 95 ,□',,, ISA Card ,□”Ž,,,,f□f□,,□Unknown device□,•Ž,,,,□

Windows 95 ,f□ffff,Ž“□',□,□□□““,fffff,□,,□',,,,,□□,,,,,□

Windows 95 ,CONFIG.SYS' ,EMM386 ,fffff “X=E000-EFFF” ,□□,,,,,□ Plug & Play ,□',,,,,,Ž—
,,,,,□□,,,,,□,fffff,□□,,Ž—,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,,fff□'f□f ”SMTR.EXE” ,□Windows 95 □,,fff□',□,,,—
,,,‘□,•',,,,,,□Windows 95 ffff□fĀ,%o-,,,,,,□□,,□SMTR , DOS
f□f,‘□,fffff,□',,,,,,,,%o□,,□□,,,,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, **Logitech Mouse Driver/ Utility** ,Windows 95
□,f□f,,,□ffff,fff,,,,—‘^,Ž,,,,,Ž—,,,,,□Windows 95 ,ffff□ffff□f,,□□,,□,,,,,^%o,Ž□,□,, Windows
3.1 ,, Logitech Mouse Utility ,Š,,,,,□

1. Windows 3.1 ,fffff,ffffffffff,,□
2. SETUP ,Ž□,□fff,□ffffffffff□,•□,,□
3. ““,ffff□,□Windows fffff,, WIN.INI ffff,Š,□
4. load=C:\MOUSE\WBUTTONS.EXE ,,,□, REM ,—,fffff,,□
5. WIN.INI ffff, SAVE ,,□

DOS / Windows 3.1 fffff□f□fff,fff□f,,,,, ff□fffff□fffff,□^Ā Windows 95
□,‘”,,,,,Ā,,,,□-’-‘,%o,,,,%o”□,,,,,□

Windows 95 □,ffffffffff□fffff,ff,,□‘, Alt+Ctrl+Esc ,, Key Sequence
,,ffffffffff,Ž□,,□ffff,fff,,,,□Š”□,□□,,,,,□

Windows 95 □, 3mode FDD ,Ž—, , , , , □ Windows 95 —, 3mode FDD miniport driver , •—, , □ Venturis 4xx /
 Venturis^{FP}4xx—, 3mode FDD miniport driver , □, , , Windows 95 , “•, , , , , □ Windows 95 — 3mode FDD miniport
 driver , □^%o, Ž□, ffff□f, , , , □

1. ffff□f fff, [ffff] ffff, ffffffff
2. [ffff ff□ff] ff, ffff
3. [ffff□ ffff ffff□f] , ffffffff
4. [ffff□f ffff□ ffff ffff□f, ffff] , ffff
5. [ffff] fff, ffff
6. [ffff] ff, ffff, □[ffff, •□] fff, ffff
7. [, , , ffff, •Ž] ffffffff, ffff
8. ffff□f, [□‘Œ], [fff], ‘,
9. [OK] fff, ffff

Windows 95 , 3mode FDD miniport driver, <”, □fff□□MS-DOS ffff□, , , 3.5"
 1.2MB ffff□, □, , , ffff, “, □, , Œ, , , , □, ‘, ffff□ ffff□ f□ ffff□ f, , ff□f, , , , □1.2MB
 ffff□, ff□ ffff, □ff□f, , , , , , □

FR-PCXCR-AH (Philips CM207 CD-ROM Drive) , Windows 95 , Ž—, , □□□%Š, , , □□, , Ž, , , , , □

FR-PCXCR-AH , Ž—, , , , CONFIG.SYS , DDATAPI.SYS (FR-PCXCR-AH , MS-DOS —, ffff)
 , ‘□, , , □ ffffffff, fff, , , , □Š, ”□, , □□, , , , , □□□, , , , , □

FR-PCXCR-AH , Secondary Port , Slave , Master , , , □‘, , , fff□fff, —, □□, , , , □, □□, □ Master , □‘, , , , , □

FR-PCXCR-AH , ”‘ CD-ROM Drive , , □, , , Windows 95 , Ž—, , □□□fff, , , CD-ROM Drive
 , •□‘, , , , ”‘, □’ , , , , Ž, , , , , □, , , , Œ, , □’ , , , □□, , □^%o, Ž□, □, □□, , , , , □

1. ffff□ ffff, Š, □
2. ffffffff, ffffffff, , □
3. fff□ ffff, ffff, , □
4. ffffffff□, , - , , ff, □, ffff, □
5. □ ffff, •—, □“%o□, □”“ ffff□, □’ , , □
6. □“—□□•, □, ffff, □—, , □

Group C

^%,<Ž, Plug & Play <”,“” ,,,,,,□Windows 95 ,f□ffffŽ“□’<”Ž—, ,,,,,, ,ff□ffffff<”,—, ,,,,,, ,□Windows
95 ,—<,Ž—,^ ,,,,,,□ ,,,,,,Ž,□□E Windows 95 ,ff□f, ,%”□,’ ,ffffff□f,“□, ,ff,Š, ,□, ,Ž,□Windows
95 ,“□, ,□, ,□□“,-‘□, ,Ž, ,□Windows 95,Ž—,ff□f‘□Š, ,,,,,, ,—□Š, ,□

DECpc LPv+
DECpc LPx+
DECpc LPx 5xx
DECpc LPv
DECpc LPx
DECpc XL
DECpc Note

Group D

^%,<Ž,□Windows 95 ,“□, ,□, ,□□“ ,□Š,‘□, ,%”□,□,□Windows 95,Ž—, ,,,,,, ,□

DECpc LP
DECpc MT
DECpc MTE

サーバ製品

DECpc XL Server ,Digital PRIORIS Serverff□f, , ,f□f□•, ,□Windows 95 ,ff□f‘□Š, , ,□

^ □