

"ú-{fAfCxEfr][EfGf€Š"Ž®%iŽĐ

► @Windows 95

► [ESS ES1688 Windows95-p fI\]\[fffBfIEfhf‰fCfo\]\[EfffBfxPfbfg fo\]\[fWf‡f" 4.03.35](#)



► [Trident TGUI9680 fffofCfxEfhf‰fCfo\]\[EfffBfxPfbfg \(OS/2 Ver2.11, OS/2 Warp, OS/2 V4.0 "ú-{Œê"Å-p\) fo\]\[fWf‡f"1.07](#)



► [Aptiva Music Vision »³ÝÄþ¥Äþx²Êþ°¥±-ÌßÄþ°Ä¥Äþ°½¹-Ä Ver 1.00](#)



► [Aptiva ATI 3D RAGE Windows95 fhf‰fCfo\]\[ V. 3.00C9H](#)

► [IBM 3f,\]\[fh FDD fhf‰fCfo\]\[ Windows95-p fo\]\[fWf‡f" 1.01](#)

► [IBM Aptiva Mwave V2.21 Windows95 fhf‰fCfo\]\[](#)

► [IBM Aptiva fRf~f...fjfP\]\[fVf‡f" fzf"f^\]\[ V1.6 R12](#)

► [f}f<`f\]\[fffbfAxEfAfvfSfP\]\[fVf‡f", Ì-â'è‰ðŒ^fffBfxfN](#)

► [Aptiva Ware \(Rapid Resume\)](#)

► [AudioStation Version 1.80.06](#)

- ▶ [IBM f\ftfgfEfFfA MPEG fhf%fCfo\[\] V1.2](#)
- ▶ [Cirrus Logic GD5436 Windows95 frfffI\[EffffofCfX\]Efhf%fCfo\[\]](#)
- ▶ [Aptiva Fax/Voice Modem144\(AT\)Type2  
Windows95f,fff€\[\]i•ñftf@fCf<\[\]@Ver1.00](#)
- ▶ [S3 Trio64V+ ÄþÊþ²½¥Äþx²Êþ°¥Äþ"½¹-Ä\[\]i"ú-{Œê Windows 95\[\]j](#)
- ▶ [IBM ThinkPad 760C/CD/L/LD ¼½ÃÑ¥ÌßÛ,þxÑ¥»°Ëþ½¥Äþ"½¹-Ä Ver1.22](#)
- ▶ [IBM ThinkPad 760ED/760EL ¼½ÃÑ¥ÌßÛ,þxÑ¥»°Ëþ½¥Äþ"½¹-Ä Ver1.01](#)
- ▶ [ThinkPad Mwave DSP ÖÄþÑ¥Ì" - ,½¥Äþ"½¹-Ä Ver2.17](#)
- ▶ @Windows 3.1
- ▶ [IBM Aptiva Mwave V1.32 Windws fhf%fCfo\[\]](#)
- ▶ [Trident TGUI9680 fffofCfx\]Efhf%fCfo\[\] EfffBfxPfbfg  
\("ú-{Œê MS-Windows3.1 IBM"Å-p\) fo\[\]fWf#f"1.04](#)
- ▶ [S3 Trio64V+ ÄþÊþ²½¥Äþx²Êþ°¥Äþ"½¹-Ä\[\]i"ú-{Œê Windows 3.1\[\]j](#)
- ▶ @Windows NT
- ▶ [CD-400 Series WindowsNT-p fhf%fCfo\[\] Ver1.00](#)
- ▶ [WINDOWS NT 3.51 "ú-{Œê"Å 'Î‰ž](#)

ThinkPad PCMCIAÄ° ÝØÝ Þ¥ÄÞx²ÊÞ° V1.0 IBM ThinkPad  
'S<@Ží<¤'Ê-p

 WINDOWS NT 3.51 "ú-{Œê"Å 'Î‰ž ThinkPad  
Ãþ"½ÌØÚ²¥ÄÞx²ÊÞ°¥Ãþ"½¹-Ä V1.1

 WINDOWS NT 3.51 "ú-{Œê"Å 'Î‰ž ThinkPad  
NTDETECT.COM\COM3Ãþ"½¹-Ä

 WINDOWS NT 3.51 "ú-{Œê"Å 'Î‰ž ThinkPad ESSµ°Ãþ"µ¥ÄÞx²ÊÞ° V1.0

 WINDOWS WINDOWS NT 3.51 "ú-{Œê"Å 'Î‰ž  
ThinkPad ÈØÜ°IE½ÞØÝÄ¥»ÌØ°Ä¥ÄÞx²ÊÞ° V1.0

 WINDOWS NT 3.51 "ú-{Œê"Å 'Î‰ž ThinkPad Ø°Ã°ØÃ°°¥Ãþ"½¹-Ä V3.3

 WINDOWS NT 3.51 "ú-{Œê"Å 'Î‰ž ThinkPad Ø°Ã°ØÃ°°¥Ãþ"½¹-Ä V3.5

 WINDOWS NT 3.51 "ú-{Œê"Å 'Î‰ž ThinkPad Mwave/DSP<@"\ Ãþ"½¹-Ä  
V2.0

 Trident TGUI9680 ÄÞx²ÊÞ° ("ú-{Œê MS-Windows NT3.1, NT3.5-p)  
Ver.1.02

 IBM ThinkPadfVfXfef€,IMicrosoft Windows NT 3.51 "ú-{Œê"ÅfTf|  
fffg

 OS/2

 IBM Aptiva Mwave V1.32 OS/2 fhf%fCfoff

 Trident TGUI9680 fffofCfxffEfhf%fCfoffffBfxPfbfg

(OS/2 Ver2.11/OS/2 Warp “ú-{€ê”Å-p) fo□[fwf#f“1.05

► S3 Trio64V+ OS/2 frffffI□Ef ffofCfX□Ef h f%fCfo□[ V. S3FP19

► □@DOS

► IBM Aptiva Mwave DOS fQ□[f€-p □Ý'è•I□XfffBfXfN

► IBM Aptiva Mwave V1.32 DOS fhf%fCfo□[

► Aptiva  
fVfXfef€ROMfAf bfvff□[fg□Ef t□[fefBfŠfefBf o□[fwf#f“□@BGOUS1J

**Trident TGUI9680 Äpx²Êp° ("ú-{Œê Windows NT 3.1, NT 3.5-p)  
Ver.1.02**

 @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\TRIDDNT



‘Í‰ž<@Ží@  
^È‰º, ÌfVfXfef€’•’u  
(Trident TGUI9680, ð“<Ú, µ, ½f, fff<)  
Personal Computer 750 6883-JAP/JF6/JF7/JTN  
Personal Computer 720 6863-JA7  
Personal Computer 330 6873-JCM/JCP



**fCf“fxfg@f<**

1. Šç-Žò, Å, µ, ÄfØfØfIf“, µ, Ü, ·ØB
2. fØfCf“fØf<fv, ÌfRf“fgf@f<fpflf<, É, , éØA"ffffBfXfvfEfC"  
, ð<N“®, µ, Ü, ·ØB
3. fffBfXfvfEfC, ÌØY'è‰æ—  
Ê, ÅØAfffBfXfvfEfC, Ì•ÌØXf{f^f“, ð'I, Ñ, Ü, ·ØB
4. fffBfXfvfEfC, ÌŽí—Þ‰æ—Ê, ÅØA•ÌØXf{f^f“, ð'I, Ñ, Ü, ·ØB  
5ØDfffofCfX, Ì'I'ð‰æ—Ê, ÅØA, », Ì'¼f{f^f“, ð‰Ý, µ, Ü, ·ØB  
6ØDfffBfXfN, ©, ç'g, ŸØž, Þ‰æ—Ê, ÌffffBfXfN, ÉØAWindows NT
- 3.1, ÌØéØ‡, ÍØAA:\NT31\Windows NT 3.5 , Ü, ½, Í Windows NT  
3.51 , ÌØéØ‡, ÍØAA:\NT35 , Å“ü, ê, ÅØA, n, j, ð'I'ð, ·, éØB
7. •\Ž|, ³, ê, ½fŠfXfg, Å“K”—, È‰ð'æ"xØAØFØ"ØAŽü"gØ"  
, ð'I, ñ, ÅØA, n, j, ð'I'ð, ·, éØB
8. fVffffbfgf\_fEf“, ðØs, Å, ÄØAfVfXfef€, ð—§, ¿Øä, °'¼, ·ØB

[Žå, ÈØCØ³“à-e]

^È‰º, Ì—â'è, ðØCØ³, µ, Ü, µ, ½ØB  
- MS Word, É, " , ¢, ÅØA‰æ—Ê, Ì^ê•"•¤, ¤Ø•, , È, éØB

 @Ú, µ, , ÍØADISC2:\DRIVER\IBM\TRIDDNT\README.TXT@DISC2:\  
DRIVER\IBM\TRIDDNT\TRIDDNT.DOC, ð, "“ç, Ÿ, , ¾, ³, ¢ØB

IBM ThinkPad 760C/CD/L/LD ¼½Ñ¥ÍßÛ, ÞxÑ¥»°Ëþ½¥Ãþ”½¹-Ã  
Ver1.22

 @Žû~^fffbfEfNfgfŠ@DISC2:\DRIVER\IBM\TP760SS

 ‘Í‰ž<@Ží@  
ThinkPad 760C/760CD/760L/760LD

 “à-e

,±,±,Å'ñ<Ý,³,ê,éfVfXfef€ŒfvfŒf0f  
%f€ŒfTŒ[frfXŒffffBfXfPfbfg,ðŽg,Á,Ä,s,^,‰,Ž,<,o,Œ,,,-  
{‘Ì“à,ÉŽú,ß,ç,ê,½fVfXfef€ŒfvfŒf0f‰f€,ðŒXŒV,·,é,±,Æ,ÅŒA-  
â’è,Ì‰ðŒ^,â<@”\,Ì’ç‰ÁŒAŠg’ƒ,Æ,¢,Á,½•ÌŒX,ðŒs,¤,±  
,Æ,¤,Å,«,Ü,·ŒB

fCf“fXfgŒ[f<,É,Â,¢,Ä,ÍREADME.TXT,ðŒç,,”“ç,Ý,ÌŒäŽÀŒs,µ,Ä,-  
,¾,³,¢ŒB

[Žå,ÈŒCŒ³“à-e]

^È‰º,Ì–â’è,ðŒCŒ³,µ,Ü,µ,½ŒB  
- MS Word,É,“,¢,ÄŒA‰æ—Ê,Ì^ê•”•¤,¤Œ•,,È,éŒB

 @Ú,µ,,ÍŒADISC2:\DRIVER\IBM\TP760SS\README.TXTŒADISC2:\  
DRIVER\IBM\TP760SS\TP760SS.DOC,ð,““ç,Ý,,¾,³,¢ŒB

IBM ThinkPad 760ED/760EL ¼½ÃÑ¥ÌßÛ, þ×Ñ¥»°Ëþ½¥Ãþ”½¹-Ã  
Ver1.01

 @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\TP760SP

 ‘Í‰ž<@Ží@  
ThinkPad 760E/760ED/760LE/760LED

 “à-e

,±,±,Å'ñ<Ý,³,ê,éfVfXfef€|Efvf|f0f  
%f€|EfT|[frfX|EfffBfXfPfbfg,ðŽg,Á,Ä,s,^,%,Ž,<,o,[],,-  
{‘Í“à,ÉŽú,ß,ç,ê,½fVfXfef€|Efvf|f0f%f€,ðX|V,·,é,±,Æ,Å|A-  
â‘è,Í‰ðŒ^,â<@"\,Í'Ç‰Á|AŠg'£,Æ,¢,Á,½•Í|X,ð|s,¤,±  
,Æ,¤,Å,«,Ü,·|B

fCf“fXfg|[f<,É,Â,¢,Ä,ÍTP760SP.TXT,ð-Ç, -  
,“Ç,Ý,Í|äŽÀ|s,µ,Ä,,³,¢|B

[Žå,È|C|³“à-e]  
m,P|D,O,P|n8MB^È|ä,Ìf|f,fŠ|,ð‘•’...,µ|AWARP,ðŽg-p,µ,Ä,¢  
,éfVfXfef€,Å|AfnfCfo|f|f|fVf|f“|Ef|f@fCf<,ðHPFS,ÅftfH|  
f}fbfg,³,ê,Ä,¢,éfp|f|fefBfVf|f“,É|ì|-,µ,½|ê|f|fAfnfCfo|f|f|f|  
fVf|f“,¤,Å,«,|A,©,ÅfVfXfef€,¤f|f“f0,·,é|ê|f,¤,é|B  
fŠf“f0|EfCf“fffBfP|f|^|i’...|MŒÄ,Ñ|o,µ|j,É,æ,éfŠfaf...|f€<@"\  
,ð|Y’è,µ,½|ê|f|fAfVfXfef€,¤fTfXfyf“fh|ó’Ô,É“ü,ç,È,¢|ê|f,¤,é|BEA  
SY SETUP,Ì|f’f<@"\,æ,è|Af|ffBfXfvfEfC,ÌfefXfg,ðŽÀ|s,µ,½|ê|f|fA53-  
02,ÌfGf‰||EfR|f|f,ð•\Z|,·,é|ê|f,¤,é|B

 @Ú,µ,,Í|ADISC2:\DRIVER\IBM\TP760SP\TP760SP.TXT|ADISC2:\  
DRIVER\IBM\TP760SP\TP760SP.DOC,ð,“Ç,Ý,,³,¢|B

# ThinkPad Mwave DSP ÓÃPÑ¥Ì<sup>1</sup> „½Åp<sup>1</sup> Ä Ver2.17

□@Žû~^fffBfEfNfgfS@DISC2:\DRIVER\IBM\MWFIXTP

□ ‘Í‰ž<@Ží□@  
ThinkPad  
530CS/535/755CD/755CE/755CDV/755CX/760C/760CD/760ED

□ “à-e

□@,±,±,Å'ñ<Ý,³,ê,éMwave DSP  
f,fff€EftfBfbfNfxEffffBfxPfbfg,ðžg,Á,ÄMwave f,fff€ f\  
ftfgfEfFfA,ðXV,·,é,±,Æ,Af,fff€<@"\,Ì•s<i‡,ð  
‰ðŒ^iftfBfbfNfxj,·,é,±,  
,Æ,³,Å,«,Ü,·B'ÎÛ,Æ,È,é<@ŽíAðŒ,ÍŽÝ,ÌiAjAibj,ð“-ž  
ž,É-ž,½,·ê‡,Å,·B,»,¤,Å,È,¢ê‡,ÍA;‰ñ,ÍŠÖŒW, ,è,Ü,¹,ñ  
,Ì,Åâ'Î,ÉXVì<Æ,ðs,i,È,¢,Å,,¾,³,¢B

□@iAjMwave@DSP<@"\,ð“<Ú,µ,½ThinkPad@fvfS[fY  
□@@@@*i*'I"ÍŽÝ,Ì<@Ží,Å,·i96"Ñ6ŒŽ10"úŒ»ÝjB

□@@ThinkPad@530CS@A535  
□@@ThinkPad@755CD@A755CE@A755CDV@A755CX  
□@@ThinkPad@760C@A760CD@A760ED

□@iBjiaj,Ì<@Ží,Ì,¤,¿A“±“ü,³,ê,Ä,¢,é@Mwave@DSPfTf|  
|[fgf\ftfgfEfFfA,Ìfo|[fwf‡f”,³È‰º,Ìê‡

□@@-□@DOS/Windows\* 3.1,ð,“žg,¢,Ì•û  
□@@@@@@fo|[fwf‡f”@2.00,Ü,½,Í 2.02  
□@@-□@OS/2 Warp@,ð,“žg,¢,Ì•û  
□@@@@@@fo|[fwf‡f”@2.00@,Ü,½,Í@2.02  
□@@-□@Windows\* 95,ð,“žg,¢,Ì•û  
□@@@@@@fo|[fwf‡f”@2.10@,Ü,½,Í@2.11

□@@ifqf“fgj  
□@@@@fo|[fwf‡f”@1.00@,Ü,½,Í@1.10@,ð,“žg,¢  
,Ì•û,ÍA X V,·,é•K-v,Í, ,è,Ü,¹,ñBâ'Î,ÉXVì<Æ,ðs,i,È,  
¢,Å,,¾,³,¢B

fCf“fxfg|[f<,È,Å,¢,Ä,ÍMWFIXTP.TXT,ð-ç,-  
,“ç,Ý,ÌäZÅs,µ,Å,,¾,³,¢B

[žå, èç³“à–e]

ñm1.01ñn@^È‰º, Ì–â’è, ªA, ±, ±

, Å’ñ<Ý, ³, ê, éMwave@DSP@f, fff€EftfBfbfNfXfffBfXfPfbfg, É, æ, Á, Ä  
‰ðŒ^, ³, ê, Ü, µ, ½B

|||i–á:NIFTY|Serve\*, Åjf, fff€Ú'±'¬"x, ²28800bps, ÉÚ'è, ³, ê, Ä, ¢  
, é, ¤A14400bps'Ì‰ž, ÌfAfNfZfXEf|fCf"fg, ÉÚ'±  
, ·, éŽžAŽÀÛ, É, ¹2400pbs, ÌÚ'±'¬"x, Å, µ, ©'ÊM, Å, «, È, ¢, ±, ¤, ², , éB  
i, Ü, Å, ÍAMwave@f, fff€, ÌmfIfvfVf†f"ñn|ñmÙY'ènfjfj...  
|[, ÅAñuÅ'å'¬"xñv, ñu28800iV.34jñvñi, ±

, ê, ²•Wñ€Ú'èñj, ©, çñu14400iV.32bisñjñv, É, ·, é•K–v, ², , Å, ½B  
||f, fff€Ú'±'¬"x, ²28800bps, ÌŽžA'ÊM't, É, Ü, ê, ÉÚ'±, ²Ø, ê, é, ±  
, ¤, ², , éB

||ANGEL@LINE\*(fGf"fwfFf<ñ@f  
‰fCf":NTT"d~b"Ôñ†ŒÝññfTñ[frfxñj, ÉÚ'±, Å, «, È, ¢BñiMwave@f, fff€  
, ÌfRñ[ñf"ñf0ñEfgnñf", ñ'Sžè'¤, Ìf, fff€, ²œë"ñZ", µ, Å, µ, Ü, ¤, ±, ¤, ², , é  
ñBñj

 Ñ@Ú, µ, , ÍADISC2:\DRIVER\IBM\MWFIXTP\MWFIXTP.TXT\ADISC2:\  
DRIVER\IBM\MWFIXTP\MWFIXTP.DOC, ñ, "“ç, Ý, , ¾, ³, ¢B

**Aptiva Fax/Voice Modem144(AT)Type2 Windows95  
f,fff€í•ñftf@fCf<@Ver1.00**

 @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\MDMIBMJ

 ‘Í‰ž<@Ží@  
Aptiva Vision(2407-NF2/NW2/RWD/RTD)  
Aptiva Music Vision(2407-RDY), Aptiva  
515/517/530/537/730/737  
(2144-27J/28J/70J/71J, 2168-63J/64J)@

 “à-e  
“à-e ॥F  
Windows95-p, ìf, fff€í•ñftf@fCf<, ì”z•zIBM, ªWindows95, ì”-  
”, æ, è’0, É‰o‰x, µ, ½f, fff€  
, ÈŠÖ, µ, Ä, Í‰AFax/Voice Modem 144(AT) Type2  
, ìf, fff€í•ñftf@fCf<, ¾, -, ¨, », ì’†, È“ü, Á, Ä, ¢  
, È, ©, Á, ½, Ì, Å‰A”z•z, ., é, à, Ì, Å, ·B  
”õ‰l ॥F  
॥ä<L, ìfVfXfef€, È, Í‰AFax/Voice Modem 144(AT)  
Type2, ð“<Û, µ, ½, à, Ì, Å‰AFax/Voice Modem 144(AT)  
, ð“<Û, µ, ½, à, Ì, ¨, , è‰AType2 , ìf, fff€, ð“<Û, µ, ½fVfXfef€  
, ¾, -, ¨‰A, ±, Ìf, fff€í•ñftf@fCf<, ð•K-v, È, µ, Ü, ·B

 @Û, µ, , Í‰ADISC2:\DRIVER\IBM\MDMIBMJ\MDMIBMJ.DOC, ð, “ç, Ý, -  
, ¾, ³, ¢‰B

**Aptiva fVfXfef€ROMfAfbfvff[fg]Ef[t][fefBfŠfefB  
@C@C@C@C@C@fo[fWf+f”@BGOUS1J**

 @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\BGOUS1J



‘Í‰ž<@Ží@

Aptiva 540/550/555/556 (2144-N30/N40/N41/N42)

Aptiva 740/745 (2168-N50/N51)



“à-e

1. fffBfXfPfbfg- $\frac{1}{4}$ I  
@@@IBM@@AptivafVfXfef€ROMfAfbfvff[fg]Ef[t][fefBfŠfefB@[  
@@@ifo[fWf+f”@BGOUS1J]j  
@@@,±,Íft[fefBfŠfefB[,ÍfVfXfef€,ÍPOST/BIOS,ðŠi”,,μ,Ä,¢  
,éft%fbfVf...EEPROM, Í“à-e,ðXV,μ,Ü,·B
2. ‘ÍÛfVfXfef€  
@@@Aptiva@540/550/555/556|i2144|N30/N40/N41/N42]j  
@@@Aptiva@740/745@2168|N50/N51]j
3. fAfbfvff[fg’ÍÛfo[fWf+f”  
@@@BIOSfo[fWf+f”,@BGOUS1J^È’0,Íi1I,ðŠÜ,Pj,à,ÍB  
@@@BIOSfo[fWf+f”,ÍfZfbfgfAfbfvEf[t][fefBfŠfefB[i•’u  
\\-ft[fefBfŠfefB[j,ÍúWModel@InformationúWf]fjf...  
[],Åšm”F,Å,«,Ü,·B
4. ÍVfo[fWf+f”  
@@@XVæ,ÍBIOSfo[fWf+f”,ÍBGOUS1J,Æ•\n  
ž!,³,ê,Ü,·B,Ü, $\frac{1}{2}$ ROM,Í“ú•t,Í03/06/96,É,È,è,Ü,·B

[žå, ÈC³“à-e]

@@@fCf“fef<  
fyf“fefBfAf€iTMIjOverDriveiRjfvfZfbfTm166MHzE125MHzn,ð’•  
’...,μ, $\frac{1}{2}$ é#AfVfXfeff<N“®ž,ÉfGf%[127,“¶,·,é,±,Æ,ª, ,éB

 @Ú,μ,,ÍADISC2:\DRIVER\IBM\BGOUS1J\BGOUS1J.TXT@DISC2:\  
DRIVER\IBM\BGOUS1J\BGOUS1J.DOC,ð,“ç,Ý,, $\frac{3}{4}$ ,³,¢B

## S3 Trio64V+ OS/2 frfffIfffofCfXfhf%fo[ V. S3FP19

► @žû~^ffffBfEfNfgfS@DISC2:\DRIVER\IBM\S3FP19

► 'í%ž<@ží@  
PC-750 Model 6887

► "à-e

S3\*\* Vision864\*\*, Vision964\*\*, Vision868\*\*, Vision968\*\*,  
Trio32\*\*, Trio64\*\*, Trio64V+\*\*, f`fbfvfZfbfg-p, ï 32  
frfbfg"fv[f€f€fx" frfffIfffofCfXfhf%fo[, É, Å, ¢  
, Ä<Lq, µ, Ä, , è, Ü, ·B"fv[f€f€fx" fhf%fo[, ïAWindows\*\*  
fvf0f%f€, ðfvfEf[f"fe[fVf+f}fl[fwff[\* (PM)  
ffffXfNfgfbfvä, Å"®ì, , é, ±, Å, «, Ü, ·B

, ±, ïffffBfXfvfEfCfhf%fo[, ïA OS/2\*, ï 32 frfbfgEfjf  
%fbfgf,f, fS Ef, fff<, ðï-p, µ, Ä, ¢, Ü, ·B, Ü, ½A OS/2 32  
frfbfhEf0f%ftfBfbfNfXfGf"fwf"EfTufVfXfef€, Å<x  
, É"®ì, , é 32 frfbfg PM fffBfXfvfEfCfhf%fo[, Å, µ, Ä<@"  
, , é, æ, x, ÉffffUfCf", , ê, Ä, ¢, Ü, ·B

, ±, ïfrffffIfffofCfXfhf%fo[, ï OS/2 J2.11, OS/2 Warp  
J3.0, ï%o, Åžg-p, , ê, é, æ, x, ÉffffUfCf", , ê, Ä, ¢, Ü, ·B

► ï-n-•û-

► C³ftf@fCf<-pffffBfXfPfbfg, ðï-n-B  
► |ftfH[f}fbfgï, Ý, ï, PUD, S, S, l, afffBfXfPfbfg, P-‡, ð-  
p^ÓB  
>S3FP19A A: (Enter)

► @Ú, µ, , ïADISC2:\DRIVER\IBM\S3FP19\DISK1\  
S3FP19A.DOC, ð, "“ç, Ý, , ¾, , ¢B

## S3 Trio64V+ ÄpÊp<sup>2</sup><sub>2</sub>¥Äp<sup>x</sup><sub>2</sub>Êp<sup>o</sup>¥Äp<sup>"</sup><sub>2</sub><sup>1</sup>-Äi"ú-{Œê Windows 3.10j

►@Žû~^fffBfEfNfgfš DISC2:\DRIVER\IBM\S3WIN31

►@'Í‰ž<@Ží@

□@PC750 6887-JS1/JS4/J81/J8E/JHE

□@PC350 6587-JU5/JU4

□@PC330 6577-JB5/JB4/J2M/J2L

□ì¬•û-

□C□³ftf@fCf<-pfffBfXfPfbfg,ð□ì□¬□B

□|ftfH□[f}fbfg□Í,Ý,Ì,P□D,S,S,l,afffBfXfPfbfg,P-‡,ð-

p^Ó□B

>S3WIN31.EXE A: (Enter)

►@Ú, µ,, Í@DISC2:\DRIVER\IBM\S3WIN31\S3WIN31.DOC, ð,""ç,Ý,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢□B

S3 Trio64V+ ÄþÊþ²½¥Äþ×²Êþº¥Äþ“½¹-Äþi“ú-{Œê Windows 95þj

► @žû~^ffffBfEfNfgfS@DISC2:\DRIVER\IBM\S3WIN95

► 'Í‰ž<@ží@

@PC750 6887-JS1/JS4/J81/J8E/JHE

@PC350 6587-JU5/JU4

@PC330 6577-JB5/JB4/J2M/J2L

►i►¬•û—@

C³ftf@fCf<-pfffBfXfPfbfg,ðì¬B  
|ftfH[f}fbfgÍ,Ý,Í,PÐ,S,S,l,afffBfXfPfbfg,P-‡,ð-  
p^ÓB  
>S3WIN95.EXE A: (Enter)

► @Ú,µ,,Í@DISC2:\DRIVER\IBM\S3WIN95\S3WIN95.DOC,ð,“ç,Ý,-  
,¾,³,¢B

**Cirrus Logic GD5436 Windows95 frfffI@Ef<sup>f</sup>fofCfx@Ef<sup>h</sup>f%fCfo@[**

 @žû~^ffffBfEfNfgfS@DISC2:\DRIVER\IBM\CIRRUS

 “à-e

,±,ÌffffBfXfPfbfg,É,Í@ACirrus LogicŽĐ,Ì CL-GD5436 SVGA  
f0f%ftfBfbfN@EfAfNfZf% fEf[f^[],đfTf]fg,.,é MS-Windows  
95 –pfrrffI@Ef<sup>f</sup>fofCfx@Ef<sup>h</sup>f%fCfo@[,„,ä,Ü,“,”,è,Ü,·B

 @Ú,µ,,Í@ADISC2:\DRIVER\IBM\CIRRUS\CIRRUS.DOC,đ,“ç,Ý,-  
,³,³,¢B

## IBM 3f, fh FDD fhf%fCfo [ Windows95-p fo[fWf#f" 1.01

► @žû~^fffBfCfNfgfS @DISC2:\DRIVER\IBM\3MDFDD11

► “à-e

3f, fh FDD fhf%fCfo [ Žg-pŽž, Ì' Ù^Ó“\_, É, Â, ¢, Ä

- =====
- fffBfXfPfbfg, ð1.2MB, ÉftfH [f}fbfg[i‰Šú‰»]j, ., é<@"\ , ÍWindows 95, Å, Íftf| [fg, ³, ê, Ä, ¢, Ü, ¹, ñ]B
  - PlayAtWill, ð, "Žg, ¢, Í[é]t, Í\Adiskdrv.sys\Apawata.sys , , é, ¢, Í pawatas.sys , Í DEVICE •¶, ð config.sys ftf\fCf<, ©, ç•K, .íæ, µ, Ä, , ¾, ³, ¢]B, ±, ê, ç, Ífhf %fCfo [, ª'g, Ž, Ü, ê, Ä, ¢ , é, Å1.2MBfffBfXfPfbfg, Íftf\fCf<, Í“ç, Ž‘, «, ª]³, µ, - ]s, í, ê, .Aftf\fCf<, ª‰ó, ³, ê, é‰Å"\"«, ª, , è, Ü, ·]B
  - ThinkPad 750C/750Cs, Å, Rf, fh FDD fhf%fCfo [, ðŽg- p, ., é]U, Í•K, .Ž-'0, É]Å]V, ÍBIOS, Ö, Í]X]V, ð, „, ±, È, Á, Ä, - , ¾, ³, ¢]B

► @Ú, µ, , Í\ADISC2:\DRIVER\IBM\3MDFDD11\3MFDD11.DOC, ð, ²— ¨, ³, ¢]B

## IBM Aptiva fRf~f...fjfP[fVf#f“ fZf“f^@ V1.6 R12

► @žû~^fffBfEfNfgfS @DISC2:\DRIVER\IBM\APCS95

► “à-e

►y ‘ Í‰ž<@žíz

IBM Aptiva 540/550(2144-N30/N40)  
740/750(2168-N50/N60)

555/556(2144-N41/N42)  
745/755(2168-N51/N61)  
765/766(2168-N71/N91)  
764/767(2168-N72/N92)

560/770/775(2144-S20/2168-S50/S55)  
784/785/794(2168-S64/S65/S74)  
795/76D/76F(2168-S75/S4D/S4F)  
76G/76H/76K(2168-S4G/S4H/S4K)

J31/J33/J35(2176-J31/J33/J35)  
H54/H55/H56(2176-H54/H55/H56)  
H64/H65/H75(2176-H64/H65/H75)

►@,±,ÍufRf~f...fjfP[fVf#f“ fZf“f^@v,ÍAIBM Aptiva  
,É‘g,Ýž,Ü,ê,½Afef@fNfx,Ì‘-žóM<@"\,ÆAf\_fCf,,f‰@A-  
-žç"Ô“d~b<@"\,ð'ñ<Ý,·,éfefEfHfj@Efvf@f0f‰f€,Å,·@B,±  
,ÍfpfbfP[fW,Å'ñ<Ý,³,ê,éufRf~f...  
fjfP[fVf#f“fZf“f^@v,ÍAMicrosoft Windows95 –  
p,Å,·,Í,Å@A@uMwave@v,“<Ú,³,ê,Å,¢  
,éfAfvfefBfo,Å@AWindows95 ,“±“ü,³,ê,½f,ffff<,Éžg-p,µ,Ä,-  
,¾,³,¢@B

►í@-•û-@

ftfH@{fbfg@I,Ý,Ì,P@D,S,S,l,afffbfxPfbfg4-‡,ð-  
p^Ó,µ‡”Ô,É@ADISC2:\DRIVER\IBM\APCS95fffBfEfNfgfS,©,ç@A  
APCS951 A: (Enter) APCS952 A: (Enter) APCS953 A:  
(Enter) APCS954 A: (Enter)  
,ðžA@s,µ,Ä@C@³ffffBfxPfbfg,ð@í@-,µ,Ä‰º,³,¢@B

►@Ú,µ,,Í@DISC2:\DRIVER\IBM\APCS95\APCS951.DOC,ð,²—‰º,³,¢@B

## IBM Aptiva Mwave V1.32 Windws fhf%fcfo[

► @žû~^ffffBfEfNfgfS@DISC2:\DRIVER\IBM\APMW31

► “à-e

□y' Í‰ž<@ží□z  
IBM Aptiva 540/550(2144-N30/N40)@  
740/750(2168-N50/N60)

555/556(2144-N41/N42)  
745/755(2168-N51/N61)  
765/766(2168-N71/N91)  
764/767(2168-N72/N92)

560/770/775(2144-S20/2168-S50/S55)  
784/785/794(2168-S64/S65/S74)  
795/76D/76F(2168-S75/S4D/S4F)  
76G/76H/76K(2168-S4G/S4H/S4K)

□@MwaveV1.32 fhf%fcfo[, Í□A^È'0, Ìfhf%fcfo[ Mwave V1.12  
“±“ü, Í, ÝfVfXfef€, Ì, ã, ©, ç“±“ü, Å, «, Ü, ., ª, A, à, µ AMwave V2.21  
Windows95 fhf%fcfo[, ð, ª, Å“±“ü, µ, Ä, ¢, é, ê, ï AMwave  
V1.32 Windows fhf%fcfo[, Í□A, », Ì, ã, ©, ç“±“ü, µ, È, ¢, Å, -  
, ³, ³, ¢ B

□ì-•û-@  
ftfH{fbfgÍ, Ý, Ì, P, D, S, S, l, afffBfXfPfbfg3-‡, ð-  
p, Ó, µ, ï, "Ó, É, ADISC2:\DRIVER\IBM\APMW31ffffBfEfNfgfS, ©, ç, A  
APMW311 A: (Enter)  
APMW312 A: (Enter)  
APMW313 A: (Enter)  
, ð, Ä, Å, s, µ, Ä, C, ³, fffBfXfPfbfg, ð, ì, ñ, µ, Ä, ³, ¢ B

► @Ú, µ, , Í, ADISC2:\DRIVER\IBM\APMW31\APMW311.DOC, ð, ª, —, ³, ¢ B

## IBM Aptiva Mwave V2.21 Windows95 fhf‰fCfo[]

► @žû~^fffBfŒfNfgfŠ@DISC2:\DRIVER\IBM\APMW95

► “à-e

„y ‘ Î‰ž<@ží[]z  
IBM Aptiva 540/550(2144-N30/N40)@  
740/750(2168-N50/N60)

555/556(2144-N41/N42)  
745/755(2168-N51/N61)  
765/766(2168-N71/N91)  
764/767(2168-N72/N92)

560/770/775(2144-S20/2168-S50/S55)  
784/785/794(2168-S64/S65/S74)  
795/76D/76F(2168-S75/S4D/S4F)  
76G/76H/76K(2168-S4G/S4H/S4K)

Mwave , Í[]ADSP  
(fffBfWf^f<ŒfVfOfif<ŒfvfŒfbfT[]() , ðŽg-  
p, µ, ÄŒAfTfEf“fh<@”\, ÄŒAftfŒfbfNfxŒA“d~bŒAf, fff€, È, Ç, Ì<@”\  
, ð, Ð, Ä, Å, Íf`fbfv, ÅŽÄŒ», µ, ½ŒAf}f<ŒfŒffffBfA<@”\  
, ð'ñ<Ÿ, ., éfVfXfef€, Å, ·ŒB, Ü, ½ŒAŒuMwaveV2.21 Windows95 fhf  
‰fCfo[]v, ÍŒAMicrosoft Windows95 –pfhf  
‰fCfo[], Å, ·ŒBŒuMwaveŒv, ³“<ŒÚ, ³, ê, Ä, ¢  
, éfAfvfefBfo, ÅŒAWindows95 , ³“±“ü, ³, ê, ½f, fff<, ÉŽg-p, µ, Ä, -  
, ¾, ³, ¢ŒB

ŒìŒ¬•Œ—@

ftfHŒ[f}fbfgŒÍ, Ÿ, Ì, PŒD, S, S, l, afffBfXfPfbfg3-‡, ð-  
pŒÔ, µŒ‡”Ô, ÉŒADISC2:\DRIVER\IBM\APMW95fffBfŒfNfgfŠ, ©, çŒA  
APMW951 A: (Enter)  
APMW952 A: (Enter)  
APMW953 A: (Enter)  
, ðŽÀŒs, µ, ÄŒCŒ³ffffBfXfPfbfg, ðŒìŒ-, µ, Ä‰œ, ³, ¢ŒB

► @ŒÚ, µ, , ÍŒADISC2:\DRIVER\IBM\APMW95\APMW951.DOC, ð, ²—‰œ, ³, ¢ŒB

## IBM Aptiva Mwave V1.32 DOS fhf%fcfo[

► @žû~^fffBfEfNfgfS@DISC2:\DRIVER\IBM\APMWD0

► “à-e

þy' Í‰ž<@žíþz

IBM Aptiva 540/550(2144-N30/N40)@  
740/750(2168-N50/N60)

555/556(2144-N41/N42)  
745/755(2168-N51/N61)  
765/766(2168-N71/N91)  
764/767(2168-N72/N92)

560/770/775(2144-S20/2168-S50/S55)  
784/785/794(2168-S64/S65/S74)  
795/76D/76F(2168-S75/S4D/S4F)  
76G/76H/76K(2168-S4G/S4H/S4K)

@MwaveV1.32 fhf%fcfo[ , ÍþA^È'0, Ífhf%fcfo[ Mwave V1.12  
“±”üþÍ, ÝfVfXfef€, Ìþä, ©, ç“±”ü, Å, «, Ü, ., ªþA, à, µþAMwave V2.21  
Windows95 fhf%fcfo[ , ð, ²žç•³, Å“±”ü, µ, Ä, ¢, éþêþþAMwave  
V1.32 Windows fhf%fcfo[ , ÍþA, », Ìþä, ©, ç“±”ü, µ, È, ¢, Å, -  
, ³, ³, ¢þB

þìþ¬•û-@

ftfHþ[f}fbfgþÍ, Ý, Ì, PþD, S, S, l, afffbfxfpfbfg2-þ, ð-  
þÓ, µþ"Ó, ÉþADISC2:\DRIVER\IBM\APMWD0fffBfEfNfgfS, ©, çþA  
APMWD01 A: (Enter)  
APMWD02 A: (Enter)  
, ðžÀþs, µ, ÄþCþ³fffbfxfpfbfg, ðþìþ¬, µ, Äþº, ³, ¢þB

► @þÚ, µ, , ÍþADISC2:\DRIVER\IBM\APMWD0\APMWD01.DOC, ð, ²—‰º, ³, ¢þB

## IBM Aptiva Mwave V1.32 OS/2 fhf%fcfo[

► @žû~^fffBfEfNfgfS@DISC2:\DRIVER\IBM\APMWOS

► “à-e

□y' Í‰ž<@ží□z  
IBM Aptiva 540/550(2144-N30/N40)@  
740/750(2168-N50/N60)

555/556(2144-N41/N42)  
745/755(2168-N51/N61)  
765/766(2168-N71/N91)  
764/767(2168-N72/N92)

560/770/775(2144-S20/2168-S50/S55)  
784/785/794(2168-S64/S65/S74)  
795/76D/76F(2168-S75/S4D/S4F)  
76G/76H/76K(2168-S4G/S4H/S4K)

□@MwaveV1.32 fhf%fcfo[, Í□A^È'0, Ìfhf%fcfo[ Mwave V1.12  
“±“ü, Í, ÝfVfXfef€, Ì, ã, ©, ç“±“ü, Å, «, Ü, ., ª, A, à, µ AMwave V2.21  
Windows95 fhf%fcfo[, ð, ª, Å“±“ü, µ, Ä, ¢, é, ê, ï AMwave  
V1.32 Windows fhf%fcfo[, Í, ã, ©, ç“±“ü, µ, È, ¢, Å, -  
, ³, ³, ¢ B

□ì-•û-@  
ftfH{fbfgÍ, Ý, Ì, P, D, S, S, l, afffbfxfpfbfg3-, ð-  
p, Ó, µ, "Ó, É, ADISC2:\DRIVER\IBM\APMWOSfffBfEfNfgfS, ©, ç, A  
APMWOS1 A: (Enter)  
APMWOS2 A: (Enter)  
APMWOS3 A: (Enter)  
, ð, Ä, s, µ, Ä, C, ³, fffBfxfpfbfg, ð, ì, -, µ, Ä, ³, ¢ B

► @Ú, µ, , Í, ADISC2:\DRIVER\IBM\APMWOS\APMWOS1.DOC, ð, ª, ³, ¢ B

WINDOWS NT 3.51 "ú-{Eê"} Å 'Í‰ž ThinkPad Mwave/DSP<@"\  
Ãþ ..½¹ - Ä V2.0

► @Žû~^ffffBfEfNfgfŠ @DISC2:\DRIVER\IBM\TPMWVJ

► "à-e

Øy' Í‰ž <@ŽíØz

IBM Aptiva ThinkPad  
755CE/755CD/755CX/755CDV/760C/760CD/760E/760ED

Windows NT -p Mwave <@"\fvf\f0f%f€, ðŽg, , Å Windows NT  
Workstation , Å A28.8Kbps , Ìff\f^Œf, fff€, ºŽg-  
p, Å, «Aftf@fbfNfxŒfAfvfŠfpŒ[fVf+f“AMIDI/MwavefTfEf“fh, Ì  
f}f<f`fŒffffBfAŒfAfvfŠfpŒ[fVf+f“ACD-ROM “à’ , Ì ThinkPad  
, Å, ÍA‰¹Šy-p CD , Ì ÄŒ¶<@"\, ðŽÀØs, ., é, ±, Å, «, Ü, ·ØB

ØìØ¬•Ù-@

ftfHŒ[f}fbfgŒÌ, Ý, Ì, PØD, S, S, l, afffBfxfPfbfg2-‡, ð-  
p^Ô, µÛ‡"Ô, É@DISC2:\DRIVER\IBM\TPMWVJffffBfEfNfgfŠ, ©, ç@A  
TPMWVJ1 A: (Enter)  
TPMWVJ2 A: (Enter)  
, ðŽÀØs, µ, ÅŒCŒ³ffffBfxfPfbfg, ðØìØ-, µ, Å‰º, ³, ¢ØB

► @Ú, µ, , Í@DISC2:\DRIVER\IBM\TPMWVJ\TPMWVJ1.DOC, ð, ²—‰º, ³, ¢ØB

## IBM Aptiva Mwave DOS fQ|[f€-p ÙÝ'è•Í[XffffBfXfN

► @Žû~^ffffBfEfNfgfS @DISC2:\DRIVER\IBM\APMWOS

► “à-e

►y ' Î‰ž<@Žíz

IBM Aptiva 540/550(2144-N30/N40)@  
740/750(2168-N50/N60)

555/556(2144-N41/N42)  
745/755(2168-N51/N61)  
765/766(2168-N71/N91)  
764/767(2168-N72/N92)

560/770/775(2144-S20/2168-S50/S55)  
784/785/794(2168-S64/S65/S74)  
795/76D/76F(2168-S75/S4D/S4F)  
76G/76H/76K(2168-S4G/S4H/S4K)

<Œfo|[fWf†f“ (V1.12) ,©,ç Mwave V2.21 Windows95 fhf  
‰fCfo|[,ÉfAfbfvf0fŒ|[fh,µ,½ê‡ADOS -p,Ìfhf  
‰fCfo|[,²,»,ê^È'0,Ìfo|[fWf†f“,Å'ñ<Ý,³,ê,Ä,¢  
,½,à,Ì,Æ•Í,í,è,Ü,·BAptiva ,É, ,ç,©,¶,ß“±“ü,³,ê,Ä,¢,½ DOS  
fQ|[f€,ðŽg-p,·,éê‡,Í[A,»,ê,¼,ê,É'Î  
‰ž,·,éŒ³fofbf`ftf@fCf<,ðŽÀ[s,µ,ÄŒADOSŠÂ<«ftf@fCf<  
( .PIFftf@fCf< ) ,â,»,Í'¼,Ìftf@fCf<,ðŒXŒV,µ,Ä,,¾,³,¢ŒB

►ì¬•û-@

ftfH|[f}fbfgŒÍ,Ý,Ì,PÐ,S,S,l,afffbfxfpfbfgl-‡,ð-  
p^Ó,µ‡”Ô,ÉŒADISC2:\DRIVER\IBM\APMWOSffffBfEfNfgfS,©,çŒA  
APMWOS A: (Enter)  
,ðŽÀ[s,µ,ÄŒŒ³ffffBfxfpfbfg,ðŒì¬,µ,Ä‰º,³,¢ŒB

► @ŒÚ,µ,,ÍŒADISC2:\DRIVER\IBM\APMWOS\APMWOS.DOC,ð,²—‰º,³,¢ŒB

**f}f< f` f\ffffBfA\EfAfvfŠfP\lfVf†f“, Í–â’ è‰đŒ^ fffBfXfN**

**► @Žû~^ffffBfEfNfgfS @DISC2:\DRIVER\IBM\APMWMAP**

**► “à-e**

**fy ‘ Í‰ž<@Žíz**  
IBM Aptiva 540/550(2144-N30/N40)@  
740/750(2168-N50/N60)

555/556(2144-N41/N42)  
745/755(2168-N51/N61)  
765/766(2168-N71/N91)  
764/767(2168-N72/N92)

560/770/775(2144-S20/2168-S50/S55)  
784/785/794(2168-S64/S65/S74)  
795/76D/76F(2168-S75/S4D/S4F)  
76G/76H/76K(2168-S4G/S4H/S4K)

Mwave ,ÍfI\ffffBfI<@\ÍAf}fCfNf\ftfgŽÐuWindows  
Sound System\vv\AMultimedia PC 2.0\vv™, É€‘, μ, Ä, ç  
, Ü, ., äAfAfvfŠfP\lfVf†f“, É, æ, Á, Ä, ÍA, ±, ê, É‡, Á, Ä, ç, È, ç  
, à, Ì, à, , è, Ü, ·B, ±, Ì, ½, ßMwave \ä, Å^È‰º, Ì, æ, ✕, È—  
â’è, ä•ñ\, ³, ê, Ä, ç, Ü, ., äA, ±, ê, ç, ð‰đŒ^, ., é•û—@, ð, ±  
, ÍuÏÜÁÖÄP“±¥±ÌßØ¹°¹/₄®Ý –â’ è‰đŒ^ ÄP“½.\v, Å’ñ<Ý, μ, Ä, ç, Ü, ·B

**► ì¬•û—@**  
ftfH\lf}fbfg\Í, Ý, Ì, P\D, S, S, l, afffBfXfPfbfgl—‡, ð—  
p^Ó, μ‡”Ó, É\ADISC2:\DRIVER\IBM\APMWMAPffffBfEfNfgfS, ©, ç\A  
APMWMAP A: (Enter)  
, ðŽÀ\ss, μ, Ä\CC\³ffffBfXfPfbfg, ð\ì—, μ, Ä‰º, ³, ç\B

**► @Ú, μ, , Í\ADISC2:\DRIVER\IBM\APMWMAP\APMWMAP.DOC, ð, ²—‰º, ³, ç\B**

## Aptiva Ware (Rapid Resume)

► @žû~^fffBfEfNfgfS@DISC2:\DRIVER\IBM\APWARR

► “à-e

,±,Ìf‰fsfbfhfŒfWf...[f€f}fl|[fWff,ÍWindows 95ê-  
p,Å,·ŒWindows 3.1,Å,“Žg,¢,Ìœ†,É,ÍŒAfVfXfef€  
,É•t’®,µ,Ä,¢,éfofbfNfAfbfvCD, ,é,¢  
,ÍfAfvfŠfP|[fVf‡f“CD,Å’ñ<Ÿ,³,ê,Ä,¢,éfo|[fWf‡f“,ð,“Žg,¢, -  
,³,³,¢ŒB

► @Ú, µ,, Í@DISC2:\DRIVER\IBM\APWARR\APWARR.DOC, ð, ²—‰º, ³, ¢ŒB

## **AudioStation Version 1.80.06**

► @žû~^fffBfEfNfgfS@DISC2:\DRIVER\IBM\AUDIOST

► “à-e

,±,Ìf‰fsfbfhfŒfWf...[f€f}fl|[fWff,ÍWindows 95ê-  
p,Å,·ŒWindows 3.1,Å,“Žg,¢,ÌŒêŒ†,É,ÍŒAfVfXfef€  
,ÉŒtŒ®,µ,Ä,¢,éfofbfNfAfbfvCD, ,é,¢  
,ÍŒAfvfŠfPŒ[fVfŒf“CD,Å’ñ<Ý,³,é,Ä,¢,éfoŒ[fWfŒf“,ð,“Žg,¢, -  
,³,³,¢ŒB

ŒiŒ¬•ûŒ@  
ŒCŒ³ftfŒfCf<-pffffBfXfPfbfg,ðŒiŒ¬,µ,Ä  
‰º,³,¢ŒBftfHŒ[f}fbfgŒÍ,Ý,Ì,PŒD,S,S,l,afffbfXfPfbfglŒ-,ð-  
pŒÓ,µŒADISC2:\DRIVER\IBM\AUDIOSTffffBfEfNfgfS,©,çŒA  
AUDIOST A: (Enter)  
,ðŽÀŒs,µ,ÄŒCŒ³ffffBfXfPfbfg,ðŒiŒ¬,µ,Ä‰º,³,¢ŒB

► @ŒÚ,µ,,ÍŒADISC2:\DRIVER\IBM\AUDIOST\AUDIOST.DOC,ð,²—‰º,³,¢ŒB

## IBM f\ftfgfEfFfA MPEG fhf%fo[] V1.2

► @žû~^fffBfEfNfgfS@DISC2:\DRIVER\IBM\MPEGD12

► “à-e

,±,Ífvf[]f0f%f€,ÍATrident 9680 frffffIf`fbfv,ðžg-p,µ,Ä,¢,é IBM AptivafVfŠ[]fY,É‰Šú“±“ü,³,ê,Ä,¢,é IBM f\ftfgfEfFfA MPEG fhf%fo[],ð¤Ä“±“ü,·,é,½,ß,Ì,à,Ì,Å,·BŽs”Ì,³,ê,Ä,¢,éf\ftfgfEfFfA MPEG fhf%fo[],âfvfEfCf,,[]fAfvfŠfP[]fVf+f“,ð“±“ü,·,é,ÆA‰Šú‘Ô,Ì IBM f\ftfgfEfFfA MPEG ,¤Šú‘Ô,µ,Ä,¢,éŠÄ<«,ð¤ã¤’,«,µ,Ä,µ,Ü,¤,à,Ì,¤,è,Ü,·B^È‰¤,Ì,¤,¤,È,Æ,«,É,±,Ífvf[]f0f%f€,ðžg-p,µ,Äfhf%fo[],Ì¤Ä“±“ü,ð¤s,Á,Ä,·,¾,³,¢¤B

1. MPEG fRf“f{[]EfvfEfCf,,[],Å MPEG ftf@fCf<,¤frffffICD,¤³,µ,¤Ä¤¶,³,ê,È,¢¤B
2. DynEd ,È,Ç,Ì\ftfgfEfFfA MPEG ,ðžg-p,µ,½fAfvfŠfP[]fVf+f“,¤³,µ,¤Ä¤¶,Å,«,È,¢¤B

¤ì¤¬¤û¤@  
ftfH[]f}fbfg¤I,Ý,Ì,P¤D,S,S,l,afffbfxfpfbfg1-‡,ð-p^Ô,µ¤ADISC2:\DRIVER\IBM\MPEGD12ffffBfEfNfgfS,¤,ç¤A  
MPEGD12 A: (Enter)  
,ðž¤¤s,µ,Ä¤C¤³ffffBfxfpfbfg,ð¤ì¤¬,µ,Ä¤¤,³,¢¤B

► @¤Ú,µ,,Í¤ADISC2:\DRIVER\IBM\MPEGD12\MPEGD12.DOC,ð,²—‰¤,³,¢¤B

WINDOWS NT 3.51 "ú-{Eê"} Å 'Í‰ž ThinkPad  
PCMCIA Ä° ÝØÝ þ¥Äþx² Èþ°  
V1.0 IBM ThinkPad 'S<@Ží<¤' È-p

► @Žû~^ffffBfEfNfgfŠ @DISC2:\DRIVER\IBM\NTTRCCJ

► "à-e

Windows NT 3.51 , ÍÅA^ê•", Ì PCMCIA fffofCfx-p, É PCMCIA  
, ÌfTf|fg, ð"à' , μ, Ä, ç, Ü, · Windows NT , Ì PCMCIA  
ffffofCfxEfhf%fcfo[], ÍÅAIBM fg|[fnf"EfSf"f0 16/4  
PCMCIA Afg|[fnf"EfSf"f0 16/4 PCMCIA fJ|[fh II-AAuto 16/4  
fg|[fnf"EfSf"f0 PCMCIA , ÌŠefJ|[fh, ÍÅAfTf|fg, μ, Ä, ç  
, Ü, , ñB

, μ, ½, ª, Á, ÄÅA, ±  
, ê, ç, Ìfg|[fnf"fsf"f0EfJ|[fh, ðŽg, ×ê†, ÍÅAIBM PCMCIA  
fg|[fnf"fsf"f0EfffofCfxEfhf%fcfo[], ðfcf"fxfg|[f<>, ., é•K-  
v, ª, , è, Ü, · B, "Žg, ç, Ì NT Workstation , É, ÍÅA, ±  
, ÌffffBfxPfbfg, É, , éWindows NT -p PCMCIA  
fg|[fnf"fsf"f0EfffofCfxEfhf%fcfo[], Ìftf@fcf<, ðŽg, ç  
, Ü, · B

► ì¬•û-@  
ftfH|[f}fbfg|[Í, Ý, Ì, PØD, S, S, l, afffbfxPfbfgl-‡, ð-  
p^Ó, μ@ADISC2:\DRIVER\IBM\NTTRCCJffffBfEfNfgfŠ, ©, ç@A  
NTTRCCJ A: (Enter)  
, ðŽÀs, μ, ÄÅC³ffffBfxPfbfg, ðì¬, μ, Ä‰º, ³, ç@B

► @Ú, μ, , ÍÅADISC2:\DRIVER\IBM\NTTRCCJ\NTTRCCJ.DOC, ð, ²—‰º, ³, ç@B

**WINDOWS NT 3.51 "ú-{Eê"} Å 'Í‰ž ThinkPad**  
 Æp "½ÍRSÚ²¥Äpx²Æp°¥Äp "½¹-Ä V1.1

[▶] @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\TPDISPJ

[▶] “à-e

‘Í‰ž<@Ží ThinkPad  
 760C/760CD/760L/760LD/760E/760ED/760EL/560/365X/365XD

Windows NT ,É"õ , ! , ç , ê , Ä , ç , é • W €ffffBfXfvfEfC Efhf  
 %fCfo [ , Í A16 ]F , Ü , Å , μ , © fTf | [ fg , μ , Ä , ç , Ü , ¹ , ñ ]B256  
 ]F , Ü , ½ , Í , %õ 'æ" x , ª • K-v , È ]é ]‡ , Í AZY , I , æ , x , É Windows NT  
 3.51 - pfffBfXfvfEfC Efhf%fCfo [ , ðfCf "fXfg [ f< , . , é • K-  
 v , ª , , è , Ü , · ]B

- ThinkPad fVfŠ [ fY , Ì Windows NT 3.51 –  
 pfffBfXfvfEfC Efhf%fCfo [ ]EfffBfXfPfbfg , Í A ^ È‰º , Í‰õ 'æ" x / ]  
 F ] , ðfTf | [ fg , μ , Ä , ç , Ü , · ]B

640x480	256/64K ]F		
	16 M ]F		(CRT
f , [ fh , Ì , Y )			

800x600	256/64K ]F		
	16M ]F		(CRT
f , [ fh , Ì 760ED f , fff< , Ì , Y )			

1024x768	256 ]F		(760ED XGA
f , fff< , Ì , Y )		64K ]F	(760ED
XGA f , fff< , Ì , Y )			

1280x1024	256 ]F		(CRT f , [ fh , Ì
760ED f , fff< , Ì , Y )			

[ ]í [ - • ū - @  
 ftfH [ f }fbfg ]I , Y , Ì , P ]D , S , S , l , afffBfXfPfbfg1-‡ , ð-  
 p ^ Ø , μ ]ADISC2:\DRIVER\IBM\TPDISPJffffBfEfNfgfŠ , © , ç ]A  
 TPDISPJ A: (Enter)  
 , ðŽÀ ]s , μ , Ä ]C ]³ffffBfXfPfbfg , ð ]í ]- , μ , Ä‰º , ³ , ¢ ]B

[▶] @Ú , μ , , Í ]ADISC2:\DRIVER\IBM\TPDISPJ\TPDISPJ.DOC , ð , ²—‰º , ³ , ¢ ]B

WINDOWS NT 3.51 "ú-{Eê"} Å 'Í‰ž ThinkPad  
NTDETECT.COM\CO³Äp"²¹-Ä

► @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\TPDTCTJ

► "à-e

'Í‰ž<@Ží IBM ThinkPad 345C/370C-p

ThinkPad, Í 345C , Ü, ½, Í 370C f, fff<, Å Windows NT  
Workstation 3.51 , ðžg, xé‡ , Í A“Á•Ê, È"z-¶, ª•K-v, Å, · B, ±  
, ê, ç, Íf, fff<, Å, Í AWIndows NT  
, ÍfCf"fxfg[fc'†, Ü, ½, ÍfCf"fxfg[f<æ, Í AfffBfXfPfbfg[Efhf  
%fcfu, ª"®ì, µ, Ü, ¹, ñBfffBfXfPfbfg[Efhf%fcfu, ðžg-p‰Å"  
, É, ., é, É, Í A, ±, Í-â'è, ð‰ðŒ^, ., é  
NTDETECT.COM\i\CO³\jftf@fcf<, ð"ü, ê'Ö, |, È, ^, ê, Í, È, è, Ü, ¹, ñ B

®ì¬•û-@

ftfH[fc}fbfgÍ, Ý, Í, PWD, S, S, l, afffbfXfPfbfgl-‡, ð-  
p^Ó, µ\ADISC2:\DRIVER\IBM\TPDTCTJ\ffffBfEfNfgfŠ, ©, ç\A  
TPDTCTJ A: (Enter)  
, ðžÀ\s, µ, Ä\CO³ffffBfXfPfbfg, ð®ì¬, µ, Ä‰º, ³, ¢ B

► @Ú, µ, , Í \ADISC2:\DRIVER\IBM\TPDTCTJ\TPDTCTJ.DOC, ð, ²—‰º, ³, ¢ B

WINDOWS NT 3.51 "ú-{Ee"} Å 'Í‰ž ThinkPad ESSµ°Åp" µ¥Åpx²Åp°  
V1.0

► @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\TPESSAJ

► "à-e

'Í‰ž<@Ží ThinkPad 760L/760LD/760EL/365X/365XD/560

,±, ÌffffBfxPfbfg, É, Í@AIBM ThinkPad  
760L/760LD/760EL/365X/365XD/560 fVfŠ[fY, ÌWindows NT 3.51  
-p ESS fI[ffffBfI]Efhf%fCfo[], ^"ü, Á, Ä, ¢, Ü, · B

,±, ÌfI[ffffBfI]Efhf%fCfo[], ÌffffBfxPfbfg, ðŽg, x, Å@Windows  
NT 3.51 , Å@AVE/MIDI fI[ffffBfI<@"\  
, ðŽg, Á, ÄfTfEf"fh, ÌÄ¶, Å~^%¹, ^, Å, «, Ü, · B

► ì¬•û-@

ftfH[f}fbfg]Í, Ý, Ì, P@D, S, S, l, afffBfxPfbfg1-‡, ð-  
p^Ó, µ@ADISC2:\DRIVER\IBM\TPESSAJffffBfEfNfgfŠ, ©, ç@A  
TPESSAJ A: (Enter)  
, ðŽÀ@s, µ, Ä@C³ffffBfxPfbfg, ðì¬-, µ, Ä‰º, ^, ¢ B

► @Ú, µ, , Í@DISC2:\DRIVER\IBM\TPESSAJ\TPESSAJ.DOC, ð, ^—‰º, ^, ¢ B

WINDOWS WINDOWS NT 3.51 "ú-{Œê"}Å 'Í‰ž  
ThinkPad ÊßÜ°ÏÈ¼þØÝÄ¥»Îß°Ä¥Äþ×²Êþ° V1.0

► @Žû~^ffffBfEfNfgfŠ @DISC2:\DRIVER\IBM\TPNTPMJ

► "à-e

'Í‰ž<@Ží ThinkPad 755CE/755CD/755CE/755CDV

,±,ÌffffBfXfPfbfg,Í AWIndows NT3.51,ÅfTfXfyf“fh[]^fEfWf...  
|[f€<@"\,ðfTf|[]fg,·,é,½,ß,ÌffffofCfX[Efhf%fCfo[],Å,·B

¶i¬•û-@

ftfH[]f}fbfg[]Í,Ý,Ì,PØD,S,S,l,afffbfxfpfbfgl-‡,ð-  
p^Ø,μ@DISC2:\DRIVER\IBM\TPNTPMJffffBfEfNfgfŠ,©,ç@A  
TPNTPMJ A: (Enter)  
,ðŽÀ@s,μ,Ä@C³ffffBfxfpfbfg,ði¬,μ,Ä‰º,³,¢B

► @Ú,μ,,Í@DISC2:\DRIVER\IBM\TPNTPMJ\TPNTPMJ.DOC,ð,²—‰º,³,¢B

## WINDOWS NT 3.51 "ú-{Ee"} Å 'Í‰ž ThinkPad Õ°Å°ØÅ°°¥Åþ°½¹-Å V3.3

► @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\TPUTL75

► "à-e

'Í‰ž<@Ží ThinkPad 755CE/755CD/755CX/755CDV/370C/345C

Œ»Ý ThinkPad , Å, Í Windows NT 3.51 -p ThinkPad <@"\\  
Ý'eft@fefBfŠfefB@[, ð, ²Žg-p, ç, ¹, ², Ü, ·B, ±, Ìfvf@f0f%f€  
, ðŽg, ª, Å Windows 3.1 , Ü, ½, Í Windows 95 ŠÅ<<, Ås, ª  
, Ì, Å“-, ¶, æ, ª, ÉAfñ@fhfEfFfA@\\  
¬, ð•ÍX, µ, ½, èAfofbfefŠ@[Œ f@ff[f^@[, ð•\br/>Ž|, µ, ½, èAfffofCfx, Ìfxf^f“fofCŒf^fCf}@[, ðÝ'è, µ, ½, è, ., é,  
±, Å, ª, Å, <, Ü, ·B

Œì@-•û-@

ftfH@{f}fbfg@Í, Ý, Ì, P@D, S, S, l, afffBfxPfbfgl-‡, ð-  
p^Ó, µ@ADISC2:\DRIVER\IBM\TPUTL75ffffBfEfNfgfŠ, ©, ç@A  
TPUTL75 A: (Enter)  
, ðŽÅs, µ, ÅC@³ffffBfxPfbfg, ðŒì@-, µ, Å‰º, ³, ç@B

► @Ú, µ, , Í@DISC2:\DRIVER\IBM\TPUTL75\TPUTL75.DOC, ð, ²—‰º, ³, ç@B

**Trident TGUI9680 ff fo fCfXfEf hf%:fCfo[ EfffBfXfPfbfg  
("ú-{Œê MS-Windows3.1 IBM"Å-p) fo[fWf#f"1.04**

► @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\TPUTL76

► “à-e

‘Í‰ž<@Ží (Trident TGUI9680, ð“<Ú, µ, ½f, fff<)  
Aptiva 540 2144-N30  
Aptiva 550 2144-N40  
Aptiva 555 2144-N41/N42  
Aptiva 560 2144-S20  
Aptiva 740 2168-N50  
Aptiva 745 2168-N51  
Aptiva 750 2168-N60  
Aptiva 755 2168-N61  
Aptiva 765 2168-N71/N72  
Aptiva 766 2168-N91/N92  
Aptiva 770 2168-S50  
Aptiva 775 2168-S55  
Aptiva 785 2168-S65  
Personal Computer 750  
6883-JAP/JF6/JF7/JTN Personal Computer 720 6863-JA7  
Personal Computer 330  
6873-JCM/JCP  
, ±, ÍffffBfXfPfbfg, É, Í^È‰º, Í[], %ð‘æ“x-p, ÍffffBfXfvfEfCfEf hf%:fCfo[ , ªŠÜ, Ü, ê, Ä, ¢, Ü, · B  
TRIWLV.DR\_ 16FFf, [fh(800x600, 1024x768,  
1280x1024, 1600x1200)  
XGIULV.DR\_ 256FFf, [fh(640x480, 800x600,  
1024x768, 1280x1024(\*1)) A 65KFFf, [fh(640x480,  
800x600, 1024x768(\*1)) A 16.8MF(640x480, 800x600)  
(\*1) TRICLV.DR\_ 16.8MF(640x480) (\*2)  
(\*1) frffffIEf f, fŠ[], ª2MB ^ Èä•K-v B  
(\*2) frffffIEf f, fŠ[], ª1MB, Ì, Å, «, Ì, Ý B

►í[]-•û-@

ftfH[f}fbfgÍ, Í, PxD, S, S, l, afffBfXfPfbfg1-‡, ð-  
p^Ó, µADISC2:\DRIVER\IBM\TPUTL76fffBfEfNfgfS, ©, çA  
TPUTL76 A: (Enter)  
, ðžÀs, µ, ÄC³ffffBfXfPfbfg, ðìí-, µ, Ä‰°, ³, ¢B

 @Ú, µ,, ÍADISC2:\DRIVER\IBM\TPUTL76\TPUTL76.DOC, ð, ²—‰°, ³, ¢B

**Trident TGUI9680 ff fo fCfX Efhf% fCfo [ EfffBfXfPfbfg  
("ú-{Œê MS-Windows3.1 IBM"Å-p) fo [ fWf#f"1.04**

► @Žû~^ffffBfEfNfgfŠ @DISC2:\DRIVER\IBM\TR31104

► “à-e

‘Í‰ž<@Ží (Trident TGUI9680, ð“<Ú, µ, ½f, fff<)  
Aptiva 540 2144-N30  
Aptiva 550 2144-N40  
Aptiva 555 2144-N41/N42  
Aptiva 560 2144-S20  
Aptiva 740 2168-N50  
Aptiva 745 2168-N51  
Aptiva 750 2168-N60  
Aptiva 755 2168-N61  
Aptiva 765 2168-N71/N72  
Aptiva 766 2168-N91/N92  
Aptiva 770 2168-S50  
Aptiva 775 2168-S55  
Aptiva 785 2168-S65  
Personal Computer 750  
6883-JAP/JF6/JF7/JTN Personal Computer 720 6863-JA7  
Personal Computer 330  
6873-JCM/JCP  
, ±, ÍffffBfXfPfbfg, É, Í^È‰º, Í[], %ð‘æ“x-p, ÍffffBfXfvfEfC Efhf  
%fCfo [, ªŠÜ, Ü, ê, Ä, ¢, Ü, · B  
TRIWLV.DR\_ 16FFf, [fh(800x600, 1024x768,  
1280x1024, 1600x1200)  
XGIULV.DR\_ 256FFf, [fh(640x480, 800x600,  
1024x768, 1280x1024(\*1)) A 65KFFf, [fh(640x480,  
800x600, 1024x768(\*1)) A 16.8MF(640x480, 800x600)  
(\*1)  
TRICLV.DR\_ 16.8MF(640x480) (\*2)  
(\*1) frffffI Ef f, fŠ [ , ª2MB ^ Èä•K-v B  
(\*2) frffffI Ef f, fŠ [ , ª1MB, Ì, Å, «, Ì, Ý B

► i - • u - @

ftfH{fbfg}Í, Í, PÐD, S, S, l, afffBfXfPfbfg1-‡, ð-  
p^Ó, µADISC2:\DRIVER\IBM\TR31104fffBfEfNfgfŠ, ©, çA  
TR31104 A: (Enter)  
, ðžÀs, µ, ÄC³fffBfXfPfbfg, ðì¬, µ, Ä‰°, ³, ¢B

► @Ú, µ,, ÍADISC2:\DRIVER\IBM\TR31104\TR31104.DOC, ð, ²—‰°, ³, ¢B

Trident TGUI9680 ff fo fCfX Efhf %fCfo [ ]EfffBfXfPfbfg  
(OS/2 Ver2.11/OS/2 Warp "ú-{é}Å-p) fo [fWf+f"1.05

► @Žû~^ffffBfEfNfgfŠ @DISC2:\DRIVER\IBM\TR0S215

► "à-e

'Í‰ž<@Ží (Trident TGUI9680, ð“<Ú, µ, ½f, fff<)  
Aptiva 540 2144-N30  
Aptiva 550 2144-N40  
Aptiva 555 2144-N41/N42  
Aptiva 560 2144-S20  
Aptiva 740 2168-N50  
Aptiva 745 2168-N51  
Aptiva 750 2168-N60  
Aptiva 755 2168-N61  
Aptiva 765 2168-N71/N72  
Aptiva 766 2168-N91/N92  
Aptiva 770 2168-S50  
Aptiva 775 2168-S55  
Aptiva 785 2168-S65  
Personal Computer 750

6883-JAP/JF6/JF7/JTN

Personal Computer 720 6863-JA7  
Personal Computer 330

6873-JCM/JCP

Trident OS/2 fffBfXfvfEfC Efhf  
%fCfo [ , ðfCf "fxfg [f<, µ, ½æ, É‰æ-ÈÝ' è (%ð 'æ" xA F )  
, ð•ÍX, ., éê‡, ÍA•K, Trident OS/2 fffBfXfvfEfC Efhf  
%fCfo [ ]Ef† [fefBfŠfefB [ , ðŽg-p, µ, Ä, , ¾, ³, ¢ BOS/2fVfXfef€  
, ï‰æ-ÈÝ' èft [fefBfŠfefB [ , ÍŽg-p, Å, <, Ü, ¹, ñ B

► ï¬•û-@

ftfH [f}fbfg I, Ý, ï, P D, S, S, l, afffBfXfPfbfg1-‡, ð-  
p ^ Õ, µ ADISC2:\DRIVER\IBM\TR0S215ffffBfEfNfgfŠ, ©, ç A  
TR0S215 A: (Enter)  
, ðŽÀs, µ, Ä C ³ fffBfXfPfbfg, ðï¬-, µ, Ä‰©, ³, ¢ B

► @Ú, µ, , Í ADISC2:\DRIVER\IBM\TR0S215\TR0S215.DOC, ð, ²—‰º, ³, ¢ B

## Aptiva ATI 3D RAGE Windows95 fhf%fcfo[] V. 3.00C9H

► @Žû~^ffffBfEfNfgfS@DISC2:\DRIVER\IBM\300C9H

► “à-e

‘Í‰ž<@Ží

Aptiva H5E/H6D/H6E/H7E (2176-H5E/H6D/H6E/H7E)

Aptiva H54/H55/H56/H64/H65/H75

(2176-H54/H55/H56/H64/H65/H75)

,±,Ìfo[]fWf‡f“,Ìžå,È•ÌX“\_,Í^È‰º,Ì’È,è,Å,·B

-DirectX 2 (Direct3D,ðŠÜ,P),ÌfTf|[]fgB

,½,¾,µADirectX 2|i,Ü,½,ÍDirectX 2,Ìf%f“f^fcfef,fWf...  
|[f<,ðŠÜ,PfQ[]f€]j,ð“±“ü,·,é,Æ,«A  
  u»Ý,ÌffffBfxfvfEfCfhf%fcfo,ðDirectXfhf  
%fcfo,É'u,«S·,|,Ü,·,©HDirectX,AfefXfg,³,ê,Ä,¢  
,È,¢ffffBfxfvfEfCfhf  
%fcfo,¤€Y)o,³,ê,Ü,µ,½BÅ“K,ÈfpftfH[]f}f“fX,ð“¾,é,É,Í€»Ý  
,éfhf%fcfo,ð'u,«S·,|,Ä,,¾,³,¢Bfhf  
%fcfo,ð'u,«S·,|,Ü,·,©Hv  
,Æ•·,©,ê,é,±,Æ,¤,·,è,Ü,·,¤A,±,±,Å,Íu,¢,¢  
,|(N)v,ð'I,ÑAfhf%fcfo,¤ää’,«,³,ê,È,¢,æ,¤,É,µ,Ä,-  
,¾,³,¢B

ì¬•û-

ftfH[]f}fbfg]I,Ý,Ì,PID,S,S,l,afffbfxfpfbfg2-‡,ð-  
p^Ó,µADISC2:\DRIVER\IBM\300C9HffffBfEfNfgfS,©,çA

300C9H1 A: (Enter)

300C9H2 A: (Enter)

,ðžÅs,µ,ÄC³ffffBfxfpfbfg,ðì¬,µ,ä‰º,³,¢B

## CD-400 Series WindowsNT-p fhf%fCfo[] Ver1.00

► @žû~^fffBfEfNfgfS@DISC2:\DRIVER\IBM\CD400NT

► “à-e

□y ' Í‰ž<@ží□z  
CD-400 Series

CD400, ñWidowsNT, ÅŽg-p, ., é, ½, ß, Ìfhf%fCfo[], Å, ·□B  
CD400S, Å, àCDROMfhf%fCfu, Æ, µ, Ä, Ì, ÝWindowsNT, ÅŽg-p, ., é, ±  
, Æ, ª, Å, «, Ü, ·□B, ±, Ì□ê‡CD400S, ÌfTfEf“fh<@”\, ÍŽg-  
p, Å, «, Ü, ¹, ñ□B

'□□FWindowsNT, ÍPC-Card, Ìfzfbfgfvf  
%f0□iPC, Ì“dŒ¹, ð“ü, ê, ½, Ü, Ü, Å, ÌPC-Card, Ì‘}“ü□j, ðfTf|  
□[fg, µ, Ä, ç, Ü, ¹, ñ□BCD400žg-pŽž, É, Í□ACD400, ñPCMCIaf\  
fPfbfg, É□U'±  
, µ□ACD400, Ì“dŒ¹, ðfIf“, É, µ, Ä, ©, ç□AWindowsNT, ð<N“®, µ, Ä, -  
, ¾, ³, ç□B

□ì□¬•û-@

ftfH□[f}fbfg□Ì, Ý, Ì, P□D, S, S, l, afffBfXfPfbfg1-‡, ð-  
p^Ó, µ□ADISC2:\DRIVER\IBM\CD400NTfffBfEfNfgfS, ©, ç□A  
CD400NT A: (Enter)  
, ðŽÀ□s, µ, Ä□C□³ffffBfXfPfbfg, ð□ì□¬, µ, Ä‰º, ³, ç□B

**ESS ES1688 Windows95-p fI@[ffffBfI@Efhf%fCfo@EfffBfXfPfbfg  
fo@[fwf#f" 4.03.35**

 @žû~^ffffBf@NfgfŠ@DISC2:\DRIVER\IBM\TP365AU

Windows 95, ð³, µ, “®ì, ³, ¹, é, ½, ß, É, ÍA, ±, ±  
, Å'ñ, ³, ê, éfI@[ffffBfI@Efhf%fCfo@iESS ES1688Windows  
95@fI@[ffffBfI@Efhf  
‰fCfo@EfffBfXfPfbfg@fo@[fwf#f"4.03.35]j, ²“±“ü, ³, ê, Ä, ç, é•K-v, ²,  
, è, Ü, ·B, ³, ç, ÉuIBM ThinkPad 365E/ED ¼½ÃÑ¥ÌßÜ, ÞxÑ¥»°Ëþ½¥Ãþ”½¹-Ä  
(V. 2.0.14) v, à“±“ü, ·, é•K-v, ², , è, Ü, ·B

fhf%fCfo@Ef@[fwf#f" 4.03.35

fhf%fCfo-¹₄ F ES1688 Plug and Play  
AudioDriver\*\*

(ESS)  
“ú•t

F 1996" N6€Ž13"ú

 @Ú, µ, , Í@DISC2:\DRIVER\IBM\TP365AU\TP365AU.DOC, ð, “ç, Ý, -  
, ¾, ³, ¢B

**Trident TGUI9680 ff fo fCfX Ef hf% fCfo [ EfffBfXfPfbfg  
(OS/2 Ver2.11, OS/2 Warp, OS/2 V4.0 "ú-{Eé"Å-p)  
fo [fwf#f"1.07**

▶ @žû~^ffffBfEfNfgfš @DISC2:\DRIVER\IBM\TR0S217

' Í‰ž<@ží

(Trident TGUI9680, ð“<Ú, μ, ½f, fff<j

Aptiva 540 2144-N30

Aptiva 550 2144-N40

Aptiva 555 2144-N41/N42

Aptiva 560 2144-S20

Aptiva 740 2168-N50

Aptiva 745 2168-N51

Aptiva 750 2168-N60

Aptiva 755 2168-N61

Aptiva 765 2168-N71/N72

Aptiva 766 2168-N91/N92

Aptiva 770 2168-S50

Aptiva 775 2168-S55

Aptiva 785 2168-S65

Personal Computer 750 6883-JAP/JF6/JF7/JTN

Personal Computer 720 6863-JA7

Personal Computer 330 6873-JCM/JCP

íñ¬•û-@

1) fffBfXfPfbfg íñ¬fvf f0f%f€, ðžÀs, μAfffBfXfPfbfg, ðñíñ¬, ·, éB  
|ftfH [f}fbfg Í, Ý, Í, P D, S, S, l, afffBfXfPfbfg, P-‡, ð-p ^ÓB  
|DOSfvf f"fvfg, ©, ç

TR0S217 A:

, Å"ü-Í, μ, ÄEnter, ð‰Ý, · B

**Aptiva Music Vision »³ÝÄP¥ÄPx²Êp°¥±-ÌBÄp°Ä¥Äp”½¹-Ä Ver  
1.00**

 @Žû~^ffffBfEfNfgfŠ@DISC2:\DRIVER\IBM\YSOUND

,±,ÌffffBfXfPfbfg,Í@IBM Aptiva Music Vision @ä,Å Microsoft Windows 95 ,ð, "Žg,¢,É,È,é@ê@‡,É•K-v,Æ,È,éfTfEf“fh@Efhf %fCfo[], Ì@X@V,ð@s,¢,Ü,·@B@X@V,³,ê,é“à-e,Í`È‰º,Ì,Æ,",è,Å,·@B

Aptiva Music Vision ,É•W@€,Å“±“ü,³,ê,Ä,¢,é Windows J3.1 – p,ÌfTfEf“fhf@fCfo[], Í@Windows 95 ,Ì@ä,Å,Í@A@³,µ,”@@ì,µ,È,¢ž- ,@Šm”F,³,ê,Ä,¢,Ü,·@B@ä@’,<“±“ü,·,é,Æ<N”®,µ,È,,È,é-â’è,ð‰ðŒ^,µ,Ü,·@B

“K-p<@Ží@F IBM Aptiva Music Vision 2407-RYD

“-f,ffff<,É•W@€,Å“±“ü,³,ê,Ä,¢,é DOS/Windows 3.1 –p,Ì fTfEf“fh@Efhf%fCfo[], Í@Windows 95 ,Ì@ä,Å,Í@A@³,µ,”@@ì,µ,È,¢ž- ,@Šm”F,³,ê,Ä,¢,Ü,·@B@ä@’,<“±“ü,·,é’0,ÉfTfEf“fh@Efhf%fCfo[], ð@X@V,µ,Ä,- ,³@,³,¢@B ,È,“@A“±“üfvf@f0f%f€,Í@A@o‰xž,ÌffffBfEfNfgfŠ@[]@-,ð’0’ñ,Éfhf %fCfo[], Ì@X@V,ð@s,¢,Ü,·,Ì,Å@A,à,µ“±“ü@æ,ð•Ì@X,³,ê,Ä,¢ ,é@ê@‡,É,ÍŽè@ì<Æ,Åftf@fCf<,ð@X@V,µ,Ä,¢,³@,·K-v,³, ,è,Ü,·@B,Ü,³@ AfTfEf“fh@Efhf %fCfo[]@EfAf@fvff@fg@Ef@ffBfXfPfbfg,É,Í•Ì@X,³,ê,³@”•@,Ìfvf@f0f %f€ ,Ì,Ý,“Žû~^,³,ê,Ä,“,è,Ü,·,Ì,Å@A@X@V,ð,·,é’0,ÉŒÄ,¢fo@fWf‡f“,Ìfhf %fCfo[], “±“ü,³,ê,Ä,¢,é•K-v,³, ,è,Ü,·@B

 @Ú,µ,,Í@ADISC2:\DRIVER\IBM\YSOUND\YSOUND.DOC,ð,““Ç,Ý,- ,³@,³,¢@B



