

,Í,Ń,ß,É

Number Nine ,İfOf%oftfBfbfNfXfAfNfZf%ofĈ[f^,đ,“”f[ă,°,ç,½,¾,«½,É, ,è,ª,Æ,α,²,´,ç,Ü,·BNumber
Nine ,İ HawkEye for Windows 95
,İA'□□#“İ,ËfffBfXfvfĈfCfRf“fgf□□[f<ft□[fefBfŠfefB,ÅAWindowsfAfvfŠfP□[fvf#f“; ,x,Ä,İpftfH□[f}f“fX,đ<-
%o»,μA'S'İ“İ,ËŃZY□«,đ□,,ß,é,à,İ,Ä,·□B
HawkEye ,İANumber Nine □»•i,İ,Đ,Æ,Â,Æ,μ,ÄAfXfs□[fh,đ□ă,°,é,¾,¯,Å,Í,È,AWindows
,İŃZY□«'S'İ,đ<%o»,μ,Ü,·□B

ft[fU[fYfKfCfh

ft[fU[fYfKfCfh, íANumber Nine »•i,Æ,»,ê,É•t□□,·,é,·,×,Ä,}ftfgfEjFfA,}fCf“fXfg□[f<•ú-@,δ□Ú,μ,□à-
¾,μ,Ú,·□B,Ü,½□Afgf%ofuf<fVf...□[fefBf“fO,ÉŠÖ,·,éŽg,ç,â,·,ç•t’□^O,â,»,í¼,ìí•ñ,àSÜ,ñ,Ä,ç,Ú,·□B

24ŽžŠÔ“dŽqĈfŽ!“Â (BBS)

Number Nine ,ì,“<q—l,í•¾žĐ,ì“dŽqĈfŽ!“Â,đ’S—j“ú24ŽžŠÔ,²—~—p,É,È,é,±

,Æ,ª,Â,«,Û,·□BBBS,Â,í□A□L•ñ,đ“Ç,ñ,¾,è□A“dŽqf□□[f<,đŽg,Â,ĂŽž-

â,µ,½,è□A‘lĈ±‘k,đ•ª,©,ž□ž,Â,½,è□A‘ñ^Â,đ□s,É,Â,½,è□ANumber Nine ,ì□Â□Vftf@fCf<,âfhf

%ofCfo,đf_fEf“f□□[fh,·,é,±,Æ,ª,Â,«,Û,·□B

,Û,Æ,ñ,Ç,ìftf@fCf<,íŽ©“®“l,É%øđ“€,µ,Û,·,ª□ARKUNZIP,ì□Â□V“Â,Â,É,ç,Æ%øđ“€,Â,«,È,çftf@fCf<,à, ,è,Û,·

□BPKUNZIP ,í General f%ofCfuf%ofŠ,É PKZ204G.EXE ,ì-¾‘O,ĂŠi“[,³,è,Â,ç,é,Û,©□ACompuserve ,â

America On-line “™ ,Û,Æ,ñ,Ç,lfIf“f%ofCf“fT□[frfX,Â“üŽè,Â,«,Û,·□B

CompuServe

CompuServe ,É%Á“ü,μ,Ä,ç,éê±AGraphics Vendors C Forum “à,ì Number Nine ,ÉfAfNfZfX,μ,Ä,-
,¾,³,çBfZ[fW,ð’—,Á,½,èAZì-â,μ,½,èAfhf%ofCfo,ðf_fEf“f[fh,μ,½,èANumber Nine fOf
%oftfBfbfNfXfj[fh,âftfgfEfFfAfhf%ofCfo,É,Á,ç,Ä,lî•ñ,ð“üZè,·,é,±
,Æ,â,Ä,«,Ü,·B[iCompuServe,ÉfAfNfZfX,μAGo Nine ,Æf^fCfv,μ,Ü,·jB

Worldgroup

Number Nine BBS ,íAWorldgroup,đfTf|[]fg,μ,Ü,·B,±
,è,iWindowsfx[]fX,ífCf“f^[]ftfF[]fX,ÅCompuServe,Æ—pŽ—,μ,½,à,ì,Å,·BWorldgroupf\
ftfgfEfffA,íAftf@fCf<-¼ WGCLIENT.EXE ,Å General f%ofCfuf%ofŠ,©,cf_fEf“f[]fh,Å,«,Ü,·B

| | |
|-------------|--|
| BBS “d~b”Ô† | 617-862-7502 |
| ‘ÊM’→“x | 28,800 ^È%º |
| f,fff€,ìÝ’è | ff[]f^frfbfg8[]AfXfgfbfvfrfbfg1[]AfpfŠfefB,È,μ |
| ftf@fCf< | f_fEf“f[]fh,μ,½ftf@fCf<,ì%º“€,ÉPKUNZIP 2.x ,ª•K—v,Å,·B |

fejLjXfgftf@fCf<

,±,ê,ç,ìftf@fCf<,É,íAfefNjjjf<Efqf"fgAfgf%ofuf<fVf...[fefBf"fO•û-@A,Žg,ç,ì Number Nine f\ftfgfEfffA,ÉŠÖ,·,éÅVî•ñ,ŠÜ,Ü,ê,A,ç,Ü,·B,±,ê,ç,ìftf@fCf<,É,í .TXT,Ü,½,í .DOC ,İŞg'£Žq,ª•t,ç,À,¨,èAWindows fffBfXfN,¨,æ,Ñ Windows fffBfçEfNfgfŠ,ì NUMBER9 fTfufffBfçEfNfgfŠ"à,É,è,Ü,·B

HawkEye ,ižg,ç•û

f^fXfNfo[] ,i , ,đfNfŠfN,μ,Û,·B **Number Nine HawkEye Properties** ,a•\Ži,³,ê,Û,·B **HawkEye Properties** ,É,ÍANumber Nine HawkEye fAfVfŠfP[]fVf#f“ ,i,·,×,Ä,i“Á[]<fV[]fG,²ŠÜ,Û,ê,Ä,ç,Û,·B

HawkEye ,i“Á[]<fV[]fG,đ•\Ži,³,ê,É,Í[]A“Á[]<fV[]fG,lf^fu,đfNfŠfN,μ HawkEye fAfVfŠfP[]fVf#f“ ,đ•\Ži,³,ê,Û,·BHawkEye fAfVfŠfP[]fVf#f“ ,lfAfCfRf“ ,Æ **9** ,iŠÖ,É, ,éfefLfxfgfŠf{f“ ,ÉfAfVfŠfP[]fVf#f“ ,i’^O[]q,²•\Ži,³,ê,Û,·B

HawkEye Properties ,đ•Ä,¶,é,É,Í[]A **OK** ,đfNfŠfN,·,é,©[]A“Á[]<fV[]fG,i%oE[]ä,i ✖ ,đfNfŠfN,·,é,©[]AfEfBf“fhfE,i[]¶ä,i

☑ ,đfNfŠfN,μ,Ä[]m•Ä,¶,é[]n,đ’i,Ñ,Û,·B

HawkEye ,đfVfffbfgf_fEf“ ,·,é,É,Í[]Af^fXfNfo[] ,É, ,é **9** fAfCfRf“ ,đfNfŠfN,μ[]A **HawkEye 95,lfVfffbfgf_fEf“** ,đ’i,Ñ,Û,·B

Še **HawkEye “Á[]<fV[]fG** ,É,Í[]A“—i,i<@“\,đŽ[],ÄfL[],²ŠÜ,Û,ê,Ä,ç,Û,·B

“K—p -- ‘i’đ,đ•Û’¶,μ[]A**HawkEye Properties** ,đŠj,ç,½,Û,Û,É,μ,Û,·B

fLfff“fZf< -- ‘i’đ,đ•Û’¶,¹,·,É[]A**HawkEye Properties** ,đ[]—¹,μ,Û,·B

OK -- ‘i’đ,đ•Û’¶,μ[]A **HawkEye Properties** ,đ[]—¹,μ,Û,·B



Hawk Keys

Hawk Keystm ,đ—~—p,·,é,Æ□A Zoom□A Place Windows □A Stop Box ,İŠe<@”\
,ÉfL□[f{□[fh,İfzfbfgfL□[,đŽw’è,·,é,±,Æ,³,Å,«,Ü,·□B<@”\,ÉfzfbfgfL□[,đŽw’è,·,é,Æ□AfzfbfgfL□[,đ
%oŸ,·,³/4,~,Å HawkEye ,İ<@”\
,đŠÉ’P,É<N”@,Å,«,Ü,·□Bftf@f“fNfVf+f“fL□[.İfL□[f{□[fh,İ□ă•”,É, ,éF,Å,í,¶,Ü,éfL□[□AF1□AF2□AF3□AF4□AF
5□AF6fL□[.È,Ç,Å,·□B

ŠÖ~A□€-Ú

- Še<@”\,ÉfzfbfgfL□[,đŽw’è,·,é,É,Í

Še<@“\,ÉfzfbfgfL[],đŽw’è,.,é,É,Í

1. HawkEye f^fu,đfNfŠfbfN,μ,ÄAHawk fL[],ì“Á<<fV[]fG,đ•\Žì,μ,Ü,·B“Á<<fV[]fG,É•\Žì,³,è,Ä,ç,é fAfCfRf“[]A**Zoom**A **Stop Box** []A **Place Windows** ,ì,Đ,Æ,Ä,đfNfŠfbfN,μ,Ü,·BfAfCfRf“,ì%œE’x,ì **window box** ,É“_—Ä,·,éj[]fVf,³,è,Ü,·B

’^Ó

HawkEye fAfVfŠfP[]fVfj“,ì,».,è,¼,è,ÉfzfbfgfL[],đ’ìđ,·,é,±,Æ,đ,“E,β,μ,Ü,·B

2. Še<@“\,ÉŽw’è,·,é,½,β,É[]AF1[]AF2,È,Ç,ì **fL[]f{[]fh<@“\fL[],Ü,½,í—**
LCEø,ÉfzfbfgfL[],ì’g[]‡,¹,đf^fCfv,μ,Ü,·B“%œ’^Ó,đŽQ[]Æ[]j[]B **“K—p**
,đfNfŠfbfN,μ,Ä’ìđ,đ•Ü’¶,μ,Ü,·B

,½,Æ,ì,ì[]A **Zoom** fAfCfRf“,đfNfŠfbfN,·,é,ÆAfj[]fVf,³Ž©“@“ì,ÉŠÖ~A,·,éEfBf“fhfEf{fbfNfX,É•\ Žì,³,è,Ü,·BfzfbfgfL[],ì**fEfBf“fhfEf{fbfNfX,ÉF12**,Ü,½,í—LCEø,ÉfzfbfgfL[],ì’g[]‡,¹,đf^fCfv,μ,Ä[]A**“K —p**,đfNfŠfbfN,μ’ìđ,đ•Ü’¶,μ,Ü,·B**F12**[]A,Ü,½,í—LCEø,ÉfzfbfgfL[],ì’g[]‡,¹,đ %œÛ,·,Æ[]A,Ç,ìfAfVfŠfP[]fVfj“,©,ç,Ä,à **Zoom** <@“\,³œN“@,μ,Ü,·B

—LCEø,ÉfzfbfgfL[],ì’g[]‡,¹:

,·,x,Ä,ìftf@f“fNfVfj“fL[]

Alt + Any fL[]

CTRL + ,Ç,è,©,ìfL[]

Shift + ftf@f“fNfVfj“fL[]

’^Ó

ftf@f“fNfVfj“fL[],ìAfL[]f{[]fh,ìä•”,É,·,éF,ÄŽn,Ü,éL[],Ä,·B

fzfbfgfL[],đŽg—p,μ,È,ç[]ê[]‡,ìAfXfy[]fXfo[],Ü,½,íEscfL[],ð%œÛ,μ,Ä,- ,¾,³,ç[]BfEfBf“fhfEf{fbfNfX,É[]A,È,μ,Æ•\Žì,³,è,Ü,·B

3. Stop Box ,ÆPlace Windows <@“\,É,à“~,¶Žè[]‡,Ä[]s,È,ç,Ü,·B
4. C•Ī[]X,đ•Ü’¶,μ **HawkEye Properties** ,đŠj,ç,½,Ü,Ü,É,·,é,É,í[]A **“K—p**
,đfNfŠfbfN,μ,Ü,·B•Ī[]X,đ•Ü’¶,μ,È,ç,Ä **HawkEye Properties** ,ð[]I—¹,·,é,É,í[]A**Cancel**
,đfNfŠfbfN,μ,Ü,·B
5. []ì<Æ,³[]I,í,Ä,½,ç **OK** ,đfNfŠfbfN,μ,Ä[]A •Ī[]X,đ•Ü’¶,μ **HawkEye Properties** ,ð[]I—¹,μ,Ü,·B



Resolution Exchange

Resolution Exchange, dZg, x, AE AŠg' £%¼' zffXfNfgfbfv, ììì-ìAf, fjf^%đ'œ"x, ì•ìX A%æ-Ê, Ê•\ Ž, ³, ê, éF", ì•ìX, ðs, Ê, x, ±, AE, a, Å, «, Û, ·B

ŠÖ~A€-Ú

- ìF", âf, fjf^, ì%đ'œ"x, ð•ìX, ., é, Ê, Í
- %¼'z%đ'œ"x, ð'l'ð, ., é, Ê, Í

f, fjjf^, ì%øð'œ“x, Æ□F□”

fjjf%□[‘l’ð, ìfifvfjff“f{f^f”, ìfšfXfg, Å•\,³,ê,Ü,·□B‘l’ðfifvfjff“, ìf{f^f“, É, í□AŽg—p, Å, «, È, ç, ±, Æ, ðŽ!, ·□“_ , àŠÜ, Ü, ê, Ü, ·□B

f, fjjf^, Æ%ø¼‘z%øð'œ“x, ì‘l’ð, ìfšfXfgf{fbfNfX“à, É, , è, Ü, ·□BfšfXfgf{fbfNfX“à, ì‘l’ð□€-Ü, ì‘ê“x, É, ð, Æ, Å, μ, ©‘l’ð, Å, «, Ü, ¹, ñ□B

—~—p, Å, «, é%øð'œ“x, í□A, “Žg, ç, ì Number Nine f{□[fh, ìf□f, fš—É□A‘l’ð, μ, ½□F□”□Af, fjjf^, ì□Å‘â%øð'œ“x, É, æ, è^Ü, È, è, Ü, ·□B

‘□^Ó

□V, μ, ç□F□[“x, ð‘l, Ò, Æ□A•ì□X, ðŽÀ□s, ·, é, ½, ß, É Windows, ð□Ä·N“@, ·, é, æ, æŽwŽ!, a•\Ž!,³,ê,Ü,·□Bf, fjjf^, ì%øð'œ“x, â%ø¼‘z%øð'œ“x, ð•ì□X, μ, ½□ê□#□AOK, ðfNfšfN, ·, é, Æ□A%øæ-É, a□”•bfuf%øf“fN, É, È, Å, Å, ©, ç□V, μ, ç%øð'œ“x, É•ì, í, è, Ü, ·□B

šÖ~A□€-Ú

- □F□”, âf, fjjf^, ì%øð'œ“x, ð•ì□X, ·, é, É, í

□F□",âf,fjf^,ì%øð'œ"x,ð•ï□X,·,é,É,í

□ì<Æ,ðŠžN,·,é'O,ÉŠj,ç,Ä,ç,étf@fCf<,ð,·,x,Ä•Û'¶,μ,Û,·□B

1. fjf%□[fšfXfgf{fbfNfX,Ä□Af,fjf

%□[flfvfVf#f{f^f",ðfNfšfbfN,μ,Û,·□BflfvfVf#f{f^f",É,í□"_,àšÛ,Û,é,Û,·□B

'□^ó

□F□",ð•ï□X,·,é,Æ—~—p,Ä,«,é%øð'œ"x,à•ï□X,·,é,±,Æ,â, ,è,Û,·□B

2. f,fjf^ fšfXfgf{fbfNfX,Ä□Af,fjf^ %øð'œ"x,ðfNfšfbfN,μ,Û,·□Bf,fjf^ fšfXfgf{fbfNfX,É,í—~—p,Ä,«,é %øð'œ"x,âšÛ,Û,é,Ä,ç,Û,·□B,ð,Æ,Ä'l,ñ,ÄfNfšfbfN,μ,Û,·□B□,ç%øð'œ"x,ð'l,Ô,Æ□A•\Ž!•"•â,â,«,- ,É,è,Û,·□B

3. %ø¼'zšfXfgf{fbfNfX,Ä"ñ%ø¼'z,Û,½,í virtual resolution,ð'l,ñ,Û,·□B%ø¼'zffXfNfgfbfv,ðšg'£,μ,½,- ,É,ç□ê□#,í□A"ñ%ø¼'z,ð'l,ñ,Ä,,¾,¾,ç□B

4. "K—p ,ðfNfšfbfN,μ,Ä□Ý'è,ð•Û'¶,μ□AHawkEye Properties,ðŠj,ç ,½,Û,Û,É,·,é,©□AfLfff"fZf<,ðfNfšfbfN,μ,Ä□Ý'è,ð•Û'¶,¹,,ÉHawkEye Properties,ð□l—¹,μ,Û,·□B

5. □ì<Æ,â□l—¹,μ,½,ç OK ,ðfNfšfbfN,μ,Ä□A□V,μ,ç□Ý'è,ð•Û'¶,μ□AHawkEye Properties,ð□l—¹,μ,Û,·□B

'□^ó

fjf%□[flfvfVf#f",ð•ï□X,·,é,Æ□Af□fbfZ□[fWf{fbfNfX,â\ Ž! ,¾,é□A□V,μ,ç'l'ð,É□Ø,èš,!,é,½,β,ÉWindows,ð□Ä<N"® ,·,é,æ,æŽwŽ!,â□o,Û,·□BWindows,ì□Ä<N"®, ð'l,ñ,Ä,,¾,¾,ç□B

CE»□Ý,ìfjf%□[flfvfVf#f",í•ï□X,¹,,É□A□V,μ,çf,fjf^%øð'œ"x,â%ø¼'z%øð'œ"x,ð'l,Ô□ê□#,í□A%øæ- É,â□"•bfuf%of"fN,É,É,Ä,Ä,©,ç□V,μ,ç%øð'œ"x,É□Ø'Ö,í,è,Û,·□B□Ä<N"®,·,é•K—v,í, ,è,Û,¹,ñ□B

%0¼'z%0ð'œ"x

%0¼'zŠg'£%0ð'œ"x,í□Af,fff^,ì□Å'â%0ð'œ"x,ÉCEW,í,è,È,□A, "Žg,ç
,ìWindowsfffXfNfgfbfv,ìTfCfY,ð,Q" { ^ È ã,É,·,é,±,Æ,É,Ä,«,Û,·□BŠg'£,³,è,½%0¼'z"•ª,í□A%0æ-
È,ì«ŠE□Ü,ð%0z,ì,Áf}fEfX,Áfpffj"fo,·,é,±,Æ,É,æ,è•\Ž!,³,è,Û,·□B—á,Æ,µ,Ä,í□A
%0¼'zfŠfXfgf{fbfNfX,Å1024x1536,ð'ì,Ñ,Û,·□Bf,fff^,ìfEfBf"fhfE,ð,²—,É,È,é,Æ,Q,Ä,ìf{fbfNfX,ª•\
Ž!,³,è,Ä,ç,Û,·□B,Ð,Æ,Ä,ìf^□[fRfCfY□Efuf<□[,Ä□A,à,¤,Ð,Æ,Ä,ìf□[fr□[fuf<□[,í□A
%0¼'zfffXfNfgfbfv%0ð'œ"x,ð'ì'ð,µ,Ä"¾,½'Ç%0ÁfXfy□[fX,Ä,·□B,±,ì□è□#□A1024x768,ì%0¼'z
%0ð'œ"x,ì'Ç%0ÁfXfy□[fX,ð□...•½,Ä,í,È,□,¾,É•\Ž!,µ,Û,·□B

,·,x,Ä,ì□F,Æf,fff^%0ð'œ"x,ª%0¼'z%0ð'œ"x,ðfTf□[fg,·,é,à,ì,Ä,í,È,ç,±,Æ,É,²'□^Ó,-
¾,¾,³,ç□B,½,Æ,ì,í□A16,777,216□F,Æf,fff^%0ð'œ"x1152x864,ð'ì,ñ,¾□è□#□A%0¼'z
%0ð'œ"x,ì'ì'ð,Ä,«,Û,¹,ñ□B256□F,Æf,fff^%0ð'œ"x1024x768,ð'ì,Ñ,Æ□A,**R,Ä,ì%0¼'z**
%0ð'œ"x,ª'ì'ð,Ä,«,Û,·□B

Šg'£fffXfNfgfbfv,ðŽg—p,·,é,É,í—ì□X,È•û-@,ª,·,è,Û,·□B,½,Æ,ì,í□A•\CEvŽŽŽž,É,æ,è'½,,ì□s,â—ñ,ð•\
Ž!,·,é,±,Æ,ª,Ä,«,Û,·□B,Û,½,í□A"Žž,É,Q,Ä,ìfTf<TfCfY,ìfAfVfŠfP□[fVfj",ð•Ä,x,Ä•\Ž!,·,é,±
,Æ,ª,Ä,«,é,ì,Ä□AfAfVfŠfP□[fVfj"ŠÖ,ì'€□,É,©,©,éžžŠÖ,ð□Å□—CEA,É,Ä,«□Afjfbfg,âfy□[Xfg,É,©,©,éžžŠ
Ö,à□"•ª,©,ç□"•b,É'Z□k,Ä,«,Û,·□B

'□^Ó

—~—p,Ä,«,é%0¼'z%0ð'œ"x,ì□",í□A, "Žg,ç,ìNumber Nine□»•ì,ìf□f,fŠ—È,ÆfAfNfefBfu,Èf,fff^,ì
%0ð'œ"x,É,æ,Ä,Ä'Û,È,è,Û,·□B

ŠÖ~A□€-Ú

- %0¼'z%0ð'œ"x,ð'ì,Ò,É,í

‰¼'z‰đ'œ"x,đ'İ,Ō,É,Í

İ<Æ,đŠjŽn,·,é'O,ÉAƒAƒvƒšfP[fVf†f",ĂŠj,č,Ä,č,éftf@fCf<đ,·,x,Ä•Ū'ŋ,μ,Ū,·B

1. ‰¼'z‰đ'œfšfXfƒf{fbfNfX,Ă‰đ'œ"x,đfNfšfbfN,μ,Ū,·B**frf...**[f{fbfNfX,ăše‰đ'œ"x,İ'Š'İ•\Ž!•"•ă,đŽ!,μ,Ū,·BŠg'£‰¼'z•\Ž!•"•ă,İAfrf...[f{fbfNfX,ÉfI[f{fr[fuf<[Ă•\Ž!,³,è,Ū,·B2048x768,đfNfšfbfN,·,é,ÆA‰¼'z•"•ă,^a...•½,É•\Ž!,³,è,Ū,·B1024x1536,đfNfšfbfN,·,é,ÆAŠg'£‰¼'z•"•ă,^a,¼,É•\Ž!,³,è,Ū,·B,Žg,č,İNumber Nine f{[fh,É,æ,Ă,ĂA,±,è,ç,İ‰đ'œ"x,^aŪ,É,é,±,Æ,É,²Ū,³,³,čB

2. **"K—p,**đfNfšfbfN,μ,ĂA'İ'đ,đ•Ū'ŋ,μ**HawkEye Properties**,đŠj,č,½,Ū,Ū,É,·,é,©A**fLfff"ƒZf<**,đfNfšfbfN,μ,ĂY'è,đ•Ū'ŋ,¹,,É **HawkEye Properties**,đI—¹,μ,Ū,·BŪV,μ,č‰đ'œ"x,đ'İ,Ō,ÆAŪV,μ,č‰đ'œ"x,ÉŪ'Ō,í,é'O,É‰œ-É,^a"•bfuf%of"ƒN,É,È,é,±,Æ,^a,è,Ū,·B

3. İ<Æ,^aI—¹,μ,½,çA**OK,**đ'İ,ň,ĂŪV,μ,čY'è,đ•Ū'ŋ,μ **HawkEye Properties**,đI—¹,μ,Ū,·B'Ū^Ō

İ;Ū,Ă,æ,è,.,č‰đ'œ"x,đ'İ,Ō,ÆA•\Ž!•"•ă,İTfCfY,^a'ă,«,è,è,Ū,·B



Place Windows

'z%øđ'œ"x,đŽg—p,·.éê±AflfbfvfAfbfv ffbfZ[]fW,âf_fCfAf[]fOfEfBf"fhfE,ªA'É[]if,fjf^,l'+%ø>,Å,í,È,-
 Šg'â,³,è,^{1/2}%ø^{1/4}'zffXfNfgfbfv,l'+%ø>,É•\Ž!,³,è,é,^{1/2},ßA'^{1/4}U,É,Í©,!,É,ç,±,Æ,^a,è,Ú,·B **Place**
Windows,đŽg—p,·.é,ÆA[]fbfZ[]fW,âf_fCfAf[]fO,đf,fjf^,l'+%ø>,É•\Ž!,³,¹,é,±,Æ,^a,Å,«,Ú,·B

Place Windows ,É Hawk fl[]l,đŽg,κ,ÆA[]f" f^fbf` ,ÅfAfNfefBfu,ÈfAfvfŠfP[]fVf+f" ,đŠg'â,³,è,^{1/2}
 %ø^{1/4}'zffXfNfgfbfv,Å,í,È,'É[]if,fjf^,É[]±,í,¹,Å•\Ž!,Å,«A•K—v,Èî•ñ,^a,·,x,Á©,!,é,æ,κ,É,È,è,Ú,·B

ŠÖ~A[]€-Ú

- Place Windows flfvfVf+f" ,đŸ'è,·.é,É,Í
- Place Windows,ÅfzfbfgfL[]l,đŽg—p,·.é,É,Í

Place Windows f1fvfVf†f“,đŸ’è,.,é,É,í

1. ffbfZ[fW,ì’†%>’μ,if{fbfNfX,ÄAf,ffj^•”•a,Ü,½,í
%¼’z•”•a,đ’l,Ñ,Ü,·Bf,ffj^•”•a,đ’l,Ö,ÆAffbfZ[fW,Æf_fCfAfOf{fbfNfX,af,ffj^,ì’†
%>,É”z’u,³,ê,Ü,·B%¼’z•”•a,đ’l,Ö,ÆAffbfZ[fW,Æf_fCfAfOfEfBf”fhfE,¾¼’zffBfXfvfCfC,ì’†
%>,É”z’u,³,ê,Ü,·B
2. f1fvfVf†f“,ì,Đ,Æ,Ä,đ’l,Ö,É,íAf}fEfX,đŽg,Á,Ä’l’đ€-Ú,ì%oi,ìŠÜ,đfNfŠfbfN,μ,Ü,·B□“_,’l’đ,³,ê,½,±
,Æ,đŽ,μ,Ü,·B
3. “K—p,đfNfŠfbfN,μ,ÄŸ’è,đ•Ÿ’¶,μAHawkEye Properties ,đŠJ,¢
,½,Ü,Ü,É,.,é,©AfLfff“fZf<,đfNfŠfbfN,μ,ÄŸ’è,đ•Ÿ’¶,¹,.,É HawkEye Properties ,đ□—¹,μ,Ü,·B
4. ì<Æ,¾□,í,Á,½,çA OK ,đfNfŠfbfN,μ,ÄA’l’đ,đ•Ÿ’¶,μ HawkEye Properties ,đ□—¹,μ,Ü,·B

Place Windows ,lŽg,ç•û

‰¼z fffXfNfgfbfv,lŽg—p’t,íA fAfvfŠfP[fVf#f“,áÉíff,jjf^,Á,Í,È,Šg’á,³,è,½

‰¼zfffXfNfgfbfv,É#í,¹,Ä•\

Ž!,³,è,é,½,ßAf}fEfX,đŽg,Á,Äfpjjf“fo,μ,Ä’T,³,È,çCEÀ,èfXfNf[f<fo[.âf[fjf...[fŠf{f“,È,Ç,ìî•ñ,‰œ-É,É•Ž!,³,è,È,ç,±,Æ,³, ,è,Û,•B

‰¼z‰đ’œ“x,đŽg—p’t,ÉfAfNfefBfu,ÈfAfvfŠfP[fVf#f“,đ’Éíff,jjf^,É#í,¹,Ä•\Ž!,•,é,É,íAPlace Windows

,ì Hawk fL[ly ,đ‰ÿ,μ,Û,•BfzfbfgfL[.đ‰ÿ,•O,ÉfAfNfefBfu,ÈfAfvfŠfP[fVf#f“,‰œ-É,ì•\

Ž!•”•â,É”z’u,³,è,Ä,ç

,È,©,Á,½ê#AfAfNfefBfu,ÈfAfvfŠfP[fVf#f“,‰œ©,ì,é^É’u,ÉŽ©“®“l,É^Ú“®,μ,Û,•B

Place Windows ,ÁzfbfgfL[.đŽg,æ,É,Í

Hawk fL[“Á«fV[fg,Á'í'đ,µ,½**Place Windows** —p,lfzfbfgfL[.íA**Place Windows**“Á«fV[fg“Á«fV[fg,É•\Ž!,³,é,Ü,·B,Ç,lfAfvfŠfP[fvf#f“,©,ç,À,à,±,lfzfbfgfL[.đ %oÿ,·,±,Æ,ª,Á,«,Ü,·B,±,é,ÁAfAfvfŠfP[fvf#f“,í'á,«,³,đf,fff^,É±,í,¹,é,±,Æ,ª,Á,«APlace Windows,Áf,fff^,©%o¼'z,ì,Ç,ì,ç,©,đ'l,Ô,±,Æ,É,æ,èAf[fbfZ[fWf{fbfNfX,đ'É[íf,fff^,Ü,½,í %o¼'z%oæ-É,l'+%o>,É•\Ž!,·,é,±,Æ,ª,Á,«,Ü,·B



Stop Box

%o¼'z %ođ'œ"x,đŽg—p,μ,Ä,ç,éÚ,ÉA%œæ-Ê,afXfNf[f<,·,é—l^æ,đ^êŽž“l,É[]\$CEÀ,μ,½,ç,±,Æ,ª,è,Û,·[]BStop Box,đŽg,κ,Æ[]A[]...·½·ûCEü[]A[],¼·ûCEü[]A, ,é,ç,í—¼·ûCEü,í^Ú“®<@“\,đ'âŽ~³,¹,é,±,Æ,ª,Ä,«,Û,·[]B'^Ó[]FStop Box,ífY[]f€f,[]fh,Ä,àŽg—p,Ä,«,Û,·[]B

ŠÖ~A[]€-Ú

- Stop Box flfvfVf+f“,đ[]ý'è,·,é,É,í
- Stop Box.ÄfzfbfgfL[][,đŽg—p,·,é,É,í

Stop Box flfvfVf#f“ ,đŸ'è,·,é,É,í

1. <<ŠEü,ìFfŠfXfgf{fbfNfX,Ā-î^ó,đfNfŠfbfN,μ,ĀA<<ŠEü,ìF,đ·\Ž!,μ,Û,·B·É,ìF,đ'í'đ,μ,Ā,č,É,čCEĀ,èA%æ-É,ìfpfjff“fO·”·ā,ìŸ,ìf%ofCf“,Ā·\Ž!,³,é,Û,·BŸĖŠO,ìF,đ'í,Ō,É,ìAfff%o[fo[.đf}fEfX,ĀfNfŠfbfN,μ,Û,·B

'Ÿ^Ó

Ÿ·,ìfjff%o[fo[.đ'í,Ō,ÆfAfEfgef%ofCf“,í·\Ž!,³,é,Û,¹,ñB,±,ì<@“\,ÉŠμ,é,é,Û,Ā,ìŸ·,í'í,î,É,č,æ,π,É,“E,β,μ,Û,·B

—¼·ûCEü —¼·ûCEü,î^Ú“ @<@“\,đ'âŽ~,μ,Û,·B.

Ÿ...½·ûCEü Ÿ...½·ûCEü,î^Ú“ @<@“\,đ'âŽ~,μ,Û,·B

Ÿ,'¼·ûCEü Ÿ,'¼·ûCEü,î^Ú“ @<@“\,đ'âŽ~,μ,Û,·B

2. 'âŽ~·ûCEüŠfXfgf{fbfNfX,©,çflfvfVf#f“,đ'í,Ń,Û,·BfŠfXfgf{fbfNfX,ìŸŸ'α,É'í'đ"à—e,ā·\Ž!,³,é,Û,·B

3. “K—p,đfNfŠfbfN,μ,Ā·îX,đ·Û'Ÿ,μ,ĀHawkEye Properties ,đŠJ,č,½,Û,Û,É,·,é,©Aflfff“fZf<,đfNfŠfbfN,μ,ĀA·îX,đ·Û'Ÿ,¹,,ÉHawkEye Properties ,đŸ—¹,μ,Û,·B

4. Ÿì<Æ,đŸ—¹,μ,½,çA OK ,đfNfŠfbfN,μ,Ā'í'đ,đ·Û'Ÿ,μŸ—¹,μ,Û,·B

Stop Box ,ižg,ç•û

1. 'l'đ,μ,½ Stop Box Hawk fL, ,đ%Ÿ,μ,Û,·B<<ŠEü,ìFfjff...
L,©,çF,đ'l'đ,μ,½ê†,íA,»,ìF,ì<<ŠEü,âfpfjf"fo•"•â,đZ!,μ,Û,·B
2. Hawk fL, ,đ,à,æ^ê"x%Ÿ,μ,Û,·B'Êí,lfpfjf"fo<@"\,â%ñ•œ,μA<<ŠE,â"rœ,³,ê,Û,·B

Stop Box ,ÅfzfbfgfL□□,ðŽg,±,É,Í

Stop Box —p,lfzfbfgfL□□,Í Hawk fL□□ “Á□«fV□□fg,Å'Í'ð,³,ê,Ü,·□B,±,ê,Í **Stop Box**
“Á□«fV□□fg,lfzfbfgfL□□[fEfbf“fhfE,É•\Žl,³,ê,Ü,·□B,Ç,lfAfvfŠfP□□[fVftf“,©,ç,Å,àfzfbfgfL□□.ð
%oY,¹,Í□A'Í'ð,³,ê,½•ûCEü,ì%¼'zfpfjf“fO<@“\,ª'âŽ~,µ,Ü,·□B



Zoom

fY[f€, íAŠÈ'P, É, ., î, â, %œ-Ê, ðŠg'â, Å, «, é<@"\, Å, . □BfY[f€ftf@fNf^□l, í□A, "Žg, †, ì Number Nine
f{□[fh, É, æ, è^Ù, Ê, è, Ù, . □B

ŠÖ~A□€-Ú

- fY[f€fifvfVf#f", ðŸ'è, ., é, É, í
- fY[f€, ÅzfbfqfL□l, ðŽg, †, É, í

fY [f€fifvfj:fj“ ,đY’è, ,é,É,Í

Šg’âfCFxf<,ÍfY [f€ftf@fNf^ [,ÍfŠfXfgf {fbfNfX,É•\Ž! ,³,è,Ü, ·□B, ²—~—
p,É,É,è,éfY [f€fCFxf<,l□” ,Í’!’đ, ³,è,½

%øđ’œ“x,â□F [“x,É,æ,Á,Á^Ü,È,è,Ü, ·□BfAfNfefBfu,ÈŠg’âfCFxf<,Í□Af`fFfbfNf} □[fN,ÁŽ! ,³,è,Ü, ·□B

1. CCE»ÝfAfNfefBfu,É,É,Á,Ä,ç,éfY [f€fCFxf<,đfNfŠfbfN,μ,Ä<@”\,đ’âŽ~,³,¹,Ü, ·□BfAfNfefBfu,É,É,Á,Ä,ç
,É,çfCFxf<,đfNfŠfbfN,μ,ÄfAfNfefBfu,É,μ,Ü, ·□BfCFxf< ,·,×,Ä,đfAfNfefBfu,É,·,é,±
,Æ,à,Ä,« ,é,μ□A,Ü,Á,½,fAfNfefBfu,É,μ,É,ç,±
,Æ,à,Ä,« ,Ü, ·□BfAfNfefBfu,É,É,Á,½fY [f€fCFxf<,É,Íf`fFfbfNf} □[fN,â•t,« ,Ü, ·□B
2. “K—p,đfNfŠfbfN,μ,Ä□A•İ□X,đ•Ü’¶,μ,Ä **HawkEye Properties** ,đŠJ,ç
,½,Ü,Ü,É,·,é,©□AfLfff“fZf<,đfNfŠfbfN,μ,Ä•İ□X,đ•Ü’¶,¹, ,É **HawkEye Properties** ,đ□|—¹,μ,Ü, ·□B
3. □ì<Æ,â□I,í,Á,½,ç□AOK,đfNfŠfbfN,μ,Ä•İ□X,đ•Ü’¶,μ□A **HawkEye Properties** ,đ□|—¹,μ,Ü, ·□B

fY[f€,ìŽg,ç•û

fY[f€,ÉŽw'è,μ,½Hawk_fL[fzfbfgfL[.ð%Ÿ,μ,Ü,·B'í'ð,³,è,½Šg'âfCFxfç,ì't,Å^è"Ô'á,ç,à,ì,Éç,í,¹,Ä
%æ-É,³Šg'â,³,è,Ü,·BfzfbfgfL[.ð,à,κ^è"x%Ÿ,μ,Ü,·B

Šg'âfCFxfç,³,Ð,Æ,Â,¾,~'í'ð,³,è,Ä,ç,éééç,ÍA•\Ž!,³Éí,É-ß,è,Ü,·B•iç",ìŠg'âfCFxfç,³'í'ð,³,è,Ä,ç
,éééç,ÍAfzfbfgfL[.ð%Ÿ,·,½,Ñ,ÉŽŸ,lfCFxfç,³fAfNfefBfu,É,É,è,Ü,·B

ÅĀä,ìŠg'âfCFxfç,É'B,μ,½Āä,ÅfzfbfgfL[.ð%Ÿ,·,ÆA•\Ž!,í'Éí,É-ß,è,Ü,·B

fY[f€fL[.ÁfzfbfgfL[.ďŽg,ꝛ,É,í

fY[f€<@”\,ÁŽg,ꝛfzfbfgfL[.íAHawk Keys “Á«fV[fq,Á'í'ď,μA'í'ďĎĎ,í“Á«fV[fq,É•\
Ž,³,ê,Û,·BHawkfL[.í“Á«fV[fq,ÁfzfbfgfL[.ď'í'ď,μ,½ĎĎ,íA,Ç,íAfvfŠfP[fVf#f“,©,ç,Å,à,±,lfL[.ď
%Ÿ¹,í%æ-É,³'í'ď,³,ê,½^ê”Ō%º,ífĎfxf<,ÉŠg'ã,³,ê,Û,·B

fzfbfgfL[.ď,à,ꝛ^ê“x%Ÿ,·,ÆA'í'ď,³,ê,½ŽŸ,ífĎfxf<,É%æ-
É,³Šg'ã,μ,Û,·BĎĎĎĎ,íŠg'ãfĎfxf<,É'B,μ,½ĎĎ,ÁfzfbfgfL[.ď%Ÿ,·,ÆA•\Ž,í'Éí,É-ß,è,Û,·B



Chameleon Cursor

fjffCFfjf", ÍŽü^í, ÌŠÂ««É±, í, 1, Ä'íF, ð•í, í, é, ±, Æ, Å'm, ç, ê, Ä, ç, Ü, ·BChameleon Cursor, à•Í
 %«», ·, é" wCEiF, É%ž, ¶, ÄfjF, ð•í, í, é, ±
 , Æ, ð, Ä, «, Ü, ·B, 1/2, Æ, í, íA"Z, ç" wCEiF, ÌfAfvfŠfP[fVf+f", Åì<Æ, µ, Ä, ç, é, ÆA fF[fVf<, É-¾, é, çF, ðŽg—
 p, µ, ÄA fF[fVf<, ð-Ú—š, 1/2, 1, 1/2, ç, ±, Æ, ð, , è, Ü, ·B

, Ü, 1/2AChameleon Cursor, Å, ÍA fF[fVf<, ðCE©, à, ·, ·, é, 1/2, ß, ÉfjF[fVf<, ÌfTfCfY, ð'å, «, ·, ·, é, ±, Æ, à, Ä, «, Ü, ·B

ŠÖ~A€-Ú

- fF[fVf<, ÌF, ð•í, í, é, É, Í
- fF[fVf<, Ì'å, «, ¾, ð•í, í, é, É, Í

fj□[fj<,ì□F,ð•ï,í,é,É,í

Chameleon Cursor fEfBf“fhfE,lfj□[fj<,ì□F,ì□Ô□A—î□A□Â,ì—É,ð’²□B,·,é,R,Â,lfXfNf□□[f<fo□[,ð•\ Ž!,μ,Ü,·□B

1. Windows,lfAfvfŠfP□[fVf#f“,lfXfNf□□[f<fo□[,Æ“~,¶•ù-@,Â□A,±,ê,ç,lfXfNf□□[f<fo□[,ðŽg,ç,Ü,·□B Cftf€fpfbfh,ðfNfŠfbfN,μ□AfXfNf□□[f<fo□[,ð□ã%°²,É“©,©,μ,Äfj□[fj<“à,ì,»,ì□F,ì—É,ð %°ÁCE,μ,Ü,·□BŠefjf%□□[fo□[,ì□Á□,‘l,í255,Á,·□Bfjf%□□[‘l,ð’□,â,·,Æ,»,ìCE’□F,ð’□,â,μ□A’l,ð %°²,°²,é,Æ,»,ì□F,ì—É,ðCE,·,ç,μ,Ü,·□B
B,±,ê,ç,lfjf%□□[‘l,ð•ï□X,·,é,±,Æ,É,æ,è□AZÖCE’□F,ð□¬,°²,Ä□D,«,É□F,ð□ì,é,± ,Æ,²,Ä,«,Ü,·□B,½,Æ,!,ì□Afj□[fj<,ð□Ô,É,·,é,É,í□A□Ô,lfXfNf□□[f<fo□[,ð255,É□Y’è,μ□A— î,Æ□Â,ð,O,É,μ,Ü,·□Bfj□[fj<,ð□•,É,·,é,É,í□Afjf%□□[‘l,·,x,Ä,ð,O,É,μ,Ü,·□Bfj□[fj<,ð”’,É,·,é,É,í□Afjf %□□[‘l,ð,·,x,Ä255,É,μ,Ü,·□B
2. “K—p,ðfNfŠfbfN,μ,Ä□A•ï□X,ð•Û’¶,μ,Ä **HawkEye Properties** ,ðŠJ,ç ,½,Ü,Ü,É,·,é,©□AfLfff“fZf<,ðfNfŠfbfN,μ,Ä•ï□X,ð•Û’¶,¹,·,É **HawkEye Properties** ,ð□l—¹,μ,Ü,·□B
3. □ì<Æ,²□l,í,Á,½,ç□AOK,ðfNfŠfbfN,μ,Ä•ï□X,ð•Û’¶,μ□A **HawkEye Properties** ,ð□l—¹,μ,Ü,·□B ‘□^Ó

fXfNf□□[f<fo□[,ð□ã%°²,³,¹,é,Æfj□[fj<,ì□F,²•ï,í,è,Ü,·□B

fj□[fƒ<,ì'á,<<,³,đ•ī,ı,é,É,í

1. □u'á□v,đfNfŠfbfN,ı,é,Æfj□[fƒ<,ıfTfCfY,đ•ī,í,è,Ü,ı□BŽŸ,É□u•W□€□v,đfNfŠfbfN,μ,Ü,ı□B
2. "K—p,đfNfŠfbfN,μ,Ä□A•İ□X,đ•Ü'¶,μ,Ä **HawkEye Properties**,đŠJ,¢
ı½,Ü,Ü,É,ı,é,©□AfLffff"ƒZf<,đfNfŠfbfN,μ,Ä•İ□X,đ•Ü'¶,¹,ı,É **HawkEye Properties**,đ□ı—¹,μ,Ü,ı□B
3. □ı<Æ,đ□ı,í,Á,ı½,¢□AOK,đfNfŠfbfN,μ,Ä•İ□X,đ•Ü'¶,μ□A **HawkEye Properties**,đ□ı—¹,μ,Ü,ı□B



Monitor Adjustment

Monitor Adjustment, ifŠftfEfbfVf...fCE[]fg,đ'²[]B,μ,Ä,"Žg,č,lf,ffj^,đ[]Å[],,i[]«"\\,ÅŽg—p,Å,«,é,æ,ꝛ,É,μ,Ú,·[]B

ŠÖ~A[]€-Ú

- □, '¼fŠftfEfbfVf...fCE[]fg,đ•İ[]X,·,é,É,Í
- fAfhfof" fXfg[]EfŠftfEfbfVf...fCE[]fg,đŽg,ꝛ,É,Í

fŠftfCEfbfVf...fCE[]fg

□, '¼fŠftfCEfbfVf...fCE[]fg, íŠŽnŽž, É60Hz, ÉŸ'è,³,è,Ü,·□i,±,è,ªCE»Ÿ,ìŸ'è,Æ,È,è,Ü,·□j□B, "Žg,ç, Ìf, fff^,ª"Á'è,ì%øð'œ"x,Å 60Hz ^É□ã,lfŠftfCEfbfVf...fCE[]fg,ðftf[]fg,·éê±□AMonitor Adjustment,ðŽg,Á,Å,±,è,ç,ì%øð'œ"x,lfŠftfCEfbfVf...fCE[]fg,ð□,ŸŸ'è,·,é,±,Æ,ª,Å,«,Ü,·□BfŠftfCEfbfVf...fCE[]fg,ð□ã,°,é,Æ□A-Ú,ì"æ,è,ìCE'ö,Æ,È,é%øæ-È,ì,ç,Å,«,ð—},ì,é,±,Æ,ª,Å,«,Ü,·,ª□A%øæ-È,ì-¾"x□A•\Žì,ìŽì□ACEÁ□X,ìŽó□M□ó'Ó,È,Ç□A%øæ-È,ì'S'ì"l,ÈŽì,É%øe<ç,ð—^,ì,é,±,Æ,ª,è,Ü,·□B

CEx□□

f, fff^,ªftf[]fg,µ,Ä,ç,È,çfŠftfCEfbfVf...fCE[]fg,ðŸ'è,·,é,Æ□Af, fff^,É%øi'±"l,È"j¹,ð□µ,,±,Æ,ª,è,Ü,·□BfŠftfCEfbfVf...fCE[]fg,ð□ã,°,é'Ó,É□Af, fff^,ì□à-¾□',ð,æ,"Ç,ñ,Å,,¾,³,ç□B

ŠÖ~A□€-Ú

- , '¼fŠftfCEfbfVf...fCE[]fg,ð•ì□X,·,é,É,í
- fAfhfof"fxfg□EfŠftfCEfbfVf...fCE[]fg,ðŽg,µ,É,í

fŠftfĀfbfVf...fĀ[fġ,đ•īX,.,é,É,Í

1. fAfvfŠfP[fVf#f“,đŠŽn,.;é,ĀAfŠftfĀfbfVf...fĀ[fġ,l'đEfBf"fhfE,ÉfŠftfĀfbfVf...fĀ[fġ,l'fŠXfg,ā•\Ž,;³,é,Û,·BĀ»YŽg—p,³,é,Ā,ċ,éfŠftfĀfbfVf...fĀ[fġ,lfnfCf%ofCfġ•\Ž,;³,é,Û,·B

Āx

fŠftfĀfbfVf...fĀ[fġ,đ'l'đ,.,éÛ,É,ÍĀ,“Žg,ċ,l,f,ffj^,²fTf[fġ,Ā,«.,é,±,Ā,đŠm”F,μ,Ā,,³/4,³,ċB,»x,Ā,É,ċ,Ā,f,ffj^,É%oi'±“l,É”j¹,đμ,,±,Ā,ª, ,è,Û,·BĀÛ×,l,f,ffj^,lft[fU[fYfKfCfh,đ,²—,,³/4,³,ċB

2. fŠftfĀfbfVf...fĀ[fġ,đ'l'đ,.,é,É,ÍĀ,»,l'Ā[fġ,đ,P%ñfNfŠfbfN,μ,Û,·B'l'đ,μ,½fĀ[fġ,²fnfCf%ofCfġ,³,é,Û,·BĀp'±,đfNfŠfbfN,μ,Û,·BĀÓ,l'fpfC,ª•\Ž,;³,é,Û,·B,T•bfefXfg,ªZĀZ{,³,éĀf,ffj^,ª'l'đ,³,é,½fŠftfĀfbfVf...fĀ[fġ,đTf[fġ,Ā,«.,é,©”»'f,μ,Û,·B

Āx

fefXfg't,ÉĀ%æ-É,²fuf%of“fN,É,É,Ā,½,èĀ~c,ñ,³/4,èĀfmfCfY,ªĀ,Ā,É,éĀ#Ā,“Žg,ċ,l,f,ffj^,l'l'đ,³,é,½fŠftfĀfbfVf...fĀ[fġ,đTf[fġ,Ā,«,Û,¹,ñB[Esc]fL[.,đ%oY,μ,Ā,½,³/4,¿,ÉfefXfg,đ'tZ~μ,Ā,,³/4,³,ċB

3. f,ffj^,l'fefXfg,ª-³Ž-,ÉĀ,l,í,èĀĀV,μ,ċY'è,Ā—Ĉ,ċ,©ċq,É,éfĀfbfZ[fWf{fbfNfX,ª•\Ž,;³,é,½,ċĀ[l,í,ċ]đ'l,Ñ,Û,·BĀV,μ,ċfŠftfĀfbfVf...fĀ[fġ,ÉĀØ'Ó,í,é'O,Éf,ffj^,ª”•bĀ^,Ā^Ā,É,É,é,±,Ā,ª, ,è,Û,·B%æ-É,²fuf%of“fN,É,É,Ā,½,èĀfXfNf%of“fuf<,μ,½Āé#.,l[.,ċ,ċ,},đ'l,Ñ,Û,·B
4. “K—p,đfNfŠfbfN,μ,ĀĀ•īX,đ•Û'Ā,μ,Ā HawkEye Properties ,đŠJ,ċ,½,Û,Û,É,.,é,©ĀfLfff“fZf<,đfNfŠfbfN,μ,Ā•īX,đ•Û'Ā,¹,,É HawkEye Properties ,đĀ—¹,μ,Û,·B
5. ĀĀ,ªĀ,l,í,Ā,½,ċĀOK,đfNfŠfbfN,μ,Ā•īX,đ•Û'Ā,μĀ HawkEye Properties ,đĀ—¹,μ,Û,·B

'Ā^Ó

fŠftfĀfbfVf...fĀ[fġ,l'fefXfg,³,é,½%đ'æ“x,³/4, ,É•īX,μ,Û,·B

fjfxf^f€EjŠftf€fbfVf...f€[fg,đŽg,α,É,í

1. fjfxf^f€đfNfŠfbfN,μ,ÄAMonitor Adjustment,lfjfxf^f€Ý`èfEfbf`fhfE,đŠJ,«,Ü,·B
2. ,¼fŠftf€fbfVf...f€[fg,đă,°,é,É,Íă€Ü,«-î^ó,đfNfŠfbfN,·,é,ÆA 1 Hz,·,Ä,,-,É,è,Ü,·BfŠftf€fbfVf...f€[fg,đ%°°,é,É,ÍA%°°€Ü,«-î^ó,đfNfŠfbfN,μ,Ü,·B
 - ,¼fŠftf€fbfVf...f€[fg -- ,P•bŠÖ,É%æ-Ê,ªXV,³,è,é%ñ
 - ...•½fXfLfff“f€[fg -- ,P•bŠÖ,ÉXV,³,è,éfsfNfZf<”
3. fŠftf€fbfVf...f€[fg,đ'í'đ,μ,½,çOK,đfNfŠfbfN,μ,Ü,·BfŠftf€fbfVf...f€[fg,í'đfEfbf`fhfE,Éf,fjff^,lfjfxf^f€Ý`è,ª•\Ž,³,éAjjfxf^f€,Æf€fxf<,ª•t,«,Ü,·B“K—p,đfNfŠfbfN,μ,Ü,·B'í'đ,μ,½fŠftf€fbfVf...f€[fg,đf,fjff^,ªfTf][fg,·,é,©,đ”»'f,·,é,T•bfefXfg,ªs,í,é,Ü,·B

Ex

fefXfg't,ÉA%æ-Ê,ªfuf%of“fN,É,È,Á,½,èA~c,ñ,¾,èAfmfCfY,ª¶,¶,éèè#A,“Žg,ç,lf,fjff^,í'í'đ,³,è,½fŠftf€fbfVf...f€[fg,đTf][fg,Á,«,Ü,¹B[Esc]fL[,đ%°Y,μ,Ä,½,¾,¿,ÉfefXfg,đ'tŽ~,μ,Ä,¾,¾,çB

4. f,fjff^,lfefXfg,ª-³Ž-,É[í,í,èAV,μ,çÝ`è,Á—Ç,ç,©q,È,éfbfZ[fWf{fbfNfX,ª•\Ž,³,è,½,çA[,í,ç],đ'í,Ñ,Ü,·B[V,μ,çfŠftf€fbfVf...f€[fg,ÉØ'Ö,í,é'O,Éf,fjff^,ª”•b^,Á^Á,É,È,é,±,Æ,ª, ,è,Ü,·B%æ-È,ªfuf%of“fN,É,È,Á,½,èAfXfNf%of“fuf<,μ,½èè#,[í,ç,ç,í],đ'í,Ñ,Ü,·B
5. “K—p,đfNfŠfbfN,μ,ÄA•İX,đ•Ü'¶,μ,Ä HawkEye Properties ,đŠJ,ç,½,Ü,Ü,É,·,é,©Aflfff“Zf<,đfNfŠfbfN,μ,Ä•İX,đ•Ü'¶,¹,·,É HawkEye Properties ,đ[—¹,μ,Ü,·B
6. [í<Æ,ª[í,í,Á,½,çAOK,đfNfŠfbfN,μ,Ä•İX,đ•Ü'¶,μA HawkEye Properties ,đ[—¹,μ,Ü,·B

'^Ó

,¼fŠftf€fbfVf...f€[fg,đă,°,é,ÆA...•½fXfLfff“f€[fg,àă,ª,è,Ü,·B'í'đ,³,è,½,¼fŠftf€fbfVf...f€[fg,đ•\Ž,·,é,½,ß,É,ÍA,“Žg,ç,lf,fjff^,ª,»è,É`è'v,·,é...•½fXfLfff“f€[fg,đTf][fg,Á,«,é,±,Æ,ª•K—v,Ä,·B

fŠftf€fbfVf...f€[fg,lfefXfg,³,è,½%đ'œ“x,¾,·,É•İX,μ,Ü,·B



Status

Status ,í□A, Žg,ç,ìNumber Nine□»•i,ìfn□[fhfEjfFfA,Æf\ftfgfEjfFfA□î•ň,đ'ň<ÿ,μ,Û,·□B,±,ì□î•ň,í•¾ŽĐ,É,²Ž¿-
â,ç,½,¾,,Æ,«,É“Á,É-đ—š,¿,Û,·□B

,±,ì□î•ň,đ•\Ž!,·,é,É,í **Status**,đfNfŠfbfN,μ,Û,·□B



Information

Information, ANumber Nine Visual Technology, ZS AfCf f^ [flfbfg, CompuServe, Ü, ½, ^World Wide Web, ©, ç, fAfNfZfX•ú-@, È, Ç, ðŠÜ, bñ•ñ, ð'ñ<ÿ, µ, Ü, ·B, ±, ìñ•ñ, ð•\Z!, ., é, É, Í **Information**, ðfNfŠfbfN, µ, Ü, ·B



International Exchange

Number Nine Windows f\ftfgfEjFfA,ÍŠe□'CEê,Å•\Ž|,.,é,±,Æ,ª,Å,«,Ü,·□B T,±,ì<@“\,í•Ä□'ŠOCEü,¯-p,ì
Number Nine Windows software,É,í,Ý“<□Ú,³,ê,Ä,ç,Ü,·□B.

Related topics

- É,ìCE¾CEê,Å•\Ž|,.,é,É,í

•Ě,ìĚ¾ĚĚ,Ā•\Ž!,•,é,É,Í

1. Šó-],•,éĚ¾ĚĚ,ì%o;,\f\fvfVf#f“f{f^f”,đfNfŠfbfN,μ,Û,•B'ì'đ,³,ê,½f\fvfVf#f“f{f^f”,É,Í•ŠÛ,ª•t,«,Û,•B
2. “K—p,đfNfŠfbfN,μ,ĀA•ĪX,đ•Û'ŋ,μ,Ā HawkEye Properties ,đŠJ,č
,½,Û,Û,É,•,é,©AflLfff“fZf<,đfNfŠfbfN,μ,Ā•ĪX,đ•Û'ŋ,¹,,É HawkEye Properties ,đ|—¹,μ,Û,•B
3. ðì<Æ,ª|,í,Ā,½,çAOK,đfNfŠfbfN,μ,Ā•ĪX,đ•Û'ŋ,μA HawkEye Properties ,đ|—¹,μ,Û,•B

Release Notes

fŠfŠ[fXfm[fg,É,íANumber Nine ,ìfn[fhfEjFfA,Æf\ftfgfEjFfA,ÉŠÖ,.,éÅVî•ñA<Zp“l,Èfqf“fgAfgf
%ofufçVf...[fefBf“fO,ìfefNfjfbfN[Afhf%ofCfo<%o»»,ì¼,ì€-Ú,ŠÚ,Û,ê,Ä,ç,Û,·B,±,±
,ÉŠÚ,Û,ê,éî•ñ,ìA\ftfgfEjFfA,ðfŠfŠ[fX,.,é¼‘O,ìî•ñ,ÄA¼,ìfhfLf...f“fg,É,ì^ÓÚ,³,ê,Ä,ç,È,ç,±
,Æ,ª, ,è,Û,·B

ŠÖ~A€-Ú

- fŠfŠ[fXfm[fg.ð•Ž!.,.é.É.í

fŠfŠ [fXfm [fg,đ•\Ž!,•,é,É,í

1. Number Nine Release Notes fAfCfRf“,đfNfŠfbfN,μ,Ü,•B
2. fXfNf [f•fo [,đŽg,Á,ÄA•¶“S’İ,É-Ú,đ’É,•,©ACEŸđf [fjf... [,đŽg,Á,ÄfgfsfbfN,đ’T,μ,Ü,•B



ColorPerfect

ColorPerfect, í%œ-Êä, ÅWYSIWIG, ðŠ®‘S, ÉŽÀŒ», ., é, ½, ßŠÈ‘P, ÈfKf“f} C³, ðs, ç, Û, ·BfKf“f} C³, ío
—íjff%o[]ifAfif[]fO[]j, ðfRf“fsf...[]f^, ©, ç, ì“ü—íiffWf^f<[]jff%o[], É<ß, È, é, æ, x, ÉŠr³, ., éŽè-@, Å, ·B

%œ-Ê, ìF, ðPantone[]-fufbfN, âffj%o[]fvfŠf“f^, Æf}fbf` ., é, æ, x, É, µA³Šm, ÈŒ<%œÊ, ðo, é, æ, x
, É[]i<Æ, ðC³, ., é, ±, Æ, ð, Å, «, Û, ·B%œ-Ê, ð’²[]®, µ, ÅfK[]Efcf[]fW, Å[]i<Æ, Å, «, é, æ, x, É, ., é, ±, Æ, à%œÂ\
, Å, ·B

ŠÖ~A[]€-Ú

- [fj\[\]fuŽè-@, ÅF, ðC³, ., é, É, í](#)
- [fŠj\[\]fAŽè-@, ÅF, ðC³, ., é, É, í](#)
- [-¾^Å, ðC³, ., é, É, í](#)
- [ColorPerfect ftf@fCf<, ðf\[\]fh, ., é, É, í](#)
- [ColorPerfect ftf@fCf<, ðŽ©“®“l, Éf\[\]fh, ., é, É, í](#)

ColorPerfect ,ižg,ç•û

ColorPerfect fKf“f”}C³,ižg,ç•û,ÍŠÉ’P,Å,·BColro Perfect,đ’l,Ô,Æfñfj...[,ª,R,Â,ĴOf%oft,đ•\ Ž!,μ,Û,·BRGB:ÖA—ĪA,Û,½,ĪĀA, ,é,ç,Ī

CMY:fVfAf“EFf”fĴ“f^AfCfGfĴĴ[.l,Ç,ž,ç,©,Á,·ªARGB,ªffftfHf:fg,Ā,·BfRf“fsf...[f^,Āžg— p,ª,é,éffWf^f<fjff%o[.Æf,fjff^[.ª•\Ž!,·,é**fAfiffo**fjff%o[.É,Ī’á,«.,É^á,ç,ª, ,è,Û,·B

Mĵ,ªf,fjff^,É“ž’B,·,é,ÆAfRf“fgf%ofXfg,â-¾“xAf,fjff^,Ī”N”AŽü^Ī,Ī- ¾,©,è,É,Ç,ĪŠĀ«.,â<@ŠB”Ī,É•Ī” ,É”~<ö,μ,Û,·B,±,ª,μ,½—v’f,Ī%æ-É,É•\ Ž!,ª,é,éF,đ,Ī,·,©,É•ĪX,·,é,Ī,ĀAĀđCE,ª•Ī,Ī,é,½,Ń,ÉŠrªŽè#ž,đCE,è•Ô,·K—v,ªĪ,Ī,é,±,Æ,ª, ,è,Û,·BŽ Ÿ,Ī,æ,ª,É—á,ªĪ,Ī,ç,è,Û,·B

- V,μ,çf,fjff^,đw“ü,μ,½
- Ī<ÆfGfŠfA,ĪÆ-¾,đ•Ī,Ī,½
- f,fjff^,ĪRf“fgf%ofXfg,â-¾“x,đ•Ī,Ī,½
- f,fjff^,Ī”N” ,ªCEo,Ā,Āo—Ī,É•Ī%o» ,ªo,½
- V,μ,çNumber Nine fOf%oftfBfbfNfXf{Ĵfh,đfCf“fXfgĴf<,μ,½

ColorPerfect ,ĪFĴC³,ÉŽŸ,Ī,Q,Ā,Īžè-@,đžg—p,μ,Û,·B

- fjĴfu,ĪF,Īf~fbfhfgĴf“ ,đ•ĪX,μ,Û,·B
- fšjfa,ĪF,ĪfGf“fhfgĴf“ ,đ•ĪX,μ,Û,·B

,Û,½**AColorPerfect ,Ī fRf“fgf%ofXfg fñfjff...[,đžg,Ā,ĀA-¾^Ā,đ’²@ ,μ,Û,·B**

’Ĵ^Ó

ColorPerfect ,đžg,Ā,ĀAfRf“fsf...[f^,Ī—š,ž,ä,°žž,É,±,Īftf@fCf<,đž©“®“Ī,ÉžĀs,·,é,æ,ª,ÉŸ’è,·,é,± ,Æ,à,Ā,«.,Û,·B

ŠÖ~A€-Ú

- ColorPerfect

ff

Color Perfect, RGB, CMY, etc.

- 1. ffff...
2. ff%...
3. f%...
4. ff%...
5. 'K-p... HawkEye Properties

ff, ff, ff, ff, etc.

- 6. HawkEye Properties

'^o

fXfNff...

'1/2', etc.

fšjffAZè-@,ÁF,ðC³,·,é,É,Í

1. **flfvVfjf** fo[.ðNfŠfbfN,μ,Ä Color Perfect f[ffj...[.ð·\Ž!,μ,Ü,·B
2. **RGB**, Ü,½,Í **CMY**,ðfNfŠfbfN,μ,Ü,·B
3. **fšjffA**, ð'l,ñA **OK**,ðfNfŠfbfN,μ,Äjff%o[fOf%oft,ð·\Ž!,μ,Ü,·B **flfff**“**fZf**“
,ðfNfŠfbfN,·,é,Æ,Ð,Æ,Ä‘O,ì‘l‘ð,É-β,è,Ü,·B
4. jff%o[fOf%oft,ì,Ð,Æ,Ä,ðfNfŠfbfN,μŽÎü,ì,Ç,ž,ç,©^ê·ù,ìfnf“fhf<,ð%Ÿ,³,ì,Äf%ofCf“,ðä
%oº,É“@,©,μ,Ü,·B·íX,ðí[œe,·,é,É,íA**flfvVfjf**“**AfKf**“**f**”
lšfZfbfg,ð'l,ñA**OK**,ðfNfŠfbfN,μ,Ü,·B
5. “**K-p**,ðfNfŠfbfN,μ,ÄA·íX,ð·Ü‘ñ,μ,Ä **HawkEye Properties**,ðŠJ,¢
,½,Ü,Ü,É,·,é,©A**flfff**“**fZf**“,ðfNfŠfbfN,μ,Ä·íX,ð·Ü‘ñ,¹,·,É **HawkEye Properties**,ðí-¹,μ,Ü,·B

CE»Ÿ,ìftf@fCf^ÈŠO,ìftf@fCf,É·íX,ð·Ü‘ñ,·,é,É,íA**flfvVfjf**“fo[.ðfNfŠfbfN,μ,Ü,·B**ftf@fCf·flfvVfjf**“
fjff“,Ä-¼‘**O,ð·t**,·,Ä·Ü‘ñ,ð‘l,ñ,Ü,·B**ftf@fCf**-¼f{fbfNfX,Éftf@fCf-¼,ðf^fCfv,μ·Ü‘ñ,ðfNfŠfbfN,μ,Ü,·B**ftf@fCf**-¼,É,ÍŽ©“@“l,É.gma,ìŠg'£Žq,ª·t,«,Ü,·B

6. ì<Æ,ªí,í,Á,½,çA**OK**,ðfNfŠfbfN,μ,Ä·íX,ð·Ü‘ñ,μA **HawkEye Properties**,ðí-¹,μ,Ü,·B

’^ó

Žîü,ðä%º,·,é,Æ%œ-É%º,ìjff%o[fO[.ìfOf%oft,ìF,ª,í,í,è,Ü,·B

”½“**l**,ð‘l,ñ,¼êþA**AfKf**“**f**”,**lšfZfbfg**,ª,±,ì<@“\,ð·âž~,μ,Ü,·B”½“**flfvVfjf**“,ìf.jff^,ì·\
 ŽíF,ð<t,É,μ,Ü,·B

šÖ~A€-Ú

- ColorPerfect.ftf@fCf<

-¾^Ä,ð'²@,.,é,É,Í

1. **fjfvfVfjf**“fo[.ðfNfŠfbfN,μ,Ä Color Perfect f[]ff...[.ð•Ž|,μ,Ü,·[]B
2. **fRf**“fgf%oXfg,ð•\Ž|,μ,Ü,·[]B
3. **fj[]fju**,Ü,½,ÍfŠfjfA,ðfNfŠfbfN,μ,Ü,·[]B
4. **OK**,ðfNfŠfbfN,μ,ÄfRf“fgf%oXfg[]C³fOf%oft,ð•\Ž|,μ,Ü,·[]Bfj[]fju,ð'l'ð,μ,½[]ê[]±,Í[]AfXfNf[][]f<fo[.ðfNfŠfbfN,μ,ÄAfXfNf[][]f:f{fbfNfX,ð[]ä%º,É“®,©,μ,Ü,·[]BfftfHf<fg,lfKf“f}’l,ÍŠŽnŽž,Ä1/1.00,Ä,·[]B[]F-O~a,ÍfXfNf[][]f<fo[.ð[]ä,É“®,©,.,Æ’[]%ºÄ,μ,Ü,·[]BfXfNf[][]f<fo[.ð“®,©,.,Æ[]Afj[]%º[]fo[][]AfRf“fgf%oXfgfOf%oft[]A”w[]Ei[]F,ª•Í%º»μ,Ü,·[]B
fŠfjfA,ð'l'ð,μ,½[]ê[]±,Í[]AZÍ[]ü,ðfNfŠfbfN,μ,Ä,Ç,ž,ç,©^è•ù,lfnf“fhf<,ð%ÿ,³,!,Äf%ofCf“,ð[]ä%º,É“®,©,μ,Ü,·[]B•Í[]X,ð[]í[]œ,.,é,É,Í[]AfjfvfVfjf“[]AfKf“f}
.lfŠfzfbfj,ð'l,Ñ[]AOK,ðfNfŠfbfN,μ,Ü,·[]B
5. **“K—p**,ðfNfŠfbfN,μ,Ä[]A•Í[]X,ð•Ù’¶,μ,Ä **HawkEye Properties**,ðŠj,ç,½,Ü,Ü,É,.,é,©[]AfLfff“fzf<,ðfNfŠfbfN,μ,Ä•Í[]X,ð•Ù’¶,¹,.,É **HawkEye Properties**,ð[]—¹,μ,Ü,·[]B

œ»[]Ý,lf tf@fCf<^ÈŠO,lf tf@fCf<,É•Í[]X,ð•Ù’¶,.,é,É,Í[]AfjfvfVfjf“fo[.ðfNfŠfbfN,μ,Ü,·[]Bftf@fCf<fjfvfVfjf“Ä-¼’O,ð•t,~,Ä•Ù’¶,ð'l,Ñ,Ü,·[]Bftf@fCf<-¼f{fbfNfX,Étf@fCf<-¼,ðf^fCfv,μ•Ü’¶,ðfNfŠfbfN,μ,Ü,·[]Bftf@fCf<-¼,É,ÍŽ©“®“l,É.gma ,lŠg’£žq,ª•t,«.,Ü,·[]B

6. []ì<Æ,ª[]l,í,Á,½,ç[]AOK,ðfNfŠfbfN,μ,Ä•Í[]X,ð•Ù’¶,μ[]A **HawkEye Properties**,ð[]—¹,μ,Ü,·[]B

ŠÖ~A[]€-Ú

- ColorPerfect ftf@fCf<.

ColorPerfect ftf@fCf<

—lX,È ColorPerfect ftf@fCf<,đf@fh,·é,É,Í,μA•K—v,É%ž,ŕ,Ä—~—p,·é,±,Æ,ª,Å,«,Ü,·B

ŠÖ~A€-Ú

- ColorPerfect ftf@fCf<,đf@fh,·é,É,Í
- ColorPerfect file „đŽ©“®“l,Éf@fh,·é,É,Í

ColorPerfectftf@fCf<,đf[]fh,·,é,É,Í

1. **fifvfVf#f**“fo[]đfNfŠfbfN,μ,Ä[]AColor Perfect f[]fj...[]đ·Ž!,μ,Ü,·[]B
2. **ftf@fCf<fifvfVf#f**“ ,ÅŠJ,,đfNfŠfbfN,μ,Ü,·[]B
3. ‘!đ,μ,½,ç **ftf@fCf<**,đfNfŠfbfN,μ,Ä,©,ç **ŠJ**,đfNfŠfbfN,μ,Ü,·[]B,½,¾,¿,Éftf@fCf<,af[]fh,³,ê,Ü,·[]B.
4. **OK**,đfNfŠfbfN,μ,Ü,·[]B
5. []ì<Æ,²[]—¹,μ,½,ç**OK**,đfNfŠfbfN,μ,Ä[]A·İ[]X,đ·Û’[]μ,Ä **HawkEye Properties** ,đ[]—¹,·,é,©[]A**fLfff**“**fZf**<,đfNfŠfbfN,μ,Ä·İ[]X,đ·Û’[]¹,,É **HawkEye Properties** ,đ[]—¹,μ,Ü,·[]B

ColorPerfect ftf@fCf<,đŽ©“®“l,Éf□□[fh,·,é,É,í

1. -^%ñfAfvfšFp□[fvf#“,đŠJŽn,·,é,½,Ñ,É ColorPerfect ftf@fCf<,đŽ©“®“l,Éf□□[fh,³,è,é,æ,κ,É,·,é,É,í□AflfvfVf#“,đfNfšfbfN,μ,Ü,·□B
2. **ftf@fCf<flfvfVf#“,Á, ffftfHf<fg,l□Y’è...**,đfNfšfbfN,μ,Ü,·□B
3. **fftfHf<fg**ftf@fCf<,Æ,μ,Äf□□[fh,·,éftf@fCf<,đfNfšfbfN,μ,Ä,©,ç□Afl□[fvf“,đfNfšfbfN,μ,Ü,·□B
4. **OK**,đfNfšfbfN,μ,Ä□A’l’đ,μ,½ftf@fCf<,đfftfHf<fgftf@fCf<,Æ,μ,Ä•Ü’¶,μ,Ü,·□B
5. □ì<Æ,đ□l—¹,μ,½,ç **OK**,đfNfšfbfN,μ,Ä•İ□X,đ•Ü’¶,μ **HawkEye Properties**,đ□l—¹,·,é,©□Aflfff“fZf<,đfNfšfbfN,μ,Ä•İ□X,đ•Ü’¶,¹,·,É **HawkEye Properties**,đ□l—¹,μ,Ü,·□BŽŸ%ñ,©,ç ColorPerfect,đŠJŽn,·,é,½,Ñ,É□A,Ü,½Windows,đ□Ä<N“®,·,é,½,Ñ,É□A**fftfHf<fg**ftf@fCf<,³f□□[fh,³,è,Ü,·□B

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Chameleon Cursor.

fXf^f“f_□[fh,Ü,½,íf%□[fW,đfNfŠfbfN,μ,Ü,·□B

□F,ifVfF□[fh,δ%oÁCE,μ,Ü,·□B

□Ô,ì—Ê,ð%ÁÇE,μ,Û,·□B

—î,î—Ê,ð%ÁŒ,μ,Û,·B

□Â,î-Ê,ð%ÁŒ,μ,Û,·□B

fXf^f"f_[]fhfTfCfY

f%o[]fWfTfCfY

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Hawk fL[]

fzfbfgfL[][,ðZoom,ÉŽw'è,μ,Û,·[]B

fzfbfgfL[][,ðStop Box ,ÉŽw'è,μ,Û,·□B

fzfbfgfL[] ,đ Place Windows ,ÉŽw'è,μ,Û,·□B

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Resolution Exchange.

Resolution Exchange View Box.

Display Area Legend.

□F□[“x,δ'δ,μ,Ü,·□B

f,fff^,i%ođ'œ"x,đ'l'đ,μ,Û,·□B

Šg'â,³,ê,½%¼'z%đ'œ"x,Û,½,í"ñ%¼'z%đ'œ"x,đ'l'đ,μ,Û,·B%¼'z%đ'œ"x,đ'l'đ,μ,È,çê#,íA"ñ
%¼'z%đ'œ"x,³fñfCf%ofCfg,³,ê,Ä,ç,é,±,Æ,đŠm"F,μ,Û,·B

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Place Windows.

f[]bfZ[]fWf{fbfNfX,đf,fjf^,ì•\Ž!•"•ª,Û,½,í%¾¼'z•"•ª,É"z'u,µ,Û,·□B

Place Windows -}—á

Place Windows ffbfZ[fWf{fbfNfX

fAfvfŠfP[fVf#f“,đĀ‘â%o»,·,é,½,ß,ÉCE»YŽg—p,³,ê,Ä,ç,ézfzbfqfL[
([â[‘,««ÖZ~AHawk fL[,đŽg,Á,Ä•İ[X)

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Stop Box.

Stop Box View Box.

Stop Box -}—á

Stop Box «ŠEÚ, ĽF.

Stop Box 'âŽ~•ûĈü

%¼'zpfjif"fo,ÉŒ»ŸŽg—p,³ê,Ä,ç,ézfjbfjgfl
(â'«Œ~, Hawk fl ,đŽg,Ä,Ä•lX)

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Monitor Adjustment.

«»Ÿ'ı'đ,³,ê,Ä,ç,é%¼'zŒftj«fbfVf...f«lfg

VESA (Video Electronics Standards) — p fŠtfÆfbfVf...fÆ[]fg

fŠftfÆfbfVf...fCE[]fg,đ•İ[]X,·,é,½,ß,Éf_fCfAf[]fOf{fbfNfX,đ•\Ž!,μ,Ü,·[]B

fŠftfÆfbfVf...fCE[]fg,đ-ñ 1Hz '[]%Á,μ,Ü,-[]B

fŠftfÆfbfVf...fCE[]fg,đ-ñ,PHz Æ,□,μ,Ü,·□B

%¼'zfŠftfEfbfVf...fCE[fg,đŽè“ ®,Å•īX,μ,Ü,·B

□...•½•úŒü,)fXfLfff“fŒ□[fg,đŽ©“®“l,É•ĩ□X,μ,Ů,·□B

'l'ö,³,ê,Ä,ç,éŒŒftfŒfbfVf...fŒŒ[fg,lfvfŒfrf...ŒŒ[

,±,İf_fCfAf□fOf{fbfNfX,đ□I—¹,μ□A•İ□X,đ,·,×,Ä•Û‘¶,μ,Û,·□B

• $\dot{I} \times \delta, \cdot, \times, \ddot{Z} \approx \dot{A}, \mu, \ddot{f} _ C f A f _ f O f \{ f b f N f X, \delta \mid -^1, \mu, \ddot{U}, \cdot _ B$

fwf{fvfefLfXfg,i•\Ž!.

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Zoom

ZoomfAfCfRf“

Zoomftf@fNf^[- ,±,ê,ç,ìftf@fNf^[-,í,Žg,ç,ì Number Nivef{[[fh,É,æ,è^Ù,È,é,±,Æ,a, ,è,Ü,·B

Zoom,ÉŒ»ŸŽg—p,³,ê,Ä,ç,ézfjbfjLŸ[
(ŸâŸ,«ŒŽ~, Hawk fLŸ[,đŽg,Ä,Ä•ŸX)

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

International Exchange.

HawkEye 95 jefLjXfg,ÉŽg—p,·,éĈ¾ĈĖ,đ'ł'đ,μ,Û,·□B

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Color Perfect.

□Ô,î—Ê

—î,î—Ê

□Â,î-Ê

fVfAf",i-Ê

f) f' f^, i - E

fCfGf□□□,ì—Ê

fRf“fgf%ofXfgfOf%oft-- -¾^Ã,ð%oÁCE,μ,Û,·□B

Color Perfect ,ì,“x,ÈfjvfVf#”,đ•Žì,μ,Ü,·B

□C□³,μ,½fKf“f”l,ðftf@fCf<,É•Û‘¶,μ,½,èftf@fCf<,©,çÆŸ□ð,μ,Û,·□B

fj%o[fOf%oft,đ'!đ,μ•\Ž!,μ,Ü,·B

fKf“f}[]C[]³,i•ù-@

ffftHf<fg□Ý'è,É-β,è,Ü,·□B

□C□³,μ,½fKf“f}‘l,ðCE»□Ý,ìftf@fCf<,É•Û‘¶,μ,Û,-□B

□C□³,μ,½fKf“f”l,δ□V,μ,çff@fCf<,É•Ù‘¶,μ,Ü,·□B

ftf@fCf<,lf□□lfh

fXf^[]fgfAfbfv,Åf[]fh,³,ê,éfKf"f}[]C³ftf@fCf<-¼

RGB fOf%oft,đ•\Ž!,μ,Ü,·□B

CMY fOf%oft,đ•\Ži,μ,Ü,·□B

fRf“fgf%ofXfgfOf%oft,δ•\Ž!,μ,Ü,·□B

fKf“f}}□C□³,if^fCfv□A f~fbfhfg□lf“,ì•ī□X

fKf“f}}□C□³,if^fCfv□AfGf“fhfg□[f“,i•i□X

f,fff^,i•\Ži□F,đ"½'í,É,μ,Ü,-□B

• $\dot{X}, \delta \cdot \dot{U}^{\prime}, \mu, \dot{A}_f, \dot{C}_f, \dot{A}_f, \dot{O}_f, \dot{f}, \dot{b}, \dot{N}, \dot{X}, \delta \cdot |^{-1}, \mu, \dot{U}, \cdot \dot{B}$

HawkEye Release 2.0
1996 Number Nine Visual Technology.
All rights reserved.

Status.

fn[fhfEjfA]i•ñ

BIOS 01.ñ

fhf%ofCfo□î•ñ

