


□@'Ê□Mf\ftfg

□@Šeží'Ê□Mf\ftfg, ì□Å□V"Å, Å, ·□B

□@  [NIFTY-Serve](#) ê-pf0f%ftfBfbfN'Ê□Mf\ftfg NIFTY Manager

□@  [RisClient](#)

□@  [BIGLOBE fIf“f%fcf“fTfcf“fAfbfvfc](#) [f<


□@  [People](#) ê-pf0f%ftfBfbfN'Ê□Mf\ftfg Guippy-‡U for Windows V.1.30

□@  ["ú-{"d<CŠ"Ž®%ižĐ OnLive! Traveler](#)

□@  ["ú-{"d<CŠ"Ž®%ižĐ@WorldTALK for BIGLOBE](#)

□@  [BIGLOBE PC-VANfirfrf0](#) [f^ Ver. 1.62


□@  [fpf\fRf“'Ê□M'Î%ž, ` , s , h , r](#) Ë’Ê□î•ñf^ [f~fif<

□@  ["úŒoMIXf0f%ftfBfbfN'Ê□Mf\ftfg MIXNAV Ver 1.1.0](#)


□@  ["d~b"ÔÙ+ŒÝÙõfTÙ\[frfXÙifGf“fWfFf< f%fcf“Ùj](#)

□@  ['Ê□MfWf...Ù\[fN f\]f%fIfPÙm'ìŒ±"ÅÙn](#)

■@NIFTY Manager for Windows 95 Version 2.15
■@NIFTY Manager for Windows 3.1 Version 2.11



■@ Žú~^fffBfŒfNfgfŠ@DISC2:\GUITERM\NITYMAN



■@ ŠT-v

■@NIFTY Manager ,Í A'N,É,à,í,©,è,.,¢GUI (Graphical User Interface) ŠÅ<«,ÅNIFTY-Serve,ð~–p,Å,«,éNIFTY-Serve ðê–p,Ì'Ê Mf\ftfgfEfFfA,Å,·BNIFTY Manager ,Å,Í AfAfCfRf“,âf fjf...
[],ðf}fEfX,ÅfNfŠfbfN,.,é,¾,~,ÌŠÈ'P,É'€ ì,ÅNIFTY-Serve
,ÌŠefT [frfx, ~–
p,Å,«,é'Ê MŠÅ<«,ð'ñ<Ý,.,é'¼ A•í "ftf@fCf<,Ì^êŠ#f_fEf“f  [fh,âJ
PEG‰æ,ÌfIf“f‰fCf“•\Z|,È,ç,Ì<@"\,àŽÀ »,³,ê,Ä,¢,Ü,· B

■@ “Á’¥

NIFTY Manager for Windows 95 Version 2.15

■@Windows 95,É € ',µ,½32frfbfgfAfvfŠfP [fVf f“,Å,· B i {  @"\

, ÍŒø-|, Åf}f< f`f^fXfLf“f0<@”\
 , É, æ, é'ÊM’†, Í^À’è«, ²’å•®, ÉŒüä, μ, Ü, μ, ½B
 ☐EWindows 95, Å<”É, Íft[]fU[]fCf“f^[]ftfF[]fX, Å, ., ©, çAÅ’å
 255•¶žš, Ü, Å, Íf[]f“f0ftf@fCf<-¼, ðfTf[]fgAfAfCfRf“, Íà-¾, ð•\
 Ž|, ., éf`fbfvfwf<fv, ð”õ, |A, æ, èžg, ¢, å, ., ¢‘€Œi«, ðžÀŒ», μ, Ü, μ, ½B
 ☐EWindows 95, ÍV, μ, cf, fff€ŒäfCf“f^[]ftfF[]fXuTAPIv, É’Í
 %ž, μ, Å, ¢, Ü, ., Í, ÅAüfvf%f0EfAf“fhEfvfŒfCv, É’Í%ž, μ, ½f, fff€
 , Íž“®“I, É”FŽ-, ³, ê, ÅA-Ê”|, ÈY’è, ð, ., é, ±, Å, È, A, », Í, Ü, Ü, “žg, ¢
 , É, È, ê, Ü, ·B
 ☐EfLffffrlfbfg, È, Ç, Íff[]f^, Í•Ü’¶Œ’ž®, É, ÍADaData Access
 Objects(DAO), ðI-p, μA•Ü’¶Œø-|, ²’å•®, ÉŒüä, μ, Ü, μ, ½B
 ☐EfCf“f^[]flfbfg, à-~p%Å”\, Å, , éuHyperROADv, Õ, ÍÚ’±Ø’è, ðž“®
 ®“I, É, ., ±, È, xuf_fCf, f<fAfbfvflfbfgf[]fn, ÍY’èvfc[]f<, ð, -
 p^Ó, μ, Ü, μ, ½B•K-v, ÈY’è, ðž“®“I, ÉžAøs, μ, Ü, ., Í, ÅAÚ’±
 , ², Å, Ä, àŠE’P, Å, ·B

NIFTY Manager for Windows 3.1 Version 2.11

☐EWindows3.1’Í%ž, ÍfAfvfSfP[]fVf#f“, Å, ·Bf}fEfX, Í’€Œi, É, æ, è]-
 ^, Í’ÊMf\ftfg, É”ä, x, ÅA’€Œi«, ²’å•®, ÉŒüä, μ, Ü, μ, ½B
 ☐E’ÊMØðŒ, ÍY’è, ²ŠE’P, Å, ·B•K-vÅ-ŒÀ, ÍY’è, ðøs, x, ¾, -, Å
 NIFTY-Serve, ð-~p, ., é, ±, Å, ²o-^, Ü, ·B
 ☐Efth[]f%f€, åŒfž|”Å, È, Ç, Å, ÍA•i”, Íf[]fbfZ[]fW, ðf}[]fn, ., é, ±
 , Å, ÅA, », ê, ç, ð, Ü, Å, ß, Äf_fEf“f[]fh, ., é, ±, Å, ², Å, «, Ü, ·B
 ☐E”džq%í<cžo”Œ³, Íž<šo”I, È•\ž|, ðøs, ¢
 , Ü, ., Í, ÅAfbfZ[]fW, Å, », ê, È’Í, ., éfRf[]f“fg, Å, ÍšØŒW, ²^ê-
 Ü, Å•², ©, é, æ, x, É, È, Å, Å, ¢, Ü, ·B
 ☐Efth[]f%f€”à, Å, Íff[]f^f%fCfuf
 %fS[], ©, cf_fEf“f[]fh, μ, È, ², çA”džq
 %í<cžo, Íf[]fbfZ[]fW, ð”Ç, ñ, ¾, èÅ’, «ž, ñ, ¾, è, ., é, ±, Å, ², Å, «, Ü, ·B
 ☐EJPEGfrf...[]fA[], ÅNAPLPSfrf...[]fA[], ð”çÚ, μ, Å, ¢
 , Ü, ., Í, ÅA’ÊM’tfSfAf<f^fCf€, È‰æ’œ, ð•\
 Ž|, μ, ½, èAfLffffrlfbfg, È•Ü’¶, μ, ½‰æ’œ, Í•\ž|, ², Å, «, Ü, ·B
 ☐EWwWfuf%fEfU[]~AŒg<@”\, ð”çÚ, μ, Å, ¢, Ü, ., Í, ÅANIFTY-
 Serve, ÅfCf“f^[]flfbfg, ðfV[]f€fEfX, Èøs, «-^, ., é, ±, Å, ², Å, «, Ü, ·B
 ☐EfVftfbfsf“f0ft[]frfx, Å, ÍA”o~^, ³, è, ½x•i‰æ’œ, ðšm”F, ., é, ±
 , Å, ², Å, «, Ü, ., Í, ÅAftf@fbfVf#f“, ÅfCf“fefSfAøA-
 {, å, b, cA’n•ù, Í”ÁžY•i, È, ÇøA, ³, Ü, ‘, Ü, Èøx•i, ð”ÀøS, μ, Å, ”f, ¢<, ß,
 ¢, ½, ¾, -, Ü, ·B
 ☐EfNfSfbfsf“f0ft[]frfx, Å, ÍAfNfSfbfsf“f0ft[]frfx, ÍY’èA, », μ, Å
 fNfSfbfsf“f0, ³, è, ½fjf...[]fX, Í‰{—
 ☐AfLffffrlfbfg, Õ, Í•Ü’¶, ðŠE’P, Èøs, x, ±, Å, ²o-^, Ü, ·B
 ☐E•sY’È’mft[]frfx, È’Í%ž, μ, Å, ¢, Ü, ., Í, ÅAf[]f<, Í’-
 ØMøæ, ²•sY’È’m, ð”o~^, μ, Å, ¢, é, Å, «, È, Í•sY’È’m, ²•\
 Ž|, ³, èAfLffffrlfbfg, Õ, Í•Ü’¶, à‰Å”\, Å, ·B

 @Ú, μ,, Í ADISC2:\GUITERM\NIFTYMAN\W95NIM\README.TXT ADISC2:\
GUITERM\NIFTYMAN\W31NIM\README.TXT, ð, ²—, , ³, ¢ B

□@“úŒoMIXf0f%ftfBfbfN'ÊMf\ftfg
□@MIX NAV for Windows 3.1 Version 1.1.0



▶ Žû~^fffBfŒfNfgfŠ@DISC2:\GUITERM\MIXNAV



□@“úŒoMIXê-p, Ìf0f%ftfBfbfN'ÊMf\ftfgúMIX NAVv, Å, ·B‰æ-
Ê, ðf}fEfX, ÅfNfŠfbfN, µ, Ä, ¢, , ±
, Å, É, æ, èA“úŒoMIX, Å, Ì'ÊM, ðŠÈ'P, És, È, |, é, æ, x, É, È, Å, Ä, ¢, Ü, ·B
□@ufCf“fXfg|[f<, ÌŽÀs v, Ì
‰ÓŠ, ðAf}fEfX, Å¶fNfŠfbfN, ·, é, AfCf“fXfg|[f<, ¨žn, Ü, è, Ü, ·B
□@‰‰ñ, Ì<N“®žž, É, ÍMIX NAV, Ìu'ÊMÝ'èv, ð'I'ð, µfjfbfNfl|[f€
, âfAfNfZfXf|fCf“fg, ÌÝ'è, ð-Y, ê, , És, È, Å, Ä, , ¾, ³, ¢B

■□@□Ú, μ, , Í□ADISC2:\GUITERM\MIXNAV\README.TXT, δ, ²—, , ³₄, ³, ¢□B

□@BIGLOBE PC-VAN ê-pf0f%ftfBfbfN'ÊMf\ftfg PC-
VANfifrfQ[f^v[Ver 1.62

,¤,³,-fo[fWftf"□@□@□□□□□
'³-zfo[fWftf"□@□@□□□□□



▶ Žû~^fffBfEfNfgfŠ@DISC2:\GUITERM\PCNAVI



▶ ŠT-v

□@uPC-VANfifrfQ[f^v, ÍA"ú-{ŒêWindows3.1ã, Å“®, PC-VAN ê-p, Ì
'ÊMf\ftfgfEfFfA, Å, ·OB-{Ši"I, ÈGUI iGraphical User
Interface,j, ð"ö, |, Å

□@uPC-VANfifrfQ[f^v, ÍA"ú-{ŒêWindows3.1ã, Å“®, PC-VAN ê-p, Ì
, ¢, Ü, ·OBí•ñ, ï%{—Af\ftfgfEfFfA, IfEf"f[]fh, È, ÇAPC-
VAN, É, " , - , é
'€ì, ªAf}fEfX, IfNfŠfbfN, Ì, Ý, Ås, |, Ü, ·OB

□@fpf\fRf"ÊM, ÉKñ, µ, Ä, ¢, È, ¢‰SŽò, Ì•û, â, -
ížO, Ì•û, È, ÇA•L, ¢'w, ÅPC-

VAN, ð-e^Ö, É, "Žg, ¢, ¢, ½, ¾, - , éŠÅ<«, ð-Úžw, µ, Ä, ¢, Ü, ·OB

□@, Ü, ½Af0f%ftfBfJf<, È‰æ-Êä, É, " , ¢, ÄÅAŒ»ŽÀ, ÌçŠE, ðŽUô, ·, é, æ, ¤,
, ÈŠ'So, Å-~p
, Å, <, Ü, ·OB-~p, µ, ½, ¢fT[frfX, ðf}fEfX'€ì, Åi, èž, ñ, Å, ¢, -
, ¾, - , ÅA-Ú"I, IfT
[]frfX, ÈfAfNfZfX, Å, «ÅŠÈ'P, ÉŠy, µ, PC-VAN, ÌšežífT[frfX, ð, ²-~-

p,É,È
,ê,Ü,·B
@ifo[fWf#f“,É,æ,Á,Äžg,!,é<@”\,É§€À,¤, ,è,Ü,·,Ì,ÅA,²'□^Ó
‰º,³,¢Bj

PC°VANfirfQ[f^[],É,Í,¤,³,¬fo[fWf#f“,Æ‘¾-zfo[fWf#f“,¤, ,è,Ü,·
B^á,¢,Ífvf]f0f
‰f€’†,ÌSG,Í,Ý,Å,·,Ì,Å,“D,«,Èfo[fWf#f“,ðfCf“fXfg[f<,μ,Ä,-
,¾,³,¢B

Ú,μ,,ÍDISC2:\GUITERM\PCNAVI\USAGI\INSTALL.TXT,ð,““ç,Ý,,¾,³,¢

□@Guippy-II for Windows V.1.30



▶ Žú~^fffBfEfNfgfŠ□@DISC2:\GUITERM\GUIPPY2

□@



▶ ŠT-v

□@Guippy, Í□AWindows, ÍGUI, ðŠ^, ©, µf}fEfX‘€□ì, ÅPeople, ã—~—
p, Å, «, é’Ê□Mf\ftfg, Å, ·□BGuippy, ÍPeople, Ì“dŽqf□□[f<□A“dŽq
‰í<cŽº, È, Ç, Ì<”\, Í—~—p, Í, à, ï, è, ñ, Ì, ±, Å□Aftf@fCf<”]’—
, È, Ç, àf}fEfX, Å‘€□ì, Å, «, Ü, ·□B

□y□X□V“_□z

□uftf@fCf<—¼, ð•t, —, Ä•Û‘¶□v, Ì•\Ž|, ð, µ, ½, Ü, Ü□u□^—
□ó<µ□vf_fCfAf□f0, ðfAfNfefBfu, É, µ, Ä[fLff“fZf<], µ□A□uftf@fCf<
¼, ð•t, —, Ä•Û‘¶□vf_fCfAf□f0, ©, ç[, n, j]‰Ý, ·, ÅfAfvfŠfP□[fVf‡f“fGf
‰□[, ã”□¶, µ, ½
ŠÅ<¤Ý’èftf@fCf<—¼, É‘SŠp•¶Žš, ãŽg—p, Å, «, È, ©, Å, ½
ftf@fCf<, ÌfAfbfvf□□[fh, ¢, Å, «, È, ¢Ž—, ¢, Å, ½
Guippy-II f□□[f<, Å□u□Ü, è•Ô, µ□vf{f^f“, ð‰Ý, ·, Åf□□[f<—{•¶, ¢’—

, ê, È, ©, Á, ½
‰üÙs, Ë, µ, Ì'·•¶, ð•\Z|, ·, é, Æ512byte–Ú, Å‰üÙs, µ, Ä, ¢, ½
f_fEf“fÙÙ[fh‘€ÙìFäÙA•ú'u, ·, é, ÆfGf‰Ù[, ª”Ù¶, µ, ½
ŒÝÙÖŒ<%È, ª•\Z|, Å, «, È, ¢Z-, ª, , Á, ½
People TERMINAL(f`ffffbfg‰æ–Ê“™), Å‰æ–ÊŠ0, Ì•¶Žš, ª%», -, Ä, ¢
, ½(^ê•”‰üÙC)
TAB•¶Žš, ð, W, , , ™, ", ...fXfyÙ[fX, É•ÌŠ·, µ, Ä•\Z|, ·, é, æ, ø, É, µ, ½
'©“úÙV•·fjf...Ù[fX, ÅÙAfLffffbfVf...ffÙ[f^, ªŒØ, ê, È, ¢, ±, Æ, ª, , Á, ½
^óÙüÙY’è, Ì•ÌÙX, ª, Å, «, È, ©, Á, ½
WorldTALK(P2) , ð‘I’ð“±“ü, É, µ, ½

 @Ú, µ, , Í ADISC2:\GUITERM\GUIPPY2\README.TXT, ð, ²—, , ¾, ³, ¢ÙB

□@fpf\frf“'ÊM'Î%ž,` ,s,h,rŒð'Êi•ñf^[]f~fif<



▶ Žû~^fffBfŒfNfgfŠ@DISC2:\GUITERM\ATISTERM



fpf\frf“'ÊM"ÅATISŒð'Êi•ñf^[]f~fif<,ÍANIFTY|
Serve,Ü,½,ÍPC|VAN,ð%î,µ,ÄATISiŒð'Êi•ñfT|
frfxiŠ”j;j,©,ç“¹~HŒð'Êi•ñ,ðŽÓM,µ'n}ä,Éa'Øi•ñ¤
ð•\Ž|,·,éfvf\f0f‰f€,Å,·;i^È‰¤AATISTerm,Æ,µ,Ü,·B

,±,Íf\ftfgfEfFfA,ÍWindows3.1ê—
p,Å,·BWindows95,Å,Í“®ì,µ,Ü,¹,ñ,Ì,Å,²-¹³, ,³,4,³,¢B



“®ìŠÅ<<

□Windows@3.1,“®ì,·,é<@Ší|iDOS/V<@A,Ü,½,ÍPC|
98,“,æ,Ñ,»,ÌŒÝŠ·<@j
□E“®ìCPU,ÍAi486DX/33MHz^Èä,ð„,Ø§
□@i'A,µAi486SX/33MHz‘x,Ì<@Ší,Å,à^—Ø%ž“šŽžŠÔ,“x,-
,È,è,Ü,·,žg-p‰Å"\,Å,·Bj
□Efñ[fhfffBfXfN,Ì<ó,«-e-È,ÍA10MB^Èä

DOS, ÌŠÂ<«•Ì”TEMP, Ìžw'è, ·, éfffBfŒfNfgfš, É»A»ì<Æ–
p, Ìftf@fCf<, ðŠi”[, µ, Ü, ·»B»i2»`3MB’ö“x»j
»Ef»f, fSfTfCfY, Í»A7. 6MB^È»ã
»Ef, fff€, Í2400bps»AMNPfNf%fX5 ^È»ã
»@if, fff€, Í•K, MNPfNf%fX5 ^È»ã, Ì, à, Ì, ðŽg–p, µ, Ä‰º, ³, ¢»B, », »
, Å, È, ¢»é»‡, ÍŒð’È»í•ñ, ², », Ü, •\Z|, Å, «, È, ¢, ±, Æ, ², , è, Ü, ·»B»j
»EVisualBasicf%fCfuf
‰fSftf@fCf<»@VBRJP200.DLL»ifZfbfgfAfbfv»Efvf»f0f%f€, É•K–
v, É, È, è, Ü, ·, ²»A–{fvf»f0f%f€, É, ÍŠÜ, Ü, ê, Å, ¢, Ü, ¹, ñ»B»j

► fcfc”fxfg»[fc<

»i1»jfvg»f0f%f€, Ì^³»kftf@fCf<, ðfn»[fhffffBfXfN, ÉfRfs»[, µ, Ü, ·»B
»@»@»@fRfs»[»æ, Í»Afn»[fhffffBfXfN»Efhf%fCfu, Ì»\
»if<»[fg»jffffBfŒfNfgfš, É
»@»@fRfs»[, µ, Ü, ·»Bf<»[fg»^Èš0, Å, Í, », Ü, “®»i, µ, Ü, ¹, ñ»B
»@»@–á)>COPY A:*.* C:\»@

»i2»jDOSfvf»f”fvfg, ©, ç ^È‰º, ÌfRf}f”fh, ðŽÀ»s, µ, Ü, ·»B
»@»@–á)>ATISP109»@»ifSf»»[f”»j
»@»@, ±, ÌfRf}f”fh, ðŽÀ»s, ·, é, Æ»Aftf@fCf<, ð“WŠJ, µ, Ü, ·»B
»!Šù, É^È‘0, Ìfo»[fwf‡f”, ²fcf”fxfg»[f<»í, Ý, Ì»é»‡»Aftf@fCf<, ð»ã»’, »
»@, ·, é, ©, ç, », »Šm”Ff»fbfZ»[fw, ²•\Z|, ³, ê, Ü, ·»B, ±, Ìžž»AŽÝ, Ìftf@fCf<
»@, ð»æ, ¢, Å»u, »v, ð“ü–Í, µ, Å, , ³, ¢»B

»@»»»ã»’, »», µ, È, ¢»i»u, Ž»v, ð“ü–Í, ·, é»jftf@fCf<

»@»@»Emenupc.ini

»@»@»Eatismodm.tel

»ã»L, Ìftf@fCf<, ð»ã»’, »», ·, é, Æ»A’Ê»M»ðŒ»», ð‰ü, ß, Ä»Ý’è, ·, é•K
–v, ²
»¶, ¶, Ü, ·»B

»i3»jWINDOWS, ð<N”®, µ, Ü, ·»B

»i4»jfvg»f0f%f€f}fl»[fwff, Å»A»fAfCfRf”, ð“o~^, µ, Ü, ·»B

□□□iŠù, ÉfAfCfRf““o~^Í, Íê‡A, ±, Ížè‘±, «, Í•s–v, Å, ·Bj
□□□“o~^, ·, éfvf0f%f€, ÍAŽÝ, Í2, Å, Å, ·B

□□□□E\ATIS\ATIS_PC\EXE\MENUPC.EXE

□□□@f^fCgf< :ATISTerm
□□□@fRf}f“fhf%fcf”:C:\ATIS\ATIS_PC\EXE\MENUPC.EXE
□□□@žA\sžž, ÍfffBfEfNfgfš:C:\ATIS\ATIS_PC\EXE
□□□@€Ä, Ño, μ-p, ÍfVf†[fgf]fbfgfL[: , È, μ

□□□□E\ATIS\ATIS_PC\EXE\ATSETUP.EXE

□□□@f^fCgf< :SETUP
□□□@fRf}f“fhf%fcf”:C:\ATIS\ATIS_PC\EXE\ATSETUP.EXE
□□□@žA\sžž, ÍfffBfEfNfgfš:C:\ATIS\ATIS_PC\EXE
□□□@€Ä, Ño, μ-p, ÍfVf†[fgf]fbfgfL[: , È, μ

 Ú, μ, , ÍADISC2:\GUITERM\ATISTERM\README.DOC, ð, ²—,, ¾, ³, ¢B

□@“d~b”Ô@†ŒÝ@öfT@lfrfx@ifGf“fWfFf< f%fcf“@j



▶ Žû~^fffBfŒfNfgfŠ@DISC2:\TERMINAL\

□@



▶ ŠT-v

“ú-{“d@M“d~bŠ”Ž®
‰íŽÐ@i,m,s,s@j,Å,Í@A•½@-,Q”N,P,QŒž,P“ú,æ,è@A,“
l,„,“žéž@,„,Ì’É@M<”@\,ð,à,Âfpf\frf”’[—“™,©,ç”Ô@t@i•ñfZf“f^iff@lfrfx@j,Ö’½@ÚfAfNfZfX,µ@A
“d~b”Ô@†ŒÝ@ö,„,Å,“,é@u“d~b”Ô@†ŒÝ@öfT@lfrfx@ifGf“fWfFf< f%fcf“@j@v,ð’ñ< Ÿ,µ,Ä,“,è,Ü,·@B,„,Ü,½@A,m,s,s,Å,Í@ufGf“fWfFf< f
‰fcf“@v,É,æ,é“d~b”Ô@†ŒÝ@ö,Ì,½,ß,Ì,l,r@|,c,n,r,Å“@ì,·,é@ê-pf\ftfg,à’ñ< Ÿ,µ,Ä,“,è@A-{’É@Mf\ftfg,Í@A,v,%,ž,„,·,-,“,ð,²~—p,Ì,“
·q-lŒü,“,É’ñ< Ÿ,·,é”Ô@†ŒÝ@ö@ê-p,Ì’É@Mf\ftfg,Å,·@B

▶ □@Ú,µ,,Í@DISC2:\TERMINAL\ANGELINE\README.TXT,ð,²—,,³/₄,³,¢@B

□@'ÊMfwf...[fn fJf%fIfPm'Ì€±"Ån

f f [f^fx [fXfGf"fwf", IfCf"fxfg [f< @@@@ @@@@ @ 'ÊMfwf...[fn fJf%fIfPm'Ì€±"Ån, IfCf"fxfg [f<



▶ Žu~^fffBfEfNfgfŠ@DISC2:\GUITERM\ROLAND

▶ ŠT-v

Roland Network Service, ÍANTT, IfrfffIfefbfNfx-Ô, ð-~-
p, µ, ½fpf\fRf"ÊMfT [frfx, Å, ·B-{fT [frfx, IAUuf~f...
|[fWfbfN]Ef [f^"I", vAuft [fu [EfTf | [fg i•ñvuf]f
%fIfP]Ef [f^"I", v, IŽO, Å, ð'ñ, ¢, ½, µ, Ü, ·B
uf~f...[fWfbfN]Ef [f^v, I]A'½•û-È, É"n, efWfff"f<, IGS'Î
%ž, IE, ð'½"-p^Ó, µ, Ä, " , èA]V<È, à'€ŽY'Ç%Á, ³, ê, Ü, ., I, Å]A, ¢
, Å, Å, àA]V, Iff [f^, ð•K-v, ÈZž, É"üžè, µ, Ä, "Sy, µ, Y, ¢, ½, ¾, -, Ü, ·B

-{'Ì€±"Å, Ižg-p, É, ÍBorlandŠ"Ž®

%ižD, Iff [f^fx [fXfGf"fwf", IfCf"fxfg [f<, a•K-
v, Å, ·B, Ü, .æ, Ef [f^fx [fXfGf"fwf", ðfCf"fxfg [f<, µ, Ä, ©, ç, ²žg-
p, , ¾, ³, ¢B

Roland Network Service, ÍANTT, IfrfffIfefbfNfx'ÊM-Ô, ð-~-
p, µ, Ä]Ú±, ¢, ½, µ, Ü, ., I, Å]A'S', Ç, ±, ©, çfAfNfZfx, µ, Ä, à]A"^-^é, I-
i<a]i%o-"ŽQ]Æ]j, Å, ²~-p, ¢, ½, ¾, -, Ü, ·B, Ü, ½ŒŽ]X, IŠi{-i"™, I•s-
v, Å]A, ²~-p, ¢, ½, ¾, ¢, ½'Ê]M-i, I, Y, Å, ²žg-p, ¢, ½, ¾, -, Ü, ·B, ²~-
p, É, IfrfffIfefbfNfx'ÊM-Ô, Ö, I%Á"ü"o~žè'±, <, a•K-v, Å, ·B, ±
, IREADME, I]u5.frrfffIfefbfNfx-Ô, I%Á"üžè'±, <]v-", ð, ²--%o, ³, ¢B

||-{f\ftfg, I»•i"Å, EfAfbfvf0fŒ [fh, ð, Å, <, éE -~, ðž], Åfgf
%fCfAf<"Å, Å, ·B]@»•i"Å, IfIf"f%fCf"fAfbfvff [fg<@"\", ð-~-
p, µ, Å]V<EfSfxfg, I'Ç%Á, å]A]Å]Vfhf%fCfo-p, I"üžè<y, N-{fvf]f0f
%f€Ž]g, Ifo [fWf#f"fAfbfv, a%Á"\, É, È, Å, Ä, " , è, Ü, ·BŒ»]ó, I, Ü, Ü, Å-
ç, -, ê, I]A, ±, I, Ü, Ü, ²~-p, ¢, ½, ¾, , ±, Ä, à%Á"\, Å, ., a]A, >, I]é]‡, I-{f\
ftfgfEfFfA, ÉŠÖ, ., éfTf | [fg, I, ¢, ½, µ, ©, É, Ü, ·B
@]³<K"Å, EfIf"f%fCf"fo [fWf#f"fAfbfv, ., é, Å]A, T, P, T%~
%Ü<a, ³, ê, Ü, ·Bfo [fWf#f"fAfbfv, I•u-@, I]A, ±
, IREADME, I]u7.fo [fWf#f"fAfbfv]v, I-“, ð, ²--, , ¾, ³, ¢B

▶ “@]iŠÅ<“

fn [fhfEfFfA, É'Î, ., é-v<

¶Efpf\fRf“
CPU^fNf\fbfN\F i486DX^33MHz ^Èä
 |i„,§@i486DX2^66MHz ^Èäj
f\f, fŠ[iRAM\fj\F 5.6MB ^Èäi„,§@8MB ^Èäj
fn\fh\ffffBfxN\F 7MB ^Èä
‰æ—È‰ð‘œ“x\f”\F 640x480fhfbfg^256\F ^Èä
‰¹Œ¹\F GM\^GS ‘Î‰ž‰¹Œ¹
 |i„,§@f\ff\f%“fhGS ‘Î‰ž‰¹Œ¹j
f, fff€\F Hayes ATfRf}f“fh\€<’, If, fff€
 |i„,§@9600bps ^Èäj
“d~b‰ñü\F NTT“d~b‰ñü
 |!ŽÐ“à“d~b, â“àü’È~b<@\, I, , é“d~b
‰ñü, Ié‡, É, Í\A
 |@HŽ-, I•K-v, Èé‡, ª, , è, Ü, ·BÚ, µ,, ÍAfwf<fv, I
 |@u'ÈM, ð, Í, ¶, ß, é, Ü, |, Év, ð, —, , ¾, ³, ¢B

¶Ef, fff€


Hayes ATfRf}f“fh\€<’, If, fff€
|!MDM_LIST.TXT, É“®i‰Ã\f, fff€, I^é—, ª, , è, Ü, ·BÚ, µ, -
, I, », , ç, ð, —, , ¾, ³, ¢B

 |Ú, µ,, Í\ADISC2:\GUITERM\ROLAND\INSTALL.TXT\ADISC2:\
GUITERM\ROLAND\README.TXT, ð, —, , ¾, ³, ¢B

□@fo□|f` fff<□Efz□|f€fXfy□|fX□Efrf<□| f~fj"Å (VHSB-mini)

▶ Žû~^ffffBf€fNfgfŠ@DISC2:\GUITERM\VHSB

□@



▶ ŠT-v

□@VHSB-mini, Í□A□»•i"Åfo□|f` fff<□Efz□|f€fXfy□|fX□Efrf<□| (VHSB)"ú-{Œé"ÅV1.1, Ì•]‰i fo□|fWf‡f", Å, ·□B□»•i"Å, Å"ä, ×, Å□A, ²-~-p, Ì□ä, Å^È‰º, Ì, æ, ×, È□§ŒÀ, ª, , è, Ü, ·, Ì, Å, ²'□^Ó‰º, ³, ç□B

<VHSB-mini, Å, Ì□§ŒÀ>
□@□@E, P, Å, Ì, R, c<óŠÔ, Å□ì□¬, Å, «, é•" 'Ì, Ì•\-\-Ê□", Í□A, W, 0ŒÂ' ö"x, Ü, Å□B
□@□@E, P, Å, Ì, R, c<óŠÔ, Å"\, è•t, -, Å, «, éfefLfXf` ff□|, Í□A, Wží-
P, Ü, Å□B
□@□@Ef€□|fr□|, Ì"\, è•t, -, Í□A•s‰Å□B
□@□@Ef}f< f` ftf@f"fnfVf‡f", Ìžg-p, Í□A•s‰Å□B

▶ □@Ú, µ,, Í□ADISC2:\GUITERM\VHSB\VHSBMINI.TXT, ð, ²—, , ³/₄, ³, ç□B

□@RisClient

Windows 95"Å(Version 4.19), ÍfCf“fXfg[]f<□@
Windows3.1"Å(Version 2.19), ÍfCf“fXfg[]f<□@



► Žû~^fffBfŒfNfgfŠ@DISC2:\GUITERM\RIS

► ŠT-v

,±,Íf\ftfgfEfFfA,Í¤RIS(Remote Install Service)
ÉfAfNfZfX,·,é^×,ÍfNf‰fCfAf“fgf\ftfg,·i,±,ÍfNf‰fCfAf“fgf\ftfg,
ÍWINDOWS95J,Å“®ì,µ,Ü,·i,±,Í•¶‘<y,NfNf‰fCfAf“fgf\ftfg,ÍfRfs[]/”]Û//”z•z,Íž©-R,Å,·i

►□@Ú,µ,,Í@DISC2:\GUITERM\RIS\WIN95\README.TXT@DISC2:\
GUITERM\RIS\WIN31\README.TXT,ð,²—,,³,¢B

□@“ú-{"d<CŠ”Ž®%iŽĐ□@WorldTALK for BIGLOBE


インストールの実行



Žû~^fffBfŒfNfgfš

DISC2:\GUITERM\WTALKBBS

□@



ŠT-v

□uWorldTALK for BIGLOBE□v, Í□ABIGLOBE, Ì<@"\, ÕŽÀÛ, ÉŽg, Á, Ä' ÌŒ±
, µ, Ä, ¢, ½, ¾, , ½, ß, Ì, à, Ì, Å, · □BBIGLOBE
, Í□ACO•CfcF“f^□[flfbfgfT□[frfx □umesh□v□Afpf\brf“’ Ê□MfT□[frfx□uPC-
VAN□v, „, æ, Ñfcf“f^□[flfbfgfRf“fef“fcfT□[frfx □uThe Cyber
Plaza□v, Ì, R, Å, ÌfT□[frfx, Õ-ZÛ†, µ”“W, ³, ¹, ½fp□[f\brfif<Øf}f<f` f□fffBfAfT□[frfx, Å, · □B



□Ú, µ, , ÍDISC2:\GUITERM\WTALKPCV\README.TXT, Õ, ²—, , ¾, ³, \$□B



, “-â, ¢‡, í, ¹æ

“ú-{"d<CŠ”Ž®%iŽĐ

BIGLOBE fJfxf^f}□[fTf|□[fgTEL□F0120-55-0962

□@BIGLOBE fIf“f%fCf“fTfCf“fAfbfvfc□[f<



▶ Žû~^fffBfEfNfgfŠ□@DISC2:\GUITERM\BIGLOBE

▶ ŠT-v

fpf\fRf“'Ê□MfT□[frfXPC-
VAN□AfCf“f^□[flfbfg□Ú‘±fT□[frfXmesh, Ì€Å□lŒü, -□Ú‘±fT□[frfX□AfCf
“f^□[flfbfgfRf“fef“fcfT□[frfXThe Cyber Plaza, Õ-
Z□‡, ^, , , ½uBIGLOBE□v, ÌfIf“f%fCf“fTfCf“fAfbfvfc□[f<, Å, ·□B
fCf“fXfg□[f< f{f^f“, Õ, " , µ, ÄfCf“fXfg□[f<, µ, Ä‰ø, ^, ¢□B

□@“ú->{"d<CS"Ž@%iŽÐ@OnLive! Traveler for BIGLOBE




žú~^fffBfEfNfgfš

DISC2:\GUITERM\3DVCHAT



Customize Avatar NEC



ŠT-v

OnLive! Traveler ,ÍÅA•Ä‘ OnLive! TechnologiesŽÐ, ÍŠJ”, μ, ½
3ŽÝŒ³fRf“fsf...□[f^f0f%ftfBfbfNfX, Å
‰¹□ºf`fffbfhgZp, ð’g, Ÿ‡, í, ¹, ½ 3ŽÝŒ³‰¹□ºf`fffbfhgfvfXfef€, ÍÅê-
pfuf‰fEfU, Å, ·□B
-~pŽò, ÍŽ©•², Í•²g, Å, μ, Ä, ÍfAfof^□[, ð’I’ð, μ
‰¼‘z<óŠò(OnLive!<óŠò, ÅŒÄ, Ñ, Ü, ·), ÓŽQ‰Á, μ□A”-Žž, É• i□”, ÍÅl, Å
‰i~b, åŠy, μ, ß, Ü, ·□B OnLive!<óŠò, Å, Í‰i~b, ÍÅA’Šžè, Å, Í<—f, åŒü, <, É
‰ž, ¶, ½‰¹-ÈŒŽwŒü□<, åfVf~f...fŒ□[fg, ³, êŽÅœ¢ŠE, Í, æ, x, ÈŒø
‰È, å“³, ç, ê, Ü, ·□B

%æ-È‰Eœä, ÍfCf“fXfg□[f< f{f^f“, ©, çfCf“fXfg□[f<, μ□A□uWhen Done
Unzipping Run□v, Éf`fFfbfN, ð, μ, Å□uUnzip□v, , é, ¢, ÍÅuRun
Winzip□v{f^f“, ð‰Ý, μ, ÄfCf“fXfg□[f<, μ, Ä, , ¾, ³, ¢□B



□Ú, μ, , ÍÅADISC2:\GUITERM\3DVCHAT\INDEX.HTM, ðWwWfuœfEfU, Å, ²
—, , ¾, ³, ¢□B



, “–â, ç‡, í, ¹æ

“ú–{“d<CŠ”Ž®%iŽĐ
BIGLOBEƒJƒXƒ^ƒ} [ƒTƒ| [fgTEL F0120-55-0962

