

[!\[\]\(a3ea015cc5581cad732d1eb81613fe7b_img.jpg\) xf" f` f} \[fnfvf f0f%f€](#)

[!\[\]\(c8d96c8885d3000a912c2582004aed63_img.jpg\) ŠeŽíxf" f` f} \[fn AfvfXfef€ î•ñ•\Ž! f\ftfgfEfFfA,Å,·B](#)

[!\[\]\(919a2cb85b99741a73c0c31a427236a8_img.jpg\) f f, fŠ \[xf" f` f} \[fn CORETEST 4.0](#)



[!\[\]\(c3d993ca47bfe2a953c700506ce31fa0_img.jpg\) DDBENCH\(DirectDrawÍPÝÁ\) Ver 1.36](#)

[!\[\]\(d66ff64371a51729ac8c1cdaa685ba6f_img.jpg\) HDBENCH\(Ê°ÄpÃp"½, ÍPÝÁ\) Ver 2.284](#)

[!\[\]\(e3f8612927870f2e0f9f5989e6dd3064_img.jpg\) fQ \[f€-pf0f%ftfBfbfnxf" f` f} \[fnfefXfg GBENCH32 2.0](#)

[!\[\]\(003082e50e3009141f59bd5df831749f_img.jpg\) WinGfpftfH \[f} f" fXfefXfg GTEST ver.1.2](#)

[!\[\]\(17413706fd4997a1a4bdf85c6864eee1_img.jpg\) VTBENCH DOS/V Text Video Benchmark Ver. 1.2](#)

[!\[\]\(faf942dc3e59ce8eb64b4ac481eca7e0_img.jpg\) Š"Ž@%ižĐ f f<fR f f<fRxf" f` f} \[fn](#)

[!\[\]\(cf531ed27e91483460120fcc057b3901_img.jpg\) Š"Ž@%ižĐ fAfC EfI \[Ef f \[f^<@Ší fAfvfŠxf" f`](#)

[!\[\]\(d3102649f02e825ddb76dc3de0190154_img.jpg\) Š"Ž@%ižĐ fAfC EfI \[Ef f \[f^<@Ší Topic for Windows Ver 1.04](#)

[!\[\]\(4b7a79268f6ba26c1471d4232fffa85a_img.jpg\) WHATIDE](#)

[!\[\]\(95b425611cbd2b8716a140cf67c81822_img.jpg\) PFM486 Ver.1.77H •\]%;"Å](#)

□@Š"Ž®%iŽĐf□f<fR f□f<fRfxf"f`f}□[fN

インストールの実行

📁 Žû~^ffBfœfNfgfŠ□@DISC1:\BENCH\MELCO

😊 □iž0 Š"Ž®%iŽĐf□f<fR

🔴 "à-e


-{fvf□f0f%€ , í□A"ú□ , ©, çĚäŽg-p, É, È, Á, Ä, ç, éŽü•Ó'•'u, ^a, Ç, ê, ®, ç, ç, ç
, ÌfpftfH□[f}f"fX, ðŽ□, Á, Ä, ç, é, ©, ð' ^a 'è, μ, Ü, ·□B' ^a 'èĚ<%Ê, É, æ, Á, Ä□A,
, È, ¹/₂, Ìf}fVf" , Ì, Ç, Ì•"•^a , ^a-D, è, Ä, ç, é, ©□A, Ü, ¹/₂□A, Ç, Ì•"•^a , ^a-ò, Á, Ä, ç
, é, Ì, ©, ð' ² , x, é, ±, Æ, ^a , Å, «, Ü, ·□B□V, μ, çŽü•Ó'•'u, ð□Ú'±
, · , é□ê□±□A-" , ÍŽü•Ó'•'u, ðĚðŠ· , · , é□ê□±□A□V, μ, çŽü•Ó'•'u, ð□Ú'±
, · , é'0, É-{fvf□f0f%€ , É, æ, Á, Ä□«" \ , ð' ^a 'è, μ, Ä, " , «□A□Ú'±Ěã, É, Ç, ê, -
, ç, çfpftfH□[f}f"fX, ^aĚü□ă , · , é, Ì, ©, ðĚ©, é, æ, x, É, · , é, Æ, æ, ç, Å, μ, å, x□B


'□^Ó:Window95, ð, ²Žg-p, Ì□ê□±□A' ^a 'è't, ÉfL□[f{□[fh, " , æ, Ñf}fEfX, ÍŽg-
p, μ, È, ç, Å, , ³/₄ , ³ , ç□B

PFM486 Ver.1.77H •]%;”Å

インストールの実行

 Žû~^ffjBfœfnfgfš DISC1:\BENCH\PFM_177H

 []ižò ‘æž0<ž•l ž[]


 “à–e


PFM486 ,í 386 ^È[]~ ,ì x86 CPU ,đžg,Á,½ PC ,ìš0•”f[]f ,fš[]«”\
,đ ‘a’è , ,éf\ftfgfEfGfA,Å , ·[]B

@WHATIDE

インストールの実行

 Žû~^fffbf@fnfgfš@DISC1:\BENCH\WHATIDE

 žžò Tom Warren žž

 “à-e

WHATIDE, IDOSă, ÅIDE, İfn[fhfffbfXfN, İî•ñ, ð•\
ž!, µ, Ū, ·BfVfšf“f_[]”Afwfbfh”A1fgf%bfN, , ½, è, İfZfNf^”Af
ZfNf^fofbftf@fTfCfY^è
žž, İš,, èž, Ý, É, ¨, ¯, éfZfNf^”(fufbfNf, [fh), ÆECCfofCfG”, ð•\
ž!, µ, Ū, ·B

ŠŽ%İŽĐ fAfC EfI [Ef f [f ^ < @Ší fAfvfŠfxf`f`

インストールの実行

ŽŮ~^ffBfEfNfgfŠ@DISC1:\BENCH\IODATA\WKAPB

ŠŽ%İŽĐ fAfC EfI [Ef f [f ^ < @Ší

“à-e

fAfvfŠfxf`f`, ÍWindows
95ã, ÅŽÀŮ, ÉfAfvfŠfP [fVf#f“, ðŽÀs, µ, ½, Å, «, ÌfVfXfef€«\, ð•] %
¿, ·, éfxf`f`f} [fN, Å, ·BfAfvfŠfP [fVf#f“, ðŽg-
p, µ, Åfxf`f`f} [fN, ð, Å, é, ½, ßAf`f... [fjjf`f0, ðs, «ê#f, ÉŽÀŮ, ÌŽg-
pŽž, É, Ç, ê, ¾, -‘-“x, aEüã, ·, é, Ì, ©, aA”äŠr“I, í, ©, è, â, ·, È, Á, Ä, ç
, Ü, ·B, Ů, ½Windows 95ã, ÌfAfvfŠfP [fVf#f“, ðŽg-
p, µ, Ä‘a’è, ·, é, ½, ßA^Ü, È, éfA [fLfefNf`ff, Ìf}fVf“, Å, à•½“™, É•] %
¿, Å, «, Ü, ·B , à, ¿, ë, ñ^ -‘-“x, ¾, -, ÅWindows 95f}fVf“, ð•] %¿, ·, é, ±
, Å, Í, Å, «, Ü, ¹, ñ, aAWindows 95f}fVf“, Ìf`f...
[fjjf`f0, â”f, ç“Ö, |, ÌŽž, ÉAŠ|, é”i-p, ÅEø%É, ðŽ-‘0, É”c^-, ·, éŽQlŽ’-
¿, Å, µ, Ä, ²~ -p, , ¾, ³, çB

Še‘a’è€-Ú, Ì“¾“_, ÌfXf^f`f_ [fhf}fVf“, Å, Ì^ -ŽžŠÔ (^È
%ofXf^f`f_ [fhf^fCf€ , Å, ç, «), ð 10000“_ , Å, µA”¼•a, ÌŽžŠÔ, Å^ -
[, a, Å, «, ½ê#f, Í“¾“_, a, Q”{, É, È, è, Ü, ·B, » , Ì, ½, ß‘l’i, Ì, , çf}fVf“, â
ÅV, Ìf}fVf“, È, Ç, ÌfJf^f`f0fXfyfbfN, Ì-Ç, çf}fVf“, a•K, , µ, à-
Ç, ç“_“, É, È, é, Å, ÍEÀ, è, Ü, ¹, ñB
‘_#“¾“_, ÍAŠe‘a’è€-Ú, Ì“¾“_, ðfXf^f`f_ [fhf^fCf€, Åd, Ý•t, -, µ, ½
%Åd•½<İ, Å< , ß, Å, ç, Ü, ·B

‘a’è€-ÚF“d’ì, Åfxf`f`f} [fN Af f, ‘ , Åfxf`f`f} [fN AfyfCf`fg, Åfx
f`f`f} [fN A‘S€-Ú

ŠŽ%iŽĐ fAfC EfI [Ef f [f ^ < @ Š í Topic for Windows Ver 1.04

ファイルのコピー

Žû~^ff fB fE fN f g f Š @ DISC1 : \ BENCH \ IODATA \ TOPICWIN

ŠŽ%iŽĐ fAfC EfI [Ef f [f ^ < @ Š í

“à-e

, ±, Ì f v f f 0 f % f € , Í Windows 3.1 ê - p , Å , · B Windows 95 , Å , Í “ @ ì , μ , Ü , ¹ , ñ B

ŠŽ%iŽĐ fAfC EfI [Ef f [f ^ < @ Š í ' ñ < Ÿ , Ì f x f “ f ` f } [f N f v f f 0 f % f € , Å , · B E > Ÿ Ž g - p , μ , Å , ç , é Windows f V f X f e f € , Ì f p f t f H [f } f “ f X , ð ‘ à ‘ è , μ , ½ , è A < @ “ \ , Ì - L - ³ , ð E Ÿ , , ð , μ , Ü , · B

‘ à ‘ è € - Ú F f 0 f % f t f B f b f N A f f f w f ^ f < f r f f f I A f f , f Š A f f f B f X f N f h f % f C f u A f v f f Z f b f T A f I [f o [f I [f < A f T f E f “ f h

WinBench 96

インストールの実行



Žû~^ffjBf€fNfgfŠ DISC1:\BENCH\WINBENCH



□iž0 Ziff Davis Publishing Company



“à-e


Ziff Davis Puiblishing Company,É,æ,éfxf“f`f}□[fNfvf□f0f%f€
,Å,·□BCPU,âDISK,ðŠÜ,þ8□€-Ú,İfxf“f`f}□[fN,ð,Æ,é,±
,Æ,ª,Å,«,Ü,·□B

@DDBENCH(DirectDrawÍPÝÁ) Ver 1.36



 Žů~^ffBf€fnfgfš@DISC1:\BENCH\DDBEN136

 òžò EP82%ü/,©, , Ž

 "à-e

,±,Ìf\ftfg,ÍADirectDraw,Ì·`%æ'-"x,ð'ª,éfxf"f`f}[]fNf\ftfg,Â,·i

DirectX2 SDK,ÅŠJ",μ,Ü,μ,½,Ì,ÅDirectX2(X3,Å,à%Â),Ìf%f^fCf€

,ª'g,Ýž,Ü,ê,Ä,ç,È,ç,Æ"®,«,Ü,¹,ñB

DDBSAVER,ðŽg-p,·,é,Æfxfnfš[f"fZ[f]fo[l,É,·,éŽ-,ªo-
^,Ü,·B(FWINAL LIB10)

Ver1.35->1.36(97.01.26)

FPS,ª100^Èã,Å,à•S,Ì^Ê,ª0,É,È,Á,Ä,μ,Ü,xfof0,ðC³B

fn[fhfEfffAfIf"fš[f,[]fh,Ì'Ç%ÁB

,»,Ì,Ü,©x,©,ç,Æ,±,ë,ÌC³B

@fQ [f€-pf0f%ftfBfbfNfxf"f`f} [fNfefXfg GBENCH32 2.0



Žû~^fffbf€fnfgfš @DISC1:\BENCH\GBENCH20



ìžò ,ü,é, ,ç ž



"à-e

32bit, ÌfXfvf%fcfgfGf"fWf", ð-~-p, μ, Ä A10•bŠÔ, É%æ-Ê, Ì' , «Š· , |, ð%½
%ñs, È, |, é, ©•\Ž|, μ, Û, ·Bf}fVf"fpf [, ÌŠm"F, É, ²-~-p, , ¾, ³, çB



@Ú, μ, , Í ADISC1:\BENCH\GBENCH20\README.TXT, ð, ²—, , ¾, ³, çB

@WinGfpftfH[f}f“fXfefXfg GTEST ver.1.2



Žû~^ffBf€fNfgfŠ@DISC1:\BENCH\GT12



ïžò ,ü,é, ,ç Ž



“à-e



@WinG,ìfpftfH[f}f“fXfefXfg,ìfvf[]f0f%f€ ,Á, ·B-L-
¼,Éfxf“f`f}[]fNfefXfg,Á, ,é3DBENCH,Æ“~,¶,æ,¤
,ÉEX€ü,Ì””’l,ðo,µ,Û, ·B
@,±,ìfvf[]f0f%f€ ,íAWDTEST,Æ,ç,¤¼’0,Á^È’0€öŠJ,µ,Ä,ç
,½,à,ì,Á, ·B,±,ìfo[]fWf#f“,©,çGTEST,Æ%ü¼,µ,Û,µ,½B

fo[]fWf#f“,P[]D,P,Æ,Ì^á,ç
@ftfHf“fg,ð•İX,µ,½B
@ftfHf“fgftf@fCf<,Ìf[]fhf<[]f`f“,ð•İX,µ,½B

@Ú,µ,,ÍADISC1:\BENCH\GT12\README.TXT,ð,²—,,¾,³,çB



@HDBENCH(Ê°ÄpÃp"½, ÍpÝÁ) Ver 2.284



Žû~^ffBfEfNfgfŠ@DISC1:\BENCH\HDBE2284



ìžò EP82%ü/,©, Ž



“à-e



,±, Ìf\ftfg, ÍAfn[fhffffBfXfN••`
%æ•, b, o, t, Ì'¬, ³, ð'ª, éxf“f`f}[fNf\ftfg, Å, ·i

2.28->2.284(96.12.04)

^ê”, ÌŠÂ««, ÅfRfs[f{f^f“, ð%ÿ, µ, ½Žž, Éfy[fW^á”½, É, È, Á, Ä, µ, Ü, ¨
, Ì, ðC³, µ, Ü, µ, ½B

@VTBENCH DOS/V Text Video Benchmark Ver. 1.2



Žů~^ffBfEfNfgfŠ@DISC1:\BENCH\VBENCH12



īžò -k'°•q•F ž



“à-e

@VTBENCH ,í DOS/V,ìfefLfXfg%æ-
ÊŠÖEW,ìfXfs[fh,ðEv'ª,·,éxf“f`f} [fNfvf]fOf%fe,Å,·B

@E»ÝDOS/V,É,ÍŠeŽí,ìftfHf“fg,âffBfXfvfEfCŠÖEW,ìfhf%fcfo,ª, ,è
A,»,ÌŠeX,ª,ç,è,ç,ë,È“Á'¥,ðŽ,Á,Ä,ç,Û,·B,»,±,ÅAŠeŽí,ìfhf
%fcfo,ðŽg-p,µ,½,Æ,«,É,Ç,Ì^Ê,Ì%æ-Ê%ñ,è,ìfXfs[fh,ªo,Ä,ç
,é,©,ð'Š'Î“I,ÉEv'ª,·,é,Ì,ª,±,ìxf“f`f} [fNfefXfg,Å,·B
@â'Î•]%,Å,Í, ,è,Û,¹,ñ,Ì,ÅA%æ-
Ê,ÌL,³,âCPU,ìfXfs[fhAfrfffIf{[fhA·\Ž!fhf
%fcfo,È,Ç,É,æ,Á,Ä”'ł,Í•İ%»,µ,Û,·B
@•Źš·\Ž!AfXfNf [f<,Æ,à,ÉfrfffIBIOS,Æ¼'zVRAM'¼Ú'ž,ì-
¼•û,ÅEv'ª,Å,«,Û,·B

@f f, fŠ [fxf" f` f} [fN CORETEST 4.0



Žû~^ffBf€fNfgfŠ @DISC1:\BENCH\CTEST40



ïžò '0" c<X<> ž



"à-e



, Ç, ñ, È, ÉCPU, âfrfffI, âfffBfXfN, ª'¬, -
, Å, à Af f, fŠ, ª'x, ¯, ê, ÎfvfA, Êf}fVf", É, È, Á, Ä, µ, Ü, ç, Ü, · B, Ü, µ, Ä, ±
, ê, ©, ç, Í32frfbfg0S, ÌŽž' ä, ð€}, |, é-ó, Å A, ç
, Á, » , ¢f f, fŠfAfNfZfX, ÌfXfs [fh, ª-v< , ³, ê, Ü, · B, » , ±
, Å Af}fVf" , Ìf f, fŠfAfNfZfXfXfs [fh, ð'ª'è, · , éfvf f0f%f€ , Å , · B

@Ú, µ, , Í ADISC1:\BENCH\CTEST40\README.TXT, ð, ²—, , ¾, ³, ç B



