

Tera Term Pro version 2.0 Help Index

Jun 7, 1996

T. Teranishi

Copyright (C) 1994-1996 T. Teranishi
All Rights Reserved.



Tera Term (Pro) ,iftfŠ [f]ftfgfEjFfA,lf^ [f~fif<fGf~f...fCE [f^ [('Ê Mfvf [fOf %of€),Å A^ È%º,ì "Á'¥,ðŽ [,Á,Ä,ç,Û,· B

[E]fVfŠfAf<f [[fg [Ú' ±
[E]TCP/IP (telnet) [Ú' ±
[E "ú- {CE ê î%ž
[E %opCE " Å Windows ,É' î%ž,µ,½%opCE êf, [fh
[E]VT100 ' [--,lfGf~f...fCE [fVf#f" (, ,æ,Ñ [AVT200, 300 ,ì^ê•")
[E]TEK4010 ' [--,lfGf~f...fCE [fVf#f"
[E]ftf@fCf<"]'—fvf [fgfRf< (Kermit, XMODEM, ZMODEM, B-PLUS, Quick-
VAN)
[E]f}fNf [CE¾CE ê,É,æ,éŽ © " ® %º ^"

Tera Term ,É,Ä,ç,Ä

'~ [i]CE [AZg—p [ðCE [
" ® [i]SÄ<<
fGf~f...fCE [fVf#f"
—ðŽj
[<—^, [CEv%ºæ
Šù'm,ì-â'è
Q & A
—pCE ê [W

Žg,ç,©,½

fL [f { [fh
f}fEfX
fqf"fg

fRf}f"fh

[File] f [fjf... [[

[Edit] f[]fjf...[]
[Setup] f[]fjf...[]
[Control] f[]fjf...[]
[Help] f[]fjf...[]

TEK window ,lfRf}f“fh

fRf}f“fhf%ofCf“

[]Ý'èftf@fCf<

Tera Term []Ý'èftf@fCf<
fL[]f{[]fh[]Ý'èftf@fCf<

'~òìĈ [AŽg—pǎĎĈ

fŷftfgfEjFfA: Tera Term Pro version 2.0 (Jun 7, 1996)
òìŽÒ: T. Teranishi (Ž>¼ [,))

Copyright(C) 1994-1996 T. Teranishi All Rights Reserved.

,±,lfvfŷfOf%of€,Íftfš[ŷftfgfEjFfA,Â,·B
'~òìĈ ,Í[AòìŽÒ,ª·ÛŽ[μ,Û,·B
,±,lfvfŷfOf%of€,ìŽg—p,É,æ,é[A,ƒ,©,È,é¹šQ,É¹,μ,Ä,à[AòìŽÒ,Í[Ó"C,đ·%o,ƒ
,Û,¹,ñB

Žg—pǎĎĈ

òìŽÒ,É-³f,Â^È%º,ìŽ-,đ,μ,È,ƒ,Á,,¾,¾,ƒ[BòìŽÒ,É~A—,μ,Ä,ƒ,½,¾,-,ê,î<-
%ºÂ,·,é,±,Æ,à, ,è,Û,·B,»,ê^ÊŠO,Í,Ç,ì,æ,α,ÉŽg—p,μ,Ä,à[\,ƒ,Û,¹,ñB

- 1) fŷšfWfjƒ<^ÊŠO,ìĈ` ,Â¹⁄,ì[|,É"z·z,·,éB
- 2) "z·z,·,é,±,Æ,É,æ,Á,Ä,"<à,đ¾,éB
(ŽGŽ"™,ì·t~^,âftfš[ŷftfgW"™,ì[»·i,ÉŽú~^,μ,½,ƒ[ê[†,ÍĈä^ê·ñ,đ)
- 3) »,ì¹⁄[A'~òìĈ -@,É,Ó,ê,é[s^×B

=v-][AŽ;—â[AfofO,ì·ñ[|,Í[A
teranishi@rikvax.riken.go.jp
,Û,Á,Ç,α,¼B

òìŽÒ,©,ç,ìŽÓŽ«

fŷfO·ñ[[A—v-],đ'—,Á,Ä,,¾,¾,Á,½,·,×,Ä,ì·ù[A, ,è,ª,Æ,α,²,´,ƒ
,Û,·B"A,É[AŠJ",ì[‰Šú,©,ç·Ĉ¾[AfeXfg[A,»,μ,Ä[é"`,đ,μ,Ä,-
,¾,¾,Á,½[|X,ÉŠ'ŽÓ,μ,Û,·B,Û,½[A"z·zpfbfP[ŷW,ÉŠÛ,Û,ê,Ä,ƒ,é
%ºpĈê·¶[',ì[ì[—,đŽè[·,´,μ,Ä,ƒ,½,¾,ƒ,½[Luigi M Bianchi Ž[ÉŠ
'ŽÓ,μ,Û,·B,»,μ,Ä[APC98 —
pfL[ŷf{[ŷfh[Ý'èftf@fCƒ<,ì[ì[—,"æ,ñfefXfg,ì[Û,É[AĈöŽR[K'jŽ[Æ'â~a—
Ç[ŁŽ[ì,²<|—í,ª¾,ç,ê,Û,μ,½,±,Æ,đ, ,è,ª,½,Žv,ƒ,Û,·B

“® ìŠÂ<<

f\ftfgfEfGfA

Tera Term Pro ,í^È%º,ì OS ,Å“® ì,μ,Ü,·B

MS-Windows 95
MS-Windows NT

'□: Tera Term Pro ,í 32-bit fAfvfŠfP□[fVf†f“ ,Å,·BWindows 3.1 —
p,É,Í□ATera Term ver. 1.X ,đŽg—p,μ,Ä,,³/₄,³,ç□B,Ü,¹/₂□ATera Term Pro
,É•t'® ,ì **TTMACRO.EXE** ,Æ **KEYCODE.EXE** ,í 16-bit
ŽÀ□sftf@fCf<,Å,·(□«—^ 32-bit %º»,ì—\`è)□B

fn□[fhfEfFfA

f,fff€,Ü,¹/₂,Í□AfC□[fT□[f]fbfgf{□[fh,^a•K—v,Å,·B

—öžj

Tera Term, íĀ³X□A“ú- {Āĕĕ'[-fGf~f...fĀ□[f^□[,Æ,μ,ÄŠJ” ,³,ĕ,Ä,«,Ü,μ,½,ª□A
ver. 1.2 ,©,ç%opĀĕĕf,□[fh,ª%oÁ,í,ĕ,Ü,μ,½□B%opĀĕĕ Windows ,Ä,àŽg—p,·,é,±
,Æ,ª,Ä,«,Ü,·□B

Tera Term Pro ver. 2.0 Jun 7, 1996

32-bit”Ä, Telnet ,Ä,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□ĕ-
Ú(SendBreak=), f□[fg”Ô□t•t,«fzfXfg-¼(—á: "myhost.mydomain:23"),
fRf}f“fhf%ofCf“(fzfXfgfŠfXfg)'t,ìfRf□f“fg, [Setup] Serial port
f_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%oEf{f^f“□B

Tera Term ver. 1.3 Jun 7, 1996

Telnet ,Ä,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□ĕ-Ú(SendBreak=), f□
□[fg”Ô□t•t,«fzfXfg-¼(—á: "myhost.mydomain:23"), fRf}f“fhf
%ofCf“(fzfXfgfŠfXfg)'t,ìfRf□f“fg, [Setup] Serial port
f_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%oEf{f^f“□B

Ver. 1.2 Dec 18, 1995

Quick-VAN, f}fNf□fRf}f“fh'½□”Ç%oÁ (□§Āĕ□\‘ċ, subroutine, include file),
“ú- {Āĕĕ’%opĀĕĕf,□[fh, f}fEfX’ĕ□i-@•ï□X□A scroll buffer on/off,
fL□[f{□[fh□Ý'èftf@fCf<,É [Shortcut keys] fZfNfVf#f”Ç%oÁ□A ftf@fCf<“]’—
fffBfĀfNfgfŠ•Ú’ŋ%oÁ”\,É,È,é□A fRf}f“fhf%ofCf“fVfVf#f”Ç%oÁ (/FD=,
/H)□A read-only options 'Ç%oÁ (QVLog=, QVWinSize=, ZmodemAuto,
BPAuto, VTFontSpace=, HideTitle=)□B

Ver. 1.1 Jul 22, 1995

f}fNf□fRf}f“fh'½□”Ç%oÁ(ftf@fCf<□^—□□A•ŋŽš—ñ□^—□), f□f^fL□[,
□Ý'èftf@fCf<,ì read-only option (ConfirmDisconnect=), log ,Æ file
send□Alog ,Æfvf□fgfRf<“]’—,ì“~ŽžŽÄ□s,ª%oÁ”\,É,È,é□B

Ver. 1.0 Jul 3, 1995

ZMODEM, B-Plus, DEC “ÄŽĕftfHf“fg, bold font Žg—p/•sŽg—p, telnet
□Ú’±’t,É□I—¹,·,é,Æ,«,ìŠm”F, Telnet AYT, bold/blink ‘®□«,ì•ŋŽš□F□Ý'è%oü
—Ç, "Terminal size = window size" fVfVf#f“, fRf}f“fhf%ofCf“fVfVf#f”Ç
%oÁ (/W=, /X=, /Y=, /KR=, /KT=), □Ý'èftf@fCf<,ì read-only options
(XmodemLog=, BPLog=, ZmodemLog=, ZmodemEscCtl=,
ZmodemDataLen=, ZmodemWinSize=), f}fNf□□V<@”\
(pause/start/endf{f^f“, fVfXfefĕ•ï□”Ç%oÁ, fRf}f“fh'½□”Ç%oÁ, •ŋŽš—
ñ'è□”,ìASCII fR□[fh,É,æ,é•\Āĕ»)□B

Ver. 0.9 Apr 25, 1995

XMODEM, 3D dialog box (CTL3D.DLL'î%ož), XTERM sequence (title,ì•ï□X),

ftf@fCf<f}f|[]fWff, ©, ç drag&drop, Åtext file send, Popup menu, bold/blink, lfjf%[][]Ý'è (bold font"pŽ~), ANSI escape sequence (fjf %[]Žw'è, fj[]fj<•Ú'¶/•æ<A), log&file send%ü—Ç (binary, append, pause/start), log fileÄ¶¶<@"\, keyboardÝ'èftf@fCf<, lftf@fCf<-¼, đŽw'è, fj}fNf[]fRf}f"f'h'Ç%Á, fvfŠf"f^ftfHf"fjgŽw'è (read-only option), C1[]\$Æä•¶Žš-³Ž<, ,é/,μ,È,¢ (read only option), telnet binary option (read-only option)[]B

Ver. 0.8 Feb 17, 1995

f}fNf[] (Tera Term Language)[]B

Ver. 0.7 Jan 27, 1995

Local echo, VT<->TEK auto change enable/disable, TCP port#[]Ý'è, telnet enable/disable, TEK ,Æftf@fCf<"[]'—<@"\, đ DLL %», TEK color emulation, TEK line style, F10 key, fRf}f"f'hf%ofCf"•İ[]X[]B

Ver. 0.6 Oct 31, 1994

VT200 , ìescape sequence, É, æ, é key []Ý'è, User fL[]['è<, 'Help' button on dialog box, read-only options[]B

Ver. 0.5 Oct 3, 1994

JISŠ; Žš, ftf@fCf<"[]'—<@"\ (protocol , È, μ text, Kermit), window size, Æterminal size , đ"Æ—\$%», IME []\$Æä, []Ý'è[]€-Ú, ìÇ%Á, dinamic link libraries, XWINDOW •— copy&paste, transmit delay (serial port), answerback, host list, ".tt" file "pŽ~, fRf}f"f'hf%ofCf"•İ[]X[]B

Ver. 0.4 May 16, 1994

TEK , ìcopy/paste, ^ó[]ü<@"\ (VT, TEK), •\Ž![]F[]Ý'è (VT, TEK), VT , ì%æ-ÊftfCfY[]Ý'è, telnet NAW option, VT200/300 <@"\, ì^ê•", keyboard []Ý'è, Clear page, Reset terminal, Send break, Reset port[]B

Ver. 0.3 Mar 29, 1994

Telnet option negotiation, TEK GIN, window caption []Ý'è, Font []Ý'è, code •İŠ•[]Ý'è, BS key •İŠ•[]Ý'è, File Open/Save , New session, Clear buffer (VT), Clear screen (TEK), ".tt" file[]B

Ver. 0.2 X X, 1994

Port []Ý'è dialog[]BHelp , ìÆ'Æ`[]B

Ver. 0.1 X X, 1994

TCP port (Windows Sockets) 'î%ž[]BMDI Žd—l, â, ß, é[]B%Á"\ , ÈfZfbjVf}f"[]" , í[]Aserial port , í4, Â, TCP , íf[]f, fŠ, Æ Windows Sockets , ìÆÅŠ, Ü, Å[]B

Ver. 0.0 Feb 24, 1994

MDI Žd—I BSerial port ,ì,Ý Å'å4fZfbfVf#f“ BVT100, TEK4010 ,ì emulation
,ìĀ´Ē` Bcopy&paste <@"\,'.ini'file B

☐«—^,ìĈv%ooæ

TTMACRO.EXE, KEYCODE.EXE ,ì 32-bit %oo»
fCf“fXfg☐[f%oo☐[☐AfAf“fCf“fXfg☐[f%oo☐[
Win 95 ‘î%oožf_fCfAf☐fOf{fbfNfX☐Afwf<fvftf@fCf<

Šù'm,ì-â'è

TTMACRO.EXE ,Æ KEYCODE.EXE ,Í 16-bit fvf[]fOf%of€ ,Å,·[]Bf}fNf[]ftf@fCf<-
¼,É'·,çftf@fCf<-¼,đŽg—p,·,é,±,Æ,Í,Å,«,Ü,¹,ñ[]B[]«—^ 32-bit %o»,·,é—\`è,Å,·[]B

Kermit Send, Zmodem Send, Quick-VAN Send

f_fCfAf[]fOf{fbfNfX,Å,Í[]AfXfy[]fX,^a“r”†,É“ü,Á,½ftf@fCf<-¼ (—á: "abc def.dat")
,Í[]ADOS€`Ž® ("abcdef~.dat") ,Å•\Ž!,³,ê,Ä,μ,Ü,ç,Ü,·[]B,±,ì-â'è,Í[]«—
^,ìfo[]fWf†f“ ,Å%ođ€^,³,ê,é—\`è,Å,·[]B

NT 3.51 ,ì IME (“ú-{€ê“ü—ÍfVfXfef€),É,Â,ç,Ä-â'è,^a ,é[]ê[]†,Í[]A^È%o^o,ì[]€-
Ú,đ[]žÒ,É•ñ[][],μ,Ä,,³/₄,³,ç[]B

- ,Å,«,é,³/₄,`çì“l,È[]Ç[]ó
- IME ,ìŽí—p (MS-IME, ATOK ,È,Ç[]B•i[]” ,à,Á,Ä,é[]ê[]†,Í”ä,x,Ä,,³/₄,³,ç)
- MS-Office ,â^ê'³/₄~Y,È,ÇfCf“fXfg[]f<,μ,½f[][]fvf[],ìŽí—p
- "Can't use IME" ,È,Ç,ìfGf%o[]f[]fbfZ[]fW,^a,Å,é,©,Ç,α,©

fgf~f...fCE [fvf#f“

□EDEC VT100 ,Æ VT200/300 ,ì^ê•”

VT100 ,Å,í'í%ž,μ,Ä,ç,È,ç ANSI fGfXfP□[fvfV□[fPf“fX(fJf%o□[Žw'è“™),É,à'í
%ž,μ,Ä,ç,Ü,·□B

Bold (<'²)'®□«,ì•¶Žš,É'í,μ,Ä□Abold fXf^fCf<,ìftfHf“fg,ìŽg—p/•sŽg—
p,ª'í'đ,Å,«□A,Ü,½□F,đ•t, ,Ä•\Ž|,·,é,±,Æ,ª,Å,«,Ü,·□B

Blink (“_—Å)'®□«,ì•¶Žš,íŽÀ□Û,É,í“_—Å,¹, ,□A□F•t,«•¶Žš,Å•\Ž|,³,ê,Ü,·□B

”{Šp•¶Žš□AVT52 f,□[fh,É,í'í%ž,μ,Ä,ç,Ü,¹,ñ□B

□ETektronix TEK4010 ,Æ□ã^Ê<@Ží,ì^ê•”

Q & A

Q. **ŽŮ, Ö, Ì - v -] Až - â AfofO, Ì • ñ , É, Â, ç, Ä**

Q. **ŽŮ, Ö, Ì ~ A -] teranishi@rikvax.riken.go.jp , Ö, Ç, x, ¼ Bž -**
â "™, ð, , é' O, É A, Å, «, é, ¾, -, ±, ìfwf<fv, â • t' ® • ¶ ' , É "š, l, a, È, ç, ©, Ç, x, ©, ¾, a, µ, Ä, Ý, Ä, -
, ¾, ¾, ç Bfìfbfgf [fN, âfzfXfg, Ì Š Â < «, É Š Ö ~ A, , éž - â, Í A, " < ß, , Ì U, µ, ç • û, É • , ç
, Ä, Ý, Ä, , ¾, ¾, ç B

f ofO, Ì • ñ , É • ù, Í A Tera Term
, ìfo [fWf†f" , Æ A Š Ö Ç W, , é, Æ, " , à, í, ê, é ¶ • ñ (< ž í A f C [fT [fìfbfgf { [f h A T C P / I P
f†f†fg A Windows , Ì ž í - P, È, Ç), ð • t, % Á, l, Ä, , ¾, ¾, ç B

Q & A **W - v -] Až - â AfofO, Ì • ñ , É, " Ç, Ý, , ¾, ¾, ç B**

Q. Windows 3.1 , Å Tera Term , Í " ® , «, Ü, , © ?

A. Tera Term Pro , Í " ® , «, Ü, ¹, ñ B Windows 3.1 - p, É, Í A Tera Term ver. 1.X
, ðž g - p, µ, Ä, , ¾, ¾, ç B, µ, l, ç, , Ì Š Ö, Í Tera Term ver. 1.X , Ì Š " , ð Ç P ± , , é - \ ' è, Å, • B

Q. Tera Term , Ì A " V " Å, Í, Ç, ±, Å " üž è, Å, «, Ü, , © ?

A. ^ È % ° , Ì anonymous ftp f†f†fg, ìff†B†f†f†N†fg†š, ©, ç " üž è, Å, «, Ü, • B

ftp://riksun.riken.go.jp/pub/pc/misc/terminal/teraterm/

ftp://utsun.s.u-tokyo.ac.jp/PC/terminal/teraterm/

([ä < L, ì†f†fg [A†f†B†f†f†N†fg†š, Í « - ^ • Ì X, ¾, è, é % Á " \ «, a, , è, Ü, • B)

, Ü, ½ [ANIFTY-Serve , Å, à " üž è % Á " \, Å, • B (GO FILEFIND , Å Ç Ý [ð, µ, Ä, , ¾, ¾, ç B)

Q. NIFTY-Serve , â PC-VAN , È, Ç, Ì BBS , É Š Ö, , éž - â B

A. NIFTY-Serve , ìfg†"†fg

PC-VAN , ìfg†"†fg

, ð " Ç, ñ, Å, , ¾, ¾, ç B

Q. fzfXfg, É U' ±, Å, «, Ü, ¹, ñ B

A. ^ È % ° , Ì, ±, Æ, ð Š m " F, µ, Ä, Ý, Ä, , ¾, ¾, ç B

f†f†"†fg [f<f†f†f<, ìfbfgf [fN, Ì Y' è B

'¼, Ì TCP/IP f†f†š†f†P [f†f†f†" , Ìž g, l, Ü, , © ? ('¼, Ì Windows - p telnet, FTP,

WWW fuf%ofEfU, DOS , Ì telnet , È, Ç)

fzfXfg - ¼, Ü, ½, Í IP f†f†f†f†X, Í, , Å, Ä, Ü, , © ?

'¼, ì†f†f†f†" , Å, » , ìfzfXfg, É U' ±, Å, «, Ü, , © ?

Q. f†f†C†f†f†f†f†v TCP/IP (PPP) U' ±, Å A Tera Term , ðž g, x, É, Í, Ç, x, µ, ½, ç, æ, ç
, Ì, Å, , © ?

A. Tera Term ,δ<N“ ®,·,é‘O,É□APPP □Ú‘±,δŠm—š,μ,Ä,,¾,¾,ç□BWindows 95 ,ì□ê□±,í□A□uf_fCfAf<fAfbfv flfbfgf□□[fN□v,δŽg—p,μ,Ü,·□BPPP □Ú‘±,ÉŠÖ,·,é□Ý‘è- @,É,Ä,ç,Ä,í□AWin 95 ,ìfwf<fv,δCE©,é,©□Afvf□fofCf_□[.É•,ç,Ä,,¾,¾,ç□BPPP □Ú‘±,±Šm—š,μ,½,ç Tera Term ,δ<N“ ®,μ□A[File] New connection fRf}f“fh,Ä□AfzfXfg-¼,Ü,½,í IP fAfhfCEfX,δ“ü—í,μ,ÄfzfXfg,É□Ú‘±,δ,μ,Ü,·□BPPP □Ú‘±,ì□ê□±□AfVfŠfAf<f|□[fg,ìfVfXfef€ ,±□§CEä,μ,Ü,·□B Tera Term ,ìfVfŠfAf<f| □[fg□Ú‘±<@“\,í□A□]—^ ,ìfpf\fRf““É□M“I□Ú‘±,ì,½,β,ì,à,ì,Ä□APPP □Ú‘± ,Æ,íŠÖEW, ,è,Ü,¹,ñ□B

Q. PC98 ,Ä Ctrl+\ ,±“ü—í,Ä,«,Ü,¹,ñ□B

A. Ctrl+\ ,ÉCEÀ,ç, ,□A, ,é□§CEä•¶Žš,±“ü—í,Ä,«,È,ç- â‘è,ìft□[fU□[fL□[‘è<` ,δ,·,é,±,Æ,Ä%øδCE^ ,Ä,«,Ü,·□B□Ú,μ,- ,í□ufL□[f{□[fh□Ý‘èftf@fCf<□v,δ“Ç,ñ,Ä,,¾,¾,ç□B

Q. Zmodem Send “™ ,ìf_fCfAf□fof{fbfNfX,Ä□AfXfy□[fX•¶Žš,δšÜ,±ftf@fCf<- ¼,±•\Ž|,¾,ê,Ü,¹,ñ□B

A. □uŠù‘m,ì-â‘è□v,δ“Ç,ñ,Ä,,¾,¾,ç□B

Q. f}fNf□ftf@fCf<-¼,É‘·,çftf@fCf<-¼,±Žg,!,Ü,¹,ñ□B

A. □uŠù‘m,ì-â‘è□v,δ“Ç,ñ,Ä,,¾,¾,ç□B

Q. IME (“ú-{CEê“ü—ìfVfXfef€),ÉŠÖ,·,é-â‘è□B

A. □uŠù‘m,ì-â‘è□v,δ“Ç,ñ,Ä,,¾,¾,ç□B

Q. **[Edit] Paste (Copy)** ,ì fVf#□[fgf]fbfgfL□[.í Alt+V (Alt+C)

,É,È,Á,Ä,Ü,·,±□A•□‘É,í Ctrl+V (Ctrl+C) ,Ä,í,É,ç,ì,Ä,·,©?

A. Ctrl+V ,í□AfzfXfg,É ^V •¶Žš,δ‘—□o,·,é,½,β,ÉŽg,±

,Æ,±, ,é,ì,Ä□AffftfHf<fg,Ä,í□AfVf#□[fgf]fbfgfL□[.É,μ,Ä,ç,Ü,¹,ñ□BCtrl+V ,δ **[Edit]**

Paste ,ìfVf#□[fgf]fbfgfL□[.É,·,é•û-@,í□A□ufVf#□[fgf]fbfgfL□[.ì□Ý‘è□v,δ“Ç,ñ,Ä,- ,¾,¾,ç□B

Q. -^ŽĐ,ì unix ,Ä,í□AŽÀ□s‘t,ìfvf□fof%of€,δ‘t‘f,·,é,ì,É DEL fL□[.δ

%oÿ,μ,Ü,·,±□ATera Term ,Ä,í Delete (,Ü,½,í DEL) fL□[.δ%oÿ,μ,Ä,àfvf□fof%of€ ,δŽ~,β,ç,ê,Ü,¹,ñ□B

A. ,±,±,ÄCE¾,±□uDEL fL□[.δ%oÿ,·□v,Æ,í DEL fR□[fh (\$7F) ,ì‘—□o,δ^Ó-

ì,μ,Ü,·□BTera Term ,ìffftfHf<fg,Ä,í□APC fL□[f{□[fh,ì "Delete" (,Ü,½,í "DEL")

fL□[.í□AVT ‘[--,ì"Remove" fL□[.ÉŠ,,,è“-Ä,Ä, ,è□ADEL fR□[fh,ì‘—□o,μ,Ü,¹,ñ (VT

‘[--,É DEL fL□[.í,É,ç,ì,Ä)□BDelete fL□[.Ä DEL fR□[fh,δ‘—□o,¾,¾,é,É,í□A^È

%oº,ì,æ,±,É **KEYBOARD.CNF** ,δ□‘,«Š·,!,Ä%oº,¾,¾,ç□B

IBM-PC/AT 101 (106) fL□[f{□[fh,ìê□±

[User keys]

User1=339,0,\$7F

PC-9801 fL[f{[fh,ìê#

[User keys]

User1=57,0,\$7F

Ú,μ,,íufL[f{[fhY'èftf@fCf<v,ð“Ç,ñ,Å,,¾,³,çB

Q. %½,©,ì”žq,É TEK window ,äÿŽè,ÉŠj,ç,Ä,μ,Ü,æ
ì,Å,·,ªA,É,ñ,Æ,©,É,è,Ü,¹,ñ,©?

A. [Setup] Terminal ,Å **Auto change (VT<->TEK)** ,Æ,ç,æ€-Ú,ð off
É,μ,Ä,,¾,³,çBOn ,É,É,Á,Ä,ç,é,ÆATEK4010 ,Æ,ç,æOf%ftfBfbfN'[--
,ìRf“fgf[f<fv[fPf“fX,ðŽóM,μ,½,Æ,« TEK window ,äŽ©“®“l,ÉŠj,«,Ü,·B

Q. XMODEM/ZMODEM/B-Plus/Quick-VAN ,É,æ,éftf@fCf<“]’—,ª,æ,Ü,,ç
,«,Ü,¹,ñB

Q. fffj...[.ì **XMODEM/ZMODEM/B-Plus/Quick-VAN** ,äŠD[F,É,È,Á,Ä,ç
,ÄŽg,ì,Ü,¹,ñB

A. uXMODEM ,ìfqf“fgv
uZMODEM ,ìfqf“fgv
uB-Plus ,ìfqf“fgv
uQuick-VAN ,ìfqf“fgv

ð“Ç,ñ,Å,,¾,³,çB

Q. fXfNf[f<fofbftf@,ì—É,ð800s^Èã,É,Å,«,Ü,¹,ñ,ªA,à,Á,Æ‘,â,¹,Ü,¹,ñ,©?

A. Win 3.1 —p,ì Tera Term ,Å,í,Å,«,Ü,¹,ñBWin 95, Win NT —p,ì Tera Term
Pro ,Å,ìfXfNf[f<fofbftf@,ì—É,ðÅ‘â10000s,Ü,ÅY‘è,Å,«,Ü,·B

Q. f}fNf,ð,Â,©,Á,ÄAf,fff€,ÉY‘èRf}f“fh (AT...),ð•i”s’—,è,æ
,Æ,μ,Ü,μ,½,ªA’—,é,ì,ª’—,·,–,Äf,fff€,ªRf}f“fh,ð³í,É,æ,–,Ä,–,Ü,¹,ñB

A. f,fff€,É,æ,Á,Ä,íA, ,éRf}f“fh[s,ð^—,μ,Ä,éŠÔ,ÉAZÿ,ìRf}f“fh,ª’—
,ç,è,Ä,,é,ÆA^—‘t,ìRf}f“fh,ðfLfff“fZf<·,éA,Æ,ç,æ,æ,æ,É,à,ì,ª, ,è,Ü,·Bf,fff€
,©,çuOKv,ª—^,½,ì,ðŠm”F,μ,½CEã,ÉŽÿ,ìRf}f“fh,ð’—,é,æ,æ
,É,·,é,©A[Setup]Serial port ,Å **Transmit delay** ,ì msec/line
,ìl,ð‘,â,μ,Ä,Ý,Ä,,¾,³,çB(—á,ì,ì 200 msec/line ,É,·,é)

Q. Çerü,ª¼Špfj^fjfi,É%»»,–,Ä,μ,Ü,ç,Ü,·B

A. fRf“fgf[f<fpjlf<,ðŽg,Á,Ä•t’®,ìftfHf“fg (**TSPECIAL.TTF**)
,ðfCf“fXfg[f<,μ,Ä,,¾,³,çB

Q. Çerü (DEC “ÁŽêftfHf“fg),ð•\

Žì,³,¹,é,ÆAü,ÉCE,,ŠÔ,ª,Å,«,½,èA•Ó,ÆŠp,ª,È,ß,ç,©,É,Â,È,ª,ç,È,©,Á,½,è,μ,Ü,·
B

A. Tera Term ,Å,í DEC “ÁŽêftfHf“fg,ð•\Žì,³,¹,é,½,ßA“ÆŽ©,ì True Type

ftfHf“fg”Tera Special” (TSPECIAL.TTF) ,đ—p,č,Û,·□B%œ-Ê,É•\
Ž,³,¹,é,Æ,«,í□A•□’Ê,ì•¶Žš,ìftfHf“fg,Æ”~,¶’â,«,³,ÉfXfP□[f<,μ,Û,·,ª□A,»,)“{—
|,É,æ,Á,Ä,í□ACer□ü,ÉCE,,ŠÔ,ª,Â,«,é,È,Ç,ì-â’è,ª”□¶,μ,Û,·□B,³,Û,´,Û,È’â,«,³□A□c%
;”ä,ìftfHf“fg,É ”Tera Special” ,đŠ®’S,É“K□‡,³,¹,é,ì,í•s%œÂ”\
,È,ì,Å□A•□’Ê,ì•¶Žš,ìftfHf“fg,ìŽí—p,â’â,«,³,đ,č,ë,č,ë•Ī,Ī,Å□A-â’è,ª<N,«,É,č
,à,ì,đŽg—p,μ,Ä,,³/₄,³,č□B

Q. Š;Žšf,□[fh,đ **JIS** ,â **EUC** ,É,μ,½,Æ,« Shift-JIS ,ìŠ;Žš,đŽó□M,·,é,Æ Tera
Term ,ªfnf“fOfAfbfv,μ,Û,·□B

A. □uC1 □§CEä•¶Žš,đŽg—p,μ,È,č□v,æ,ɤ,É□Ý’è,μ,Ä,,³/₄,³,č

Q. [Setup] Terminal ,Å **Kanji-Out** ,đ□Ý’è,μ,æ,ɤ,Æ,μ,Û,μ,½,ª□A ^[(H
,³/₄,´,ªŠD□F,É,È,Á,Ä’Ī’đ,Ā,«,Û,¹,ñ□B

A. □u□³,μ,,È,č "Kanji-Out" ,đŽg—p%œÂ”\,É,·,é□B□v,đ“Ç,ñ,Ā,,³/₄,³,č□B

—pCEêW

B-Plus

fAf[]šfj,ì BBS[]ACompuServe ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]B“ú-
{,Å,í NIFTY-Serve ,ÅŽg—p,³,ê,Ä,ç,Ü,·[]B

Kermit

fAf[]šfj,ìfRf[]f“frfA‘âŠw,ÅŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BKermit
fvf[]fgfRf<,É‘í%ž,μ,½f\ftfg,ª[]A‘½,,ì PC, OS —p,ÉŠJ” ,³,ê,Ä,ç,Ü,·[]BTera Term ,ì
Kermit ,í[]i,ì,Æ,±,ěŠî-{}“l<@”\,μ,©Ž[]Á,Ä,ç,È,ç,ì,Å[]A-{}%øÆ,ì Kermit
,É”ä,x,é,Æ“]’—‘¬“x,ª, ,Ü,è¬,, ,è,Ü,¹,ñ[]B

Quick-VAN

“ú-{} ,ì BBS[]APC-VAN ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BXMDEM
fvf[]fgfRf<,đfx[]fX,É,μ,Ä,é,æ,x,Å,·,ª[]A“]’—‘¬“x,đ, ,°,é,½,ß,ì[]H·v“™ ,ª,È,³,ê,Ä,
ç,Ü,·[]B

TCP/IP

fCf“f^[]f[]fbfg,ÅŽg—p,³,ê,Ä,ç,éff[]f^“]’—,đ[]\$CEä,·,é,½,ß,ìfvf[]fgfRf<[]B

TEK4010

Tektronix ŽĐ,ì‘[--,ì-¼‘O,Å,·[]B[]},âfOf%øfv,È,Ç,đ·\Žì,·,é,±,Æ,ª,Å,«[]A,©,Ä,Ä,í
%øÈŠw<Z[]pCEn,ì•ª-ì,Å[]L,—p,ç,ç,ê,Ä,ç,½,æ,x,Å,·[]BCE»[]Ý,í[]AX Window
ŠÂ««,È,Ç,ÉŽæ,Ä,Ä‘Ö,í,ç,ê,Ä,Ä, ,è,Ü,·,ª[]ATEK fGf~f...fCE[]f^[][,đŽg—p,μ,Ä,ç
,é[]l,í,Ü,¾,Ü,¾,ç,Ü,·([]žÒ,àŠÜ,ß,Ä)[]B‘â•“•ª,ìft[]fU[][,í Tera Term ,ì TEK
fGf~f...fCE[]fVf#f“<@”\,đŽg,x,±,Æ,í,È,ç,Å,μ,â,x[]B

TEK window

TEK ‘[--,ìfGf~f...fCE[]fVf#f“ ,đ,·,éEfBf“fhfE,Å[]Af^fCfgf<•¶Žš—ñ,ìê”Ô
%øE,É[]uTEK[]v,Æ·\Žì,³,ê,Ä,ç,Ü,·[]BTera Term ,đ<N“® ,μ,½,Æ,«,í\
Žì,³,ê,Ü,¹,ñ[]B[Control] Open TEK fRf}f“fh,Å[]ATEK window ,đŠJ,,±
,Æ,ª,Å,«,Ü,·[]B

Telnet

TCP/IP ,đŽg—p,μ[]AfzfXfgfRf“fsf...[]f^[][,Æ‘[--,đ[]Ú‘±
,·,é,½,ß,ìfvf[]fgfRf<[]B[]Å<ß,í[]ANifty-Serve ,È,Ç,ì BBS ,É[]Ú‘±,·,é,½,ß,É,àŽg—
p,³,ê,Ä,ç,Ü,·[]B

VT100

DEC ŽĐ,ì‘[--,ì-¼‘O,Å,·[]B,©,Ä,Ä[]AUnix ,â VAX/VMS “™,ìfRf“fsf...[]f^[][,ì‘[--
,Æ,μ,Ä[]L,—p,ç,ç,ê,Ä,ç,Ü,μ,½[]BCE»[]Ý,í[]A VT100 ,» ,ì,à,ì,í,Ü,Æ,ñ,ÇŽg—
p,³,ê,Ä,ç,Ü,¹,ñ,ª[]A,» ,ìžd—l,ªŽ—ŽÀ[]ã,ì•W[]€,Æ,È,Ä,Ä,ç,é,½,ß[]APC ,â
f[][]fNfxfe[]fVf#f“ ,Å“®, VT100 fGf~f...fCE[]f^[][,ª½,[]ç,ê,Ä,ç,Ü,·[]BVT220

,â VT382 ,È,Ç,Í□AVT100,ì□ã^ÊÆÝŠ·'[-,ì-¼'O,Å,·□B

VT window

Tera Term ,ìf□fCf“fEfBf“fhfE,ì,±
,Æ,Å,·□B<N“® ,μ,½,Æ,« ,ÉÆ» ,ê,éfEfBf“fhfE,Å□Af^fCfGf<•¶Žš—ñ,ì^ê”Ô
%oE,É□uVT□v,Æ•Ž! ,³,ê,Ä,ç,Û,·□BVT '[-,ìfGf~f...fCE□[fVf#f“ ,ð,μ,Û,·□B

Winsock

Windows Sockets ,ì—^a□BMS-Windows ,Å TCP/IP ŠÅ<« ,ðŽÀÆ» ,· ,é,½,β,ìf\
ftfgfEfGfA,ì<KŠi□BWINSOCK.DLL ,Æ,ç,xfxf@fCf<,ðŠÛ,pf\ftfg,ð Windows
,ÉfCf“fXfG□[f<,· ,é,Æ□Atelnet, WWW, ftp ,È,Ç,ì TCP/IP ,ðŽg—
p,· ,éfAfvfŠfP□[fVf#f“ ,^aŽg—p%oÅ“\,É,È,è,Û,·□BWindows 95 ,Æ Windows NT
,É,í Winsock 'í%ožf\ftfg, ^a•W□€“Y•t,³,ê,Ä,ç,Û,·□B

XMODEM

1977 "N,É Ward Christensen ,É,æ,Á,ÄŠJ” ,³,ê,½ftf@fCf<“]’—
fvf□fgfRf<□B,» ,ìCEã XMODEM/CRC, XMODEM-1k ,È,Ç,ìŠg’f\fvf□fgfRf<, ^aŠJ”-
,³,ê,Û,μ,½□B“]’—’—“x, ^ax,ç□A8-bit fR□[fh,· ,x,Ä,ðÊ,·Ê□M%oñ□ü,Å,È,¯ ,é,ìŽg—
p,Å,« ,È,ç,È,Ç,ì□SCEÀ, ^a ,è,Û,·□B

YMODEM

XMODEM ,ðŠg’f\ ,μ,½ftf@fCf<“]’—fvf□fgfRf<□B,È,°,© Tera Term ,Å,íí
%ož,μ,Ä,ç,Û,¹,ñ□B

ZMODEM

XMODEM, YMODEM ,ð(,» ,ê,ç,ìCE’CE` ,ð,Æ,Ç,β,È,ç,Û,Ç,É)%oü—
Ç,μ,½ftf@fCf<“]’—fvf□fgfRf<□BfGf%o□[’ù□³<@“\, ^a<-
%o» ,³,ê□A□SCEä•¶Žš,ì^ê•” ,ðÊ,³,È,ç%oñ□ü,É,à’í%ož,μ□A“]’—’—“x,ð, ,° ,é,½,β,ì
□H•v, ^a,É,³,ê,Ä,ç,Û,·□B

fL[f{[fh

IBM-PC/AT 101 (106) fL[f{[fh^ÈŠO,lfL[f{[fh,đŽg—
p,,:éêëþ,âAŽ©•ª,ìD,«,ÉfL[’è<` ,É,μ,½,çêëþ,lfL[f{[fhY’èftf@fCf<,đ’ ,«Š·
,l,Ä,,¾,¾,çB

,»,ì¼,ìY’è,í [Setup] Keyboard ,Å,Å,«,Ü,·B

f^fL[(Meta key)

[Setup] Keyboard ,Å **Meta key** ,đ’l’đ,,:é,ÆAAIt fL[,đf^fL[,Æ,μ,ÄŽg,α
,±,Æ,ª,Å,«,Ü,·B—á,ì,îAAIt+A ,đ%oY,·,ÆAESC A ,đ’—
o,μ,Ü,·Bf^fL[f,[fh,Å,íA^È%o,ìfVfþ[fgf]fbfgfL[,íê” ,đœ,ç,ÄŽg—
p,Å,«,É,,É,è,Ü,·B

fVfþ[fgf]fbfgfL[

VT window

fqf“fg: ufVfþ[fgf]fbfgfL[,ìY’èv

Alt+C ,Ü,½,í **Ctrl+INS**

f}fEfX,Å’l’đ,μ,½•¶Žš—ñ,đfNfŠfbfvf{[fh,ÖfRfs[,μ,Ü,·B

Alt+V ,Ü,½,í **Shift+INS**

fNfŠfbfvf{[fh,ì’t,ì•¶Žš—ñ,đfzfXfg,Ö’—o,μ,Ü,·B

Alt+R

fNfŠfbfvf{[fh,ì’t,ì•¶Žš—ñ,đfzfXfg,Ö’—o,μA’±,ç,Ä%oü[sfR[fh,à’—
o,μ,Ü,·B

Alt+T

Telnet ,ì AYT (Are You There) fRf}f“fh,đ’—o,μ,Ü,·B’ÊifzfXfg,í,±
,ê,ÉCEÄ%ož,μ,Ä%o½“™ ,©,ìfþbfZ[fW,đ’—,è•Ô,μ,Å,«,Ü,·BTelnet
Ú’±,ì,Æ,«,¾,¾,Žg—p,Å,«,Ü,·B

Alt+B

fufCE[fN[M]t,đ’—o,μ,Ü,·B

Alt+F4

Tera Term ,đl—¹,μ,Ü,·B

Ctrl+Esc

fAfvfŠfP[fVfþ“ ,ìØ,è’Ö,ì,đ,μ,Ü,·B

TEK window

Alt+C ,Ü,½,í **Ctrl+INS**

f}fEfX,Å’l’đ,¾,ê,½—ì^æ,ì%oæ’œ,đfNfŠfbfvf{[fh,ÖfRfs[,μ,Ü,·B

Alt+V ,Ü,½,í **Shift+INS**

VT window ,Æ“~,¶B

Alt+R

VT window ,Æ“~,¶□B

Alt+F4

TEK window ,ð•Â,¶,Ü,·□B

Ctrl+Esc

VT window ,Æ“~,¶□B

f}fEfX

VT window

□¶f{f^f“ ,Åfhf%fbfO

• ¶Žš—ñ,đ'í'đ,μ□A,» ,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

□¶f{f^f“ ,đf_fuf<fNfŠfbfN

1Āê'í'đ,μ□A,» ,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

□¶f{f^f“ ,đfgfŠfbfvf<fNfŠfbfN

1□s'í'đ,μ□A,» ,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

%oE,Ü,½,í'tf{f^f“ ,Åfhf%fbfO

• ¶Žš—

ñ,đ'í'đ,μ□A,» ,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,μ□A,³,ç,É,» ,ê,đfzfXfg,Ö'—
□o,·,é□B

%oE,Ü,½,í'tf{f^f“ ,đfNfŠfbfN

fNfŠfbfvf{□[fh,ì't,ì•¶Žš—ñ,đfzfXfg,Ö'—□o,·,é□B

f^fCf^gf<fo□[,ì□ã,Å□¶f{f^f“ ,đf_fuf<fNfŠfbfN

fEfCf“fhfEfTfCfY(fEfCf“fhfE,ìŽÀ□Ü,ì'ã,«,³),af^□[f~fif<fTfCfY('[-,ì~_—
□“l,É%œ-Ê,ì'ã,«,³)
,Æ^Ü,È,é,Æ,«□AfEfBf“fhfEfTfCfY,đf^□[f~fif<fTfCfY,Æ“~,¶,É,È,é,æ,α
,É•ì□X,μ,Ü,·□B,» ,ìĀã□A,à,α^ê“xf^fCf^gf<fo□[,đf_fuf<fNfŠfbfN,·,é,Æ□A,
à,Æ,ìfEfCf“fhfEfTfCfY,É-β,è,Ü,·□B

Ctrl fL□[,đ%oŸ,μ,È,ª,ç□¶f{f^f“ ,đfNfŠfbfN

f□fj...□fo□[,ª,È,~,ê,ì□Af|fbfvfAfbfv□fj...□[,ªĀ» ,ê,Ü,·□Bf□fj...
□fo□[,đ□Á,·,É,ì□A[Setup] Window ,Å **Hide menu bar** ,đ'í'đ,μ,Ä,-
,¾,³,ç□B

Alt fL□[,đ%oŸ,μ,È,ª,ç□¶f{f^f“ ,ÅfEfBf“fhfE,đfhf%fbfO

Tera Term ,đ /H (hide title)
f|fvfVf†f“ ,Å<N“® ,μ,½□ê□#□AfEfBf“fhfE,đ^Ú“® ,μ,Ü,·□B

Alt fL□[,đ%oŸ,μ,È,ª,ç%oEf{f^f“ ,đfNfŠfbfN

Tera Term ,đ /H (hide title)
f|fvfVf†f“ ,Å<N“® ,μ,½□ê□#□AfEfBf“fhfE,đ□Å□-%o» ,μ,Ü,·□B

ftf@fCf<,đfhf%fbfO,μ□AfEfBf“fhfE,Éfhf□fbfv

ftf@fCf<,đ—□M,μ,Ü,·□BŠžŽšfR□[fh□A%ü□sfR□[fh,í•iš·,³,ê,Ü,·□B

TEK window

␣␣{f^f“ ,Åfhf%fbfO
%æ'œ,đ'đ,μ,Û,·B

%E,Û,½,í'tf{f^f“ ,đNfŠfbfN
VT window ,Æ“~,␣B

CtrlfL␣[,đ%Ÿ,μ,È,ª,ç␣{f^f“ ,đ%Ÿ,·
VT window ,Æ“~,␣B

faq“fg

Tera Term ,ìŸ’è-@
fŸO,ìŽæ,è•ûAŸŸO,ìÄŸ<@”\
NIFTY-Serve ,ìfaq“fg
PC-VAN ,ìfaq“fg
XMODEM ,ìfaq“fg
ZMODEM ,ìfaq“fg
B-Plus ,ìfaq“fg
Quick-VAN ,ìfaq“fg
fVf‡[faq]fbfgfL[L,ìŸ’è

Tera Term ,ìÝ'è-@

Tera Term ,ìÝ'è,íA[Setup] fff...[,ìRf}f“fh,Å,Ù,Æ,ñ,Ç,“,±,È,±,±,
,Æ,ª,Å,«,Ü,·B,Ü,½AÝ'èftf@fCf<,ð¼Ú•ÒW,;é,±
,Æ,É,æ,Á,ÄA,æ,èx,©,çÝ'è,ðs,±,Æ,ª,Å,«,Ü,·B
“ Tera Term Ý'èftf@fCf<,ìÇ,Ýž,Ýé—pflfvfVfzf“

f[]fO, iZæ, è, ©, 1/2[]Af[]fO, i[]Ä[]¶[]<@""\

f[]fO (log) <@""\, ð, Â, ©, ¤, Æ[]AfzfXfg, ©, ç'—, ç, ê, Ä, «, 1/2•¶Žš, ðftf@fCf<, É•Û'¶, ·, é, ±, Æ, ¢, Ä, «, Ü, ·[]B

f[]fO, iZæ, è, ©, 1/2

^È%°°, iZè[]¶, É, µ, 1/2, ¢, Ä, Ä, , 3/4, ¢, ¶[]B

1. [File] Log fRf}f"fh, ðŽÀ[]s, ·, é[]B

2. "Tera Term: Log" f_fCfAf[]fOf{fbfNfX, ¢Æ» , é, é[]B
•Û'¶, ·, éftf@fCf<, ðftf@fCf<-1/4, ð **File Name:** , É"ü—í, ·, é[]B

Binary , ð'l'ð, ·, é, Æ[]AfzfXfg, ©, ç'—
, ç, ê, 1/2•¶Žš, í, ·, x, Äftf@fCf<, É[]', «[]ž, Ü, ê, é[]B

Binary , ð'l'ð, µ, È, ç, Æ[]AŠ; Žš[]A
%°ü[]sfR[][fh, í•İŠ, , ¢, ê, Ä[]', «[]ž, Ü, ê, é[]BfGfXfP[][fvfV[][fPf"fx, í[]', «[]ž, Ü, ê, È,
ç[]B

Append , ð'l'ð, ·, é, Æ[]Aftf@fCf<, ¢, ·, Ä, É'¶[]Ý, ·, é[]è[]¶[]A'Ç

%°Á, µ, Ä[]', «[]ž, Ü, ê, é[]B

Append , ð'l'ð, µ, È, ç, Æ[]Aftf@fCf<, ¢, ·, Ä, É'¶[]Ý, ·, é[]è[]¶[]A[]ä[]', «, ¢, é, é[]B

3. OKf{f^f", ð%°ÿ, ·, Æ[]A"Tera Term: Log" , Æ, ç
, ¤fAfCfRf", ¢Æ» , é[]Af[]fO, ¢ŠŽn, ¢, é, é[]Bf[]fO, ðŽæ, Ä, Ä, ç, éŠÔ, à[]A^ê•", i[]<@""\
, ð[]œ, ç, Ä, ·[]É, É Tera Term , ðŽg—p, ·, é, ±, Æ, ¢, Ä, «, é[]B

4. f[]fO, ð[]|—

¹, µ, 1/2, è[]A't'f, µ, 1/2, ç[]è[]¶, í[]AfAfCfRf", ðf_fuf<fnfšfbfN, µ, Ä_fCfAf[]fOf{fbfNfX
, ð•\Ž|, ¢, ¢[]A**Close** , Ü, 1/2, í **Pause** f{f^f", ð%°ÿ, ·[]B**Pause** f{f^f", ð
%°ÿ, ·, Æ**Start** f{f^f", É•İ, í, é, Ì, Ä[]A, » , é, ð%°ÿ, ·, Æf[]fO, ¢[]ÄŠ], ¢, é, é[]B

•Û'¶, µ, 1/2ftf@fCf<, í[]A[]uf[]f, ' []v""™ , ðGfffBf^, ÄÆ©, é, ±
, Æ, ¢, Ä, «, Ü, ·, ¢[]AfGfXfP[][fvfV[][fPf"fx""™ , ðŠÜ, ñ, 3/4ftf@fCf<, í[]Af[]fO, i[]Ä[]¶[]<@""\
, ðŽg, Ä, ÄÆ©, é, Æ•Ö—~ , Ä, ·[]B

f[]fO, i[]Ä[]¶[], i, µ, ©, 1/2

fvf[]fOf%°f[]f}f[][fWff, âftf@fCf<f}f[][fWff, ðŽg, Ä, Ä[]AfRf}f"fhf%°fCf", ð[]A

TERATERM /R=<f[]fOf[]f@fCf<-1/4>

, Ì, æ, ¤, ÉŽw'è, µ, Ä Tera Term

, ðŽÀ[]s, µ, Ü, ·[]B, ·, é, Æ[]A, , 1/2, ©, àfzfXfg, ©, ç•¶Žš, ¢'—, ç, ê, Ä, «, 1/2, ©, Ì, æ, ¤

,É□Af□fOftf@fCf<,ð□Ä□¶,·,é,±,Æ,ª,Å,«,Ü,·□B

,Ü,½,Í□A[File] New connection ,Å **Host:** ,ì□Š,É

/R=<f□fOftf@fCf<-¼>

,Æ“ü—í,μ,Ä,à□Af□fOftf@fCf<,ª□Ä□¶,Å,«,Ü,·□B

NIFTY-Serve ,lfqf“fg

NIFTY-Serve ,Ö, ì telnet □Ú' ±-@,ª, í, ©, ç, È, ç □ê □±, í □A □]— ^, ì • û-@ (, ç, í, ä, é f p f \ f R f “ “ Ê □ M), Å NIFTY-Serve ,Ö □Ú' ±, µ □A "GO TELNET" f R f } f “ f h, Å TELNET f □ f j f ... □[, Ö □ s, « □ A telnet □Ú' ±, ì ^ Å “ à (telnet to NIFTY Serve) ,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Š ž Š f, □ [f h, ì □ Y ' è

[Setup] Terminal , Å Š ž Š f, □ [f h, ì □ Y ' è, ð, µ, Ä, , ¾, ¾, ç □ B ' Ê □ í, í □ A Ž ó □ M □ A ' — □ M, Æ, à **SJIS** (Shift-JIS) , É, µ, Ü, · □ B

f □ f O f C f “ Ž ž, ì f v f □ f “ f v f g "Enter Connection-ID --->" , Å "SVC" , Æ “ ü — í, ·, é, Æ, «, É ^ È % ° °, ì, æ, x, É f l f v f V f # f “ , ð • t, ~ % ° ° Á, ì, é, ±, Æ, É, æ, è Š ž Š f R □ [f h, ì Ž í — p, º Ž w ' è, Å, «, Ü, · □ B Tera Term ' x, ì Š ž Š f R □ [f h, ì □ Y ' è, à, » , è, É, í, ¹, Å % ° °, ¾, ç □ B

Connection-ID Tera Term , ì Š ž Š f, □ [f h

SVC , Ü, ½, í **SVC/SJISSJIS**

SVC/EUC **EUC**

SVC/NJS1 **JIS**, Kanji-In: **ESC\$B**, Kanji-Out: **ESC(J**

SVC/OJS1 **JIS**, Kanji-In: **ESC\$@**, Kanji-Out: **ESC(J**

ftf@fCf<, ì f A f b f v f □ □ [f h □ A f _ f E f “ f □ □ [f h, ·, é □ ê □ ± □ A

□ u B-Plus , lfqf“fg □ v

□ u XMODEM , lfqf“fg □ v

,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

PC-VAN ,lfqf“fg

Š;Žšf,[]fh,ì[]Ý’è

[Setup] Terminal ,ÅŠ;Žšf,[]fh,ì[]Ý’è,đ,μ,Ä,,³/₄,³,ç[]B’Ê[]í,í[]AŽó[]M[]A’—[]M,Æ,à
SJIS (Shift-JIS) ,É,μ,Ü,·[]B

Telnet ,Å PC-VAN ,É[]Ú’±

,μ[]Aftf@fCf<,lfAfbfvf[]fh[]Af_fEf“f[]fh,đ,·,é[]ê[]‡,í[]A•K, ,fofCfifŠflfvfVf‡“ ,Å[]Ú’
±,μ,Ä,,³/₄,³,ç(1996“N6ĀŽĀ>[]Ý)[]B[]Ú,μ,,í[]A[]uQuick-VAN ,lfqf“fg[]v,đ“Ç,ň,Å,-
,³/₄,³,ç[]B

XMODEM ,lfqf“fg

XMODEM ,í□A8 bit fR□[fh (\$00-\$FF ,ì•¶Žš,·,×,Ä),đŠ®‘S,É’É,·%ñ□ü,đ—p,ç,È,ç ,ÆŽg—p,Å,«,Ü,¹,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data,^a 7 bit ,³/₄,Á,¹/₂,è□Aftf□□[□\$CEä,^a Xon/Xoff ,³/₄,Á,¹/₂,è,·,é,Æ□AXMODEM ,^aŽg,ì,Ü,¹,ñ□B[Setup] Serial port ,Å **Data** ,đ **8** bit ,É,μ□**Flow control** ,đ **hard** (CTS/RTS) ,© **none** ,É,μ,Ä,³/₄,³,ç□Bf,ff€(fzfXfg)’æ,ì□Ý’è,à“⁻,¶,É,μ,Ä,-³/₄,³,ç□B

Telnet ,ì□ê□‡

,à,μ□³,μ,“]’—,Å,«,È,ç□ê□‡,ífofCfifŠf|fvfVf‡f“ ,Å telnet □Ú’±,μ,Ä,Ý,Ä,-³/₄,³,ç□BfofCfifŠf|fvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /**B** f|fvfVf‡f“ ,đ,Â,⁻,é,©□A

Tera Term □Ý’èftf@fCf<,đ□’,«Š·,ì,Ä,³/₄,³,ç□B
□” Telnet ,ífofCfifŠf|fvfVf‡f“

,Ç,æ,μ,Ä,à□³□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’æ,ì XMODEM fRf}f“fh,đ□³,μ,-
□Ý’è,“,æ,ÑŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,¹/₂□ã,Å□AXMODEM
,lf□fO,đŽæ,è□A□ìŽÒ,É’—,Á,Ä,³/₄,³,ç□B

ZMODEM ,lfqf“fg

ZMODEM ,íA7 bit %ñü,Á,íŽg—p,Á,«,Ü,¹,ñB

fVfŠfAf<f[fq,ìê±

Data ,^a 7 bit,^{3/4},ÆAZMODEM ,^aŽg,ì,Ü,¹,ñB[Setup] Serial port ,Á **Data** ,^đ
8 bit ,É,μ,Ä,,^{3/4},³,çBf,ff€(fzfXfg)‘α,ìY’è,à“~,¶,É,μ,Ä,,^{3/4},³,çB

Telnet ,ìê±

,à,μ³,μ,“]’—,Á,«,È,çê±,í\$CEä•¶Žš,đ,·, x,ÄGfXfP[fv,μ,Ä,Ý,Ä,-
,^{3/4},³,çB,»,è,Á,à,^{3/4},ß,Èê±,ífofCfifŠfifvfVf#f“ ,Á telnet □Ú’±,μ,Ä,Ý,Ä,-
,^{3/4},³,çBfofCfifŠfifvfVf#f“ ,Á□Ú’±,·,é,É,íA

fRf}f“fhf%ofCf“,É /B fifvfVf#f“ ,đ,Â,~,é,©A

Tera Term Y’èftf@fCf<,đ□’,«Š·,ì,Ä,,^{3/4},³,çB
□“ Telnet ,ífofCfifŠfifvfVf#f“

,Ç,α,μ,Ä,à³í,É“]’—,Á,«,È,çê±,íAfzfXfg’α,ì ZMODEM fRf}f“fh,đ³,μ,-
Y’è,“,æ,ŇŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,^{1/2}ã,ÁAZMODEM
,ífO,đŽæ,èAìŽÒ,É’—,Á,Ä,,^{3/4},³,çB

,Ü,^{1/2}A^È%^o,ìY’è,đ,·,é,Æ•Ö—~,Á,·B

□“ ZMODEM ŽóM,ìŽ©“®<N“®

□“ ZMODEM ‘—M,đ’-,·,é,^{1/2},ß,ìY’è

B-Plus ,lfqf“fg

B-Plus ,íA7 bit %ñü,Á,íŽg—p,Á,«,Ü,¹,ñB,Ü,¹/₂AB-Plus ,í CompuServe ,â NIFTY-Serve “™ ,ì BBS , ©,ç,lf_fEf“f[fh/,Ö,lfAfbfvf[fh,ì,¹/₂,ß,³/₄, ,ÉŽg—p,μ,Ä,- ,³/₄,³,çBTera Term ,ì B-Plus ,í PC (‘ÉMf\ftfg)ŠÔ,ìftf@fCf<“]’—,É‘í%ž,μ,Ä,ç ,Ü,¹,ñB

fVfŠfAf<f|[fg,ìê#AData ,^a 7 bit ,³/₄,ÆAB-Plus ,^aŽg,!,Ü,¹,ñB[Setup] Serial port ,Á **Data** ,đ 8 bit ,É,μ,Ä,,³/₄,³,çBf,fff€(fzfXfg)‘α,ìÝ’è,à“ ,¶,É,μ,Ä,,³/₄,³,çB

,Ü,¹/₂AŽŸ,ìÝ’è,đ,·,é,Æ•Ö—~ ,Á,·B
□” B-Plus f_fEf“f[fh,ìŽ©“®<N“®

□³,μ,“]’—,Á,«,È,çê# ,íAB-Plus ,lfO,đŽæ,Á,ÄiŽÒ,É’—,Á,Ä,,³/₄,³,çB

Quick-VAN ,lfqf“fg

Quick-VAN ,í□APC-VAN ,Æ,ç,× BBS ,Å—p,ç,ç,ê,Ä,ç,éftf@fCf<“]’—
fvf□fgfRf<,Å,·□BQuick-VAN ,í□A7 bit %oñ□ü,Å,ÍŽg—p,Å,«,Ü,¹,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data ,^a 7 bit ,^{3/4},Æ□A Quick-VAN ,^aŽg,ì,Ü,¹,ñ□B[Setup] Serial port ,Å **Data**
,^đ 8 bit ,É,μ,Ä,,^{3/4},³,ç□Bf,fff€(fzfXfg)’×,ì□Ý’è,à“[˘],¶,É,μ,Ä,,^{3/4},³,ç□B

Telnet ,ì□ê□‡

PC-VAN ,É□Ú’±,·,é□ê□‡,í□A•K, ,fofCfifŠfifvfVf‡f“ ,^đŽw’è,μ,Ä,,^{3/4},³,ç
(1995”N12ĀŽĀ»□Ý)□BfofCfifŠfifvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /B fifvfVf‡f“ ,^đ,Å,˘,é,©□A

Tera Term □Ý’èftf@fCf<,^đ□’,«Š,ì,Ä,,^{3/4},³,ç□B
□” Telnet ,lfofCfifŠfifvfVf‡f“

,Ü,^{1/2}□AŽŸ,ì□Ý’è,^đ,·,é,Æ“]’—‘—“x,^a%oü’P,·,é□ê□‡,^a, ,è,Ü,·□B
□” Quick-VAN ,ì window size

,Ç,×,μ,Ä,à□³□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’×,ì Quick-VAN fRf}f“fh,^đ□³,μ,-
Žw’è,μ,Ä,ç,é,±,Æ,^đŠm”F,μ,^{1/2}□ã,Å□AQuick-VAN ,lf□fO,^đŽæ,è□A□ìŽO,É’—,Á,Ä,-
,^{3/4},³,ç□B

fvf#[]fgfjfbfgfL[],ì[]Ý'è

fL[]f{[]fh[]Ý'èftf@fCf<,ì **[Shortcut keys]** fZfNfVf#f",ð[]',«Š·,!,é,Æ[]A^È
%°°,ìfvf#[]fgfjfbfgfL[],ðŽ©·ª,ì[]D,«,ÈfL[],ÉŠ,,,è"-,Ä,é,±,Æ,ª,Å,«,Ü,·[]B

[Shortcut keys] ,ì[]€-Ú <@"\ ffftfHf<fg,ì[]Ý'è (IBM-PC/AT)

EditCopy	[Edit] Copy fRf}f"fh	,È,µ (Alt+C)
EditPaste	[Edit] Paste fRf}f"fh	,È,µ (Alt+V)
EditPasteCR (Alt+R)	[Edit] Paste<CR> fRf}f"fh	,È,µ
LineUp	^ê[]sfXfNf[][]f<fAfbfv	Ctrl+[]ª
LineDown	^ê[]sfXfNf[][]f<f_fEf"	Ctrl+[]«
PageUp	^êfy[]fWfXfNf[][]f<fAfbfv	Ctrl+PageUp
PageDown	^êfy[]fWfXfNf[][]f<f_fEf"	Ctrl+PageDown
BuffTop	fobftf@,ì[]æ"ª,ÖfXfNf[][]f< Ctrl+Home	
BuffBottom	fobftf@,ì[]ÅÆã,ÖfXfNf[][]f< Ctrl+End	
SendBreak	fuf[]fN[]M[]t'—[]o	,È,µ (Alt+B)

—á,!,ì[]A Ctrl+V ,ð **[Edit] Paste** ,ÉŠ,,,è"-,Ä,½,ç[]ê[]‡,í[]A
fL[]f{[]fh[]Ý'èftf@fCf<,ì **[Shortcut keys]** fZfNfVf#f",Å[]A

EditPaste=1071

,Æ,µ,Ä,,¾,³,ç (IBM-PC/AT fL[]f{[]fh,ì[]ê[]‡)[]B

[File] f[]fj...[]

New connection...

□V,μ,ϕfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,μ,Ü,·□B

Log...

Žó□M,³,ê,é•¶Žš,ðftf@fCf<,É□',«□ž,Ý,Ü,·□B

Send file...

ftf@fCf<,ð'—□M,μ,Ü,·□B

Transfer

Kermit/XMODEM/ZMODEM/B-Plus/Quick-VAN
fvf[]fgfRf<,Åftf@fCf<,ð"']'—,μ,Ü,·□B

Change directory...

ftf@fCf<"']'—,ì,½,ß,ìfffBfÆfNfgfŠ,ð•ï□X,μ,Ü,·□B

Print...

Æ»□Ý,ì%œ-Ê,Ü,½,Í□Af}fEfX,Å'I'ð,³,ê,½•¶Žš,ð^ó□ü,μ,Ü,·□B

Disconnect

□Ú'±,ð□Ø,è,Ü,·□BTCP/IP □Ú'±Žž,Å Auto window close
f|fvfVf†f",³'I'ð,³,ê,Ä,ϕ,é□ê□#□ATera Term ,ð□I—¹,μ,Ü,·□B

Exit

Tera Term ,ð□I—¹,μ,Ü,·□BfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,³,ê,Ä,ϕ
,é□ê□#,Í□A□Ú'±,ð□Ø,è,Ü,·□B

New connection ([File] f f f... [I])

V, μ, fzfXfg, Ü, ½, íVfŠfAf<f| [fg, ÉÚ' ±, μ, Ü, ·B, ·, Å, ÉÚ' ±, ³, ê, Ä, ç, é, Æ, «, íA•Ê, ì
Tera Term fZfbfVf†f“, ð<N“ ®, μ, Ü, ·B

"New connection" f_fCfAf fOf {fbfNfX

TCP/IP

Host

Ú' ±, ·, ézfXfg-¼, Ü, ½, í IP address , ðfL [f { [fh, Å“ü—
í, μ, ÄŽw'è, ·, é, © AfŠfXfg, ì't, ©, ç'l'ð, μ, Ä,, ¾, ¾, ç BfŠfXfg, ð•ÒW, ·, é, É, í
[Setup] TCP/IP , ðŽg, Á, Ä,, ¾, ¾, ç B, Ü, ½ AfzfXfg-¼, ¾, ¾, ¯, Å, È, ^È%º, ì, æ, x
, È AfRf} f“fhf%ºfCf“ • ¶Žš—ñ, ðŽw'è, ·, é, ±, Æ, à, Å, «, Ü, ·B

myhost.mydomain 'Éí, ízfXfg-¼, Ü, ½, í IP address, ¾, ¯

myhost.mydomain:23 fzfXfg-¼, Æf [fg” Ô†

foohost.foodomain /F=FOOHOST.INI fzfXfg-¼+ ¶Y' èftf@fCf<-
¼, ðŽw'è

/C=1 fVfŠfAf<f| [fg, ðŽw'è, ·, é, ±, Æ, à%ºÅ”\

/R=LOG.DAT fzfXfg, âf [fg, ÉÚ' ±, ¹, ·, É Af¶Of†f@fCf<, ì“à—e, ðÄ¶¶

Telnet

Telnet fvf [fgfRf<, ðŽg—p, μ, Ü, ·B'Éí, í'l'ð, μ, Ä,, ¾, ¾, ç B

TCP port#

Telnet , ðŽg—p, ·, é ê¶A'Éí, í23, É, μ, Ä,, ¾, ¾, ç B

Serial

Port

Ú' ±, ·, éVfŠfAf<f| [fg, ð **COM1, COM2, COM3, COM4** , ì't, ©, ç'l'ð, μ, Ä, -
, ¾, ¾, ç B

Log ([File] f fff... [I])

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ðftf@fCf<, É' , «ž, Ý, Ü, ·B
□" f fO, ðŽæ, è • û Af fO, ðÄ ¶<@"

"Log" f_fCfAf fOf {fbfNfX(ftf@fCf<-¼Žw'è)

File Name

□' , «ž, pftf@fCf<, ðftf@fCf<-¼, ð"ü—í, Ü, ½, í'í'ð, μ, Ä, , ¾, ¾, çB

Binary

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ð, » , ð, Ü, Üftf@fCf<, É' , «ž, Ý, ½, ç ê ¶, í'í'ð, μ, Ä, , ¾, ¾, çB'í'ð, μ, È, ç ê ¶, í AŠ žšfR [fh A
%ü s • ¶Žš, í • íŠ, ¾, è Af GfXfP [fvfV [fPf" fX, ðŽæ, è œ, ©, è, Ä, ©, ç' , «ž, Ü, è, Ü, ·B

Append

, , Ä, É' ¶Y, ·, éftf@fCf<, É' Ç%Á, μ, Ä' , «ž, Ý, ½, ç ê ¶, í'í'ð, μ, Ä, -
¾, ¾, çB'í'ð, μ, È, ç ê ¶, í ä' , «, ¾, è, Ü, ·B

"Log" f_fCfAf fOf {fbfNfX(ftf@fCf<, Ö' , «ž, Ý't)

Close

Close f {f^f" , ð%Ÿ, ·, Æftf@fCf<, Ö, ð' , «ž, Ý, ð|—¹, μ, Ü, ·B

Pause/Start

Pause f {f^f" , ð%Ÿ, ·, Æftf@fCf<, Ö, ð' , «ž, Ý, ð^êŽž't'f, μ, Ü, ·B, ±, ð, Æ, «
Pause f {f^f" , í Start f {f^f" , É • í%» , μ, Ü, ·B, » , ð Æ ä Start f {f^f" , ð
%Ÿ, ·, Æ' , «ž, Ý, ð ÄŠ, μ, Ü, ·B

Send file ([File] f [jfj...])

ftf@fCf<,đ'—M,μ,Ü,·B

"Send file" f_fCfAf_fOf{fbfNfX('—M'O,ìftf@fCf<-¼Žw'è)

File Name

'—M,·,éftf@fCf<,ìftf@fCf<-¼,đ"ü—í,Ü,½,í'l'đ,μ,Ä,-
,¾,¾,çB,·,Á,É'¶Y,·,éftf@fCf<,Á,È,·,ê,Î,È,è,Ü,¹,ñB

Binary

ftf@fCf<,l"à—e,đ,»ì,Ü,Ü'—M,μ,½,çê±,í'l'đ,μ,Ä,-
,¾,¾,çB'l'đ,μ,È,çê±,íAŠ;ŽšfR[fhA%üS•¶Žš,ª•İŠ,³,ê,Ä'—
M,³,êATAB (\$09), LF (\$0A), CR (\$0D)^ÈŠO,ì\$Æä•¶Žš,í'—
M,³,ê,Ü,¹,ñB

"Send file" f_fCfAf_fOf{fbfNfX('—M't)

Close

Close f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—M,đ'tŽ~,μ,Ü,·B

Pause/Start

Pause f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—M,đ^êŽž't'f,μ,Ü,·B,±,ì,Æ,«
Pause f{f^f",í Start f{f^f",É•İ%»,μ,Ü,·B,»ìÆã Start f{f^f",đ
%Ÿ,·,Æ'—M,đÄŠJ,μ,Ü,·B

Transfer ([File] f[]fj...[])

Kermit

Kermit fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

XMODEM

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

ZMODEM

ZMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

B-Plus

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

Quick-VAN

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

Kermit ([File] Transfer f[ff...[l])

Kermit fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Send
fRf}}f“fh,đŽÀ[s,μ,Ä,,³/₄,³,ç[B

Get...

fzfXfg’x,ì Kermit ,^a server ,ì[ó’Ô,ìŽž,É[Atera Term ,©,çzfXfg’x
,ìftf@fCf<—¹/₄,đŽw’è,μ,Äftf@fCf<,đŽó[M,μ,Ü,·[B

Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Receive
fRf}}f“fh,Ü,¹/₂,ÍServer fRf}}f“fh,đŽÀ[s,μ,Ä,,³/₄,³,ç[B

Finish

fzfXfg’x,^a server ,ì[ó’Ô,ì,Æ,«[A,»),ê,đ%đ[œ,μ,Ü,·[B

Kermit Get ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, đŽó M, μ, Ü, · BfzfXfg'α, ì Kermit ,^a server
, ì ó' Ô, ì Žž, É, ±, ìfRf}f"fh, đŽg—p, μ, Ä, ,^{3/4},³, ç B

"Kermit Get" f fCfAf fOf {fbfNfX

Žó M, μ, ^{1/2}, çfzfXfg'α, ìftf@fCf<, ìftf@fCf<—^{1/4}, đ"ü—Í, μ, Ä, -
,^{3/4},³, ç B Žó M, μ, ^{1/2}ftf@fCf<, Í ACE» Y, ìffBfCEfNfgfŠ, ì't, É AfzfXfg'α
, Æ"~, ìftf@fCf<—^{1/4}, Å·Û'¶,³, ê, Ü, · B, à, ìftf@fCf<—^{1/4},^a MS-DOS
, ìCE`Ž® ,æ, è'·, ç ê# A'·, ç ·"·^a, Í Ø, è Žì, Ä, ç, ê, Ü, · B

Kermit Send ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, ÉzfXfg'α, ì Kermit , ì Receive
fRf}f"fh, Ü, ½, Í Server fRf}f"fh, ðŽÀ s, µ, Ä, , ¾, ³, çB

"Kermit Send" f_fCfAf_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -
, ¾, ³, çB, ·, Å, É'¶Y, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB"~Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,
±, Æ, à, Å, «, Ü, ·BuŠù'm, ì-â'èv

XMODEM ([File] Transfer f[ff]...[l])

XMODEM fvf[fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[B

Receive...

ftf@fCf<,ðŽó[M,μ,Û,·[B,»,’O,ÉfzfXfg‘α,ì XMODEM ,ì—
[MfRf}f“fh,ðŽÀ[s,μ,Ä,,³/₄,³,ç[B

Send...

ftf@fCf<,ð’—[M,μ,Û,·[B,»,’O,ÉfzfXfg‘α,ì XMODEM
,ìŽó[MfRf}f“fh,ðŽÀ[s,μ,Ä,,³/₄,³,ç[B

XMODEM,lfqf“fg

XMODEM Receive ([File] Transfer f[]fjf...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,đŽó[]M,μ,Ü,·[]B,»,'i'O,ÉfzfXfg'x,ì XMODEM ,ì—
[]MfRf}f“fh,đ<N“ ®,μ,Ä,,¾,¾,ç[]B

File Name

Žó[]M,·,éftf@fCf<,ìftf@fCf<-¼,đ“ü—í,Ü,½,í'l'đ,μ,Ä,,¾,¾,ç[]B

Option

Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìf[]vfVf#f“ (Checksum/CRC/1K) ,đ'l'đ,μ,Ä,-
,¾,¾,ç[]BfzfXfg'x,ìf[]vfVf#f“ ,Æ“~,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]# ,í
Checksum ,đ'l'đ,μ,Ä,Ý,Ä,,¾,¾,ç[]B

Binary

f[]ofCfifŠftf@fCf<,đŽó[]M,·,é[]ê[]# ,í'l'đ,μ,Ä,-
,¾,¾,ç[]B<t,ÉfefLfXfgftf@fCf<,đŽó[]M,·,é[]ê[]# ,í'l'đ,μ,È,ç,Ä,,¾,¾,ç[]B

XMODEM ,ìfqf“fg

XMODEM Send ([File] Transfer f[]ff...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,đ'—[]M,μ,Ü,·[]B,»,'ì'O,ÉfzfXfg'¤,ì XMODEM
,ìŽó[]MfRf}f"fh,đ<N" ®,μ,Ä,,³/₄,³,ç[]B

File Name

'—[]M,·,éftf@fCf<,ìftf@fCf<-¹/₄,đ"ü—í,Ü,¹/₂,í'l'đ,μ,Ä,-
,³/₄,³,ç[]B,·,Ä,É'¶[]Ý,·,éftf@fCf<,Ä,È,¯,ê,î,È,è,Ü,¹,ñ[]B

Option

Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìf[]vfVf[]f" (**Checksum/CRC/1K**),đ'l'đ,μ,Ä,-
,³/₄,³,ç[]BfzfXfg'¤,ìf[]vfVf[]f",Æ"¯,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]¶,í
Checksum,đ'l'đ,μ,Ä,Ý,Ä,,³/₄,³,ç[]B

XMODEM,ìf[]gf"fg

ZMODEM ([File] Transfer f[ffj]f...[l])

ZMODEM fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,’O,ÉfzfXfg’α,ì ZMODEM ,ì—
[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,’O,ÉfzfXfg’α,ì ZMODEM
,ìŽó[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

ZMODEM ,lfq“fg

ZMODEM Send ([File] Transfer f fjf... [I])

ZMODEM fvf ffgfRf<, Åftf@fCf<, ð'— M, µ, Ü, · B, » , ì' O, ÉzfXfg'α, ì ZMODEM , ì'—
MfRf}f"fh, ð<N" ® , µ, Ä, , ¾, ¾, ç B

"ZMODEM Send" f_fCfAf_fOf{fbfNfX

'— M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü— Í, Ü, ½, Í' I' ð, µ, Ä, -
, ¾, ¾, ç B, ·, Å, É' ¶ Y, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñ B" ~ Žž, É • i" , ìftf@fCf<, ð' I' ð, ·, é,
±, Æ, à, Å, «, Ü, · B uŠù'm, ì-â'è v

Binary

fofCfifŠftf@fCf<, ð'— M, ·, é, Æ, «, Í' I' ð, µ, Ä, -
, ¾, ¾, ç B<t, ÉfefLfXfgftf@fCf<, ð'— M, ·, é ê ¶, Í' I' ð, µ, È, ç, Å, , ¾, ¾, ç B

ZMODEM , ìfqf"fg

B-Plus ([File] Transfer f[]ff...[])

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Ü,·[]B

Receive

ftf@fCf<,ðŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf_fEf“f[][]fhfRf}f“fh,ð<N“® ,μ,Ä,-
,³/₄,³,ç[]B

Send...

ftf@fCf<,ð’—[]M,μ,Ü,·[]B,»,’O,É BBS
,ìfAfbfvf[][]fhfRf}f“fh,ð<N“® ,μ,Ä,,³/₄,³,ç[]B

B-Plus ,ìfqf“fg

B-Plus Send ([File] Transfer f...)

B-Plus fvf ffgfRf<,Åftf@fCf<,ð'—M,μ,Ü,·B,»,ì'O,É BBS
,lfAfbfvf[fhfRf}f"fh,ð<N" ©,μ,Ä,,¾,³,çB

"B-Plus Send" f_fCfAf_fOf{fbfNfX

'—M,·,éftf@fCf<,iftf@fCf<-¼,ð"ü—Í,Ü,½,í'l'ð,μ,Ä,-
,¾,³,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,¯,ê,î,È,è,Ü,¹,ñB

B-Plus .lfqf"fg

Quick-VAN ([File] Transfer f[]fj...[])

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[]B

Receive

ftf@fCf<,đŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf_fEf“f[][]fhfRf}f“fh,đ<N“® ,μ,Ä,-
,³/₄,³,ç[]B

Send...

ftf@fCf<,đ’—[]M,μ,Ü,·[]B,»,’O,É BBS
,ìfAfbfvf[][]fhfRf}f“fh,đ<N“® ,μ,Ä,,³/₄,³,ç[]B

Quick-VAN ,ìfqf“fg

Quick-VAN Send ([File] Transfer f fjf... [I])

Quick-VAN fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, É BBS
, ìfAfbfvf [fhfRf} f"fh, ð<N" ©, µ, Ä,, ¾, ¾, çB

"Quick-VAN Send" f_fCfAf_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -
, ¾, ¾, çB, ·, Å, É'¶Ý, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB" ~Žž, É•j", ìftf@fCf<, ð'í'ð, ·, é,
±, Æ, à, Å, «, Ü, ·B uŠù'm, ì-â'èv

Quick-VAN ,ìfqf"fg

Change directory ([File] f\ffj...)

ftf@fCf<"]'—, ì, ½, ß, ìfffBfĈEfNfgfŠ, ð•ï X, μ, Ü, · B

"Change directory" f_fCfAf fOf{fbfNfX

V, μ, çfffBfĈEfNfgfŠ, ð"ü— í, μ, Ä,, ¾, ³, ç B

Print ([File] f fjf... [I])

"^óü"f_fCfAf_fOf{fbfNfX

^óü"íí,ì'ð

"Sfy[fW",ð'í'ð,·,é,ÆACE>Ý,ì%æ-Ê,ð^óü,μ,Û,·B

"'ð,μ,½•"•"ð'í'ð,·,é,ÆAf}fEfX,Å'ð,μ,½•řš,ð^óü,μ,Û,·B

[Edit] f[]ffj...[]

Copy

f}fEfX,Å'í'ð,μ,½•¶Žš—ñ,ð[]AfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]B
'[]^Ó: 'Ê[]í,í[]A,±,ìfRf}f“fh,ðŽg,α•K—
v,í, ,è,Ü,¹,ñ[]Bf}fEfX,Å•¶Žš,ð'í'ð,·,é,Æ[]AŽ©“®“l,ÉfNfŠfbfvf{[]fh,ÖfRf
s[][,³,ê,Ü,·[]B'í'ð,³,ê,Ä,ç,é•¶Žš—ñ,ð[]ÄfRfs[][,·,é[]ê[]±,É,±,ìfRf}f“fh,ðŽg
—p,μ,Ä,³/₄,³,ç[]B

Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ,Ü,·[]B

Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ[]A'±,ç,Ä%ü[]sfR[]fh,à'—
[]o,μ,Ü,·[]B

Clear screen

%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

Clear buffer

fXfNf[][]f<fofbftf@[][,ì“à—e,Æ%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

[Setup] fñfj...ñ

Terminal...

'[--fGf~f...fÆ[fVf#f" ,ìñÝ'è,ð,μ,Û,·ñB

Window...

%ooæ-Ê•\Ž|,ìñÝ'è,ð,μ,Û,·ñB

Font...

ftfHf"f g,ð•ïñX,μ,Û,·ñB

Keyboard...

fL[f{[f h,ìñÝ'è,ð,μ,Û,·ñB

Serial port...

fVfŠfAf<f|ñ[f g,ìñÝ'è,ð,μ,Û,·ñB

TCP/IP...

TCP/IP ,ìñÝ'è,ð,μ,Û,·ñB

General...

,» ,ì'¼,ìñÝ'è,ð,μ,Û,·ñB

Save setup...

Æ»ñÝ,ìñÝ'è,ð Tera Term ñÝ'èftf@fCf<,É•Û'ñ,μ,Û,·ñB

Restore setup...

ñÝ'èftf@fCf<,ì"à—e,É,μ,½,^a,Á,Ä Tera Term ,ðñÝ'è,μ,È," ,μ,Û,·ñB

Terminal ([Setup] f f f f... [I])

"Terminal setup" f f C f A f f f O f { f b f N f X

Terminal size

f ^ [f ~ f i f < f T f C f Y (' [-- % o æ - Ê , ì ~ _ _ [f T f C f Y) [B % o i X [c
, ì • ¶ Ž š [" , Å Ž w ' è , μ , Ü , · [B f E f C f " f h f E f T f C f Y (Ž À [Ü , ì % o æ - Ê , ì ' å , « , ³)
, Æ • K , , μ , à " ~ , ¶ , Å , Í , , è , Ü , ¹ , ñ [B

Term size = win size

, ±
, ì f i f v f V f f f " , ð ' l ' ð , μ , ½ [ê [# [A f ^ [f ~ f i f < f T f C f Y , Æ f E f B f " f h f E f T f C f Y , ð [í , É "
™ , μ , , μ , Ü , · [B

Auto window resize

, ±
, ì f i f v f V f f f " , ð ' l ' ð , μ , ½ [ê [# [A f ^ [f ~ f i f < f T f C f Y , a • ï [X , ³ , è , ½ , Æ , « , É [A f E f C f "
f h f E f T f C f Y , à " ~ , ¶ ' å , « , ³ , É Ž © " ® " l , É • ï [X , ³ , è , Ü , · [B

New-line (receive)

CR+LF , ð ' l ' ð , μ , ½ [ê [# [A Ž ó [M , ³ , è , ½ % o ü [s • ¶ Ž š CR (\$0D) , ð CR+LF
(\$0D \$0A) , É • Ĩ Š · , μ , Ü , · [B

New-line (transmit)

CR+LF , ð ' l ' ð , μ , ½ [ê [# [A ' _ [M Ž ž , É % o ü [s • ¶ Ž š CR (\$0D) , ð CR+LF
(\$0D \$0A) , É • Ĩ Š · , μ , Ü , · [B

Local echo

f L [[" ü _ í " ™ , É , æ , è ' _ [o , · , é • ¶ Ž š , ð , » , ì , Ü , Ü % o æ - Ê , É • \ Ž | , μ , Ü , · [B

Answerback

f z f X f g , © , ç ENQ (\$05) • ¶ Ž š , a ' _ , ç , è , Ä , « , ½ Ž ž , É [A ' _ , è • Ô , · • ¶ Ž š _
ñ [B • ¶ Ž š _ ñ ' † , É Š Ü , Ü , è , é • \ Ž | • s % o Ä " \ , È • ¶ Ž š ([\$ Ç ä • ¶ Ž š) , Í [A " \$ " , Æ
, » , è , É , Ä , Æ , ASCII f R [[f h (2 Ç E . . . , ì 16 [i ") , Å • \ Ç » , μ , Ä , , ³ / 4 , ³ , ç [B _
á , | , Í [A • ¶ Ž š _ ñ " ABC < CR > < LF > "
, ð f A f " f T [[f o f b f N , · , é [ê [# [A Ž Ÿ , ì , æ , x , É " ü _ í , μ , Ä , , ³ / 4 , ³ , ç [B

ABC\$0D\$0A

Kanji (receive)

f z f X f g , © , ç ' _ , ç , è , Ä , , é Š ž Ž š f R [[f h (**SJIS, EUC, JIS** , ì 3 Ž í _ p) [B

JIS 7bit katakana (receive)

fzfXfg, ©, ç' —, ç, ê, Ä,, é""¼Šp" •Ð%¼¼-¼fR[]fh,ª 7 bit ,Å•\Œ»,,³,ê,Ä,ç,é
(SO/SI ,ð—p,ç,½fVftfg[]\$Œä,ð—p,ç,Ä,ç,é)[]ê[]‡,É'Í'ð,µ,Ä,-
,¾,¾,ç[]B**Kanji (receive)** ,ª **JIS** ,ì[]ê[]‡,ì,Ý—LŒø,Å,·[]B

Kanji (transmit)

'—[]o,·,éŠžŽšfR[]fh (**SJIS, EUC, JIS** ,ì3Ží—Þ)[]B

JIS 7bit katakana (transmit)

'—[]o,·,é""¼Šp" •Ð%¼¼-¼fR[]fh,ð7bit,Å•\Œ»,,·,é (SO/SI ,ð—p,ç
,½fVftfg[]\$Œä,ð—p,ç,é)[]ê[]‡,É'Í'ð,µ,Ä,,¾,¾,ç[]B**Kanji (transmit)** ,ª
JIS ,ì[]ê[]‡,ì,Ý—LŒø,Å,·[]B

Kanji-in (transmit)

Kanji (transmit) ,ª **JIS** ,ì,Æ,«,ÉŽg—
p,·,éfGfXfP[]fVfV[]fPf"fX(ŠžŽšfR[]fh,ð GO ,ÉŽwŽ!,·,éfV[]fPf"fX[]B
^[\$@ ,Ü,½,Í ^[\$B)[]BfzfXfg, ©, ç' —, ç, ê, Ä,-
,éfGfXfP[]fVfV[]fPf"fX,Í,Ç,ž,ç,Å,à[]\,ç,Ü,¹,ň[]B

Kanji-out (transmit)

Kanji (transmit) ,ª **JIS** ,ì,Æ,«,ÉŽg—p,·,éfGfXfP[]fVfV[]fPf"fX (ASCII
,Ü,½,Í JIS f[][]f} ŽšfR[]fh,ð GO ,ÉŽwŽ!,·,éfV[]fPf"fX[]B ^[(B ,Ü,½,Í
^[(J)[]BfzfXfg, ©, ç' —, ç, ê, Ä,,éfGfXfP[]fVfV[]fPf"fX,Í,Ç,ž,ç,Å,à[]\,ç
,Ü,¹,ň[]B

'[]^Ó: ^[(H ,íffftfHf<fg,Å,Í'Í'ð,Å,«,Ü,¹,ň[]B
[]" ^[(H ,ð'Í'ð%Å"\,É,·,é[]B

Auto switch (VT<->TEK)

fGfXfP[]fVfV[]fPf"fX,ð"»•Ê,µ,Ä[]AŽ©"®"Í,É VT window , ©, ç TEK
window ,Ö[]\$Œä,ð^Ú,µ,Ü,·(t,à"~—l)[]B

Terminal ID

fzfXfg,É•ň[][],·,é Terminal ID[]BTerminal ID ,í telnet ,ì terminal type
,Æ,Í^á,ç,Ü,·[]BTelnet ,ì terminal type ,ð•í[]X,·,é,É,Í **[Setup] TCP/IP**
fRf}f"fh,ðŽg—p,µ,Ä,,¾,¾,ç[]B

Window ([Setup] f f f... [I])

"Window setup" f f C f A f f O f { f b f N f X

Title

f E f C f " f h f E, ì, ì f ^ f C f g f < [B

Cursor shape

f j [f f <, ì C ` [B **Block, Vertical line, Horizontal line**
, ì 3, Â, ©, ç ' l, x, Ü, · [B

Hide menu bar

f [f j f... [f o [[, ð [Á, µ [A f | f b f v f A f b f v f [f j f... [[, ð Ž g — p % o Â " \, É, µ, Ü, · [B f |
f b f v f A f b f v f [f j f... [[, ì f [f j f... [f o [[, ¢ [Á, |, ½ [ó ' Ô, Å [A C t r l f L [[, ð
% o Ÿ, µ, È, ¢, ç f } f E f X, ì [f { f ^ f " , ð f N f Š f b f N, ·, é, Æ C E » , ê, Ü, · [B

Scroll buffer

f X f N f [[f < f o f b f t f @ [[, ð Ž g — p % o Â " \
, É, µ, Ü, · [B, Ü, ½ [A f X f N f [[f < f o f b f t f @, ì [s [" , ¢ [Ý ' è, Å, «, Ü, · [B [s [" , ì
10000 ^ È [ã, É, ì [Ý ' è, Å, «, Ü, ¹, ñ [B f [f, f Š, ¢ ' «, è, È, ¢ [ê [¢, ì " K " -
, É C E , , ç, ³, ê, Ü, · [B

Color

Text • ¶ Ž š, ì [F

Background " w C E i, ì [F

Attribute [F, ð [Ý ' è, µ, ½, ¢ • ¶ Ž š, ì ' ® [« (**Normal, Bold, Blink**)

Reverse • ¶ Ž š, ì [F, Æ " w C E i, ì [F, ð C E ð Š, µ, Ü, · [B

Font ([Setup] f f f f... [L])

ftfHf“fg,đ•ïX,μ,Ü,·B

"Font setup" f fCfAf fOf {fbfNfX

Font

•ïX,μ,½,çftfHf“fg,đŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,¾,çB

Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg” ,ÅŽw'è,μ,Ä,,¾,¾,çB

Enable bold style

Bold (<'²)'®«,ì•¶Žš,đ bold fXf^fCf<,ìftfHf“fg,Å•\Ž|,·,é,æ,κ
,É,μ,Ü,·B,±,ìé¶A%œ-
Ê,ÉfSf~,ªŽc,Á,½,èA×,©,ç•¶Žš,ª,Â,Ô,ê,Ä“Ç,Ý,É,,È,Á,½,è,·,é,±,Æ,ª,
,è,Ü,·B

'¶: Tera Term •t'®,ìftfHf“fg Tera Special ,Í,±
,ìf fCfAf fOf {fbfNfX,Å,Í'l'đ,Å,«,Ü,¹,ñBTera Term ,É,æ,Á,ÄŽ©“®“l,ÉŽg—
p,¾,é,Ü,·B

Keyboard ([Setup] f fjf... [I])

"Keyboard setup" f fCfAf fOf {fbfNfX

BS Key

Backspace key ,đ%oŸ,μ,½Žž,ÉfzfXfg,Ö'—o,·,é•ŋŽš BBS (\$08) ADEL (\$7F) ,ì,ç,ž,ç,© BBS ,đ'í'đ,μ,½,Æ,«,Å,à Ctrl+Backspace ,Å DEL •ŋŽš,đ'—o,Å,«,Ü,·(t,à"¯—l) B

IME

IME ("ú- {Œê"ü—ÍfVfXfef€) ,đŽg—p,·,éê# AEnable IME ,đ'í'đ,μ,Ä,,¾,¾,ç BInline input ,đ'í'đ,·,é,Æ AfCf" f%o fCf""ü— Í,ª,Å,«,Ü,· B"ú- {Œê"Å^ÈŠO,ì MS-Windows ,Å Tera Term ,đŽg— p,·,éê# ,Í Enable IME ,đ'í'đ,μ,È,ç,Å,,¾,¾,ç B

Meta key

Alt fL [,đf f^ fL [(meta key) ,Æ,μ,ÄŽg,ç,Ü,· B—á,í,î AAlt+A ,đ %oŸ,·,Æ AESC A ,đ'— o,μ,Ü,· Bf f^ fL [f, [fh,Å,Í AfVf# [fgf]fbfgfL [,í^ê•" ,đœ,ç,ÄŽg— p,Å,«,È,,È,è,Ü,· B

IBM-PC/AT 101 (106) fL [f { [fh^ÈŠO,ìfL [f { [fh,đŽg— p,·,éê# ,â AŽ © •ª,ì D,«,ÈfL ['è<` ,É,μ,½,çê# ,ÍfL [f { [fhŸ'èftf@fCf<,đ' ,«Š· ,í,Ä,,¾,¾,ç B

Serial port ([Setup] f f j f ... [I])

"Serial port setup" f f C f A f f f O f { f b f N f X

Port

Žg—p,·,éf|□[fg□B

Data, Stop, Baud rate, Flow control, Parity

fVfŠfAf<f|□[fg,lfpf%of□f^□[,Å,·□B□Ú'±,·,éf,fff€“™,ì□Ý'è,É, ,í,¹,Ä,-
,^{3/4},³,ç□B

'□: **Data** ,đ **7** ,É,·,é,Æ□AXMODEM, ZMODEM, B-PLUS, Quick-
VAN ,É,æ,éftf@fCf<“]’—,Í,Å,«,Ü,¹,ñ□B,Ü,^{1/2} **Flow control** ,đ **Xon/Xoff**
,É,·,é,Æ□AXMODEM, Quick-VAN ,É,æ,éftf@fCf<“]’—,Í,Å,«,Ü,¹,ñ□B

Transmit delay

Tera Term ,^a•¶Žš(□s),đ’—□o,μ,^{1/2}, ,ÆŽÿ,ì•¶Žš(□s),đ’—
□o,·,é,Ü,Å,ì’Ò,¿ŽžŠÔ□B’P^Ê,Íf~fŠ•b,Å,·□B1•¶Žš(□s)
,²,Æ,ì’Ò,¿ŽžŠÔ,đ□Ý’è,Å,«,Ü,·□BTera Term ,©,ç’â—Ê,ì•¶Žš,đ’—
□o,μ,^{1/2},Æ,«,Éf,fff€,âfzfXfg,^a•¶Žš,đŽæ,è,±,Ú,·□ê□‡,É,Í“K”-
,È’Ò,¿ŽžŠÔ,đ□Ý’è,μ,Ä,Ý,Ä,,^{3/4},³,ç□B

TCP/IP ([Setup] f fjf... [I])

"TCP/IP setup" f fCfAf fOf {fbfNfX

Host list

[File] New connection

, dZÅ s, μ, ½ ŽŽ, ÉŒ» , ê, éf fCfAf fOf {fbfNfX, lfzfXfgfŠfXfg, a• Ò W, Å, «, Ü, · Bfz
fXfg-¼, Ü, ½, Í IP address , đfŠfXfg, É%oÁ, !, é, ±, Æ, a, Å, «, Ü, · B, æ, Ò Ú' ±
, ·, ézfXfg, đ, ±, lfŠfXfg, É"o~^, μ, Ä, ", , Æ• Ö— ~, Å, · B
, Ü, ½ AfzfXfg-¼, ¾, -, Å, È, ^ È%oo°, !, æ, x, ÈfRf}f"fhf%oofCf" • ¶ Žš—
ň, đfŠfXfg, É"o~^, ·, é, ±, Æ, à, Å, «, Ü, · B

myhost.mydomain 'É í, lfzfXfg-¼, Ü, ½, Í IP address , ¾, -

myhost.mydomain:23 fzfXfg-¼, Æf| [fg" Ô t

foohost.foodomain /F=FOOHOST.INI fzfXfg-¼+ ¶ Ý' èftf@fCf<-
¼, đŽw'è

/C=1 fVfŠfAf<f| [fg, đŽw'è, ·, é, ±, Æ, à%oÁ" \

/R=LOG.DAT fzfXfg, âf| [fg, É Ò Ú' ±, ¹, , É Af fOf tf@fCf<, ! " à—e, đ Ä ¶ ¶

Auto window close

, ±, lf|fvfVf#f" , đ' !' đ, ·, é, Æ AfzfXfg, Æ, ! Ò Ú' ±, a Ø, è, ½, Æ, « Ž © " ® " !, É Tera
Term , đ | —¹, μ, Ü, · B

TCP port#

Žg—p, ·, éf| [fg" Ô t B Telnet , đ Žg—p, ·, é, Æ, «, Í A' Ê í 23, É, μ, Ü, · B

Telnet

Telnet fvf [fgfRf<, đ Žg—p, μ, Ü, · B' Ê í, !' !' đ, μ, Ä, , ¾, ¾, ç B

Terminal type

Telnet , Å Ò Ú' ±, μ, ½, Æ, « AfzfXfg, É • ñ B, ·, é terminal type B

General ([Setup] f fjf... [I])

"General setup" f fCfAf fOf {fbfNfX

Default port

Tera Term , ðfRf} f“fhf%ofCf“fpf%of [f^ [, È, μ, Å<N“ ® , μ, ½, Æ, «, É Ú' ±
, , éf [[fg, ÌŽí—P (TCP/IP , Ü, ½, Í Serial) B

Language

%opCEê/“ú- {CEê f, [fh, ðŽw'è, μ, Ü, · B'Êí, í“ú- {CEêf, [fh (Japanese)
, É, μ, Ä, , ¾, ¾, ç B%opCEêf, [fh (English) , Í%opCEê Windows , ÅŽg—
p, , éê [, ÉŽw'è, μ, Ü, · B

Save setup ([Setup] f fjf... [I])

CE»Ÿ, ìŸ'è, ð Tera Term Ÿ'èftf@fCf<, É•Ů'Ÿ, μ, Ü, ·B

"Save setup" f_fCfAf_fOf{fbfNfX

Tera Term Ÿ'èftf@fCf<, ìftf@fCf<-¼, ðŽw'è, μ, Ä, -
, ¾, ³, çBŽw'è, μ, ½ftf@fCf<, º, ·, Å, É'ŸŸ, ·, éêê‡, íăŸ', «, ³, ê, Ü, ·Bftf@fCf<-
¼, ìŠg'£Žq, ðÈ—ª, μ, ½ê‡A".INI" ,ªŠg'£Žq, Æ, È, è, Ü, ·B

Restore setup ([Setup] f fjf... [I])

Tera Term □Ý'èftf@fCf<,l"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð□Ý'è,μ,È,¨,μ,Ü,·□B

"Restore setup" f_fCfAf□fOf{fbfNfX

,·,Å,É'¶□Ý,·,é Tera Term □Ý'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,¢□Bftf@fCf<-¼,lšg'£Žq,ð□È—ª,μ,½□ê□#□A".INI" ,ªšg'£Žq,Æ,È,è,Ü,·□B

[Control] f f f ...

Reset terminal

Ctrl-C

Are you there

Telnet , ì AYT (Are You There) f R f } f " f h , ð ' — o , μ , Ü , · B ' Ê ð í f z f X f g , í , ± , ê , É Ç Ä % º ž , μ , Ä % º ½ " ™ , © , ì f ð f b f Z ð [f W , ð ' — , è • Ô , μ , Ä , « , Ü , · B Telnet ð Ú ' ± , ì , Æ , « , ¾ , ~ Ž g — p , Å , « , Ü , · B

Send break

Ctrl-] or Ctrl-^

Reset port

Ctrl-C or Ctrl-Z

Open TEK

Ctrl-T

Close TEK

Ctrl-W

Macro

Ctrl-M

[Help] f f f... [

Index

, ±, ÷, f w f < f v, ð • \ Ž |, μ, Ü, · □ B

Using help

f w f < f v, ÷ Ž g, ç • û, ÷ à - ¾, ð • \ Ž |, μ, Ü, · □ B

About Tera Term...

Tera Term , É Š Ö, ·, é □ ^ • ñ, ð • \ Ž |, μ, Ü, · □ B

TEK window ,lfRf}f“fh

[File] f□fjf...□[

[Edit] f□fjf...□[

[Setup] f□fjf...□[

[VT] f□fjf...□[

[Help] f□fjf...□[

[File] fffj... (TEK window)

Print...

%æ-Ê'S'ì,Ü,½,íAf}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%æ'æ,ð^óü,μ,Ü,·B

Exit

TEK window,ð•Â,¶,Ü,·B

Print (TEK window [File] f fjf... [I])

"^óü" f_fCfAf_fOf{fbfNfX

^óü"íí,ìí'ð

"Sfy[fW" ,ð'í'ð,·,é,ÆACE»Ý,ì%æ-Ê,ð^óü,μ,Û,·B
"í'ð,μ,½•"•a",ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½-ì^æ,ì
%æ'æ,ð^óü,μ,Û,·B

[Edit] f[]ffj...[] (TEK window)

Copy

f}fEfX,Å'ì'ð,³,ê,^{1/2}—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

Copy screen

%œ-Ê'S'ì,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ,Û,·[]B

Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ[]A'±,¢,Ä%ö[]sfR[]fh,à'—
[]o,μ,Û,·[]B

Clear screen

%œ-Ê,ð[]Á<Ž,μ,Û,·[]B

[Setup] f[]ffj...[] (TEK window)

Window...

%oæ-Ê•\Ž!,ì[]Ý'è,đ,μ,Û,·[]B

Font...

ftfHf“fg,đ•ï[]X,μ,Û,·[]B

Window (TEK window [Setup] f[]fj...[])

"Window setup" f_fCfAf[]fOf{fbfNfX

Title

fEfBf"fhfE,lf^fCfgr<[]B

Cursor shape

f[]l[]f<,ìCE`[]BBlock, Vertical line, Horizontal line
,ì3,Â,©,ç'l,x,Ü,·[]B

Color emulation

• ¶Žš,âfOf%oftfBfbfN,ì[]F,đŽw'è,·,éfGfXfP[]fVfV[]fPf"fX,đ—
LCEø,É,μ,Ü,·[]B,±
,ìfifvVf#f",đ'l'đ,·,é,Æ[]A'l'đ,μ,È,ç[]ê[]#,É"ä,x f[]f,fš[]Á"i—Ê,ª'[]
%oÁ,μ,Ü,·[]B·K—v,ì,È,ç[]ê[]#,í'l'đ,μ,È,ç,Â,,¾,¾,ç[]BŽg—
p,·,é[]ê[]#,í[]AfEfCf"fhfE,đ,Â,«,é,¾,¾,~[]¬,¾,-
,μ[]AfffBfXfVfCEfC,đ,Â,«,é,¾,¾,~[],È,ç·Ž;[]F[]"f,[]fh(16[]Ff,[]fh"™)
,É,·,ê,í[]Af[]f,fš[]Á"i—Ê,đCE,ç,·,±,Æ,ª,Â,«,Ü,·[]B

Hide menu bar

f[]fj...[]f[]o[][,đ[]Á,μ[]Af|fbfVfAfbfVf[]fj...[][,đŽg—p%oÁ"\,É,μ,Ü,·[]Bf|
fbfVfAfbfVf[]fj...[][,í[]f[]f...[]f[]o[][,ª[]Á,|,½[]ó'Ô,Â[]ACtrl fL[][,đ
%oŸ,μ,È,ª,çf}fEfX,ì[]¶f{f^f",đfNfšfbfN,·,é,ÆCE»,ê,Ü,·[]B

Color

Text • ¶Žš,ì[]F

Background "wCEi,ì[]F

Reverse • ¶Žš,ì[]F,Æ"wCEi,ì[]F,đCEđŠ·,μ,Ü,·[]B

Font (TEK window [Setup] f...fj...)

ftfHf“fg,đ•ïX,μ,Ü,·B

"Font setup" f_fCfAf_fOf{fbfNfX

Font

•ïX,μ,½,çftfHf“fg,đfŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,³,çB

Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg”,ÅŽw'è,μ,Ä,,¾,³,çB

[VT] fff... (TEK window)

VT window ,Ö^Ú,è,Û,·B

[Help] f f f... (TEK window)

Index

, ±, ÷, f, w, f, <, f, v, ð, •, \, Ž, |, μ, Ü, ·, □, B

Using help

f, w, f, <, f, v, ÷, Ž, g, ç, •, û, ÷, à, -³/₄, ð, •, \, Ž, |, μ, Ü, ·, □, B

About Tera Term...

Tera Term, É, Š, Ö, ·, é, □, ^, •, ñ, ð, •, \, Ž, |, μ, Ü, ·, □, B

Tera Term Y'èftf@fCf<

<N"®Žž,Ü,½,íA[Setup] Restore setup ,đŽÀ[s,μ,½,Æ,«A Y'èftf@fCf<,l"à—
e,É,μ,½,ª,¢ Tera Term ,ª%Šú%»»,³,ê,Ü,·BfRf}f"fhf%ofCf",Å Y'èftf@fCf<-
¼,đŽw'è,·,é,±,Æ,ª,Å,«,Ü,·BfRf}f"fhf%ofCf",Åftf@fCf<-
¼,đŽw'è,μ,È,¢êê#A Y'èftf@fCf< **TERATERM.INI** ,ª"Ç,Ýž,Ü,ê,Ü,·Bftf@fCf<-
¼,lŠg'fŽq,đÈ—ª,μ,½êê#,íA".INI",Å, ,é,Æ,Ý,È,³,ê,Ü,·B

«»Y,l Y'è,đ Y'èftf@fCf<,É•Ú'¶,·,é,É,íA[Setup] Save setup ,đŽÀ[s,μ,Ä,-
,¾,¾,¢B

Tera Term ,l Y'è,íA[Setup] fffj...[l,lfRf}f"fh,Å,Ü,Æ,ñ,Ç,·,±,È,ª,±
,Æ,ª,Å,«,Ü,·B,Ü,½A Y'èftf@fCf<,đ¼Ú•ÖW,·,é,±
,Æ,É,æ,Á,ÄA,æ,èx,©,¢ Y'è,đ[s,ª,±,Æ,ª,Å,«,Ü,·B
" Tera Term Y'èftf@fCf<,l"Ç,Ýž,Ýê—pflfvfVf#f"

TeraTerm Y'èftf@fCf<,l—á

Tera Term □Ý'èftf@fCf<,ì—á

^È%ºº,É Tera Term □Ý'èftf@fCf<,ì—á,đŽ!,μ,Ü,·□B,±,ì—á,íffftfHf<fg,É,È,Á,Ä,ç,Ü,·□B

[Tera Term]

; Tera Term Pro version 2.0

Version=2.0

; Language (English/Japanese)

Language=

; Port type (serial/tcpip)

Port=

; Window positions

VTPos=-2147483648,-2147483648

TEKPos=-2147483648,-2147483648

; Terminal size

TerminalSize=80,24

; Terminal size = window size (on/off)

TermIsWin=off

; Auto window resizing option (on/off)

AutoWinResize=off

; New-line code to be received (CR/CRLF)

CRReceive=CR

; New-line code to be transmitted (CR/CRLF)

CRSend=CR

; Local echo (on/off)

LocalEcho=off

; Answerback

Answerback=

; Kanji code to be received (SJIS/EUC/JIS)

KanjiReceive=SJIS

; JIS Katakana code to be received (7/8)

KatakanaReceive=8

; Kanji code to be transmitted (SJIS/EUC/JIS)

KanjiSend=SJIS
; JIS Katakana to be transmitted (7/8)
KatakanaSend=8
; Kanji-in sequence to be transmitted (@/B)
KanjiIn=B
; Kanji-out sequence to be transmitted (J/B)
KanjiOut=J

; Auto window switching (VT<->TEK) (on/off)
AutoWinSwitch=off

; Terminal ID
TerminalID=VT100

; Window title
Title=Tera Term

; Cursor shape (block/vertical/horizontal)
CursorShape=block

; Hide menu bar and enable popup menu (on/off)
PopupMenu=off

; Enable scroll buffer (on/off)
EnableScrollBuff=on
; Scroll buffer size (max 10000 lines)
ScrollBuffSize=100

; Text and background color
VTColor=0,0,0,255,255,255
; Bold color
VTBoldColor=0,0,255,255,255,255
; Blink color
VTBlinkColor=255,0,0,255,255,255

; Text and background color for TEK window
TEKColor=0,0,0,255,255,255

; TEK color emulation (on/off)
TEKColorEmulation=off

; Font
VTFont=Terminal,0,13,1

```
;      Bold style font (on/off)
EnableBold=off
;      Font for TEK window
TEKFont=Terminal,0,8,1

;      Backspace key (BS/DEL)
BSKey=BS

;      IME (on/off)
IME=on
;      IME inline input (on/off)
IMEInline=on

;      Meta key (on/off)
MetaKey=off

;      Serial port parameters
;      Port number (1/2/3/4)
ComPort=1
;      Baud rate (110/300/600/1200/2400/4800/9600/
;      19200/38400/57600/115200)
BaudRate=9600
;      Parity (even/odd/none)
Parity=none
;      Data (7/8)
DataBit=8
;      Stop (1/2)
StopBit=1
;      Flow control (x/hard/none)
FlowCtrl=none
;      Transmit delay per character (in msec)
DelayPerChar=0
;      Transmit delay per line (in msec)
DelayPerLine=0

;      TCP/IP parameters
;      TCP port#
TCPPort=23
;      Telnet flag (on/off)
Telnet=on
;      Telnet terminal type
TermType=vt100
;      Auto window closing option (on/off)
```

AutoWinClose=on

; Binary flag for Send File and Log (on/off)

TransBin=off

; XMODEM option (checksum/crc/1k)

XmodemOpt=checksum

; Binary flag for XMODEM Receive and ZMODEM Send (on/off)

XmodemBin=on

; Default directory for file transfers

FileDir=

; Telnet host list (the max number of hosts is 99).

; You can edit this list in the [Setup] TCP/IP dialog box.

:[Hosts]

; Host name

;Host1=myhost.mydomain

; IP address

;Host2=111.11.1.1

; Host name with option

;Host3=myhost.mydomain /F=myhost.ini

; COM1 port

;Host4=/C=1

; Replay a log file

;Host5=/R=readme.txt

Tera Term □Ý'èftf@fCf<,ì“Ç,Ý□ž,Ý□ê—pfIfvfVf#f“

^È%º,ì□Ý'è,đ,.,é,É,í□Af+□[fU□[,í Tera Term
□Ý'èftf@fCf<,đ'¼□Ú•Ò□W,μ,È,¯,ê,î,È,è,Ü,¹,ñ□B

- EŽó□M,μ,½•□Žš,đ,.,x,Ä•Ž!,.,é,æ,α,É,.,é□B
- EJIS Š;Žš'—□o,ìŽž□A□³,μ,,È,ç "kanji-out" fV□[fPf“fX ^[(H,đŽg—p%ºÄ“\
,É,.,é□B
- E^ê“x,ÉfXfNf□□[f<,.,é□Á'â,ì□s□”,đ□Ý'è,.,é□B
- E•□Žš(□s)ŠÔ,É,.,«,Ü,đ,.,¯,é□B
- Ef^fCf<gf<fo□[,đ□Á,·□B
- ETEK GIN report ,ìf}fEfXfR□[fh,ì'l,đ□Ý'è,.,é□B
- ETelnet ,ìf□fO
- EKermit ,ìf□fO
- EXMODEM ,ìf□fO
- EZMODEM ,ìf□fO
- EZMODEM '—□M,ì□Ý'è
- EZMODEM ,Ä,.,x,Ä,ì□\$Çä•□Žš,đfGfXfP□[fv,.,é□B
- EZMODEM Žó□M,ìŽ©“®<N“®
- EB-Plus ,ìf□fO
- EB-Plus Žó□M,ìŽ©“®<N“®
- EQuick-VAN ,ìf□fO
- EQuick-VAN ,ì window size
- E2fofCf<g•□Žš(Š;Žš),ì1fofCf<g-Ú,Æ2fofCf<g-
Ú,ìŠÔ,É□\$Çä•□Žš“™,ª“ü,Á,½□ê#□A1fofCf<g-Ú,đ-³Çø,É,.,é□B
- EfvfŠf“f^ftfHf“fg,ìŽw'è
- EC1 □\$Çä•□Žš(\$80-\$9F),đŽg—p,μ,È,ç□B
- ETelnet ,ìfofCfifŠfIfvfVf#f“
- ETCP/IP %ºñ□ü□Ø'f,ìŠm“F,đ,μ,È,ç□B

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!,·,é,æ,κ,É,·,é,É,ÍAÝ'èftf@fCf<,ì [Tera Term]
fZfNfVf¶f",ÉA

debug=on

,Æ,ç,κs,đ'Ç%Á,μ,Ä,,¾,¾,çBShift+Esc ,đ
%Ÿ,·,ÆfffofbfOf,¶[fh,É,È,è,Ü,·BfffofbfOf,¶[fh,đ%đœ,·,é,É,Í,à,κ^ê"x
Shift+Esc ,đ%Ÿ,μ,Ä,,¾,¾,çB

fffofbfOf,¶[fh,Á,ÍAZóM,μ,½ff¶f^,đ^È%º,ì<K'¥,Á•¶Žš,É•İŠ,μ,Ä•\Ž!,μ,Ü,·B

\$00-\$1F: ^@ - ^_,đ•\Ž!
\$20-\$7E: ,»,ì,Ü,Ü•¶Žš,Æ,μ,Ä•\Ž!
\$7F: ,đ•\Ž!
\$80-\$FF: ¶Aã^Ê bit ,đ0,É,μ,ÄA\$00-\$7F,Æ"~,¶<K'¥
,Á•¶Žš,É•İŠ,μA"½"]•¶Žš,Æ,μ,Ä•\Ž!B

ffftfHf<fg:
debug=off

☐³,μ,,È,ç "kanji-out" ,đŽg—p%oÂ"\\,É,.,é☐B

^ê•",)fVfXfef€,\p,ç,ç,ê,Ä,ç,é "kanji-out" fV☐[fPf"fX ^[(H ,í☐AJIS/ISO ,)KŠi,É☐],Á,Ä,ç,Ü,¹,ñ☐B-{“-É•K—v,ì, ,é☐é☐#^ÈŠO,ÍŽg—p,μ,È,ç,Á,- ,¾,³,ç☐BffftfHf<fg,Á,ÍŠÔ^á,ç,đ-h,®,½,ß **[Setup] terminal** f_fCfAf☐fOf{fbfNfX,Á ^[(H ,í'đ,Á,«,Ü,¹,ñ☐B

^[(H ,đ'í'đ,Á,«,é,æ,ɣ,É,.,é,É,í☐A☐Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“,É☐A

AllowWrongSequence=on

,Æ,ç,ɣ☐s,đ'Ç%oÁ,μ,Ä,,¾,³,ç☐Bf_fCfAf☐fOf{fbfNfX,Á'í'đ,Á,«,é,æ,ɣ,É,È,è,Ü,·☐B

ffftfHf<fg:

AllowWrongSequence=off

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é□B

VT window ,Å,í%œ-Ê,ìfXfNf□□[f<,ð'¬,,·,é,½,ß,É□A^ê"x,É•i□"□sfXfNf□□[f<,·,é,±
,Æ,ª, ,è,Ü,·□B

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]**
fZfNfVf†f",É□A

ScrollThreshold=<□s□"(10□i□@□)">

,Æ,ç,æ□s,ð'Ç%œÁ,μ,Ä,,¾,³,ç□B

ffftfHf<fg:

ScrollThreshold=12

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,éB

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,é,É,íAÝ'èftf@fCf<,ì [Tera Term] fzfnfvf+f“ ,ÉA^È
%o^o,ìs,đ'Ç%A,μ,Á,,³/₄,³,çB

VTFontSpace=<dx1>,<dx2>,<dy1>,<dy2>

,¹/₂,³/₄,μA

<dx1> ,íŠe•Šš,ìŠš'š,É, , , ,é,·,«,ÛB

<dx2> ,íŠe•Šš,ì%oE'š,É, , , ,é,·,«,ÛB

<dy1> ,íŠeš,ìšš'š,É, , , ,é,·,«,ÛB

<dy2> ,íŠeš,ì%o^o'š,É, , , ,é,·,«,ÛB

'P^Ê,í,ç, , ,ê,àA%oæ'fB

—á:

VTFontSpace=0,1,0,0 Še•Šš,ì%oE'š,É1%oæ'f•^a,ì,·,«,Û,đ, , , ,éB

VTFontSpace=0,0,1,0 Šeš,ìšš'š,É1%oæ'f•^a,ì,·,«,Û,đ, , , ,éB

ffftfHf<fg:

VTFontSizeOffset=0,0,0,0

f^fCfgr<fo [,đ Á , · B

f^fCfgr<fo [,đ Á , · É, í A Á Y' èftf@fCf<, ì [Tera Term] fzfnfvf#f" ,É A^È
%o^o, ì s, đ' Ç%o Á, μ, Ä, , ¾, ³, ç B

HideTitle=on

ffftfHf<fg:

HideTitle=off

, Ü, ½ A Á Y' èftf@fCf<, í ' , « Š · , , , É A f R f } f " f h f % o f C f " , Å / H
f l f v f v f # f " , đ Ž w ' è , μ, Ä, à A f ^ f C f g r < f o [, đ Á , · , ± , Æ , ^a, Å, «, Ü, · B

f^fCfgr<fo [,đ Á , · Æ A f f j f ... [f o [, à " ~ Ž ž , É Á , , Ü, · B
f E f B f " f h f E , đ ^ Ú " ® , ³, ¹, é, É, í A A l t f L [, đ
%o Y , μ, È, ^a, ç } f E f X [f { f ^ f " , Å f E f B f " f h f E , đ f h f % o f b f O , μ, Ä, , ¾, ³, ç B f |
f b f v f A f b f v f f j f ... [, đ • \ Ž | , ³, ¹, é, É, í A C t r l f L [, đ
%o Y , μ, È, ^a, ç } f E f X [f { f ^ f " , đ f N f Š f b f N , μ, Ä, , ¾, ³, ç B

TEK GIN report ,lf}fEfXfR[]fh

fzfXfg'x,lfAfvfŠfP[]fVf#f",É,æ,Á,Ä[]ATEK window ,@ GIN f,[]fh(fNf[]fXfwfA[]fj[]f\ f<,ªCE»,ê[]A[]À•W"ü—í,ª%oÁ"\,È[]ó'Ô),É,È,Á,½,Æ,«[]A, ,éfL[][,ð%oÿ,·,Æ TEK window ,ífNf[]fXfwfA[]fj[]f\ f<,ì[]À•W,ÆfL[][,ì ASCII fR[]fh,ðfzfXfg,Ö•ñ[][],μ,Ü,·[]B

GIN f,[]fh,Åf}fEfX,ì[]f{f^f",ð%oÿ,μ,½,Æ,«,É[]À•W,Æ,Æ,à,É'—[]o,·,é fL[]fR[]fh ,ð[]Ý'è,·,é,É,í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f",É[]A

TEKGINMouseCode=<key code(10[]i[]®[])">

,Æ,ç,¸[]s,ð'Ç%oÁ,μ,Ä,,¾,³,ç[]B

ffftfHf<fg:

TEKGINMouseCode=32

(32,íSpace ,ìASCII fR[]fh)

Telnet ,lfO

Y'èftf@fCf<, [Tera Term] fZfNfVf#f“ ,ÉA

TelLog=on

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,ÆAfzfXfg,Æ Tera Term ,lŠÔ, telnet ,loption negotiation
,l“à—e,ðftf@fCf< **TELNET.LOG** ,É<L~^,μ,Ü,·B

ffftfHf<fg:

TelLog=off

Kermit ,lfO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,ÉA

KmtLog=on

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,Æ[AfzfXfg,Æ Tera Term ,ìŠÔ,Å Kermit ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,ÉACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **KERMIT.LOG**
,É<L~^,μ,Ü,·B

ffftfHf<fg:

KmtLog=off

XMODEM ,lf fo

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

XmodemLog=on

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å XMODEM ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEđŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<
XMODEM.LOG ,É<L~^,μ,Û,·B

ffftfHf<fg:

XmodemLog=off

ZMODEM ,lf fo

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

ZmodemLog=on

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å ZMODEM ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<
ZMODEM.LOG ,É<L~^,μ,Û,·B

ffftfHf<fg:

ZmodemLog=off

ZMODEM ,Å,·,×,Ä,ì§Œä•¶Žš,ðfGfXfP[fv,·,éB

ZMODEM ,Å,íA'ÊM%ñü,â^ê•",ì§Œä•¶Žš,ð'Ê,³,È,ç,±
,Æ,ð'z'è,μ,ÄA,»,ê,ç,ðfGfXfP[fv,·,é('¼,ì•¶Žš,ì'g,Ý¶,í,¹,É'u,«Š·,!,é),æ,×
,É,È,Á,Ä,ç,Ü,·B,μ,©,μA'z'èŠO,ì§Œä•¶Žš,à'Ê,³,È,ç%ñü,ìê¶,Í'—,^a,×,Ü,,ç
,«,Ü,¹,ñB,»,ì,æ,×,Èê¶,ÍAÝ'èftf@fCf<,ì [Tera Term] fZfNfVf¶f“,ÉA

ZmodemEscCtl=on

,Æ,ç,×s,ð'Ç%Á,μ,Ä,,³/₄,³,çB,±,ê,Å,·,×,Ä,ì§Œä•¶Žš,ðfGfXfP[fv,·,é,æ,×
,É,È,è,Ü,·B

ffftfHf<fg:

ZmodemEscCtl=off

ZMODEM '—□M,ì□Ý'è

^È%º,ì2,Â□s(1,Â,³/₄, -, Â, à%ºÂ), ð□Ý'èftf@fCf<, ì [Tera Term] fZfNfVf#f", É'Ç
%ºÁ, ·, é, Æ□AZMODEM '—□M, ÉŠŌ, ·, é□Ý'è, ð, ·, é, ±, Æ, ^a, Â, «, Ü, ·□B, ±, ê, ç, ì□Ý'è, Ì
ZMODEM Žó□M, É, Ì%ºe<¿, ð— ^, Ì, Ü, ¹, ñ□B

ZmodemDataLen=<ff□[f^fTfufpfPfbfg, ì□Á'á'·(fofCfG□")>

ZmodemWinSize=<'—□M, ÌfEfBf"fhfEfTfCfY(fofCfG□")>

ffftfHf<fg:

ZmodemDataLen=1024

ZmodemWinSize=0

□Ý'è%ºÁ"\, È<ff□[f^fTfufpfPfbfg, ì□Á'á'·>, Ì'Ì, Ì0□`1024, Â, ·□B'á'—, È%ºñ□ü, âfGf
%º□[, Ì'½, ç%ºñ□ü, ðŽg—p, µ, ½, è□AfzfXfg, Ìff□[f^□—□"\—Í, ^a'á, ff□[f^, ðŽæ, è, ±
, Ú, ·□ê□‡, Ì□A□—, ³, È'Ì, ð□Ý'è, ·, é, Æ□AfGf
%º□["™, Ì□áŠQ, É'Ì, µ, Ä□A, æ, è^À'è, Èftf@fCf<'—□M, ð□s, ±
, Æ, ^a, Â, «, Ü, ·□BfVfŠfAf<f|□[fgŽg—
pŽž, Âf{□[fC□[fg, ^a'á, ç□ê□‡, Ì□A□Ý'è'Ì, æ, è, à□—, ³, ç'Ì, ^aŽg—p, ³, ê, é, ±, Æ, ^a, ·, è, Ü, ·□B

□Ý'è%ºÁ"\, È<'—□M, ÌfEfBf"fhfEfTfCfY>, Ì'Ì, Ì-32768□`32767, Â, ·□B—
á, Ì, Ì□A'Ì, ð30000, É, ·, é, Æ□A-ñ30000fofCfG, É^è%ºñ□Aff□[f^fpfPfbfg, Ì'—
□M, ð<x, Ý□AfzfXfg, ©, çŠm" F, ðŽæ, è, Ü, ·□B'Ì, ð•%º(fEfBf"fhfEfTfCfY-³CEÀ'á, É'Ì%ºž)
, É, ·, é, Æ□AfzfXfg, ©, çfGf%º□[, Ì•ñ□□, ^a, È, ç, ©, —, è□A^è
%ºñ, à<x, Ü, ·, Éff□[f^fpfPfbfg, ð'—□M, µ, Â, Ä, —□A□Á'áCEÀ, Ì'—
□M'—"x, ^a³/₄, ç, ê, Ü, ·□BfzfXfg, â%ºñ□ü, Ì"\—Í, É, æ, Á, Ä, Ì□AfEfBf"fhfEfTfCfY, ð, ·, é'Ì, æ
, è'á, «, ·, ·, é, Æ□A□³Í, Èftf@fCf<'—□M, ^a, Â, «, È, -
, È, Á, ½, è□A"ñ□Í, ÉŽžŠŌ, ^a, ©, ©, Á, ½, è, ·, é, ±, Æ, ^a, ·, è, Ü, ·□B

ZMODEM ŽÓM,İŽ © “® <N” ®

Ÿ'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

ZmodemAuto=on

,Æ,ç,æ[s,đ'Ç%oÁ,·,é,ÆAfzfXfg'æ,ì ZMODEM '—
M(f_fEf“f[fh)fRf}f“fh,ðŽÀ[s,μ,½,Æ,«,ÉAŽ © “®“I,É Tera Term ,ì ZMODEM
ŽÓM,ªŠJŽn,³,ê,é,æ,æ,É,È,è,Ü,·B

ffftfHf<fg:

ZmodemAuto=off

B-Plus ,lf fO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

BPLog=on

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å B-Plus ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **BPLUS.LOG**
,É<L~^,μ,Ü,· B

ffftfHf<fg:

BPLog=off

B-Plus ŽóM,ìŽ©“®<N“®

Ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

BPAuto=on

,Æ,ç,æs,đ'Ç%oÁ,·,é,ÆANifty-Serve “™,ì BBS ,ÅAB-Plus
,ì_fEf“f[fhfRf}f“fh,đŽÀs,μ,½,Æ,«,ÉAŽ©“®“I,É Tera Term ,ì B-Plus
ŽóM,ŠŽn,³,ê,é,æ,æ,É,È,è,Ü,·B

ffftfHf<fg:

BPAuto=off

Quick-VAN ,lf□fO

□Ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“ ,É□A

QVLog=on

,Æ,ç,⌘□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg,Æ Tera Term ,ìŠÔ,Å Quick-VAN ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É□ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<

QUICKVAN.LOG ,É<L~^,μ,Ü,·□B

ffftfHf<fg:

QVLog=off

Quick-VAN ,ì window size

ìÝ'èftf@fCf<,ì [Tera Term] fzfnfvf#f" ,ÉA

QVWinSize=<window size (10i"("³))>

,Æ,ç,æ[s,ð'Ç%Á,·,é,ÆAQuick-VAN fvf[]fgfRf<,Å—p,ç
,ç,è,éfEfCf"fhfEftfCfY,Æ,ç,æfpf%of[]f^[][,ðÝ'è,·,é,±,Æ,ª,Å,«,Ü,·B

ìÝ'è%Á"\,ÈfEfCf"fhfEftfCfY,ì'l,íA1`99,Å,·B^è"Ê,ÉA%ñü,ª\•ª,É,·,ÀfGf
%[][,ª,È,çê[]#AfEfCf"fhfEftfCfY,ð'å,«,·,
,·,ê,î,·,é,Ü,ÇA"']'—'—'x,ªEü[]ã,µ,Ü,·B,½,¾,µA'á'—,È%ñü,âfGf%[][,ì'½,ç
%ñü,ðŽg—p,µ,½,è[]AfzfXfg,â PC ,ªff[]f^,ðŽæ,è,±
,Ú,µ,½,è,·,éê[]#,É,íAfEfCf"fhfEftfCfY,ª'å,«,·,·,é,Æ<t,É"']'—'—'x,ª'á
%º,µ,Ü,·B

,Ü,½AZÀ[]Û,É—p,ç,ç,è,éfEfCf"fhfEftfCfY,ì'l,íA Tera Term 'æ,ìÝ'è'l,ÆAfzfXfg
(PC-VAN) 'æ,ìÝ'è'l,ì[]—,³,ç•û,É,È,è,Ü,·B,µ,½,ª,Á,ÄA Tera Term
,ìÝ'è'l,ð, ,é'l,æ,è'å,«,·,·,é,ÆA,»,è^È[]ã"']'—'—'x,í•ï%»µ,È,,È,è,Ü,·B

ffftfHf<fg:

QVWinSize=8

2fofCfg•Œš(Š;Žš),l1fofCfg-Ú,Æ2fofCfg-Ú,ÌSÔ,ÉŒä•Œš“™,“ü,Á,½ê#A1fofCfg-Ú,ð-³Œø,É,·,éB

fzfXfg,©,ç—,ç,ê,Ä,,é2fofCfg•Œš(Š;Žš“™),l1fofCfg-Ú,Æ2fofCfg-Ú,ÌSÔ,ÉŒä•Œš(—á,!,Î%üŒs•Œš“™,“ü,Á,Ä,àAtera Term ,lfftfHf<fg,Å,Í2fofCfg•Œš,àŒä•Œš,à³,µ,Žæ,è^µ,í,ê,Û,·B

Ÿ'èftf@fCf<,l **[Tera Term]** fzfNfvf#f“,ÉA

CtrlInKanji=off

,Æ,ç,ŒŒs,ð'ç%Á,·,é,ÆA2fofCfg•Œš,l1fofCfg-Ú,ìŒä,ÉŒä•Œš“™,“—^,½ê#A1fofCfg-Ú,ð-³Œø,É,µ,Û,·B,±,ìŒä,É2fofCfg-Ú,“—^,Ä,àAfSf~ ,Æ,µ,Ä•Ž!,³,ê,Û,·B2fofCfg•Œš,ð³,µ,-^µ,í,É,çfAfvfŠfP[fVf#f“,Å,ÍA,±,ì,æ,Œ,É,µ,½,Û,Œ,ªA%æ-É,ì•Œš%»»,¯,ª,É,-,É,é%Ä“\«ª, ,è,Û,·B—á,!,ÎAŠ;Žš,l1fofCfg-Ú,ìŒä,É%üŒs•Œš,ðo,µ,ÄA,» ,ìŒä,É2fofCfg-Ú,Ío,³,È,çA,Æ,ç,ŒfAfvfŠfP[fVf#f“,ª, ,Á,½,Æ,·,é,ÆA,» ,ìŠ;Žš,ÍŽì,Ä,ç,ê,Û,·ªA%üŒs•Œš^È~ ,É—^,é•Œš,ª%»»,¯,ª,ÉÏ,Ý,Û,·B

fftfHf<fg:

CtrlInKanji=on

fvfŠf“f^ftfHf“fg,ìŽw’è

VT window ,ì%œ-Ê,đ^óü,·,é,Æ,«,ÉŽg—
p,·,éftfHf“fg,đŽw’è,μ,Û,·BffftfHf<fg,Â,íA%œ-Ê•\Ž!—p,ìftfHf“fg(**[Setup]**
Font ,ÂŽw’è,³,ê,éftfHf“fg),Æ“[~],¶,à,ì,đ^óü—p,ÉŽg—
p,μ,Û,·BfvfŠf“f^ftfHf“fg,đŽw’è,·,é,É,íAŽÿ,ìŽè¶,É,μ,¹/₂,^a,Á,Ä,,³/₄,³,çB

1) **[Setup] Font** ,Â%œ-Ê•\Ž!—p,ìftfHf“fg,đ,ç,ë,ç,ë•ì,!,ÄA^óü,μ,Ä,Ý,éB

2) D,Ý,ì^óü—pftfHf“fg,^aCE©,Â,©,Á,¹/₂,ç**[Setup] Save setup**
,ÂY’èftf@fCf<,ÉCE»Y,ìY’è,đ•Û’¶B

3) uf¶f,· ¶v,È,Ç,ìGffBf^,ÂY’èftf@fCf<,đŠJ,«A**[Tera Term]** fZfNfvf¶f“,É
PrnFont= ,ÂŽn,Û,é¶s,đ’Ç%Á,·,éB**VFont=** ,É’±,·¶Žš—ñ(—á,!,î“•W€-
³/₄’©,**0,-19,128**),đ **PrnFont=** ,ìĀă,ÉfRfs[·,·,éB¶Y’èftf@fCf<,đ•Û’¶B

4) %œ-Ê—p,ìftfHf“fg,đ,à,Æ,ìY’è,É,à,Ç,·B

—á:

PrnFont= •W€-³/₄’©,**0,-19,128**

ffftfHf<fg:

PrnFont=

C1 [§CEä•ŕŽš (\$80-\$9F) ,đŽg—p,μ,È,ç]B

Tera Term ,ìŠžŽšf,[]fh(ŽóM),đ **EUC** , © **JIS** ,É,μ,Ä]A Teraminal ID ,đ VT2XX
,Ü,½,í]A VT3XX ,É,μ,Ä,ç,éê]A]Shift-JIS
,ìŠžŽš,đŽóM,·,é,Æ]Afnf“fOfAfbfv,·,é,±,Æ,ª, ,è,Ü,·]B

,±,ê,í]A]Shift-JIS fR[]fh,ì†,É C1 [§CEä•ŕŽš (\$80-9F) ,ªŠÜ,Ü,ê,Ä,ç
,é,½,ß,É]A,» ,é,ç,đ[§CEä•ŕŽš,Æ,μ,Ä%ođŽß,μ,Ä,μ,Ü,ç]A'[--,ìó'Ô,ª,“, ©,μ,-
,È,é, ©,ç,Å,·]B

—á,ì,î]AfzfXfg,É,æ,Á,Ä,í]fOfCf“Žž,È,Ç,É **SJIS**(Shift-JIS), **EUC**, **JIS** ,È,Ç,ì]Ží—
p,ìŠžŽšfR[]fh,đ'[-- ,É'—,è]A,Ç,í]R[]fh,ª]³,μ,•\Žì,ª,ê,Ä,é, ©ft[]fU[] ,É“ü—
í,ª,¹,é]A,Æ,ç,ª,±,Æ,ª, ,è]A,±,ì,æ,ª,Éê]A,É-â'è,ª”]ŕ,μ,Ü,·]B

,à,μ]A,±,ì,æ,ª,Éó'Ô,É,È,Á,½]ê]A]A[Control] Reset terminal ,Á'[--
,ìó'Ô,đfŠfZfbfg,μ,Ä,,¾,ª,ç]B

,±,ì,æ,ª,È-â'è,đ,ª,¯,é,É,í]A3,Â,ì•û-@,ª, ,è,Ü,·]B

1) ŠžŽšf,[]fh(ŽóM),đ **SJIS** ,É]Ý'è,·,é]B

2) [Setup] Terminal ,Å Terminal ID ,đ VT1XX (—á,ì,î VT100) ,É,·,é]B

3)]Ý'èftf]fCf<,ì [Tera Term] fZfNfVf]f“ ,É

Accept8BitCtrl=off

,Æ,ç,ª]s,đ'Ç%oÁ,μ]A C1 [§CEä•ŕŽš,Æ,μ,Ä'—,ç,ê,Ä,«,½•ŕŽš,đ-³Ž<,·,é,æ,ª
,É]Ý'è,·,é]B

ffftfHf<fg:

Accept8bitCtrl=on

Telnet „lf of Cfif Šf lfvf Vf f“

fzfXfg,É telnet □Ú'±,μ□Aftf@fCf<“]’— (XMODEM “™),Å CR •¶Žš,đ’—
□o,·,é□é□#□ATera Term ,lfftfHf<fg,Å,Í CR+NUL (\$0D \$00) ,É•İŠ·,μ,Ä,©,ç’—
□o,μ,Ü,·□BfofCfifŠf lfvf Vf f“ ,Å telnet □Ú'±,·,é,Æ□A,±,ì,æ,α,È•İŠ·,Í,“,±,È,ç
,Ü,¹,ñ□B

□Ý’èftf@fCf<,ì **[Tera Term]** fZfNfVf f“ ,É□A

TelBin=on

,Æ,ç,α□s,đ’Ç%oÁ,·,é,Æ□ATelnet □Ú'±,·,é,Æ,«fofCfifŠf lfvf Vf f“ ,đ—p,ç
,Ü,·(fzfXfg,^aÍ%oŽ,μ,Ä,ç,ê,ì)□B

,Ü,¹/₂□A□Ý’èftf@fCf<,í□’,«Š·,|,·,É□Afrf}f“fhf%ofCf“,É /B
flfvfVf f“ ,đ,Ä,¯,Ä,à□AfofCfifŠf lfvf Vf f“ ,đŽw’è,Å,«,Ü,·□B

fftfHf<fg:

TelBin=off

TCP/IP %oňüØ'f,ìŠm" F,đ,μ,È,ç B

Unix "™,lfzfXfg,É telnet ,ÁfOfCf" ,μ,Ä,ç,éó'Ô,ÅA%oňü,đ<-
\$"l,ÉØ'f,·,é,ÆAfvfZfX,Žc,Á,½,Û,Û,É,É,é,±,Æ,a, ,è,Û,·B,â,p,đ"¾,È,çê†,
đœ,«A³,μ,ç•û-@,ÁfOfAfEfg,·,é,æ,κ,É,μ,Ä,,¾,³,çB

Tera Term ,fftfHf<fg,Å,í TCP/IP Ú'±Žž,É **[File] Disconnect** ,Û,½,í **[File] Exit**
,Å%oňü,đ<\$"l,ÉØ'f,·,é,Æ,«,ÉA"Disconnect ?" ,Æ,ç,κfbfZ[fW,đ·\
Ž!,μ,Äft[fU[,ÉŠm" F,đ,μ,Û,·B

Ý'èftf@fCf<,ì **[Tera Term] fzfNfvf†f"**,ÉA

ConfrimDisconnect=off

,Æ,ç,κs,đ'Ç%oÁ,·,é,ÆA%oňü,đ<\$Ø'f,·,é,Æ,«,Éft[fU[,ÉŠm" F,đ,μ,Û,¹,ñB

fftfHf<fg:

ConfrimDisconnect=on

fRf}f“fhf%ofCf“

Tera Term Pro ,đ<N“® , , ,é,Æ,«,lfRf}f“fhf%ofCf“(fVf#[]fgyjfbfg,lfŠf“fN[]æ),iĚ`Ž®

TTERMPRO [<host name / host address>[:<TCP port#>]]
[/B] [/C=<serial port#>]
[/F=<setup file>] [/FD=<file transfer directory>]
[/H] [/K=<keyboard setup file>]
[/KR=<kanji code (receive)>] [/KT=<kanji code (transmit)>]
[/P=<TCP port#>] [/R=<replay file>] [/T=<telnet flag>]
[/W="<window title>"]
[/X=<window pos (x)>] [/Y=<window pos (y)>]
[;<comment>]

,±,±,Å:

<host name>[:<TCP port#>] Host name (with TCP port#)
<host address>[:<TCP port#>] IP address (with TCP port#)

/B Telnet binary option (default: none)

/C=<serial port#>

/C=1 COM1

/C=2 COM2

/C=3 COM3

/C=4 COM4

/F=<setup file>

/F=TERATERM.INI (default)

/FD=<file transfer directory>

/H Hide title bar (default: none)

/K=<keyboard setup file>

/K=KEYBOARD.CNF (default)

/KR=<kanji code (receive)>

/KR=SJIS

/KR=EUC

/KR=JIS

/KT=<kanji code (transmit)>

/KT=SJIS

/KT=EUC

/KT=JIS

/P=<TCP port#>

/P=23 (default (telnet))

/R=<replay file>

/T=<telnet flag>

/T=1 Telnet enable (default)

/T=0 Telnet disable

/W="<window title>"

/X=<window position (x)>

/Y=<window position (y)>

;<comment> Comment. Should be last in the command line.

—á:

TTERMPRO

TTERMPRO myhost.mydomain

TTERMPRO myhost.mydomain:23

TTERMPRO 111.111.11.11

TTERMPRO myhost.mydomain /T=0 /P=7

TTERMPRO /C=1

TTERMPRO /F=TELNET.INI

TTERMPRO foohost.foodomain /F=FOOHOST.INI

TTERMPRO /C=2 /F=MYSETUP.INI

TTERMPRO /K=MYKEY.CNF /W="My host"

TTERMPRO /R=README.TXT ; replay a file

TTERMPRO myhost /B /X=100 /Y=50

fL[f{[fhY'èftf@fCf<

fL[f{[fhY'èftf@fCf<,É,æ,Á,ÄA VT '[-,lfL[,ð PC ,ì, ,éfL[,ÉŠ,,,è"-
,Ä,½,èAft[fU['è<`fL[,ÆA,»lfL[,ð%oY,μ,½,Æ,«,É'—o,·,é•ŕŽš—
ň,ðŽw'è,μ,½,è,·,é,±,Æ,ª,Å,«,Ü,·B

fRf}f“fh%oofCf“,ÅfL[f{[fhY'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,·,é,±
,Æ,ª,Å,«,Ü,·Bftf@fCf<-¼,ðŽw'è,μ,È,çê#Aftf@fCf< **KEYBOARD.CNF**
,ª“Ç,Ýž,Ü,ê,Ü,·Bftf@fCf<-¼,ìŠg'£Žq,ðÈ—ª,μ,½ê#,íA".CNF",Å, ,é,Æ,Ý,È,³,
ê,Ü,·B

IBM-PC/AT 101(106) fL[f{[fh,ðŽg—p,μ,Ä,ç,ÄAfL['è<` ,ðffXf^f}fCfY,·,é•K—
v,ª,È,çê#,íAfL[f{[fhY'èftf@fCf<,í•K—v, ,è,Ü,¹,ňBffXf^f}fCfY,·,é•K—v,ª,
,éê#,íA"z•zfpfbfP[fW,ÉŠÜ,Ü,ê,Ä,ç,é **IBMKEYB.CNF** ,ðRfs[,μ,Ä
KEYBOARD.CNF ,ðì¬,μA,»,ê,ð•ÒW,μ,Ä,,¾,³,çB

NEC PC9801 fVfŠ[fY,lfL[f{[fh,ðŽg—p,μ,Ä,ç
,éê#,íA"z•zfpfbfP[fW,ÉŠÜ,Ü,ê,Ä,ç,é **PC98KEYB.CNF** ,ðRfs[,μ,Ä
KEYBOARD.CNF ,ðì¬,μA•K—v,ª, ,é,î,»,ê,ð•ÒW,μ,Ä,,¾,³,çB

fL[f{[fhY'èftf@fCf<,ìE`Ž® ,íA"z•zftf@fCf<,ÉŠÜ,Ü,ê,Ä,ç,é **KEYCODEJ.TXT**
,ð“Ç,ň,Å
,,¾,³,çB

fL[f{[fhY'èftf@fCf<,ì—á

fL[f{[fhY'èftf@fCf<,ì—á

,±,ì—á,Í Tera Term ,lffftfHf<fg,É,È,Á,Ä,ç,Ü,·B(IBM-PC/AT 101 (106) fL[f{[fh)

[VT editor keypad]

;Up arrow key

Up=328

;Down arrow key

Down=336

;Right arrow key

Right=333

;Left arrow key

Left=331

;End key

Find=335

;Insert key

Insert=338

;Delete key

Remove=339

;Home key

Select=327

;PageUp key

Prev=329

;PageDown key

Next=337

[VT numeric keypad]

;Num pad 0 key

Num0=82

;Num pad 1 key

Num1=79

;Num pad 2 key

Num2=80

;Num pad 3 key

Num3=81

;Num pad 4 key

Num4=75

;Num pad 5 key

Num5=76

;Num pad 6 key

Num6=77

;Num pad 7 key

Num7=71

;Num pad 8 key

Num8=72

;Num pad 9 key

Num9=73

;Cntrl + Num pad '+' key

NumMinus=1102

;Num pad '+' key

NumComma=78

;Num pad '.' key

NumPeriod=83

;Num pad Enter key

NumEnter=284

;Num pad NumLock key

PF1=325

;Num pad '/' key

PF2=309

;Num pad '*' key

PF3=55

;Num pad '-' key

PF4=74

[VT function keys]

;F6 key

F6=64

;F7 key

F7=65

;F8 key

F8=66

;F9 key

F9=67

;F10 key

F10=68

;F11 key

F11=87

;F12 key

F12=88

;Shift + F3 key

F13=573

;Shift + F4 key

F14=574

;Shift + F5 key

Help=575

;Shift + F6 key

Do=576

;Shift + F7 key

F17=577

;Shift + F8 key

F18=578

;Shift + F9 key

F19=579

;Shift + F10 key

F20=580

[Shortcut keys]

EditCopy=off

EditPaste=off

EditPasteCR=off

; Ctrl + up-arrow

LineUp=1352

; Ctrl + down-arrow

LineDown=1360

; Ctrl + PageUp

PageUp=1353

; Ctrl + PageDown

PageDown=1361

; Ctrl + Home

BuffTop=1351

; Ctrl + End

BuffBottom=1359

SendBreak=off

[User keys]

;Example of user key definitions.

;

; F1 key: character string

;User1=59,0,telnet myhost

;

; F2 key: control characters

;User2=60,0,\$0D\$0A

;

; F3 key: CR character with new-line code conversion (CR -> CR/CR+LF)

;User3=61,1,\$0D

