

Programming How to Perfect Collection

 [f{\[\]f%f“fhŠ”ž@%ižĐ’ñ<Ý uBorland C++ Builder\vgf%fcfaf<”](#)

 **DELPHI, ì, ”, à, ç, á”**

 [Delphi 2.0-pVCL\iVisual Component Library\j\W](#)

 [DELPHI, ì, ”, à, ç, á” fTf“fvf<ff\[\]f^](#)

 **Javafvf\fof%f~f“f0\ž\ž-í**

 [JAVA WorkShop’í€±”](#)

Delphi 2.0-pVCL-iVisual Component Library-j-W

ŠeŽíflfbfgf@fN, ÅŒöŠJ, ³, ê, Ä, ¢, é@ADELPHI2.0-p, ÍVCL-iVisual Component Library@j, ð@ìžò, ÍšF, ³, ñ, ï, ²Œú^Ó, Åžû~^, ³, ¹, Ä, ¢, ½, ¾, «, Ü, µ, ½@B, ¢, , ê, à-L-p, È<@"\, ð'ñ, ., é-D, ê•", Í, ©, è, Å, ·@Bžc•², Ífvf@f0f%f€, É'ç‰Á, ·, é, ¾, -, Å@A@à-¾, É, , é, æ, x, È<@"\, ð'ç‰Á, ·, é, ±, Å, <, Ü, ·@B



@FormRgnfRf“f|@flf“fg Ver.0.60

Ú, µ, , Í@ADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\Frgn060\FORMRGN.TXT, ð, ²—, , ¾, ¢@B

Ú, µ, , Í@ADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\Frgn060\FORMRGN.TXT, ð, ²—, , ¾, ¢@B



@MsgSCRfRf“f|@flf“fg Ver.1.0

"dŒŒfž;"Å, Í, æ, x, É@A•¶žš, ²‰; , Ö—, ê, Ä, ¢, fpflf<, ð@ì@-, Å, «, éfRf“f|@flf“fg
@i@ìžò@®, ç, ¹, ñŠé‰æ ²@X-Ø-²ž@®j

Ú, µ, , Í@ADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\MSGSCR\MSGSCR.TXT, ð, ²—, , ¾, ¢@B



@TSerifBoxfRf“f|@flf“fg Ver.0.6

RPG, Å'½-p, ³, ê, é, æ, x, È@ufZfSft•\ž@v, ðž@Œ», Å, «, éfRf“f|@flf“fg, Å, ·@B
@i@ìžò@®-Ñ@íž@®j

Ú, µ, , Í@ADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\SERIBOX\README.TXT, ð, ²—, , ¾, ¢@B





@TFolderView, ATFileViewRf“f|[]flf“fg Ver.1.3

Windows 95, Explorer, AfcfS, •\Z, ftf@fCf<•\Z, fRf“f|[]flf“fg, Å, ., ñF_ŽRŒ>Ž||j

Ú, , , ÍADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\PNLBTN10\
PNLBTN.TXT, ð, ²—, , ³, ¢B



@TrayIconRf“f|[]flf“fgVer.1.04

fXfNfgfEfC, EfAfCfRf“, ðí”, ³, ¹, éfAfvfŠfP[fVf‡f“, ðì¬, Å, «, éfRf“f|[]flf“fg

Ú, , , ÍADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\TRAYICON\
TRAYICON.TXT, ð, ²—, , ³, ¢B



@TPanelButtonRf“f|[]flf“fgVer.1.0

Internet Explorer, fc[f<fo[], Åžg, í, ê, Ä, ¢, é, æ, ×, ÈAf}fEfX, ï^È'u, É, æ, Å, Ä, ¹, èä, ², éf{f^f“, ðì¬, Å, «, éfRf“f|[]flf“fg

Ú, , , ÍADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\PNLBTN10\
PNLBTN.TXT, ð, ²—, , ³, ¢B



All@ALL32 fRf“f|[]flf“fgVer.2.2

æ'œfrf...[fASUSIE, Åžg-p, ³, ê, éfvf%f0fCf“, ðDELPHI, ©, ç~—p, µ, ÄAŠežíæ'œftfH[f}fbfg, ï•\Z, ð%Å"\\", É, ·, éfRf“f|[]flf“fg

Ú, , , ÍADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\All3222\
ALL32.TXT, ð, ²—, , ³, ¢B



@AppBarRf“f|[]flf“fg Ver.1.01

fXfNfo[], âfIftfBfxfvf‡[fgf]fbfgfo[], ï, æ, ×, ÉAfffxNfgfbfv, ï-ï^æŠO, ðžg-p, µ, ½fAfvfŠfP[fVf‡f“, ðì¬, Å, «, éfRf“f|[]flf“fg

Ú, , , ÍADISC1:\VPR_DATA\PROGRAM\DELPHI\USER_VCL\APBAR101\
APPBAR.DOC, ð, ²—, , ³, ¢B

DELPHI, ì, " ,à, ¿, á" fTf"fvf<ff□[f^

Žû~^ffffBfŒfNfgfŠ@DISC1:\VPR_DATA\PROGRAM\DELPHI\SAMPLE

□@,±,ÌfffBfŒfNfgfŠ,ÉŽû~^,³,ê,½ftf@fCf<,Í□A—
{Ž□220fy□[fW,©,ç~A□Ú,³,ê,Ä,¢,é□uDelphi,Ì,“,à,¿,á” □v,ÌfTf“fvf<ff
□[f^,Å,·□B
□@Delphi,Ìf□fCf“f□fjf...□[,®,ç□ufRf“f|□[flf“fg□v□|
□ufCf“fXfg□[f<□v,ð‘I’ð,μ,ÄfCf“fXfg□[f<,μ,Ä,,³/₄,³,¢□B
□@fTf“fvf<fvf□f0f%f€,Í□uDelphi,Ì,“,à,¿,á” □v•MŽÒ ‘å—
ìŒ³<vŽ□,¤ì□¬,μ,¹/₂,à,Ì,Å,·□B,È,“□A’~□ìŒ ,Í‘å—ìŒ³<vŽ□,É‘®,μ,Ä,¢
,Ü,·,Ì,Å□Afpf\fRf“Ê□M,Ö,Ì“o~^,È,Ç□AŒÅ□lŽg-p,Ì”Í^Í,ð‰z,|,¹/₂~—
p,Í,μ,È,¢,Å,³/₄,³,¢□B

f{[f%f“fhŠ”ž@%.ižđ’ñ<ÿ uBorland C++ Builder\vgf%fcfaf<”å インストールの実行

[!] Žû~^fffBfEfNfgfŠ@DISC1:\VPR_DATA\PROGRAM\CBTRIAL

@C++Builder\ifgf%fcfaf<”å]j, ÍAC++Builder , Í‘€ì«, Å”\–
Í, ð’ÍŒ±, µ, Ä, ¢, ½, ¾, , ±, Å, ð–Ú”I, Å, µ, Ä, ¢, Ü, ·Bfgf%fcfaf<”å, ðA
‰i’+”I, Éžg–p, µ, ½, èAžA]Û, Í<Å±, Éžg–p, ., é, ±, Å, Í, Å, «, Ü, ¹, ñBfgf
‰fcfaf<”å, ðžg–p, ³, ê, é’0, ÉA^È‰º, Í–~–p<K’è, ð, “ç, Ý, , ¾, ³, ¢B
]y–~–p<K’è]z

@uC++Builder\ifgf%fcfaf<”å]j, ., æ, ÑŠÖ~A, ., éfhfLf..f]f“fg]v(^È
‰A-{f\ftfgfEfFfA), ÍA]uf{[f%f“fhŠ”ž@%.ižđ]v]i^È‰ºf{[f
‰f“fh]j, ²’ñZ|, ., é^È‰º, Í–~–p<K’è, É”~Ó, µ, Ä, ¢, ½, ¾, ¢
, ½ê]‡, ÉŒÀ, èA, ²~–p, ¢, ½, ¾, , Ü, ·B

1. –{f\ftfgfEfFfA, Í•Ä]’’~]iŒ –@A]’]Û’~]iŒ –
@, É, æ, Ä, Ä•ÛŒì, ³, ê, Ä, ¢, Ü, ·B

2. –{f\ftfgfEfFfA, ðfn][fhfffBfxfN, ÉfCf“fxfg][f<, ., é]ê]‡, ð]œ, «]A-{f\ftfgfEfFfA, Í^ê•”, Ü, ½, Í’S•”, ðf{[f‰f“fh, Í<’ø, È, •]»], ., é, ±, Å, ð<Ö, ¶, Ü, ·B

3. –{f\ftfgfEfFfA, Í^ê•”, Ü, ½, Í’S•”, ð’À’Ý]Afš][fx]A”]”, „]A]Ä”Í, ., é, ±, Å, Í, Å, «, Ü, ¹, ñB, Ü, ½–{f\ftfgfEfFfA, É’Í, µ, Ä]A‰ü]C]A•Í]X]A–|
^Ä]A•¹]‡]A<tfrf“fpfCf<]Afšfo][fx]Gf“fw]fj]Afšf“f0, ð]s, È, Á, Ä, Í, È, è, Ü, ¹, ñB, Ü, ½]A{[f‰f“fh, Í’~]iŒ , Ü, ½, Í]œ•w•\]L, ð]í]œ]A‰B, Ø, ¢, µ, Ä, Í, È, è, Ü, ¹, ñB

4. –{f\ftfgfEfFfA, ÅŠJ”, µ, ½]Af]vfš]P][fv]f‡f“, ., æ, Ñ–{f\ftfgfEfFfA, ÈŠU, Ü, ê, éfTf|][fg]ftf@fCf<, ð”z•z]A”Í”„, ., é, ±, Å, Í, Å, «, Ü, ¹, ñB, ½, ¾, µ]A]ft][fu][, ²]i]~, µ, ½]fv]f0f‰f]f\][fx]fr][fh]A]ftfH][f]f]t]f@fCf<, ð]œ, «, Ü, ·B

5. f{[f‰f“fh, Í]A-{f\ftfgfEfFfA, ÈŠÖ, µ, Ä•”–
”I, ÈŒ‡šx, ðŠÜ, ¶, , ç, ä, é]Ô”C, ð•‰, ¢, Ü, ¹, ñB–{f\ftfgfEfFfA, ðžg–
p, µ, ½Œ<%È^ø, «È, Å’È’m, ³, ê, Ä, ¢, é]ê]‡, Å, , Å, Ä, à]A, ¢, ©, È, é’¹šQ”...ž, Í]Ø”C, à•‰, ¢
, Ü, ¹, ñB’¹šQ, Í]Af\ftfgfEfFfA, Ížg–p]A”Ážê, È’¹šQ]A<ô”–
”I, Ü, ½, Í, »], Í’¹¼, Í–þž–, Í]i]ç<[], ²]šÜ, Ü, ê, Ü, ., ²]A, ±
, ê, ¾, , ÈŒÀ’è, ³, ê, é, à, Í, Å, Í, , è, Ü, ¹, ñBf{[f‰f“fh, Í]A–
¾ž|”I, Ü, ½, Í–úž|”I•Û]Ø, ðŠÜ, ß]A, ., ×, Ä, Í•Û]Ø, ð<”Û, µ, Ü, ·B

6. -~p<K'è, É-¾<L, ³, ê, Ä, ¢, È, ¢, ·, ×, Ä, Ì€ -~, Í[]Af{[]f%f“fh, ²•Û
-, μ, Ü, ·[]B

,±,Ìf\ftfgfEfFfA,Í'Ì€±"Å,Å,·BfCf“fXfg[]f<@A30“úŠÔ,Ì,Ý“@ùì,¤%Å"\,Å,·B

Ú, , Í ADISCI:\VPR_DATA\PROGRAM\CBTRIAL\README.TXT, ð, ²—, -
, $\frac{3}{4}$, $\frac{3}{4}$, €B

Java WorkShop '10

インストールの実行



žû~^fffbfŒfNfgfš

DISC1:\VPR DATA\PROGRAM\JAVA\JWS



ŠT-v

 @Sun MicrosystemsŽĐ, ªŠJ”, µ, ½Webfuf
‰fEfUŒ`Ž®, Ìfcf“f^ [ftfF [fx, ÕŽ , ÅJava“  ‡ŠJ”-
ŠÂ<‘ÌŒ±”Å, Å, · B•Ò W, ©, çfRf“fpfCf  AfffofbfN, È, Ç, ÌŠî-{<@”\, É
‰Å, | AŠ® ¬, µ, ½fAfvfŒfbfg, ÕWebfy  [fw, ÉŒöŠJ, ., é<@”\, à”õ, |, Å, ç
, Ü, · B

□@%E□ä, ÌfCf“fXfg□[f%□[f{f^f“, ð%Ÿ, µ, ÄfCf“fXfg□[f<, µ, Ä%o, , ³, ç□B



Java WorkShop, ÉŠÖ, ., é, "â, ç‡‡, í, ¹‡‡
TEL: 0031-11-4293757 f fcf „f < f j

Java WorkShop Copywrite (C)1992-1996 Sun Microsystems, Inc. All rights reserved.

