

download
setupdownfile

sendclipbrd

␣@␣@f␣fbfZ␣lfW␣En

message

question

timeoutmessage

timeoutquestion

input, secretinput

inputfilename

menu, numbermenu

addmenu, addnumbermenu, showmenu

debuginfo

␣@␣@ftf@fCf<␣En

chdir

restoredir

openfile

createfile

appendfile

readfile

writefile

closefile

delfile

copyfile

renamefile

getini

putini

createtempfile

getwindir, getwinsysdir, getcurrentdir, gethidetermdir

␣@␣@,c,c,d␣En

ddeinitiate

ddeterminate

dderequest

ddeexecute

ddepoke

ddestartadvice

ddestopadvice

ddewaitadvice

␣@␣@f␣fWfXfgfŠ␣En

openreg

createreg

writeregstr

writeregint

getreg

closereg

deletereg

␣@␣@,»,i'¼

readbuffer

writebuffer, writebuffer2

writelog

sendbreak

play

getdate

gettime

getweek

datetolinear

run, runsync, runsync2 savebuffer

window

getversion

clearbuffer

browse

Šî- { % ð à

□@□GTerm,lfXfNfŠfvfg,í□AfzfXfg,Æ,ì%oĩ~b,ðŽ©“®“l,É□s,α,½,β,É—
p^Ó,³,ê,Ä,ç,Ü,·□B^Ê%oº,ì,æ,α,É•ª-ì,Ö,ì—~—p,É,Æ,Ä,à•Ö—~ ,Å,·□B

□|
□@f□l□f□g□f□Of□C□f“□B“d~b,ª,Â,È,ª,Á,½CEä,Éft□[fU,h,c,âfpfXf□□[fh,ð
Ž©“®“l,É“ü—í,μ,½,è□AŠeŽÍVANfT□[frfX,Æ,ì'ĩ~b,É—p,ç,é□B

□|□@“d~b,ìŽ©“®□Ø'f□BfzfXfg,ª“d~b,ðŽ©“®“l,É□Ø,Á,Ä,-
,è,É,ç□ê□±,É□Af□f□Of□lftŽž,ÉfzfXfg,ª'—,Á,Ä,,é•¶Žš—
ñ,ðŽ~•É,μ,Ä,»,è,É,æ,è“d~b,ðŽ©“®“l,É□Ø,é□B

□|□@%oĩ<cŽº,ìŽ©“®□,,%oñ□B-^“ú□,,%oñ,·,é
%oĩ<cŽº,ðŽ©“®□,,%oñ,μ□Af□f□O,É—Ž,Æ,μ,½,è□A,³,ç,É,»,ì, ,ÆMLT
OI“™ ,lf□f□Of□uf%ofEfU,ð<N“® ,·,é□B

□|□@,»,ì¼□A“ú□í'É□M<Æ-±,ìŽ©“®%o»□B

□@fXfNfŠfvfgftf@fCf<,í^è”Ê,lfefLfXfgfGfffBf^,ð—p,ç,Ä□□¬,μ,Ä,-
,¾,¾,ç□BŠg'£Žq,í.HSC,É,μ,Ä,-
,¾,¾,ç□B□GŠÛfGfffBf^,È,ñ,©,ª,“Š©,β,Ä,·(^ ^;

□@
%oĩ<cŽº,ìŽ©“®□,,%oñ“™,ì□,“x,ÈfXfNfŠfvfg,í□,é,ì,ª,Æ,Ä,à'â•ĩ,Å,·,ì,Å□
Afpf□□[f□[fU,ì•û□X,ì—D□G,È□,i,ð,²—~—p,ç,½,¾,ì,ª•Ö—~ ,Å,·□B

□@fXfNfŠfvfg,lfRf}f“fh,í,P□s,É,P,Â,¾,“Žw'è□o—^,Ü,·□BfRf}f“fh,É,lfpf
%of□f^□i^ø□□j,ª•t,,à,ì,à, ,è,Ü,·□B

□@•i□”,lfpf%of□f^,ðŽw'è,·,é□ê□±,í□A,»,è,ç,ðfRf“f}
,Å<æ□Ø,è,Ü,·□B,½,¾,μ□A^è•“<ó”,Å<æ□Ø,é□ê□±,à, ,è,Ü,·□B

□@fpf%of□f^,ì□”,ª½,ç□ê□±,í□A□s-- ,É□u\
□v,ð•t, ,Å•i□”□s,É,Ü,½,ª,Á,Ä<L□q,·,é,±,Æ,ª,Å,«,Ü,·□B

□@—á□F
□@□@wait "ABC", "DEF", "GHI", \
□@□@□@□@“JKL”, "MNO"

□@fRf}f“fh,É,í□I—¹fR□[fh,ðŽ□,Â,à,ì,ª, ,è,Ü,·□B□I—
¹fR□[fh,í,»,ìCEä,É□ðCE□”»è•¶,ð'g,Ý□±,í,¹,é,±,Æ,É,æ,Á,Ä,ç,ë,ç,ë,È□^
—□,É%oŽ—p,Å,«,Ü,·□B

□@—á□F

␣@␣@menu "ABC", "DEF"
␣@␣@if(result == 0) goto Abc

␣@fZf~fRf␣f“ ,ªĈ» ,ê ,é ,Æ␣A ,» ,ì Ê' u , © ,ç ,» ,ì␣s ,ì , , í , è , Ü , Å , í f R f ␣ f “ f g , Æ , Ý , Ê , ³ , ê , Ü , : ␣B

␣@fXfNfŠfsvfg , ì † , Å Ž w ' è , Å , « , é • ¶ Ž š —
ñ␣if_fuf<fNfH␣[fe␣[fvf#f“ , Å ^ í , p , à , ì␣j , í ' : , ³ , ª , Q , T , O • ¶ Ž š , ð % o z , | , È , ç , æ , x , É , μ , Å , , ¾ , ³ , ç ␣B , » , ê , æ , è ' : , ç • ¶ Ž š — ñ , í Ž w ' è , Å , « , Ü , ¹ , ñ ␣B

␣@fRf}f“fh , í␣A ' å • ¶ Ž š , Å , à ␣ ¬ • ¶ Ž š , Å , à , © , Ü , ç , Ü , ¹ , ñ ␣B

␣@fXfNfŠfsvfg , ì Š î - { , í␣A␣ufzfXfg , © , ç • ¶ Ž š —
ñ , ð Ž ó , ~ Ž æ , è ␣A , » , ê , É ' í , : , é ␣ ^ — ␣ , ð , : , é ␣ v , ì , , è • Ô , μ , É , È , è , Ü , : ␣B , Ü , , , í , ± , ì Ž è ␣ † , ð f } f X f ^ ␣ [, μ , Ü , μ , å , x ␣B

•i" ,iZg, c •u

@GTerm, A, iA •i" , dZg, x, ±, A, a, A, <, U, •B •i" , iA "C ^ O, i •qZš—
ñ, U, 1/2, i" "l, d <L %o , , é, ±, A, a, A, <, U, •B

@GTerm, i •i" , É, iA u
%oi <v "l •i" v, A A u ^ êžž "l •i" v, A ufOf [fof < •i" v, i, QŽí—p, a, , è
, U, •B %oi <v "l •i" , iGTerm, d i—¹, μ, A, à %oi <v, É <L
%o , ³, è, U, •B fOf [fof < •i" , A ^ êžž "l •i" , íXfNfšfvfg, ižÀ s, d i—
¹, μ, 1/2 žž " , A A, i, A, μ, U, c, U, •B

@fOf [fof < •i" , iA, c
, i, ä, é fOf [fof < , É •i" , A, , a A ^ êžž "l •i" , íTfuf < [f f " , i t, 3/4, , A f [ff < , È
•i" , A, •B

@, ³, c, É "Á •É, È •i" , A, μ, A A f p f X f [f h •i" , A, c, x, i, a, , è, U, •B, ±
, è, i A Š—{ "l, É, i %oi <v "l •i" , A " , q, A, , a A •i" , i "à—
e, a 1/4, ©, c, í Š È 'P, É Ž Q A, A, <, È, c •i" , A, •B, μ, 1/2, a, A, A A f p f X f [f h "™ , i
' 1/4 i, É 'm, c, è, 1/2, , È, c, æ, x, È i ^ ñ, d <L %o , , é, i, É •Ö— ~ , A, •B

@ %oi <v "l •i" , , æ, N f p f X f [f h •i" , iA •qZš—ñ, i, Y, d <L %o , , é, ±
, A, a, A, <, U, •B ^ êžž "l •i" , iA " "l, U, 1/2, i •qZš—ñ, d <L %o , , é, ±
, A, a, A, <, U, •B

@ •i" , iA A æ "a, É u, ±, è, i •i" , A, , é v, A, c, x, ±, A, d •\
, <L t, a t, <, U, •B, » , i <L t, É, æ, A, A A •i" , iží—
p, a C ^ , U, è, U, •B A æ "a, i <L t, i ^ É %o , i, A, x, è, A, •B

@ @ % ... %oi <v "l •i" i •qZš—ñ j
@ @ % % ... f p f X f [f h •i" i •qZš—ñ j
@ @ # ... ^ êžž "l •i" i •qZš—ñ j
@ @ # # ... ^ êžž "l •i" i i " " i j
@ @ @ ... fOf [fof < •i" i •qZš—ñ j
@ @ @ @ ... fOf [fof < •i" i i " " i j

@, È, ñ, © " ^ ê, a ž æ, è, A, È, c <K—
ñ, A, , a A f o [f W f f " f A f b f v, , é U, É ^ È 'O, i " A, A, i C Y Š , d ž æ, é, 1/2, B, ±, x
, È, A, A, μ, U, c, U, μ, 1/2 B m (_ .) m

@ •i" , i - 1/4 'O, iA "K" - , A, ©, U, c
, U, ¹, ñ B Š ž žš, à Ž g, i, é, i, , A, •B, 1/2, 3/4 A •i" -
1/4, i ' , ³, i, R, O •qZš' ö " x, U, A, É, μ, A, , 3/4, ³, c B •i" -
1/4, A, i á •qZš ^ i - •qZš, a < æ •É, ³, è, U, ¹, ñ B—
á, i, i A # a, A # A, i " , q •i" , A, Y, È, ³, è, U, •B, ž, È, Y, É # a, A # # a, i •É, i •i" ,
A, È, è, U, •B

□@•İ□",É'İ,đ'ã"ü,·,é,É,Í□A=,đŽg,ç,Ü,·□B=,İ□¶'α,É•İ□"-¼□A%oE'α
,^aŽ® ,Ä,·□B

□@—á□F□@#a = "ABC"
□@□@□@□@# #a = ##a + 1

□@•¶Žš—ñ•İ□",É<L%o⁻,Ä,« ,é•¶Žš—
ñ,İ'·,³,Í1023•¶Žš,Ü,Ä,Ä,·□B,» ,ê^È□ã,İ□Ø,èŽì,Ä,ç,ê,Ü,·□B□"'İ•İ□",Í,Sfof
Cfg,Ä•\CE»%oÄ"\,É'İ,đ<L%o⁻,·,é,±,Æ,^a,Ä,« ,Ü,·□B•%o,İ□",à<L
%o⁻,Ä,« ,Ü,·□B•¶Žš—ñ•İ□",æ,è,à□"'İ•İ□",İ•û,^aCEø—İ,^a,ç,ç,İ,Ä,È,é,x,-
□"'İ,Ä•\CE»%oÄ"\,È,à,İ,İ□"'İ•İ□",đŽg,α,±,Æ,đ, "Š© ,β,μ,Ü,·□B

□@fOf□□[fof<•İ□",â
%oi<v"İ•İ□",İ□A,·,x,Ä,İfXfNfŠfVfg,© ,çfAfNfZfX,Ä,« ,é"½-
È□A'¼,İfXfNfŠfVfg,^a,½,Ü,½,Ü"⁻,¶-¼'O,İ•İ□",đŽg,α,ÆCEÄ,ç"à—
e,^aã□',« ,³,ê,Ä,μ,Ü,ç,Ü,·□B,μ,½,^a,Ä,Ä□A, ,Ü,èŠÈ'P,È-¼'O,đ•t,⁻,È,ç
,æ,α□SS|,⁻,Ä,,¾,³,ç□B

"z—ñ,İŽg,ç•û

□@Version2.00,© ,ç"z—ñ,^aŽg,İ,é,æ,α,É,È,è,Ü,μ,½□B•İ□"-
¼,İCEã,ë,ÉŠpfjfbfR,Ä"z—ñ,İ"Ö□†,đŽw'è,μ,Ä,â,é,¾,⁻,Ä"z—
ñ•İ□",^aŽg,İ,Ü,·□B

□@—á□G
#a[0] = "A"
#a[1] = "B"
#a[##b] = "C"
message #a[1 + 2 + ##c]

□@ŠpfjfbfR,İ'†,İ□"'İ,Ä,È,⁻,ê,İ,ç,⁻,Ü,¹,ñ□B•¶Žš—ñ,đŽw'è,·,é,ÆfGf
%o□[,Æ,È,è,Ü,·□B

□@ŠpfjfbfR,đ~A'±,³,¹,é,±,Æ,É,æ,è□A,QŽŸCE³^È□ã,İ"z—ñ,à□ì,ê,Ü,·□B

□@—á□G
#a[0][0] = "A"
#a[0][1] = "B"

□@Ž® ,É,Ä,ç,Ä,İ□uŽ®,É,Ä,ç,Ä□v,đŽQ□Æ,μ,Ä,,¾,³,ç□B

Ž®,É,Â,č,Ä

□@Ž®,í□A•ï□",É'í,ď'ã"ü,μ,½,è□AŠeŽífRf}f"fh,lfpf
%of□f^,Æ,μ,Ä•p"É,É—p,č,ç,ê,Ü,·□B

□@Ž®,É,í□A•ŕŽš—ň,ìŽ®,Æ□"'í,ìŽ®,ª,è,Ü,·□B•ŕŽš—ň,Æ□"'í,ď—
¼•û"ü,ê,é,Æ□A□"'í,í•ŕŽš—ň,Æ,ì%o%oŽZ,lf^fCf~f"fo,Å•ŕŽš—
ň,É•İŠ,³,ê,Ü,·□B

□@•ŕŽš—ň,Å,È,̄,ê,Î,È,ç,È,č□Š,É□"'í,ªŽw'è,³,ê,½□ê□‡,à□A•ŕŽš—
ň,ÉŽ©"®"í,É•İŠ,³,ê,Ü,·□B

•ŕŽš—ň,ìŽ®

•□'Ê,ì•ŕŽš—ň,í□Af_fuf<fNfH□[fe□[fvf‡f",Å^í,ň,ÅŽw'è,μ,Ü,·□B

"ABC"

"□Ä"i□G•v"

□@□\$Œä•ŕŽš,í^,ÆA□`Z,ÅŽw'è,·,é,©□A,Ü,½,í^0,Æ,QŒ...
,ì,P,U□i□",ÅŽw'è,μ,Ü,·□Bf_fuf<fNfH□[fe□[fvf‡f"}□[fN,â^,»,ì,à,ì,à^,Æ,
č,Á,μ,â,ÉŽw'è,μ,Ü,·□B

"^M" (%ü□sfR□[fh□A,O,c,^□j

"^^" □i^,»,ì,à,ì□j

"^01B" □ifGfXfP□[fv•ŕŽš□j

"MAIL^M" □iMAILfŠf^□[f"□j

□@•ŕŽš—ň,í□A+,Å~ACE<,·,é,±,Æ,ª,Å,«,Ü,·□B,Ü,½□A•ŕŽš—
ň•í□",Æ,à~ACE<,Å,«,Ü,·□B-*/%,ì%o%oŽZŽq,í•ŕŽš—ň•í□",É'í,μ,ÄŽg,ª,
,±,Æ,í,Å,«,Ü,¹,ň□B

#a = "ABC" + "DEF"

#a = #a + "^M^J"

,»,'¼□Apart search drop"™,ì•ŕŽš—ň'€□ì,ìŠÖ□",ª,è,Ü,·□B

□"'í,ìŽ®

,Ü,·,í□A•□'É,É□",ªŽw'è,Å,«,Ü,·□B•%o,ì□",à,č,¿,̄,ªŽg,ì,Ü,·□B

##a = 1

##a = -2

+ - * / % ,ì%o%oŽZ,ª□o—^,Ü,·□B%,í, ,Ü,è,ìŒvŽZ,Å,·□B,±,ê,ç,ì%o
%oŽZŽq,í—D□æ□‡^Ê,ª,Y,È"̄,ŕ,È,ì,Å□A•K—v,É%oŽ,ŕ,ÄŠ‡ŒÊ,Å^í,ň,Å,-

,³/₄,³,ç□B

$$##a = (##a + 1) * 100$$

•%o,ì□",đŽ® ,ì'†,É<L□q,·,é□ê□‡,ÍŠ†CEÊ,Â^í,ñ,Â,,³/₄,³,ç□B□i,·,ñ,Û,¹,ñ□j

$$##a = 1 + 3 * (-3)$$

□"□"l,ìŽ® ,ì'†,É•¶Žš—ñ,ªCE» ,ê,é,Æ□A□GTerm,í□"□"l,đ•¶Žš—
ñ,É•İŠ·,μ,Ä,μ,Û,ç,Û,·□B—á,¡,í□A1,Æ,ç,κ'l,í"1",Æ,ç,κ•¶Žš—
ñ,É•İŠ·,³,ê,Û,·□B•İŠ·,³,ê,½CEã,í•¶Žš—ñ,Æ,μ,Ä%o%oŽZ,³,ê,Û,·□B

$$#a = 1 + "A" \quad ; 1A,Æ,ç,κ•¶Žš—ñ,É,È,é$$

□@□"□"l•ï□",É•¶Žš—
ñ,đ'ã"ü,·,é,Æ□AZ© "®"l,É□"□"l,É•İŠ·,³,ê,Û,·□B•İŠ·s"\
,È□ê□‡,í,O,ª'ã"ü,³,ê,Û,·□B

$$##a = "1" + "2" \quad ; ##a,É,Í12,ª'ã"ü,³,ê,é$$

□@'¼□A<□\$"l,É□"□"l,É•İŠ·,·,é,É,ÍvalueŠÖ□",đŽg,ç,Û,·□B

ŠÖ□",É,Â,ç,Ä

%%ŽŽžq,É,Â,ç,Ä

@'!CE^,žž,ì†,Á,íA{AA-AA-AA^AA",ì,T,Á,ì%
%ŽŽžq,žžg,ì,Ü,·B{,í«„žžAA|,í^ø,«žžAA-,ÍŠ|
,žžAA^,ÍŠ„,èžžAA“,ÍŠ„,Á,½, ,Ü,è,ðCEvžž,μ,Ü,·B

@,±,ê,ç,ì%%ŽŽžq,É,Í—Dæžž^É,í, ,è,Ü,¹,ñB•K—v,É
%žž,ŕ,ÄŠ±CEÊ,Â^í,Á,Ä,,^¾,³,çB

@•ŕžš—ñCE^,žžž,Á,íA{,ì%%ŽŽžq,^¾,¹,žžg,ì,Ü,·B,±
,ê,íA•ŕžš—ñ,ð~ACE<,μ,Ü,·B

@if•ŕ,âwhile•ŕ,É,Ç,ìðCE”»'è,ì†,Á,íA,³,ç,É^È%^o,ì,æ,α
,ÈðCE”»'è—p,ì%%ŽŽžq,žžg,ì,Ü,·B

žž1 == žž2 ... žž1,ì'l,Æžž2,ì'l,žž™,μ,ç
žž1 != žž2 ... žž1,ì'l,Æžž2,ì'l,žž™,μ,,È,ç
žž1 > žž2 ... žž1,ì'l,žž2,ì'l,æ,è'â,«„ç
žž1 >= žž2 ... žž1,ì'l,žž2,ì'l,æ,è'â,«„ç,©™,μ,ç
žž1 < žž2 ... žž1,ì'l,žž2,ì'l,æ,è¬,³,ç
žž1 <= žž2 ... žž1,ì'l,žž2,ì'l,æ,è¬,³,ç,©™,μ,ç
not ðCE1 ... ðCEžž1,ìCE<%É,ì^Ó-j,ð<t,É,.,é
ðCE1 or ðCE2 ... ,ç,í,ä,élfA%%ŽŽžq
ðCE1 and ðCE2 ... ,ç,í,ä,élf“fh%%ŽŽžq

@ðCE”»'è—p,ì%%ŽŽžq,íA[u+ = * / %v,æ,è,à—
Dæžž^É,žžá,,È,Á,Ä,ç,Ü,·B,³,ç,ÉAor and not,ì%%ŽŽžq,í^¼,ì%
%ŽŽžq,æ,è,à,³,ç,É—Dæžž^É,žžá,,È,Á,Ä,ç,Ü,·B

@ðCE”»'è,μ,½CE<%É,ð•í”,É'ã“ü,.,éêêžž,í•ŕžš—
ñCE^,ì•í”,ðžžg,Á,Ä,,^¾,³,çB

—áF
#a = #result == "ABC"
if(#a) error "ABC"

wait

```
@wait{f}f"fh,íA{fXfg,©,ç"Á'è,ì•ŕŽš—ñ,ª—,ç,ê,Ä,-
,é,ì,ð'Ò,¿,Ü,·B'Ò,Â•ŕŽš—ñ,íRf"f},Å<æ∅,Á,Ä•i"Žw'è,·,é,±
,Æ,ª,Å,«,Ü,·B
```

—áF

```
wait "ABC" ; ABC,ðŽóM,·,é,Ü,Å'Ò,Â
wait "ABC", "DEF", "GHI" ;
ABC,Ü,½,ÍDEF,Ü,½,ÍGHI,ðŽóM,·,é,Ü,
Å'Ò,Â
```

```
@•i"Žw'è,μ,½ê±,íA,»,ê,ç,ì,ç,ê,©,P,Â,ðŽóM,·,é,Æwait,©,ç"²,~
o,é,±,Æ,É,È,è,Ü,·B
```

```
@timeout,Ü,½,ímillittimeout,Åf^fCf€fAfEfg,ªÝ'è,³,ê,Ä,ç
,éê±,íA,»,ìŽšŔ,ªEo%oß,·,é,Æ•ŕŽš—
ñ,ðŽóM,·,é'Ò,Éwait,©,ç"²,~o,Ü,·B
```

@wait,íI—

```
fR[fh,Æ,μ,ÄAf^fCf€fAfEfg,μ,½ê±,íuttimeoutvAŽw'è,³,ê,½•ŕ
Žš—ñ,ðŽóM,μ,ÄI—
¹,μ,½ê±,íA,»,ì"Ôt±iæ"ª,ª,Pj,ð•Ô,μ,Ü,·B•œ<A'l,ðŽg,Á,Äif•ŕ™
,Ä^—,ð•ªSò,·,é,±,Æ,à,Å,«,Ü,·ªA,»,ìê±,É,Íswitch•ŕ,ì•û,ª•Ö—
~,Å,·,ì,Ätimeout,©,ç,ª,©,ì"»'è,¾,~É—~—p,·,é,±,Æ,ð,"Š©,ß,μ,Ü,·B
```

—áF

```
timeout 10
wait "ABC", "DEF"
if( timeout )
    ; timeoutŽž,ì^—
else
    ; "ABC",Ü,½,Í"DEF",ðŽóM,μ,½Žž,ì^—
endif
```

@wait,ÅŽw'è,·,é•ŕŽš—

```
ñ,ì'O,ÉApostidle,Ü,½,ÍpostmilliidlelfvfVf+f",ð•t,~é,ÆA,»,ì•ŕŽš—
ñ,ðŽóM,μ,Ä,©,çŽw'è,³,ê,½ŽšŔ,¾,~u%o½,àŽóM,μ,É,ç,±
,Æv,ðŠm"F,μ,Ä,©,çwait,©,ç"²,~o,Ü,·B
```

—áF

```
wait postidle(1) "A,"
wait "ABC", postidle(2) "DEF", postmilliidle(500) "GHI"
```

```
@postidle,ì•b'P^Ê,ÅApostmilliidle,íf~fŠ•b'P^Ê,Å,·BŠ±ÆÊ,ì†,É,í"™
l,ðŽw'è,μ,Ä,¾,¾,çB
```

␣@postidle, postmilliidlelfvfvf#f", í␣A—á, í, î␣ANIFTY-
Serve, ìMREfRf}f"fh, ðŽÀ␣s, μ, ½␣Û, É␣AMRE, º␣I—¹, μ, ½, ©, Ç, x
, ©, ì"»'è"™, ÉŽg, ç, Û, ·␣BMRE, º␣I—
¹, ·, é, Æ␣Afvf␣f"fvfg, Æ, μ, Ä␣u␣,, ␣v, â␣uCCS(N)>␣v, º'—
, ç, ê, Ä, «, Û, ·, º␣A'P, É

wait "␣,,", "CCS(N)>"

, Æ, μ, ½, ì, Ä, í␣A—á, í, î%öï<cŽº, ì"CE¾, ì't, É␣u␣,, ␣v, ºŠÛ, Û, ê, Ä, ç
, é, ¾, ¯, ÄŠÔ^á, í, ÄMRE, ì␣I—¹, Æ, Ý, È, μ, Ä, μ, Û, ç, Û, ·␣B, »±, Ä␣A

wait postidle(1)"␣,,", postidle(1)"CCS(N)>"

, Æ, μ, Ä, ¯, ·, î␣AŠmŽÀ, ÉMREfRf}f"fh, ì␣I—¹, ðCEÿ␣o, ·, é, ±, Æ, º, Ä, «, Û, ·␣B

␣@wait, ÄŽw'è, ·, é•¶Žš—ñ, º', ·, ç, ½, ß, ÉfXfNfŠfvfg, º"Ç, Ý, Ä, ç, -
, È, é␣é␣#, í␣A\}␣[fN, ðŽg, Á, Äwait, ð•j␣", ì␣s, É, Û, ½, º, Ä, Ä<L␣q, ·, é, ±
, Æ, à, Ä, «, Û, ·␣B␣s--Éf}␣[fN, ð•t, ¯, Ä%öü␣s, ð"ü, ê, Ä<L␣q,, ¾, ³, ç␣B

—á␣F

wait "␣GTerm Version1.23", \
"␣Ä"i␣G•v", \
postidle(1) "CCS(N)>"

␣@postidle, Û, ½, ípostmilliidle, ìÈã, ë, ì•¶Žš—ñ, É"" , ðŽw'è, ·, é, Æ␣A␣u
%ö½, àŽó␣M, μ, È, ç, ±, Æ␣v, ðCEÿ␣o, ·, é, æ, x, ÈŽg, ç•û, º, Ä, «, Û, ·␣B—
á, í, î␣ufzfXfg, ©, ç, P, O•bŠÔ%ö½, à•¶Žš, ð'—, Á, Ä, ±, È, ©, Á, ½␣v, Æ, ç, x
, ±, Æ, ðCEÿ␣o, ·, é, É, í␣Await postidle(10) "" , Æ, ·, ê, î, ç, ç, Ä, ·␣B

send

□@sendfRf}f“fh,í□Afpf%of□f^,ÅŽw'è,³,ê,^{1/2}•¶Žš—ñ,đ'—
□M,μ,Û,·□BfL□[f{□[fh,©,ç•¶Žš,đ“ü—í,·,é,ì,Æ“⁻,¶“,«,đ,μ,Û,·□B

—á□F

send "MRE ROOM:2^M"

sendwrap

```
@sendwrapRf}f"fh,íAfpf%of^,ÅŽw'è,³,ê,½•ŕŽš—ñ,ðu-  
³Žè#fAfbfvf[fh,v,Æ"~,ŕ•û-@,Å'—M,μ,Û,·B-  
³Žè#fAfbfvf[fh,ìÛ,É,íA[uY'èEfvf[fgfRf<v,ÅŽw'è,³,ê,½'É,è,ìŽ  
©"®Û,è•Ô,μ,â<Ö'¥^—,Ž{,³,ê,Ä'—M,³,ê,Û,·B  
@,±,ìfRf}f"fh,í—fR[fh,Æ,μ,ÄŽÀÛ,É'—  
M,μ,½[s",ð•Ô,μ,Û,·B,±,ìfRf}f"fhŽ©'ì,í'—M,·,é,¾,~,È,ì,Å•K—v,É  
%ož,ŕ,ÄfXfNfŠfvfg'æ,Å"~Šú,ðŽæ,Á,Ä,,¾,³,çB
```

—áF

```
sendwrap #a  
##line = result  
while( ##line > 0 )  
    wait "^M^J"  
    ##line = ##line - 1  
endwhile
```

timeout, millitimeout

```
@timeout,  
millitimeoutfRf}f“fh,í[AwaitfRf}f“fh[AswitchfRf}f“fh[AloopswitchfR  
f}f“fh,Å,lf^fCf€fAfEfg,ìY’è^%øðœ,ðs,ç  
,Ü,·Btimeout,í•b’P^Ê[Amillitimeout,lf~fš•b’P^Êi1f~fš•b,í1/1000•  
b[j,ÅŽw’è,μ,Ü,·B
```

```
—áF  
  timeout 10  
  millitimeout 1500
```

```
f^fCf€fAfEfg,ð%øðœ,·,é,É,í[A,O,ðŽw’è,μ,Ü,·B
```

```
—áF  
  timeout 0
```

```
@f^fCf€fAfEfg,ªY’è,3,ê,Ä,ç  
,é,Æ[AwaitfRf}f“fh,âloopswitchfRf}f“fh,í[Atimeout,ÅŽw’è,3,ê,½Žš  
Ô,¾,·Ò,Á,À,à•¶Žš—ñ,ðŽó[M,μ,È,©,A,½ê±,É<S“l,É”2,·o,Ä,μ,Ü,ç  
,Ü,·B
```

```
@f^fCf€fAfEfg,É,æ,è<S“l,É”2,·o,½ê±[A,»,lfRf}f“fh,ìl—  
¹R[fh,í[utimeout[v,Æ,È,è,Ü,·B
```

```
—áF  
  timeout 10  
  wait "Enter User-ID:"  
  if( timeout ) error "f^fCf€fAfEfg"¶¶
```

```
@f^fCf€fAfEfg,ª%øðœ,3,ê,Ä,ç,éê±,íwait“™,lfRf}f“fh,í•¶Žš—  
ñ,ðŽó[M,·,é,Ü,Å%oi<v,É’Ò,¿’±,·,Ü,·B
```

```
@fXfNfšfvfg,ìŽÀ[s,ðšŽn,μ,½Žš“_,Å,lf^fCf€fAfEfg,í%øðœ,3,ê,Ä,ç  
,Ü,·B
```

```
@call,μ,½Æã,lf^fCf€fAfEfg,ª•s’è,Èê±,ª’½,ç  
,ì,Å[Acall,ìÆã,â[AfTfuf<[f“f“,ìæ“ª,Å,í^è“xf^fCf€fAfEfg,ðY’è,μ,È,·,  
,ì,ª,ç,ç,Å,μ,â,¶B
```

sleep, millisleep

@sleep,
millisleepfRf}f“fh,íAŽw’è,³,ê,^{1/2}ŽŽŠÔ,^{3/4},~fXfNfŠfvfg,ìŽÀ□s,đ“€Æ<,³,¹
,Ü,·□B,^{1/2},^{3/4},μ□AfzfXfg,Æ,ì’í~b,»,ì’^{1/4},ì□^—□,í’Ê□í’Ê,è’±□s,³,ê,Ü,·□B

sleep,í•b’P^Ê□Amillisleep,íf~fŠ•b’P^Ê,Å,·□B□i,Pf~fŠ•b,í1/1000•b,Å,·
□j

@wait,âsleep^ÊŠO,ìfRf}f“fh,đŽÀ□s,μ,Ä,ç,é□Å’†,í□A□GTerm,í’Ê□Mf|
□[fg,©,ç,ìŽó□M,đ□s,ç,Ü,¹,ñ□B,Ü,^{1/2}□A,b,o,t,đ“Æ□è,μ,ÄŽg,α,±
,Æ,É,È,è,Ü,·□B’·,çf<□[fv“™,Å□^—
□,É,Æ,Ä,àŽŽŠÔ,^a,©,©,é□ê□‡,í□A□Š□X,Émillisleep,đ“ü,ê,Ä, ,°,Ä,-
,^{3/4},³,ç□B,Pf~fŠ•b,Å□\•^a,Å,·□B

—á□F
 millisleep 1

getchar

␣@getcharfRf}f“fh,í␣A'Ê␣Mf|
␣[fg, ©, ç, P•¶ŽšŽó␣M, ·, é, Ü, Å'Ò, ¿␣AŽó␣M, μ, ½•¶Žš, ð•İ␣”, É'ã“ü, μ, Ü, ·␣
B'SŠp•¶Žš, à␣³, μ, ␣i, QfofCf g␣jŽó␣M, μ, Ü, ·␣B
␣@f p f % o f ␣ f ^ , Å • i ␣ ” , ì - ¼ ' O , ð Ž w ' è , μ , Ü , · ␣ B ␣ ” ' i • i ␣ ” , í Ž w ' è , Å , « , Ü , ¹ , ñ ␣ B
␣@Žó␣M, μ, ½“à—e, í␣GTerm, ìfEfBf“fhfE, É, à•\Ž!, ³, ê, Ü, ·␣B

—á␣F

getchar #a

␣@f^fCf€fAfEf g, ì␣ê␣‡, í␣A•i␣”, É, í““ , a'ã“ü, ³, êgetchar, í␣|—¹, μ␣A␣|—
¹fR␣[fh, í␣utimeout␣v, É, É, è, Ü, ·␣B

getline

```
@getlineRf}f"fh,íA'ÊMf|
[fg,©,ç,P[sŽóM,·,é,Ü,Å'Ö,¿AŽóM,μ,½•¶Žš—
ñ,đ•í",É'ã"ü,μ,Ü,·B
```

```
@s,ìÅĀã,ì0Ah,ì§Āä•¶Žšif
%ofCf"ftfB[fh[j,íœ<Ž,3,ê,Ü,·,ªA0Dh,ì§Āä•¶ŽšifLfffŠfbfWfŠf^ [f
" [j,íœ<Ž,3,ê,·,É•í",ÉŠi"[,3,ê,Ü,·B
```

```
@fpf%of^,Å•í",ì-¼'O,đŽw'è,μ,Ü,·B""'l•í",ÍŽw'è,Å,«,Ü,1,ňB
@ŽóM,μ,½"à—e,íGTerm,ìfEfBf"fhfE,É,à\Ž!,3,ê,Ü,·B
```

```
—áF
    getline #a
```

```
@f^fCf€fAfEfg,ìê±,í•í",É,í""ª'ã"ü,3,êAgetline,í|—1,μA|—
1fR[fh,íutimeoutv,É,È,è,Ü,·B
```

waitchatinput

□@waitchatinputfRf}f“fh,í□Af` fffbfg□s,Ö,ì“ü—í,đ’Ò,¿□A“ü—
í,³,ê,¹/₂•¶Žš—ñ,đfpf
%of□f^,ÅŽw’è,³,ê,¹/₂•ï□”,ÉŠi”[,μ,Ü,·□Bf` fffbfgf,□[fh,Å,È,ç□ê□‡,Å,à□A’
Ê□Mfj
□[fg,ì□Ý’è,Åf□□[ffj<•Ò□W,^a,□,Ž,ì□ê□‡,í□Af□□[ffj<•Ò□W,ì□Š,©,ç,ì“ü—
í,đ’Ò,¿,Ü,·□B
□@fpf%of□f^,Å•ï□”,ì-¼’O,đŽw’è,μ,Ü,·□B□”’l•ï□”,íŽw’è,Å,«,Ü,¹,ñ□B
□@f` fffbfgf,□[fh,Å,àf□□[ffj<•Ò□W,□,Ž,Å,à,È,çŽž,É,±
,lfRf}f“fh,đŽÀ□s,·,é,ÆŽ©“®“l,Éf` fffbfgf,□[fh,É,È,è,Ü,·□B,Ü,¹/₂□Awaitc
hatinputŽÀ□s’t,Éft□[fU,^af` fffbfgf,□[fh,đ%ođ□œ,μ,æ,κ
,Æ,·,é,Æwaitchatinput,í□l—¹,μ□A•ï□”,É,í””,^a’ã“ü,³,ê,Ü,·□B
□@f` fffbfg□s,Å“ü—í,³,ê,¹/₂“à—e,í□GTerm,lfEfBf“fhfE,É,í\
Žl,³,ê,Ü,¹,ñ□B,Ü,¹/₂□A’—□M,à,³,ê,Ü,¹,ñ□B

—á□F

waitchatinput #a

if

```
if( #a == "ABC" ) error "Error" ; ,P s, l—á
endif
```

```
if( #a == "ABC" )
    message "ABC"
    goto ErrorCase
endif
```

```
if( #a == "ABC" ) error "Error" ; ,P s, l—á
if( #a == "ABC" ) ; endif
message "ABC"
goto ErrorCase
endif
```

```
if( #a == "ABC" ) ; ,P s, l—á
endif
```

```
if( timeout ) message "TIMEOUT" ; ,P s, l—á
else message "NOT TIMEOUT"

if( #a == "ABC" ) ; ; i " s, l—á
    wait "ABC"
    send "DEF"
else
    message "NORMAL"
endif
```

```
if( #a == "ABC" ) ; ; i " s, l—á
endif
```

```
if( timeout ) message "TIMEOUT"
else
    send "a";
    sleep 1;
endif
```

```
if( #a == "ABC" ) ; ; i " s, l—á
endif
```

```
if( #a == "ABC" ) ; ; i " s, l—á
endif
```

```

if( ... )
    ...
    ...
    if( ... ) ...
else
    ...
    ...
endif

```

□³,μ,ϕ—á□F

```

if( ... )
    ...
    ...
    if( ... )
        ...
    endif
else
    ...
    ...
endif

```

if,ì□đĈ□,ª□—

§,μ,È,©,Á,½□ê□‡,É□A,³,ϕ,É,à,α^ê“xif,Å”»'è,μ,½,ϕ□ê□‡,í□Aelseif,đŽg,
α,ì,ª•Ö—~ ,Å,·□B

—á□F

```

if( ##a == 1 ) message "1"           ; 1□s,ì—á
elseif( ##a == 2 ) message "2"
elseif( ##a == 3 ) message "3"
else message ",»,'¼"

```

```

if( ##a == 1 )           ; •i□"□s,ì—á
    message "1"
    goto NifExit
elseif( ##a == 2 )
    message "2"
    goto NifExit
endif

```

□@□đĈ□Ž®,É,Í^È%o,ì,à,ì,ª, ,è,Ü,·□B

```

yes      ... questionRf}f“fh,Å□u,í,ϕ□v,ì□ê□‡
no       ... questionRf}f“fh,Å□u,ϕ,ϕ,ì□v,ì□ê□‡
enter   ... inputRf}f“fh,Å□uŠm'è□v,ì□ê□‡
cancel  ... inputRf}f“fh,Å□uŽæ□Á□v,ì□ê□‡

```

```

timeout ... wait“™,Åf^fCf€fAfEfg”□¶Žž
Ž®1 == Ž®2 ...Ž®1,ÆŽ®2,ª“™,μ,ϕ
Ž®1 != Ž®2 ...Ž®1,ÆŽ®2,ª“™,μ,,È,ϕ
Ž®1 < Ž®2 ...Ž®1,ªŽ®2,æ,è□¬,³,ϕ
Ž®1 <= Ž®2 ...Ž®1,ªŽ®2,æ,è□¬,³,ϕ,©“™,μ,ϕ
Ž®1 > Ž®2 ...Ž®1,ªŽ®2,æ,è’â,«,ϕ
Ž®1 >= Ž®2 ...Ž®1,ªŽ®2,æ,è’â,«,ϕ,©“™,μ,ϕ

```

□@,±,ê,ç,íand,âor,Å’g,Ý, ,í,¹/₂,è□AŠ†CEÊ,Å^í,ñ,³/₄,è,·,é,±,
,Æ,^a,Å,«,Û,·□Band,í—¹/₄•û,ì□đCE□,ª□¬—§,μ,¹/₂□ê□†,É□¬—
§,Æ,È,è□Aor,í,Ç,¿,ç,©•Đ•û,ª□¬—§,μ,Ä,ê,í□¬—§,Æ,È,è,Û,·□B

```

—á□F
    if( ##a == 10 and ( #b == "A" or #b == "" ) )

```

□@□đCE□,ì’O,Énot,đ•t,¯,é,Æ<t,ì^Ó-; ,Æ,È,è,Û,·□B

```

—á□F
    if( not timeout ) error "Error"

```

beginloop-endloop

```
beginloop,Æendloop,Å^í,Û,ê,½^—,ÍA-³ÆÀ,ÉÆJ,è•Ô,³,ê,Û,·B
```

```
—áF  
beginloop  
play "o4cdefgo5abc"  
sleep 10  
endloop
```

```
f<[fv,ð"r't,Å"², _o,é,½,β,É,Íbreakloop,ðŽg,ç,Û,·B
```

```
—áF  
timeout 10  
beginloop  
send "^M"  
wait "A"  
if( timeout ) breakloop  
endloop
```

```
f<[fv,ì't,ì"r't,Åf<[fv,ìæ"ª,É-β,è,½,çêç,É,ÍAloopagain,ðŽg,ç,Û,·B
```

```
—áF  
beginloop  
send "^M"  
wait "A"  
if( timeout ) loopagain  
send "ABC"  
endloop
```

```
-  
³ÆÀf<[fv,ðì,é,ÆÅ^«,ìêçWindows,ªfnf"fo,·,é,ì,Å'^Ó,μ,Û,μ,â,æB
```

switch-case-endswitch

```
@fzfXfg, ©, ç' —, ç, ê, Ä,, é•¶Žš—ñ, É, æ, Á, Ä^ —  
□, ð□U, è•ª, ¯, ½, ç□ê□‡, É□A, ±, ì, R, Å, ð'g, Ý□‡, í, ¹, Ä^ —□, ð□s, ç, Ü, ·□B  
□@switch,Æendswitch, ÌŠÔ, É□Acase, Å□U, è•ª, ¯, ÉŽg, æ•¶Žš—  
ñ, ð•;□"Žw'è, µ, Ü, ·□B
```

```
—á□F  
  switch  
  case "A"  
    message "A, ðŽó□M"  
  case "B"  
    message "B, ðŽó□M"  
  endswitch
```

```
□@, ±, ì□ê□‡□A"A", ðŽó□M, µ, ½□ê□‡, í"A, ðŽó□M", Æ•\  
Ž!, µ□A"B", ðŽó□M, µ, ½□ê□‡, í"B, ðŽó□M", Æ•\  
Ž!, µ, Ü, ·□Bf^fCf€fAfEfg, ì□ê□‡, Í%½, à, ¹, ¸, ÉŽŸ, É□i, Ý, Ü, ·□B
```

```
f^fCf€fAfEfgŽž, ì□^ —□, ð"ü, ê, é, É, ÍŽŸ, ì, æ, æ, É, µ, Ü, ·□B
```

```
—á□F  
  switch  
  case "A"  
    message "A, ðŽó□M"  
  case "B"  
    message "B, ðŽó□M"  
  case timeout  
    message "f^fCf€fAfEfg"□¶"  
  endswitch
```

```
□@switch-endswitch, Ì'†, ©, ç<□$"I, É"², ¯□o, ½, ç□ê□‡, Í□Agoto, ðŽg, Á, Ä, -  
, ¾, ³, ç□Bendswitch, Å"², ¯□o, é, ±, Æ, Í□o — ^, Ü, ¹, ñ□B
```

```
□@Žó□M, µ, ½•¶Žš—ñ, É, æ, Á, Ä□U, è•ª, ¯, é□^ —  
□, ª"¯, ¶□ê□‡□Acase, ÌĚä, ì•¶Žš—ñ, ðfRf"ƒ}, Å<æ□Ø, Á, Ä<L□q, ·, é, ±  
, Æ, à, Å, «, Ü, ·□B
```

```
—á□F  
  switch  
  case "A", "B"  
    message "A, Ü, ½, ÍB, ðŽó□M"  
  case "C"  
    message "C, ðŽó□M"  
  endswitch
```


case, ĀŽw'è, ·, é•ŕŽš—ñ, í□Await, Æ“—l, Évf}□[fN, Ā•;□"□s, É•ª, ¯, é, ±
, Æ, à□o—^, Ü, ·□B

—á□F

```
case "ABCDEFGHIJKLMNOPQRSTUVWXYZ", \  
      "abcdefghijklmnopqrstuvwxyz"
```

switchfRf}f“fh, ìŽg, ç•û, » , ì, Q

□@switchfRf}f“fh, í□A□ã<L, ì, æ, x, ÈfzfXfg, ©, çŽó□M, ·, é•ŕŽš—
ñ, Ā□U, è•ª, ¯, é'¼□A•ï□", ì“à—e, Ā□^—□, ð□U, è•ª, ¯, é, ±
, Æ, à, Ā, «, Ü, ·□Bswitch, ìĀã, ë, É•ï□"—
¼, ð“ü, ê, é, Æ□A, » , ì' , Ā□U, è•ª, ¯, ç, ê, Ü, ·□B

—á□F

```
switch #a  
case "A"  
    message "A"  
case "B"  
    message "B"  
endswitch
```

□@case timeout,ªŽg, ì, È, È, é'ã, í, è□Acase default,ªŽg, ì, é, æ, x
, È, È, è, Ü, ·□B□u, » , ì'¼, ì□ê□#□v, Æ, ç, x^Ó—i, É, È, è, Ü, ·□B

—á□F

```
switch #a  
case "A"  
    message "A"  
case "B"  
    message "B"  
case default  
    message ", » , ì'¼"  
endswitch
```

, ÷, È, Ý, É□ucase default□v, ì'¼, ìcase, ì^ê"Ô□ĀĀã, Ā, È, ¯, ê, ì, ç, ¯, Ü, ¹, ñ□B

loopswitch-case-endloop

```
@switch-case-endswitch,Íf<[]fv,3,1,ÄŽg,í,ê,é,±,Æ,a1/2,ç
,Å,·B,aAbeginloop-endloop,Å^í,b,ì,Í-Ê"|,È,ì,ÅA,±
,loopswitch,đŽg,ç,Ü,μ,â,κB
@switch,Æ|,'ã,í,è,Éloopswitch,Æ|,'«Aendswitch,àendloop,É'u,«'
Ö,|,é,±,Æ,É,æ,èAswitch,Í-3ÆÀ,Éf<[]fv,·,é,æ,κ,É,È,è,Ü,·B
@f<[]fv,ì't,©,ç"2,-,3/4,·,1/2,β,É,ÍAbreakloop,đŽg,ç
,Ü,·Bloopagain,àŽg,ì,Ü,·B

@endloop,đŠÔ^á,Á,Äendswitch,É,μ,È,ç,æ,κ
,É<C,đ•t,-,Ü,μ,â,κB,Ü,1/2Af^fCf€fAfEfg,đÝ'è,μ,Ä,éêê‡,loopswitch
"à,É•K, case timeout,đ"ü,ê,Ä,,3/4,3,çB
```

```
—áF
  timeout 100
  loopswitch
  case postidle(1) "CCS(N)>", postidle(1) "[],"
    send "^M"
  case "^M^J,±,ê^È[]ã,ì"Æ3/4,í, ,è,Ü,1,ñB^M^J"
    breakloop
  case timeout
    breakloop
  endloop
```

while-endwhile

```
@while, Š, ÅŽw'è, ³, ê, ½ ðŒ, ª ¬ — §, µ, Ä, ç  
, éŠÔ Awhile, Æendwhile, Ì'†, ð,, è•Ô, µŽÀ s, µ, Ü, ·B ðŒ, ÌŽw'è•û-  
@, Ìif, Æ"~, ¶, Å, ·B
```

```
—á F  
##a = 10  
while( ##a > 0 )  
    send "A"  
    ##a = ##a - 1  
endwhile
```

```
@while-endwhile, Ì'†, ©, ç< §"l, Éf< [fv, ð"², ¬ o, é, É, Íbreakloop, ðŽg, ç  
, Ü, ·B, Ü, ½ Aloopagain, à"~ —l, ÉŽg, !, Ü, ·B
```

call, callvarlabel

```
␣@callfRf}f"fh,␣ACE»␣Ý,lfXfNfŠfvg,đ'Ò<@␣ó'Ô,É,μ␣AV,½,Éfpf
%oof␣f^,ÅŽw'è,3,ê,½fXfNfŠfvg,đŽÅ␣s,μ,Û,·␣BreturnfRf}f"fh,aŽÅ␣s,3,
ê,é,ÆCE3,lfXfNfŠfvg,É-β,è␣AZÿ,␣s,©,çŽÅ␣s,đ␣ÄŠj,μ,Û,·␣B
␣@call,·,é␣æ,␣A"~,¶lfXfNfŠfvg"à,lf
%oofxf<,©␣A,Û,½,Í•É,lfXfNfŠfvg"à,lf
%oofxf<,©␣A,Û,½,Í•É,lfXfNfŠfvg,␣æ"ª,Å,·␣B
```

—á␣F

```
call Sub ; Sub,Æ,ç,xf%oofxf<,␣Š,đcall
call SUB.HSC:Sub ; SUB.HSC,␣Sub,đcall
call SOUND.HSC ; SOUND.HSC(,␣æ"ª),đcall
```

```
␣@call,lfXfg,Í,W,Â'ö"x,Û,Å,n,j,Å,·␣B
```

```
␣@call,Å,ÍCEÄ,Ñ␣o,μCE3,©,çCEÄ,Ñ␣o,μ␣æ,É'l,đ"n,·,±
,Æ,a,Å,«,Û,·␣BCEÄ,Ñ␣o,·'x,␣call,ICEä,ë,lf
%oofxf<,ICEä,ë,É"n,μ,½,ç'l,đfRf"f},Å<æ␣Ø,Å,Ä<L␣q,μ,Ä,,3/4,3,ç␣B
```

—á␣F

```
call Sub #a, #b, "ABC"
```

```
␣@CEÄ,Ñ␣o,3,ê,½'x,Å,␣A,P,Â-Ú,ì'l,Í#1␣A,Q,Â-Ú,Í#2,Æ,ç
,x<␣f,Å'l,đŽæ,è,3/4,·,±,Æ,a,Å,«,Û,·␣B"n,1,é'l,Í•¶Žš—
ñ,3/4,-,È,ì,Å␣A""l,đŽw'è,·,é,Æ␣Ÿžè,É•¶Žš—
ñ,É•İŠ·,3,ê,Û,·␣B""l,đ"n,μ,½,ç␣é␣f,ÍCEÄ,Í,ê,½'x
,Å,à,x^ê"x␣""l,É•İŠ·,μ,È,·,μ,Ä,,3/4,3,ç␣B
```

—á␣F

```
Sub:
  message #1
  message #2
  message #3
return
```

```
␣@CEÄ,Ñ␣o,3,ê,½'x,©,çCEÄ,Ñ␣o,μCE3,É'l,đ•Ô,·,±
,Æ,à,Å,«,Û,·␣Breturn,ICEä,ë,É•Ô,·'l,đŽw'è,μ,Û,·␣B,±,ê,à•¶Žš—
ñ,3/4,-,Å,·␣B
```

—á␣F

```
return "YES"
```

```
␣@CEÄ,Ñ␣o,μ,½'x,Å,Í#return,Æ,ç,x<␣f",Å,»,ì'l,đCE©,é,±
,Æ,a,Å,«,Û,·␣B
```

```
—áF
  call Sub
  if( #return == "YES" ) hangup
```

```
@@call, ,é,ÆA^êŽŽ“l•i”i#,Ü,½,Í##,ÅŽn,Ü,é•i”j,ÍA’S,Ä•Ê,ìŠ,É
’Ç,ço,³,êA^êŽŽ“l•i”,ÍfNfŠfA,³,ê,Ü,·Breturn,ìŽÀs,É,æ,è,Ü,½•œŠ
^,μ,Ü,·B,μ,½,ª,Á,ÄACEÄ,Ño,μE³,Ææ,Æ,Å<æ’Ê,ì•i”,ÉfAfnfZfX,μ,
½,çê±,íA%oi<v“l•i”,Ü,½,ÍOf[fof•i”,đŽg,Á,Ä,,¾,³,çB
```

```
@@callvarlabel•¶,ÍAcall,ìs,«æ,Æ,μ,Ä”C^Ó,ìŽ®,ªŽw’è,Å,«,Ü,·Bcal
l,Æ^á,çAf%ofxf<,Æfpf%off^,ìŠÔ,É,ÍRf“f},ª•K—v,Å,·B
```

```
—áF
  #Label = "ABC.HSC:Label"
  callvarlabel #Label, "abc"
```

```
@@s,«æ,ªE©,Â,©,ç,È,çê±,ÍGf%o[,É,È,ç,,ÉŽŸ,ì•¶,Ö,Æ^—
,ª’±s,³,ê,Ü,·B
```

return

␣@call, ©, çĀÄ, î, ê, ½fTfuf<␣[f`f", ©, ç•œ<A, μ, Ü, ·␣B'S, Ä, î^êŽž"l•ï␣", ífN
fšfA, ³, ê␣ĀĀ, Ñ, ¾, μĀ³, î^êŽž"l•ï␣", ð•œš^, μ, Ü, ·␣B

␣@ĀÄ, Ñ␣o, μĀ³, É'l, ð•Ô, ·, É, í␣A, »'l, ðreturn, ìĀä, ë, ÅŽw'è, μ, Ü, ·␣B␣""l
, ðŽw'è, ·, é, Æ•ŕŽš—ñ, É•İš·, ³, ê, Ä•Ô, ³, ê, Ü, ·␣B

—á␣F

return "ABC"

hangup

@hangupfRf}f“fh,í“d~b,ð∅,è,Ü,·BfXfNfŠfvfg,ìŽÀs,àI—
¹,μ,Ü,·Bfpf%off^,í, ,è,Ü,¹,ñB“d~b,ª∅,ê,é,ÆfXfNfŠfvfg,ìŽÀs,ì¼
AfO,àI—¹,³,¹,ç,ê,Ü,·B

exit

exitfRf}f“fh,ífXfNfŠfvg,ìŽÀ□s,đ□I—¹,μ,Ü,·□B

closehideterm

@closehidetermfRf}f“fh,ÍGTerm,đl—¹,μ,Ü,·B

error

@errorfRf}f“fh,Ípf%of^,ÅŽw’è,³,ê,^{1/2}•¶Žš—ñ,ð•\
Ž!,μ,^{1/2},ì,¿fXfNfŠfvfg,ìŽÅs,ð|—
¹,μ,Ü,·BmessagefRf}f“fh,ÆExitfRf}f“fh,ð’g,Ý¶,í,¹,é,ì,Æ“-,¶“-
,«,ð,μ,Ü,·B

@errorlog on,ìó’Ô,É,È,Á,Ä,ç,éê¶,ÍfbfZ[fW,ð•\Ž!,·,é’ă,í,è,ÉfGf
%[fO,É“à—e,^ao—í,³,ê,Ü,·B

—áF
error "¶§ÆÀžžŜÔ“à,É%ž“š,^a, ,è,Ü,¹,ñ,Å,μ,^{1/2}B"

connect

```
@connect Rf}f"fh,lfpf%of^ ,ÅŽw'è,3,ê,½fzfXfg,ÉÚ'±
,μ,Ü,·BfzfXfg,l-¼'O,l, ,ç,©,¶,ßfzfXfg^ê—,Å"o~^,3,ê,Ä,ç,é•K—v,a, ,
è,Ü,·BÚ'±,a¬CE÷,·,é,ÆACE»Ý,lfXfNfŠfvg,Íl-1,μAÚ'±CEã,ì^
—,đŠŽn,μ,Ü,·BŽ,"s,·,é,Æ<A,Á,Ä,«,Ü,·B•i" ,lfzfXfg,Ö,ìÚ'±
,ðCEðCEY,ÉŽŽ,Y,½,çê†,ÉŽg,ç,Ü,·B
@connect,a¬CE÷,μ,½ê†,ÍCE»Ý,lfXfNfŠfvg,É,Í<A,Á,Ä,±,È,ç,±
,Æ,É\·a^O,μ,Ä,3/4,3,çB
```

```
—áiPC-VAN,ÆNifty,ì-¼•û,ÉÚ'±,·,éjF
setup maxredial = 2
##i = 0
%pcvan_passed = ""
%nif_passed = ""
while( ##i < 10 )
    connect "PC-VAN"
    connect "Nifty"
    ##i = ##i + 1
endwhile
message "10%ñCEJ,è•Ô,μ,½,¯,ç,Â,È,a,è,Ü,1,ñ,Ä,μ,½B"
return
```

,Æ,μ,Ä,"«APC-VAN,Nifty,ìŠefXfNfŠfvg,Å^È%o^o,ì,æ,α,È^—,đ,·,éB

PC-VAN'α:

```
%pcvan_passed = "yes"
afterhangup Atoshimatsu
```

Atoshimatsu:

```
if( %nif_passed == "" )
    maxredial 999
    connect "Nifty"
endif
return
```

Nifty'α:

```
%nif_passed = "yes"
afterhangup Atoshimatsu
```

Atoshimatsu:

```
if( %pcvan_passed == "" )
    maxredial 999
    connect "PC-VAN"
```

```
endif  
return
```

goto

```
@goto Rf}f"fh,Ípf%of^,ÅŽw'è,3,ê,1/2f%ofxf<,ì,Æ,±  
,ë,ÉfXfNfŠfvfg,ìŽÅs,ð^U"®,3,1,Ü,·Bs,«æ,aCE©,Â,©,ç,È,çê,ÍG  
f%o[,É,È,Á,Ä,»,"ê,ÅfXfNfŠfvfg,ìŽÅs,at'f,μ,Ü,·B
```

—áF

Label:

```
wait "A"  
if( 1 ) goto Label1
```

```
@goto ,ÅŽw'è,·,éf%ofxf<,É,ÍA·í",È,Ç,ðŽg,Á,1/2Ž®,ðŽw'è,·,é,±  
,Æ,à,Å,«,Ü,·B
```

—áF

```
goto #a
```

```
@Ž®,ðŽg,Á,1/2ê,ÉA,à,μ"ð,Ñæ,aCE©,Â,©,ç,È,©,Á,1/2ê,ÍAg  
oto,Í-3CEø,Æ,È,èAZÿ,ì•¶,Ö,Æi,Ý,Ü,·B
```

checklabel

@checklabelRf}f“fh,Ípf%of^,ĂŽw'è,³,ê,½Tfuf<[f`f“if
%ofxf<,Ü,½,ÍXfNfŠfvfgftf@fCf<-¼j,^a‘¶Y,·,é,©,Ç,κ
,©,đf`fFbfN,μ,Ü,·B'¶Y,·,éê¶,ÍCE<%oÊfR[fh,^ayes,É,È,èA'¶Y,μ,È
,çê¶,Íno,É,È,è,Ü,·B

—áF

checklabel NIF.HSC:SetNifKeyAssign
if(no) error ""ò,Ñæ,^a, ,è,Ü,¹,ñB"

@f%ofxf<,É,ÍA•İ”,È,Ç,đŽg,Á,½Ž®,đŽw'è,·,é,±,Æ,à,Å,«,Ü,·B

—áF

checklabel #a

keyboard

␣@keyboardfRf}f“fh,ÍfL␣[f{␣[fh,©,ç,ì•¶Žš,ì“ü—í,đ<ÖŽ~ ,μ,½,è<-
%oÂ,μ,½,è,μ,Ü,·␣BfL␣[f{␣[fh“ü—í,đ<ÖŽ~ ,·,é,Æ␣A␣Ä,Ñ<-
%oÂ,³,ê,é,©␣A,Ü,½,ÍfXfNfSfvg,ìŽÀ␣s,ª␣I—¹,·,é,Ü,ÅfL␣[f{␣[fh,©,ç,ì“ü
—í,í^ê␣Ø,Å,«,È,,È,è,Ü,·␣B

fI␣[fgfpfCf␣fbfg't,ÉŠÔ^á,Á,ÄfL␣[“ü—í,³,ê,é,±,Æ,đ-
h,¬,½,ç␣ê␣‡,Éoff,É,μ,Ü,μ,â,‡␣B

<ÖŽ~ ,·,é,É,Íoff␣A<-%oÂ,·,é,É,Íon,đfpf%oof␣f^,ÅŽw'è,μ,Ä,,¾,³,ç␣B

—á␣F
keyboard off

setup

␣@setupRf}f“fh,íŠeŽí,ì␣GTerm“à,ìfpf%of␣f^,ð␣Ý'è,μ,Û,·␣B

```
orikaeshi = 20 ␣` 80
marginsync = on / off
margin = 0 ␣`
margintype = hankaku / zenkaku
kinsoku = on / off
tabtospace = 0 / 4 / 8
pacecharacter = "C^Ó,ì"¼Šp,P•ŕŽš
␣@␣@␣@␣@␣@␣@␣@␣@,Û,½,í␣u-³,μ␣v,ð^Ó-ì,·,é""
flyingxmodem = on / off
maxredial = 1 ␣` 999
fastsend = on / off
automarginsync = on / off
collation = on / off
```

␣@,±,ê,ç,ìfpf%of␣f^,í␣A␣u␣Ý'è␣|
fvf␣fgfRf<␣v,Û,½,í␣u␣Ý'è␣|"d~b,ì,©,-,©,½␣v,ìf_fCfAf␣fOf{fbfNfX“à,ìŠ
e␣€-Û,É'í%ž,μ,Ä,ç,Û,·␣B

␣@tabtospace=0,É,·,é,Æ␣A␣uf^fu-><ó""•İŠ·␣v,ð,μ,È,ç,æ,⌘
,É,È,è,Û,·␣B<t,É␣A4,Û,½,í8,ðŽw'è,·,é,Æ␣A␣uf^fu-
><ó""•İŠ·␣v,ð,·,é,æ,⌘,É␣Ý'è,³,ê,Û,·␣B

␣@·i␣",ìfpf%of␣f^,ð^ê"x,ÉŽw'è,·,é,Æ,«,í␣A,»,ê,ç,ð<ó"" ,Û,½,ìfRf“f}
,Å<æ␣Ø,Ä,Ä,,¾,¾,ç␣B

—á␣F

```
setup pacecharacter = "*"
setup pacecharacter = ""
setup margin = 4
setup margintype = hankaku
setup orikaeshi = 78
setup pacecharacter = "", orikaeshi = 76, maxredial=10
```


title

□@titlefRf}f“fh,í□GTermfEfBf“fhfE,ìfLfffvfVf†f“•¶Žš—
ñ□jfEfBf“fhfE,ìf^fCfɡf<□j,đfpf%of□f^,ÅŽw’è,³ê,^{1/2}•¶Žš—
ñ,É•í□X,μ,Û,·□B
□@“d~b,^a□Ø,ê,é,ÆŽ©‘R,ÉŒ³,ì□u□GTerm□v,É-ß,è,Û,·□Bfpf
%of□f^,đ□Ě—^a,μ,^{1/2}□ê□‡,à□u□GTerm□v,É-ß,è,Û,·□B

—á□F

title "fXfNfŠfvg□^—□t"

chat

@chatRf}f“fh,íf`fffbfjf,[]fh,ðon/off,μ,Û,·Bfpf
%of[]f^,Åon,Û,½,Íoff,ðŽw'è,μ,Û,·B

—á[]F
chat on

sethlight, sethlight1`sethlight4

@sethlightfRf}f“fh,í<'²•\Ž!•ŕŽš—ñ,đŽw'è,μ,Û,·B29•ŕŽš,Û,Å,ì•ŕŽš
—ñ,đ,P,Å,³/₄,~Žw'è,Å,«,Û,·B<'²•\Ž!,đ%øđœ,·,é,É,ÍA"" ,đŽw'è,μ,Ä,-
,³/₄,³,çB
@uY'è|<'²•\Ž!Žw'èv,ÅŽw'è,μ,¹/₂ê‡,Æ^á,çAŠù,É%øæ-Ê,É\
Ž!,³,ê,Ä,μ,Û,Å,¹/₂•ŕŽš—ñ,Í,à,æ<'²•\Ž!,³,ê,Û,¹,ñB
@<'²•\Ž!•ŕŽš—ñ,ÍA,S,ÅŽw'è,Å,«,Û,·Bsethlight,
sethlight1,ÍA,P"Ó-Ú,ì•ŕŽš—
ñ,đŽw'è,μAsethlight2`sethlight4,ÍA,»,ê,¹/₄,ê,ì"Ô†,ì•ŕŽš—
ñ,đŽw'è,μ,Û,·B

—áF

sethlight1 "PEH00775"
sethlight1 ""

port

```
[@portRf}f"fh,íÊMf][fg,ìÝ'è,ð,μ,Û,·B•'Ê,í,±,lfRf}f"fh,í•K—v-  
³,ç,Å,μ,â,αB  
ŠeŽí,lfpf%of^,ð,Û,Æ,β,ÄŽw'è,Å,«,Û,·B
```

```
@@xxx=xxx xxx=xxx xxx=xxx@,ì,æ,α,ÉAŽw'è,μ,Û,·B
```

```
^È%º,lfpf%of^,Žw'è,Å,«,Û,·B
```

```
baudrate = 300 / 1200 / 2400 / 4800 / 9600  
stopbit = 1 / 1.5 / 2  
parity = none / even / odd  
data = 7 / 8  
kanjicode = shiftjis / oldjis / newjis / nec / euc  
flowcontrol = none / x / hardware  
localecho = on / off  
localedit = on / off  
sendcrlf = on / off  
receivecrlf = on / off  
siso = on / off  
autobplus = on / off  
autozmodem = on / off  
removectrls = on / off
```

```
@^ê"Ê,ìŽ®,ðŽw'è,·,é,±,Æ,í,Å,«,Û,1,ñB—  
á,!,îAbaudrate=#a,ì,æ,α,ÈŽg,ç•û,í,Å,«,Û,1,ñB
```

```
—áF
```

```
port baudrate=1200 stopbit=1 parity=none data=9  
kanjicode=shiftjis
```

keyassign

keyassign fRf}f"fh,íAftf@f"fnfvf#fL[,É•ŕŽš—
ň,âfXfNfŠfvg,đŠ,,,è"—,Ä,Ü,·B

keyassign fL[-¼(F1`F12), f^fCf<
@@@@, string ,Ü,½,Í script ,Ü,½,Í reset , Š,,,è"—,Ä"à—e

@,ìE` ,Á<Lq,μ,Ü,·BfL[-¼,ìŠ,Á,·,ªA

@@Shift + Fx,ÉŠ,,,è"—,Ä,·,é,É,íABx
@@@Ctrl+Fx,ÉŠ,,,è"—,Ä,·,é,É,íACx
@@@@Ctrl+Shift+Fx,ÉŠ,,,è"—,Ä,·,é,É,íADx

@,đŽw'è,μ,Ä,,¾,³,¢B

@F1`F12,ªfL[Š,,,è"—,Ä,ÁAB1`B8,ª— fL[Š,,,è"—
,Ä,Á,·Bf^fCf<,íAftf@f"fnfvf#fL[·\Ž!,đ,μ,Ä,¢,éŽŽ,Éf{f^f",É·\
Ž!,·,é•ŕŽš—ň,Á,·BÁ, "¼Sp,Á,W•ŕŽš•ŕ,μ,©Žw'è,Á,«,Ü,¹,ňB
@,»,ìfL[,đ%Ÿ,μ,½,Æ,«,ÉA•ŕŽš—ň,đ'—
M,·,éêé#íAstring,đŽw'è,μAŠ,,,è"—,Ä"à—e,ìŠ,É•ŕŽš—
ň,đ"ü,ê,Ü,·B\$CEäfR[fh,í^<L†,Æ'g,Ý#í,¹,ÄŽw'è,μ,Ü,·B
@,»,ìfL[,đ
%Ÿ,μ,½,Æ,«,ÉAfXfNfŠfvg,đŽÀs,μ,½,¢ê#í,íAscript,đŽw'è,μAŠ
,,,è"—,Ä•ŕŽš—ň,ìŠ,É^É%º,ì,æ,æ
,ÉfXfNfŠfvg,Ü,½,ìfXfNfŠfvg"à,ìftfuf<[f`f"-¼,đŽw'è,μ,Ü,·B

ABC.HSC,đÁ%º,©,çŽÀs,·,éêé#F@ABC.HSC
ABC.HSC,ìSub:,đŽÀs,·,éêé#F@@ABC.HSC:Sub
keyassignfRf}f"fh,đŽÀs,·,éXfNfŠfvg,Æ" ,ŕfXfNfŠfvg"à,É, ,éS
ub:,đŽÀs,·,éêé#F@@Sub

@reset,đŽw'è,·,é,ÆA,»,ìfL[,Ö,ìŠ,,,è"—
,Ä,íGTerm<N"®Žž,ìó'Ô,ÉfŠfZfbfg,³,ê,Ü,·Breset,đŽw'è,·,éêé#,ìf^f
Cf<, ,æ,ŕŠ,,,è"—,Ä"à—e,í-³Ž<,³,ê,Ü,·B,Ü,½AŠ,,,è"—,Ä"à—e,íÈ—
ª,Ä,«,Ü,·B

—áF

keyassign F1, "MAIL", string, "MAIL^M"
keyassign F2, "-¢Ç^—", script, "MidokuShori"
keyassign B1, "%ñü'f", script, NIF.HSC:HangupLine
keyassign B1 "", reset

@fL[Š,,,è"—,Ä,ì,·,x,Ä,đGTerm<N"®Žž,ìó'Ô,É-ß,·,É,íAkeyassign
reset,đŽÀs,μ,Ü,·B

—á□F
keyassign reset

ime

imefRf}f“fh,íA,©,ÈŠ;Žš•iš,đ,n,m^,n,e,e,μ,Ü,·Bfpf
%off^,ÅON,Ü,½,íOFF,đŽw'è,μ,Ü,·B

—áF
ime on

endscroll

□@endscrollfRf}f"fh,í□A,à,μCE»□Ý□GTerm,³fofbfNfXfNf□□[f<'†,Å, ,é□ê
□‡,É□AfofbfNfXfNf□□[f<,đ<□\$“l,É□l—^{1,3,1},Ü,·□B

getchat

␣@getchatfRf}f“fh,í␣Af` fffbfjgfEjBf“fhfE't,ì•¶Žš—
ñ,đ•í␣”,ÉŽæ,è␣ž,Ý,Ü,·␣Bfpf%oof␣f^,Å•í␣”-¼,đŽw'è,μ,Ä,-
,¾,³,ç␣Bf` fffbfjgf,␣[fh,Å,É,ç␣ê␣‡,Å,à␣A'É␣Mf|
␣[fg,ì␣Ý'è,Åf␣␣[ffj<•Ò␣W,ª,␣,Ž,ì␣ê␣‡,í,»,±,ìfofbftf@,ì“à—
e,đŽæ,è␣o,μ,Ü,·␣B

—á␣F

getchat #chat

setchat

␣@setchatfRf}f“fh,í␣Af`fffbfgefEfbf“fhfE,É•¶Žš—ň,ð␣Ý’è,μ,Û,·␣Bfpf
%oof␣f^,Åf`fffbfgefEfbf“fhfE,É␣Ý’è,·,é•¶Žš—ň,ðŽw’è,μ,Ä,-
,³/₄,³,ç␣Bf`fffbfgef,␣[fh,Å,É,ç␣ê␣‡,Å,à␣A’É␣Mf|
␣[fg,ì␣Ý’è,Åf␣␣[ffj<•Ò␣W,^a,␣,Ž,ì␣é␣‡,í␣␣␣[ffj<•Ò␣W,ìfofbftf@,ì“à—
e,ð␣Ý’è,μ,Û,·␣B

—á␣F

setchat ",í,ë,í,ë␣,,all"

setchatfilter, nochatfilter

@setchatfilterfRf}f"fh,íAf`ffffbfg,©,ç•¶Žš—ñ,ª"ü—
í,³,ê,é,½,Ñ,ÉÆÄ,Ño,³,ê,éfTfuf<[f`f",ð"o~^,μ,Ü,·BfTfuf<[f`f",É,í'æ
^êfpf%of[f^i•i"¼,í#1j,Éf`ffffbfg[s,ì"à—e,ª"n,³,ê,Ü,·B

—áF

setchatfilter Filter

c c c c

Filter:

message #1

return

@nochatfilter,íAf`ffffbfgftfBf<f^,ìfTfuf<[f`f",ð
%øðœ,μ,Ü,·Bnochatfilter,μ,È,-
,Ä,àA"d~b,ª∅,ê,é,ÆŽ©"®"l,Éf`ffffbfgftfBf<f^,à%øðœ,³,ê,Ü,·

font

□@fontfRf}f“fh,í□A□GTerm,ì%œ-Ê,ì•\Ž!,ÉŽg,ıftfHf“fg,đfpf
%of□f^,ÅŽw'è,³,ê,^{1/2},à,ì,É□Ø,è'Ö,ı,Ü,·□B

□@fpf%of□f^,É,ıftfHf“fg,ıftfF□[fX-^{1/4},^{3/4},-,đŽw'è,·,é,©□A,Ü,^{1/2},ı'æ,Pfpf
%of□f^,ÅftfF□[fX-^{1/4}□A'æ,Qfpf
%of□f^,ÅTfCfY□ıftfHf“fg,ì□,³,ıfsfNfZf<□"□j,đŽw'è,μ,Ä,,^{3/4},³,¢□B

—á□F

font ",l,r fSfVfbfN", 18

font "FixedSys"


```
        message #line  
    endloop  
endif  
exit
```

setautohangup

[@setautohangupfRf}f“fh,íAfi[fjgfpfCffbfg,Å,ì-
³l'ÊM,ì,½,ß,ìA"ñí—p,ì%ñüŽ© “®Ø'fŽžŠÔ,đÝ'è,μ,Ü,·B,±
,lfRf}f“fh,ÅžžŠÔ,đŽw'è,μ,Ä,“,„ÆA,»,ìžžŠÔ
%½,àŽóM,μ,È,©,Á,½é†,ÉŽ© “®“l,É“d~b,đØ,è,Ü,·Bfpf
%f^,ÅžžŠÔ,đŽw'è,μ,Ä,,¾,¾,†B'P^Ê,Í•ª,Å,·B

@fpf%f^,É,O,đŽw'è,·,é,ÆŽ© “®Ø'f,í
%đœ,³,ê,Ü,·B,Ü,½Asetautohangup,Åžw'è,μ,½'l,ÍGTerm,đl—
¹,·,é,Ü,Å—LCEø,Æ,È,è,Ü,·B

—áF

setautohangup 2

gethostname

gethostname(3) - Linux manual page
gethostname(3) - Linux manual page
gethostname(3) - Linux manual page

gethostname(3) - Linux manual page
gethostname(3) - Linux manual page
gethostname(3) - Linux manual page

gethostname(3) - Linux manual page

gethostname(3) - Linux manual page

display

`\@displayfRf}f“fh,íA GTerm,žóM,μ,½•¶Žš—`
`ň,žÀÛ,ÉfEfBf“fhfE,É•\Ž!,·,é,©,Ç,α,©,đ$Œä,μ,Û,·Bfpf`
`%of^,Å,Ž,Û,½,í,t,t,žw’è,μ,Ä,,¾,³,çB`

`—áF`
`display off`

`\@fXfNfŠfvfg,ìŽÀs,ªI—¹,·,é,ÆŽ©“®“I,Édisplay on,Æ,È,è,Û,·B`

setportno

[@setportnofRf}f“fh,íA[]GTerm,žg—p,·,é’Ê[]Mf|
[][fg,ì”Ô[]t,žw’è,μ,Û,·[]B,±,lfRf}f“fh,đ’Ê[]M’t,ÉŽg—
p,·,é,Æ“d~b,ª[]Ø,ê,Ä,μ,Û,α,©,à,μ,ê,È,ç,ì,ÄŽg—p,É,í[]\•ª’[]^Ó,μ,Ä,-
,³/₄,³,ç[]B

[@fpf%of[]f^,Å’Ê[]Mf|[][fg”Ô[]t[]i,P[]`,T[]j,žw’è,μ,Ä,-
,³/₄,³,ç[]B,P,ªcom1[]A,Q,ªcom2[]c,Æ’Í%ž,μ,Û,·[]B

—á[]F

setportno 1

sound

[@soundfRf}f"fh,ÍA[GTerm Sound System,đ<ÖŽ~ó'Ô,É,μ,½,èA<-
%oÂó'Ô,É,μ,Ü,·B<ÖŽ~ó'Ô,É,·,é,ÆA%o¹,Í^êØ-Â,ç,È,,É,è,Ü,·B

@GTerm Sound System,đ<ÖŽ~ó'Ô,É,μ,½,Ü,ÜfXfNfŠfvfg,đI—
<sup>1,3,1,1/2,è,·,é,ÆA,»,ì,Ü,Ü%o¹,^a-Â,ç,È,çó'Ô,É,È,è,Ü,·B,»,ì,æ,κ
,ÈŽg,ç•û,đ,·,éê±,ÍfXfNfŠfvfg,ì~—pŽÒ,É,»,κ,È,é,±,Æ,đ,í,©,é,æ,κ
,É,μ,Ä,,^{3/4},³,çi,Å,È,ç,ÆfofO,ÆŠÔ^á,í,ê,Ü,·j</sup>

@fpf%of^,Åon,Ü,½,Íoff,đŽw'è,μ,Ä,,^{3/4},³,çB

—áF

sound off

log

```

@logfRf}f"fh,lfO,ŠJŽn,μ,½,è|—¹,μ,½,è,μ,Û,·Bfpf%of^,ª
%½,àŽw'è,³,ê,É,©,Á,½ê±,lfO,ì|—¹Rf}f"fh,Æ,É,èCfpf
%of^,ªŽw'è,³,ê,Ä,ç,éê±,lfO,ìŠJŽnfRf}f"fh,Æ,É,è,Û,·B
@fO,ŠJŽn,·,éê±,íAfpf%of^,Åftf@fCf<-¼,ðŽw'è,μ,Ä,-
,¾,³,çBftf@fCf<-¼,ì,Ý,ªŽw'è,³,ê,½ê±,íAftfCfY$CEÀ,í,É,A'Ç
%Af,[]fh,Åì¬,³,ê,Û,·B
@ftfCfY$CEÀ,ð•t,·,é,É,íAftf@fCf<-
¼,ìĀã,ÉftfCfY[]i,j,a'P^Êj,ðŽw'è,μ,Ä,¾,³,çB,³,ç,ÉAì¬•û-
@,ðŽw'è,·,é,É,í,³,ç,Éfpf%of^,ÉŽÝ,ì,æ,æ,É,μ,Äì¬•û-@,ðŽw'è,μ,Ä,-
,¾,³,çB

```

```

append ¥¥¥ 'Ç%Af,[]fh[]iÈ—ª,μ,½ê±,Æ"·,¶[]j
create ¥¥¥ V<Kì¬
backup ¥¥¥ ,P[]ç'ãfofbfNfAfbfv[]i¬
backup2 ¥¥¥ ,Q[]ç'ãfofbfNfAfbfv[]i¬
backup9 ¥¥¥ ,X[]ç'ãfofbfNfAfbfv[]i¬

```

—áF

```

log "NIFTY.LOG"
log
log "NIFTY.LOG", 10, backup2
log "PCVAN.LOG", create

```

```

@ftfCfY$CEÀ,É,μ,ðŽw'è,μ,Ä,àAŽÀÛ,í,X,X,X,X,j,a,ftfCfY,ì$CEÀ,É
,É,Á,Ä,ç,Û,·B

```

```

@fXfNfŠfvfg,¾,·,ì"A•Ê,È<@"\,Æ,μ,ÄAfO,Ö,ìo—
í,ð^èŽŽ"ì,É'âŽ~³,¹,½,èAÄŠJ,³,¹,½,è,Ä,«,Û,·B^èŽŽ"ì,É'âŽ~³,¹,é,É,í
A

```

log pause

```

@,ÄAÄŠJ,³,¹,é,É,íA

```

log resume

```

@,Ä,·Bdisplay off,μ,Ä,ç,éÅ't,ÉfO,Ö,ìo—
í,àŽ~³,¹,½,çê±,íAlog pause,ÆAlog resume,ðŽg,Á,Ä,¾,³,çB

```

```

@$CEäfR[]fh,ðœ<Ž,μ,ÄfO,ðì¬,³,¹,½,çê±,íA,³,ç,Énocontrolc
odeA$CEäfR[]fh,ðœ<Ž,μ,É,ç,æ,æ
,ÉfO,ðì¬,³,¹,½,çê±,ícontrolcode,Æ,ç,æfpf%of^,ð'Ç%A,μ,Ä,-
,¾,³,çB,Ç,¿,ç,àŽw'è,μ,É,©,Á,½ê±,í'ÉMfj
[]fg,ìY'è,ìu$CEäfR[]fh,ìœ<Žv,Æ"·,¶,É,É,è,Û,·B

```

—á□F
log "abc.log", append, nocontrolcode

upload

```
@uploadfRf}f"fh,íftf@fCf<,đfAfbfvf[]fh,μ,Ü,·Bfpf%oof^,đ
%o½,àŽw'è,μ,É,ç,ÅŽÅs,·,é,ÆAfvf[]fgfRf<,Æftf@fCf<-¼i,à,μ•K—
v,È,ç,îj,đft[]fU,É-â,ç[]í,¹,Ü,·Bfpf%oof^,Åfvf[]fgfRf<,Æftf@fCf<-¼,i
-¼•û,Ü,½,Í•Đ•û,đŽw'è,·,é,±,Æ,ª,Å,«,Ü,·BŽw'è,³,ê,é,Æft[]fU,Ö,ì-
â,ç[]í,¹,Ís,í,ê,È,,È,è,Ü,·B
[]@ftf@fCf<-¼,Æfvf[]fgfRf<,ìŽw'è•û-@,íA
```

```
upload "ftf@fCf<-¼", fvf[]fgfRf<-¼ ,Ü,½,Í
upload "ftf@fCf<-¼" ,Ü,½,Í
upload , fvf[]fgfRf<-¼
```

```
,ÅAfvf[]fgfRf<-¼,É,ÍÈ%oº,ì,à,ì,ªŽw'è,Å,«,Ü,·B
```

```
none          ¥¥¥ -³Žè[]
xmodem        ¥¥¥ XMODEM
xmodemcrc     ¥¥¥ XMODEM/CRC
xmodemk       ¥¥¥ XMODEM-1k
transit       ¥¥¥ TransIt
zmodem        ¥¥¥ ZMODEM
quickvan      ¥¥¥ QuickVAN
bplus         ¥¥¥ BPLUS
ymodem        ¥¥¥ YMODEM
ymodemg       ¥¥¥ YMODEM-g
ymodembatch  ¥¥¥ YMODEM-batch
ymodemgbatch ¥¥¥ YMODEM-g-batch
mlink         ¥¥¥ MLink
```

—áF

```
upload "mail.txt", none
upload , bplus
```

```
@fAfbfvf[]fh,ª-CE÷,·,é,ÆA[]—
¹fR[]fh,Íyes,É,È,èAŽ, "s,μ,½ê[]Ü,½,Í't'f,³,ê,½ê[]Íno,É,È,è,Ü,·B
```

download

```
@downloadRf}f"fh,iftf@fCf<,df_fEf"f[fh,μ,Ü,·Bfpf%of^,δ
%½,àŽw'è,μ,É,ç,ÅŽÅs,·,é,ÆAfvffgfRf<,Æftf@fCf<-¼i,à,μ•K—
v,È,ç,Íj,ðft[fU,É-â,ç‡,í,¹,Ü,·BŽw'è,³,ê,é,Æft[fU,Ö,ì-
â,ç‡,í,¹,Ís,í,ê,È,,È,è,Ü,·B
@ftf@fCf<-¼,Æfvf fgfRf<,ìŽw'è•û-@,ÍA
```

```
download "ftf@fCf<-¼", fvf fgfRf<-¼
download "ftf@fCf<-¼"
download , fvf fgfRf<-¼
download "ftf@fCf<-¼", fvf fgfRf<-¼
```

```
,ÅAfvf fgfRf<-¼,É,ÍÈ%º,ì,à,ì,Žw'è,Å,«,Ü,·B
```

```
xmodem      ¥¥¥ XMODEM
xmodemcrc   ¥¥¥ XMODEM/CRC
xmodemk     ¥¥¥ XMODEM-1k
transit     ¥¥¥ TransIt
quickvan    ¥¥¥ QuickVAN
bplus       ¥¥¥ BPLUS
zmodem      ¥¥¥ ZMODEM
ymodem      ¥¥¥ YMODEM
ymodemg     ¥¥¥ YMODEM-g
ymodembatch ¥¥¥ YMODEM-batch
ymodemgbatch ¥¥¥ YMODEM-g-batch
mlink       ¥¥¥ MLink
```

```
@,³,ç,ÉA,à,μA"´,¼'O,iftf@fCf<,Šù,É'¶Y,μ,Ä,ç,éê‡,É,Ç,¤^—
,·,é,©,ðŽw'è,·,é,±,Æ,ª,Å,«,Ü,·B,±
,ê,ðŽw'è,·,é,É,ÍAdownloadRf}f"fh,ìĀă,ë,ÉA,³,ç,ÉfRf"f}
,ð•t,´,ÄA^È%º,Ípf%of^,ð•t,´,Ä,,¾,¾,çB
```

```
overwrite   ¥¥¥@@Šù'¶,iftf@fCf<,Éă',«,·,é
append      ¥¥¥@@Šù'¶,iftf@fCf<,ìĀă,ë,É'Ç%Á,·,é
resume      ¥¥¥@@f_fEf"f[fhfĀfWf...[f€
tempfile    ¥¥¥@@fef"fj%ofŠftf@fCf<itemp.001j
```

—áF

```
download "ABC.TXT", xmodem
download , bplus, append
download , quickvan, overwrite
download , , append
```

```
@f_fEf"f[fh,ª-Ā÷,·,é,ÆA|—
¹fR[fh,Íyes,É,È,èAŽ,"s,μ,½ê‡,Ü,½,Í't'f,³,ê,½ê‡,Íno,É,È,è,Ü,·B
```


sendclipbrd

@sendclipbrdfRf}f“fh,ífNfŠfbfvf{[fh,ì“à—e,đ’—M,μ,Ü,·B

—áFifNfŠfbfvf{[fh,ì“à—e,đ%ü s•t,«,Å’—M,·,éj

SendAndCR:

sendclipbrd

send "^M"

setupdownfile

@setupdownfileRf}f"fh,íA,±
,ìRf}f"fh,ðŽÀs,μ,½Ĉã,Å<N,«,éfAfbfvf[fh^f_fEf"f[fh,ìÛ,ìftf@f
Cf<-¼,ðAfAfbfvf[fh^f_fEf"f[fh,â,Û,¾Žn,Û,Á,Ä,È,ç
,É,àŠÖ,í,ç, A, ,ç, ©, ¶, ßŽw'è,μ,Ä,μ,Û,ç,Û,·B

@,±,ìRf}f"fh,Åftf@fCf<-¼,ðŽw'è,μ,Ä, ",,ÆAfofCfifŠ"]'—
,ªŠŽn,μ,Ä,àftf@fCf<-¼,ì-â,ç‡,í,¹,ªo,Ä,«,Û,¹,ñB

@fpf%off^,Åftf@fCf<-¼,ðŽw'è,μ,Û,·B

—áF
setupdownfile "ABC.TXT"

message

@messagefRf}f"fh,Ípf%of^,ĂŽw'è,³,ê,^{1/2}f_fbfZ[fW,đ•\
Ž!,μ,Ü,·Bft[fU,^a—¹%đf{f^f",đ%Ÿ,·,Æ^—,±_s,³,ê,Ü,·B•Źš—
ň,É%ü_s•Źš,^a,é,ÆAf_fbfZ[fW,à%ü_s,μ,Ă•\Ž!,³,ê,Ü,·B

—áF

message "f[f<,^,Ä,ç,Ü,·"

message "GTerm^M ,Ă,·B"

debuginfo

[@debuginfoRf}f"fh,íA,Q,Â,ìŽg,ç•û,^a,,è,Û,·B^ê,Â,íAfffofbfOî•ñ
,ìo—í,ð<-‰Â^<ÖŽ~,·,éŽg,ç•û,ÂA,à,æ^ê,Â,ífffofbfOî•ñ,ðo—
í,·,éŽg,ç•û,Â,·B

[@debuginfo,ìpf
%of^,Æ,μ,Äon,Û,½,íoff,ðŽw'è,μ,½ê±,íAfffofbfOî•ñ,ìo—í,ì<-
‰Â^<ÖŽ~,ðŽw'è,μ,Û,·B

[@debuginfo on

[@,Æ,·,é,ÆAfffofbfOî•ñ,ìo—í,ð<-‰Â,μ,Û,·B

[@debuginfo off

[@,Æ,·,é,ÆAfffofbfOî•ñ,ìo—
í,^a<ÖŽ~,³,è,Û,·BGTerm,ð<N"®,μ,½ó'Ô,Â,íoff,É,È,Á,Ä,ç
,ÄAfXfNfŠfvg,ì'†,Â^ê"xon,É,μ,Ä,àAfXfNfŠfvg,^a,·,×,Äl—
¹,·,é,Æ,Û,½off,É,È,è,Û,·B

[@debuginfoRf}f"fh,ìpf%of^,Â•Źš—
ñ,^aŽw'è,³,è,½ê±,íAf±fZ[fW,ðfffofbfO'[--
,Û,½,íDBWin,É,Ç,ífffofbfOî•ñ,ð·\
Ž!,·,éAfvfŠfP[fVf†f",É"n,μ,Û,·B,½,¾,μAudebuginfo
offv,ìó'Ô,É,È,Á,Ä,ç,éê±,Ç,±,É,ào—í,³,è,Û,¹,ñB

[@fXfNfŠfvg't,Édebuginfo,Â©,½,çî•ñ,ð·\Ž!,·,é,æ,æ,É,μ,Ä,"ç
,ÄAfXfNfŠfvg,ìæ"^a,Édebuginfo on,ð"ü,è,Ä,"-
,ÆfffofbfO,^aSy,É,È,è,Û,·B,»,"fXfNfŠfvg,^aŠ®¬,μ,ÄNIFTY-
Serve,É,Ç,ÉfAfbvf[fh,·,éê±,íAæ"^a,ì"•^a,ðdebuginfo
off,É,·,é,ì,ç,ç,Â,·B

[@fffofbfO'[--,àDBWin,É,Ç,à,È,çê±,ÉfffofbfOî•ñ,^ao—
í,³,è,é,ÆfXfNfŠfvg,^aŽ~,Û,Á,Ä,μ,Û,æ,©,à,μ,è,È,ç,ì,Â'^Ó,μ,Ä
‰^o,³,çB

[@fffofbfO'[--,Â‰ü[s,³,¹,éê±,í^),ðŽg,Á,Ä,,¾,³,çB

—áF

debuginfo "f[f<,ì^—Š®—¹^J"

question

questionfRf}f“fh,ímessagefRf}f“fh,Æ“—l,ÉAfpf
%of[]f^,ÅŽw’è,³,ê,^{1/2}•¶Žš—ñ,đ•\Žl,μ,Ü,·BmessagefRf}f“fh,ìê[]‡,Í—
¹%ođf{f^f“,đ%oÿ,μ,Ä^—
[],^a±[]s,μ,Ü,·,·^aquestionfRf}f“fh,Å,í[]u,í,ç[]v,Æ[]u,ç,ç
,![]vf{f^f“,ì,Ç,ì,ç,©,đ%oÿ,·,±,Æ,Å[]@[]^—[],^a±[]s,μ,Ü,·B
[]@[]u,í,ç[]vf{f^f“,^a%oÿ,³,ê,^{1/2}[]ê[]‡,í[]l—¹fR[]f[]fh,í[]uyes[]v,É,È,è[]A[]u,ç
,ç,í[]vf{f^f“,đ%oÿ,μ,^{1/2}[]ê[]‡,í[]uno[]v,É,È,è,Ü,·B
[]@•¶Žš—ñ,É%oü[]s•¶Žš,^a,é,Æ[]A,»,±,Å%oü[]s,μ,Ü,·B
[]@if•¶,Æ’g,Ý[]‡,í,¹,ÄŽg,ç,Ü,·B

—á[]F

question ""d~b,đ[]Ø,è,Ü,·,·,©[]H"
if(yes) hangup

timeoutmessage

␣@timeoutmessagefRf}f“fh,íf^fCf€fAfEfg•t,«,Åf␣fbfZ␣[fW,ð•\
Ž! ,μ,Ü,·␣BŽw'è,³ê,^{1/2}ŽŽŠÔ,^aCEo%oβ,μ,Ä,àft␣[fU,^an,jf{f^f“,ð
%oÿ,³È,©,Á,^{1/2}␣ê␣‡,Éf␣fbfZ␣[fW,ð␣A<Ž,μ␣AfXfNfŠfvg,ì␣^—
␣,ð'±␣s,μ,Ü,·␣B^{1/4},Ímessage,Æ“[˘],¶,Å,·␣B

␣@'æ,Pfpf%of␣f^,Åf␣fbfZ␣[fW•¶Žš—ñ,ðŽw'è,μ␣A'æ,Qfpf
%of␣f^,Åf^fCf€fAfEfgŽŽŠÔ,ð•b'P^Ê,ÅŽw'è,μ,Ä,,^{3/4},³,ç␣B

—á␣F

timeoutmessage "f␣␣[f<,a—^,Ä,ç,Ü,·", 10

timeoutmessage "␣GTerm^M ,Å,·␣B", 10

timeoutquestion

@timeoutquestionfRf}f“fh,Íf^fCf€fAfEfg•t,«,ÅquestionfRf}f“fh,ðŽÀ
s,μ,Û,·BŽw'è,³,ê,½ŽŽŠŎ,^aŒo%ß,μ,Ä,àft[fU,af{f^f“,ð
%Ÿ,³,È,©,Á,½ê±,Éf[]fbfZ[]fW,ðA<Ž,μAfXfNfŠfvfg,ì^—
ð,ð'±s,μ,Û,·B'¼,Íquestion,Æ“~,¶,Å,·B

@f^fCf€fAfEfg,É,È,Á,½ê±,Íu,Í,çvf{f^f“,^a
%Ÿ,³,ê,½,à,ì,Æ,Ý,È,³,ê,Û,·B

@'æ,Pfpf%of^,Åf[]fbfZ[]fW•¶Žš—ñ,ðŽw'è,μA'æ,Qfpf
%of^,Åf^fCf€fAfEfgŽŽŠŎ,ð•b'P^Ê,ÅŽw'è,μ,Ä,,¾,³,çB

—áF

timeoutquestion ““d~b,ðØ,è,Û,·,©H”, 10
if(yes) hangup

input, secretinput

```
@inputRf}f"fh[AsecretinputRf}f"fh,í[A,Æ,à,É[Afpf
%of[f^,ÅŽw'è,3,ê,1/2•ŕŽš—ñ,ð•\Ž|,μ,Äft[fU,©,ç•ŕŽš—ñ,ð"ü—
í,μ,Ä,à,ç,ç[A,»3,ê,ðŽw'è,3,ê,1/2•ï" ,ÉŠi"[μ,Ü,·B
@secretinputRf}f"fh,í[Aft[fU,3"ü—í,μ,1/2•ŕŽš,ð[u]-
v,É'u,«Š·,|,Ä•\Ž|,μ,Ü,·BfpfXf[fh,ì"ü—í"™,É•Ö—~,Å,·B
@ft[fU,3Žæ[Áf{f^f",ð%oÿ,μ,1/2ê[í"ü—í,μ,1/2•ŕŽš—
ñ,í"ä"ü,3,ê,Ü,1,ñ[B,Ü,1/2[A,»3,ìê[í"ü—
1fR[fh,3ucancel[v,É,É,è,Ü,·BŠm'èf{f^f",ð%oÿ,μ,1/2ê[í"ü—
í,μ,1/2•ŕŽš—ñ,3•ï" ,É"ä"ü,3,ê[Aí—1fR[fh,í[uenter[v,É,É,è,Ü,·B
@Žÿ,ì,æ,æ,ÈE` ,ÅŽg,ç,Ü,·B
```

```
input f[bfZ[fW, •ï"-1/4
secretinput f[bfZ[fW, •ï"-1/4
```

```
@'æ,Pfpf%of[f^,Äft[fU,É•\Ž|,·,é•ŕŽš—ñ,ðŽw'è,μ[A'æ,Qfpf
%of[f^,ÅŠi"[μ,Ä,Ü,μ,ç•ï" ,ðŽw'è,μ,Ü,·B
```

—á[F

```
input "ft[fUID,ð"ü—í,μ,Ä,3/4,3,ç", %UserID
secretinput "fpfXf[fh,ð"ü—í,μ,Ä,3/4,3,ç", %%Password
```

```
f[bfZ[fW•ŕŽš—ñ,É%oüs•ŕŽš[i^Mj,ð"ü,ê,Ä," , -
,Æ[Af[bfZ[fW,í,»3,±,Å%oüs,μ,Ä•\Ž|,3,ê,Ü,·B
```

—á[F

```
input "ftf@fCf<-1/4,ð"ü,ê,Ä,3/4,3,ç[B^M—á[FABC.TXT", #name
```

```
@'æ,Rfpf%of[f^,ðŽw'è,·,é,Æ[A,»3,ê,ífftfHf<fg,ì'l,Æ,μ,Ä
%oðŽš,3,ê,Ü,·BŽw'è,3,ê,1/2•ŕŽš—ñ,í"ü—í—p,lfEfBf"fhfE,É•\
Ž|,3,ê,Ü,·B
```

—á[F

```
input "ftf@fCf<-1/4,ð"ü—í,μ,Ä,3/4,3,ç[B", #name, "ABC.TXT"
```

inputfilename

@inputfilenamefRf}f"fh,íAftf@fCf<'l'ð—p,lf_fCfAf□fOf{fbfNfX,ð•\
Ž!,μ□Aft□[fU,ªŽw'è,μ,½ftf@fCf<,l-¼'O,ð•İ□",É'ã"ü,μ,Ü,·□B

@'æ,Pfpf%of□f^,Åf_fCfAf□fOf{fbfNfX,lf^fCfgef<,ðŽw'è,μ□A'æ,Qfpf
%of□f^,Å•İ□"-¼,ðŽw'è,μ,Ä,,¾,¾,ç□B

@f_fCfAf□fOf{fbfNfX,ìftf@fCf<^è—,É•\
Ž!,·,é□fCf<fhfj□[fh,ðŽw'è,μ,½,ç□ê□#,í□A'æ,Rfpf
%of□f^,É,»,)f□fCf<fhfj□[fh,ðf_fuf<fnf□[fe□[fvf#f",Å^í,Á,ÄŽw'è,μ,Ä,-
,¾,¾,ç□B

@ft□[fU,ªflfff"fZf<·,é,Æ□l—¹fR□[fh,ªcancel,É,È,è,Ü,·□B

—á□F

inputfilename "fAfbfvf□□[fh,·,éftf@fCf<", @filename
inputfilename "ftf@fCf<", #a, "*.txt;*.ini"

menu, numbermenu

```
□@menu, numbermenu fRf}f"fh, í Af□fjf...□[, ð•\Ž!, μ, Ü, ·□B□fjf...
□[, í□€-Ú, ðfRf" f}, Å<æ□Ø, Å, Äfpf%□f^, Å, ç,, Å, Å, àŽw'è, Å, «, Ü, ·□B
```

```
□@numbermenu, í Af□fjf...□[, ì□¶'α, É"Ô□†, ð□U, Å, Äf□fjf...□[, ð•\
Ž!, μ, Ü, ·□Bft□[fU, í□A"Ô□†, ìfL□[, ð%Ÿ, ·, ±, Æ, Å'¡□Å, É, » , ìf□fjf...
□[, ð'í, x, Ü, ·□B
```

```
□@'æ, Pfpf%□f^, ð'í, î, ê, ½□ê□#, íresult==0, É, È, è□A'æ, Qfpf
%□f^, ¾, Æresult==1, Æ, ç
, Å, ½<í□#, É, È, è, Ü, ·□Bft□[fU, ðfLfff" fZf<, ·, é, Æ□|—¹fR□[fh, í-1, É, È, è, Ü, ·□B
```

—á□F

```
numbermenu "fRf}f"fh,P", "fRf}f"fh,Q", "fRf}f"fh,R"
switch result
case 0
    message "fRf}f"fh,P"
case 1
    message "fRf}f"fh,Q"
case 2
    message "fRf}f"fh,R"
case -1
    message "fLfff" fZf<"
endswitch
```

```
□@f□fjf...
```

```
□[, ì'†, ÉfZfpfCE□[f^, ð"ü, ê, ½, ç□ê□#, í□A, » , ì^Ê'u, É□"Žš, ì0, ð"ü, ê, Ä, -
, ¾, ¾, ç□B
```

—á□F

```
menu "fRf}f"fh,P", "fRf}f"fh,Q", 0, "fRf}f"fh,R"
```

```
f□fjf...□[□€-Ú, ð<ó, ì□ê□#, í, » , ì□€-Ú, í•\Ž!, ¾, ê, Ü, ¹, ñ□B—á, í, ímenu "ABC",
"", "" , Æ, â, é, Æ□Af□fjf...□[, í"ABC", ¾, ¯ , ð•\Ž!, ¾, ê, Ü, ·□B
```

```
□@f□fjf...□[□€-Ú, ÉfAfNfZf
```

```
%□fCE□[f^fL□[, ð•t, ¯ , ½, ç□ê□#, í□A&, ì<L□†, Æ'g, Ý□#, í, ¹, Ä^È%□□, ì, æ, x
, É<L□q, μ, Ü, ·□B
```

```
menu "□ê□Š, ð'í, ñ, Å, , ¾, ¾, ç□B", 0, "&1 Šw□Z", "&2 CEö%□€", "&3
Žs-ð□Š"
```

addmenu, addnumbermenu, showmenu

□@addmenu, addnumbermenu fRf}f“fh, í□A f□fjf... □[, ð□€-
Ú,², Æ, É□ì□¬, μ, Ü, ·□B
□@□Å□%o, Éaddmenu, ðÆÄ, Ô, Æ□A□GTerm, ì“à•”, Éf□fjf...
□[, ^a□ì□¬,³, é□A f p f % o f f ^ , ÅŽw’è,³, é,^{1/2}•¶Žš—ñ, ^af□fjf... □[, É’Ç
%oÁ,³, é, Ü, ·□B addnumbermenu, ^{3/4}, Æ”Ô□†•t, «, Å’Ç%oÁ,³, é, Ü, ·□B

□@showmenu, ðŽÀ□s, ·, é, Æ□A□ì□¬,³, é,^{1/2}f□fjf... □[, ^a•\Ž!,³, é□A f□fjf...
□[, ì•\Ž!,^a□ì, í, é, Æ, » , ìf□fjf... □[, ì□Á<Ž,³, é, Ü, ·□B

□@addmenu, addnumbermenu, ìf p f
%o f f ^ , É□”Žš, ì, O, ðŽw’è, ·, é, Æ f Z f p f Ç □ [f ^ , ^a’Ç%oÁ,³, é, Ü, ·□B

□@addmenu, addnumbermenu, ìf p f
%o f f ^ , í, P, Å, μ, © Žw’è, Å, «, Ü,¹, ñ□B, ^{1/2}, Æ, ì, î“abc”, “def”, ÆŽw’è, μ, Ä, à□A
’Ç%oÁ,³, é, é, ì, ì“abc”, ^{3/4}, -, Å, ·□B

□@addmenu, Æaddnumbermenu, ì□¬,^o, È, ç, Å,,^{3/4},³, ç□B

—á□F

```
addmenu "f^fCfjf<"
addmenu 0
addmenu "fRf}f“fh,P"
addmenu "fRf}f“fh,Q"
addmenu "fRf}f“fh,R"
showmenu
```

chdir

```
@chdirfRf}f"fh,íA□GTerm,ìffCEf"fgfhf
%ofCfu^fjfCEf"fgfffBfCEfNfgfŠ,đ•í□X,μ,Û,·□B'¼□ÚfpfX,đŽw'è,·,é•û-
@,Æ□A□GTerm,ì□Y'è,ÅŽw'è,μ,½fffBfCEfNfgfŠ,É^Ú"®,·,é•û-@,ª, ,è,Û,
·□B
```

```
chdir log          ¥¥¥ f□fO,ìfffBfCEfNfgfŠ,É^Ú"®,·,é
chdir upload      ¥¥¥ fAfbfvf□□[fh—p,ìfffBfCEfNfgfŠ
chdir download    ¥¥¥ f_fEf"f□□[fh—p,ìfffBfCEfNfgfŠ
chdir script      ¥¥¥ fXfNfŠfvfg—p,ìfffBfCEfNfgfŠ
chdir "C:\"        ¥¥¥ C:\,É^Ú"®,·,é
chdir #a          ¥¥¥ #a,ì'ì,ì□Š,É^Ú"®,·,é
chdir "log"       ¥¥¥ "log",É^Ú"®,·,é
```

```
@chdirfRf}f"fh,đŽÀ□s,μ,½CEã,í□A•K, ,restoredirfRf}f"fh,đŽg,Á,Äffj
CEf"fgfffBfCEfNfgfŠ,đCE³,É-ß,μ,Ä,,¾4,³,ç□B,»,x,μ,È,ç
,Æ^ÈCEã,ì□GTerm,ì"®ì,ª, ",©,μ,,È,è,Û,·□B□i,È,é,x, '□,ß,É□j
```

—á:

```
chdir log
appendfile #f
if( no )
    createfile #f
endif
restoredir          ; chdir,μ,½CEã,í•K, ,•K—v,Å,·□B
```

restoredir

□@restoredirfRf}f“fh,í□AchdirfRf}f“fh,Å•ï□X,³,ê,¹/₂fjfĈef“fgfffBfĈefNfg
fS□^fjfĈef“fgfhf%ofCfu,đĈĖ³,É-ß,μ,Ü,·□Bchdir,^aQ%oñ~A'±
,ÅŽÀ□s,³,ê,¹/₂ĈĖã,Å,à□³,μ,ĈĖ³,ìfffBfĈefNfgfŠ,É-ß,μ,Ü,·□B
□@,à,μ□Arestoredir,đ-Y,ê,Ä,μ,Ü,Á,¹/₂□é□#□AfXfNfŠfvg,ìŽÀ□s,^a□I—
¹,·,é,Ü,Å□A,Ü,¹/₂,Í□AreturnfRf}f“fh,^aŽÀ□s,³,ê,é,Ü,ÅfjfĈef“fgfffBfĈefNfgf
Š,íĈĖ³,É-ß,è,Ü,¹,ñ□B

openfile

␣@openfilefRf}f"fh,Íftf@fCf<,đfi␣[fvf" ,μ,Ü,·␣Bfi␣[fvf" ,; ,é,Æ␣A,±
,ìĀẽreadfilefRf}f"fh,đŽg,Á,Ä,» ,Íftf@fCf<, ©,ç,P␣s,Ã,Ä"Ç,ñ,Å,» ,ì"à—
e,đ•í␣" ,É'ã"ü,μ,½,è,· ,é,±,Æ,ª,Å,« ,Ü,·␣B
␣@ftf@fCf<,ª'¶␣Ý,μ,È,ç␣ê␣‡,ÍfGf%␣␣[,Æ,È,è,Ü,·␣B
␣@fpf%␣␣f␣^ ,Æ,μ,Äftf@fCf<-¼,đŽw'è,μ,Ü,·␣B

—á:
 openfile "abc.txt"

fi␣[fvf" ,ÉŽ , "s,· ,é,Æ␣A␣I—
¹fR␣[fh,Íno,É,È,è␣A␣—Ā÷ ,· ,é,Æeyes,É,È,è,Ü,·␣B

createfile

␣@createfilefRf}f“fh,íftf@fCf<,ðì␣→,μ␣AfI␣[fvf“,μ,Ü,·␣B,·,Å,É“~,¶-
¼‘O,ìftf@fCf<,ª‘¶␣Y,·,é␣ê␣‡,í␣A,» ,ìftf@fCf<,ì“à—e,í␣Ø,èŽì,Ä,ç,ê,Ü,·␣B
␣@␣ì␣→,ª␣→␣E÷,·,é,Æ␣A,±,ì, ,ÆwritefilefRf}f“fh,ðŽg,Á,Ä,±
,ìftf@fCf<,É␣‘,«␣Ž,þ,±,Æ,ª,Ä,« ,Ü,·␣B
␣@ftf@fCf<-¼,í,±,ì␣Eã,àwritefile,âclosefile“™ ,ÅŽg,ç,Ü,·,ì,Å
%½“™ ,©,ì•í␣”,ÉŠo,ì,Ä,“ ,ì,ª•Ö—~,Å,·␣B

—á:

```
createfile "abc.txt"
```

␣ì␣→,ÉŽ,“s,·,é,Æ␣I—¹fR␣[fh,íno,É,È,è␣A␣→␣E÷,·,é,Æeyes,É,È,è,Ü,·␣B

createtempfile

```
@createtempfileRf}f“fh,Ífef“fjf
%ofŠftf@fCf<,đì□→,μ□AfI□[fvf“,μ,Ü,·□Bì□→,3,ê,1/2ftf@fCf<-1/4,Ífpf
%of□f^,ÅŽw'è,3,ê,1/2•i□“,ÉŠi“[,3,ê,Ü,·□B
□@fef“fjf%ofŠftf@fCf<,ÍCEã,Å•K,closefile,Ædelfile,μ,È,¯,ê,Î,¢
,¯,Ü,1,ñ□B
```

—á:
createtempfile #a

```
ì□→,ÉŽ,“s,·,é,Æ□|—1fR□[fh,Íno,É,È,è□A□→CE÷,·,é,Æeyes,É,È,è,Ü,·□B
```


appendfile

```
@appendfilefRf}f"fh,íftf@fCf<,đ'Ç%Á',«ž,Ý—  
p,Éf[]fvf",μ,Û,·Bftf@fCf<,ª'¶Y,μ,È,çê±,ÍGf%[][,É,È,è,Û,·B  
@[]¬,ª¬CE÷,·,é,ÆA,±,ì,ÆwritefilefRf}f"fh,đŽg,Á,Ä,±  
,íftf@fCf<,É',«ž,p,±,Æ,ª,Ä,«,Û,·B
```

```
—á:  
appendfile "abc.txt"
```

```
@ftf@fCf<,ª'¶Y,μ,È,çê±,É,Ícreatefile,μ,½,çê±,ÍA^È%º,ì,æ,π  
,É,·,ê,Î,ç,ç,Ä,·B
```

```
appendfile "abc.txt"  
if( no ) createfile "abc.txt"
```

```
[]¬,ÉŽ,"s,·,é,ÆA|—  
fR[]fh,Íno,É,È,èA¬CE÷,·,é,Æeyes,É,È,è,Û,·B
```

readfile

readfile "abc.txt", #a

readfile "abc.txt", #a

readfile "abc.txt", #a

readfile "abc.txt", #a

readfile "abc.txt", #a

readfile "abc.txt", #a

—á:

readfile "abc.txt", #a

writefile

```
@writefileRf}f"fh,iftf@fCf<,É,P[s',«ž,Ý,Ü,·B^È%º,ì,æ,α  
,ÉĈ`Ž®,ÅŽg,ϕ,Ü,·B
```

```
writefile ftf@fCf<-¼, "à—e
```

```
@ftf@fCf<,ÍcreatefilefRf}f"fh,Ü,½,ÍappendfilefRf}f"fh,É,æ,Á,ÄŠù,ÉfI  
[fvf",³,ê,Ä,È,ϕ,Æ,ϕ,·,Ü,¹,ňB  
@',«ž,Ý,ÉŽ,"s,·,é,ÆI—  
¹fR[fh,Íno,É,È,èA³í,É',«ž,Ü,ê,½ê±,Íyes,É,È,è,Ü,·B  
@',«ž,Ýff[f^,É,ÍA·K,„ÄĈă,É%ü[s•¶Žš,ª•t  
%ºÁ,³,ê,Ü,·B,μ,½,ª,Á,ÄA[s'P^Ê,Å,iftf@fCf<fAfNfZfX,μ,©,Å,«,Ü,¹,ň  
B
```

—á:

```
writefile "abc.txt", "Ĉ<%ºÊ,Í" + #a + ",Å,·B"
```

delfile

@delfileRf}f"fh,íftf@fCf<,đíœ,μ,Ü,·B-CE÷,;é,Æ|—
¹fR[fh,íyes,É,È,èAŽ,"s,·,é,Æno,É,È,è,Ü,·Bopenfile"™,ÅŠù,ÉfI[fvf
",³,ê,Ä,ç,éftf@fCf<,đíœ,;éê‡,Í,Ü,closefile,μ,Ä,©,ç,É,μ,Ä,-
,¾,³,çB

—áF
delfile "abc.txt"

copyfile

```
@copyfileRf}f"fh,iftf@fCf<,đ•;ŽÊ,μ,Û,:B-CE÷,,:é,ÆI—  
1fR[fh,Íyes,É,È,èAZ,"s,,:é,Æno,É,È,è,Û,:B  
@'æ,Pfpf%of^,Å•;ŽÊCE³,iftf@fCf<-¼,đŽw'è,μA'æ,Qfpf  
%of^,Å•;ŽÊæ,iftf@fCf<-¼,đŽw'è,μ,Û,:B
```

—áF

```
copyfile "abc.txt", "xyz.txt"
```

renamefile

```
@renamefilefRf}f"fh,íftf@fCf<,ì-¼'O,đ•ïX,μ,Ü,·B-CE÷,·,é,ÆI—  
¹fR[fh,íyes,É,È,èAŽ,"s,·,é,Æno,É,È,è,Ü,·B  
@'æ,Pfpf%of^,ÅCE»Y,íftf@fCf<-¼,đŽw'è,μA'æ,Qfpf  
%of^,ÅV,μ,ftf@fCf<-¼,đŽw'è,μ,Ü,·B
```

—áF

```
renamefile "abc.txt", "xyz.txt"
```


getini

␣@getinifRf}f“fh,í␣A”C^Ó,ìINIftf@fCf<,©,ç•¶Žš—
ň,đŽæ,è␣o,μ,Û,·␣B^È%oo²,ì,æ,κ,ÉĚ`Ž®,ÅŽg,ç,Û,·␣B

getini INIì§²Û-¼, ¾, ¼®Ý-¼, ·°-¼, •i␣”-¼

␣@INIftf@fCf<,ì-¼‘O,É,Ífhf%ofCfu-¼,âfpfX•t,«,ÅŽw’è,·,é,±
,Æ,í,Å,«,Û,¹,ň␣B,μ,½,²,Á,Ä␣AWindowsfffBfĚfNfgfš“à,ìINIftf@fCf<,É,μ,
©fAfNfZfX,Å,«,Û,¹,ň␣B␣i␣«—^␣C␣³—\’è␣j

—á␣F

getini "HIDETERM.INI", "HideTerm", "Baudrate", #Baudrate

putini

putini INI\§²Ù-¼, ¾, ¼®Ý-¼, ·°-¼, •¶Žš—ñ, ð', «ž, Ý, Ü, ·B^È
%ooº, ì, æ, æ, ÈĈ`Ž®, ÅŽg, ç, Ü, ·B

putini INI\§²Ù-¼, ¾, ¼®Ý-¼, ·°-¼, •¶Žš—ñ

putini INI\ftf@fCf<, ì-¼' O, È, Ífhf%ofCfu-¼, âfpx•t, «, ÅŽw'è, ·, é, ±
, Æ, í, Å, «, Ü, ¹, ñB, µ, ½, º, Á, ÄAWindowsfffBfĈfNfgfš“à, ìINI\ftf@fCf<, È, µ,
©fAfNfZfX, Å, «, Ü, ¹, ñB[i]«—^C³—\èj

—áF

putini "HIDETERM.INI", "HideTerm", "F1", #a + ":Sub"

getwindir, getwinsysdir, getcurrentdir, gethidetermdir

```
@getwindirfRf}f"fh,íAWindows,ìffBfĀfNfgfŠ,đfpf
%of^,ÅŽw'è,3,ê,1/2•ĭ",ÉŠi"[,μ,Ü,·B□u□□vf}□[fN,í•t,©,È,ç,ì,Å•K—
v,É%ž,¶,Ä□u□□vf}□[fN,đ•t,¯,ÄŽg,Á,Ä,,3/4,3,ç□B
@getwinsysdirfRf}f"fh,íAWindows,ìfVfXfef€ffBfĀfNfgfŠ,đ•Ô,μ,Ü,·
□B
@getcurrentdirfRf}f"fh,íAfffĀf"fgfffBfĀfNfgfŠ,đ•Ô,μ,Ü,·□B
@gethidetermdirfRf}f"fh,íAhideterm.exe,ìffBfĀfNfgfŠ,đ•Ô,μ,Ü,·□
B
```

```
—á□F
  getwindir #a
  #a = #a + "\hideterm.ini"
  openfile #a
```

readbuffer

@readbufferfRf}f“fh,íA□GTerm,lfXfNf□□[f<fofbftf@,ì“à—
e,đ•ï□”,É’ã“ü,μ,Ü,·□B^Ê%°º,ì,æ,α,ÊCE`Ž® ,ĂŽg,ç,Ü,·□B

readbuffer □s”Ô□t , •ï□”-¼

@CE»□Ýfj□[f<,ì, ,é□s,ì”Ô□t,º0,Ă□A,»,ì□ã,ì□s,º1α,»,ì□ã,º2¥¥¥
,Ă,·□B□s”Ô□t,É•%º,ì’l,đŽw’è,·,é,Æ0,ÆCE©,Ê,³,ê,Ü,·□B

—á:

readbuffer 0, #a

writebuffer, writebuffer2

␣@writebufferfRf}f“fh,Í␣A•ŕŽš—ñ,đfXfNf␣␣[f<fofbftf@,É'Ç
%oÁ,μ,Û,·␣BCE»␣Y,Ífj␣[ff<^Ê'u,©,ç␣‡,É␣',«␣ž,Û,ê,Û,·␣B
␣@writebuffer,μ,½“à—e,Í%oæ-Ê,“,æ,Ňf␣fO,É,Í␣o—Í,³,ê,Û,·,^a␣A'—
␣M,³,ê,é,±,Æ,Í, ,è,Û,¹,ñ␣B'—␣M,μ,½,ç␣ê␣‡,ÍsendfRf}f“fh,đŽg,ç
,Û,μ,â,␣B
␣@fGfXfP␣[fvfV␣[fpf“fX,đŽg,!,Ífj␣[ff<,đ“® ,© ,μ,½,è␣A%oæ-
Ê,đfNfŠfA,μ,½,è,à,Â,« ,Û,·␣B
␣@writebuffer2fRf}f“fh,Í␣AŠî-
{“l,Éwritebuffer,Æ““,ŕ,Â,·,^a␣Af␣fO,É,Í␣o—Í,¹,,␣A%oæ-Ê,É,³/₄,⁻␣o—
Í,μ,Û,·␣B

—á:

writebuffer "ABC^M^J"

writebuffer "^01B[2]"

¥¥¥ %oæ-Ê,đfNfŠfA,·,é

writelog

@writelogRf}f“fh,íA•ŕŽš—
ň,đŒ»Ýì¬‘t,ìfO,É‘,«ž,Ý,μ,Û,·BŒ»Ýì¬‘t,ìfO,ª‘ŕÝ,μ,È,¢
ê‡,í%½,à,μ,Û,¹,ňB

—á:
writelog "ABC^M^J"

sendbreak

sendbreakfRf}f“fh,ÍfufCE[fN[Mt,ð’—M,μ,Ü,·B

play

␣@playRf}f“fh,í%¹Šy,đ%⁰‘t,μ,Û,·␣Bfpf%⁰f␣f^,É
%¹•„ff␣[f^,đŽw’è,μ,Ä,,³/₄,³,ç␣B

%¹•„ff␣[f^,í^È%⁰,ì,æ,α,ÈCE`Ž® ,Å<L␣q,μ,Ä,,³/₄,³,ç␣B

! ... fr␣[fv%¹,đ␣o,·␣B,±,ê,đŽw’è,·,é␣ê␣‡,í¹/₄,É,í
%¹/₂,àŽw’è,μ,Ä,í,ç,¯,È,ç␣B

o ... ŽŸ,ì,P•¶Žš,Åf|fNf^␣[fu,đŽw’è,·,é␣Bo1␣`o8,Û,ÅŽw’è,Å,
«,é␣B

1,^a’á,␣A8,^a␣,,ç␣BŽŸ,Éo,đŽw’è,·,é,Û,Å—LCEø,Å, ,é␣B

t ... ŽŸ,ì␣”Žš,Å
%¹,ì’·,³,đŽw’è,·,é␣B4,8,16,32,64,^aŽw’è,Å,«,é␣B
4,^a^ê”Ô’·,-
␣A64,^a^ê”Ô’Z,ç␣B␣” ,^a” {,É,È,é,Æ’·,³,í¹/₄•^a,É,È,é␣B

a␣`g ... %¹,đŽw’è,·,é␣Bc,^afh,ì%¹,Å, ,é␣B

> ... flfNf^␣[fu,đ,P,Å␣ã,° ,é␣B

< ... flfNf^␣[fu,đ,P,Å%⁰,° ,é␣B

. ... ,±,ê,ì’O,ì%¹,đ¹/₄%¹’·,·,·,é␣B,Q,Å,Å,¯,é,Æ,³,ç,É,» ,ì¹/₄•^a,ì
%¹’·,,È,é␣B

—á␣F

play "o5cdefgo6abc"

␣@%¹Šy,Æ,μ,Ä␣AWAVEfl␣[ffBfl,ìftf@fCf<-¹/₄,đŽw’è,·,é,Æ␣A,» ,ì
%¹Šy,đ␣Ä␣¶,μ,Û,·␣B,¹/₂,³/₄,μ␣AWindowsMME,Û,¹/₂,íWindows3.1^È␣ã,
Å,È,,Ä,í,ç,¯,Û,¹,ñ␣B

—á␣F

play "tada.wav"

␣@^ê•”␣AMME(MultiMediaExtensions),đfCf“fXfg␣[f<,μ,¹/₂f}fVf“ ,Å
%¹Šy,^a␣o,È,ç,Æ,ç,αCE»␣Û,^a, ,è,Û,·␣B

window

@windowfRf}f“fh,íA[GTermfEfBf“fhfE,ìÅ‘â%»^Å¬
%»^•œE³,ðs,ç,Û·Bfpf%off^,Émaximize/minimize/restore,ì,ç
,,ê,©,ðŽw’è,μ,Ä,,¾,³,çB

—áF
window minimize

getversion

@getversionfRf}f“fh,íA□GTerm,ìfo□[fWf#f“,ðfpf
%of□f^,ÅŽw'è,³,ê,^{1/2}•ï□”,É'ã“ü,μ,Û,·□Bfo□[fWf#f“”Ô□t,í,P,O,O”{,μ,^{1/2}l
,Å'ã“ü,³,ê,Û,·□B—á,|,î1.23,ì□ê□#,"í123,Æ,ç,æ'li,Û,^{1/2},í•¶Žš—
ñ•ï□”,ì□ê□#,"í"123"□j,^aã“ü,³,ê,Û,·□B

—á□F
getversion ##a

clearbuffer

clearbufferRf}f“fh,íA GTerm Evolution,Å,í%½,à“®ì,μ,Ü,¹,ñB

browse

␣@browsefRf}f“fh,í␣A␣GTerm Evo.,ì“®␣ìŠÂ<<,Å“o~^,³,ê,Ä,ç,éƒ␣fOfuf
%ofEfU,đ<N“®,μ,Û,·␣B
␣@fƒf%ofƒf^,Ålast␣Atoday␣Atree␣Aall,ªŽw’è,Å,«,Û,·␣B

␣@last ␣ÅĀě,ìfAfNfZfX•ª
␣@today ␣i“ú,ìfAfNfZfX•ª
␣@tree ␣u‘S‘ì␣}␣v,ì•ª
␣@all fXfgfbfNftf@fCf<‘S‘ì

␣@“®␣ìŠÂ<<,ì␣Š,Å␣uEvo.‘î%ž␣v,ªon,É,È,Á,Ä,ç,é␣ê␣‡,ìfƒf%ofƒf^,ì-
³Ž<,³,ê,Û,·␣B

␣@fìf“f%ofCf“‘t,ìf␣fOfuf%ofEfU,ì<N“®,í,Å,«,È,ç,ì,Å␣Afìf“f
%ofCf“‘t,Ébrowse•¶,đŽg,æ,ÆfGf%o␣[,É,È,è,Û,·␣B

getdate

@getdatefRf}f“fh,íACE»Ý,ì“ú•t,đ•i”,ÉŠi”[,μ,Ü,·B“ú•t,í,UCE...
;ì”¼Šp,ì”Žš,ÅŠi”[,³,ê,Ü,·B—
á,!,îA,P,X,X,Q”N,ì,QEŽ,P,O“ú,¾,ÆA"920210",Æ,È,è,Ü,·B

—áF

getdate #a EE@#a,ÉCE»Ý,ì“ú•t,đ’ă“ü,·,é

gettime

␣@gettimefRf}f“fh,Í␣ACE»␣Ý,ìžž␣␣,đ•ï␣”,Éšì”[,μ,Ü,·␣B“ú•t,í,UŒ...
 ,ì”¹/₄Šp,ì␣”Žš,ÅŠì”[,³,ê,Ü,·␣B—
 á,!,î␣A,P,QŽž,R,O•^a,P,O•b,³/₄,Æ␣A"123010",Æ,È,è,Ü,·␣B

␣@,±,ìfRf}f“fh,Í␣A␣GTerm Version2.0,æ,èŽd—l•ï␣X,³,ê,Ä,ϕ
 ,Ü,·␣BVersion1.XX,Å,í•b,ì•”•^a,^a, ,è,Ü,¹,ñ,Å,μ,¹/₂␣B

—á␣F

gettime #a ␣E␣E␣E␣@#a,ÉŒ»␣Ý,ì“ú•t,đ’ă“ü,.,é

getweek

@getweekfRf}f“fh,íACE»Ý,ì—j“ú,đ•i”,ÉŠi”[,μ,Ü,·BCEŽ—
j“ú,³/₄,Æ"CEŽ" A%oî—j“ú,³/₄,Æ"%oî" A,Æ,ç,κ<i†,Å'ã“ü,³,ê,Ü,·B

—áF

getweek #a EEE@#a,ÉCE»Ý,ì—j“ú,đ'ã“ü,·,é

datetolinear

@datetolinearfRf}f“fh,íAfpf%of^,ÅŽw’è,³,ê,^{1/2}“ú•t•¶Žš—
ñ,đ1980”N,PĚŽ,P“ú,©,ç□u%^{1/2}“úĚo%oß,μ,Ä,é,©□v,Æ,ç
,x’l□ifŠjffA,È’l□j,É•ĪŠ•,μ,Ů,·□B
@‘æ,Pfpf%of^,Å“ú•t,ì•¶Žš—ñ□i,UĚ...,l□”’l□j,đŽw’è,μ□A’æ,Qfpf
%of^,ĀĚ<%oĒ,đŠi”[,·,é•Ī□”^{-1/4},đŽw’è,μ,Ů,·□B

—á□F

getdate #date

datetolinear #date, ##linear

run, runsync, runsync2

```
@runrf}f"fh,Ærunsync,íAfpf%of^,ÅŽw'è,³,ê,½fvfOf%of€
,ðŽÀ[s,μ,Ü,·Brunrf}f"fh,ífvfOf%of€
,ð<N"®,μ,Ä,·,®,ÉfXfNfŠfvfg,ì^—
,ð'±[s,μ,Ü,·,ªArunsync,Ærunsync2rf}f"fh,í<N"®,μ,½fvfOf%of€
,ªI—¹,·,é,Ü,ÅfXfNfŠfvfg,ìŽÀ[s,ð'Ò<@,³,¹,Ü,·B
```

```
@runsync,íA[GTerm,ðfAfCfRf",É,μ,Ä'Ò<@,³,¹,Ü,·,ªArunsync2,íGT
erm,ð,»,ì,Ü,Ü,ìĈ` ,Å'Ò<@,³,¹,Ü,·B
```

```
@fvfOf%of€,ì<N"®,ÉŽ,"s,·,é,ÆAfGf%o[fbfZ[fW,ª\
Ž,³,êA,³,ç,ÉI—¹fR[fh,íerror,Æ,É,è,Ü,·B
```

—áF

```
run "winhelp.exe script.hlp"
```

```
getini "HIDETERM.INI", "HideTerm", "Editor", #Editor
run #Editor + " SCROLL.TXT"
if( error ) exit
```

savebuffer

[@savebufferfRf}f“fh,íA[GTerm Evolution, ©,ç%½,à“®ì,μ,È,-
,É,è,Ü,μ,½B

ddeinitiate

□@ddeinitiatefRf}f“fh,í□A□GTerm‘α,đfNf%oofCfAf“fg,Æ,·,éDDEfgf
%oof“fUfNfVf†f“,đŠJŽn,μ,Ü,·□B
□@‘æ,Pfjpf%oof□f^,ÅfAfvfŠfP□[fVf†f“-¼,đŽw’è,μ□A’æ,Qfjpf
%oof□f^,ÅfgfsfbfN-¼,đŽw’è,μ,Ä,,¾,¾,ϕ□B
□@fgf%oof“fUfNfVf†f“,ìŠm—§,É□¬CE÷,·,é,Æ□I—
¹fR□[fh,Íyes,É,É,è□AŽ,“s,·,é,Æ□A□I—¹fR□[fh,Íno,É,È,è,Ü,·□B

—á□F

ddeinitiate "EXCEL", "LOAN.XLS"
if(no) error "DDE,ÉŽ,“s,μ,Ü,μ,½□B"

□@ddeinitiate,μ,Ä□Addeterminate,μ,È,ϕ
,Å,à,α^ê“xddeinitiate,·,é,Æ□A^È‘O,Éddeinitiate,μ,½fgf
%oof“fUfNfVf†f“,ÍŽ©“®“I,É
%ođ□œ□idisconnect□j,¾,ê,Ü,·□B,Â,Ü,è□A•i□“,ìfgf
%oof“fUfNfVf†f“,đ“~ŽŽ,ÉŠm—§□iconnect□j,·,é,±,Æ,Í,Å,«,Ü,¹,ñ□B

ddeterminate

∅@ddeterminatefRf}f“fh,í∅Addeinitiate,ÅŠm—§,μ,½fgf
%of“fUfNfVf‡f“,đ%đ∅œ,μ,Û,·∅B

dderequest

␣@dderequestfRf}f“fh,í␣Addeinitiate,ÅŠm—\$,μ,½fgf
%oof“fUfNfVf#f“,©,çff␣[f^,ð—v<␣,μ,Ü,·␣B
␣@‘æ,Pfpf%oof␣f^,ÅfAfCfef€-¼␣A‘æ,Qfpf
%oof␣f^,Åff␣[f^,ðŽó,~Žæ,é•i␣”-¼,ðŽw’è,μ,Ü,·␣B
␣@fGf%o␣[,ì␣ê␣‡,í␣l—¹fR␣[fh,ªno,É,È,è,Ü,·␣B

—á␣F

dderequest "Now", #time

ddeexecute

```
@ddeexecute fRf}f"fh,í Addeinitiate,ÅŠm—§,μ,½fgf
%of" fUfNfVf‡f",ì ŠŽè,ÉEXECUTEfRf}f"fh,ð'—M,μ,Ü,·B
@fpf%of f^,ÅfRf}f"fh,ðŽw'è,μ,Ü,·B
@fGf%o[ ,ì ê‡,í |—¹R[fh,ªno,É,È,è,Ü,·B
```

```
—áF
  ddeexecute "REFRESH"
```

ddepoke

□@ddpokefRf}f“fh,í□Addeinitiate,ÅŠm—š,μ,½fgf
%of“fUfNfVf#f“,ì‘ŠŽè,Éff□[f^,đ“n,μ,Ü,·□B
□@‘æ,Pfpf%of□f^,ÅfAfCfef€-¼,đŽw’è,μ□A‘æ,Qfpf%of□f^,Å“n,·•¶Žš
—ñ,đŽw’è,μ,Ü,·□B
□@fGf%o□[.ì□ê□#,í□I—¹fR□[fh,ano,É,È,è,Ü,·□B

—á□F

ddepoke "TIME", "1:12:30"

ddestartadvice

@ddestartadvicefRf}f"fh,íADDEfT[fó,Æ,ìŠÔ,ÉfAfhfofCfXf<[fv,đŠ]
Žn,μ,Û,·B'æ^êpf%of^,ÅfAfhfofCfXf<[fv,lfAfCfef€-
¼,đŽw'è,μA'æ"ñfpf%of^,ÅÆ<%oÊfR[fh,đŽó, Žæ,é•i"-
¼,đŽw'è,μ,Û,·B

—áF

ddestartadvice "{TIME}", #time

ddestopadvice

□@ddestopfRf}f“fh,í□Addestartadvice,ÅŠJŽn,μ,½fAfhfofCfXf<□[fv,đ'â
Ž~,μ,Ü,·□BfAfhfofCfXf<□[fv,đŠJŽn,μ,½□ê□‡,í•K, ŽÄ□s,μ,Ä,,¾,¾,¢□B

ddewaitadvice

```

@ddewaitadvicefRf}f"fh,íADDEfT[fó,©,çĈ<%ĖÊfR[fh,ª"Í,-
,ì,ð'Ò,ì,Û,·B'æ^êfpf
%of^f^,Åf^fCf€fAfEfgŽžŜÔ,ðf~fŜ•b'P^Ê,ÅŽw'è,μ,Û,·B

```

```

@f^fCf€fAfEfg,É,È,Á,½ê,ÍĈ<%ĖÊfR[fh,Ítimeout,É,È,èAddestar
tadvice,ÉŽw'è,³,ê,½•ì",É,Í%½,à'ã"ü,³,ê,Û,¹,ñi'O,ì'l,ì,Û,Û,É,È,Á,Ä,ç
,éj

```

—áF

```

ddestartadvice "{TIME}", #time
ddewaitadvice 10000
if( timeout )
    ddestopadvice
    error "{,P,O•b'Ò,Á,Ä,àĈ<%ĖÊ,ª"Í,«,Û,¹,ñ,Å,μ,½B}"
endif
ddestopadvice
return #time

```

ŠÖ" ,É,Â,ç,Ä

•¶Žš—ñŠÖ"

- part
- search
- drop
- searchback
- dropback
- length
- tohankaku
- tozenkaku
- touppper
- tolower

- ¶Žš—ñ,ì"•ª,ìŒvŽZ
- ¶Žš—ñ,ðŒÿð
- Œÿð,µ,½"•ª,ì∅,èŽì,Ä
- ¶Žš—ñ,ðŒã,ë,©,çŒÿð
- Œã,ë,©,çŒÿð,µ,½"•ª,ì∅,èŽì,Ä
- ¶Žš—ñ,ì',³
- "¼Šp,É•İŠ·
- 'SŠp,É•İŠ·
- 'å•¶Žš,É•İŠ·
- ∅→•¶Žš,É•İŠ·

•İŠ·ŠÖ"

value

∅"ì,É•İŠ·

ftf@fCf<ŠÖ"

- existfile
- filesize

ftf@fCf<,ª¶ŒÝ,; ,é,©

ftf@fCf<,ìŒŒfCfŸ

,» ,ì¼ŠÖ"

keystate

fL∅[,ìó'Ô

partŠÖ

@partŠÖ",íA•ŕŽš—
ň,í†,©,çŠJŽn^Ê'u,Æ'.³,ÅŽw'è,³,ê,é"Á'è"•^a,ðŽæ,è,³/₄,·,ì,ÉŽg,ç
,Ü,·BŽŸ,ì,æ,æ,ÈÈ`Ž® ,ÅŽg,ç,Ü,·B

part(•ŕŽš—ň, ŠJŽn^Ê'u, '.³)

@ŠJŽn^Ê'u,íAæ"^a,^a,O,Å,·B

—áigetdate,μ,¹/₂•ŕŽš—ň,©,çÈŽ,ðŽæ,è,³/₄,·jF
getdate #date
#month = part(#date, 2, 2)

searchŠÖ"

@searchŠÖ",í•ŕŽš—ň,ì†,©,ç"Á'è,ì•ŕŽš—
ň,đŔŸö,μACE©,Â,©,Á,½ê‡,í,»,"î^Ê'u^È~,"í•ŕŽš—
ň,đ•Ô,μ,Û,·BCE©,Â,©,ç,È,©,Á,½ê‡,í""",đ•Ô,μ,Û,·BŽŸ,ì,æ,x
,ÈĚ`Ž®,ĂŽg,ç,Û,·B

search(•ŕŽš—ň,P, •ŕŽš—ň,Q)

@•ŕŽš—ň,P,ì†,©,ç•ŕŽš—ň,Q,đŔŸö,μ,Û,·B

—áF

message search("ABC DEF GHI", "DEF")
i"DEF GHI",^a•\Ž!,³,ê,Û,·j

searchbackŠÖ

@searchbackŠÖ",í•ŕŽš—

ň,đĚã,ë,©,çĚŸř,μ,Û,·B^¼,ÍsearchŠÖ",Æ,Û,Á,½,"¯,ŕ,Å,·B

dropŠÖ

@dropŠÖ",í•ŕŽš—ñ,ì†,©,ç“Á'è,ì•ŕŽš—
ñ,đŸŸ,μAŸ©,Â,©,Á,½ê†,í,»,ì^Ê'u,æ,è'O,ì•ŕŽš—
ñ,đ•Ô,μ,Û,·BŸ©,Â,©,ç,È,©,Á,½ê†,íŸ³,ì•ŕŽš—
ñ,đ,»,ì,Û,Û•Ô,μ,Û,·BsearchŠÖ",Æ<t,ìŸ<%oÊ,đ"¾,é,±
,Æ,ª,Â,«,Û,·B^È%o,ì,æ,ª,ÈŸ`Ž®,ÅŽg,†,Û,·B

drop(•ŕŽš—ñ,P, •ŕŽš—ñ,Q)

@•ŕŽš—ñ,P,ì†,©,ç•ŕŽš—ñ,Q,đŸŸ,μ,Û,·B

—áF

message drop("ABC DEF GHI", "DEF")
i"ABC ",ª•\Ž!,ª,ê,Û,·j

dropbackŠÖ"

@dropbackŠÖ",í•ŕŽš—

ň,đĀã,ë,©,çĀŸř,μ,Û,·B,»„ê^ÈŠO,ÍdropŠÖ",Æ“˘,ŕ,Å,·B

lengthŠÖ"

lengthŠÖ",í•¶Žš—ñ,ì'•,³,đ•Ô,μ,Û,·□B^È%º,ì,æ,α,ÈƐ`Ž® ,ÅŽg,¢
,Û,·□B

length(•¶Žš—ñ)

lengthŠÖ",ì•Ô,·'l,í□"'l,Å,·□B

—á□F

message length("ABC")

□i"3",ª•\Ž!,³,ê,Û,·□j

tohankakuŠÖ"

@tohankakuŠÖ",í•ŕŽš—
ň,í†,ì'SŠp•ŕŽš,đ"¼Šp•ŕŽš,É•İŠ•,µ,½'l,đ•Ô,µ,Ü,·B^È%º,ì,æ,κ
,ÈĚ`Ž®,ÅŽg,ç,Ü,·B

tohankaku(•ŕŽš—ň)

@•İŠ•íŕŰ,Æ,È,é,ì,í
%ºp"Žš,Æ^ê•",ì<L†,¾,¯,ÅA,Đ,ç,ª,È,Æff^fffi,í•İŠ•,³,ê,Ü,¹,ňB

—áF

message tohankaku(", ` ,a,b")
i"ABC",ª•\Ž!,³,ê,éj

tozenkakuŠÖ

@tozenkakuŠÖ",í•ŕŽš—
ň,í†,ì"¼Šp•ŕŽš,đ'SŠp•ŕŽš,É•İŠ,μ,½'l,đ•Ô,μ,Ü,·B^È%º,ì,æ,κ
,ÈĒ`Ž®,ÅŽg,ç,Ü,·B

tozenkaku(•ŕŽš—ň)

@•İŠ·íŕŰ,Æ,È,é,ì,í
%ºp"Žš,Æ^ê•",ì<L†,¾,¯,ÅAfjfi,í•İŠ·,³,ê,Ü,¹,ňB

—áF
message tozenkaku("ABC")
i", ` ,a,b",ª•\Ž|,³,ê,éj

toupperŠÖ

@toupperŠÖ",í•ŕŽš—
ň,í†,ì-•ŕŽš,đ'â•ŕŽš,É•İŠ•,μ,½'l,đ•Ô,μ,Û,·B^È%oº,ì,æ,α
,ÈĒ`Ž®,ÅŽg,ç,Û,·B

toupper(•ŕŽš—ň)

@•İŠ•,³,ê,é,ì,í"¼Šp•ŕŽš,¾,¯,ÅA'SŠp•ŕŽš,í'îÛ,Æ,È,è,Û,¹,ňB

—áF

message toupper("abc")
i"ABC",ª•\Ž|,³,ê,éj

tolowerŠÖ"

@tolowerŠÖ",í•ŕŽš—
ň,í†,ìâ•ŕŽš,đ→•ŕŽš,É•İŠ•,μ,½'l,đ•Ô,μ,Û,·B^È%oº,ì,æ,æ
,ÈĚ`Ž®,ÅŽg,ç,Û,·B

tolower(•ŕŽš—ň)

@•İŠ•,³,ê,é,ì,í"¼Šp•ŕŽš,¾,¯,ÅA'SŠp•ŕŽš,í'îÛ,Æ,È,è,Û,¹,ňB

—áF

message tolower("ABC")

["i"abc",ª•\Ž!,³,ê,éj

valueŠÖ"

valueŠÖ",í•ŕŽš—ñ,ď"l,É•İŠ,μ,Ü,·B^È%º,ì,æ,α,ÈĀ`Ž®,ÅŽg,ϕ,Ü,·B

value(•ŕŽš—ñ)

@"l•İ"i##,ÅŽn,Ü,é•İ"j,É•ŕŽš—ñ,ď'ă"ü,·,é,ÆŽ©"®"l,É"l,É•İŠ,³,ê,Ü,·,ªA•İŠ,³,ê,é,±,Æ,ď,í,©,è,â,·,μ,½,èAŽ®,ì"r't,Å•İŠ,μ,½,ϕê‡,É,±,ÌvalueŠÖ",ª•Ö—~,Å,·B

—áF

##a = 100 + value(#x)

existfileŠÖ"

@existfileŠÖ",íAŽw'è,³,ê,½ftf@fCf<,²'¶¶Ý,·,é,©,Ç,κ
,©,đ•Ô,μ,Û,·¶Bif•¶,âwhile•¶,ì†,ÅŽg,Á,Ä,,¾,¾,ç¶B^È%º,ì,æ,κ
,ÈĚ`Ž®,ÅŽg,ç,Û,·¶B

existfile(ftf@fCf<-¼)

—á¶F

if(not existfile("ABC.TXT")) message "ABC.TXT,í'¶¶Ý,μ,Û,¹,ň"

filesizeŠÖ"

@filesizeŠÖ",íAŽw'è,³,ê,½ftf@fCf<,ìfTfCfY,đfLf[]fofCfg'P^Ê,Å•Ô,μ,
Ü,·B^È%º,ì,æ,α,ÈĈ`Ž®,ÅŽg,ç,Ü,·B

filesize(ftf@fCf<-¼)

@•Ô,³,ê,é'l,ÍfLf[]fofCfg'P^Ê,ì""l,Å, ,é,±,Æ,É'[]^Ó,μ,Ä,,¾,³,çB

—áF

##a = filesize("ABC.TXT")

keystateŠÖ"

@keystateŠÖ",íAfpf%ff^,ÅŽw'è,³,ê,½fL[,ìó'Ôi%Ÿ,³,ê,Ä,ç,
,é,©,Ç,α,©j,đ•Ô,μ,Û,·B

keystate(fL[fR[fh)

@fL[,ª%Ÿ,³,ê,Ä,ç,éê†,í,P,ª•Ô,èA
%Ÿ,³,ê,Ä,È,çê†,í,O,ª•Ô,è,Û,·B

@fL[fR[fh,íwindows.h,Å'è<`,³,ê,Ä,ç,éVK_xxxx,ìR[fh,Å,·B—
á,í,í^È%º,ì',É,È,è,Û,·B

@f}fEfX¶f{f^f" = 1
@f}fEfX%Ef{f^f" = 2
@ShiftfL[= 16
@CtrlfL[= 17

—áF
##a = keystate(16)

openreg/createreg/deletereg/closereg • ¶

```
@openreg/createreg,í AfCfWfXfgfŠ,đfí[fvf",μ,Ü,·B'æ^êfpf
%o[f^,Åf<[fg,Æ,È,éfl[-¼,đŽw'è,μA'æ,Qfpf%o[f^,ÅfTfufL[-
¼,đŽw'è,μ,Ü,·B
```

```
f<[fg,Æ,È,éfl[-¼,Æ,μ,Ä,íA^È%º,ì•¶Žš—ñ,Žw'è%ºÄ"\,Å,·B
```

```
"CLASSESROOT"      ... HKEY_CLASSES_ROOT,É'í%ºž
"CURRENTUSER"      ... HKEY_CURRENT_USER,É'í%ºž
"LOCALMACHINE"     ... HKEY_LOCAL_MACHINE,É'í%ºž
"USERS"             ... HKEY_USERS,É'í%ºž
```

—á ¶

```
openreg "CURRENTUSER", "Software\Hidemaruo\HideTerm\
Env"
```

```
@openreg,íAŽw'è,³,ê,½TfufL[,ª¶Y,μ,È,çê¶,ÉfGf
%o[,Æ,È,è,Ü,·Bcreatereg,íAŽw'è,³,ê,½TfufL[,ª¶Y,μ,È,çê¶,í
V,½,É¶-μ,Ä,©,çfí[fvf",μ,Ü,·B
@fí[fvf",É-Ç÷,·,é,Æ<%ºÉfR[fh,í1,É,È,èAŽ,"s,·,é,Æ0,É,È,è,Ü,
·B
```

```
@delerereg,í AfCfWfXfgfŠ,ífL[,đííœ,μ,Ü,·Bfpf
%o[f^,ìŽw'è,ì,μ,©,½,íopenreg/
createreg,Æ"-¶,Å,·BfL[,ì't,ÉfTfufL[,ª,éê¶,Å,àA,»,ê,ç,đ,Ü,Æ,ß
,Äííœ,μ,Ü,·B
```

```
@ŠÔ^á,Á,½Žg,ç•û,đ,·,é,ÆWindows95,ífCfWfXfgfŠ,đ"j
%ºó,μ,Ä,μ,Ü,κ,ì,Å¶T¶d,ÉŽg,Á,Ä,,¾,³,ç¶B
```

```
@openreg/createreg,μ,Ä,ç
,éÁ'tí,Ü,¾closereg,μ,Ä,È,çŽžj,Édeletereg,đÄ,Ño,·,Æ^È'Ofí[fv
f",μ,Ä,ç,½CfWfXfgfŠ,íŽ©"®"l,ÉfNfí[fY,³,ê,é,ì,Å^Ó,μ,Ä,,¾,³,ç¶B
```

```
@closereg,í Afí[fvf",μ,½CfWfXfgfŠ,đfNí[fY,μ,Ü,·Bfpf%o[f^,í
%º½,à,·,è,Ü,¹,ñ¶B,μ,½,ª,Á,ÄA•i",ífCfWfXfgfŠ,đ"Žž,Éfí[fvf",·,é,±
,Æ,í,Å,«,Ü,¹,ñ¶B
```

getreg • ¶

¶@getreg • ¶, í ¶ Af í ¶ [fvf" , ³, ê, ½ f ¶ f ¶ W f X f g f Š, ©, ç ' l, ð Ž æ, è ¶ o, µ, Ä Ž w ' è, ³, ê, ½ • í ¶", É ' ä " ü, µ, Ü, · ¶ B
¶@' æ ^ ê f ¶ f % ¶ f ^, Å ' l, ì - ¼ ' O, ð Ž w ' è, µ ¶ A ' æ " ñ f ¶ f % ¶ f ^, Å • í ¶" - ¼, ð Ž w ' è, µ, Ü, · ¶ B
¶@REG_SZ ¶ ^, ì ' l, ð Ž æ, è ¶ o, · ¶ ê ¶ †, í ¶ A ' æ " ñ f ¶ f % ¶ f ^, Ä Ž w ' è, ·, é • í ¶", É, í • ¶ Ž š —
ñ ¶ ^, ì • í ¶", ð Ž w ' è, µ ¶ AREG_DWORD ¶ ^, ì ' l, ð Ž æ, è ¶ o, · ¶ ê ¶ †, í ' æ " ñ f ¶ f % ¶ f ^, ì • í ¶", É, í ¶ " ' l ¶ ^, ì • í ¶", ð Ž w ' è, µ, È, ¯, ê, Î, †, ¯, Ü, ¹, ñ ¶ B, » , ê ^ È Š O, ì ¶ ^, ì ' l, ð Ž æ, è ¶ o, ·, ±, Æ, í, Å, «, Ü, ¹, ñ ¶ B

— á ¶ F

getreg "DownloadPath", #path

writeregstr/writeregint•¶

¶@writeregstr/

writeregint•¶,Í¶AfŒfWfXfgfŠ,É'l,đ¶',«¶ž,Ý,Ü,·¶B'æ^êfpf%oof¶f^,Å'l,ì-
¼'O,đŽw'è,μ¶A'æ“ñfpf%oof¶f^,Å'l,đŽw'è,μ,Ü,·¶B

¶@writeregstr•¶,ÍREG_SZŒ^,ì'l,đ¶',«¶ž,Ý¶Awriteregint•¶,ÍREG_DW
ORDŒ^,ì'l,đ¶',«¶ž,Ý,Ü,·¶B

—á¶F

writeregstr "Path", "c:\users\ht32"

writeregint "Count", 100

