



[Edit] f[]fjf...[]  
[Setup] f[]fjf...[]  
[Control] f[]fjf...[]  
[Help] f[]fjf...[]

**TEK window ,lfRf}f“fh**

**fRf}f“fhf%ofCf“**

**[]Ý'èftf@fCf<**

Tera Term []Ý'èftf@fCf<  
fL[]f{[]fh[]Ý'èftf@fCf<



“® ìŠÂ<<

f\ftfgfEfGfA

Tera Term Pro ,í^È%º,ì OS ,Å“® ì,μ,Ü,·B

MS-Windows 95  
MS-Windows NT

'□: Tera Term Pro ,í 32-bit fAfvfŠfP□[fVf†f“ ,Å,·BWindows 3.1 —  
p,É,Í□ATera Term ver. 1.X ,đŽg—p,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B,Ü,<sup>1</sup>/<sub>2</sub>□ATera Term Pro  
,É•t'® ,ì **TTMACRO.EXE** ,Æ **KEYCODE.EXE** ,í 16-bit  
ŽÀ□sftf@fCf<,Å,·(□«—^ 32-bit %º»,ì—\`è)□B

fn□[fhfEfFfA

f,fff€,Ü,<sup>1</sup>/<sub>2</sub>,Í□AfC□[fT□[f]fbfgf{□[fh,<sup>a</sup>•K—v,Å,·B

## —öžj

Tera Term, íĀ³X□A“ú- {Āĕŕ[-fGf~f...fĀ□[f^□[,Æ,μ,ÄŠJ” ,³,ĕ,Ä,«,Ü,μ,½,ª□A  
ver. 1.2 ,©,ç%opĀĕĕf,□[fh,ª%oÁ,í,è,Ü,μ,½□B%opĀĕĕ Windows ,Ä,àŽg—p,·,é,±  
,Æ,ª,Ä,«,Ü,·□B

### Tera Term Pro ver. 2.0 Jun 7, 1996

32-bit”Ä, Telnet ,Ä,ì break □M□t, fL□[f{□[fh□Ý’èftf@fCf<,ì□V□ĕ-  
Ú(SendBreak=), f□[fg”Ô□t•t,«fzfXfg-¼(—á: "myhost.mydomain:23"),  
fRf}f“fhf%ofCf“(fzfXfgfŠfXfg)’t,ìfRf□f“fg, [Setup] Serial port  
f\_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%oEf{f^f“□B

### Tera Term ver. 1.3 Jun 7, 1996

Telnet ,Ä,ì break □M□t, fL□[f{□[fh□Ý’èftf@fCf<,ì□V□ĕ-Ú(SendBreak=), f□  
□[fg”Ô□t•t,«fzfXfg-¼(—á: "myhost.mydomain:23"), fRf}f“fhf  
%ofCf“(fzfXfgfŠfXfg)’t,ìfRf□f“fg, [Setup] Serial port  
f\_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%oEf{f^f“□B

### Ver. 1.2 Dec 18, 1995

Quick-VAN, f}fNf□fRf}f“fh’½□”’Ç%oÁ (□§Āĕ□\’ċ, subroutine, include file),  
“ú- {Āĕŕ/%opĀĕĕf,□[fh, f}fEfX’ĕ□i-@•ï□X□A scroll buffer on/off,  
fL□[f{□[fh□Ý’èftf@fCf<,É [Shortcut keys] fZfNfVfġf”’Ç%oÁ□A ftf@fCf<“]’—  
fffBfĀfNfgfŠ•Ú’ŕ%oÁ”\,É,È,é□A fRf}f“fhf%ofCf“fVfVfġf”’Ç%oÁ (/FD=,  
/H)□A Read-only options ’Ç%oÁ (QVLog=, QVWinSize=, ZmodemAuto,  
BPAuto, VTFontSpace=, HideTitle=)□B

### Ver. 1.1 Jul 22, 1995

f}fNf□fRf}f“fh’½□”’Ç%oÁ(ftf@fCf<□^—□□A•ŕŽš—ñ□^—□), f□f^fL□[,  
□Ý’èftf@fCf<,ìread-only option (ConfirmDisconnect=), log ,Æ file  
send□Alog ,Æfvf□fgfRf<“]’—,ì“~ŽžŽÄ□s,ª%oÁ”\,É,È,é□B

### Ver. 1.0 Jul 3, 1995

ZMODEM, B-Plus, DEC “ÄŽĕftfHf“fg, bold font Žg—p/•sŽg—p, telnet  
□Ú’±’t,É□l—¹,·,é,Æ,«,ìŠm”F, Telnet AYT, bold/blink ‘®□«,ì•ŕŽš□F□Ý’è%oü  
—Ç, "Terminal size = window size" fVfVfġf“, fRf}f“fhf%ofCf“fVfVfġf”’Ç  
%oÁ (/W=, /X=, /Y=, /KR=, /KT=), □Ý’èftf@fCf<,ìread-only options  
(XmodemLog=, BPLog=, ZmodemLog=, ZmodemEscCtl=,  
ZmodemDataLen=, ZmodemWinSize=), f}fNf□□V<@”\  
(pause/start/endf{f^f“, fVfXfefĕ•ï□”’Ç%oÁ, fRf}f“fh’½□”’Ç%oÁ, •ŕŽš—  
ñ’è□”,ìASCII fR□[fh,É,æ,é•\Āĕ»)□B

### Ver. 0.9 Apr 25, 1995

XMODEM, 3D dialog box (CTL3D.DLL’î%ož), XTERM sequence (title,ì•ï□X),

ftf@fCf<f}f|[]fWff, ©, ç drag&drop, Åtext file send, Popup menu, bold/blink, lfjf%[][]Ý'è (bold font"pŽ~), ANSI escape sequence (fjf %[]Žw'è, fj[]fj<•Ú'¶/•æ<A), log&file send%ü—Ç (binary, append, pause/start), log fileÄ¶¶<@"\, keyboardÝ'èftf@fCf<, ìftf@fCf<-¼, đŽw'è, fj}fNf[]fRf}f"fh'Ç%Á, fvfŠf"f^ftfHf"fjgŽw'è (read-only option), C1[]\$Æä•¶Žš-³Ž<, ,é/,μ,È,¢ (read only option), telnet binary option (read-only option)[]B

**Ver. 0.8 Feb 17, 1995**

f}fNf[] (Tera Term Language)[]B

**Ver. 0.7 Jan 27, 1995**

Local echo, VT<->TEK auto change enable/disable, TCP port#[]Ý'è, telnet enable/disable, TEK ,Æftf@fCf<"[]'—<@"\, đ DLL %», TEK color emulation, TEK line style, F10 key, fRf}f"fhf%ofCf"•İ[]X[]B

**Ver. 0.6 Oct 31, 1994**

VT200 , ìescape sequence, É, æ, é key []Ý'è, User fL[]['è<, 'Help' button on dialog box, read-only options[]B

**Ver. 0.5 Oct 3, 1994**

JISŠ; Žš, ftf@fCf<"[]'—<@"\ (protocol , È, μ text, Kermit), window size, Æterminal size , đ"Æ—\$%», IME []\$Æä, []Ý'è[]€-Ú, ì'Ç%Á, dinamic link libraries, XWINDOW •— copy&paste, transmit delay (serial port), answerback, host list, ".tt" file "pŽ~, fRf}f"fhf%ofCf"•İ[]X[]B

**Ver. 0.4 May 16, 1994**

TEK , ìcopy/paste, ^ó[]ü<@"\ (VT, TEK), •\Ž![]F[]Ý'è (VT, TEK), VT , ì%æ-ÊftfCfY[]Ý'è, telnet NAW option, VT200/300 <@"\, ì^ê•", keyboard []Ý'è, Clear page, Reset terminal, Send break, Reset port[]B

**Ver. 0.3 Mar 29, 1994**

Telnet option negotiation, TEK GIN, window caption []Ý'è, Font []Ý'è, code •İŠ•[]Ý'è, BS key •İŠ•[]Ý'è, File Open/Save , New session, Clear buffer (VT), Clear screen (TEK), ".tt" file[]B

**Ver. 0.2 X X, 1994**

Port []Ý'è dialog[]BHelp , ìÆ'Æ`[]B

**Ver. 0.1 X X, 1994**

TCP port (Windows Sockets) 'î%ž[]BMDI Žd—l, â, ß, é[]B%Á"\ , ìfZfbjVf}f"[]" , ì[]Aserial port , ì4, Â, TCP , ìf[]f, fŠ, Æ Windows Sockets , ìÆÅŠ, Ü, Å[]B

**Ver. 0.0 Feb 24, 1994**

MDI Žd—I BSerial port ,ì,Ý Å'å4fZfbfVf#f“ BVT100, TEK4010 ,ì emulation  
,ìĀ´Ē` Bcopy&paste <@"\,'.ini'file B

☐«—^,ìĈv%ooæ

TTMACRO.EXE, KEYCODE.EXE ,ì 32-bit %oo»  
fCf“fXfg☐[f%oo☐[☐AfAf“fCf“fXfg☐[f%oo☐[  
Win 95 ‘î%oožf\_fCfAf☐fOf{fbfNfX☐Afwf<fvftf@fCf<



## Šù'm,ì-â'è

TTMACRO.EXE ,Æ KEYCODE.EXE ,Í 16-bit fvf[]fOf%of€ ,Å,·[]Bf}fNf[]ftf@fCf<-  
¼,É'·,çftf@fCf<-¼,đŽg—p,·,é,±,Æ,Í,Å,«,Ü,<sup>1</sup>,ñ[]B[]«—^ 32-bit %o»,·,é—\`è,Å,·[]B

Kermit Send, Zmodem Send, Quick-VAN Send

f\_fCfAf[]fOf{fbfNfX,Å,Í[]AfXfy[]fX,<sup>a</sup>“r”†,É“ü,Á,½ftf@fCf<-¼ (—á: "abc def.dat")  
,Í[]ADOS€`Ž® ("abcdef~.dat") ,Å•\Ž|,<sup>3</sup>,ê,Ä,μ,Ü,ç,Ü,·[]B,±,ì-â'è,Í[]«—  
^,ìfo[]fWf†f“ ,Å%ođ€^,<sup>3</sup>,ê,é—\`è,Å,·[]B

NT 3.51 ,ì IME (“ú-{€ê“ü—ÍfVfXfef€),É,Â,ç,Ä-â'è,<sup>a</sup> ,é[]ê[]†,Í[]A^È%o°,ì[]€-  
Ú,đ[]ìŽÒ,É•ñ[][],μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

- ,Å,«,é,<sup>3</sup>/<sub>4</sub>,`<i'ì“l,È[]Ç[]ó
- IME ,ìŽí—p (MS-IME, ATOK ,È,Ç[]B•i[]” ,à,Á,Ä,é[]ê[]†,Í”ä,x,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç)
- MS-Office ,â^ê'<sup>3</sup>/<sub>4</sub>~Y,È,ÇfCf“fXfg[]f<,μ,½f[][]fvf[],ìŽí—p
- "Can't use IME" ,È,Ç,ìfGf%o[]f[]fbfZ[]fW,<sup>a</sup>,Å,é,©,Ç,α,©

## fgf~f...fCE [fvf#f“

□EDEC VT100 ,Æ VT200/300 ,ì^ê•”

VT100 ,Å,í'í%ž,μ,Ä,ç,È,ç ANSI fGfXfP□[fvfV□[fPf“fX(fJf%o□[Žw'è“™),É,à'í  
%ž,μ,Ä,ç,Ü,·□B

Bold (<'²)'®□«,ì•¶Žš,É'í,μ,Ä□Abold fXf^fCf<,ìftfHf“fg,ìŽg—p/•sŽg—  
p,ª'í'đ,Å,«□A,Ü,½□F,đ•t, ¯,Ä•\Ž|,·,é,±,Æ,ª,Å,«,Ü,·□B

Blink (“\_—Å)'®□«,ì•¶Žš,íŽÀ□Û,É,í“\_—Å,<sup>1</sup>, □A□F•t,«•¶Žš,Å•\Ž|,<sup>3</sup>,ê,Ü,·□B

”{Šp•¶Žš□AVT52 f,□[fh,É,í'í%ž,μ,Ä,ç,Ü,<sup>1</sup>,ñ□B

□ETektronix TEK4010 ,Æ□ã^Ê<@Ží,ì^ê•”

## Q & A

Q. **ŽŒ, Ö, Ì - v - ] Až - â Af of O, Ì • ñ , É, Â, ç, Ä**

Q. **ŽŒ, Ö, Ì - v - ] Až - â Af of O, Ì • ñ , É, Â, ç, Ä**  
â“™, ð, , é‘O, ÉA, Å, «, é, ¾, -, ±, ìfwf<fv, â•t’®•¶‘, É“š, l, a, È, ç, ©, Ç, x, ©, ¾, a, µ, Ä, Ý, Ä, -, ¾, ¾, çBfìfbfgf[]fN, âfzfXfg, ÌŠÂ««ÉŠÖ~A, , éŽž - â, ÍA, “<ß, , ÌU, µ, ç•û, É••, ç, Ä, Ý, Ä, , ¾, ¾, çB

f of O, Ì • ñ , É, Â, ç, Ä  
ìfo[]fWf†f“ÆAŠÖCEW, , é, Æ, “, à, í, ê, é↑•ñ(<Ží[]AfC[]fT[]fìfbfgf{[]fh[]ATCP/IP f†f†fg[]AWindows , ÌŽí - P, È, Ç), ð•t, %Á, Ì, Ä, , ¾, ¾, çB

Q & A **W - v - ] Až - â Af of O, Ì • ñ , É, Â, ç, Ä**

Q. Windows 3.1 , Å Tera Term , Í“® , «, Ü, , ©?  
A. Tera Term Pro , Í“® , «, Ü, ¹, ñBWindows 3.1 - p, É, ÍA Tera Term ver. 1.X , ðŽg - p, µ, Ä, , ¾, ¾, çB, µ, Ì, ç, , ÌŠÖ, Í Tera Term ver. 1.X , ÌŠJ” , ðEp ± , , é - \’è, Å, •B

Q. Tera Term , ÌA[]V” Å, Í, Ç, ±, Å“üžè, Å, «, Ü, , ©?  
A. ^È%º, Ì anonymous ftp f†f†fg, ÌffBf†f†fgŠ, ©, ç“üžè, Å, «, Ü, •B

ftp://riksun.riken.go.jp/pub/pc/misc/terminal/teraterm/  
ftp://utsun.s.u-tokyo.ac.jp/PC/terminal/teraterm/

([]ã<L, Ì†f†fg[]AffBf†f†fgŠ, Í[]« - ^•ÌX, ¾, è, é%ºÅ”[]«, a, , è, Ü, •B)  
, Ü, ½[]ANIFTY-Serve , Å, à“üžè%ºÅ”\, Å, •B(GO FILEFIND , ÅCEY[]ö, µ, Ä, , ¾, ¾, çB)

Q. NIFTY-Serve , â PC-VAN , È, Ç, Ì BBS , ÉŠÖ, , éŽž - âB  
A. NIFTY-Serve , Ìqf“fg  
PC-VAN , Ìqf“fg  
, ð“Ç, ñ, Å, , ¾, ¾, çB

Q. fzfXfg, É[]Ú’ ±, Å, «, Ü, ¹, ñB  
A. ^È%º, Ì, ±, Æ, ðŠm”F, µ, Ä, Ý, Ä, , ¾, ¾, çB  
fRf“fgf[]f<f†f†fg, Ìfìfbfgf[]fN, ÌY’èB  
‘¾, Ì TCP/IP fAf†f†fg[]fV†f†fg“ , ÌŽg, Ì, Ü, , ©? (‘¾, Ì Windows - p telnet, FTP, WWW fuf%ºfE†U, DOS , Ì telnet , È, Ç)  
fzfXfg - ¾, Ü, ½, Í IP fAf†f†fgX, Í, , Å, Ä, Ü, , ©?  
‘¾, Ìf†f†fg“ , Å, » , ÌfzfXfg, É[]Ú’ ±, Å, «, Ü, , ©?

Q. f†f†fgAf<f†f†fg TCP/IP (PPP) []Ú’ ±, ÅA Tera Term , ðŽg, x, É, Í, Ç, x, µ, ½, ç, æ, ç, Ì, Å, , ©?

**A.** Tera Term ,đ<N“ ®,·,é‘O,É□APPP □Ú‘±,đŠm—š,μ,Ä,,¾,¾,ç□BWindows 95 ,ì□ê□±,í□A□uf\_fCfAf<fAfbfv flfbfgf□□[fN□v,đŽg—p,μ,Ü,·□BPPP □Ú‘±,ÉŠÖ,·,é□Ý’è- @,É,Ä,ç,Ä,í□AWin 95 ,lfwf<fv,đĀ©,é, ©□Afvf□fofCf\_□[.É•,ç,Ä,,¾,¾,ç□BPPP □Ú‘±,đŠm—š,μ,½,ç Tera Term ,đ<N“ ®,μ□A[File] New connection fRf}f“fh,Ä□AfzfXfg-¼,Ü,½,í IP fAfhfĀfX,đ“ü—í,μ,ÄfzfXfg,É□Ú‘±,đ,μ,Ü,·□BPPP □Ú‘±,ì□ê□±□AfVfŠfAf<f|□[fg,lfVfXfef€ ,đ□šĀä,μ,Ü,·□B Tera Term ,lfVfŠfAf<f| □[fg□Ú‘±<@“\,í□A□]—^ ,lfpfVfRf““ É□M“I□Ú‘±,ì,½,β,ì,à,ì,Ä□APPP □Ú‘± ,Æ,íŠÖĒW, ,è,Ü,¹,ñ□B

**Q.** PC98 ,Ä Ctrl+\ ,đ“ü—í,Ä,«,Ü,¹,ñ□B

**A.** Ctrl+\ ,ÉĀĀ,ç, ,□A, ,é□šĀä•ŕŽš,đ“ü—í,Ä,«,È,ç- â‘è,lf+□[fU□[fL□[‘è<` ,đ,·,é,±,Æ,Ä%đĀĀ^ ,Ä,«,Ü,·□B□Ú,μ,- ,í□ufL□[f{□[fh□Ý’èftf@fCf<□v,đ“Ç,ñ,Ä,,¾,¾,ç□B

**Q.** Zmodem Send “™ ,lf\_fCfAf□fof{fbfNfX,Ä□AfXfy□[fX•ŕŽš,đšÜ,pftf@fCf<- ¼,đ•Ž|,¾,ê,Ü,¹,ñ□B

**A.** □uŠù‘m,ì-â‘è□v,đ“Ç,ñ,Ä,,¾,¾,ç□B

**Q.** f}fNf□ftf@fCf<-¼,É’·,çftf@fCf<-¼,đŽg,!,Ü,¹,ñ□B

**A.** □uŠù‘m,ì-â‘è□v,đ“Ç,ñ,Ä,,¾,¾,ç□B

**Q.** IME (“ú-{ĀĀ“ü—lfVfXfef€),ÉŠÖ,·,é-â‘è□B

**A.** □uŠù‘m,ì-â‘è□v,đ“Ç,ñ,Ä,,¾,¾,ç□B

**Q.** **[Edit] Paste (Copy)** ,ì fVf#□[fgf]fbfgfL□[.í Alt+V (Alt+C)

,É,È,Ä,Ä,Ü,·,đ□A•□’É,í Ctrl+V (Ctrl+C) ,Ä,í,É,ç,ì,Ä,·,©?

**A.** Ctrl+V ,í□AfzfXfg,É ^V •ŕŽš,đ’—□o,·,é,½,β,ÉŽg,±

,Æ,đ, ,é,ì,Ä□AffftfHf<fg,Ä,í□AfVf#□[fgf]fbfgfL□[.É,μ,Ä,ç,Ü,¹,ñ□BCtrl+V ,đ **[Edit]**

**Paste** ,lfVf#□[fgf]fbfgfL□[.É,·,é•û-@,í□A□ufVf#□[fgf]fbfgfL□[.ì□Ý’è□v,đ“Ç,ñ,Ä,- ,¾,¾,ç□B

**Q.** -žĐ,ì unix ,Ä,í□AŽÀ□s’t,lfvf□fof%of€,đ’t’f,·,é,ì,É DEL fL□[.đ

%oÿ,μ,Ü,·,đ□ATera Term ,Ä,í Delete (,Ü,½,í DEL) fL□[.đ%oÿ,μ,Ä,àfvf□fof%of€ ,đŽ~,β,ç,ê,Ü,¹,ñ□B

**A.** ,±,±,ÄĀ¾,±□uDEL fL□[.đ%oÿ,·□v,Æ,í DEL fR□[fh (\$7F) ,ì’—□o,đ^Ó-

i,μ,Ü,·□BTera Term ,lffftfHf<fg,Ä,í□APC fL□[f{□[fh,ì "Delete" (,Ü,½,í "DEL")

fL□[.í□AVT ‘[--,ì"Remove" fL□[.ÉŠ,,,è“-Ä,Ä, ,è□ADEL fR□[fh,í’—□o,μ,Ü,¹,ñ (VT

‘[-- ,É DEL fL□[.í,É,ç,ì,Ä)□BDelete fL□[.Ä DEL fR□[fh,đ’—□o,¾,¾,é,É,í□A^È

%oº,ì,æ,±,É **KEYBOARD.CNF** ,đ□’,«Š·,!,Ä%º,¾,¾,ç□B

IBM-PC/AT 101 (106) fL□[f{□[fh,ìê□±

**[User keys]**

**User1=339,0,\$7F**

PC-9801 fL[f{[fh,ìê#  
[User keys]  
User1=57,0,\$7F

Ú,μ,,íufL[f{[fhY'èftf@fCf<v,ð“Ç,ñ,Å,,¾,³,çB

Q. %½,©,ì”žq,É TEK window ,äÿŽè,ÉŠJ,ç,Ä,μ,Ü,æ  
ì,Å,·,ªA,É,ñ,Æ,©,É,è,Ü,¹,ñ,©?

A. [Setup] Terminal ,Å **Auto change (VT<->TEK)** ,Æ,ç,æ€-Ú,ð off  
É,μ,Ä,,¾,³,çBOn ,É,É,Á,Ä,ç,é,ÆATEK4010 ,Æ,ç,æOf%ftfBfbfN'[--  
,ìRf“fgf[f<fv[fPf“fX,ðŽóM,μ,½,Æ,« TEK window ,äŽ©“®“l,ÉŠJ,«,Ü,·B

Q. XMODEM/ZMODEM/B-Plus/Quick-VAN ,É,æ,éftf@fCf<“]’—,ª,æ,Ü,,ç  
«,Ü,¹,ñB

Q. fffj...[.ì **XMODEM/ZMODEM/B-Plus/Quick-VAN** ,äŠD[F,É,È,Á,Ä,ç  
,ÄŽg,ì,Ü,¹,ñB

A. uXMODEM ,ìfqf“fgv  
uZMODEM ,ìfqf“fgv  
uB-Plus ,ìfqf“fgv  
uQuick-VAN ,ìfqf“fgv

,ð“Ç,ñ,Å,,¾,³,çB

Q. fXfNf[f<fofbftf@,ì—É,ð800s^Èã,É,Å,«,Ü,¹,ñ,ªA,à,Á,Æ‘,â,¹,Ü,¹,ñ,©?

A. Win 3.1 —p,ì Tera Term ,Å,í,Å,«,Ü,¹,ñBWin 95, Win NT —p,ì Tera Term  
Pro ,Å,ìfXfNf[f<fofbftf@,ì—É,ðÅ‘â10000s,Ü,ÅY‘è,Å,«,Ü,·B

Q. f}fNf,ð,Â,©,Á,ÄAf,fff€,ÉY‘èRf}f“fh (AT...),ð•i”s’—,è,æ  
,Æ,μ,Ü,μ,½,ªA’—,é,ì,ª’—,·,–,Äf,fff€,ªRf}f“fh,ð³í,É,æ,–,Ä,–,Ü,¹,ñB

A. f,fff€,É,æ,Á,Ä,íA, ,éfRf}f“fh[s,ð^—,μ,Ä,éŠÔ,ÉAZÿ,ìRf}f“fh,ª’—  
,ç,è,Ä,,é,ÆA^—‘t,ìRf}f“fh,ðfLfff“fZf<·,éA,Æ,ç,æ,æ,æ,É,à,ì,ª, ,è,Ü,·Bf,fff€  
,©,çuOKv,ª—^,½,ì,ðŠm”F,μ,½CEã,ÉŽÿ,ìRf}f“fh,ð’—,é,æ,æ  
,É,·,é,©A[Setup]Serial port ,Å **Transmit delay** ,ì msec/line  
,ìl,ð‘,â,μ,Ä,Ý,Ä,,¾,³,çB(—á,ì 200 msec/line ,É,·,é)

Q. CERü,ª¼Špfj^fjfi,É%»»,–,Ä,μ,Ü,ç,Ü,·B

A. fRf“fgf[f<fpjlf<,ðŽg,Á,Ä•t’®,ìftfHf“fg (**TSPECIAL.TTF**)  
,ðfCf“fXfg[f<,μ,Ä,,¾,³,çB

Q. CERü (DEC “ÁŽêftfHf“fg),ð•\

Žì,³,¹,é,ÆAü,ÉCE,,ŠÔ,ª,Å,«,½,èA•Ó,ÆŠp,ª,È,β,ç,©,É,Â,È,ª,ç,È,©,Á,½,è,μ,Ü,·  
B

A. Tera Term ,Å,í DEC “ÁŽêftfHf“fg,ð•\Žì,³,¹,é,½,βA“ÆŽ©,ì True Type

ftfHf“fg”Tera Special” (TSPECIAL.TTF) ,đ—p,č,Û,·□B%œ-Ê,É•\  
Ž,³,¹,é,Æ,«,í□A•□’Ê,ì•¶Žš,ìftfHf“fg,Æ”~,¶’â,«,³,ÉfXfP□[f<,μ,Û,·,ª□A,»,)“{—  
|,É,æ,Á,Ä,í□ACer□ü,ÉCE,,ŠÔ,ª,Â,«,é,È,Ç,ì-â’è,ª”□¶,μ,Û,·□B,³,Û,´,Û,È’â,«,³□A□c%  
;”ä,ìftfHf“fg,É ”Tera Special” ,đŠ®’S,É“K□‡,³,¹,é,ì,í•s%œÂ”\  
,È,ì,Å□A•□’Ê,ì•¶Žš,ìftfHf“fg,ìŽí—p,â’â,«,³,đ,č,ë,č,ë•Ī,Ī,Å□A-â’è,ª<N,«,É,č  
,à,ì,đŽg—p,μ,Ä,,³/₄,³,č□B

**Q.** Š;Žšf,□[fh,đ **JIS** ,â **EUC** ,É,μ,½,Æ,« Shift-JIS ,ìŠ;Žš,đŽó□M,·,é,Æ Tera  
Term ,ªfnf“fOfAfbfv,μ,Û,·□B

**A.** □uC1 □§CEä•¶Žš,đŽg—p,μ,È,č□v,æ,α,É□Ý’è,μ,Ä,,³/₄,³,č

**Q.** [Setup] Terminal ,Å **Kanji-Out** ,đ□Ý’è,μ,æ,α,Æ,μ,Û,μ,½,ª□A ^[(H  
,³/₄,´,ªŠD□F,É,È,Á,Ä’Ī’đ,Ā,«,Û,¹,ñ□B

**A.** □u□³,μ,,È,č "Kanji-Out" ,đŽg—p%œÂ”\,É,·,é□B□v,đ“Ç,ñ,Ā,,³/₄,³,č□B

## —pCEêW

### B-Plus

fAf[]šfj,ì BBS[]ACompuServe ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]B“ú-  
{,Å,í NIFTY-Serve ,ÅŽg—p,³,ê,Ä,ç,Ü,·[]B

### Kermit

fAf[]šfj,ìfRf[]f“frfA‘âŠw,ÅŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BKermit  
fvf[]fgfRf<,É‘í%ž,μ,½f\ftfg,ª[]A‘½,,ì PC, OS —p,ÉŠJ” ,³,ê,Ä,ç,Ü,·[]BTera Term ,ì  
Kermit ,í[]i,ì,Æ,±,ëŠî-{}“l<@”\,μ,©Ž[]Á,Ä,ç,È,ç,ì,Å[]A-{}%øÆ,ì Kermit  
,É”ä,x,é,Æ“]’—‘¬“x,ª, ,Ü,è‘¬,, ,è,Ü,¹,ñ[]B

### Quick-VAN

“ú-{} ,ì BBS[]APC-VAN ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BXMDEM  
fvf[]fgfRf<,ðfx[]fX,É,μ,Ä,é,æ,x,Å,·,ª[]A“]’—‘¬“x,ð, ,°,é,½,ß,ì[]H·v“™ ,ª,È,³,ê,Ä,  
ç,Ü,·[]B

### TCP/IP

fCf“f^[]f[]fbfg,ÅŽg—p,³,ê,Ä,ç,éff[]f^“]’—,ð[]\$CEä,·,é,½,ß,ìfvf[]fgfRf<[]B

### TEK4010

Tektronix ŽĐ,ì‘[--,ì-¼‘O,Å,·[]B[]},âfOf%øfv,È,Ç,ð·\Žì,·,é,±,Æ,ª,Å,«[]A,©,Ä,Ä,í  
%øÈŠw<Z[]pCEn,ì•ª-ì,Å[]L,—p,ç,ç,ê,Ä,ç,½,æ,x,Å,·[]BCE»[]Ý,í[]AX Window  
ŠÂ««,È,Ç,ÉŽæ,Ä,Ä‘Ö,í,ç,ê,Ä,Ä, ,è,Ü,·,ª[]ATEK fGf~f...fCE[]f^[][,ðŽg—p,μ,Ä,ç  
,é[]l,í,Ü,¾,Ü,¾,ç,Ü,·([]žÒ,àŠÜ,ß,Ä)[]B‘â•“•ª,ìft[]fU[][,í Tera Term ,ì TEK  
fGf~f...fCE[]fVf#f“<@”\,ðŽg,x,±,Æ,í,È,ç,Å,μ,â,x[]B

### TEK window

TEK ‘[--,ìfGf~f...fCE[]fVf#f“ ,ð,·,éEfBf“fhfE,Å[]Af^fCfgf<•¶Žš—ñ,ì^ê”Ô  
%øE,É[]uTEK[]v,Æ·\Žì,³,ê,Ä,ç,Ü,·[]BTera Term ,ð<N“® ,μ,½,Æ,«,í\  
Žì,³,ê,Ü,¹,ñ[]B[Control] Open TEK fRf}f“fh,Å[]ATEK window ,ðŠJ,,±  
,Æ,ª,Å,«,Ü,·[]B

### Telnet

TCP/IP ,ðŽg—p,μ[]AfzfXfgfRf“fsf...[]f^[][,Æ‘[--,ð[]Ú‘±  
,·,é,½,ß,ìfvf[]fgfRf<[]B[]Å<ß,í[]ANifty-Serve ,È,Ç,ì BBS ,É[]Ú‘±,·,é,½,ß,É,àŽg—  
p,³,ê,Ä,ç,Ü,·[]B

### VT100

DEC ŽĐ,ì‘[--,ì-¼‘O,Å,·[]B,©,Ä,Ä[]AUnix ,â VAX/VMS “™ ,ìfRf“fsf...[]f^[][,ì‘[--  
,Æ,μ,Ä[]L,—p,ç,ç,ê,Ä,ç,Ü,μ,½[]BCE»[]Ý,í[]A VT100 ,» ,ì,à,ì,í,Ü,Æ,ñ,ÇŽg—  
p,³,ê,Ä,ç,Ü,¹,ñ,ª[]A,» ,ìžd—l,ªŽ—ŽÀ[]ã,ì·W[]€ ,Æ,È,Ä,Ä,ç,é,½,ß[]APC ,â  
f[][]fNfxfe[]fVf#f“ ,Å“® , VT100 fGf~f...fCE[]f^[][,ª½,[]ç,ê,Ä,ç,Ü,·[]BVT220

,â VT382 ,È,Ç,Í□AVT100,ì□ã^ÊÆÝŠ·'[-,ì-¼'O,Å,·□B

**VT window**

Tera Term ,ìf□fCf“fEfBf“fhfE,ì,±  
,Æ,Å,·□B<N“® ,μ,½,Æ,« ,ÉÆ» ,ê,éfEfBf“fhfE,Å□Af^fCfGf<•¶Žš—ñ,ì^ê”Ô  
%oE,É□uVT□v,Æ•\Ž!,³,ê,Ä,ç,Û,·□BVT '[-,ìfGf~f...fCE□[fVf#f“ ,ð,μ,Û,·□B

**Winsock**

Windows Sockets ,ì—ª□BMS-Windows ,Å TCP/IP ŠÅ<« ,ðŽÀÆ» ,· ,é,½,ß,ìf\  
ftfgfEfGfA,ì<KŠi□BWINSOCK.DLL ,Æ,ç,æftf@fCf<,ðŠÛ,þf\ftfg,ð Windows  
,ÉfCf“fXfg□[f<,· ,é,Æ□Atelnet, WWW, ftp ,È,Ç,ì TCP/IP ,ðŽg—  
p,· ,éfAfvfŠfP□[fVf#f“ ,ªŽg—p%oÅ“\,É,È,è,Û,·□BWindows 95 ,Æ Windows NT  
,É,í Winsock 'í%ožf\ftfg,ª•W□€“Y•t,³,ê,Ä,ç,Û,·□B

**XMODEM**

1977 "N,É Ward Christensen ,É,æ,Á,ÄŠJ” ,³,ê,½ftf@fCf<“]’—  
fvf□fgfRf<□B,» ,ìCEã XMODEM/CRC, XMODEM-1k ,È,Ç,ìŠg’f\fvf□fgfRf<,ªŠJ”-  
,³,ê,Û,μ,½□B“]’—’—“x,ªx,ç□A8-bit fR□[fh,· ,x,Ä,ðÊ,·Ê□M%oñ□ü,Å,È,¯ ,é,ìŽg—  
p,Å,« ,È,ç,È,Ç,ì□SCEÀ,ª ,è,Û,·□B

**YMODEM**

XMODEM ,ðŠg’f,μ,½ftf@fCf<“]’—fvf□fgfRf<□B,È,º,© Tera Term ,Å,íí  
%ož,μ,Ä,ç,Û,¹,ñ□B

**ZMODEM**

XMODEM, YMODEM ,ð(,» ,ê,ç,ìCE´CE` ,ð,Æ,Ç,ß,È,ç,Û,Ç,É)%oü—  
Ç,μ,½ftf@fCf<“]’—fvf□fgfRf<□BfGf%o□[’ù³<@“\,ª<-  
%o» ,³,ê□A□SCEä•¶Žš,ì^ê•” ,ðÊ,³,È,ç%oñ□ü,É,à’í%ož,μ□A“]’—’—“x,ð, ,° ,é,½,ß,ì  
□H•v,ª,È,³,ê,Ä,ç,Û,·□B



## fL[f{[fh

IBM-PC/AT 101 (106) fL[f{[fh^ÈŠO,lfL[f{[fh,đŽg—  
p,,:éêëþ,â□AZ©•ª,ì□D,«,ÉfL[’è<` ,É,μ,½,çêëþ,lfL[f{[fh□Ý’èftf@fCf<,đ□’,«Š·  
,l,Ä,,¾,¾,ç□B

,»,ì¼,ìÝ’è,í [Setup] Keyboard ,Å,Å,«,Ü,·□B

f□f^fL□[ (Meta key)

[Setup] Keyboard ,Å **Meta key** ,đ’l’đ,,:é,Æ□AAIt fL□[,đf□f^fL□[,Æ,μ,ÄŽg,α  
,±,Æ,ª,Å,«,Ü,·□B—á,ì,î□AAIt+A ,đ%oÿ,·,Æ□AESC A ,đ’—  
□o,μ,Ü,·□Bf□f^fL□[f,□[fh,Å,í□A^È%oº,ìfVfþ□[fgf]fbfgfL□[,í^è•” ,đ□œ,ç,ÄŽg—  
p,Å,«,É,,É,è,Ü,·□B

fVfþ□[fgf]fbfgfL□[

VT window

**fqf“fg:** □ufVfþ□[fgf]fbfgfL□[,ìÝ’è□v

**Alt+C** ,Ü,½,í **Ctrl+INS**

f}fEfX,Å’l’đ,μ,½•¶Žš—ñ,đfNfŠfbfVf{□[fh,ÖfRfs□[,μ,Ü,·□B

**Alt+V** ,Ü,½,í **Shift+INS**

fNfŠfbfVf{□[fh,ì’t,ì•¶Žš—ñ,đfzfXfg,Ö’—□o,μ,Ü,·□B

**Alt+R**

fNfŠfbfVf{□[fh,ì’t,ì•¶Žš—ñ,đfzfXfg,Ö’—□o,μ□A’±,ç,Ä%oü□sfR□[fh,à’—  
□o,μ,Ü,·□B

**Alt+T**

Telnet ,ì AYT (Are You There) fRf}f“fh,đ’—□o,μ,Ü,·□B’Ê□ifzfXfg,í,±  
,ê,ÉCEÄ%ož,μ,Ä%o½“™ ,©,ìf□fbfZ□[fW,đ’—,è•Ô,μ,Å,«,Ü,·□BTelnet  
□Ú’±,ì,Æ,«,¾,¾,~Žg—p,Å,«,Ü,·□B

**Alt+B**

fufCE□[fN□M□t,đ’—□o,μ,Ü,·□B

**Alt+F4**

Tera Term ,đ□l—¹,μ,Ü,·□B

**Ctrl+Esc**

fAfVfŠfP□[fVfþ“ ,ì□Ø,è’Ö,ì,đ,μ,Ü,·□B

TEK window

**Alt+C** ,Ü,½,í **Ctrl+INS**

f}fEfX,Å’l’đ,¾,ê,½—ì^æ,ì%oæ’œ,đfNfŠfbfVf{□[fh,ÖfRfs□[,μ,Ü,·□B

**Alt+V** ,Ü,½,í **Shift+INS**

VT window ,Æ“~,¶□B

**Alt+R**

VT window ,Æ“~,¶□B

**Alt+F4**

TEK window ,ð•Â,¶,Ü,·□B

**Ctrl+Esc**

VT window ,Æ“~,¶□B

## f}fEfX

VT window

### □¶f{f^f“,Åfhf%fbfO

•¶Žš—ñ,đ'í'đ,μ□A,»,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

### □¶f{f^f“,đf\_fuf<fNfŠfbfN

1Ĉê'í'đ,μ□A,»,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

### □¶f{f^f“,đfgfŠfbfvf<fNfŠfbfN

1□s'í'đ,μ□A,»,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

### %oE,Ü,½,í'tf{f^f“,Åfhf%fbfO

•¶Žš—

ñ,đ'í'đ,μ□A,»,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,μ□A,<sup>3</sup>,ç,É,»,ê,đfzfXfg,Ö'—  
□o,·,é□B

### %oE,Ü,½,í'tf{f^f“,đfNfŠfbfN

fNfŠfbfvf{□[fh,ì't,ì•¶Žš—ñ,đfzfXfg,Ö'—□o,·,é□B

### f^fCf<sup>g</sup>f<fo□[,ì□ã,Å□¶f{f^f“,đf\_fuf<fNfŠfbfN

fEfCf“fhfEfTfCfY(fEfCf“fhfE,ìŽÀ□Ü,ì'ã,«,<sup>3</sup>),af^□[f~fif<fTfCfY('[-,ì~\_—  
□“l,É%œ-Ê,ì'ã,«,<sup>3</sup>)  
,Æ^Ü,È,é,Æ,«□AfEfBf“fhfEfTfCfY,đf^□[f~fif<fTfCfY,Æ“~,¶,É,È,é,æ,α  
,É•ì□X,μ,Ü,·□B,»ìĈã□A,à,α^ê“xf^fCf<sup>g</sup>f<fo□[,đf\_fuf<fNfŠfbfN,·,é,Æ□A,  
à,Æ,ìfEfCf“fhfEfTfCfY,É-β,è,Ü,·□B

### Ctrl fL□[,đ%oŸ,μ,È,<sup>a</sup>,ç□¶f{f^f“,đfNfŠfbfN

f□fjf...□fo□[,<sup>a</sup>,È,~,ê,ì□Af|fbfvfAfbfvf□fjf...□[,<sup>a</sup>Ĉ»,ê,Ü,·□Bf□fjf...  
□fo□[,đ□Á,·,É,í□A[Setup] Window ,Å **Hide menu bar** ,đ'í'đ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

### Alt fL□[,đ%oŸ,μ,È,<sup>a</sup>,ç□¶f{f^f“,ÅfEfBf“fhfE,đfhf%fbfO

Tera Term ,đ /H (hide title)  
f|fvfVf†f“,Å<N“® ,μ,½□ê□#□AfEfBf“fhfE,đ^Ú“® ,μ,Ü,·□B

### Alt fL□[,đ%oŸ,μ,È,<sup>a</sup>,ç%oEf{f^f“,đfNfŠfbfN

Tera Term ,đ /H (hide title)  
f|fvfVf†f“,Å<N“® ,μ,½□ê□#□AfEfBf“fhfE,đ□Å□-%o»,μ,Ü,·□B

### ftf@fCf<,đfhf%fbfO,μ□AfEfBf“fhfE,Éfhf□fbfv

ftf@fCf<,đ—□M,μ,Ü,·□BŠžŽšfR□[fh□A%oü□sfR□[fh,í•iš·,<sup>3</sup>,ê,Ü,·□B

TEK window

**␣␣{f^f“ ,Åfhf%fbfO**  
%æ'œ,đ'í'đ,μ,Û,·␣B

**%E,Û,½,í'tf{f^f“ ,đfNfŠfbfN**  
VT window ,Æ“~,␣␣B

**CtrlfL␣[,đ%Ÿ,μ,È,ª,ç␣{f^f“ ,đ%Ÿ,·**  
VT window ,Æ“~,␣␣B

## faq“fg

Tera Term ,ìŸ’è-@  
fŸO,ìŽæ,è•ûAŸŸO,ìÄŸ<@”\  
NIFTY-Serve ,ìfaq“fg  
PC-VAN ,ìfaq“fg  
XMODEM ,ìfaq“fg  
ZMODEM ,ìfaq“fg  
B-Plus ,ìfaq“fg  
Quick-VAN ,ìfaq“fg  
fVf‡[faq]fbfgfL[ìŸ’è

## Tera Term ,ìÝ'è-@

Tera Term ,ìÝ'è,í[A[Setup] fffj...[l,lfRf}f“fh,Å,Ù,Æ,ñ,Ç,“,±,È,κ,±  
,Æ,ª,Å,«,Ü,·B,Ü,½AÝ'èftf@fCf<,ð'¼Ú•ÒW,;é,±  
,Æ,É,æ,Á,ÄA,æ,èx,©,çÝ'è,ðs,κ,±,Æ,ª,Å,«,Ü,·B  
□“ Tera Term Ý'èftf@fCf<,ìÇ,Ýž,Ýé—pflfvfVf#f“

# f[]fO, iZæ, è, ©, 1/2[]Af[]fO, i[]Ä[]¶[]<@""\

f[]fO (log) <@""\, ð, Â, ©, ¤, Æ[]AfzfXfg, ©, ç'—, ç, ê, Ä, «, 1/2•¶Žš, ðftf@fCf<, É•Û'¶, ·, é, ±, Æ, ¢, Ä, «, Ü, ·[]B

## f[]fO, iZæ, è, ©, 1/2

^È%oo°, iZè[]¶, É, µ, 1/2, ¢, Ä, Ä, , 3/4, 3, ç[]B

1. [File] Log fRf}f"fh, ðŽÀ[]s, ·, é[]B

2. "Tera Term: Log" f\_fCfAf[]fOf{fbfNfX, ¢Æ» , é, é[]B  
•Û'¶, ·, éftf@fCf<, ðftf@fCf<-1/4, ð **File Name:** , É"ü—í, ·, é[]B

**Binary** , ð'l'ð, ·, é, Æ[]AfzfXfg, ©, ç'—  
, ç, ê, 1/2•¶Žš, í, ·, x, Äftf@fCf<, É[]', «[]ž, Ü, ê, é[]B

**Binary** , ð'l'ð, µ, È, ç, Æ[]AŠ; Žš[]A  
%oü[]sfR[]fh, í•İŠ, , 3, ê, Ä[]', «[]ž, Ü, ê, é[]BfGfXfP[]fVfV[]fPf"fx, í[]', «[]ž, Ü, ê, È,  
ç[]B

**Append** , ð'l'ð, ·, é, Æ[]Aftf@fCf<, ¢, ·, Ä, É'¶[]Ý, ·, é[]è[]¶[]A'Ç

%oÁ, µ, Ä[]', «[]ž, Ü, ê, é[]B

**Append** , ð'l'ð, µ, È, ç, Æ[]Aftf@fCf<, ¢, ·, Ä, É'¶[]Ý, ·, é[]è[]¶[]A[]ä[]', «, 3, ê, é[]B

3. OKf{f^f", ð%oÿ, ·, Æ[]A"Tera Term: Log" , Æ, ç  
, ¤fAfCfRf", ¢Æ» , é[]Af[]fO, ¢ŠŽn, 3, ê, é[]Bf[]fO, ðŽæ, Ä, Ä, ç, éŠÔ, à[]A^ê•", i[]<@""\  
, ð[]œ, ç, Ä, ·[]É, É Tera Term , ðŽg—p, ·, é, ±, Æ, ¢, Ä, «, é[]B

4. f[]fO, ð[]|—

<sup>1</sup>, µ, 1/2, è[]A't'f, µ, 1/2, ç[]è[]¶, í[]AfAfCfRf", ðf\_fuf<fnfšfbfN, µ, Ä\_fCfAf[]fOf{fbfNfX  
, ð•\Ž|, <sup>3</sup>, 1[]A**Close** , Ü, 1/2, í **Pause** f{f^f", ð%oÿ, ·[]B**Pause** f{f^f", ð  
%oÿ, ·, Æ**Start** f{f^f", É•İ, í, é, Ì, Ä[]A, » , é, ð%oÿ, ·, Æf[]fO, ¢[]ÄŠ, 3, ê, é[]B

•Û'¶, µ, 1/2ftf@fCf<, í[]A[]uf[]f, ' []v""™ , ðGfffBf^, ÂÆ©, é, ±  
, Æ, ¢, Ä, «, Ü, ·, ¢[]AfGfXfP[]fVfV[]fPf"fx""™ , ðŠÜ, ñ, 3/4ftf@fCf<, í[]Af[]fO, i[]Ä[]¶[]<@""\  
, ðŽg, Ä, ÄÆ©, é, Æ•Ö—~ , Ä, ·[]B

## f[]fO, i[]Ä[]¶[], i, µ, ©, 1/2

fVf[]fOf%of€f}f[]fWff, âftf@fCf<f}f[]fWff, ðŽg, Ä, Ä[]AfRf}f"fhf%ofCf", ð[]A

**TERATERM /R=<f[]fOf[]f@fCf<-1/4>**

, Ì, æ, ¤, ÉŽw'è, µ, Ä Tera Term

, ðŽÀ[]s, µ, Ü, ·[]B, ·, é, Æ[]A, , 1/2, ©, àfzfXfg, ©, ç•¶Žš, ¢'—, ç, ê, Ä, «, 1/2, ©, Ì, æ, ¤

,É□Af□fOftf@fCf<,đ□Ä□¶,·,é,±,Æ,ª,Å,«,Ü,·□B

,Ü,½,Í□A[File] New connection ,Å **Host:** ,ì□Š,É

**/R=<f□fOftf@fCf<-¼>**

,Æ“ü—í,μ,Ä,à□Af□fOftf@fCf<,ª□Ä□¶,Å,«,Ü,·□B



## NIFTY-Serve ,lfqf“fg

NIFTY-Serve ,Ö, ì telnet □Ú' ±-@,ª, í, ©, ç, È, ç □ê □±, í □A □]— ^, ì • û-@ (, ç, í, ä, é f p f \ f R f “ “ Ê □ M), Å NIFTY-Serve ,Ö □Ú' ±, µ □A "GO TELNET" f R f } f “ f h, Å TELNET f □ f j f ... □[, Ö □ s, « □ A telnet □Ú' ±, ì ^ Å “ à (telnet to NIFTY Serve) ,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Š ž Š f, □ [ f h, ì □ Y ' è

[Setup] Terminal , Å Š ž Š f, □ [ f h, ì □ Y ' è, ð, µ, Ä, , ¾, ¾, ç □ B ' Ê □ í, í □ A Ž ó □ M □ A ' — □ M, Æ, à **SJIS** (Shift-JIS) , É, µ, Ü, · □ B

f □ f O f C f “ Ž ž, ì f v f □ f “ f v f g "Enter Connection-ID --->" , Å "SVC" , Æ “ ü — í, ·, é, Æ, «, É ^ È % ° °, ì, æ, x, É f l f v f V f # f “ , ð • t, ~ % ° ° Á, ì, é, ±, Æ, É, æ, è Š ž Š f R □ [ f h, ì Ž í — p, º Ž w ' è, Å, «, Ü, · □ B Tera Term ' x, ì Š ž Š f R □ [ f h, ì □ Y ' è, à, » , è, É, í, ¹, Å % ° °, ¾, ç □ B

Connection-ID            Tera Term , ì Š ž Š f, □ [ f h

-----  
**SVC** , Ü, ½, í **SVC/SJISSJIS**

**SVC/EUC**                    **EUC**

**SVC/NJS1**                    **JIS**, Kanji-In: **ESC\$B**, Kanji-Out: **ESC(J**

**SVC/OJS1**                    **JIS**, Kanji-In: **ESC\$@**, Kanji-Out: **ESC(J**

ftf@fCf<, ì f A f b f v f □ □ [ f h □ A f \_ f E f “ f □ □ [ f h, ·, é □ ê □ ± □ A

□ u B-Plus , lfqf“fg □ v

□ u XMODEM , lfqf“fg □ v

,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

## PC-VAN ,lfqf“fg

Š;Žšf,[]fh,ì[]Ý’è

[Setup] Terminal ,ÅŠ;Žšf,[]fh,ì[]Ý’è,đ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B’Ê[]í,í[]AŽó[]M[]A’—[]M,Æ,à  
**SJIS** (Shift-JIS) ,É,μ,Ü,·[]B

Telnet ,Å PC-VAN ,É[]Ú’±

,μ[]Aftf@fCf<,lfAfbfvf[]fh[]Af\_fEf“f[]fh,đ,·,é[]ê[]‡,í[]A•K, ,fofCfifŠflfvfVf‡“ ,Å[]Ú’  
±,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç(1996”N6ĀŽĀ>[]Ý)[]B[]Ú,μ,,í[]A[]uQuick-VAN ,lfqf“fg[]v,đ“Ç,ň,Å,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

## XMODEM ,lfqf“fg

XMODEM ,í□A8 bit fR□[fh (\$00-\$FF ,ì•¶Žš,·,×,Ä),đŠ®‘S,É’É,·%ñ□ü,đ—p,ç,È,ç ,ÆŽg—p,Å,«,Ü,<sup>1</sup>,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data,<sup>a</sup> 7 bit ,<sup>3</sup>/<sub>4</sub>,Á,<sup>1</sup>/<sub>2</sub>,è□Aftf□□[□\$CEä,<sup>a</sup> Xon/Xoff ,<sup>3</sup>/<sub>4</sub>,Á,<sup>1</sup>/<sub>2</sub>,è,·,é,Æ□AXMODEM ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñ□B[Setup] Serial port ,Å **Data** ,đ **8** bit ,É,μ□**Flow control** ,đ **hard** (CTS/RTS) ,© **none** ,É,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□Bf,ff€(fzfXfg)’æ,ì□Ý’è,à“<sup>-</sup>,¶,É,μ,Ä,-<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

Telnet ,ì□ê□‡

,à,μ□<sup>3</sup>,μ,“]’—,Å,«,È,ç□ê□‡,ífofCfifŠf|fvfVf‡f“ ,Å telnet □Ú’±,μ,Ä,Ý,Ä,-<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□BfofCfifŠf|fvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /**B** f|fvfVf‡f“ ,đ,Â,<sup>-</sup>,é,©□A

Tera Term □Ý’èftf@fCf<,đ□’,«Š·,ì,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B  
□” Telnet ,ífofCfifŠf|fvfVf‡f“

,Ç,æ,μ,Ä,à□<sup>3</sup>□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’æ,ì XMODEM fRf}f“fh,đ□<sup>3</sup>,μ,-  
□Ý’è,“,æ,ÑŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,<sup>1</sup>/<sub>2</sub>□ã,Å□AXMODEM  
,ífofO,đŽæ,è□A□ìŽÒ,É’—,Á,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

## ZMODEM ,lfqf“fg

ZMODEM ,íA7 bit %ñü,Á,íŽg—p,Á,«,Ü,<sup>1</sup>,ñB

fVfŠfAf<f[fq,ìê±

Data ,<sup>a</sup> 7 bit,<sup>3/4</sup>,ÆAZMODEM ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñB[Setup] Serial port ,Á **Data** ,<sup>đ</sup>  
**8** bit ,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çBf,ff€(fzfXfg)‘α,ìY’è,à“~,¶,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

Telnet ,ìê±

,à,μ<sup>3</sup>,μ,“]’—,Á,«,È,çê±,í\$CEä•¶Žš,đ,·, x,ÄGfXfP[fv,μ,Ä,Ý,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,çB,»,è,Á,à,<sup>3/4</sup>,ß,Èê±,ífofCfifŠfifvfVf#f“ ,Á telnet □Ú’±,μ,Ä,Ý,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,çBfofCfifŠfifvfVf#f“ ,Á□Ú’±,·,é,É,íA

fRf}f“fhf%ofCf“,É /B fifvfVf#f“ ,đ,Â,~,é,©A

Tera Term Y’èftf@fCf<,đ’,«Š·,ì,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB  
□“ Telnet ,ífofCfifŠfifvfVf#f“

,Ç,α,μ,Ä,à<sup>3</sup>í,É“]’—,Á,«,È,çê±,íAfzfXfg’α,ì ZMODEM fRf}f“fh,đ<sup>3</sup>,μ,-  
Y’è,“,æ,ŇŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,<sup>1/2</sup>ã,ÁAZMODEM  
,ífO,đŽæ,èAìŽÒ,É’—,Á,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

,Ü,<sup>1/2</sup>A^È%<sup>o</sup>,ìY’è,đ,·,é,Æ•Ö—~,Á,·B

□“ ZMODEM ŽóM,ìŽ©“®<N“®

□“ ZMODEM ‘—M,đ’-,·,é,<sup>1/2</sup>,ß,ìY’è

## B-Plus ,lfqf“fg

B-Plus ,íA7 bit %ñü,Á,íŽg—p,Á,«,Ü,<sup>1</sup>,ñB,Ü,<sup>1/2</sup>AB-Plus ,í CompuServe ,â NIFTY-Serve “™ ,ì BBS , ©,ç,lf\_fEf“f[fh/,Ö,lfAfbfvf[fh,ì,<sup>1/2</sup>,ß,<sup>3/4</sup>, ,ÉŽg—p,μ,Ä,- ,<sup>3/4</sup>,<sup>3</sup>,çBTera Term ,ì B-Plus ,í PC (‘ÉMf\ftfg)ŠÔ,ìftf@fCf<“]’—,É‘í%ž,μ,Ä,ç ,Ü,<sup>1</sup>,ñB

fVfŠfAf<f|[fg,ìê#AData ,<sup>a</sup> 7 bit ,<sup>3/4</sup>,ÆAB-Plus ,<sup>a</sup>Žg,!,Ü,<sup>1</sup>,ñB[Setup] Serial port ,Á **Data** ,đ 8 bit ,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çBf,fff€(fzfXfg)‘x,ìÝ’è,à“ ,¶,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

,Ü,<sup>1/2</sup>AŽŸ,ìÝ’è,đ,·,é,Æ•Ö—~ ,Á,·B  
□ B-Plus f\_fEf“f[fh,ìŽ©“®<N“®

□<sup>3</sup>,μ,“]’—,Á,«,È,çê# ,íAB-Plus ,lfO,đŽæ,Á,Ä,ìŽÒ,É’—,Á,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

## Quick-VAN ,lfqf“fg

Quick-VAN ,í□APC-VAN ,Æ,ç,× BBS ,Å—p,ç,ç,ê,Ä,ç,éftf@fCf<“]’—  
fvf□fgfRf<,Å,·□BQuick-VAN ,í□A7 bit %oñ□ü,Å,ÍŽg—p,Å,«,Ü,<sup>1</sup>,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data ,<sup>a</sup> 7 bit ,<sup>3/4</sup>,Æ□A Quick-VAN ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñ□B[Setup] Serial port ,Å **Data**  
,<sup>đ</sup> 8 bit ,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□Bf,fff€(fzfXfg)’×,ì□Ý’è,à“<sup>˘</sup>,¶,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□B

Telnet ,ì□ê□‡

PC-VAN ,É□Ú’±,·,é□ê□‡,í□A•K, ,fofCfifŠfifvfVf‡f“ ,<sup>đ</sup>Žw’è,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç  
(1995”N12ĀŽĀ»□Ý)□BfofCfifŠfifvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /B fifvfVf‡f“ ,<sup>đ</sup>,Å,˘,é,©□A

Tera Term □Ý’èftf@fCf<,<sup>đ</sup>□’,«Š·,ì,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□B  
□” Telnet ,lfofCfifŠfifvfVf‡f“

,Ü,<sup>1/2</sup>□AŽŸ,ì□Ý’è,<sup>đ</sup>,·,é,Æ“]’—‘—“x,<sup>a</sup>%oü’P,·,é□ê□‡,<sup>a</sup>, ,è,Ü,·□B  
□” Quick-VAN ,ì window size

,Ç,×,μ,Ä,à□<sup>3</sup>□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’×,ì Quick-VAN fRf}f“fh,<sup>đ</sup>□<sup>3</sup>,μ,-  
Žw’è,μ,Ä,ç,é,±,Æ,<sup>đ</sup>Šm”F,μ,<sup>1/2</sup>□ã,Å□AQuick-VAN ,lf□fO,<sup>đ</sup>Žæ,è□A□ìŽO,É’—,Á,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,ç□B

## fvf#[]fgfjfbfgfL[],ì[]Ý'è

fL[]f{[]fh[]Ý'èftf@fCf<,ì **[Shortcut keys]** fZfNfVf#f" ,ð[]',«Š·,!,é,Æ[]A^È  
%°°,ìfvf#[]fgfjfbfgfL[],ðŽ©·ª,ì[]D,«,ÈfL[],ÉŠ,,,è"-,Ä,é,±,Æ,ª,Å,«,Ü,·[]B

[Shortcut keys] ,ì[]€-Ú <@"\ ffftfHf<fg,ì[]Ý'è (IBM-PC/AT)

---

<b>EditCopy</b>	<b>[Edit] Copy</b> fRf}f"fh	,È,µ (Alt+C)	
<b>EditPaste</b>	<b>[Edit] Paste</b> fRf}f"fh	,È,µ (Alt+V)	
<b>EditPasteCR</b> (Alt+R)	<b>[Edit] Paste&lt;CR&gt;</b> fRf}f"fh		,È,µ
<b>LineUp</b>	^ê[]sfXfNf[]f<fAfbfv	Ctrl+[]ª	
<b>LineDown</b>	^ê[]sfXfNf[]f<f_fEf"	Ctrl+[]«	
<b>PageUp</b>	^êfy[]fWfXfNf[]f<fAfbfv	Ctrl+PageUp	
<b>PageDown</b>	^êfy[]fWfXfNf[]f<f_fEf"	Ctrl+PageDown	
<b>BuffTop</b>	fobftf@,ì[]æ"ª,ÖfXfNf[]f< Ctrl+Home		
<b>BuffBottom</b>	fobftf@,ì[]ÅÆã,ÖfXfNf[]f< Ctrl+End		
<b>SendBreak</b>	fuf[]fN[]M[]t'—[]o	,È,µ (Alt+B)	

—á,!,ì[]A Ctrl+V ,ð **[Edit] Paste** ,ÉŠ,,,è"-,Ä,½,ç[]ê[]‡,í[]A  
fL[]f{[]fh[]Ý'èftf@fCf<,ì **[Shortcut keys]** fZfNfVf#f" ,Å[]A

### EditPaste=1071

,Æ,µ,Ä,,¾,³,ç (IBM-PC/AT fL[]f{[]fh,ì[]ê[]‡)[]B

## [File] f[]fj...[]

### New connection...

□V,μ,ϕfzfXfg,Ü,½,ÍVfšfAf·f|[]fg,É□Ú'±,μ,Ü,·□B

### Log...

Žó□M,<sup>3</sup>,ê,é•¶Žš,đftf@fCf<,É□',«□ž,Ý,Ü,·□B

### Send file...

ftf@fCf<,đ'—□M,μ,Ü,·□B

### Transfer

Kermit/XMODEM/ZMODEM/B-Plus/Quick-VAN  
fvf[]fgfRf<,Åftf@fCf<,đ"']'—,μ,Ü,·□B

### Change directory...

ftf@fCf<"']'—,ì,½,β,ìffBfÆfNfgfš,đ•ï□X,μ,Ü,·□B

### Print...

Æ»□Ý,ì%œ-Ê,Ü,½,Í□Af}fEfX,Å'I'đ,<sup>3</sup>,ê,½•¶Žš,đ^ó□ü,μ,Ü,·□B

### Disconnect

□Ú'±,đ□Ø,è,Ü,·□BTCP/IP □Ú'±žž,Å Auto window close  
f|fvfVf†f",<sup>3</sup>'I'đ,<sup>3</sup>,ê,Ä,ϕ,é□ê□#□ATera Term ,đ□I—<sup>1</sup>,μ,Ü,·□B

### Exit

Tera Term ,đ□I—<sup>1</sup>,μ,Ü,·□BfzfXfg,Ü,½,ÍVfšfAf·f|[]fg,É□Ú'±,<sup>3</sup>,ê,Ä,ϕ,  
,é□ê□#,Í□A□Ú'±,đ□Ø,è,Ü,·□B



## New connection ([File] f\ffj...[I])

V,μ,ϕzfzXfg,Ü,½,ÍVfŠfAf<f|[]fg,ÉÚ'±,μ,Ü,·B,·,Å,ÉÚ'±,³,ê,Ä,ϕ,é,Æ,«,ÍA•Ê,ì  
Tera Term fzfbVfþf“,ð<N“®,μ,Ü,·B

## "New connection" f\_fCfAf[]fOf{fbfNfX

### TCP/IP

#### Host

Ú'±,·,ézfzXfg-¼,Ü,½,Í IP address ,ðfL[]f{[]fh,Å“ü—  
Í,μ,ÄŽw'è,·,é,©[]AfŠfXfg,ì't,©,ç'l'ð,μ,Ä,,¾,¾,ϕ[]BfŠfXfg,ð•Ò[]W,·,é,É,Í  
[Setup] TCP/IP ,ðŽg,Á,Ä,,¾,¾,ϕ[]B,Ü,½[]AfzfXfg-¼,¾,¾,·,Å,È,^È%º,ì,æ,α  
,É[]AfRf}f“fhf%ºfCf“•¶Žš—ñ,ðŽw'è,·,é,±,Æ,à,Å,«,Ü,·B

**myhost.mydomain** 'Êí,ÍzfzXfg-¼,Ü,½,Í IP address,¾,·

**myhost.mydomain:23** fzfzXfg-¼,Æf|[]fg”Ô[]t

**foohost.foodomain /F=FOOHOST.INI** fzfzXfg-¼+[]Ý'èftf@fCf<-  
¼,ðŽw'è

**/C=1** fVfŠfAf<f|[]fg,ðŽw'è,·,é,±,Æ,à%ºÅ”\

**/R=LOG.DAT** fzfzXfg,âf|[]fg,ÉÚ'±,¹,·,É[]Af[]OfTf@fCf<,ì“à—e,ðÄ[]¶

#### Telnet

Telnet fvf[]fgfRf<,ðŽg—p,μ,Ü,·B'Êí,Í'l'ð,μ,Ä,,¾,¾,ϕ[]B

#### TCP port#

Telnet ,ðŽg—p,·,é[]ê[]#[]A'Êí,Í23,É,μ,Ä,,¾,¾,ϕ[]B

### Serial

#### Port

Ú'±,·,éVfŠfAf<f|[]fg,ð **COM1, COM2, COM3, COM4** ,ì't,©,ç'l'ð,μ,Ä,-  
¾,¾,¾,ϕ[]B

## Log ([File] f fff... [I])

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ðftf@fCf<, É' , «ž, Ý, Ü, ·B  
□" f fO, ðŽæ, è • û Af fO, ðÄ ¶<@"

"Log" f\_fCfAf fOf {fbfNfX(ftf@fCf<-¼Žw'è)

### File Name

□', «ž, pftf@fCf<, ðftf@fCf<-¼, ð"ü—í, Ü, ½, í'í'ð, μ, Ä, , ¾, ¾, çB

### Binary

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ð, » , ð, Ü, Üftf@fCf<, É' , «ž, Ý, ½, ç ê ¶, í'í'ð, μ, Ä, , ¾, ¾, çB'í'ð, μ, È, ç ê ¶, í AŠ žšfR [fh A  
%ü s • ¶Žš, í • íŠ, , ¾, è Af GfXfP [fvfV [fPf" fX, ðŽæ, è œ, ©, è, Ä, ©, ç' , «ž, Ü, è, Ü, ·B

### Append

, , Ä, É' ¶ Ý, , éftf@fCf<, É' Ç%Á, μ, Ä' , «ž, Ý, ½, ç ê ¶, í'í'ð, μ, Ä, -  
¾, ¾, çB'í'ð, μ, È, ç ê ¶, í ä' , «, ¾, è, Ü, ·B

"Log" f\_fCfAf fOf {fbfNfX(ftf@fCf<, Ö' , «ž, Ý't)

### Close

Close f {f^f" , ð%Ÿ, , Æftf@fCf<, Ö, ð' , «ž, Ý, ð|—¹, μ, Ü, ·B

### Pause/Start

Pause f {f^f" , ð%Ÿ, , Æftf@fCf<, Ö, ð' , «ž, Ý, ð^êŽž't'f, μ, Ü, ·B, ±, ð, Æ, «  
Pause f {f^f" , í Start f {f^f" , É • í%» , μ, Ü, ·B, » , ð Æ ä Start f {f^f" , ð  
%Ÿ, , Æ' , «ž, Ý, ð ÄŠ, μ, Ü, ·B

## Send file ([File] f fjf... [I])

ftf@fCf<,đ'—□M,μ,Ü,·□B

"Send file" f\_fCfAf□fOf{fbfNfX('—□M'O,ìftf@fCf<-¼Žw'è)

### File Name

'—□M,·,éftf@fCf<,ìftf@fCf<-¼,đ"ü—í,Ü,½,í'l'đ,μ,Ä,-  
,¾,¾,ç□B,·,Å,É'¶□Y,·,éftf@fCf<,Å,È,¯,ê,Î,È,è,Ü,¹,ñ□B

### Binary

ftf@fCf<,l"à—e,đ,»ì,Ü,Ü'—□M,μ,½,ç□ê□±,í'l'đ,μ,Ä,-  
,¾,¾,ç□B'l'đ,μ,È,ç□ê□±,í□AŠ;ŽšfR□[fh□A%ü□s•¶Žš,ª•İŠ,¾,ê,Ä'—  
□M,¾,ê□ATAB (\$09), LF (\$0A), CR (\$0D)^ÈŠO,ì□\$Æä•¶Žš,í'—  
□M,¾,ê,Ü,¹,ñ□B

"Send file" f\_fCfAf□fOf{fbfNfX('—□M't)

### Close

Close f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—□M,đ'tŽ~,μ,Ü,·□B

### Pause/Start

Pause f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—□M,đ^êŽž't'f,μ,Ü,·□B,±,ì,Æ,«  
Pause f{f^f",í Start f{f^f",É•İ%»μ,Ü,·□B,»ìÆä Start f{f^f",đ  
%Ÿ,·,Æ'—□M,đ□ÄŠJ,μ,Ü,·□B

## **Transfer ([File] f[]ffj...[])**

### **Kermit**

Kermit fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **XMODEM**

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **ZMODEM**

ZMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **B-Plus**

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **Quick-VAN**

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

## Kermit ([File] Transfer f[ff]f...[l])

Kermit fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

### Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Send  
fRf}}f“fh,đŽÀ[s,μ,Ä,,¾,¾,ç[B

### Get...

fzfXfg’x,ì Kermit ,ª server ,ì[ó’Ô,ìŽž,É[Atera Term ,©,çzfXfg’x  
,ìftf@fCf<-¼,đŽw’è,μ,Äftf@fCf<,đŽó[M,μ,Ü,·[B

### Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Receive  
fRf}}f“fh,Ü,½,ÍServer fRf}}f“fh,đŽÀ[s,μ,Ä,,¾,¾,ç[B

### Finish

fzfXfg’x,ª server ,ì[ó’Ô,ì,Æ,«[A,»),ê,đ%đ[œ,μ,Ü,·[B

## Kermit Get ([File] Transfer f fff...l)

Kermit fvf ffgfRf<,Åftf@fCf<,đŽóM,μ,Ü,·BfzfXfg'α,ì Kermit ,ª server  
,ìó'Ô,ìŽž,É,±,lfRf}f"fh,đŽg—p,μ,Ä,,¾,¾,çB

### "Kermit Get" f\_fCfAf\_fOf{fbfNfX

ŽóM,μ,½,çzfXfg'α,ìftf@fCf<,ìftf@fCf<-¼,đ"ü—Í,μ,Ä,-  
,¾,¾,çBŽóM,μ,½ftf@fCf<,íACE»Ý,ìffBfCEfNfgfŠ,ì't,ÉAfzfXfg'α  
,Æ"~,ìftf@fCf<-¼,Å•Ù'¶,¾,è,Ü,·B,à,μftf@fCf<-¼,ª MS-DOS  
,ìCE`Ž® ,æ,è',çê#A',ç•"ª,íØ,èŽì,Ä,ç,è,Ü,·B

## Kermit Send ([File] Transfer f fjf... [I])

Kermit fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, ÉzfXfg'α, ì Kermit , ì Receive  
fRf}f"fh, Ü, ½, Í Server fRf}f"fh, ðŽÀ s, µ, Ä, , ¾, ³, çB

### "Kermit Send" f\_fCfAf\_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -  
, ¾, ³, çB, ·, Ä, É'¶Y, ·, éftf@fCf<, Ä, È, ¯, ê, î, È, è, Ü, ¹, ñB"~Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,  
±, Æ, à, Ä, «, Ü, ·BuŠù'm, ì-â'èv

## XMODEM ([File] Transfer f[]ff...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### Receive...

ftf@fCf<,ðŽó[]M,μ,Û,·[]B,»,’O,ÉfzfXfg’α,ì XMODEM ,ì—  
[]MfRf}f“fh,ðŽÀ[]s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Send...

ftf@fCf<,ð’—[]M,μ,Û,·[]B,»,’O,ÉfzfXfg’α,ì XMODEM  
,ìŽó[]MfRf}f“fh,ðŽÀ[]s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

XMODEM,ìfqf“fg





## XMODEM Send ([File] Transfer f[]fj...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,đ'—[]M,μ,Ü,·[]B,»,'ì'O,ÉfzfXfg'¤,ì XMODEM ,ìŽó[]MfRf}f"f'h,đ<N" ®,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### File Name

'—[]M,·,éftf@fCf<,ìftf@fCf<-<sup>1</sup>/<sub>4</sub>,đ"ü—í,Ü,½,í'l'đ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B,·,Ä,É'¶[]Ý,·,éftf@fCf<,Ä,È,¯,ê,î,È,è,Ü,<sup>1</sup>,ñ[]B

### Option

#### Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìf[]vfVf†f" (**Checksum/CRC/1K**) ,đ'l'đ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]BfzfXfg'¤,ìf[]vfVf†f" ,Æ"¯,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]†,í  
**Checksum** ,đ'l'đ,μ,Ä,Ý,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

XMODEM ,ìf[]gf"fg

## ZMODEM ([File] Transfer f[ffj]f...[l])

ZMODEM fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

### Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM ,ì—  
[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

### Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM  
,ìŽó[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

ZMODEM ,lfq“fg

## ZMODEM Send ([File] Transfer f fjf... [I])

ZMODEM fvf ffgfRf<, Åftf@fCf<, ð'— M, µ, Ü, · B, » , ì' O, ÉzfXfg'α, ì ZMODEM , ì'—  
MfRf}f"fh, ð<N" ® , µ, Ä, , ¾, ¾, ç B

### "ZMODEM Send" f\_fCfAf\_fOf{fbfNfX

'— M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü— Í, Ü, ½, Í' I' ð, µ, Ä, -  
, ¾, ¾, ç B, ·, Å, É' ¶ Y, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñ B" ~ Žž, É • i" , ìftf@fCf<, ð' I' ð, ·, é,  
±, Æ, à, Å, «, Ü, · B uŠù'm, ì-â'è v

### Binary

fofCfifŠftf@fCf<, ð'— M, ·, é, Æ, «, Í' I' ð, µ, Ä, -  
, ¾, ¾, ç B<t, ÉfefLfXfgftf@fCf<, ð'— M, ·, é ê ¶, Í' I' ð, µ, È, ç, Å, , ¾, ¾, ç B

ZMODEM , ìfqf"fg

## B-Plus ([File] Transfer f[]ff...[])

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð" ]'—,μ,Ü,·[]B

### Receive

ftf@fCf<,ðŽó[]M,μ,Ü,·[]B,» ,ì'O,É BBS ,ìf\_fEf"f[][] [fhfRf}f"f h,ð<N"® ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Send...

ftf@fCf<,ð'—[]M,μ,Ü,·[]B,» ,ì'O,É BBS  
,ìfAfbfvf[][] [fhfRf}f"f h,ð<N"® ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

B-Plus ,ìfqf"fg

## B-Plus Send ([File] Transfer f...)

B-Plus fvf ffgfRf<,Åftf@fCf<,ð'—M,μ,Ü,·B,»,ì'O,É BBS  
,lfAfbfvf[fhfRf}f"fh,ð<N" ©,μ,Ä,,¾,³,çB

### "B-Plus Send" f\_fCfAf\_fOf{fbfNfX

'—M,·,éftf@fCf<,iftf@fCf<-¼,ð"ü—Í,Ü,½,í'l'ð,μ,Ä,-  
,¾,³,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,¯,ê,î,È,è,Ü,¹,ñB

B-Plus .lfqf"fg

## Quick-VAN ([File] Transfer f[fj]f...[l])

Quick-VAN fvf[f]gfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

### Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,’O,É BBS ,lf\_fEf“f[f]fRf}f“fh,đ<N“® ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢[B

### Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,’O,É BBS  
,lfAfbfvf[f]fRf}f“fh,đ<N“® ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢[B

Quick-VAN ,lfqf“fg

## Quick-VAN Send ([File] Transfer f fjf... [I])

Quick-VAN fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, É BBS  
, ìfAfbfvf [fhfRf} f"fh, ð<N" ©, µ, Ä,, ¾, ¾, çB

### "Quick-VAN Send" f\_fCfAf\_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -  
, ¾, ¾, çB, ·, Å, É'¶Ý, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB" ~Žž, É•j", ìftf@fCf<, ð'í'ð, ·, é,  
±, Æ, à, Å, «, Ü, ·B uŠù'm, ì-â'èv

Quick-VAN ,ìfqf"fg



## Change directory ([File] f\ffj...[I])

ftf@fCf<" ]'—, ì, ½, ß, ìfffBfŒfNfgfŠ, ð•ï X, μ, Ü, · B

## "Change directory" f\_fCfAf fOf{fbfNfX

V, μ, çfffBfŒfNfgfŠ, ð"ü— í, μ, Ä,, ¾, ³, ç B

**Print ([File] f fjf... [I])**

"^óü"f\_fCfAf\_fOf{fbfNfX

^óü"íí,ìí'ð

"Sfy[fW",ð'í'ð,·,é,ÆACE>Ý,ì%æ-Ê,ð^óü,μ,Û,·B

"í'ð,μ,½•"•"ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½•řš,ð^óü,μ,Û,·B

## [Edit] f[]fj...[]

### Copy

f}fEfX,Å'í'ð,μ,½•¶Žš—ñ,ð[]AfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]B  
'[]^Ó: 'Ê[]í,í[]A,±,ìfRf}f"fh,ðŽg,α•K—  
v,í, ,è,Ü,<sup>1</sup>,ñ[]Bf}fEfX,Å•¶Žš,ð'í'ð,·,é,Æ[]AŽ©“®“l,ÉfNfŠfbfvf{[]fh,ÖfRf  
s[][,<sup>3</sup>,ê,Ü,·[]B'í'ð,<sup>3</sup>,ê,Ä,ç,é•¶Žš—ñ,ð[]ÄfRfs[][,·,é[]ê[]±,É,±,ìfRf}f"fh,ðŽg  
—p,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ,Ü,·[]B

### Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ[]A'±,ç,Ä%ü[]sfR[]fh,à'—  
[]o,μ,Ü,·[]B

### Clear screen

%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

### Clear buffer

fXfNf[][]f<fofbftf@[][,ì"à—e,Æ%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

## [Setup] fñffj...ñ[

### Terminal...

'[--fGf~f...fœñ[fVf#f“,ìñÝ'è,ð,μ,Û,·ñB

### Window...

%ooæ-Ê•\Ž|,ìñÝ'è,ð,μ,Û,·ñB

### Font...

ftfHf“fg,ð•ïñX,μ,Û,·ñB

### Keyboard...

fLñ[f{ñ[fh,ìñÝ'è,ð,μ,Û,·ñB

### Serial port...

fVfŠfAf<f|ñ[fq,ìñÝ'è,ð,μ,Û,·ñB

### TCP/IP...

TCP/IP ,ìñÝ'è,ð,μ,Û,·ñB

### General...

,» ,ì¼,ìñÝ'è,ð,μ,Û,·ñB

### Save setup...

œ»ñÝ,ìñÝ'è,ð Tera Term ñÝ'èftf@fCf<,É•Û'ñ,μ,Û,·ñB

### Restore setup...

ñÝ'èftf@fCf<,ì“à—e,É,μ,½,<sup>a</sup>,Á,Ä Tera Term ,ðñÝ'è,μ,È,“,μ,Û,·ñB

## Terminal ([Setup] f f f f... [I])

"Terminal setup" f f C f A f f f O f { f b f N f X

### Terminal size

f ^ [ f ~ f i f < f T f C f Y ( ' [ -- % o æ - Ê , ì ~ \_ \_ f T f C f Y ) [ B % o i X [ c  
, ì • ¶ Ž š [ " , Å Ž w ' è , μ , Ü , · [ B f E f C f " f h f E f T f C f Y ( Ž À [ Ü , ì % o æ - Ê , ì ' å , « , <sup>3</sup> )  
, Æ • K , , μ , à " ~ , ¶ , Å , Í , , è , Ü , <sup>1</sup> , ñ [ B

### Term size = win size

, ±  
, ì f i f v f V f f f " , ð ' l ' ð , μ , ½ [ ê [ # [ A f ^ [ f ~ f i f < f T f C f Y , Æ f E f B f " f h f E f T f C f Y , ð [ í , É "  
™ , μ , , μ , Ü , · [ B

### Auto window resize

, ±  
, ì f i f v f V f f f " , ð ' l ' ð , μ , ½ [ ê [ # [ A f ^ [ f ~ f i f < f T f C f Y , Æ • ï [ X , <sup>3</sup> , è , ½ , Æ , « , É [ A f E f C f "  
f h f E f T f C f Y , à " ~ , ¶ ' å , « , <sup>3</sup> , É Ž © " ® " l , É • ï [ X , <sup>3</sup> , è , Ü , · [ B

### New-line (receive)

**CR+LF** , ð ' l ' ð , μ , ½ [ ê [ # [ A Ž ó [ M , <sup>3</sup> , è , ½ % o ü [ s • ¶ Ž š CR (\$0D) , ð CR+LF  
(\$0D \$0A) , É • Ĩ Š , μ , Ü , · [ B

### New-line (transmit)

**CR+LF** , ð ' l ' ð , μ , ½ [ ê [ # [ A ' \_ [ M Ž ž , É % o ü [ s • ¶ Ž š CR (\$0D) , ð CR+LF  
(\$0D \$0A) , É • Ĩ Š , μ , Ü , · [ B

### Local echo

f L [ [ " ü \_ l " ™ , É , æ , è ' \_ [ o , · , é • ¶ Ž š , ð , » , ì , Ü , Ü % o æ - Ê , É • \ Ž | , μ , Ü , · [ B

### Answerback

f z f X f g , © , ç ENQ (\$05) • ¶ Ž š , ð ' \_ , ç , è , Ä , « , ½ Ž ž , É [ A ' \_ , è • Ô , · • ¶ Ž š \_  
ñ [ B • ¶ Ž š \_ ñ ' † , É Š Ü , Ü , è , é • \ Ž | • s % o Ä " \ , È • ¶ Ž š ( [ \$ Ç ä • ¶ Ž š ) , Í [ A " \$ " , Æ  
, » , è , É , Ä , Æ , ASCII f R [ [ f h ( 2 Ç E . . . , ì 16 [ i " ) , Å • \ Ç » , μ , Ä , , <sup>3</sup> / 4 , <sup>3</sup> , ç [ B \_  
á , | , Í [ A • ¶ Ž š \_ ñ " ABC < CR > < LF > "  
, ð f A f " f T [ [ f o f b f N , · , é [ ê [ # [ A Ž Ÿ , ì , æ , æ , É " ü \_ l , μ , Ä , , <sup>3</sup> / 4 , <sup>3</sup> , ç [ B

**ABC\$0D\$0A**

### Kanji (receive)

f z f X f g , © , ç ' \_ , ç , è , Ä , , é Š ž Ž š f R [ [ f h ( **SJIS, EUC, JIS** , ì 3 Ž í \_ p ) [ B

### JIS 7bit katakana (receive)

fzfXfg, ©, ç' —, ç, ê, Ä,, é""¼Šp" •Ð%¼¼-¼fR[]fh,ª 7 bit ,Å•\Œ»,,³,ê,Ä,ç,é  
(SO/SI ,ð—p,ç,½fVftfg[]\$Œä,ð—p,ç,Ä,ç,é)[]ê[]‡,É'Í'ð,µ,Ä,-  
,¾,¾,ç[]B**Kanji (receive)** ,ª **JIS** ,ì[]ê[]‡,ì,Ý—LŒø,Å,·[]B

### Kanji (transmit)

'—[]o,·,éŠžŽšfR[]fh (**SJIS, EUC, JIS** ,ì3Ží—Þ)[]B

### JIS 7bit katakana (transmit)

'—[]o,·,é""¼Šp" •Ð%¼¼-¼fR[]fh,ð7bit,Å•\Œ»,,·,é (SO/SI ,ð—p,ç  
,½fVftfg[]\$Œä,ð—p,ç,é)[]ê[]‡,É'Í'ð,µ,Ä,,¾,¾,ç[]B**Kanji (transmit)** ,ª  
**JIS** ,ì[]ê[]‡,ì,Ý—LŒø,Å,·[]B

### Kanji-in (transmit)

**Kanji (transmit)** ,ª **JIS** ,ì,Æ,«,ÉŽg—

p,·,éfGfXfP[]fVfV[]fPf"fX(ŠžŽšfR[]fh,ð GO ,ÉŽwŽ!,·,éfV[]fPf"fX[]B  
^[\$@ ,Ü,½,Í ^[\$B )[]BfzfXfg, ©, ç' —, ç, ê, Ä,-  
,éfGfXfP[]fVfV[]fPf"fX,Í,Ç,ž,ç,Å,à[]\,ç,Ü,¹,ň[]B

### Kanji-out (transmit)

**Kanji (transmit)** ,ª **JIS** ,ì,Æ,«,ÉŽg—p,·,éfGfXfP[]fVfV[]fPf"fX (ASCII  
,Ü,½,Í JIS f[][]f} ŽšfR[]fh,ð GO ,ÉŽwŽ!,·,éfV[]fPf"fX[]B ^[(B ,Ü,½,Í  
^[(J )[]BfzfXfg, ©, ç' —, ç, ê, Ä,,éfGfXfP[]fVfV[]fPf"fX,Í,Ç,ž,ç,Å,à[]\,ç  
,Ü,¹,ň[]B

'[]^Ó: ^[(H ,íffftfHf<fg,Å,Í'Í'ð,Å,«,Ü,¹,ň[]B  
[]" ^[(H ,ð'Í'ð%Å"\,É,·,é[]B

### Auto switch (VT<->TEK)

fGfXfP[]fVfV[]fPf"fX,ð"»•É,µ,Ä[]AŽ© "®"Í,É VT window , ©, ç TEK  
window ,Ö[]\$Œä,ð^Ú,µ,Ü,·(t,à"~—l)[]B

### Terminal ID

fzfXfg,É•ň[][],·,é Terminal ID[]BTerminal ID ,í telnet ,ì terminal type  
,Æ,Í^á,ç,Ü,·[]BTelnet ,ì terminal type ,ð•í[]X,·,é,É,Í **[Setup] TCP/IP**  
fRf}f"fh,ðŽg—p,µ,Ä,,¾,¾,ç[]B

## Window ([Setup] f f f f... [L])

"Window setup" f f C f A f f f O f { f b f N f X

### Title

f E f C f " f h f E , ì , ì f ^ f C f g f < [ B

### Cursor shape

f j [ f f < , ì C ` [ B **Block, Vertical line, Horizontal line**  
, ì 3 , Â , © , ç ' l , x , Ü , [ B

### Hide menu bar

f f f f ... [ f o [ , ð [ Á , µ [ A f | f b f v f A f b f v f [ f f f ... [ , ð Ž g — p % o Â " \ , É , µ , Ü , [ B f |  
f b f v f A f b f v f [ f f f ... [ , ì f f f f ... [ f o [ , ¢ [ Á , | , ½ [ ó ' Ô , Å [ A C t r l f L [ , ð  
% o Ÿ , µ , È , ¢ , ç f } f E f X , ì [ f { f ^ f " , ð f N f Š f b f N , : , é , Æ C E » , ê , Ü , [ B

### Scroll buffer

f X f N f [ [ f < f o f b f t f @ [ , ð Ž g — p % o Â " \  
, É , µ , Ü , [ B , Ü , ½ [ A f X f N f [ [ f < f o f b f t f @ , ì [ s " , ¢ [ Ý ' è , Å , « , Ü , [ B [ s " , ì  
10000 ^ È [ ã , É , ì [ Ý ' è , Å , « , Ü , ¹ , ñ [ B f [ f , f Š , ¢ ' « , è , È , ç [ ê [ ð ‡ , ì " K " -  
, É C E , , ç , ³ , ê , Ü , [ B

### Color

**Text** • ¶ Ž š , ì [ F

**Background** " w C E i , ì [ F

**Attribute** [ F , ð [ Ý ' è , µ , ½ , ç • ¶ Ž š , ì ' ® [ « ( **Normal, Bold, Blink**)

**Reverse** • ¶ Ž š , ì [ F , Æ " w C E i , ì [ F , ð C E ð Š , µ , Ü , [ B

## Font ([Setup] f f f f... [L])

ftfHf“fg,đ•ïX,μ,Ü,·B

### "Font setup" f fCfAf fOf {fbfNfX

#### Font

•ïX,μ,½,çftfHf“fg,đfŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,¾,çB

#### Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg”,ÅŽw'è,μ,Ä,,¾,¾,çB

#### Enable bold style

Bold (<'²)'®«,ì•¶Žš,đ bold fXf^fCf<,ìftfHf“fg,Å•\Ž|,·,é,æ,κ

,É,μ,Ü,·B,±,ìé¶A%œ-

Ê,ÉfSf~,ªŽc,Á,½,èA×,©,ç•¶Žš,ª,Â,Ô,ê,Ä“Ç,Ý,É,,È,Á,½,è,·,é,±,Æ,ª,  
,è,Ü,·B

'¶: Tera Term •t'®,ìftfHf“fg Tera Special ,Í,±

,ìf fCfAf fOf {fbfNfX,Å,Í'l'đ,Å,«,Ü,¹,ñBTera Term ,É,æ,Á,ÄŽ©“®“l,ÉŽg—  
p,¾,é,Ü,·B



## Keyboard ([Setup] f fjf... [I])

### "Keyboard setup" f fCfAf fOf {fbfNfX

#### BS Key

Backspace key ,đ%Ÿ,μ,½Žž,ÉfzfXfg,Ö'—□o,·,é•Ÿš□**BBS**  
(\$08)□**ADEL** (\$7F) ,ì,ç,ı,ç,©□**BBS** ,đ'ı'đ,μ,½,Æ,«,Å,à Ctrl+Backspace  
,Å DEL •Ÿš,đ'—□o,Å,«,Ü,·(t,à“—l)□B

#### IME

IME (“ú- {Œê“ü—ÍfVfXfef€) ,đŽg—p,·,é□ê□#□**Enable IME**  
,đ'ı'đ,μ,Ä,,¾,¾,ç□**Inline input** ,đ'ı'đ,·,é,Æ□AfCf“f%oCf““ü—  
Í,ª,Å,«,Ü,·□B“ú- {Œê“Å^ÈŠO,ì MS-Windows ,Å Tera Term ,đŽg—  
p,·,é□ê□#,Í **Enable IME** ,đ'ı'đ,μ,È,ç,Å,,¾,¾,ç□B

#### Meta key

Alt fL□[ ,đf□f^fL□[ (meta key) ,Æ,μ,ÄŽg,ç,Ü,·□B—á,ı,î□AAlt+A ,đ  
%Ÿ,·,Æ□AESC A ,đ'—  
□o,μ,Ü,·□Bf□f^fL□[f,□[fh,Å,Í□AfVf#□[fgf]fbfgfL□[ ,í^ê•” ,đ□œ,ç,ÄŽg—  
p,Å,«,È,,È,è,Ü,·□B

IBM-PC/AT 101 (106) fL□[f{□[fh^ÈŠO,ìfL□[f{□[fh,đŽg—  
p,·,é□ê□#,â□AŽ©•ª,ì□D,«,ÈfL□[ 'è<` ,É,μ,½,ç□ê□# ,ÍfL□[f{□[fh□Y'èftf@fCf<,đ□',«Š·  
,ı,Ä,,¾,¾,ç□B

## Serial port ([Setup] f f f f... [I])

"Serial port setup" f f C f A f f f O f { f b f N f X

### Port

Žg—p,·,éf|□[fg□B

### Data, Stop, Baud rate, Flow control, Parity

fVfŠfAf<f|□[fg,lfpf%of□f^□[,Å,·□B□Ú'±,·,éf,fff€“™,ì□Ý'è,É, ,í,<sup>1</sup>,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,ç□B

'□:       **Data** ,ð **7** ,É,·,é,Æ□AXMODEM, ZMODEM, B-PLUS, Quick-  
VAN ,É,æ,éftf@fCf<“]’—,Í,Å,«,Ü,<sup>1</sup>,ñ□B,Ü,<sup>1/2</sup> **Flow control** ,ð **Xon/Xoff**  
,É,·,é,Æ□AXMODEM, Quick-VAN ,É,æ,éftf@fCf<“]’—,Í,Å,«,Ü,<sup>1</sup>,ñ□B

### Transmit delay

Tera Term ,<sup>a</sup>•¶Žš(□s),ð’—□o,μ,<sup>1/2</sup>, ,ÆŽÿ,ì•¶Žš(□s),ð’—  
□o,·,é,Ü,Å,ì’Ò,¿ŽžŠÔ□B’P^Ê,Íf~fŠ•b,Å,·□B1•¶Žš(□s)  
,<sup>2</sup>,Æ,ì’Ò,¿ŽžŠÔ,ð□Ý’è,Å,«,Ü,·□BTera Term ,©,ç’â—Ê,ì•¶Žš,ð’—  
□o,μ,<sup>1/2</sup>,Æ,«,Éf,fff€,âfzfXfg,<sup>a</sup>•¶Žš,ðŽæ,è,±,Ú,·□ê□‡,É,Í“K”-  
,È’Ò,¿ŽžŠÔ,ð□Ý’è,μ,Ä,Ý,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□B

## TCP/IP ([Setup] f f f ... [I])

"TCP/IP setup" f f C f A f f O f { f b f N f X

### Host list

[File] New connection

, d z A s, m, 1/2 z z, E C e, e, e f f C f A f f O f { f b f N f X, l f z f X f g f S f X f g, a • O W, A, <, U, . B f z f X f g - 1/4, U, 1/2, I IP address, d f S f X f g, E % o A, !, e, ±, A E, a, A, <, U, . B, a e, U ±, ., e f z f X f g, d, ±, l f S f X f g, E " o ~ ^, m, A, ., ., A E • O — ~, A, . B, U, 1/2 A f z f X f g - 1/4, 3/4, ~, A, E, ^ E % o o, l, a e, x, E f R f } f " f h f % o f C f " • ¶ Ž š — ñ, d f S f X f g, E " o ~ ^, ., e, ±, A E, a, A, <, U, . B

**myhost.mydomain** ' E i, l f z f X f g - 1/4, U, 1/2, I IP address, 3/4, ~

**myhost.mydomain:23** f z f X f g - 1/4, A E f | [ f g " O t

**foohost.foodomain /F=FOOHOST.INI** f z f X f g - 1/4 + [ Y ' e f t f @ f C f < - 1/4, d z w ' e

**/C=1** f v f S f A f < f | [ f g, d z w ' e, ., e, ±, A E, a % o A "\

**/R=LOG.DAT** f z f X f g, a f | [ f g, E U ±, 1, ., E A f f O f t f @ f C f <, l " a — e, d A ¶ ¶

### Auto window close

, ±, l f l f v f V f f " , d ' l ' d, ., e, A E A f z f X f g, A E, l U ±, a Ø, e, 1/2, A E, < Ž © " ® " l, E Tera Term, d | — 1, m, U, . B

### TCP port#

Ž g — p, ., e f | [ f g " O t + B Telnet, d Ž g — p, ., e, A E, <, l A ' E i 23, E, m, U, . B

### Telnet

Telnet f v f [ f g f R f <, d Ž g — p, m, U, . B ' E i, l ' d, m, A, ., 3/4, 3, f B

### Terminal type

Telnet, A U ±, m, 1/2, A E, < A f z f X f g, E • ñ [ [ , ., e terminal type B

## General ([Setup] f fjf... [I])

"General setup" f fCfAf fOf {fbfNfX

### Default port

Tera Term , ðfRf} f“fhf%ofCf“fpf%of [f^ [ , È, μ, Å<N“ ® , μ, ½, Æ, «, É Ú’ ±  
, , éf [ [fg, ÌŽí—P (TCP/IP , Ü, ½, Í Serial) [B

### Language

%opCEê/“ú- {CEê f, [fh, ðŽw’è, μ, Ü, · [B’Êí, í“ú- {CEêf, [fh (Japanese)  
, É, μ, Ä, , ¾, ¾, ç [B%opCEêf, [fh (English) , Í%opCEê Windows , ÅŽg—  
p, , é [ê [ß, ÉŽw’è, μ, Ü, · [B

## Save setup ([Setup] f fjf... [I])

CE»Ÿ,ìŸ'è,đ Tera Term Ÿ'èftf@fCf<,É•Ů'ŋ,μ,Û,·B

## "Save setup" f\_fCfAf\_fOf{fbfNfX

Tera Term Ÿ'èftf@fCf<,ìftf@fCf<-¼,đŽw'è,μ,Ä,-  
,¾,³,¢BŽw'è,μ,½ftf@fCf<,ª,·,Å,É'ŋŸ,·,éê±,íă',«,³,ê,Û,·Bftf@fCf<-  
¼,ìŠg'£Žq,đÈ—ª,μ,½ê±A".INI" ,ªŠg'£Žq,Æ,È,è,Û,·B

## Restore setup ([Setup] f fjf... [I])

Tera Term □Ý'èftf@fCf<,l"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð□Ý'è,μ,È,¨,μ,Ü,·□B

### "Restore setup" f\_fCfAf□fOf{fbfNfX

,·,Å,É'¶□Ý,·,é Tera Term □Ý'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,¢□Bftf@fCf<-¼,lšg'£Žq,ð□È—ª,μ,½□ê□#□A".INI" ,ªšg'£Žq,Æ,È,è,Ü,·□B

## [Control] f f f ...

### Reset terminal

[-, ì Še Ž í f, [f h, đ Š f Z f b f g, μ, Ü, · B

### Are you there

Telnet , ì AYT (Are You There) f R f } f “ f h, đ ‘ — o, μ, Ü, · B ‘ Ê [ í f z f X f g, í, ± , ê, É Ć Ä % ž, μ, Ä % ½ “ ™ , © , ì f [ f b f Z [ f W, đ ‘ — , è • Ô, μ, Ä, «, Ü, · B Telnet [ Ú ‘ ±, ì, Æ, «, ¾, ~ Ž g — p, Å, «, Ü, · B

### Send break

f u f Ć [ f N [ M [ t, đ ‘ — o, μ, Ü, · B

### Reset port

f V f Š f A f < f [ [ f g, đ Š f Z f b f g, μ, Ü, · B f V f Š f A f < f [ [ f g [ Ú ‘ ±, ì, Æ, «, ¾, ~ Ž g — p, Å, «, Ü, · B

### Open TEK

TEK window , đ Š J, «, Ü, · B

### Close TEK

TEK window , đ • Â, ¶, Ü, · B

### Macro

f } f N f [ , đ Ž À [ s, μ, Ü, · B





## TEK window ,lfRf}f“fh

[File] f□fjf...□[

[Edit] f□fjf...□[

[Setup] f□fjf...□[

[VT] f□fjf...□[

[Help] f□fjf...□[

## [File] fffj... (TEK window)

### Print...

%æ-Ê'S'ì,Ü,½,íAf}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%æ'æ,ð^óü,μ,Ü,·B

### **Exit**

TEK window,ð•Â,¶,Ü,·B

## Print (TEK window [File] f fjf... [I])

"^óü" f\_fCfAf\_fOf{fbfNfX

^óü"íí,ìí'ð

"Sfy[fW" ,ð'í'ð,·,é,ÆACE»Ý,ì%æ-Ê,ð^óü,μ,Û,·B  
"í'ð,μ,½•"•a",ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½-ì^æ,ì  
%æ'æ,ð^óü,μ,Û,·B

## [Edit] f[]ffj...[] (TEK window)

### Copy

f}fEfX,Å'ì'ð,<sup>3</sup>,ê,<sup>1/2</sup>—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

### Copy screen

%œ-Ê'S'ì,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

### Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ,Û,·[]B

### Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ[]A'±,¢,Ä%ö[]sfR[]fh,à'—  
[]o,μ,Û,·[]B

### Clear screen

%œ-Ê,ð[]Á<Ž,μ,Û,·[]B

## [Setup] f[]ffj...[] (TEK window)

### Window...

%oæ-Ê•\Ž!,ì[]Ý'è,đ,μ,Û,·[]B

### Font...

ftfHf“fg,đ•ï[]X,μ,Û,·[]B

## Window (TEK window [Setup] f[]fj...[])

"Window setup" f\_fCfAf[]fOf{fbfNfX

### Title

fEfBf"fhfE,lf^fCfgr<[]B

### Cursor shape

f[]l[]f<,ìCE`[]BBlock, Vertical line, Horizontal line  
,ì3,Â,©,ç'l,x,Ü,·[]B

### Color emulation

• ¶Žš,âfOf%oftfBfbfN,ì[]F,đŽw'è,·,éfGfXfP[]fVfV[]fPf"fX,đ—  
LCEø,É,μ,Ü,·[]B,±  
,ìfifvVf#f",đ'l'đ,·,é,Æ[]A'l'đ,μ,È,ç[]ê[]#,É"ä,x f[]f,fš[]Á"i—Ê,ª'[]  
%oÁ,μ,Ü,·[]B·K—v,ì,È,ç[]ê[]#,í'l'đ,μ,È,ç,Â,,¾,¾,ç[]BŽg—  
p,·,é[]ê[]#,í[]AfEfCf"fhfE,đ,Â,«,é,¾,~[]¬,¾,-  
,μ[]AfffBfXfVfCEfC,đ,Â,«,é,¾,~[],È,ç·Ž;[]F[]"f,[]fh(16[]Ff,[]fh"™)  
,É,·,ê,í[]Af[]f,fš[]Á"i—Ê,đCE,ç,·,±,Æ,ª,Â,«,Ü,·[]B

### Hide menu bar

f[]fj...[]fo[][,đ[]Á,μ[]Af|fbfVfAfbfVf[]fj...[][,đŽg—p%oÁ"\,É,μ,Ü,·[]Bf|  
fbfVfAfbfVf[]fj...[][,í[]f[]f...[]fo[][,ª[]Á,|,½[]ó'Ô,Â[]ACtrl fL[][,đ  
%oŸ,μ,È,ª,çf}fEfX,ì[]¶f{f^f",đfNfšfbfN,·,é,ÆCE»,ê,Ü,·[]B

### Color

**Text** • ¶Žš,ì[]F

**Background** "wCEi,ì[]F

**Reverse** • ¶Žš,ì[]F,Æ"wCEi,ì[]F,đCEđŠ·,μ,Ü,·[]B

## Font (TEK window [Setup] f...fj...)

ftfHf“fg,đ•ïX,μ,Ü,·B

### "Font setup" f\_fCfAf\_fOf{fbfNfX

#### Font

•ïX,μ,½,çftfHf“fg,đfŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,³,çB

#### Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg”,ÅŽw'è,μ,Ä,,¾,³,çB

## [VT] fff... (TEK window)

VT window ,Ö^Ú,è,Û,·B



## [Help] f f f... (TEK window)

### Index

, ±, ÷, f, w, f, <, f, v, ð, •, \, Ž, |, μ, Ü, ·, □, B

### Using help

f, w, f, <, f, v, ÷, g, ç, •, û, ÷, à, -<sup>3</sup>/<sub>4</sub>, ð, •, \, Ž, |, μ, Ü, ·, □, B

### About Tera Term...

Tera Term, É, Š, Ö, ·, é, □, ^, •, ñ, ð, •, \, Ž, |, μ, Ü, ·, □, B

## Tera Term Y'èftf@fCf<

<N"®Žž,Ü,½,íA[Setup] Restore setup ,đŽÀ[s,μ,½,Æ,«A Y'èftf@fCf<,l"à—  
e,É,μ,½,ª,¢ Tera Term ,ª%Šú%»»,³,ê,Ü,·BfRf}f"fhf%ofCf",Å Y'èftf@fCf<-  
¼,đŽw'è,·,é,±,Æ,ª,Å,«,Ü,·BfRf}f"fhf%ofCf",Åftf@fCf<-  
¼,đŽw'è,μ,È,¢êê#A Y'èftf@fCf< **TERATERM.INI** ,ª"Ç,Ýž,Ü,ê,Ü,·Bftf@fCf<-  
¼,ÌŠg'£Žq,đÈ—ª,μ,½êê#,íA".INI",Å, ,é,Æ,Ý,È,³,ê,Ü,·B

«»Y,ìY'è,đY'èftf@fCf<,É•Ú'¶,·,é,É,íA[Setup] Save setup ,đŽÀ[s,μ,Ä,-  
,¾,¾,¢B

Tera Term ,ìY'è,íA[Setup] fffj...[l,lfRf}f"fh,Å,Ü,Æ,ñ,Ç,¨,±,È,æ,±  
,Æ,ª,Å,«,Ü,·B,Ü,½A Y'èftf@fCf<,đ¼Ú•ÖW,·,é,±  
,Æ,É,æ,Á,ÄA,æ,èx,©,¢Y'è,đ[s,æ,±,Æ,ª,Å,«,Ü,·B  
" Tera Term Y'èftf@fCf<,l"Ç,Ýž,Ýê—pflfvfVf#f"

TeraTerm Y'èftf@fCf<,l—á

## Tera Term □Ý'èftf@fCf<,ì—á

^È%oo,É Tera Term □Ý'èftf@fCf<,ì—á,đŽ!,μ,Ü,·□B,±,ì—á,íffftfHf<fg,É,È,Á,Ä,ç,Ü,·□B

### [Tera Term]

; Tera Term Pro version 2.0

**Version=2.0**

; Language (English/Japanese)

**Language=**

; Port type (serial/tcpip)

**Port=**

; Window positions

**VTPos=-2147483648,-2147483648**

**TEKPos=-2147483648,-2147483648**

; Terminal size

**TerminalSize=80,24**

; Terminal size = window size (on/off)

**TermIsWin=off**

; Auto window resizing option (on/off)

**AutoWinResize=off**

; New-line code to be received (CR/CRLF)

**CRReceive=CR**

; New-line code to be transmitted (CR/CRLF)

**CRSend=CR**

; Local echo (on/off)

**LocalEcho=off**

; Answerback

**Answerback=**

; Kanji code to be received (SJIS/EUC/JIS)

**KanjiReceive=SJIS**

; JIS Katakana code to be received (7/8)

**KatakanaReceive=8**

; Kanji code to be transmitted (SJIS/EUC/JIS)

**KanjiSend=SJIS**  
; JIS Katakana to be transmitted (7/8)  
**KatakanaSend=8**  
; Kanji-in sequence to be transmitted (@/B)  
**KanjiIn=B**  
; Kanji-out sequence to be transmitted (J/B)  
**KanjiOut=J**

; Auto window switching (VT<->TEK) (on/off)  
**AutoWinSwitch=off**

; Terminal ID  
**TerminalID=VT100**

; Window title  
**Title=Tera Term**

; Cursor shape (block/vertical/horizontal)  
**CursorShape=block**

; Hide menu bar and enable popup menu (on/off)  
**PopupMenu=off**

; Enable scroll buffer (on/off)  
**EnableScrollBuff=on**  
; Scroll buffer size (max 10000 lines)  
**ScrollBuffSize=100**

; Text and background color  
**VTColor=0,0,0,255,255,255**  
; Bold color  
**VTBoldColor=0,0,255,255,255,255**  
; Blink color  
**VTBlinkColor=255,0,0,255,255,255**

; Text and background color for TEK window  
**TEKColor=0,0,0,255,255,255**

; TEK color emulation (on/off)  
**TEKColorEmulation=off**

; Font  
**VTFont=Terminal,0,13,1**

```
;      Bold style font (on/off)
EnableBold=off
;      Font for TEK window
TEKFont=Terminal,0,8,1

;      Backspace key (BS/DEL)
BSKey=BS

;      IME (on/off)
IME=on
;      IME inline input (on/off)
IMEInline=on

;      Meta key (on/off)
MetaKey=off

;      Serial port parameters
;      Port number (1/2/3/4)
ComPort=1
;      Baud rate (110/300/600/1200/2400/4800/9600/
;      19200/38400/57600/115200)
BaudRate=9600
;      Parity (even/odd/none)
Parity=none
;      Data (7/8)
DataBit=8
;      Stop (1/2)
StopBit=1
;      Flow control (x/hard/none)
FlowCtrl=none
;      Transmit delay per character (in msec)
DelayPerChar=0
;      Transmit delay per line (in msec)
DelayPerLine=0

;      TCP/IP parameters
;      TCP port#
TCPPort=23
;      Telnet flag (on/off)
Telnet=on
;      Telnet terminal type
TermType=vt100
;      Auto window closing option (on/off)
```

## **AutoWinClose=on**

; Binary flag for Send File and Log (on/off)

**TransBin=off**

; XMODEM option (checksum/crc/1k)

**XmodemOpt=checksum**

; Binary flag for XMODEM Receive and ZMODEM Send (on/off)

**XmodemBin=on**

; Default directory for file transfers

**FileDir=**

; Telnet host list (the max number of hosts is 99).

; You can edit this list in the [Setup] TCP/IP dialog box.

**:[Hosts]**

; Host name

**;Host1=myhost.mydomain**

; IP address

**;Host2=111.11.1.1**

; Host name with option

**;Host3=myhost.mydomain /F=myhost.ini**

; COM1 port

**;Host4=/C=1**

; Replay a log file

**;Host5=/R=readme.txt**

## Tera Term □Ý'èftf@fCf<,ì“Ç,Ý□ž,Ý□ê—pfIfvfVf#f“

^È%º,ì□Ý'è,đ,.,é,É,í□Af+□[fU□[,í Tera Term  
□Ý'èftf@fCf<,đ'¼□Ú•Ò□W,μ,È,¯,ê,î,È,è,Ü,<sup>1</sup>,ñ□B

- EŽó□M,μ,½•□Žš,đ,.,x,Ä•Ž!,.,é,æ,α,É,.,é□B
- EJIS Š;Žš'—□o,ìŽž□A□<sup>3</sup>,μ,,È,ç "kanji-out" fV□[fPf“fX ^[(H,đŽg—p%ºÄ“\  
,É,.,é□B
- E^ê“x,ÉfXfNf□□[f<,.,é□Á'â,ì□s□“,đ□Ý'è,.,é□B
- E•□Žš(□s)ŠÔ,É,.,«,Ü,đ,.,¯,é□B
- Ef^fCf<gf<fo□[,đ□Á,·□B
- ETEK GIN report ,ìf}fEfXfR□[fh,ì'l,đ□Ý'è,.,é□B
- ETelnet ,ìf□fO
- EKermit ,ìf□fO
- EXMODEM ,ìf□fO
- EZMODEM ,ìf□fO
- EZMODEM '—□M,ì□Ý'è
- EZMODEM ,Ä,.,x,Ä,ì□\$Çä•□Žš,đfGfXfP□[fv,.,é□B
- EZMODEM Žó□M,ìŽ©“®<N“®
- EB-Plus ,ìf□fO
- EB-Plus Žó□M,ìŽ©“®<N“®
- EQuick-VAN ,ìf□fO
- EQuick-VAN ,ì window size
- E2fofCf<g•□Žš(Š;Žš),ì1fofCf<g-Ú,Æ2fofCf<g-  
Ú,ìŠÔ,É□\$Çä•□Žš“™,ª“ü,Á,½□ê#□A1fofCf<g-Ú,đ-<sup>3</sup>Çø,É,.,é□B
- EfvfŠf“f^ftfHf“fg,ìŽw'è
- EC1 □\$Çä•□Žš(\$80-\$9F),đŽg—p,μ,È,ç□B
- ETelnet ,ìfofCfifŠfIfvfVf#f“
- ETCP/IP %ºñ□ü□Ø'f,ìŠm“F,đ,μ,È,ç□B

## ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!,·,é,æ,κ,É,·,é,É,ÍAÝ'èftf@fCf<,ì [Tera Term]  
fZfNfVf¶f",ÉA

### debug=on

,Æ,ç,κs,đ'Ç%Á,μ,Ä,,¾,¾,çBShift+Esc ,đ  
%Ÿ,·,ÆfffofbfOf,¶[fh,É,È,è,Ü,·BfffofbfOf,¶[fh,đ%đœ,·,é,É,Í,à,κ^ê"x  
Shift+Esc ,đ%Ÿ,μ,Ä,,¾,¾,çB

fffofbfOf,¶[fh,Á,ÍAZóM,μ,½ff¶f^,đ^È%º,ì<K'¥,Á•¶Žš,É•İŠ,μ,Ä•\Ž!,μ,Ü,·B

\$00-\$1F: ^@ - ^\_,đ•\Ž!  
\$20-\$7E: ,»,ì,Ü,Ü•¶Žš,Æ,μ,Ä•\Ž!  
\$7F: <DEL>,đ•\Ž!  
\$80-\$FF: ¶Åã^Ê bit ,đ0,É,μ,ÄA\$00-\$7F,Æ"~,¶<K'¥  
,Á•¶Žš,É•İŠ,μA"½"]•¶Žš,Æ,μ,Ä•\Ž!B

ffftfHf<fg:  
**debug=off**



## ☐³,μ,,È,ç "kanji-out" ,đŽg—p%oÂ"\\,É,.,é☐B

^ê•",)fVfXfef€,\p,ç,ç,ê,Ä,ç,é "kanji-out" fV☐[fPf"fX ^[(H ,í☐AJIS/ISO  
,)KŠi,É☐],Á,Ä,ç,Ü,¹,ñ☐B-{“-É•K—v,ì, ,é☐é☐#^ÈŠO,ÍŽg—p,μ,È,ç,Á,-  
,¾,³,ç☐BffftfHf<fg,Á,ÍŠÔ^á,ç,đ-h,®,½,ß **[Setup] terminal**  
f\_fCfAf☐fOf{fbfNfX,Á ^[(H ,í'í'đ,Á,«,Ü,¹,ñ☐B

^[(H ,đ'í'đ,Á,«,é,æ,ɣ,É,.,é,É,í☐A☐Ý'èftf@fCf<,ì **[Tera Term] fZfNfVf#f"**,É☐A

### **AllowWrongSequence=on**

,Æ,ç,ɣ☐s,đ'Ç%oÁ,μ,Ä,,¾,³,ç☐Bf\_fCfAf☐fOf{fbfNfX,Á'í'đ,Á,«,é,æ,ɣ,É,È,è,Ü,·☐B

ffftfHf<fg:

### **AllowWrongSequence=off**

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é□B

VT window ,Å,í%œ-Ê,ìfXfNf□□[f<,ð'¬,,·,é,½,ß,É□A^ê"x,É•i□"□sfXfNf□□[f<,·,é,±  
,Æ,ª, ,è,Ü,·□B

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]**  
fZfNfVf†f",É□A

**ScrollThreshold=<□s□"(10□i□@□)">**

,Æ,ç,æ□s,ð'Ç%œÁ,μ,Ä,,¾,³,ç□B

ffftfHf<fg:

**ScrollThreshold=12**

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,éB

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,é,É,íAÝ'èftf@fCf<,ì [Tera Term] fzfnfvf+f“,ÉA^È  
%o<sup>o</sup>,ìs,đ'Ç%A,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**VTFontSpace=<dx1>,<dx2>,<dy1>,<dy2>**

,<sup>1</sup>/<sub>2</sub>,<sup>3</sup>/<sub>4</sub>,μA

<dx1> ,íŠe•Šš,ìŠš,É, , , ,é,·,«,ÛB

<dx2> ,íŠe•Šš,ì%oE'š,É, , , ,é,·,«,ÛB

<dy1> ,íŠeš,ìšš,É, , , ,é,·,«,ÛB

<dy2> ,íŠeš,ì%o<sup>o</sup>'š,É, , , ,é,·,«,ÛB

'P^Ê,í,ç, , ,ê,àA%oæ'fB

—á:

**VTFontSpace=0,1,0,0** Še•Šš,ì%oE'š,É1%oæ'f•<sup>a</sup>,ì,·,«,Û,đ, , , ,éB

**VTFontSpace=0,0,1,0** Šeš,ìšš,É1%oæ'f•<sup>a</sup>,ì,·,«,Û,đ, , , ,éB

ffftfHf<fg:

**VTFontSizeOffset=0,0,0,0**

## f^fCfgr<fo [ ,đ Á , · B

f^fCfgr<fo [ ,đ Á , · É, í A Y' èftf@fCf<, ì [Tera Term] fZfNfVf#f" ,É A^È  
%o<sup>o</sup>, ì s, đ' Ç%o Á, μ, Ä, , 3/4, <sup>3</sup>, ç B

**HideTitle=on**

ffftfHf<fg:

**HideTitle=off**

, Ü, 1/2 A Y' èftf@fCf<, í ' , « Š · , , , É AfRf}f" fhf%ofCf" , Å /H  
flfvfVf#f" , đ Ž w' è, μ, Ä, à Af^fCfgr<fo [ ,đ Á , · ±, Æ, <sup>a</sup>, Å, «, Ü, · B

f^fCfgr<fo [ ,đ Á , · Æ Af f jf... [fo [ , à " Ž ž, É Á, , Ü, · B  
fEfBf" fhfE, đ ^ Ú" ®, <sup>3</sup>, <sup>1</sup>, é, É, í A Alt fL [ , đ  
%o Ÿ, μ, È, <sup>a</sup>, ç } fEfX [ f {f^f" , Å fEfBf" fhfE, đ fhf%ofbfO, μ, Ä, , 3/4, <sup>3</sup>, ç Bf |  
fbfvfAfbfvf f jf... [ , đ • \ Ž |, <sup>3</sup>, <sup>1</sup>, é, É, í A Ctrl fL [ , đ  
%o Ÿ, μ, È, <sup>a</sup>, ç } fEfX [ f {f^f" , đ fNfŠfbfN, μ, Ä, , 3/4, <sup>3</sup>, ç B

## TEK GIN report ,lf}fEfXfR[]fh

fzfXfg'x,lfAfvfŠfP[]fVf#f",É,æ,Á,Ä[]ATEK window ,@ GIN f,[]fh(fNf[]fXfwfA[]fj[]f\ f<,ªCE»,ê[]A[]À•W"ü—í,ª%oÁ"\,È[]ó'Ô),É,È,Á,½,Æ,«[]A, ,éfL[][,ð%oÿ,·,Æ TEK window ,ífNf[]fXfwfA[]fj[]f\ f<,ì[]À•W,ÆfL[][,ì ASCII fR[]fh,ðfzfXfg,Ö•ñ[][],μ,Û,·[]B

GIN f,[]fh,Åf}fEfX,ì[]f{f^f",ð%oÿ,μ,½,Æ,«,É[]À•W,Æ,Æ,à,É'—[]o,·,é fL[]fR[]fh ,ð[]Ý'è,·,é,É,í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f",É[]A

**TEKGINMouseCode=<key code(10[]i[]@[])">**

,Æ,ç,¸[]s,ð'Ç%oÁ,μ,Ä,,¾,³,ç[]B

ffftfHf<fg:

**TEKGINMouseCode=32**

(32,íSpace ,ìASCII fR[]fh)

## Telnet ,lfO

Y'èftf@fCf<, [Tera Term] fzfNfvf#f“,ÉA

**TelLog=on**

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,ÆAfzfXfg,Æ Tera Term ,lŠÔ, telnet ,loption negotiation  
,l“à—e,ðftf@fCf< **TELNET.LOG** ,É<L~^,μ,Û,·B

ffftfHf<fg:

**TelLog=off**

## Kermit ,lf fO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

**KmtLog=on**

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å Kermit ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **KERMIT.LOG**  
,É<L~^,μ,Ü,·B

ffftfHf<fg:

**KmtLog=off**

## XMODEM ,lf□fo

□Ý'èftf@fCf<,ì [Tera Term] fZfNfVf#f“ ,É□A

**XmodemLog=on**

,Æ,ç,æ□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg,Æ Tera Term ,ìŠÔ,Å XMODEM ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,«,É□ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<  
**XMODEM.LOG** ,É<L~^,μ,Û,·□B

ffftfHf<fg:

**XmodemLog=off**



## ZMODEM ,lf fO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

**ZmodemLog=on**

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å ZMODEM ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<  
**ZMODEM.LOG** ,É<L~^,μ,Û,·B

ffftfHf<fg:

**ZmodemLog=off**

## ZMODEM ,Å,·,×,Ä,ì§Œä•¶Žš,ðfGfXfP[fv,·,éB

ZMODEM ,Å,íA'ÊM%ñü,â^ê•",ì§Œä•¶Žš,ð'Ê,<sup>3</sup>È,ç,±  
,Æ,ð'z'è,μ,ÄA,»ê,ç,ðfGfXfP[fv,·,é('¼,ì•¶Žš,ì'g,Ý¶,í,<sup>1</sup>É'u,«Š·,!,é),æ,×  
,É,È,Á,Ä,ç,Ü,·B,μ,©,μA'z'èŠO,ì§Œä•¶Žš,à'Ê,<sup>3</sup>È,ç%ñü,ìê¶,Í'—,<sup>a</sup>,×,Ü,,ç  
,«,Ü,<sup>1</sup>,ñB,»,ì,æ,×,Èê¶,ÍAÝ'èftf@fCf<,ì [Tera Term] fZfNfVf¶f“,ÉA

### ZmodemEscCtl=on

,Æ,ç,×s,ð'Ç%Á,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB,±,ê,Å,·,×,Ä,ì§Œä•¶Žš,ðfGfXfP[fv,·,é,æ,×  
,É,È,è,Ü,·B

ffftfHf<fg:

### ZmodemEscCtl=off

## ZMODEM '—□M,ì□Ý'è

^È%º,ì2,Â□s(1,Â,<sup>3</sup>/<sub>4</sub>, -, Â, à%ºÂ), ð□Ý'èftf@fCf<, ì [Tera Term] fZfNfVf#f“, É'Ç  
%ºÁ, ·, é, Æ□AZMODEM '—□M, ÉŠŌ, ·, é□Ý'è, ð, ·, é, ±, Æ, <sup>a</sup>, Â, «, Ü, ·□B, ±, é, ç, ì□Ý'è, Ì  
ZMODEM Žó□M, É, Ì%ºe<¿, ð— ^, Ì, Ü, <sup>1</sup>, ñ□B

**ZmodemDataLen=<ff□[f^fTfufpfPfbfg, ì□Á'á'·(fofCfG□")>**

**ZmodemWinSize=<'—□M, ÌfEfBf“fhfEfTfCfY(fofCfG□")>**

ffftfHf<fg:

**ZmodemDataLen=1024**

**ZmodemWinSize=0**

□Ý'è%ºÁ"\, È<ff□[f^fTfufpfPfbfg, ì□Á'á'·>, Ì'Ì, Ì0□` 1024, Â, ·□B'á'—, È%ºñ□ü, âfGf  
%º□[, Ì'½, ç%ºñ□ü, ðŽg—p, µ, ½, è□AfzfXfg, Ìff□[f^□—□"\—Í, <sup>a</sup>'á, ff□[f^, ðŽæ, è, ±  
, Ú, ·□é□#, Ì□A□—, <sup>3</sup>, È'Ì, ð□Ý'è, ·, é, Æ□AfGf  
%º□["™, Ì□áŠQ, É'Ì, µ, Ä□A, æ, è^À'è, Èftf@fCf<'—□M, ð□s, ±  
, Æ, <sup>a</sup>, Â, «, Ü, ·□BfVfŠfAf<f|□[fgŽg—  
pŽž, Âf{□[fC□[fg, <sup>a</sup>'á, ç□é□#, Ì□A□Ý'è'Ì, æ, è, à□—, <sup>3</sup>, ç'Ì, <sup>a</sup>Žg—p, <sup>3</sup>, é, é, ±, Æ, <sup>a</sup>, ·, è, Ü, ·□B

□Ý'è%ºÁ"\, È<'—□M, ÌfEfBf“fhfEfTfCfY>, Ì'Ì, Ì-32768□` 32767, Â, ·□B—  
á, Ì, Ì□A'Ì, ð30000, É, ·, é, Æ□A-ñ30000fofCfG, É^è%ºñ□Aff□[f^fpfPfbfg, Ì'—  
□M, ð<x, Ý□AfzfXfg, ©, çŠm" F, ðŽæ, è, Ü, ·□B'Ì, ð•%º(fEfBf“fhfEfTfCfY-<sup>3</sup>CEÀ'á, É'Ì%ºž)  
, É, ·, é, Æ□AfzfXfg, ©, çfGf%º□[, Ì•ñ□□, <sup>a</sup>, È, ç, ©, —, è□A^è  
%ºñ, à<x, Ü, ·, Éff□[f^fpfPfbfg, ð'—□M, µ, Â, Ä, —□A□Á'áCEÀ, Ì'—  
□M'—“x, <sup>a</sup><sup>3</sup>/<sub>4</sub>, ç, é, Ü, ·□BfzfXfg, â%ºñ□ü, Ì"\—Í, É, æ, Á, Ä, Ì□AfEfBf“fhfEfTfCfY, ð, ·, é'Ì, æ  
, è'á, «, ·, ·, é, Æ□A□<sup>3</sup>Í, Èftf@fCf<'—□M, <sup>a</sup>, Â, «, È, -  
, È, Á, ½, è□A"ñ□Í, ÉŽžŠŌ, <sup>a</sup>, ©, ©, Á, ½, è, ·, é, ±, Æ, <sup>a</sup>, ·, è, Ü, ·□B

## ZMODEM ŽÓM,İŽ © “® <N” ®

Ÿ'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

**ZmodemAuto=on**

,Æ,ç,æ□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg'æ,ì ZMODEM '—  
□M(f\_fEf“f□□[fh)fRf}f“fh,ðŽÀ□s,μ,½,Æ,«,É□AŽ©“®“I,É Tera Term ,ì ZMODEM  
ŽóM,ªŠJŽn,<sup>3</sup>,ê,é,æ,æ,É,È,è,Ü,·□B

ffftfHf<fg:

**ZmodemAuto=off**

## B-Plus ,lf fO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

**BPLog=on**

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å B-Plus ,ð—p,ç  
,½ftf@fCf<"]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **BPLUS.LOG**  
,É<L~^,μ,Û,·B

ffftfHf<fg:

**BPLog=off**

## B-Plus ŽóM,ìŽ©“®<N“®

Ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

**BPAuto=on**

,Æ,ç,æs,đ'Ç%oÁ,·,é,ÆANifty-Serve “™,ì BBS ,ÅAB-Plus  
,ì\_fEf“f[fhfRf}f“fh,đŽÀs,μ,½,Æ,«,ÉAŽ©“®“I,É Tera Term ,ì B-Plus  
ŽóM,ªŠŽn,<sup>3</sup>,ê,é,æ,æ,É,È,è,Ü,·B

ffftfHf<fg:

**BPAuto=off**

## Quick-VAN ,lf□fO

□Ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“ ,É□A

**QVLog=on**

,Æ,ç,⌘□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg,Æ Tera Term ,ìŠÔ,Å Quick-VAN ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É□ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<

**QUICKVAN.LOG** ,É<L~^,μ,Ü,·□B

ffftfHf<fg:

**QVLog=off**

## Quick-VAN ,ì window size

ìÝ'èftf@fCf<,ì [Tera Term] fzfnfvf#f" ,ÉA

**QVWinSize=<window size (10i"("³))>**

,Æ,ç,æ[s,ð'Ç%Á,·,é,ÆAQuick-VAN fvf[]fgfRf<,Å—p,ç  
,ç,è,éfEfCf"fhfEftfCfY,Æ,ç,æfpf%of[]f^[][,ðÝ'è,·,é,±,Æ,ª,Å,«,Ü,·B

ìÝ'è%Á"\,ÈfEfCf"fhfEftfCfY,ì'l,íA1`99,Å,·B^è"Ê,ÉA%ñü,ª\•ª,É,·,ÀfGf  
%[][,ª,È,çê[]A fEfCf"fhfEftfCfY,ð'å,«, -  
,·,é,î,·,é,Ü,ÇA"']'—'—'x,ªEü[]ã,µ,Ü,·B,½,¾,µA'á'—,È%ñü,âfGf%[][,ì'½,ç  
%ñü,ðŽg—p,µ,½,è[]AfzfXfg,â PC ,ªff[]f^,ðŽæ,è,±  
,Ú,µ,½,è,·,éê[]#,É,íA fEfCf"fhfEftfCfY,ª'å,«,·,·,é,Æ<t,É"']'—'—'x,ª'á  
%º,µ,Ü,·B

,Ü,½AŽÀ[]Û,É—p,ç,ç,è,éfEfCf"fhfEftfCfY,ì'l,íA Tera Term 'æ,ìÝ'è'l,ÆA fzfXfg  
(PC-VAN) 'æ,ìÝ'è'l,ì[]—,³,ç•û,É,È,è,Ü,·B,µ,½,ª,Á,ÄA Tera Term  
,ìÝ'è'l,ð, ,é'l,æ,è'å,«,·,·,é,ÆA,»,è^È[]ã"']'—'—'x,í•ï%»»,µ,È,,È,è,Ü,·B

ffftfHf<fg:

**QVWinSize=8**



**2fofCfg•Œš(Š;Žš),l1fofCfg-Ú,Æ2fofCfg-Ú,ÌSÔ,ÉŒä•Œš“™,“ü,Á,½ê#A1fofCfg-Ú,ð-³CEø,É,·,éB**

fzfXfg,©,ç—,ç,ê,Ä,,é2fofCfg•Œš(Š;Žš“™),l1fofCfg-Ú,Æ2fofCfg-Ú,ÌSÔ,ÉŒä•Œš(—á,!,Î%üŒs•Œš“™,“ü,Á,Ä,àAtera Term,ÿfftfHf<fg,Å,Í2fofCfg•Œš,àŒä•Œš,à³,µ,Žæ,è^µ,í,ê,Û,·B

Ÿ'èftf@fCf<,l **[Tera Term]** fzfNfvf#f“,ÉA

**CtrlInKanji=off**

,Æ,ç,ŒŒs,ð'ç%Á,·,é,ÆA2fofCfg•Œš,l1fofCfg-Ú,ìCEä,ÉŒä•Œš“™,“—^,½ê#A1fofCfg-Ú,ð-³CEø,É,µ,Û,·B,±,ìCEä,É2fofCfg-Ú,“—^,Ä,àAfSf~ ,Æ,µ,Ä•Ž!,³,ê,Û,·B2fofCfg•Œš,ð³,µ,-^µ,í,É,çfAfvfŠfP[fVf#f“,Å,ÍA,±,ì,æ,Œ,É,µ,½,Û,Œ,ªA%æ-É,ì•Œš%»»,¯,ª,É,-,É,é%Ä“\«ª, ,è,Û,·B—á,!,ÎAŠ;Žš,l1fofCfg-Ú,ìCEä,É%üŒs•Œš,ðo,µ,ÄA,» ,ìCEä,É2fofCfg-Ú,Ío,³,È,çA,Æ,ç,ŒfAfvfŠfP[fVf#f“,ª, ,Á,½,Æ,·,é,ÆA,» ,ìŠ;Žš,ÍŽì,Ä,ç,ê,Û,·,ªA%üŒs•Œš^È~ ,É—^,é•Œš,ª%»»,¯,ª,Éÿ,Ý,Û,·B

ffftfHf<fg:

**CtrlInKanji=on**

## fvfŠf“f^ftfHf“fg,ìŽw’è

VT window ,ì%œ-Ê,đ^óü,·,é,Æ,«,ÉŽg—  
p,·,éftfHf“fg,đŽw’è,μ,Û,·BffftfHf<fg,Â,íA%œ-Ê•\Ž!—p,ìftfHf“fg(**[Setup]**  
**Font** ,ÂŽw’è,<sup>3</sup>,ê,éftfHf“fg),Æ“<sup>~</sup>,¶,à,ì,đ^óü—p,ÉŽg—  
p,μ,Û,·BfvfŠf“f^ftfHf“fg,đŽw’è,·,é,É,íAŽÿ,ìŽè¶,É,μ,<sup>1</sup>/<sub>2</sub>,<sup>a</sup>,Á,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

1) **[Setup] Font** ,Â%œ-Ê•\Ž!—p,ìftfHf“fg,đ,ç,ë,ç,ë•ì,í,ÄA^óü,μ,Ä,Ý,éB

2) D,Ý,ì^óü—pftfHf“fg,<sup>a</sup>CE©,Â,©,Á,<sup>1</sup>/<sub>2</sub>,ç**[Setup] Save setup**  
,ÂY’èftf@fCf<,ÉCE»Y,ìY’è,đ•Û’¶B

3) uf¶f,· ¶v,È,Ç,ìfGffBf^,ÂY’èftf@fCf<,đŠJ,«A**[Tera Term]** fZfNfvf¶f“,É  
**PrnFont=** ,ÂŽn,Û,é¶s,đ’Ç%Á,·,éB**VFont=** ,É’±,·¶Žš—ñ(—á,í,í“•W€-  
<sup>3</sup>/<sub>4</sub>’©,**0,-19,128**),đ **PrnFont=** ,ìĀã,ÉfRfs¶[,·,éB¶Y’èftf@fCf<,đ•Û’¶B

4) %œ-Ê—p,ìftfHf“fg,đ,à,Æ,ìY’è,É,à,Ç,·B

—á:

**PrnFont=** •W€-<sup>3</sup>/<sub>4</sub>’©,**0,-19,128**

ffftfHf<fg:

**PrnFont=**

## C1 [§CEä•ŕŽš (\$80-\$9F) ,đŽg—p,μ,È,ç]B

Tera Term ,ìŠžŽšf,[]fh(ŽóM),đ **EUC** , © **JIS** ,É,μ,Ä]A Teraminal ID ,đ VT2XX  
,Ü,½,í]A VT3XX ,É,μ,Ä,ç,éê]A Shift-JIS  
,ìŠžŽš,đŽóM,·,é,Æ]Afnf“fOfAfbfv,·,é,±,Æ,ª, ,è,Ü,·]B

,±,ê,í]A Shift-JIS fR[]fh,ì†,É C1 [§CEä•ŕŽš (\$80-9F) ,ªŠÜ,Ü,ê,Ä,ç  
,é,½,ß,É]A,» ,é,ç,đ[§CEä•ŕŽš,Æ,μ,Ä%ođŽß,μ,Ä,μ,Ü,ç]A'[--,ìó'Ô,ª,“, ©,μ,-  
,È,é, ©,ç,Å,·]B

—á,ì,î]AfzfXfg,É,æ,Á,Ä,í]fOfCf“Žž,È,Ç,É **SJIS**(Shift-JIS), **EUC**, **JIS** ,È,Ç,ì]Ží—  
p,ìŠžŽšfR[]fh,đ'[-- ,É'—,è]A,Ç,í]R[]fh,ª]³,μ,•\Žì,ª,ê,Ä,é, ©ft[]fU[] ,É“ü—  
í,ª,¹,é]A,Æ,ç,ª,±,Æ,ª, ,è]A,±,ì,æ,ª,Éê]A,É-â'è,ª”]A,μ,Ü,·]B

,à,μ]A,±,ì,æ,ª,Éó'Ô,É,È,Á,½]ê]A[**Control**] **Reset terminal** ,Å'[--  
,ìó'Ô,đfŠfZfbfg,μ,Ä,,¾,ª,ç]B

,±,ì,æ,ª,È-â'è,đ,ª,¯,é,É,í]A3,Â,ì•û-@,ª, ,è,Ü,·]B

1) ŠžŽšf,[]fh(ŽóM),đ **SJIS** ,É]Y'è,·,é]B

2) [**Setup**] Terminal ,Å Terminal ID ,đ **VT1XX** (—á,ì,î **VT100**) ,É,·,é]B

3) ]Y'èftf]fCf<,ì [**Tera Term**] fZfNfvf]f“ ,É

**Accept8BitCtrl=off**

,Æ,ç,ª]s,đ'Ç%oÁ,μ]A C1 [§CEä•ŕŽš,Æ,μ,Ä'—,ç,ê,Ä,«,½•ŕŽš,đ-³Ž<,·,é,æ,ª,  
,É]Y'è,·,é]B

ffftfHf<fg:

**Accept8bitCtrl=on**

## Telnet „lf of Cfif Šf lfvf Vf f“

fzfXfg,É telnet □Ú'±,μ□Aftf@fCf<“]’— (XMODEM “™),Å CR •¶Žš,đ’—  
□o,·,é□é□#□ATera Term ,lfftfHf<fg,Å,Í CR+NUL (\$0D \$00) ,É•İŠ·,μ,Ä,©,ç’—  
□o,μ,Ü,·□BfofCfifŠf lfvf Vf f“ ,Å telnet □Ú'±,·,é,Æ□A,±,ì,æ,α,È•İŠ·,Í,“,±,È,ç  
,Ü,<sup>1</sup>,ñ□B

□Ý’èftf@fCf<,ì **[Tera Term]** fZfNfVf f“ ,É□A

### TelBin=on

,Æ,ç,α□s,đ’Ç%oÁ,·,é,Æ□ATelnet □Ú'±,·,é,Æ,«fofCfifŠf lfvf Vf f“ ,đ—p,ç  
,Ü,·(fzfXfg,<sup>a</sup>Í%oŽ,μ,Ä,ç,ê,ì)□B

,Ü,<sup>1</sup>/<sub>2</sub>□A□Ý’èftf@fCf<,í□’,«Š·,|,·,É□AfRf}f“fhf%o fCf“,É /**B**  
flfvfVf f“ ,đ,Ä,¯,Ä,à□AfofCfifŠf lfvf Vf f“ ,đŽw’è,Å,«,Ü,·□B

fftfHf<fg:

**TelBin=off**

## TCP/IP %oňüØ'f,ìŠm" F,đ,μ,È,ç B

Unix "™,lfzfXfg,É telnet ,ÁfOfCf" ,μ,Ä,ç,éó'Ô,ÅA%oňü,đ<-  
\$"l,ÉØ'f,·,é,ÆAfvfZfX,Žc,Á,½,Û,Û,É,É,é,±,Æ,a, ,è,Û,·B,â,p,đ"¾,È,çê†,  
đœ,«A³,μ,ç•û-@,ÁfOfAfEfg,·,é,æ,κ,É,μ,Ä,,¾,³,çB

Tera Term ,fftfHf<fg,Å,í TCP/IP Ú'±Žž,É **[File] Disconnect** ,Û,½,í **[File] Exit**  
,Å%oňü,đ<\$"l,ÉØ'f,·,é,Æ,«,ÉA"Disconnect ?" ,Æ,ç,κfbfZ[fW,đ·\  
Ž!,μ,Äft[fU[,ÉŠm" F,đ,μ,Û,·B

Ý'èftf@fCf<,ì **[Tera Term] fzfNfvf†f"** ,ÉA

### ConfrimDisconnect=off

,Æ,ç,κs,đ'Ç%oÁ,·,é,ÆA%oňü,đ<\$Ø'f,·,é,Æ,«,Éft[fU[,ÉŠm" F,đ,μ,Û,¹,ňB

fftfHf<fg:

### ConfrimDisconnect=on

## fRf}f“fhf%ofCf“

Tera Term Pro ,đ<N“® , , ,é,Æ,« ,lfRf}f“fhf%ofCf“(fVf#[]fgyjfbfg ,lfŠf“fN[]æ) ,iĚ`Ž®

**TTERMPRO [<host name / host address>[:<TCP port#>]]**  
**[/B] [/C=<serial port#>]**  
**[/F=<setup file>] [/FD=<file transfer directory>]**  
**[/H] [/K=<keyboard setup file>]**  
**[/KR=<kanji code (receive)>] [/KT=<kanji code (transmit)>]**  
**[/P=<TCP port#>] [/R=<replay file>] [/T=<telnet flag>]**  
**[/W="<window title>"]**  
**[/X=<window pos (x)>] [/Y=<window pos (y)>]**  
**[;<comment>]**

,±,±,Å:

**<host name>[:<TCP port#>]** Host name (with TCP port#)  
**<host address>[:<TCP port#>]** IP address (with TCP port#)

**/B** Telnet binary option (default: none)

**/C=<serial port#>**

**/C=1** COM1

**/C=2** COM2

**/C=3** COM3

**/C=4** COM4

**/F=<setup file>**

**/F=TERATERM.INI** (default)

**/FD=<file transfer directory>**

**/H** Hide title bar (default: none)

**/K=<keyboard setup file>**

**/K=KEYBOARD.CNF** (default)

**/KR=<kanji code (receive)>**

**/KR=SJIS**

**/KR=EUC**

**/KR=JIS**

**/KT=<kanji code (transmit)>**

**/KT=SJIS**

**/KT=EUC**

**/KT=JIS**

**/P=<TCP port#>**

**/P=23** (default (telnet))

**/R=<replay file>**

**/T=<telnet flag>**

**/T=1** Telnet enable (default)

**/T=0** Telnet disable

**/W="<window title>"**

**/X=<window position (x)>**

**/Y=<window position (y)>**

**;<comment>** Comment. Should be last in the command line.

—á:

**TTERMPRO**

**TTERMPRO myhost.mydomain**

**TTERMPRO myhost.mydomain:23**

**TTERMPRO 111.111.11.11**

**TTERMPRO myhost.mydomain /T=0 /P=7**

**TTERMPRO /C=1**

**TTERMPRO /F=TELNET.INI**

**TTERMPRO foohost.foodomain /F=FOOHOST.INI**

**TTERMPRO /C=2 /F=MYSETUP.INI**

**TTERMPRO /K=MYKEY.CNF /W="My host"**

**TTERMPRO /R=README.TXT ; replay a file**

**TTERMPRO myhost /B /X=100 /Y=50**

## fL[f{[fhY'èftf@fCf<

fL[f{[fhY'èftf@fCf<,É,æ,Á,ÄA VT '[-,lfL[,ð PC ,ì, ,éfL[,ÉŠ,,è-  
,Ä,½,èAft[fU['è<`fL[,ÆA,»lfL[,ð%oY,μ,½,Æ,«,É'—o,·,é•qŽš—  
ñ,ðŽw'è,μ,½,è,·,é,±,Æ,ª,Å,«,Ü,·B

fRf}f“fh%oofCf“,ÅfL[f{[fhY'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,·,é,±  
,Æ,ª,Å,«,Ü,·Bftf@fCf<-¼,ðŽw'è,μ,È,çê#Aftf@fCf< **KEYBOARD.CNF**  
,ª“Ç,Ýž,Ü,ê,Ü,·Bftf@fCf<-¼,ìŠg'£Žq,ðÈ—ª,μ,½ê#,íA".CNF",Å, ,é,Æ,Ý,È,<sup>3</sup>,  
ê,Ü,·B

IBM-PC/AT 101(106) fL[f{[fh,ðŽg—p,μ,Ä,ç,ÄAfL['è<` ,ðffXf^f}fCfY,·,é•K—  
v,<sup>a</sup>,È,çê#,íAfL[f{[fhY'èftf@fCf<,í•K—v, ,è,Ü,<sup>1</sup>,ñBffXf^f}fCfY,·,é•K—v,<sup>a</sup>,  
,éê#,íA"z•zfpfbfP[fW,ÉŠÜ,Ü,ê,Ä,ç,é **IBMKEYB.CNF** ,ðRfs[,μ,Ä  
**KEYBOARD.CNF** ,ðì¬,μA,»,ê,ð•ÒW,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

NEC PC9801 fVfŠ[fY,lfL[f{[fh,ðŽg—p,μ,Ä,ç  
,éê#,íA"z•zfpfbfP[fW,ÉŠÜ,Ü,ê,Ä,ç,é **PC98KEYB.CNF** ,ðRfs[,μ,Ä  
**KEYBOARD.CNF** ,ðì¬,μA•K—v,<sup>a</sup>, ,é,î,»,ê,ð•ÒW,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

fL[f{[fhY'èftf@fCf<,ìE`Ž® ,íA"z•zftf@fCf<,ÉŠÜ,Ü,ê,Ä,ç,é **KEYCODEJ.TXT**  
,ð“Ç,ñ,Å  
,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

fL[f{[fhY'èftf@fCf<,ì—á



## fL[f{[fhY'èftf@fCf<,ì—á

,±,ì—á,Í Tera Term ,lffftfHf<fg,É,È,Á,Ä,ç,Ü,·B(IBM-PC/AT 101 (106) fL[f{[fh)

### [VT editor keypad]

;Up arrow key

**Up=328**

;Down arrow key

**Down=336**

;Right arrow key

**Right=333**

;Left arrow key

**Left=331**

;End key

**Find=335**

;Insert key

**Insert=338**

;Delete key

**Remove=339**

;Home key

**Select=327**

;PageUp key

**Prev=329**

;PageDown key

**Next=337**

### [VT numeric keypad]

;Num pad 0 key

**Num0=82**

;Num pad 1 key

**Num1=79**

;Num pad 2 key

**Num2=80**

;Num pad 3 key

**Num3=81**

;Num pad 4 key

**Num4=75**

;Num pad 5 key

**Num5=76**

;Num pad 6 key

**Num6=77**

;Num pad 7 key

**Num7=71**

;Num pad 8 key

**Num8=72**

;Num pad 9 key

**Num9=73**

;Cntrl + Num pad '+' key

**NumMinus=1102**

;Num pad '+' key

**NumComma=78**

;Num pad '.' key

**NumPeriod=83**

;Num pad Enter key

**NumEnter=284**

;Num pad NumLock key

**PF1=325**

;Num pad '/' key

**PF2=309**

;Num pad '\*' key

**PF3=55**

;Num pad '-' key

**PF4=74**

### **[VT function keys]**

;F6 key

**F6=64**

;F7 key

**F7=65**

;F8 key

**F8=66**

;F9 key

**F9=67**

;F10 key

**F10=68**

;F11 key

**F11=87**

;F12 key

**F12=88**

;Shift + F3 key

**F13=573**

;Shift + F4 key

**F14=574**

;Shift + F5 key

**Help=575**

;Shift + F6 key

**Do=576**

;Shift + F7 key

**F17=577**

;Shift + F8 key

**F18=578**

;Shift + F9 key

**F19=579**

;Shift + F10 key

**F20=580**

### **[Shortcut keys]**

**EditCopy=off**

**EditPaste=off**

**EditPasteCR=off**

; Ctrl + up-arrow

**LineUp=1352**

; Ctrl + down-arrow

**LineDown=1360**

; Ctrl + PageUp

**PageUp=1353**

; Ctrl + PageDown

**PageDown=1361**

; Ctrl + Home

**BuffTop=1351**

; Ctrl + End

**BuffBottom=1359**

**SendBreak=off**

### **[User keys]**

;Example of user key definitions.

;

; F1 key: character string

**;User1=59,0,telnet myhost**

;

; F2 key: control characters

**;User2=60,0,\$0D\$0A**

;

; F3 key: CR character with new-line code conversion (CR -> CR/CR+LF)

**;User3=61,1,\$0D**

