

Tera Term Pro version 2.3 Help Index

Mar 10, 1998

T. Teranishi

Copyright (C) 1994-1998 T. Teranishi
All Rights Reserved.



Tera Term Pro, ĩftŒŠ[ftfgfEjFfA, ĩf^[]f~fif<fGf~f...fŒ[]f^[][(^ÊMfvf[]Of%of€),
Å[]A^Ê%º, ĩ“Á¥, đŒ[], Á, Ä, ç, Û, ·[]B

- EfVfŠfAf<f[]f[]g[]Ú'±
- ETCP/IP (telnet) []Ú'±
- EVT100 '[--, ĩfGf~f...fŒ[]fVf#f" (, , æ, Ñ[]AVT200, 300 , ĩ^ê•")
- ETEK4010 '[--, ĩfGf~f...fŒ[]fVf#f"
- Eftf@fCf<"']—fvf[]fgfRf< (Kermit, XMODEM, ZMODEM, B-PLUS, Quick-VAN)
- E f}fNf[]Œ¾ŒÊ, É, æ, éŒ©"®%º^"]
- E"ú- {ŒÊ/%ºpŒÊ/f[]VfAŒÊf, []fh

Tera Term ,É,Ä,ç,Ä

- '~[]iŒ []AŒg—p[]đŒ[]
- "®[]iŒÄ<<
- fGf~f...fŒ[]fVf#f"
- đŒj
- Q & A
- v-][]W
- []iŒÖ, Ö, ĩ~A—[]
- pŒÊ[]W

Œg, ç, ©, ½

- fL[]f{[]fh
- f}fEfX
- fqf"fg

fRf}f"fh

- [File] f[]fj...[]
- [Edit] f[]fj...[]
- [Setup] f[]fj...[]
- [Control] f[]fj...[]
- [Window] f[]fj...[]

[Help] f f f ...

TEK window , l f R f } f " f h

f R f } f " f h f % o f C f "

Y ' è f t f @ f C f <

Tera Term Y ' è f t f @ f C f <

f L [f { [f h Y ' è f t f @ f C f <

README.TXT

KEYCODEJ.TXT

MACRO f w f < f v

f A f " f C f " f X f g [f <

fgf~f...fCE [fvf#f“

□EDEC VT100 ,Æ VT200/300 ,ì^ê•”

VT100 ,Å,í'í%ž,μ,Ä,ç,È,ç ANSI fGfXfP□[fvfV□[fPf“fX(fJf%o□[Žw'è“™),É,à'í
%ž,μ,Ä,ç,Ü,·□B

Bold (<'²)'®□«,ì•¶Žš,É'í,μ,Ä□Abold fXf^fCf<,ìftfHf“fg,ìŽg—p/•sŽg—
p,ª'í'đ,Å,«□A,Ü,½□F,đ•t, ,Ä•\Ž|,·,é,±,Æ,ª,Å,«,Ü,·□B

Blink (“_—Å)'®□«,ì•¶Žš,íŽÀ□Û,É,í“_—Å,¹, ,□A□F•t,«•¶Žš,Å•\Ž|,³,ê,Ü,·□B

”{Šp•¶Žš□AVT52 f,□[fh,É,í'í%ž,μ,Ä,ç,Ü,¹,ñ□B

□ETektronix TEK4010 ,Æ□ã^Ê<@Ží,ì^ê•”

—öžj

Tera Term ,íÅ□%□A“ú- {Æê' [--fGf~f...fÆ□[f^□[,Æ,μ,ÄŠ]-
,³,ê,Ü,μ,½□B,» ,ìÆã□A%□pÆê,Æf□fVfACEêf,□[fh,ª%□Á,í,è□ACE»□Ý,Å,í“ú-
{,¾,¯,Å,È,□çŠE't,ÅŽg,í,ê,é,æ,α,É,È,è,Ü,μ,½□B

Tera Term Pro ver. 2.3 Mar 10, 1998

Tera Term ver. 1.4 Mar 10, 1998

COM4 ,æ,è'å,« ,çfVfŠfAfçf|□[fg

Baud rate 14400

ft□[fU□[□EfVf#□[fgf]fbfg□EfL□["EditCLS", "EditCLB", "ControlOpenTEK",
"ControlCloseTEK"

f}fNf□fRf}f“fh "clearscreen", "code2str", "enablekeyb", "filemarkptr",
"fileseekback", "filestrseek2", "findclose", "findfirst", "findnext", "getdir",
"kmtfinish", "kmtget", "makepath", "sendkcode", "setdir", "setexitcode",
"str2code", "testlink"

f}fNf□%□%□ŽŽŽq "%"

f}fNf□: ,ç,ì□s,Å,àfRf□f“fg,ª'u,¯,é,æ,α,É,È,é

fGfXfP□[fVfV□[fPf“fX,É,æ,é^ó□ü,Å'¼□Úf|□[fg,É□o—í

“Á•Êf|fvfVf#f“ "AutoFileRename", "BackWrap", "Beep",

"EnableStatusLine", "MaxComPort", "PassThruDelay", "PassThruPort",

"PrnConvFF", "RussPrint", "TitleFormat"

□V [Setup] TCP/IP f_fCfAf□fOf{fbfNfX

fzfXfgfŠfXfg,ÉzfzXfg-¼,đŽ©“®'Ç%□Á

f□fVfACEê•¶ŽšfZfbfg'Ç%□Á (CP 866, ISO 8859-5)

□V,μ,çfAfCfRf“

'••ûCE`—í^æ“à,ì•¶Žš'í'đ

ft□[fU□['è<`fL□[,Åf□fj...□[fRf}f“fhŽÀ□s

Tera Term extension interface.

Tera Term Pro ver. 2.2 Jul 2, 1997

fofO□C□³

Tera Term Pro ver. 2.1 Jun 30, 1997

fCf“fXfg□[f%□□[fAf“fCf“fXfg□[f%□□[

32-bit”Å TTPMACRO.EXE ,Æ KEYCODE.EXE

f□fVfACEêf,□[fh

[Edit] Copy table, [Setup] Load key map, [Window] f□fj...□[

VT ' [--,ìXfe□[f^fXf%□fCf“

fGfXfP□[fVfV□[fPf“fX,É,æ,é^ó□ü

ANSI ftfçj}f%□□[

fRf}f“fhf%□fCf“f|fvfVf#f““Ç%□Á (/l, /L=<log file>, /LA=<language> ,

/M=<macro file>, /N)

fRf}f“fhf%□fCf“ ,ÅzfzXfg-¼,ì,·,®Æã,ìf|□[fg”Ô□†(—á: "myhost.mydomain

23")

Tera Term □Ý'èftf@fCf<,ì"Ç,Ý□ž,Ý□ê—pfIfvfVf#f""Ç%oÁ
fL□[f{□[fh□Ý'èftf@fCf<,ì□€-Ú'Ç%oÁ
ft□[fU□['è<`fL□[,É,æ,é]f}fNf□ŽÀ□s
TTPMACRO fRf}f"fhf%ofCf"fIfvfVf#f""Ç%oÁ (/I, /V)
f}fNf□fRf}f"fh'½□""Ç%oÁ

Tera Term Pro ver. 2.0 Jun 7, 1996

32-bit"Á, Telnet ,Á,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□€-
Ú(SendBreak=), f□[fg"Ô□t•t,«fzfXfg-¼(—á: "myhost.mydomain:23"),
fRf}f"fhf%ofCf"(fzfXfgfŠfXfg)'t,lfRf□f"fg, [Setup] Serial port
f_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%oEf{f^f"□B

Tera Term ver. 1.3 Jun 7, 1996

Telnet ,Á,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□€-Ú(SendBreak=), f□
□[fg"Ô□t•t,«fzfXfg-¼(—á: "myhost.mydomain:23"), fRf}f"fhf
%ofCf"(fzfXfgfŠfXfg)'t,lfRf□f"fg, [Setup] Serial port
f_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%oEf{f^f"□B

Ver. 1.2 Dec 18, 1995

Quick-VAN, f}fNf□fRf}f"fh'½□""Ç%oÁ (□\$CEä□\`ç, subroutine, include file),
"ú-{CEê%opCEêf,□[fh, f}fEfX'€□ì-@•ï□X□Ascroll buffer on/off,
fL□[f{□[fh□Ý'èftf@fCf<,É [Shortcut keys] fZfNfVf#f""Ç%oÁ□A ftf@fCf<"']—
fffBfCEfNfgfŠ•Ú'¶%oÁ"\,É,È,é□AfRf}f"fhf%ofCf"fIfvfVf#f""Ç%oÁ (/FD=
/H)□ARead-only options 'Ç%oÁ (QVLog=, QVWinSize=, ZmodemAuto,
BPAuto, VTFontSpace=, HideTitle=)□B

Ver. 1.1 Jul 22, 1995

f}fNf□fRf}f"fh'½□""Ç%oÁ(ftf@fCf<□^—□□A•¶Žš—ñ□^—□), f□f^fL□[,
□Ý'èftf@fCf<,ìread-only option (ConfirmDisconnect=), log ,Æ file
send□Alog ,Æfvf□fgfRf<"']—,ì"~ŽžŽÀ□s,ª%oÁ"\,É,È,é□B

Ver. 1.0 Jul 3, 1995

ZMODEM, B-Plus, DEC "ÁŽèftfHf"fg, bold font Žg—p/•sŽg—p, telnet
□Ú'±'t,É□l—¹,·,é,Æ,«,ìŠm" F, Telnet AYT, bold/blink '®□«,ì•¶Žš□F□Ý'è%oü
—Ç, "Terminal size = window size" fIfvfVf#f", fRf}f"fhf%ofCf"fIfvfVf#f""Ç
%oÁ (/W=, /X=, /Y=, /KR=, /KT=), □Ý'èftf@fCf<,ìread-only options
(XmodemLog=, BPLog=, ZmodemLog=, ZmodemEscCtl=
ZmodemDataLen=, ZmodemWinSize=), f}fNf□□V<@"\
(pause/start/endf{f^f", fVfXfef€•ï□""Ç%oÁ, fRf}f"fh'½□""Ç%oÁ, •¶Žš—
ñ'è□",ìASCII□fR□[fh,É,æ,é•\CE»)□B

Ver. 0.9 Apr 25, 1995

XMODEM, 3D dialog box (CTL3D.DLL 'í%ž), XTERM sequence (title, ì•İX),
ftf@fCf<f}f[]fWff, ©, ç drag&drop, Åtext file send, Popup menu,
bold/blink, ìfjf%[][]Ý'è (bold font"pŽ~), ANSI escape sequence (fjf
%[]Žw'è, f[]fj<•Û'¶/•æ<A), log&file send%ü—Ç (binary, append,
pause/start), log file Å¶¶<@"\, keyboard Ý'èftf@fCf<, ìftf@fCf<-¼, ðŽw'è,
f}fNf[]fRf}f"fh'Ç%Á, fvfŠf"f^ftfHf"fgŽw'è (read-only option),
C1[]\$Eä•¶Žš-³Ž<, ., é/, μ, È, ç (read only option), telnet binary option (read-
only option)[]B

Ver. 0.8 Feb 17, 1995

f}fNf[] (Tera Term Language)[]B

Ver. 0.7 Jan 27, 1995

Local echo, VT<->TEK auto change enable/disable, TCP port#[]Ý'è,
telnet enable/disable, TEK, Æftf@fCf<"j'—<@"\, ð DLL %»», TEK color
emulation, TEK line style, F10 key, fRf}f"fhf%ofCf"•İX[]B

Ver. 0.6 Oct 31, 1994

VT200, ìescape sequence, È, æ, é key []Ý'è, User fL[]['è<, 'Help' button on
dialog box, read-only options[]B

Ver. 0.5 Oct 3, 1994

JISŠ;Žš, ftf@fCf<"j'—<@"\ (protocol, È, μ text, Kermit), window
size, Æterminal size, ð"Æ—š%»», IME []\$Eä, []Ý'è[]€-Ú, ì'Ç%Á, dynamic
link libraries, XWINDOW •— copy&paste, transmit delay (serial port),
answerback, host list, ".tt" file "pŽ~, fRf}f"fhf%ofCf"•İX[]B

Ver. 0.4 May 16, 1994

TEK, ìcopy/paste, ^ó[]ü<@"\ (VT, TEK), •Ž![]F[]Ý'è (VT, TEK), VT, ì%æ-
ÊftfCfY[]Ý'è, telnet NAW option, VT200/300 <@"\, ì^ê•", keyboard []Ý'è,
Clear page, Reset terminal, Send break, Reset port[]B

Ver. 0.3 Mar 29, 1994

Telnet option negotiation, TEK GIN, window caption []Ý'è, Font []Ý'è, code
•İŠ•[]Ý'è, BS key •İŠ•[]Ý'è, File Open/Save, New session, Clear buffer (VT),
Clear screen (TEK), ".tt" file[]B

Ver. 0.2 X X, 1994

Port []Ý'è dialog[]BHelp, ìE'CE`[]B

Ver. 0.1 X X, 1994

TCP port (Windows Sockets) 'í%ž[]BMDI Žd—l, â, ß, é[]B%Á"\
, ÈfzfbfVf#f"[]", í[]Aserial port, í4, Â, TCP, íf[]f, Š, Æ Windows Sockets

,ìĀŠE,Ü,Å□B

Ver. 0.0 Feb 24, 1994

MDI Žd—I□BSerial port ,ì,Ý□Å'å4fZfbfVf†f"□BVT100, TEK4010 ,ì emulation
,ìĀ'Ā`□Bcopy&paste <@"\,'.ini'file□B

Q & A

□ ð Ž Ò , É ~ A — □ , ð , · , é ' O , É , ± , ì f y □ □ [f W , ð , æ , " Ç , ñ , Å , , ¾ , ¾ , ç □ B

Q & A □ W

[Tera Term , É , Å , ç , Ä]

Q. Windows 3.1 — p , ì Tera Term , ì Ç » □ ó , í ?

A. Windows 3.1 — p , É , í □ A Tera Term ver. 1.X , ð Ž g — p , μ , Ä , , ¾ , ¾ , ç □ B , μ , í , ç , - , ì Š Ò , í Tera Term ver. 1.X , ì Š j " , ð Ç p ' ± , · , é — \ ' è , Å , · □ B

Q. Tera Term , ì □ Å □ V " Å , í , Ç , ± , Å " ü Ž è % Å " \ , © ?

A. ^ È % ° , ì f T f C f g , © , ç " ü Ž è , Å , « , Ü , · □ B

<http://www.vector.co.jp/authors/VA002416/>

<ftp://riksun.riken.go.jp/pub/pc/misc/terminal/teraterm/>

<ftp://ftp.s.u-tokyo.ac.jp/PC/terminal/teraterm/>

(□ ã < L , ì f T f C f g □ A f f f B f Ç f N f g f Š , í □ « — ^ • ì □ X , ¾ , è , é % Å " \ □ « , ª , è , Ü , · □ B)

Q. Tera Term , ì Ž Ÿ , ì f o □ □ [f W f f f " , í , ç , Å □ o , é , ì , © ?

A. Tera Term home page Ž Q □ Å □ B

Q. Tera Term , í □ ¼ — ì 2000 " N - â ' è , É ' í % Ž , μ , Ä , ç , é , © ?

A. ' í % Ž , μ , Ä , ç , Ü , · □ B f v f X f e f € f N f □ f b f N , í Tera Term , ì ' É □ M < @ " \ , É % e < ç , ð — ^ , ì , Ü , ¹ , ñ □ B , ½ , ¾ ^ è , Å , ¾ , - â ' è , ª < N , ± , é (, Å , Ä , à □ - , ¾ , È) % Å " \ □ « , ª □ ì , ì , ç , è , Ü , · □ B , à , μ PC , ì BIOS (f v f X f e f € f N f □ f b f N) , ª 2000 " N - â ' è , É ' í % Ž , μ , Ä , ç , È , - , è , í □ A f } f N f □ f R f } f " f h " getdate " , Å " setdate " , ª ¾ , μ , " , © , È , ç % Å " \ □ « , ª , è , Ü , · □ B , ç , , è , É , μ , Ä , à , ± , è , í PC , ì - â ' è , Å , è Tera Term , ì - â ' è , Å , í , è , Ü , ¹ , ñ □ B

[Š î - { " I , È Ž g , ç • û]

Q. NIFTY-Serve , â PC-VAN , È , Ç , ì BBS , É Š Ò , · , é Ž ç - â □ B

A. [fpf\frf""E□M"Í□Ú'±-@](mailto:fpf\frf)

[NIFTY-Serve , ì f q f " f g](mailto:NIFTY-Serve , ì f q f)

[PC-VAN , ì f q f " f g](mailto:PC-VAN , ì f q f)

, ð " Ç , ñ , Å , , ¾ , ¾ , ç □ B

Q. f z f X f g , É □ Ú ' ± , Å , « , È , ç □ B

A. ^ È % ° , ì , ± , Å , ð Š m " F , μ , Ä , Ý , Ä , , ¾ , ¾ , ç □ B

f R f " f g f □ □ [f < f p f l f < , ì f l f b f g f □ □ [f N , ì □ Ý ' è □ B

' ¼ , ì TCP/IP f A f v f Š f P □ □ [f v f f f " , ì Ž g , ì , Ü , · , © ? (telnet , FTP , WWW f u f % o f E f U , È , Ç)

f z f X f g - ¼ , Ü , ½ , í IP f A f h f Ç f X , í , Å , Ä , Ü , · , © ?

' ¼ , ì f } f v f " , Å , » , ì f z f X f g , É □ Ú ' ± , Å , « , Ü , · , ª ?

fjfbfgf [fN,ÉŠÖ,·,éY'è-@,É,Â,ç,Ä]žÒ,ÉŽž-â,μ,È,ç,Å,-
,¾,¾,ç BfCf“f^ [fjfbfgŠÖEW,ì“ü-
â' ,âŽŽ,đ“Ç,ρ, © Afjfbfgf [fN(fvffofCf_[]),ìŠÇ—žÒ,É•,ç,Ä,,¾,¾,ç B

Q. f_jCfAf<fAfbfv TCP/IP (PPP) Ú±,Å A Tera Term ,đŽg,α,É,Í,Ç,α,μ,½,ç,æ,ç
, ©? (“d~b%ñü,Å A,ç,í,ä,éufCf“f^ [fjfbfgv,·,éI,ìê#)

A. Tera Term ,đ<N“® ,·,é'O,É Af_jCfAf<fAfbfv (PPP) Ú±,đŠm—š,¾,¾,Ä,-
,¾,¾,ç B Windows 95 ,ìê#,í A uf_jCfAf<fAfbfv fjfbfgf [fNv,đŽg—ρ,μ,Ü,· B

f_jCfAf<fAfbfv (PPP) Ú±,đŠm—š,μ,½,ç Tera Term ,đ<N“® ,μ A [File] New
connection f_jCfAf [fOf {fbfNfX,Å AfzfXfg-¼,Ü,½,ÍzfXfg,ì IP fAfhfCEfX,đ“ü—
Í,μ,ÄzfXfg,É telnet Ú±,đ,μ,Ü,· BzfzfXfg-¼,Ü,½,Í IP
fAfhfCEfX,ª,í, ©,ç,È,ç ê#,í AfzfXfg,ìŠÇ—žÒ,É•,ç,Ä,,¾,¾,ç B

PPP Ú±,ìê# AfvfšfAf<f [fg,Í Tera Term ,Ä,Í,È, PPP Ú± f\
ftfg,É,æ,Á,ÄšCEä,¾,è,Ü,· B Tera Term ,ìvfšfAf<f [fg Ú± <@“\,í A]—^,ìpf\
fRf“É M“ I Ú±,ì,½,β,ì,à,ì,Å A PPP Ú±,Æ,ÍŠÖEW, ,è,Ü,¹,ñ B

Q. Telnet ,ÄzfzfXfg,É Ú±,μ A,» ,ìCEäf [fOf AfEfg,μ,½,Æ,« ,É Tera Term
,ªYžè,É I—¹,μ,Ä,μ,Ü,çç,é B

A. [Setup] TCP/IP ,ì **Auto window close** ,đ off ,É,μ,Ä,,¾,¾,ç B

Q. Telnet Ú±,đ,μ,½,ç,ì,É A<N“® ,·,é,ÆYžè,É fvfšfAf<f |
[fg,ªŠ], ©,è,Ä,μ,Ü,α B

A. [Setup] General ,Å **Default port** ,đ "TCP/IP" ,É,μ,Ä,,¾,¾,ç B

Q. TERATERM.INI ,đ• X,μ,½,ª A,» ,ì• X,ª—LCEø,É,È,ç,È,ç B

A. TERATERM.INI ,đ• X,μ,½,Æ,« ,É Tera Term fzfbvfj“ ,ª—,Ä,Ä,ç
,éê# A,» ,ì• X,Í,·,® ,É,Í—
LCEø,É,Í,È,è,Ü,¹,ñ (• X,ª,É,¾,è,½CEä,ÉŠJ, ©,è,½zfzfbvfj“ ,É'Í,μ,Ä,¾,ì,à—
LCEø,É,Í,È,è,Ü,¹,ñ) B ,±,è,í A TERATERM.INI ,ìî• ñ,í Å % ,ì Tera Term
fzfbvfj“ ,ªŠ], ©,è,½Žž,Éf [f,š,Éf [fh,¾,è A,» ,é^ È~ A ,È,-
,Æ,à ê,Ä,ìfzfbvfj“ ,ªŠ], ç,Ä,ç,éŠÔ,í [f,š,É•ÜŽ ,¾,è±
, ,é, ©,ç,Ä,· B [f,š,É•ÜŽ ,¾,è,Ä,ç,éî• ñ,đ X V,·,é,½,β,É,í A [Setup] Restore
setup fRf}f“fh,đŽÀs,·,é, © A,·,x,Ä,ì Tera Term fzfbvfj“ ,đ• Ä,¶,Ä,-
,¾,¾,ç B,½,¾,μ A TERATERM.INI ^ÈŠÖ,ìY'èftf@fCf<,É'Í,μ,Ä,í A,±,ì,æ,α,É,·,é• K
—v,í, ,è,Ü,¹,ñ B

[“ú-{CEê]

Q. “ú-{CEê,ª“ü—Í/•Ž!,Å,« ,È,ç B

A. ,Ü, ,í [Setup] General ,Å **Language** ,ª "Japanese" ,É,È,Á,Ä,ç,é,±
,Æ,đŠm“F,μ,Ä,,¾,¾,ç BŽŸ,É [Setup] Terminal ,Å **Kanji (teceive)** ,Æ **Kanji**

(transmit) ,đ "SJIS", "EUC", "JIS" ,l'†, ©,ç,P,Â'l,Ñ—¼•û,Æ,à"˘,¶,à,ì,É,μ,Ä,-
,¾,¾,ç□B,R,Â,Æ,à,½,β,μ,Ä,α,Ü,,ç,,à,ì,đ'T,μ,Ä,,¾,¾,ç□B,æ,èŠmŽÀ,É,ÍfzfXfg,ÌŠÇ—
□ŽÒ,É,Ç,ì"ú-{ŒêfR□[fh,đŽw'è,·,x,«,©••,ç,Ä,,¾,¾,ç□B

A. fzfXfg,ÄŽg,í,ê,Ä,ç,é"ú-{ŒêfR□[fh,ª JIS ^ÈŠO,ì□ê□‡,Ä□A"ú-{Œê,ì"ü—
Í,ª,Ä,«,É,ç□ê□‡□AfzfXfg,Ä 8 bit •¶Žš,ì"ü—Í,ª,Ä,«,é,æ,α,É□Y'è,¾,è,Ä,ç,É,ç%oÄ"
□«,ª, ,è,Ü,·□B8 bit •¶Žš,đ"ü—Í%oÄ"\\,É,·,é,É,Í□A—á,ì,Í^È%oº,ì,æ,α
,ÉfRf}f"fh,Ä□Y'è,μ,Ä,,¾,¾,ç□B

stty pass8 (SunOS™ ,ì □ê□‡)

set term /eight (VMS ,ì □ê□‡)

□Ú,μ,,í□AfzfXfg,ÌŠÇ—□ŽÒ™ ,É••,ç,Ä,,¾,¾,ç□B

Q. Šžšf,□[fh,đ **JIS** ,â **EUC** ,É,μ,½,Æ,« Shift-JIS ,ÌŠžžš,đŽó□M,·,é,Æ Tera
Term ,ªfñf"fofAfbfv,·,é□B

A. □uC1 □šŒä•¶Žš,đŽg—p,μ,É,ç□v,đ"Ç,ñ,Ä,,¾,¾,ç

Q. [Setup] Terminal ,Ä **Kanji-Out** ,Ä ^[(H ,đ□Y'è,Ä,«,é,æ,α,É,μ,Ä,Ü,μ,ç□B

A. □u□¾,μ,,É,ç "Kanji-Out" ,đŽg—p%oÄ"\\,É,·,é□B□v,đ"Ç,ñ,Ä,,¾,¾,ç□B

[fL□[f{□[fh]

Q. Backspace ,Ü,½,í Delete (DEL) fL□[,đ%oÿ,μ,Ä,àfj□[f\

f<,í^ê,Ä□¶,ì•¶Žš,ª□Á,¹,È,ç□B

A. Backspace fL□[,É,Ä,ç,Ä,í [Setup] Keyboard ,ì **Backspace key** ,đ on
,Ü,½,í off ,É•í,ì,Ä,Y,Ä,,¾,¾,ç□BDelete fL□[,É,Ä,ç,Ä,í□A[Setup] Keyboard ,ì

Delete key ,đ on ,É,μ,Ä,,¾,¾,ç□B,½,¾,μfzfXfg,É,æ,Ä,Ä,í Delete
fL□[,ªŽg,ì,É,ç□ê□‡,ª, ,è,Ü,·□B

Q. fef"fL□[(□"lfl□[fpfbfh),ÄfL□[,É□',ç,Ä, ,é•¶Žš,ª□¾,μ,"ü—Í,Ä,«,É,ç□B

Q. fef"fL□[(□"lfl□[fpfbfh),Ä "/" , "*" , "-" , "+" ,ª"ü—Í,Ä,«,È,ç□B

A. □ufef"fL□[(□"lfl□[fpfbfh),É,Ä,ç,Ä□v,đ"Ç,ñ,Ä,,¾,¾,ç□B

Q. F1-F4 fL□[,ªŽg,ì,É,ç□B

A. □uF1-F4 fL□[□v,đ%oÿ,·,±,Æ,É,æ,Ä,Ä VT100 ,ì PF1-PF4 fL□[,ì<@"
,đŽÀŒ»,¾,¹,½,ç,Æ,ç,α^Ó-ì,É,ç,Í□A□uVT100 ,ì PF1-PF4 fL□[□v,đ"Ç,ñ,Ä,,¾,¾,ç□B

Q. %o½□XfL□[,ªŽg,ì,É,ç□B

A. ,±,ìŽí,ìŽž-â,í,½,ç,Ä,ç,ì□ê□‡"š,ì,ç,è,Ü,¹,ñ□B,» ,ìfL□[,đ%oÿ,μ,½Žžž,É'—

□o,¾,è,é,x,«•¶Žš(—ñ) , ,é,ç,ÍŽÀ□s,¾,è,é,x,«<@"\\,ª,í,©,ç,É,ç,±,Æ,ª½,ç

,©,ç,Ä,·□B,à,μ,»,è,ª,í,©,é□ê□‡,Í□AfL□[f{□[fh□Y'èftf@fCf<,đ□Y'è,·,é,±

,Æ,É,æ,Ä,Ä,»,ìfL□[,đŽg,ì,é,æ,α,É,·,é,±,Æ,ª,Ä,«,Ü,·□B KEYCODE].TXT ,đ"Ç,ñ,Ä,-
,¾,¾,ç□B

Q. -^ŽĐ,ì unix ,É□Ú'±,μ□ADEL fL□[,đ%oÿ,μ,ÄŽÀ□s't,ìfvf□fof%of€

,đ't'f,μ,æ,α,Æ,μ,½,ª,Ä,«,É,ç□B

A. [Setup] Keyboard ,ì **Delete key** ,đ on ,É,μ,Ä,,¾,¾,ç□B

Q. [Edit] Paste (Copy) , ì fVf#[] [fgf]fbfgfL[] , í Alt+V (Alt+C) , É, È, Á, Ä, ç , é, ð, A'¼, ì fVf#[] [fgf]fbfgfL[] , Æ" ~ , ¶ Ctrl+V (Ctrl+C) , É, µ, ½, ç, B
A. Ctrl+V , ì AfzfXfg, É ^V • ¶ Žš, ð'—[] o, , é, ½, ß, É Žg, x, ±, Æ, ð, , é, ì, Å, A[] %ŠúY'è, Å, ì AfVf#[] [fgf]fbfgfL[] , É, È, Á, Ä, ç, Ü, ¹, ñ, B Ctrl+V , ð **[Edit] Paste** , ì fVf#[] [fgf]fbfgfL[] , É, , é • û-@ , ì A[] uft[] [fU[] [] EfVf#[] [fgf]fbfgfL[] [] v, Æ KEYCODE].TXT , ð" Ç, ñ, Å, , ¾, ¾, ç, B

[ftf@fCf<"']'—]

Q. XMODEM/ZMODEM/B-Plus/Quick-VAN , É, æ, éftf@fCf<"']'— , ð, x, Ü, , ç , ©, È, ç, B
Q. f[] f[] f[] ...[] , ì **XMODEM/ZMODEM/B-Plus/Quick-VAN** , ð ŠD[] F, É, È, Á, Ä, ç , Ä Žg, ì, È, ç, B
A. [] uXMODEM , ì f[] q[] f[] "[] f[] g[] v
[] uZMODEM , ì f[] q[] f[] "[] f[] g[] v
[] uB-Plus , ì f[] q[] f[] "[] f[] g[] v
[] uQuick-VAN , ì f[] q[] f[] "[] f[] g[] v
, ð" Ç, ñ, Å, , ¾, ¾, ç, B

Q. , éfzfXfg, Öf[] f[] OfCf" , µ[] A, » , ± , ©, ç'¼, ì fzfXfg, Öf[] f[] OfCf" , µ, ½, ê[] #[] A[] I' [zfzXfg, Æ Tera Term , ì ŠÔ, Å, ìftf@fCf<"']'— , ð, x, Ü, , ç , ©, È, ç, B
A. ^ È%º, ð ŽQ[] I, É, µ, Ä, , ¾, ¾, ç, B
'tŠÔfzfXfg, ð Çe—R, µ, ÄfzfXfg, É[] Ú'±, µ, ½, ê[] #[] , ìftf@fCf<"']'—

[,», ì'¼]

Q. Tera Term extension interface , Æ, ì%º½?
A. Tera Term , Æ add-on f, fWf...[] [f<, ì ŠÔ, ìfCf" f^[] [ftfFfCfX, Å, ·[] B Add-on f, fWf...[] [f<, ì DLL , ì Ç` , Å, ì[] —, ¾, ê[] A Tera Term , ìft[] [fU[] [fCf" f^[] [ftfFfCfXŠÖ[] "[] A[] Y'èŠÖ[] "[] A Winsock ŠÖ[] " , ðftfbfN, , é, ± , Æ, ð, Å, «, Ü, ·[] B 1998 "N 3 Ç Ž Ç »[] Y[] A—~—p%ºÅ"\, È add-on f, fWf...[] [f<, ì ê, Å, à, , è, Ü, ¹, ñ, ð[] A ssh , Æ SSL , ðftf[] [fg, , é add-on f, fWf...[] [f<, ð Š] , , é Ç v %ºæ, ð, , è, Ü, ·[] B Ç »[] Y—~—p%ºÅ"\, È add-on f, fWf...[] [f<, É, Å, ç, Å, ì[] A Tera Term home page , ð Ç © , Ä, , ¾, ¾, ç, B

Q. ÇE[] ü • ¶ Žš ("Tera Special" ftfHf"fg) , ð[] ³[] í, É • \Žì, ¾, ê, È, ç, B
A. fRf"fgf[] [f<fpf]f<, ì uftfHf"fg[] v, Å[] A "Tera Special" ftfHf"fg, ð[] í[] œ, µ[] AfVfXfef€, ð[] Ä<N" ® , µ[] A "Tera Special" ftfHf"fg, ðfRf"fgf[] [f<fpf]f<, ì uftfHf"fg[] v, Ä Žè" ® , Å[] ÄfCf" fXfg[] [f<, µ, Ä, , ¾, ¾, ç, B

Q. ÇE[] ü (DEC "Á Ž èftfHf"fg) , ð • \ Žì, ¾, ¹, é, Æ[] A[] ü, É Ç , ŠÔ, ð, Å, «, ½, è[] A • Ó, Æ Šp, ð, È, ß, ç, ©, É, Å, È, ð, ç, È, ©, Á, ½, è, , é[] B

A. Tera Term ,Á,Í DEC "ÁŽêftfHf"fg,đ•\Ž|,³,¹,é,½,β□A"ÆŽ©,ì True Type ftfHf"fg "Tera Special" (**TSPECIAL.TTF**) ,đ—p,ç,Ü,·□B%œ-É,É•\ Ž|,³,¹,é,Æ,«,í□A•□'É,ì•¶Žš,ìftfHf"fg,Æ"~,¶'â,«,³,ÉfXfP□[f<,μ,Ü,·,ª□A,»,"ì" {— |,É,æ,Á,Ä,í□ACEr□ü,ÉCE,,ŠÔ,ª,Á,«,é,È,Ç,ì-â'è,ª"¶¶,μ,Ü,·□B,³,Ü,·,Ü,È'â,«,³□A□c%o ;"ä,ìftfHf"fg,É "Tera Special" ,đŠ®'S,É"K□‡,³,¹,é,ì,í•s%oÄ"\ ,È,ì,Á□A•□'É,ì•¶Žš,ìftfHf"fg,ìŽí—p,â'â,«,³,đ,ç,ë,ç,ë•ì,|,Ä□A-â'è,ª<N,«,È,ç ,à,ì,đŽg—p,μ,Ä,,¾,³,ç□B

Q. [Setup] Font f_fCfAf□fOf{fbfNfX,ìŠfXfg,ÉŠÜ,Ü,é,éftfHf"fg,ìŽí—p,ª□,È,ç ,ì,ì,È,º?

Q. [Setup] Font f_fCfAf□fOf{fbfNfX,Á,È,º "Times" ftfHf"fg,ª'ì'đ,Á,«,È,ç?

A. Tera Term ,í",l,r -¾'©",â "Terminal" ,ì,æ,ª,ÉCEÁ'è•□ftfHf"fg,μ,©Žg— p,μ,Ü,¹,ñ□B,È,º,È,ç VT '[-- ,đ□³,μ,fGf~f...fCE□[fg,·,é,½,β,É,í•¶Žš,đ"™ ŠÔŠu,Á•\ Ž|,μ,È,·,é,ì,É,ç,È,ç,©,ç,Á,·□B"Times" ,ì,æ,ª,È%oÄ•ì•□(fvf□f| □[fvf#fif<)ftfHf"fg,đ"™ ŠÔŠu,É•\Ž|,³,¹,é,æ,ª,É,·,é,É,ìfvf□fOf%of€ ,ª•iŽG,É,È,é,½,β Tera Term ,í,» ,é,ç,ìftfHf"fg,đŽg—p,μ,Ä,ç,Ü,¹,ñ□B

Q. •¶Žš,ª%o; " |,μ,É,È,Á,Ä•\Ž|,³,é,Ä,μ,Ü,ª□B

A. [Setup] Font f_fCfAf□fOf{fbfNfX,ÁftfHf"fg-¼,ì□æ"ª,É "@",ª,Á,ç ,½ftfHf"fg,đ'ì'đ,·,é,Æ•¶Žš,ª%o; " |,μ,É,È,Á,Ä•\Ž|,³,é,Ü,·□B"@ " ,ª,Á,©,È,çftfHf"fg,đ'ì'đ,μ,Ä,,¾,³,ç□B

Q. f_fuf<fNfŠfbfN,Á'PCEê,đ'ì'đ,·,é,Æ,«,ì'PCEê,ì<æ□∅,è•û,đ'È'Ö,ìfo□[fWf#f" ,ì Tera Term ,Æ"~,¶,É,μ,Ä,Ü,μ,ç□B

A. □uf_fuf<fNfŠfbfN,É,æ,é'PCEê'ì'đ,ì<æ□∅,è•¶Žš□v,đ"Ç,ñ,Á,,¾,³,ç□B

Q. %o½,©,ì"□Žq,É TEK window ,ª□ŸŽè,ÉŠJ,ç,Ä,μ,Ü,Á,Ä□ç,é□B

A. [Setup] Terminal ,Á **Auto change (VT<->TEK)** ,Æ,ç,ª□€-Ú,đ off ,É,μ,Ä,,¾,³,ç□BOn ,É,È,Á,Ä,ç,é,Æ□ATEK4010 ,Æ,ç,ªfOf%ofBfbfN'[- - ,ìRf"fgf□□[f<fv□[fPf"fx,đŽó□M,μ,½,Æ,« TEK window ,ªŽ©"®"ì,ÉŠJ,«,Ü,·□B

Q. Tera Term 1.X ,Á,ìfXfNf□□[f<fofbftf@,ì— É,đ800□s^È□ä,É,Ä,«,Ü,¹,ñ,ª□A,à,Á,Æ'□,â,¹,Ü,¹,ñ,©?

A. Win 3.1 —p,ì Tera Term ,Á,í,Á,«,Ü,¹,ñ□BWin 95, Win NT —p,ì Tera Term Pro ,Á,ìfXfNf□□[f<fofbftf@,ì—É,đ800□s^È□ä,É□Ÿ'è,Á,«,Ü,·□B

Q. f}fNf□,đ,Á,©,Á,Ä□Af,fff€,É□Ÿ'èfRf}f"fh (AT...),đ•i□"□s'—,è,ª ,Æ,μ,½,ª□A'—,é,ì,ª'—,·,—,Äf,fff€,ªfRf}f"fh,đ□³□í,É,ª,·,Ä,·,È,ç□B

A. f,fff€,É,æ,Á,Ä,í□A, ,éfRf}f"fh□s,đ□^—□,μ,Ä,éŠÔ,É□AZŸ,ìRf}f"fh,ª'— ,ç,é,Ä,,é,Æ□A□^—□'t,ìRf}f"fh,đfLfff"zfz<,·,é□A,Æ,ç,ª,æ,ª,É,à,ì,ª, ,è,Ü,·□Bf,fff€ ,©,ç□uOK□v,ª—^,½,ì,đŠm" F,μ,½CEã,ÉŽŸ,ìRf}f"fh,đ'—,é,æ,ª ,É,·,é,©□A[Setup]Serial port ,Á **Transmit delay** ,ì msec/line ,ìl,đ'□,â,μ,Ä,Ý,Ä,,¾,³,ç□B(—á,ì,ì 200 msec/line ,É,·,é)

Q. MS Net meeting ,đfCf“fXfg□[f<,μ,½,Æ,±,ë□AfL□[f{□[fh□Ý’èftf@fCf< (*.CNF) ,ìfAfCfRf“,ª Net meeting ,ì,à,ì,É•í,í,Á,Ä,μ,Ü,Á,½,ª□A-â’è,í,È,ç,©?

A. fAfCfRf“,ª•í,í,Á,½,¾,¯,Å“à—e,í•ï%o»,μ,Ü,¹,ñ,μ□ATera Term ,íL□[f{□[fh□Ý’èftf@fCf<,đ“Ç,þ,±,Æ,ª,Å,«,é,ì,Å-â’è, ,è,Ü,¹,ñ□B,½,¾,μfAfCfRf“,đf _fuf<fNfŠfbfN,·,é,Æ Net meeting ,ª<N“® ,μ,Ä,μ,Ü,ç,Ü,·,ì,Å□A,μ,È,ç,Å,,¾,³,ç□B

Q. Windows NT ,ì at fRf}f“fh(fXfP□[fWf...f<<@”\),Å Tera Term ,đ<N“® ,·,é,± ,Æ,ª,Å,«,È,ç□B

A. /interactive flfvfVf†f“,đŽw’è,·,é,î<N“® ,·,é,±,Æ,ª,Å,«,Ü,·□B

-v-]W

ŕiŽÒ,É~A—,đ,·,é‘O,É,±,lfy[fW,đ,æ,“Ç,ñ,Å,,³/₄,³,çB
,±,±,Å,lf^t[fU[,ì•ûX,©,ç,æ,,æ,¹,ç,é,é—v-],đ,Û,Æ,ß,Û,·B,±,±,É‘,ç,Ä, ,é,±
,Æ,đŕiŽÒ,É—v-],âŕÅ‘£,đ,µ,È,ç,Å,,³/₄,³,çB
,±,±,É‘,ç,Ä,È,ç,±,Æ,í,·,Å,É‘í%ž,³,è,Ä,ç,ééê†,ª, ,è,Û,·,ì,ÅA,±
,lfwf<fvAMACRO fwf<fvAREADMEJ.TXTAKEYCODEJ.TXTATera Term home
page ,đ,æ,“Ç,ñ,Å,,³/₄,³,çB

ŕ«—^‘í%ž,·,é,©,à,µ,ê,È,ç,à,ì

ssh ,Û,¹/₂,í SSL ‘í%ž(1998”N3ŒŽŒ»ŕŕACEv%æŕiŕs’tB Tera Term home
page ,đ,²—,·,³/₄,³,çB)

VT100,ì”{Šp•ŕŽšA”_Å•ŕŽš

VT3XX,ì•ŕŽš(ŕs)ŠÔŒŕü

fç[f<Efo[[]AfXfe[f^fXEfo[

f_fCfAf%[]

fL[f{[fhŕŕ‘è—pft[fefBfŠfefB[

fŕfj...[.,âf_fCfAfŕfOf{fbfNfX,lfjXf^f}fCfY

•ŕŽš—ñŒŕŕö<@”\

TEK window ,ì%æ—Êfobftf@ & fXfNf[]f<Efo[

TEK window ,ì‘óü,ì%đ‘œ“x,đ%ü‘P,·,éB

ftf@fCf<”]—Žž,ì”]’—‘—“xAŽc,èŽžŠÔA—_fOf%ft•\Ž!

ZMODEM ,ì”]’—[]Šj<@”\

YMODEM

Chinese & Korean •ŕŽšfR[[]fh

Unicode

[]Å‘â%»f{f^f“

[File] Print setup fRf}f“fh

fXfNf[]f<fobftf@,ì“à—eA‘l‘đ,³,è,¹/₂•ŕŽš,đftf@fCf<,É•Û‘ŕ

%æ—É/•ŕŽš[]F,lfžw‘è,đj%[]fpfŒfbfg,Å[]s,ŕ

132 Œ...f,[]fh,ì,Æ,«[]ŕ,³,çftfHf“fg,É[]Ø,è‘Ö,ì,é

%opŒè Windows ,ÅŠ;Žš•\Ž!

ŕ«—^‘í%ž,·,é,©,à,µ,ê,È,ç,à,ì(MACRO ŠÖŒW)

”z—ñ•ì”

”exec” fRf}f“fh,ÅfŠf_fCfŒfNfVf†f“‘í%ž

fOfCfifŠff[[]f^,đ “wait” ,Å‘Ö,Ä,é,æ,ŕ,É,·,éB

%“,ç%“,çŕ«—^,É‘í%ž,·,é,©,à,µ,ê,È,ç,à,ì

TEK41XX, 42XX ‘[—,lfGf~f...fŒ[]fVf†f“

Televideo, Wyse ‘[—,lfGf~f...fŒ[]fVf†f“

TN3270

URL ,đ”¹/₂”[[]F•t,ŕ)•\Ž![]BURL ,đfNfŠfbfN,·,é,Æ WWW fuf%OfEfU,ªŠ,[]B

f}fNfOf%of“fh,đ“š-¾%»
Š,č,Ä,č,éVfŠfAf<f|[]fg,đ¼,lfAfvfŠfP[]fVf#f“ ,Æ“~Žž<α—L%oÂ“\,É,·,éB
[]s“ü—íf,[]fh[]A[]s“ü—í,ì,½,ß,lfEfBf“fhfE,đ—p^Ó,·,éB
Kermit ,ì”]’—’—“x%oü’P
%oÂ•İ•[](fvf[]f|[]fVf#fif<)ftfHf“fg
ANSI/AVATAR
REGIS
f}fNf[],Å¼[]Ú’Ê[]Mf|[]fg,đ’€[]ì

□ìŽÒ,Ö,ì~A—□

fjfbfgf□□[fN□Ý'è□A□Ú'±-@□AfzfXfg,ì□Ý'è□AfL□[f{□□[fh□Ý'è-
@□Af}fNf□ftf@fCf<□ì□~@“™□ATera Term ,ìŽg,ç•û,ÉŠÖ,·,éŽç-
â,ð□ìŽÒ,É,μ,È,ç,Â,,¾,¾,ç□B,ç,α,©•t'®•¶□',ð,²—,¾,¾,ç□B□Å□V□î•ñ,â□A•Ö
—~,È□î•ñ□Efc□[f<“™,Í Tera Term home page ,Å©,Â,©,é,©,à,μ,ê,Û,¹,ñ□B

Tera Term home page ,ì fAfhfçfX,Í:

<http://www.vector.co.jp/authors/VA002416/>
(□«—^•ï□X,¾,ê,é,©,à,μ,ê,Û,¹,ñ□B)

'~□ìç ,âŽg—p□ðç□,ÉŠÖ,·,éŽç-â,â□A“Á•Ê,ÈŽg—p,“,æ,Ñ“z•zç`Ô,ÉŠÖ,·,é<-
%oÂ,ì□□ì“™,Í,ç,α,¾f□□[f<,μ,Ä,,¾,¾,ç□B
Žç-â,âfofO•ñ□□,â—v-],Â,Í,È,'P,Éf□fbfZ□[fW,ð'—,è,½,ç□ê□#,à,ç,α,¾□B

fofO,ì•ñ□□,â—v-],ð,·,é□ê□#,Í^È%o,ð•K,„æ,“ç,ñ,Â,,¾,¾,ç:

Q & A

—v-]□W

Tera Term □Ý'èftf@fCf< (—v-],ª,·,Â,ÉŽÀç»,,¾,ê,Ä,ç,é,©,à,μ,ê,Û,¹,ñ□B)

,»,,ì¾□A,±,ìfwf<fv,ìŠÖçW,·,é•”•ª

•t'®•¶□'

READMEJ.TXT

KEYCODEJ.TXT

MACRO_fwf<fv

,Û,½fofO•ñ□□,ì□ê□#,í□A,»,,é,ª□Ý'è,ì-â'è,Â,Í,È,ç,Æ,ç,α,±,Æ□ATera Term çÄ—
L,ì-â'è,Â, ,é,Æ,ç,α,±,Æ□A,ð,Â,«,,é,¾,¾,~Šm”F,μ,Ä,Ý,Ä,,¾,¾,ç□B Tera Term
,¾,¾,~ ,Â,Í,È,¾,ìfAfvfŠfP□[fvf#f“(—á,ì,Í Windows 95/NT •W□€•t'®,ì telnet.exe)
,Â,à“~ ,¶-â'è,ª<N,±,é□ê□#,Í Tera Term ,ìfofO,Â,Í,È,ç□ê□#,ª½,ç,Â,·□B□l,ì,ç,é,éç
^ö,â,»,,ì-â'è,ª•K,„<N,±,é,æ,α,È□ðç□,ðç©,Â,~ ,Ä,ç,½,¾,¾,-
,Æ□ìŽÒ,Í”ñí,É□•,©,è,Û,·□B•ñ□□,ì□Û,í□ATera Term
,ìfo□[fWf#f“,âŠÖçW,·,é,ÆŽv,í,ê,é□î•ñ,ð□',ç,Ä,,¾,¾,ç□B

□ìŽÒ,Éf□□[f<,ð'—,Á,Ä,,¾,¾,Á,½□ê□#□A•ÔŽ-

,ª,©,È,è'x,ê,½,è□A□o,¹,È,ç□ê□#,à,æ,, ,è,Û,·,ì,Ä,²—¹³,-

,¾,¾,ç□B,Û,½□A,·,Â,É•ñ□□,¾,ê,Ä,ç,éfofO,â□o,¾,ê,Ä,ç,é—v-]□ATera Term

•t'®•¶□',É“š,ì,ª□',ç,Ä, ,éŽç-â“™,Í•ÔŽ-,ð□È—ª,¾,¹,Ä,ç,½,¾,¾,-

,©,à,μ,ê,Û,¹,ñ(¹,Á,©,f□□[f<'—,Á,Ä,,¾,¾,Á,½,ì,É-{“-,É,·,Ý,Û,¹,ñ)□B

□ìŽÒ(Ž>¼ □,),ìf□□[f<fAfhfçfX:

teranishi@rikaxp.riken.go.jp

(□«—^•ï□X,¾,ê,é,©,à,μ,ê,Û,¹,ñ□B)

—pĀĒ□W

fzfXfg

,±,lfwf<fv,Å,Í□A□Ú'±□æ,lfRf"fsf...□[f^(fzfXfg□Efrf"fsf...□[f^),ì,±
,Æ,ðfzfXfg,Æ,č,č,Ü,·□B

fzfXfg-¼

Telnet "™,Å□Ú'±□æ,lfzfXfg,ðŽw'è,·,é,½,β,ÉŽg—p,·,é-¼'O,Å,·□B".
,Å<æ□Ø,ç,ê,½•i□",ì•ŕŽš—ñ,Å□\□-,³,ê,Ü,·(-á:
"host.domain.xx.jp")□B^ê"Ô□Å□%o,ì•ŕŽš—ñ,lfzfXfg□Efrf"fsf...□[f^,ì-
¼'O,ð•\,μ□A,».,ê^Ê□~.,í,».,lfRf"fsf...□[f^,ª®.,.élfbfgf□□[fN,â□',ð•\
,μ,Ü,·□BfzfXfg-¼,É,í,».,ê,É'í%ož,·,é IP fAfhfĀfX,ª,·,è,Ü,·□B

fvf□fgfRf<

,±,lfwf<fv,Å,Í□u<K-ñ□v□A□u<KŠi□v,Æ,č,α^Ó-;.,Å,±,ìĀ¼-t,ªŽg,í,ê,Ä,č,Ü,·□B

B-Plus

fAf□fŠfj,ì BBS□ACompuServe ,ì,½,β,ÉŠJ",³,ê,½ftf@fCf<"J'—fvf□fgfRf<□B"ú-
{,Å,í NIFTY-Serve ,ÅŽg—p,³,ê,Ä,č,Ü,·□B

BBS

Bulletin Board System (ĀfŽ'!^fVfXfef€),ì—ª□BNiftyServe ,ì,æ,α,Ê□A,č
,í,ä,éfpfVfRf""Ê□MfT□[frfX,ì,±,Æ,Å,·□B

DOS/V (fhfX□Efu□j

"ú-{fAf□Efr□[□Efgf€,ªŠJ",μ,½"ú-{ĀĒ DOS
(fffBfXfNfIfyfĀ□[fefBf"fofVfXfef€)□B,č,í,ä,é□uDOS/V fpfVfRf"□v,í DOS/V ,É'í
%ož,μ,½ IBM PC/AT ĀÝŠ<@,ì'□ì,Å,·(ŠO□',ì□l,É□uDOS/V□v,Æ,č,Á,Ä,à,½,č
,Ä,č'Ê,ŕ,Ü,¹,ñ)□B

IBM PC/AT

IBM ŽĐ,ì PC ,ì-¼'O,Å,·□BĀ»□Ý PC/AT ,».,ì,à,ì,í□»'č,³,ê,Ä,č
,Ü,¹,ñ,ª□A,».,ê,ÆĀÝŠ<□«.,ð,à,½,¹,Å,Å□«"\\,ðĀü□ã,³,¹,½ PC (IBM PC/AT
ĀÝŠ<@),ªĀ»□Ý,Å,à□čŠE't,Å□L,Žg—p,³,ê,Ä,Ä,~,Ä,č,Ü,·□B

IP fAfhfĀfX

Telnet "™,Å□Ú'±□æfzfXfg,ðŽw'è,·,é,½,β,ÉŽg—p,·,é4,Å,ì□"Žš,ì—
ñ,Å,·□B4,Å,ì□"Žš,í ". ,Å<æ□Ø,ç,ê,Ü,·(-á: 11.11.11.11)□BIP
fAfhfĀfX,ÍSo,ì,É,,č,ì,Å□A,©,í,è,ÉfzfXfg-¼,ðŽw'è,μ,Å□Ú'±,·,é•û,ª•Ö—~,Å,·□B

Kermit

fAf□fŠfj,lfRf□f"frfA'ãŠw,ÅŠJ",³,ê,½ftf@fCf<"J'—fvf□fgfRf<□BKermit
fvf□fgfRf<,É'í%ož,μ,½ftfg,ª□A½,ì PC, OS —p,ÉŠJ",³,ê,Ä,č,Ü,·□BTera Term ,ì

Kermit ,í;ì,ì,Æ,±,ěŠî-{"l<@"\,μ,©Ž□,Á,Ä,ç,È,ç,ì,Å□A-{%oÆ,ì Kermit ,É"ä,x,é,Æ"']—'—"x,ä, ,Ü,è'—,, ,è,Ü,¹,ñ□B

PC98

,©,Ä,Ä,í□ANEC ,ì PC98XX fvfš□[fy,ì PC ,ì—
ªCEê,Æ,μ,Äžg,í,ê,Ä,«,Ü,μ,¹/₂,ª□A□Å<β,Å,íf}fCfNf□f\ftfg,ì□ô'è,μ,¹/₂ PC
,ìfn□[fhfEfFfAZd—l,ì-¹/₄'O,Æ,μ,Ä,àžg,í,ê,Ä,ç,Ü,·(-¹/₄žÒ,ÍŠÖCEW, ,è,Ü,¹,ñ)□B,Ü
,¹/₂ 1997 "N,ì--□ ,©,ç□ç,É,Å,¹/₂ NEC ,ì PC98 NX fvfš□[fy,ì PC ,í□ACEãžÒ,ìžd—
l,É,μ,¹/₂,ª,Ä,¹/₂,à,ì,Å IBM PC/AT CEÝŠ·<@,(ç,í,ä,é □uDOS/V fpfjRf"□v)
,Æ,Ü,Ú"~ ,¶,à,ì,Æ□l,ì,Ä,æ,ç,Å,μ,â,æ□BPC98 NX ,É Tera Term
,đfCf"fxfg□[f<,·,éžž,ífL□[f{□[fh,ìží—p,É □uIBM PC/AT fL□[f{□[fh□v,đžw'è,μ,Ä,-
,³/₄,³,ç□B

PPP (f_fCfAf·fAfbfv□Ú'±)

Point-to-Point Protocol ,ì—ª,Å□AfVfŠfAf<%oñ□ü,â"d~b%oñ□ü,ì,æ,æ,È^è'í^è
%oñ□ü,É," ,ç,Ä TCP/IP
"™ ,ìfjfbfgf□□[fNfvf□fgfRf<,đžÀCE»,³,¹,é,¹/₂,β,ì<KŠi,Å,·□B"d~b
%oñ□ü,đ,Æ," ,μ,Ä□ufCf" f^□[fjfbfg,·,é□v□ê□#,É'É□í PPP ,ªžg,í,ê,Ü,·□B

Quick-VAN

"ú-{,ì BBS□APC-VAN ,ì,¹/₂,β,ÉŠj" ,³,ê,¹/₂ftf@fCf<"']—fvf□fgfRf<□BXMODEM
fvf□fgfRf<,đfx□[fX,É,μ,Ä,é,æ,æ,Å,·,ª□A"']—'—"x,đ, ,°,é,¹/₂,β,ì□H·v"™ ,ª,È,³,ê,Ä,
ç,Ü,·□B

TCP/IP

fCf" f^□[fjfbfg,Äžg—p,³,ê,Ä,ç,éff□[f^"']—,đ□\$CEä,·,é,¹/₂,β,ìfvf□fgfRf<□B

TEK4010

Tektronix ŽĐ,ì'[--,ì-¹/₄'O,Å,·□B□],âfOf%ofv,È,Ç,đ·žì,·,é,±,Æ,ª,Ä,«□A,©,Ä,Ä,í
%oÈŠw<Z□pCEn,ì·ª-ì,Å□L,—p,ç,ç,ê,Ä,ç,¹/₂,æ,æ,Å,·□BCE»□Ý,í□AX Window
ŠÅ««,È,Ç,Éžæ,Ä,Ä'Ö,í,ç,ê,Ä,Ä, ,è,Ü,·,ª□ATEK fGf~f...fCE□[f^□[,đžg—p,μ,Ä,ç
,é□l,í,Ü,³/₄,Ü,³/₄,ç,Ü,·(□žÒ,àšÜ,β,Ä)□B'ã"·"ª,ìft□[fU□[,í Tera Term ,ì TEK
fGf~f...fCE□[fVf#f"<@"\,đžg,æ,±,Æ,í,È,ç,Å,μ,â,æ□B

TEK window

TEK '[--,ìfGf~f...fCE□[fVf#f" ,đ,·,éEfbf"fhfE,Å□Af^fCfGf<·¶žš—ñ,ì^è"Ô
%oE,É□uTEK□v,Æ·žì,³,ê,Ä,ç,Ü,·□BTera Term ,đ<N"® ,μ,¹/₂,Æ,«,í·\
žì,³,ê,Ü,¹,ñ□B[Control] Open TEK fRf}f"fh,Å□ATEK window ,đŠj,,±
,Æ,ª,Ä,«,Ü,·□B

Telnet

TCP/IP ,đžg—p,μ□AfzfXfgfRf"fsf...□[f^,Æ'[--,đ□Ú'±
,·,é,¹/₂,β,ìfvf□fgfRf<□B□Å<β,í□ANifty-Serve ,È,Ç,ì BBS ,É□Ú'±,·,é,¹/₂,β,É,àžg—

p,³,ê,Ä,ç,Ü,·□B

VT100

DEC ŽĐ,ì'[--,ì-¼'O,Â,·□B,©,Â,Ä□AUnix ,â VAX/VMS “™,ìfRf“fsf...□f^□[,ì'[--,Æ,μ,Ä□L,—p,ç,ç,ê,Ä,ç,Ü,μ,½□BCE»□Y,í□A VT100 ,»,ì,à,ì,í,Ü,Æ,ñ,ÇŽg—p,³,ê,Ä,ç,Ü,¹,ñ,²□A,»,ìŽd—l,²Ž-ŽÀ□ã,ì•W□€,Æ,È,Á,Ä,ç,é,½,β□APC ,â f□□[fNfXfe□[fVf#f“ ,Å“® , VT100 fGf~f...fCE□[f^□[,²½,□ì,ç,ê,Ä,ç,Ü,·□BVT220 ,â VT382 ,È,Ç,í□AVT100,ì□ã^ÊCEÝŠ' [--,ì-¼'O,Â,·□B

VT window

Tera Term ,ìf□fCf“fEfBf“fhfE,ì,±,Æ,Â,·□B<N“® ,μ,½,Æ,«,ÉCE»,ê,éfEfBf“fhfE,Å□Af^fCfGf<•¶Žš—ñ,ì^ê“Ô %œE,É□uVT□v,Æ•\Ž!,³,ê,Ä,ç,Ü,·□BVT ' [--,ìfGf~f...fCE□[fVf#f“ ,đ,μ,Ü,·□B

Winsock

Windows Sockets ,ì—²□BMS-Windows ,Å TCP/IP ŠÂ<« ,đŽÀCE»,·,é,½,β,ìf ftfgfEfGfA,ì<KŠi□BWINSOCK.DLL ,Ü,½,í WSOCK32.DLL ,Æ,ç ,xftf@fCf<,đŠÜ,βf\ftfg,đ Windows ,ÉfCf“fXfg□[f<,·,é,Æ□Atelnet, WWW, ftp ,È,Ç,ì TCP/IP ,đŽg—p,·,éfAfvfŠfP□[fVf#f“ ,²Žg—p%œÄ“\,É,È,è,Ü,·□BWindows 95 ,Æ Windows NT ,É,í Winsock 'í%œžf\ftfg(fh f%ofCfo□[,²•W□€“Y•t,³,ê,Ä,ç ,Ü,·□B

XMODEM

1977 “N,É Ward Christensen ,É,æ,Á,ÄŠJ” ,³,ê,½ftf@fCf<“]’—fvf□fgfRf<□B,»,ìCEã XMODEM/CRC, XMODEM-1k ,È,Ç,ìŠg’f fv f□fgfRf<,ŠJ”-³,ê,Ü,μ,½□B“]’—’—“x,²x,ç□A8-bit fR□[fh,·,x,Ä,đÊ,·Ê□M%œñ□ü,Å,È,¯,ê,ìŽg—p,Å,«,É,ç,È,Ç,ì□§CEÀ,², ,è,Ü,·□B

YMODEM

XMODEM ,đŠg’f,μ,½ftf@fCf<“]’—fvf□fgfRf<□B,È,²,© Tera Term ,Å,íî %œž,μ,Ä,ç,Ü,¹,ñ□B

ZMODEM

XMODEM, YMODEM ,đ(,»,ê,ç,ìCE´CE` ,đ,Æ,Ç,β,È,ç,Ü,Ç,É)%œü—Ç,μ,½ftf@fCf<“]’—fvf□fgfRf<□BfGf%œ□[’ù³<@“\,²<- %œ»³,ê□A□§CEä•¶Žš,ì^ê•”,đÊ,³,È,ç%œñ□ü,É,à’í%œž,μ□A“]’—’—“x,đ, ,°,é,½,β,ì □H•v,²,È,³,ê,Ä,ç,Ü,·□B

'~̀ìĀ [AŽg—p̄đĀ]

fłftfgfEjFfA: Tera Term Pro version 2.3 (Mar 10, 1998)
̀ìŽÒ: T. Teranishi (Ž>¼ ,)

Copyright (C) 1994-1998 T. Teranishi All Rights Reserved.

,±,łfvfłfOf%of€,łftfš[fłftfgfEjFfA,Ā,·B
'~̀ìĀ ,łÀìŽÒ,ª•ŪŽ,μ,Ū,·B
,±,łfvfłfOf%of€,łŽg—p,É,æ,éA,č,©,È,é'šQ,É'í,μ,Ā,àÀìŽÒ,łÓ"C,đ•%o,č
,Ū,¹,ňB

Žg—p̄đĀ

̀ìŽÒ,É-³'f,Ā^È%o,łŽ-,đ,μ,È,č,Ā,,¾,¾,čB̀ìŽÒ,É~A—,μ,Ā,č,½,¾,-,ê,Î<-
%oĀ,·,é,±,Æ,à, ,è,Ū,·B,» ,ê^ÈŠO,ł,č,ł,æ,α,ÉŽg—p,μ,Ā,à\,č,Ū,¹,ňB

- 1) flfšfwfj<^ÈŠO,ìĀ` ,Ā'¼,ł|,É"z•z,·,éB
- 2) "z•z,·,é,±,Æ,É,æ,Ā,Ā,"<à,đ"¾,éB
(ŽGŽ"™ ,ì•t~^ ,âftfš[fłftfgW"™ ,ł»•i,ÉŽŭ~^ ,μ,½,čê†,íĀä^ê•ň,đ)
- 3) ,» ,ì'¼A~̀ìĀ -@,É,Ó,ê,éŝ^x̄B

̀ìŽÒ,Ö—v-]AŽ; -âAfofO,ì•ň,đ,·,é'O,ÉA,±,łfwf<fvAMACRO fwf<fvA
READMEJ.TXTA KEYCODEJ.TXT , ,æ,Ñ Tera Term home page ,đ,æ,"č,ň,Ā,-
,¾,¾,čBTera Term home page ,łAfhfĀfX,ł

<http://www.vector.co.jp/authors/VA002416/>

,Ā,·(ł«—^•łX,¾,ê,é%oĀ"\ł«,ª ,è,Ū,·)B,Ū,½ATera Term ŠJ"-
,É'í,·,éftł[fU[ł,łšF,¾,ň,©,č,łžx%o†,ł,č,ł,æ,α,ÈĀ` ,Ā ,ềìŽÒ,ł,» ,ê,đ'ª•ł ,è,ª,½,-
Žó,~Žæ,č,¹,Ā,č,½,¾,« ,Ū,·(,» ,ê,ª̀ìŽÒ,É%o½,č,© ,ł< -±,đ•%o,ł,¹,é,à,ł,Ā,È, ,ê,ł)B

̀ìŽÒ,©,č,ìŽÓŽ«

fofO•ňA—L—p,È—v-],đ—,Ā,Ā,,¾,¾,Ā,½,·,x,Ā,ł•ŭA ,è,ª,Æ,α,²,´,č
,Ū,·B"Ā,ÉAŠJ",ł%ošú,©,č•Ā¾AfefXfgA,» ,μ,Āé" ,đ,μ,Ā,,¾,¾,Ā,½łX,ÉŠ
'ŽÓ,μ,Ū,·B,Ū,½A^È%o,ł•ŭX,ł²e∅,ÉŠ'ŽÓ,μ,Ū,·B

Tera Term ŠJ",Ö,łžx%o†,â'½,,łRfłf"fg,đ,,¾,¾,Ā,½—
%o»šwĀx†š,Æ"Ā'ª,» ,ê,¼,ê,ìĀ'žqšj" —žĀĀ±fOf<[fv,łšF,¾,ň
Tera Term ,ì"z•z," ,æ,Ñ Tera Term fłłfšf"fofšXfg,ì%o^%oc,É<|—ł,μ,Ā,-
,¾,¾,Ā,½" '<' -¾OŽ
f~[f~fif<Gf~f...fĀ[fVf†f" ,â^ÈMfvfłfOf%of~f"fo"™ ,É,Ā,č,Āŭ,μ,<³,ł,Ā,-
,¾,¾,Ā,½" i^äĀ[•łŽ

"z•zfpfbfP[fW,ÉŠÜ,Ü,ê,Ä,ç,é%opCEê•¶□',ì□ì□¬,ðŽè□•,¬,μ,Ä,,³/₄,³,Á,¹/₂ Luigi
M Bianchi Ž□
PC98 —pfL□[f{□[fh□Ý'èftf@fCf<,ì□ì□¬,¨,æ,ÑfefXfg,É<|—Í,μ,Ä,-
,³/₄,³,Á,¹/₂CEöŽR□K'jŽ□,Æ'â~a—Ç□LŽ□
Tera Term home page ,ì□ê□Š,ð'ñ<Ÿ,μ,Ä,,³/₄,³,Á,¹/₂fxfNf^□[fffUfCf“ŽĐ
Tera Special ftfHf“fg,ì□C□³,É<|—Í,μ,Ä,,³/₄,³,Á,¹/₂ Ralf Schares Ž□
f□fVfACEê•¶ŽšfR□[fhfZfbfg,É,Â,ç,Ä<³,|,Ä,,³/₄,³,Á,¹/₂ Juri Tsibrovski Ž□,Æ
Serguei Lukyanov Ž□
f□fVfACEê•¶ŽšfR□[fh•iŠ·fe□[fuf<,ð□ì□¬,μ,Ä,,³/₄,³,Á,¹/₂ Andrey Nikiforov Ž□
□V,μ,çfAfCfRf“ ,ð□ì□¬,μ,Ä,,³/₄,³,Á,¹/₂□â-{-´•FŽ□
Tera Term extension interface ,ìŠJ” ,É<|—Í,μ,Ä,,³/₄,³,Á,¹/₂ Robert O'Callahan Ž□

“® ŠÂ<<

Tera Term Pro ,Í^È%º,ì OS ,Å“®ì,μ,Ü,·B

MS-Windows 95

MS-Windows NT 3.51, 4.0

'□: Windows 3.1 —ρ,É,Í□A Tera Term ver. 1.X ,đŽg—ρ,μ,Ä,,³/₄,³,ϕ□B

fAf“fCf“fXfg□lf<

Tera Term Pro ,đ□í□œ,·,é,É,Í□AfRf“fgf□□lf<fpflf<,ì□ufvf□fOf%of€,ì’Ç
%oÁ,Æ□í□œ□v,đŽÀ□s,·,é,©□A Windows fffBfCEfNfgfŠ,É, ,é **TTUNINST.EXE**
,đŽÀ□s,μ,Ä,,³/₄,³,ç□B

,à,μ,±,lfAf“fCf“fXfg□lf%o□l,^a,©,È,ç□ê□‡,Í□AŽè“® ,Å,àfAf“fCf“fXfg□lf<,·,é,±
,Æ,^a,Å,«,Ü,·□BTera Term fffBfCEfNfgfŠ,É, ,é Tera Term
ŠÖEW,lfTf@fCf<,đ,·,×,Ä□í□œ,μ□AfRf“fgf□□lf<fpflf<,ì□uftfHf“fg□v,©,ç "Tera
Special" ftfHf“fg,đ□í□œ,μ,Ä,,³/₄,³,ç□B

fL[f{[fh

fL[f{[fh,ÉŠÖ,·,é,ç,,Â,©,ìÿ'è,í [Setup] Keyboard ,Å,Å,«,Ü,·B

fL[f{[fhÿ'èftf@fCf<,ð',«,©,ì,é,±,Æ,ÅŽ©—R,ÉfL[ÿ'è,ð·ïX,·,é,±,Æ,ª,Å,«,Ü,·BÜ,μ,,í[AKEYCODE].TXT ,ð“Ç,ñ,Å,,¾,¾,çB

fVf#f[fgf]fbfgEfl[

VT window

fqf“fg: fuf[fU[fEfvf#f[fgf]fbfgEfl[v

Alt+B

fufCE[fN[M±,ð'—o,μ,Ü,·B

Alt+C

f}fEfX,Å'I'ð,μ,½•¶Žš—ñ,ðfNfŠfbfvf{[fh,ÖRfs[,μ,Ü,·B

Alt+N

¶V,μ,çfzfXfg,Ü,½,ÍfvfŠfAf<f[fg,ÉÚ'±,μ,Ü,·B

Alt+P

CE»ÿ,ì%œ-Ê,Ü,½,Í[Af}fEfX,Å'I'ð,¾,ê,½•¶Žš,ð^óü,μ,Ü,·B

Alt+Q ,Ü,½,Í Alt+F4

Tera Term ,ðI—¹,μ,Ü,·B

Alt+R

fNfŠfbfvf{[fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—o,μ[A'±,ç,Ä%ü[sfR[fh,à'—o,μ,Ü,·B

Alt+T

Telnet ,ì AYT (Are You There) fRf}f“fh,ð'—o,μ,Ü,·B'Ê[ízfXfg,Í,±,ê,ÉCEÄ%ž,μ,Ä%½“™,©,ìf[fbfZ[fW,ð'—,è•Ö,μ,Å,«,Ü,·BTelnet Ú'±,ì,Æ,«,¾,~Žg—p,Å,«,Ü,·B

Alt+V

fNfŠfbfvf{[fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—o,μ,Ü,·B

Ctrl+Esc

fAvfŠfP[fVf#f“,ìØ,è'Ö,ì,ð,μ,Ü,·B

TEK window

Alt+C

f}fEfX,Å'I'ð,¾,ê,½—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[fh,ÖRfs[,μ,Ü,·B

Alt+O

VT window ,É^Ú“®,μ,Ü,·B

Alt+P

%œ-Ê'S'ì,Ü,½,Í[Af}fEfX,Å'I'ð,¾,ê,½—ì^æ,ì%œ'œ,ð^óü,μ,Ü,·B

Alt+Q ,Ü,½,Í Alt+F4

TEK window ,đ•Â,¶,Û,·□B

Alt+R

VT window ,Æ“~,¶□B

Alt+V

VT window ,Æ“~,¶□B

Ctrl+Esc

VT window ,Æ“~,¶□B

f□f^□E□f□□ (Meta key)

[Setup] Keyboard ,Å **Meta key** ,đ‘l’đ,·,é,Æ□AVTWindow ,Å Alt

f□□,đf□f^□E□f□□,Æ,μ,ÄŽg,α,±,Æ,ª,Å,«,Û,·□B—á,¡,Î Alt+A ,đ%oÿ,·,Æ□AESC

A ,đ’—□o,μ,Û,·□Bf□f^□E□f□□[f,□[fh,Å,í□AAlt

f□□,đŽg,αfVf#□[fgfjfbfg□E□f□□(Alt+C “™),íŽg—p,Å,«,È,,È,è,Û,·□B

f}fEfX

VT window

¶f{f^f", Åfhf%fbfO

• ¶Žš—ñ, ð' ð, µA, » , ê, ðfNfŠfbfvf{¶fh, ÉfRfs¶[, ·, é¶B

Shift fL¶[, ð%Ÿ, µ, È, ª, ç¶f{f^f", Åfhf%fbfO

' · ûÉ` , ì—ì^æ"à, ì • ¶Žš, ð' ð, µA, » , ê, ðfNfŠfbfvf{¶fh, ÉfRfs¶[, ·, é¶B

¶f{f^f", ðf_fuf<fNfŠfbfN

1CEê' ð, µA, » , ê, ðfNfŠfbfvf{¶fh, ÉfRfs¶[, ·, é¶B

¶f{f^f", ðfgfŠfvf<fNfŠfbfN

1¶s' ð, µA, » , ê, ðfNfŠfbfvf{¶fh, ÉfRfs¶[, ·, é¶B

%E, Ü, ½, í'tf{f^f", Åfhf%fbfO

• ¶Žš—

ñ, ð' ð, µA, » , ê, ðfNfŠfbfvf{¶fh, ÉfRfs¶[, µA, ³, ç, É, » , ê, ðzfXfg, Ö'—
¶o, ·, é¶B

%E, Ü, ½, í'tf{f^f", ðfNfŠfbfN

fNfŠfbfvf{¶fh, ì't, ì • ¶Žš—ñ, ðzfXfg, Ö'—¶o, ·, é¶B

f^fCf<fo¶[, ìã, Å¶f{f^f", ðf_fuf<fNfŠfbfN

fEfCf"fhfEfTfCfY(fEfCf"fhfE, ìŽÅ¶Ü, ì'ã, «, ³), af^¶[f~fif<fTfCfY('[-, ì~—
¶"l, È%æ-È, ì'ã, «, ³)

,Æ^Ü, È, é, Æ, «¶AfEfBf"fhfEfTfCfY, ðf^¶[f~fif<fTfCfY, Æ"~, ¶, É, È, é, æ, x
, É • ìX, µ, Ü, ·¶B, » , ìCEã¶A, à, x^ê"xf^fCf<fo¶[, ðf_fuf<fNfŠfbfN, ·, é, Æ¶A,
à, Æ, ìfEfCf"fhfEfTfCfY, É-ß, è, Ü, ·¶B

Ctrl fL¶[, ð%Ÿ, µ, È, ª, ç¶f{f^f", ðfNfŠfbfN

f¶fjf...¶[fo¶[, ª, È, ~, ê, ì¶Af]fbfvfAfbfvf¶fjf...¶[, ªCE», ê, Ü, ·¶Bf¶fjf...¶[fo¶[, ð
%B, ·, É, ì¶A[Setup] Window , Å **Hide menu bar** , ð' ð, µ, Ä, , ³/₄, ³, ç¶B

Alt fL¶[, ð%Ÿ, µ, È, ª, ç¶f{f^f", ÅfEfBf"fhfE, ðfhf%fbfO

f^fCf<fo¶[, ª, È, ç¶ê¶¶AfEfBf"fhfE, ð^U"® , µ, Ü, ·¶Bf^fCf<fo¶[, ð
%B, ·, É, ì¶A[Setup] Window , Å **Hide title bar** , ð' ð, µ, Ä, , ³/₄, ³, ç¶B

Alt fL¶[, ð%Ÿ, µ, È, ª, ç%Ef{f^f", ðfNfŠfbfN

f^fCf<fo¶[, ª, È, ç¶ê¶¶AfEfBf"fhfE, ðÅ¶¬%», µ, Ü, ·¶B

ftf@fCf<, ðfhf%fbfO, µ¶AfEfBf"fhfE, Éfhf¶fbfv

ftf@fCf<,đ'—□M,μ,Ü,·□BŠžšfR□[fh□A%ü□sfR□[fh,Í•İŠ·,³,ê,Ü,·□B

TEK window

□1f{f^f“ ,Åfhf%fbfO
%œ'œ,đ'l'đ,μ,Ü,·□B

%E,Ü,½,í'tf{f^f“ ,đfNfŠfbfN
VT window ,Æ“~,1□B

CtrlfL□[,đ%Ÿ,μ,È,ª,ç□1f{f^f“ ,đ%Ÿ,·
VT window ,Æ“~,1□B

faq“fg

Tera Term ,ìŸ'è-@
fO,ìŽæ,è•ûAfO,ìÄ¶<@“\
fVf#[fgf]fbfgEflL,ìŸ'è
fe“fL[(““lfL[fpbfh),É,Â,ç,Ä
VT100 ,ì PF1-PF4 fL[
fpfRf“ÊM“lÚ'±-@
NIFTY-Serve ,ìfaq“fg
PC-VAN ,ìfaq“fg
XMODEM ,ìfaq“fg
ZMODEM ,ìfaq“fg
B-Plus ,ìfaq“fg
Quick-VAN ,ìfaq“fg
'tŠÔzfXfg,ðŒo—R,μ,ÄzfXfg,ÉÚ'±,μ,½ê¶,ìtf@fCf<“]—
TCP/IP Ú'±,Å 23 ^ÈŠO,ì TCP port “Ô¶,ðŽg—p,,:éê¶,ì^Ó

Tera Term ,ìŸ'è-@

Tera Term ,ìŸ'è,í[A[Setup] fffj...[,ìRf}}f“fh,Å,Ù,Æ,ñ,Ç,“,±,È,ꝛ,±
,Æ,ª,Å,«,Ü,·B,Ü,½A Tera Term Ÿ'èftf@fCf<,ð'¼Ú•ÒW,·,é,±
,Æ,É,æ,Á,ÄA,æ,èx,©,çŸ'è,ðs,±,Æ,ª,Å,«,Ü,·B

,Ü,½AfL[f{[fhŸ'èftf@fCf<,ð',«,©,!,é,±,Æ,ÅŽ©—R,ÉfL[Ÿ'è,ð•ïX,·,é,±
,Æ,ª,Å,«,Ü,·BÚ,μ,íAKEYCODEJ.TXT ,ð“Ç,ñ,Å,,¾,¾,çB

ft [fU [[Efvf# [fgfjfbfg [Efl [

fL [f { [fh [Y' èftf@fCf<, [Shortcut keys] ,Æ [VT function keys]

fZfNfvf#f", [i [€-Ú, ð [', «Š·, [, é, Æ [A^È

%oº, lfVf# [[fgfjfbfg [Efl [[, ðŽ © •ª, [i [D, «, ÈfL [[, ÉŠ,,, è"- , Ä, é, ±, Æ, ª, Å, «, Ü, · [B [Ú, µ, -

, [i [AKEYCODE].TXT , ð "Ç, ñ, Å, , ¾, ³, ¢ [B

[Shortcut keys]	<@ "\	[%Šú [Y' è
EditCopy	[Edit] Copy fRf}f"fh *1)	Ctrl+Insert
EditPaste	[Edit] Paste fRf}f"fh *1)	Shift+Insert
EditPasteCR	[Edit] Paste<CR>	, È, µ
EditCLS new	[Edit] Clear screen fRf}f"fh	, È, µ
EditCLB new	[Edit] Clear buffer fRf}f"fh	, È, µ
ControlOpenT EK new	[Control] Open TEK fRf}f"fh	, È, µ
ControlCloseT EK new	[Control] Close TEK fRf}f"fh	, È, µ
LineUp	^ê [sfXfNf [[f<fA fbfv	Ctrl+[ª
LineDown	^ê [sfXfNf [[f<f_ fEf"	Ctrl+[«
PageUp	^êfy [fWfXfNf [[[f<fAfbfv	Ctrl+PageUp
PageDown	^êfy [fWfXfNf [[[f<f_fEf"	Ctrl+PageDown
BuffTop	fjfbftf@, [i [æ"ª,	Ctrl+Home
BuffBottom	fjfbftf@, [i [ÅÆã,	Ctrl+End
NextWin	ŽŸ, [i Tera Term fEfBf"fhfE, Ö^Ú"	Ctrl+Tab
PrevWin	'O, [i Tera Term fEfBf"fhfE, Ö^Ú"	Ctrl+Shift+Tab

LocalEcho	® f[]fj<fGfR[,đ on/off ,É,·,é[]B	,È,μ
[VT function keys] fZfNfVf#f“ ,ì[]€-Ú	<@”\	[]%Šú[]Ý’è
Hold	Žó[]Mf []f[]g,đf[]fbfN/ f[]fbfN%Šđ[]œ	,È,μ
Print	[File] Print fRf}f“fh *1)	,È,μ
Break	fuf[][]fN[]M[]+’ —[]o *1)	,È,μ

*1) ,±,ê,ç,ì<@”\,É,ÍfVfXfef€[]E[]fVf#[]f[]g[]f[]b[]f[]g[]E[]f[]L[],Š,,è“- ,Ä,ç,ê,Ä,ç,Ü,·[]B

—á,|,î[]ACtrl+V ,đ [Edit] Paste ,ÉŠ,,è“- ,Ä,½,ç[]ê[]#,í[]A
fL[]f{[]f[]h[]Ý’èftf@fCf<,ì [Shortcut keys] fZfNfVf#f“ ,Ä[]A

EditPaste=1071

,Æ,μ,Ä,,¾,³,ç (IBM PC/AT fL[]f{[]f[]h,ì[]ê[]#)[]B

New: ,Ü,½ [User keys] fZfNfVf#f“ ,Ä,í[]Af+[]fU[]fL[],đŽg,Á,Ä,·,×,Ä,ìf[]fj...
[]fRf}f“fh,É’í,μ,ÄfVf#[]f[]g[]f[]b[]f[]g[]E[]f[]L[],đ[]Ý’è,·,é,±,Æ,ª,Ä,«,Ü,·[]B

fef“fL[(“”’lfL[(fpjbfh),É,Â,ç,Ä

fL[f{[fh,ì%ŠúÝ’è,í VT100 ,lfL[f{[fh,đfGf~f...fE[fg,·,é,æ,α,É,È,Á,Ä,ç
,Ü,·B,±,ì,½,βfef“fL[(“”’lfL[(fpjbfh),lfL[(,đ%ÿ,μ,½,Æ,«fL[É’,ç,Ä, ,é•ŕŽš,Æ
^á,α•ŕŽš,â’—o,³,ê,é,±,Æ,^a, ,è,Ü,·BVT100 fL[f{[fh,lfef“fL[(,ì<@“\,đŽg—
p,·,é•K—v,^a,È,Afef“fL[(,đ•’Ê,ÉŽg,ç,½,çê#̂,ÍAfL[f{[fhÝ’èftf@fCf<
KEYBOARD.CNF ,ì **[VT numeric keypad]** ,ì’S€-Ú,đ^È%º,ì,æ,α,É OFF
,É,μ,Ä,,³/₄,³,çBÚ,μ,,ÍAKEYCODEJ.TXT ,đ“Ç,ñ,Å,,³/₄,³,çB

[VT numeric keypad]

Num0=off

Num1=off

Num2=off

Num3=off

Num4=off

Num5=off

Num6=off

Num7=off

Num8=off

Num9=off

NumMinus=off

NumComma=off

NumPeriod=off

NumEnter=off

PF1=off

PF2=off

PF3=off

PF4=off

VT100 ,ì PF1-PF4 fL[]

fL[]f{[]fh,ì%ŠúÝ'è,Å,Í VT100 ,ì PF1-PF4 fL[],ì<@"\,Ífef"fL[],ì^è"Ôã,ì—
ñ,ì,S,Å,ìfL[] (IBM/PC ,ìê[] "Num Lock", "/", "*", "-" ; PC98 ,ìê[] "HOME CLR",
"HELP" "-", "/"),ÉŠ,,è"-,Ä,ç,ê,Ä,ç,Ü,·[]B,±,ê,ð F1-F4 fL[],ÉŠ,,è"-,Ä,é,æ,æ
,É•ìX,·,é,É,í^È%º,ì,æ,æ,ÉfL[]f{[]fh[]Ý'èftf@fCf< **KEYBOARD.CNF**
,ð',«Š,ì,Ä,,¾,¾,ç[]B[]Ú,μ,,í[]AKEYCODEJ.TXT ,ð"Ç,ñ,Å,,¾,¾,ç[]B

^È%º,í IBM-PC fL[]f{[]fh,ìê[](PC98 ,ìê[] ,í KEYCODE.EXE ,ðŽg—
p,μ,ÄfL[]fR[]fh,ð'²,x,Ä,,¾,¾,ç)[]B

[Numeric keypad]

PF1=59

PF2=60

PF3=61

PF4=62

; 59-62 ,í F1-F4 key ,ìfL[]fR[]fh

[X function keys]

XF1=off

XF2=off

XF3=off

XF4=off

; fL[]fR[]fh 59-62 ,ð"ñ[]dŽg—p,μ,È,ç,æ,æ,É,·,é,½,ß XF1-XF4 ,ð "off" ,É,·,é[]B

fpf\rf"ÊM"lÚ±-@

,±,±,Å,ÍAfCf" f^ [flfbfg,ð—~—p,μ,½ telnet Ú±,Å,Í,È,A]—^,lfpf\rf"ÊM"l,ÈÚ±-@A,Å,Ü,èf,fff€,Æ"d~b%ñü,ðŽg—p,μ,Å NiftyServe "™,ì BBS ,ÈÚ±,·,é•û-@,ðà-¾,μ,Ü,·B

1. ,Ü, ,A[File] New connection rf}f"fh,Å "Serial" ,ð'l'ð,μA,»,ê,©,çf,fff€, ,â,Å,È,â,Á,Ä,ç,éj[f(^È~%¼,É COM1 ,¾,Æ,μ,Ü,·),ð'l'ð,μ,Ä Ok ,ð%ÿ,μ,Ä,- ,¾,¾,çB

2. ÆãX,ì,½,ß,ÉA,±,±,Å [Setup] General ,ì "Default Port" ,Å "COM1" ,ð'l'ð,μ,Ä,·,ç,Ä,,¾,¾,çB

3. [Setup] Serial port ,Å fvšfAf<f[f,lfpf%of[f^ [ð^È%º,ì,æ,æ,É,μ,Ä,- ,¾,¾,çB

Port: COM1

Baud rate: 38400

(, Žg,ç,lf,fff€,â 28800 bps 'í

%ž,ìê±B'²Žq,â^«,çê±,í,æ,è—,¾,ç'l,É,μ,Ä,ÿ,Ä,,¾,¾,ç)

Data: 8 bit

Parity: none

Stop: 1 bit

Flow control: hard

Transmit delay: 0 0

4. 2,Æ3 ,Ås,Á,½ÿ'è,ð•Ú'¶,·,é,½,ß,ÉA[Setup] Save setup ,ðŽÀs,μ,Ä,- ,¾,¾,çBŽÿ%ñ,©,ç,í,±,ê,ç,ìÿ'è,ð,·,é•K—v,â,É,,È,è,Ü,·B

----- ^È~ ,íAÚ±,ì,½,Ñ,És,æ•K—v,â, ,è,Ü,·B-----

5. Tera Term ,É,íA•'Ê,lfpf\rf"ÊMf\ftfg,âŽ,Á,Ä,ç,é,æ,æ,Èf_fCfAf<<@"\ ,â, ,è,Ü,¹,ñBf_fCfAf<,ð,·,é,É,íAf,fff€,Érf}f"fh,ðŽè,Å"ü—í,·,é,©A, ,é,ç ,í}fNf,Å—M,¾,¹,È,·,ê,î,È,è,Ü,¹,ñB,ç,«,È,è}fNf,ðì,é,Ü,ì,ÉA^È%º,ì,æ,æ ,ÉŽè"® ,ÅÚ±,ð,μ,Ä,ÿ,Ä,,¾,¾,çB

f,fff€,lfRf}f"fh,í "AT" ,ÅŽn,Ü,é•¶Žš—ñ,ÅAf,fff€,lf}fjf...fAf<,Éà-¾,â,ç,©,ê,Ä,ç,Ü,·,ì,ÅA^è"x-Ú,ð'È,μ,Ä,,¾,¾,çB

f_fCfAf<,·,é'Ö,Éf,fff€,ð%šú%»,μ,Ü,·B

ATZ[Enter] ,Æ"ü—í,μ,Ä,,¾,¾,ç([Enter] ,í "Enter" fL[,ð%ÿ,·,Æ,ç,æ^Ö-ì)B"OK" ,Æf,fff€,©,ç%ž"š,â, ,é,í,,Å,·BÚ±±æ,âf,fff€,ìŽí—

p,É,æ,Á,Ä□A,³,ç,É□Ý'èfRf}f"fh,ð"ü—í,·,é•K—v,^a, ,é□ê□‡,^a, ,è,Ü,·,^a□A□ê□‡,É,æ
,è,·,è,È,ì,Å□A,Æ,è, ,l,·,±,±,Å,í□È—^a,μ,Ü,·□B,κ,Ü,f_fCfAf<□A□Ú'±
,^a,Å,«,È,ç□ê□‡,í□Af}fjf...fAf<,ð"Ç,ñ,Å"K□Ø,ÈfRf}f"fh,ðŽw'è,μ,Äf,fff€,ð□
%Šú□Ý'è,μ,Ä,,^{3/4},³,ç□B

f_fCfAf<,·,é,É,í□A

ATD["d~b"Ô□†][Enter] ,Ü,½,í□A
ATDP["d~b"Ô□†][Enter] (fpf<fX%ñ□ü,ì□ê□‡)
ATDT["d~b"Ô□†][Enter] (fg□[f"(fvfbfVf...fzf")%ñ□ü,ì□ê□‡)

,Æ"ü—í,μ,Ä,,^{3/4},³,ç□B"d~b"Ô□†,í,à,ì,è,ñ NiftyServe "™ ,ìfAfNfZfXf|
fCf"fg,ì"d~b"Ô□†,Å,·□B,κ,Ü,fAfNfZfXf|fCf"fg,É,Ä,È,^a,é,Æ□Af,fff€,©,ç

CONNECT XXXXX (XXXXX ,í□Ý'è,É,æ,è^Ü,È,é)

,Æ,ç,κf□fbfZ□[fW,^a—^,Ü,·□B,à,μ CONNECT f□fbfZ□[fW,^a—^,È,ç□ê□‡,íf,fff€
,ì□Ý'è,^a,·,©,μ,ç,Å,·□B"d~b%ñ□ü,^a□—,ñ,Å,ç,é□ê□‡(~b,μ't)□ABUSY ,Æ,ç
,κf□fbfZ□[fW,^a—^,Ü,·□B

,κ,Ü,□Ú'±,Å,«,È,ç□ê□‡,íf,fff€,ì□Ý'è,^a,·,©,μ,ç,±,Æ,^a½,ç,Å,·,^a□A□Ý'è-
@,í□ê□‡,É,æ,è,·,è,È,ì,Å□A□ìŽÖ,ÉŽì-â,μ,È,ç,Å,,^{3/4},³,ç("š,l,ç,è,Ü,¹,ñ)□B

□Ú'±,^aŠm—š,μ,½,ç□ABBS,Éf□fOfCf",·,é,½,β,ìf□fbfZ□[fW,^a·\
Ž|,³,è,é,í,·,Å,·,ì,Å□A,»,è,É,μ,½,^a,Á,Ä ID ,â fpfXf□□[fh,ð"ü—í,μ,Äf□fOfCf",μ,Ä,-
,^{3/4},³,ç(□Ú,μ,í BBS ,ì□à-¾□',ð,²—,¾,³,ç)□B

BBS

,Ö,ì□Ú'±□Af□fOfCf",·,éŽè□‡,^a,í,©,Á,½,ç□A,»,ìŽè□‡,ðf}fNf□,ðŽg,Á,ÄŽ©"®"l,ÉŽ
À□s,³,¹,é,±,Æ,^a,Å,«,Ü,·□B•t'®,ìfTf"fvf<f}fNf□ DIALUP.TTL ,Æf}fNf□fWf<fv
MACROJ.HLP ,ðŽQ□l,É'š□í,μ,Ä,Ý,Ä,,^{3/4},³,ç(f}fNf□,ìì,è•û,ð□ìŽÖ,ÉŽì-â,μ,È,ç,Å,-
,^{3/4},³,ç)□B

NIFTY-Serve ,lfqf“fg

NIFTY-Serve ,Ö, ì telnet □Ú' ±-@,ª, í, ©, ç, È, ç □ê □±, í □A □]— ^, ì • û-@ (, ç, í, ä, é f p f \ f R f “ “ Ê □ M), Å NIFTY-Serve ,Ö □Ú' ±, µ □A "GO TELNET" f R f } f “ f h, Å TELNET f □ f j f ... □[, Ö □ s, « □ A telnet □Ú' ±, ì ^ Ä “ à (telnet to NIFTY Serve) ,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Š ž Š f, □ [f h, ì □ Y ' è

[Setup] Terminal , Å Š ž Š f, □ [f h, ì □ Y ' è, ð, µ, Ä, , ¾, ¾, ç □ B ' Ê □ í, í □ A Ž ó □ M □ A ' — □ M, Æ, à **SJIS** (Shift-JIS) , É, µ, Ü, · □ B

f □ f O f C f “ Ž ž, ì f v f □ f “ f v f g "Enter Connection-ID --->" , Å "SVC" , Æ “ ü — í, ·, é, Æ, «, É ^ È % ° °, ì, æ, x, É f l f v f V f f “ , ð • t, ~ % ° ° Á, ì, é, ±, Æ, É, æ, è Š ž Š f R □ [f h, ì Ž í — p, º Ž w ' è, Å, «, Ü, · □ B Tera Term ' x, ì Š ž Š f R □ [f h, ì □ Y ' è, à, » , è, É, í, ¹, Ä % ° °, ¾, ç □ B

Connection-ID Tera Term , ì Š ž Š f, □ [f h

SVC , Ü, ½, í **SVC/SJISSJIS**

SVC/EUC **EUC**

SVC/NJS1 **JIS**, Kanji-In: **ESC\$B**, Kanji-Out: **ESC(J**

SVC/OJS1 **JIS**, Kanji-In: **ESC\$@**, Kanji-Out: **ESC(J**

ftf@fCf<, ì f A f b f v f □ □ [f h □ A f _ f E f “ f □ □ [f h, ·, é □ ê □ ± □ A

B-Plus ,lfqf“fg

XMODEM ,lfqf“fg

,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Ž Q □ I: '† Š Ô f z f X f g, ð Ç E o — R, µ, Ä f z f X f g, É □ Ú ' ±, µ, ½ □ ê □ ±, ì f t f @ f C f < “] ' —

PC-VAN ,lfqf“fg

Š;Žšf,[]fh,ì[]Ý’è

[Setup] Terminal ,ÅŠ;Žšf,[]fh,ì[]Ý’è,đ,μ,Ä,,³/₄,³,ç[]B’Êí,í[]AŽó[]M[]A’—[]M,Æ,à
SJIS (Shift-JIS) ,É,μ,Ü,·[]B

Telnet ,Å PC-VAN ,É[]Ú’±

,μ[]Aftf@fCf<,lfAfbfvf[]fh[]Af_fEf“f[]fh,đ,·,é[]ê[]±,í[]A•K, ,fofCfifŠflfvfVf#f“ ,Å[]Ú’
±,μ,Ä,,³/₄,³,ç(1996“N6CEŽCE>[]Ý)[]B[]Ú,μ,,í[]A[]uQuick-VAN ,lfqf“fg[]v,đ“Ç,ň,Å,-
,³/₄,³,ç[]B

ŽQ[]l: ‘tŠÔfzfXfg,đCEo—R,μ,ÄfzfXfg,É[]Ú’±,μ,¹/₂[]ê[]±,iftf@fCf<“l’—

XMODEM ,lfqf“fg

XMODEM ,í□A8 bit fR□[fh (\$00-\$FF ,ì•ŕŽš,·,×,Ä),đŠ®‘S,É’É,·%ñü,đ—p,č,È,č ,ÆŽg—p,Å,«,Ü,¹,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data,^a 7 bit ,^{3/4},Á,^{1/2},è□Aftf□□[□\$CEä,^a Xon/Xoff ,^{3/4},Á,^{1/2},è,·,é,Æ□AXMODEM ,^aŽg,ì,Ü,¹,ñ□B[Setup] Serial port ,Å **Data** ,đ **8** bit ,É,μ□A**Flow control** ,đ **hard** (CTS/RTS) ,© **none** ,É,μ,Ä,^{3/4},³,č□Bf,ff€(fzfXfg)’æ,ì□Ý’è,à“⁻,ŕ,É,μ,Ä,-^{3/4},³,č□B

Telnet ,ì□ê□‡

,à,μ³,μ,“]’—,Å,«,È,č□ê□‡,ífofCfifŠfifvfVf#f“ ,Å telnet □Ú’±,μ,Ä,Ý,Ä,-^{3/4},³,č□BfofCfifŠfifvfVf#f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /**B** fifvfVf#f“ ,đ,Â,⁻,é,©□A

Tera Term □Ý’èftf@fCf<,đ□’,«Š·,ì,Ä,^{3/4},³,č□B
□” Telnet ,ìfofCfifŠfifvfVf#f“

,Ç,æ,μ,Ä,à□³□í,É“]’—,Å,«,È,č□ê□‡,í□AfzfXfg’æ,ì XMODEM fRf}f“fh,đ□³,μ,-
□Ý’è,“,æ,ÑŽg—p,μ,Ä,č,é,±,Æ,đŠm”F,μ,^{1/2}□ã,Å□AXMODEM
,ìf□fQ,đŽæ,è□A□ìŽÒ,É’—,Á,Ä,^{3/4},³,č□B

ŽQ□l: ‘†ŠÔfzfXfg,đCEo—R,μ,ÄzfXfg,É□Ú’±,μ,^{1/2}□ê□‡,ìftf@fCf<“]’—

ZMODEM ,lfqf“fg

ZMODEM ,í□A7 bit %oñ□ü,Á,íŽg—p,Á,«,Ü,¹,ñ□B

fVfŠfAf<f□[fg,ì□ê□‡

Data ,^a 7 bit,^{3/4},Æ□AZMODEM ,^aŽg,ì,Ü,¹,ñ□B[Setup] Serial port ,Á **Data** ,^đ
8 bit ,É,μ,Ä,,^{3/4},³,ç□Bf,ff€(fzfXfg)‘α,ì□Ý’è,à“~ ,¶,É,μ,Ä,,^{3/4},³,ç□B

Telnet ,ì□ê□‡

,à,μ□³,μ,“]’—,Á,«,È,ç□ê□‡,í□\$CEä•¶Žš,đ,·,×,ÄfGfXfP□[fv,μ,Ä,Ý,Ä,-
,^{3/4},³,ç□B,» ,ê,Á,à,^{3/4},ß,È□ê□‡,ífofCfifŠfifvfVf‡f“ ,Á telnet □Ú’±,μ,Ä,Ý,Ä,-
,^{3/4},³,ç□BfofCfifŠfifvfVf‡f“ ,Á□Ú’± ,·,é,É,í□A

fRf}f“fhf%ofCf“ ,É /B fifvfVf‡f“ ,đ,Â,~ ,é,©□A

Tera Term □Ý’èftf@fCf<,đ□’ ,«Š·,ì,Ä,,^{3/4},³,ç□B
□” Telnet ,ífofCfifŠfifvfVf‡f“

,Ç,α,μ,Ä,à□³□í,É“]’—,Á,«,È,ç□ê□‡,í□AfzfXfg’α,ì ZMODEM fRf}f“fh,đ□³,μ,-
□Ý’è,“ ,æ,ŇŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,^{1/2}□ã,Á□AZMODEM
,ífofO,đŽæ,è□A□ìŽÒ,É’—,Á,Ä,,^{3/4},³,ç□B

,Ü,^{1/2}□A^È%o^o,ì□Ý’è,à%oÂ“\,Á,·□B

□” ZMODEM Žó□M,ìŽ©“®<N“®
’□^**O**: ,±,ífofVfVf‡f“ ,đ on ,É,μ,^{1/2}□ê□‡□Aftf@fCf<’—□M,^a,Á,«,È,,È,é,±
,Æ,^a ,è,Ü,·□B

□” ZMODEM ‘—□M,ì□Ý’è

ŽQ□l: ‘tŠÔfzfXfg,đCEo—R,μ,ÄfzfXfg,É□Ú’±,μ,^{1/2}□ê□‡,íftf@fCf<“]’—

B-Plus ,lfqf“fg

B-Plus ,í□A7 bit %ñ□ü,Á,íŽg—p,Á,«,Ü,¹,ñ□B,Ü,¹/₂□AB-Plus ,í CompuServe ,â NIFTY-Serve “™,ì BBS ,©,ç,lf_fEf“f□□[fh/,Ö,lfAfbfvf□□[fh,ì,¹/₂,ß,³/₄,¯,ÉŽg—p,μ,Ä,-³/₄,³,ç□B Tera Term ,ì B-Plus ,í PC (‘É□Mf\ftfg)ŠÔ,ìftf@fCf<“]’—,É‘í%ñž,μ,Ä,ç ,Ü,¹,ñ□B

fVfŠfAf<f□□[fg,ì□ê□#□AData ,^a 7 bit ,³/₄,Æ□AB-Plus ,^aŽg,!,Ü,¹,ñ□B[Setup] Serial port ,Á **Data** ,đ 8 bit ,É,μ,Ä,,³/₄,³,ç□Bf,fff€(fzfXfg)‘x,ì□Ý’è,à“¯,¶,É,μ,Ä,,³/₄,³,ç□B

“]’—,^a,x,Ü,,ç,©,É,ç□ê□#□A□\$CEä•¶Žš,đ,.,x,ÄfGfXfP□[fv,μ,Ä,Ý,Ä,,³/₄,³,ç□B

,Ü,¹/₂□AZÿ,ì□Ý’è,đ,.,é,Æ•Ö—~ ,Á,·□B
□“ B-Plus f_fEf“f□□[fh,ìŽ©“®<N“®

□³,μ,“]’—,Á,«,È,ç□ê□# ,í□AB-Plus ,lf□fO,đŽæ,Á,Ä□iŽÒ,É’—,Á,Ä,,³/₄,³,ç□B

ŽQ□l: ‘†ŠÔfzfXfg,đCEo—R,μ,ÄfzfXfg,É□Ú’±,μ,¹/₂□ê□# ,ìftf@fCf<“]’—

Quick-VAN ,lfqf“fg

Quick-VAN ,í□APC-VAN ,Æ,ç,× BBS ,Å—p,ç,ç,ê,Ä,ç,éftf@fCf<“]’—
fvf□fgfRf<,Å,·□BQuick-VAN ,í□A7 bit %oñü,Å,ÍŽg—p,Å,«,Ü,¹,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data ,^a 7 bit ,^{3/4},Æ□A Quick-VAN ,^aŽg,ì,Ü,¹,ñ□B[Setup] Serial port ,Å **Data**
,^đ 8 bit ,É,μ,Ä,,^{3/4},³,ç□Bf,fff€(fzfXfg)’×,ì□Ý’è,à“[˘],¶,É,μ,Ä,,^{3/4},³,ç□B

Telnet ,ì□ê□‡

PC-VAN ,É□Ú’±,·,é□ê□‡,í□A•K, ,fofCfifŠfifvfVf‡f“ ,^đŽw’è,μ,Ä,,^{3/4},³,ç
(1995”N12ÆŽÆ»□Ý)□BfofCfifŠfifvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /B fifvfVf‡f“ ,^đ,Å,˘ ,é,©□A

Tera Term □Ý’èftf@fCf<,^đ□’,«Š,ì,Ä,,^{3/4},³,ç□B
□” Telnet ,lfofCfifŠfifvfVf‡f“

,Ü,^{1/2}□AŽŸ,ì□Ý’è,^đ,·,é,Æ“]’—‘—“x,^a%oü’P,·,é□ê□‡,^a ,è,Ü,·□B
□” Quick-VAN ,ì window size

,Ç,×,μ,Ä,à□³□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’×,ì Quick-VAN fRf}f“fh,^đ□³,μ,-
Žw’è,μ,Ä,ç,é,±,Æ,^đŠm”F,μ,^{1/2}□ã,Å□AQuick-VAN ,lf□fO,^đŽæ,è□A□ìŽO,É’—,Á,Ä,-
,^{3/4},³,ç□B

ŽQ□l: ‘tŠÔfzfXfg,đÆo—R,μ,ÄzfXfg,É□Ú’±,μ,^{1/2}□ê□‡,ìftf@fCf<“]’—

'tŠÔfzfXfg,ðŒo—R,μ,ÄfzfXfg,É□Ú'±,μ,½□ê□‡,ìftf@fCf<"']'—

, ,éfzfXfg,Éf□fOfCf",μ,Ä□A,»,±
,©,ç,³,ç,É'¼,ìfzfXfg,Öf□fOfCf",μ,½□ê□‡□A□l'fzfXfg,Æ Tera Term
,ìŠÔ,ìftf@fCf<"']'— (Kermit, XMODEM, ZMODEM, B-PLUS, Quick-VAN) ,ª,œ,Ü,,ç
,©,È,ç,±,Æ,ª, ,è,Ü,·□B

Tera Term □ìŽÒ,í,±,ì,æ,œ,È□ó<μ,Ä,ìftf@fCf<"']'—,ð'z'è,μ,Ä,Ü,¹,ñ,ì,Ä□A'¼,ì"']'—
@('¼□Ú□l'fzfXfg,É□Ú'±,·,é□A^ê'U'tŠÔfzfXfg,ìfffBfXfN,ÖfAfbfvf□□[fh/
f_fEf"f□□[fh,·,é□Aftp ,ðŽg—p,·,é"™),ðŽæ,é,±,Æ,ð, "Š©,ß,μ,Ü,·□B

,±,ì-â'è,í^È%º,ì,æ,œ,ÈŒ'^ö,ª□l,ì,ç,ê□A□ê□‡,É,æ,Á,Ä,í%ºðŒ^,Ä,«,é,±,Æ,ª, ,è,Ü
,·□B

1) Tera Term <-> 'tŠÔfzfXfg ,Ü,½,í 'tŠÔfzfXfg <->
□l'fzfXfg,ìftf□□[□Œä,ª□³,μ,□s,í,ê,Ä,ç,È,ç□B

□Ú'±,ª TCP/IP (f_fCfAf<fAfbfv PPP ,àŠÜ,þ),È,ç,ìftf□□[□Œä,í□³,μ,□s,í,ê,Ä,ç
,é,í,,Ä,·□BfvfŠfAf<f□[fg(f,fff€+"d~b%ºñ□ü,ì"ñ PPP(fpfvRf"'É□M)
,àŠÜ,þ)□Ú'±,ì□ê□‡,í□Aftf□□[□Œä,ð□³,μ,□Ý'è,μ,Ä,,¾,¾,ç□B

2) Tera Term <-> 'tŠÔfzfXfg ,Ü,½,í 'tŠÔfzfXfg <->
□l'fzfXfg,Ä□Œä•¶Žš,ì^ê•",ªŽ, ,í,ê,é□B

Telnet □Ú'±,ì□ê□‡□AfofCfifŠf,□[fh,Ä□Ú'±,·,é•K—v,ª, ,é□ê□‡,ª, ,è,Ü,·□B

Kermit ,Ä,í,±,ì,±,Æ,í^Êí-â'è,É,È,è,Ü,¹,ñ□BB-Plus ,Æ ZMODEM
,Ä,í□A,·,x,Ä,ì□Œä•¶Žš,ðfGfXfP□[fv,·,é,±,Æ,É,æ,è□³,μ,ftf@fCf<"']'—
,ª,Ä,«,é,æ,œ,É,È,é%ºÄ"\□«,ª, ,è,Ü,·□BXMDEM ,Æ Quick-VAN ,Ä,í□A,·,x,Ä,ì
8-bit •¶Žš,ð'É,·%ºñ□ü,ðŽg—p,μ,È,ç,Æ□³,μ,ftf@fCf<"']'—,ª,Ä,«,Ü,¹,ñ□B

'tŠÔfzfXfg,©,ç telnet fRf}f"f"fh,Ä□l'fzfXfg,É□Ú'±,μ,½□ê□‡□ATera Term
,ª'—□o,μ,½□Œä•¶Žš,ì^ê•",í'tŠÔfzfXfg,ì telnet
fRf}f"f"fh,É,æ,è<zŽû,³,ê,Ä,μ,Ü,ç□A□l'fzfXfg,É" ,í,ç,È,ç,±,Æ,ª, ,è,Ü,·□B,±
,é,ç,ì□Œä•¶Žš,í^Êí telnet ,ì "echo", "escape", "erase", "flushoutput",
"interrupt", "kill", "quit", "areyouthere" "™,ì<@"\,ÉŠ,,è"—,Ä,ç,ê,Ä,ç
,Ü,·□BfzfXfg,©,çftf@fCf<,ìf_fEf"f□□[fh,í,Ä,«,é,ª□AfzfXfg,Ö,ìfAfbfvf□□[fh,í,Ä,
,«,È,ç,Æ,ç,œ,œ,È□ê□‡□A,±,ì,æ,œ,È□ó<μ,ªŒ'^ö,É,È,Á,Ä,ç,é%ºÄ"\□«,ª□,ç
,Ä,·□B,±,ì-â'è,ð%ºðŒ^,·,é,É,í telnet fRf}f"f"fh,ìŠe<@"\,É'í,μ,ÄŠ,,è"—
,Ä,ç,ê,½□Œä•¶Žš,ð%ºð□œ,·,é,©□A, ,é,ç,í□ã□q,ì,æ,œ,É ZMODEM ,Æ B-
Plus ,ì□ê□‡,í,·,x,Ä,ì□Œä•¶Žš,ðfGfXfP□[fv,·,é,æ,œ,É,μ,Ä,,¾,¾,ç□B,½,¾,μ
telnet fRf}f"f"fh,É,æ,Á,Ä,í□AŠe<@"\,ÉŠ,,è"—,Ä,ç,ê,½□Œä•¶Žš,ð,œ,Ü,
%ºð□œ,Ä,«,É,ç□ê□‡,ª, ,è,Ü,·□B

,ç, ,ê,ìêê,à'tšôfzfXfg <-> []'[]fzfXfgšô,ì'ê[]M,ì[]Ý'è,í Tera Term
,©,ç'¼[]Ú,·,é,±,Æ,ª,Å,«,Ü,¹,ñ[]B,±,ì-â'è,í,ç,,Â,©,ì[]É'^ö,ª[]d,È,Á,Ä,"«,Ä,ç
,é[]ê[],à, ,è[]ATera Term []žò,É%øð[]^@,ðž;-â,³,ê,Ä,à,"š,|,Å,«,È,ç[]ê[]ª,ª'½,ç
,Å,·[]B[]ã<L,ìf[]f"fg,ðžQ[]I,É,μ,Ä,à%øð[]^,Å,«,È,ç([]ã<L,ì"à-e,ª-[]
%øð,Å,«,È,ç)[]ê[]ª,í[]Ažc"O,Å,·,ª, ,«,ç,ß,Ä,^¾,^¾,ç[]B

[File] f[]fj...[]

New connection...

□V,μ,ϕfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,μ,Ü,·□B

Log...

Žó□M,³,ê,é•¶Žš,ðftf@fCf<,É□',«□ž,Ý,Ü,·□B

Send file...

ftf@fCf<,ð'—□M,μ,Ü,·□B

Transfer

Kermit/XMODEM/ZMODEM/B-Plus/Quick-VAN
fvf[]fgfRf<,Åftf@fCf<,ð"']'—,μ,Ü,·□B

Change directory...

ftf@fCf<"']'—,ì,½,ß,ìfffBfÆfNfgfŠ,ð•ï□X,μ,Ü,·□B

Print...

Æ»□Ý,ì%œ-Ê,Ü,½,Í□Af}fEfX,Å'I'ð,³,ê,½•¶Žš,ð^ó□ü,μ,Ü,·□B

Disconnect

□Ú'±,ð□Ø,è,Ü,·□BTCP/IP □Ú'±Žž,Å Auto window close
f|fvfvf#f",³'I'ð,³,ê,Ä,ϕ,é□ê□#□ATera Term ,ð□I—¹,μ,Ü,·□B

Exit

Tera Term ,ð□I—¹,μ,Ü,·□BfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,³,ê,Ä,ϕ,
,é□ê□#,Í□A□Ú'±,ð□Ø,è,Ü,·□B

New connection ([File] f...)

V,μ,cfzfXfg,Ü,½,ÍVfŠfAf<f[]f[]g,ÉÚ'±,μ,Ü,·B,·,Á,ÉÚ'±,³,é,Ä,ç,é,Æ,«,ÍA•Ê,Ì
Tera Term fZfbVfþf“,ð<N“®,μ,Ü,·B

"New connection" f_fCfAf[]fOf{fbfNfX

TCP/IP

Host

Ú'±,·,ézfXfg-¼,Ü,½,Í IP address ,ðfL[]f{[]fh,Å“ü—
Í,μ,ÄŽw'è,·,é,©[]AfŠfXfg,Ì't,©,ç'l'ð,μ,Ä,,¾,¾,ç[]BfŠfXfg,ð•Ò[]W,·,é,É,Í
[Setup] TCP/IP ,ðŽg,Á,Ä,,¾,¾,ç[]B,Ü,½[]AfzfXfg-¼,¾,¾,·,Á,È,^È%º,Ì,æ,α
,É[]AfRf}f“fhf%ºfCf“•¶Žš—ñ,ðŽw'è,·,é,±,Æ,à,Á,«,Ü,·B

myhost.mydomain 'ÉÍ,ÍzfXfg-¼,Ü,½,Í IP address,¾,·

myhost.mydomain:23 fzfXfg-¼,Æf[]f[]g”Ô[]t

foohost.foodomain /F=FOOHOST.INI fzfXfg-¼+[]Ý'èftf@fCf<-
¼,ðŽw'è

/C=1 fVfŠfAf<f[]f[]g,ðŽw'è,·,é,±,Æ,à%ºÄ”\

/R=LOG.DAT fzfXfg,âf[]f[]g,ÉÚ'±,¹,·,É[]Af[]fOftf@fCf<,Ì“à—e,ðÄ[]¶

Telnet

Telnet fvf[]fgfRf<,ðŽg—p,μ,Ü,·B'ÉÍ,Í'l'ð,μ,Ä,,¾,¾,ç[]B

TCP port#

Telnet ,ðŽg—p,·,é[]ê[]#[]A'ÉÍ,Í23,É,μ,Ä,,¾,¾,ç[]B

'[]:

Telnet ,ª'l'ð,³,é,Ä[]A,©,Ä **TCP port#** ,ª 23 ,Ì,Æ,«,¾,¾,·[]A Tera Term

,©,çŽ“”“l,É telnet ,Ì option negotiation

,ðŠŽn,μ,Ü,·B,»,é^ÈŠO,Ì[]ê[]#,Á,à Tera Term ,ÍzfXfg,©,ç'—,ç,é,Ä,«,½

telnet fRf}f“fh,É%ºž“š,·,é,±,Æ,ª,Á,«,Ü,·B

ŽQ[]Æ:

Telnet —pf[]f[]g”Ô[]t / ”ñ telnet []Ú'±—p,Ì[—[]Ý'è

Serial

Port

Ú'±,·,éVfŠfAf<f[]f[]g,ðfŠfXfg,Ì't,©,ç'l'ð,μ,Ä,,¾,¾,ç[]B

Log ([File] f fff... [I])

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ðftf@fCf<, É' , «ž, Ý, Ü, ·B
□" f fO, ÌŽæ, è • û Af fO, ÌÄ ¶¶@"

"Log" f_fCfAf fOf {fbfNfX(ftf@fCf<-¼Žw'è)

File Name

□', «ž, pftf@fCf<, Ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'Í'ð, μ, Ä, , ¾, ¾, çB

Binary

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ð, » , Ì, Ü, Üftf@fCf<, É' , «ž, Ý, ½, ç ê ¶, Í'Í'ð, μ, Ä, , ¾, ¾, çB'Í'ð, μ, È, ç ê ¶, Í AŠ žšfR [fh A
%ü s • ¶Žš, Í • ÍŠ, ¾, è Af GfXfP [fvfV [fPf" fX, ÌŽæ, è œ, ©, è, Ä, ©, ç' , «ž
, Ü, è, Ü, ·B

Append

, , Ä, É' ¶Y, ·, éftf@fCf<, É' Ç%Á, μ, Ä' , «ž, Ý, ½, ç ê ¶, Í'Í'ð, μ, Ä, -
¾, ¾, çB'Í'ð, μ, È, ç ê ¶, Í ä' , «, ¾, è, Ü, ·B

"Log" f_fCfAf fOf {fbfNfX(ftf@fCf<, Ö' , «ž, Ý't)

Close

Close f {f^f" , ð%Ÿ, ·, Æftf@fCf<, Ö, Ì' , «ž, Ý, ð|—¹, μ, Ü, ·B

Pause/Start

Pause f {f^f" , ð%Ÿ, ·, Æftf@fCf<, Ö, Ì' , «ž, Ý, ð^êŽž't'f, μ, Ü, ·B, ±, Ì, Æ, «
Pause f {f^f" , Í Start f {f^f" , É • İ%» , μ, Ü, ·B, » , Ì Æ ä Start f {f^f" , ð
%Ÿ, ·, Æ' , «ž, Ý, ð ÄŠ, μ, Ü, ·B

Send file ([File] f [jfj...])

ftf@fCf<,đ'—M,μ,Ü,·B

"Send file" f_fCfAf_fOf{fbfNfX('—M'O,ìftf@fCf<-¼Žw'è)

File Name

'—M,·,éftf@fCf<,ìftf@fCf<-¼,đ"ü—í,Ü,½,í'l'đ,μ,Ä,-
,¾,¾,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,·,ê,Î,È,è,Ü,¹,ñB

Binary

ftf@fCf<,l"à—e,đ,»ì,Ü,Ü'—M,μ,½,çê±,í'l'đ,μ,Ä,-
,¾,¾,çB'l'đ,μ,È,çê±,íAŠ;ŽšfR[fhA%üS•¶Žš,ª•İŠ,³,ê,Ä'—
M,³,êATAB (\$09), LF (\$0A), CR (\$0D)^ÈŠO,ì\$Æä•¶Žš,í'—
M,³,ê,Ü,¹,ñB

"Send file" f_fCfAf_fOf{fbfNfX('—M't)

Close

Close f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—M,đ'tŽ~,μ,Ü,·B

Pause/Start

Pause f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—M,đ^êŽž't'f,μ,Ü,·B,±,ì,Æ,«
Pause f{f^f",í Start f{f^f",É•İ%»,μ,Ü,·B,»ìÆã Start f{f^f",đ
%Ÿ,·,Æ'—M,đÄŠJ,μ,Ü,·B

Transfer ([File] f[]ffj...[])

Kermit

Kermit fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

XMODEM

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

ZMODEM

ZMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

B-Plus

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

Quick-VAN

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

Kermit ([File] Transfer f[ff...[l])

Kermit fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Send
fRf}}f“fh,đŽÀ[s,μ,Ä,,³/₄,³,ç[B

Get...

fzfXfg’x,ì Kermit ,^a server ,ì[ó’Ô,ìŽž,É[Atera Term ,©,çzfXfg’x
,ìftf@fCf<—¹/₄,đŽw’è,μ,Äftf@fCf<,đŽó[M,μ,Ü,·[B

Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Receive
fRf}}f“fh,Ü,¹/₂,ÍServer fRf}}f“fh,đŽÀ[s,μ,Ä,,³/₄,³,ç[B

Finish

fzfXfg’x,^a server ,ì[ó’Ô,ì,Æ,«[A,»),ê,đ%đ[œ,μ,Ü,·[B

Kermit Get ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, đŽóM, μ, Ü, ·BfzfXfg'α, ì Kermit ,^a server
, ìó'Ô, ìŽž, É, ±, ìfRf}f"fh, đŽg—p, μ, Ä, ,^{3/4},³, çB

"Kermit Get" f fCfAf fOf {fbfNfX

ŽóM, μ, ^{1/2}, çfzfXfg'α, ìftf@fCf<, ìftf@fCf<—^{1/4}, đ"ü—Í, μ, Ä, -
,^{3/4},³, çB ŽóM, μ, ^{1/2}ftf@fCf<, íACE»Y, ìffBfCefNfgfŠ, ì't, ÉAfzfXfg'α
, Æ"˘, ìftf@fCf<—^{1/4}, Å•Û'¶,³, ê, Ü, ·B

Kermit Send ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, ÉzfXfg'α, ì Kermit , ì Receive
fRf}f"fh, Ü, ½, Í Server fRf}f"fh, ðŽÀ s, µ, Ä, , ¾, ³, çB

"Kermit Send" f_fCfAf_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -
, ¾, ³, çB, ·, Ä, É'¶Ý, ·, éftf@fCf<, Ä, È, ¯, ê, î, È, è, Ü, ¹, ñB"~Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,
±, Æ, à, Ä, «, Ü, ·B

XMODEM ([File] Transfer f[ff]...[l])

XMODEM fvf[fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·□B

Receive...

ftf@fCf<,ðŽó□M,μ,Û,·□B,»,’O,ÉfzfXfg‘α,ì XMODEM ,ì—
□MfRf}f“fh,ðŽÀ□s,μ,Ä,,³/₄,³,ç□B

Send...

ftf@fCf<,ð’—□M,μ,Û,·□B,»,’O,ÉfzfXfg‘α,ì XMODEM
,ìŽó□MfRf}f“fh,ðŽÀ□s,μ,Ä,,³/₄,³,ç□B

XMODEM,lfqf“fg

XMODEM Receive ([File] Transfer f[]ffj...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,đŽó[]M,μ,Ü,·[]B,» ,ì'O,ÉfzfXfg'¤,ì XMODEM ,ì—
[]MfRf}f“fh,đ<N“ ® ,μ,Ä,,³/₄,³,ç[]B

File Name

Žó[]M,·,éftf@fCf<,ìftf@fCf<—¹/₄,đ“ü—í,Ü,¹/₂,í'l'đ,μ,Ä,,³/₄,³,ç[]B

Option

Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìf[]vfVf[]f“ (Checksum/CRC/1K) ,đ'l'đ,μ,Ä,-
,³/₄,³,ç[]BfzfXfg'¤,ìf[]vfVf[]f“ ,Æ“— ,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]#,í
Checksum ,đ'l'đ,μ,Ä,Ý,Ä,,³/₄,³,ç[]B

Binary

f[]ofCf[]f[]Šftf@fCf<,đŽó[]M,·,é[]ê[]#,í'l'đ,μ,Ä,-
,³/₄,³,ç[]B<t,ÉfefLfXfgftf@fCf<,đŽó[]M,·,é[]ê[]#,í'l'đ,μ,È,ç,Ä,,³/₄,³,ç[]B

XMODEM ,ìf[]qf“fg

XMODEM Send ([File] Transfer f[]fj...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,đ'—[]M,μ,Ü,·[]B,»,'ì'O,ÉfzfXfg'α,ì XMODEM ,ìŽó[]MfRf}f"fh,đ<N" ®,μ,Ä,,³/₄,³,ç[]B

File Name

'—[]M,·,éftf@fCf<,ìftf@fCf<-¹/₄,đ"ü—í,Ü,¹/₂,í'l'đ,μ,Ä,-
,³/₄,³,ç[]B,·,Ä,É'¶[]Ý,·,éftf@fCf<,Ä,È,¯,ê,î,È,è,Ü,¹,ñ[]B

Option

Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìf[]vfVf[]f" (**Checksum/CRC/1K**),đ'l'đ,μ,Ä,-
,³/₄,³,ç[]BfzfXfg'α,ìf[]vfVf[]f",Æ"¯,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]¶,í
Checksum,đ'l'đ,μ,Ä,Ý,Ä,,³/₄,³,ç[]B

XMODEM ,ìf[]f"fg

ZMODEM ([File] Transfer f[ffj]f...[l])

ZMODEM fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM ,ì—
[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM
,ìŽó[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

ZMODEM ,lfq“fg

ZMODEM Send ([File] Transfer f...)

ZMODEM fvf ffgRf<,Åftf@fCf<,đ'—M,μ,Ü,·B,»,'O,ÉfzfXfg'α,ì ZMODEM ,ì'—
MfRf}f"fh,đ<N"® ,μ,Ä,,¾,¾,çB

"ZMODEM Send" f_fCfAf_fOf{fbfNfX

'—M,·,éftf@fCf<,ìftf@fCf<-¼,đ"ü—Í,Ü,½,Í'Í'đ,μ,Ä,-
,¾,¾,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,¯,ê,î,È,è,Ü,¹,ñB"~Žž,É•j",ìftf@fCf<,đ'Í'đ,·,é,
±,Æ,à,Å,«,Ü,·B

Binary

fofCfifŠftf@fCf<,đ'—M,·,é,Æ,«,Í'Í'đ,μ,Ä,-
,¾,¾,çB<t,ÉfefLfXfgftf@fCf<,đ'—M,·,éê±,Í'Í'đ,μ,È,ç,Å,,¾,¾,çB

ZMODEM ,lfq"fg

B-Plus ([File] Transfer f[]ff...[])

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Ü,·[]B

Receive

ftf@fCf<,ðŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf_fEf“f[][]fhfRf}f“fh,ð<N“® ,μ,Ä,-
,³/₄,³,ç[]B

Send...

ftf@fCf<,ð’—[]M,μ,Ü,·[]B,»,’O,É BBS
,ìfAfbfvf[][]fhfRf}f“fh,ð<N“® ,μ,Ä,,³/₄,³,ç[]B

B-Plus ,ìfqf“fg

B-Plus Send ([File] Transfer f...)

B-Plus fvf ffgfRf<,Åftf@fCf<,ð'—M,μ,Ü,·B,»,ì'O,É BBS
,lfAfbfvf [fhfRf}f"fh,ð<N" ©,μ,Ä,,¾,³,çB

"B-Plus Send" f_fCfAf_fOf{fbfNfX

'—M,·,éftf@fCf<,iftf@fCf<-¼,ð"ü—Í,Ü,½,í'l'ð,μ,Ä,-
,¾,³,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,¯,ê,î,È,è,Ü,¹,ñB

B-Plus .lfqf"fg

Quick-VAN ([File] Transfer f[]fj...[])

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[]B

Receive

ftf@fCf<,đŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf_fEf“f[][]fhfRf}f“fh,đ<N“® ,μ,Ä,-
,³/₄,³,ç[]B

Send...

ftf@fCf<,đ’—[]M,μ,Ü,·[]B,»,’O,É BBS
,ìfAfbfvf[][]fhfRf}f“fh,đ<N“® ,μ,Ä,,³/₄,³,ç[]B

Quick-VAN ,ìfqf“fg

Quick-VAN Send ([File] Transfer f fjf... [I])

Quick-VAN fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, É BBS
, ìfAfbfvf [fhfRf} f"fh, ð<N" ©, µ, Ä,, ¾, ¾, çB

"Quick-VAN Send" f_fCfAf_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -
, ¾, ¾, çB, ·, Å, É'¶Ý, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB" -Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,
±, Æ, à, Å, «, Ü, ·B

Quick-VAN ,ìfqf"fg

Change directory ([File] f\ffj...[I])

ftf@fCf<"]'—, ì, ½, ß, ìfffBfĈEfNfgfŠ, ð•ï X, μ, Ü, · B

"Change directory" f_fCfAf\fof{fbfNfX

V, μ, çfffBfĈEfNfgfŠ, ð"ü— í, μ, Ä,, ¾, ³, ç B

Print ([File] f fjf... [I])

"^óü"f_fCfAf_fOf{fbfNfX

^óü"íí,ìí'ð

"Sfy[fW",ð'í'ð,·,é,ÆACE>Ý,ì%æ-Ê,ð^óü,μ,Û,·B

"í'ð,μ,½·"•"ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½·Žš,ð^óü,μ,Û,·B

[Edit] f[]fj...[]

Copy

f}fEfX,Å'í'ð,μ,½•¶Žš—ñ,ð[]AfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]B
'[]^Ó: 'Ê[]í,í[]A,±,ìfRf}f"fh,ðŽg,α•K—
v,í, ,è,Ü,¹,ñ[]Bf}fEfX,Å•¶Žš,ð'í'ð,·,é,Æ[]AŽ©“®“í,ÉfNfŠfbfvf{[]fh,ÖfRf
s[][,³,é,Ü,·[]B'í'ð,³,é,Ä,ç,é•¶Žš—ñ,ð[]ÄfRfs[][,·,é[]ê[]‡,É,±,ìfRf}f"fh,ðŽg
—p,μ,Ä,,³/₄,³,ç[]B

Copy table

f}fEfX,Å'í'ð,μ,½•¶Žš—
ñ,ðfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]BfRfs[][,³,é,½•¶Žš—
ñ,^a•;[]" ,ì'PÆê,Å[]\[]—,³,é,Ä,ç,é[]ê[]‡[]A'PÆêŠÖ,ìŠe<ó"'•¶Žš—
ñ,í,»,é,¼,ê^ê,Â,ì Tab •¶Žš,É•İŠ·,³,é,Ü,·[]B,±,ìfRf}f"fh,É,æ,è%œ-
Ê[]ã,ì\,ðfRfs[][,μ,Ä[]A,»,é,ð Excel ,É,Ç,ì\ÆvŽŽf\ftfg,É"\,è•t,¯,é,±
,Æ,^a,Ä,«,Ü,·[]B

Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ,Ü,·[]B

Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ[]A'±,ç,Ä%œü[]sfR[]fh,à'—
[]o,μ,Ü,·[]B

Clear screen

%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

Clear buffer

fXfNf[][]f<fofbftf@[][,ì"à—e,Æ%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

[Setup] f[]fj...[]

Terminal...

'[--fGf~f...f[]fVf#f" ,i[]Y'è,ð,μ,Û,·[]B

Window...

%ooæ-Ê•\Ž|,i[]Y'è,ð,μ,Û,·[]B

Font...

ftfHf"f[]g,ð•i[]X,μ,Û,·[]B

Keyboard...

fL[]f{[]f[]h,i[]Y'è,ð,μ,Û,·[]B

Serial port...

fVfŠfAf<f[]f[]g,i[]Y'è,ð,μ,Û,·[]B

TCP/IP...

TCP/IP ,i[]Y'è,ð,μ,Û,·[]B

General...

,» ,i'¼,i[]Y'è,ð,μ,Û,·[]B

Save setup...

CE»[]Y',i[]Y'è,ð Tera Term []Y'èftf@fCf<,É•Û'¶,μ,Û,·[]B

Restore setup...

[]Y'èftf@fCf<,i"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð[]Y'è,μ,È," ,μ,Û,·[]B

Load key map...

fL[]f{[]f[]h[]Y'èftf@fCf<,i"à—
e,É,μ,½,ª,Á,ÄfL[]f{[]f[]h,ð[]Y'è,μ,È," ,μ,Û,·[]B

Terminal ([Setup] f f f f... [I])

"Terminal setup" f f C f A f f f O f { f b f N f X

Terminal size

f ^ [f ~ f i f < f T f C f Y (' [-- % o æ - Ê , ì ~ _ [f T f C f Y) [B % o i X [c
, ì • ¶ Ž š [" , Å Ž w ' è , μ , Ü , [B f E f C f " f h f E f T f C f Y (Ž Å [Ü , ì % o æ - Ê , ì ' å , « , ³)
, Æ • K , , μ , à " ~ , ¶ , Å , Í , , è , Ü , ¹ , ñ [B

Term size = win size

, ±
, ì f i f v f V f f " , ð ' l ' ð , μ , 1/2 [ê [# [A f ^ [f ~ f i f < f T f C f Y , Æ f E f B f " f h f E f T f C f Y , ð [í , É "
™ , μ , , μ , Ü , [B

Auto window resize

, ±
, ì f i f v f V f f " , ð ' l ' ð , μ , 1/2 [ê [# [A f ^ [f ~ f i f < f T f C f Y , ^a • ï [X , ³ , è , 1/2 , Æ , « , É [A f E f C f "
f h f E f T f C f Y , à " ~ , ¶ ' å , « , ³ , É Ž © " ® " l , É • ï [X , ³ , è , Ü , [B

New-line (receive)

CR+LF , ð ' l ' ð , μ , 1/2 [ê [# [A Ž ó [M , ³ , è , 1/2 % o ü [s • ¶ Ž š CR (\$0D) , ð CR+LF
(\$0D \$0A) , É • Ĩ Š , μ , Ü , [B

New-line (transmit)

CR+LF , ð ' l ' ð , μ , 1/2 [ê [# [A ' — [M Ž ž , É % o ü [s • ¶ Ž š CR (\$0D) , ð CR+LF
(\$0D \$0A) , É • Ĩ Š , μ , Ü , [B

Terminal ID

f z f X f g , É • ñ [[, , é Terminal ID [B Terminal ID , Í telnet , ì terminal type
, Æ , Í ^ á , ç , Ü , [B Telnet , ì terminal type , ð • ï [X , , é , É , Í **[Setup] TCP/IP**
f R f } f " f h , ð Ž g — p , μ , Ä , , ³/₄ , ³ , ç [B

Local echo

f L [" ü — í " ™ , É , æ , è ' — [o , , é • ¶ Ž š , ð , » , ì , Ü , Ü % o æ - Ê , É • Ž [, μ , Ü , [B

Answerback

f z f X f g , © , ç ENQ (\$05) • ¶ Ž š , ^a — , ç , è , Ä , « , 1/2 Ž ž , É [A ' — , è • Ô , • ¶ Ž š —
ñ [B • ¶ Ž š — ñ ' t , É Š Ü , Ü , è , é • Ž [• s % o Ä " \ , È • ¶ Ž š ([\$ Ç ä • ¶ Ž š) , Í [A " \$ " , Æ
, » , è , É , Ä , Ä , ASCII f R [[f h (2 Ç E . . . , ì 16 [i [") , Å • \ Ç » , μ , Ä , , ³/₄ , ³ , ç [B —
á , ì , Í [A • ¶ Ž š — ñ " ABC < CR > < LF > "
, ð f A f " f T [[f o f b f N , , é [ê [# [A Ž Ÿ , ì , æ , x , É " ü — í , μ , Ä , , ³/₄ , ³ , ç [B

ABC\$0D\$0A

Auto switch (VT<->TEK)

fGfXfP[fvfv[fPf“fX,đ»•É,μ,ÄAŽ©“®“I,É VT window ,©,ç TEK window ,Ö\$CEä,đ^Ú,μ,Ü,·(t,à“—l)B

Kanji (receive)

fzfXfg,©,ç’—,ç,ê,Ä,,éŠžŽšfR[fh (SJIS, EUC, JIS ,ì3Ží—p)B

7bit katakana (receive)

fzfXfg,©,ç’—,ç,ê,Ä,,é””¼Šp”•Đ%¼-¼fR[fh,ª 7 bit ,Å\CE»,³,ê,Ä,ç,é (SO/SI ,đ—p,ç,½Vftfg\$CEä,đ—p,ç,Ä,ç,é)êê‡,É’I’đ,μ,Ä,-,¾,¾,çB**Kanji (receive)** ,ª JIS ,ìêê‡,ì,Ý—LCEø,Å,·B

Kanji (transmit)

’—o,·,éŠžŽšfR[fh (SJIS, EUC, JIS ,ì3Ží—p)B

7bit katakana (transmit)

’—o,·,é””¼Šp”•Đ%¼-¼fR[fh,đ7bit,Å\CE»,·,é (SO/SI ,đ—p,ç,½Vftfg\$CEä,đ—p,ç,é)êê‡,É’I’đ,μ,Ä,,¾,¾,çB**Kanji (transmit)** ,ª JIS ,ìêê‡,ì,Ý—LCEø,Å,·B

Kanji-in (transmit)

Kanji (transmit) ,ª JIS ,ì,Æ,«,ÉŽg—p,·,éfGfXfP[fvfv[fPf“fX(ŠžŽšfR[fh,đ GO ,ÉŽwŽ!,·,éfV[fPf“fXB ^[\$@ ,Ü,½,í ^[\$B)BfzfXfg,©,ç’—,ç,ê,Ä,-,éfGfXfP[fvfv[fPf“fX,í,ç,ž,ç,Å,à\,ç,Ü,¹,ñB

Kanji-out (transmit)

Kanji (transmit) ,ª JIS ,ì,Æ,«,ÉŽg—p,·,éfGfXfP[fvfv[fPf“fX (ASCII ,Ü,½,í JIS f[f}ŽšfR[fh,đ GO ,ÉŽwŽ!,·,éfV[fPf“fXB ^[(B ,Ü,½,í ^[(J)BfzfXfg,©,ç’—,ç,ê,Ä,,éfGfXfP[fvfv[fPf“fX,í,ç,ž,ç,Å,à\,ç,Ü,¹,ñB

’^Ó: ^[(H ,í%ŠúÝ’è,Å,í’I’đ,Å,«,Ü,¹,ñB
” ^[(H ,đ’I’đ%Å”\,É,·,éB

Window ([Setup] f f f f... [I])

"Window setup" f f C f A f f f O f { f b f N f X

Title

f E f C f " f h f E, ì, ì f ^ f C f g f < B

Cursor shape

f f f f f <, ì C ` B **Block, Vertical line, Horizontal line**
, ì 3, Â, ©, ç ' l, x, Ü, · B

Hide title bar

f ^ f C f g f < f o [, A f f f f . . . [f o [[, ð [Á, µ, Ü, · B f E f B f " f h f E, ð ^ Ú " ®, ³, ¹, é, É, Í Alt
f L [[, ð % Õ Ÿ, µ, È, ª, ç % Õ E f } f E f X f { f ^ f " , Å f E f B f " f h f E, ð f h f % o f b f O, µ, Ä, -
, ¾, ¾, ç B f E f C f " f h f E, ð [Å [- % Õ » , ³, ¹, é, É, Í Alt f L [[, ð
% Õ Ÿ, µ, È, ª, ç [¶ f } f E f X f { f ^ f " , ð % Õ Ÿ, µ, Ä, , ¾, ¾, ç B C t r l f L [[, ð
% Õ Ÿ, µ, È, ª, ç [¶ f } f E f X f { f ^ f " , ð % Õ Ÿ, ·, A f f f b f v f A f b f v f [f f . . . [[, ª C E » , ê, Ü, · B

Hide menu bar

f f f f . . . [f o [[, ð [Á, µ, Ü, · B C t r l f L [[, ð % Õ Ÿ, µ, È, ª, ç [¶ f } f E f X f { f ^ f " , ð
% Õ Ÿ, ·, A f f f b f v f A f b f v f [f f . . . [[, ª C E » , ê, Ü, · B

Full color

f t f < f j f % Õ [f G f ~ f . . . f C E [f V f f f " , ð [s, ç, Ü, · B, ±, ì f, [f h, Å, Í A B o l d (< ' ²) /
B l i n k (" _ - Å) ' ® [« , ª • ¶ Ž š / " w C e i [F, ì ' ® [« , ì ^ ê • " , A E, µ, Ä Ž g —
p, ³, ê [A f G f X f P [f v f V [[f P f " f X, É, æ, è Ž w ' è % Õ Ä " \
, È • ¶ Ž š / " w C e i [F, ª 8 [F, ©, ç 1 6 [F, É ' [, ì, Ü, · B

Scroll buffer

f X f N f [[f < f o f b f t f @ [[, ð Ž g — p % Õ Ä " \
, É, µ, Ü, · B, Ü, ½ [A f X f N f [[f < f o f b f t f @ , ì [s " , ª [Ý ' è, Å, «, Ü, · B [s " , Í 800
(Tera Term) , Ü, ½, Í 10000 (Tera Term Pro)
^ È ã, É, Í [Ý ' è, Å, «, Ü, ¹, ñ [B f [f, f Š, ª ' «, è, È, ç [ê [f , Í " K " - , É C E , , ç, ³, ê, Ü, · B

Color

Text

• ¶ Ž š, ì [F

Background

" w C e i, ì [F

Attribute

[F, ð [Ý ' è, µ, ½, ç • ¶ Ž š, ì ' ® [« (Normal, Bold, Blink)

Reverse

- řžš, ìf, æ" wœi, ìf, őœđš, μ, ů, ·B

Font ([Setup] f f j f ... [L])

ftfHf“fg,đ•ïX,μ,Ü,·B

"Font setup" f f C f A f f O f { f b f N f X

Font

•ïX,μ,½,çftfHf“fg,đŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,¾,çB“ú- {CEê,đ•\ Ž|,·,é,½,ß,É,Í“ú- {CEêftfHf“fg,đ'l'đ,·,é•K—v,^a, ,è,Ü,·B

Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg” ,ÅŽw'è,μ,Ä,,¾,¾,çB

Enable bold style

Bold (<'²)'®«,ì•¶Žš,đ bold fXf^fCf<,ìftfHf“fg,Å•\Ž|,·,é,æ,κ
,É,μ,Ü,·B,±,ìê#A%œ-
Ê,ÉfSf~,^aŽc,Á,½,èA×,©,ç•¶Žš,^aÄ,Ô,è,Ä“Ç,Ý,É,,È,Á,½,è,·,é,±,Æ,^a,
,è,Ü,·B

'□: Tera Term •t'®,ìftfHf“fg Tera Special ,Í,±
,ìf f C f A f f O f { f b f N f X,Å,Í'l'đ,Ä,«,Ü,¹,ñB Tera Term ,É,æ,Á,ÄŽ©“®“l,ÉŽg—
p,³,è,Ü,·B

Keyboard ([Setup] f f j f ...)

"Keyboard setup" f f C f A f f O f { f b f N f X

Transmit DEL by:

Backspace Key

, ±, ì | f v f V f f f " , ð ' ð , ³, ê, é, Æ backspace f L [, ð % o Ÿ , μ , ½ Ž ž , É DEL • ¶ Ž š (ASCII \$7F) , ð ' — o , ³, ê, Ü , · B ' ð , ³, ê, È, ç, Æ BS • ¶ Ž š (ASCII \$08) , ð ' — o , ³, ê, Ü , · B, Ü , ½ A , ±, ì | f v f V f f f " , ð ' ð , ³, ê, ½ (' ð , ³, ê, È, ç) Ž ž , Å , à Ctrl + Backspace , Å BS (DEL) • ¶ Ž š , ð ' — o , Å , « , Ü , · B

Delete key

, ±, ì | f v f V f f f " , ð ' ð , ³, ê, é, Æ Delete (Del) f L [, ð % o Ÿ , μ , ½ Ž ž , É DEL • ¶ Ž š , ð ' — o , ³, ê, Ü , · B , ±, ì | f v f V f f f " , ð ' ð , ³, ê, È, ç [ê [# A Delete f L [, ì < @ " \ , í f L [{ [[f h [Ý ' è f t f @ f C f < , É , æ , è Æ ^ ' è , ³, ê, Ü , · B

Meta key

Alt f L [, ð f [^ [E f L [(meta key) , Æ , μ , Ä Ž g , ç , Ü , · B — á , ¡ , Í A Alt + A , ð % o Ÿ , · , Æ A ESC A , ð ' — o , μ , Ü , · B f [f ^ [E f L [f , [[f h , Å , Í A f v f f [[f g f] f b f g [E f L [, í ^ è • " , ð [œ , ç , Ä Ž g — p , Å , « , È , È , è , Ü , · B

f L [{ [[f h [Ý ' è f t f @ f C f < , ð ' , « , © , ¡ , é , ± , Æ , Å Ž © — R , É f L [[Ý ' è , ð • ĩ X , · , é , ± , Æ , ð , Å , « , Ü , · B

Serial port ([Setup] f f f f... [I])

"Serial port setup" f f C f A f f f O f { f b f N f X

Port

Žg—p,·,·,é f | [f g [B

Data, Stop, Baud rate, Flow control, Parity

f V f Š f A f < f | [f g , l f p f % o f [f ^ [, Å , · B [Ú ' ± , · , é f , f f f € "™ , ì [Ý ' è , É , , í , 1 , Ä , - , 3/4 , 3 , ç [B

' [: **Data** , ð **7** , É , · , é , Æ [A X M O D E M , Z M O D E M , B - P L U S , Q u i c k - V A N , É , æ , é f t f @ f C f < "] ' — , í , Å , « , Ü , 1 , ñ [B , Ü , 1/2 **Flow control** , ð **Xon/Xoff** , É , · , é , Æ [A X M O D E M , Q u i c k - V A N , É , æ , é f t f @ f C f < "] ' — , í , Å , « , Ü , 1 , ñ [B

Transmit delay

Tera Term , ^a · ¶ Ž š ([s) , ð ' — [o , µ , 1/2 , , Æ Ž Ÿ , ì · ¶ Ž š ([s) , ð ' — [o , · , é , Ü , Å , ì ' Ò , ; Ž ž Š Ô [B ' P ^ Ê , í f ~ f Š · b , Å , · [B 1 · ¶ Ž š ([s) , ² , Æ , ì ' Ò , ; Ž ž Š Ô , ð [Ý ' è , Å , « , Ü , · [B Tera Term , © , ç ' å — Ê , ì · ¶ Ž š , ð ' — [o , µ , 1/2 , Æ , « , É f , f f f € , â f z f X f g , ^a · ¶ Ž š , ð Ž æ , è , ± , Ú , · [ê [† , É , í " K " - , È ' Ò , ; Ž ž Š Ô , ð [Ý ' è , µ , Ä , Ý , Ä , , 3/4 , 3 , ç [B

TCP/IP ([Setup] f fjf... [I])

"TCP/IP setup" f fCfAf fOf {fbfNfX

Host list

[File] New connection

,đŽÀ□s,μ,½ŽŽ,ÉĚ»,ê,éf fCfAf fOf {fbfNfX,lfzfXfgfŠfXfg,ª•Ò□W,Å,«,Ü,·□Bfz
fXfg-¼,Ü,½,Í IP address ,đŠfXfg,É%oÁ,!,é,±,Æ,ª,Å,«,Ü,·□B,æ,□Ú'±
,·,ézfXfg,đ,±,lfŠfXfg,É"o~^,μ,Ä,¨,Æ•Ö—~ ,Å,·□B
,Ü,½□AfzfXfg-¼,¾,¯ ,Å,È,^È%oo,ì,æ,α,ÈfRf}f"fhf%oofCf"•¶Žš—
ň,đŠfXfg,É"o~^,·,é,±,Æ,à,Å,«,Ü,·□B

myhost.mydomain 'É□í,lfzfXfg-¼,Ü,½,Í IP address ,¾,¯

myhost.mydomain:23 fzfXfg-¼,Æf|□[fg"Ô□†

foohost.foodomain /F=FOOHOST.INI fzfXfg-¼+□Ý'èftf@fCf<-
¼,đŽw'è

/C=1 fVfŠfAf<f|□[fg,đŽw'è,·,é,±,Æ,à%oÁ"\
fzfXfg,âf|□[fg,É□Ú'±,¹,·,É□Af□fOftf@fCf<,ì"à—e,đ□Ä□¶

/R=LOG.DAT fzfXfg,âf|□[fg,É□Ú'±,¹,·,É□Af□fOftf@fCf<,ì"à—e,đ□Ä□¶

History

,±,lf|fvfVf†f",đ'I'đ,·,é,Æ□A[File] New connection f fCfAf fOf {fbfNfX,Å"ü—
Í,¾,ê,½fzfXfg-¼,ªfzfXfgfŠfXfg,ì□æ"ª,É'Ç%oÁ,¾,ê,Ü,·□B

Auto window close

,±,lf|fvfVf†f",đ'I'đ,·,é,Æ□AfzfXfg,Æ,ì□Ú'±,ª□Ø,ê,½,Æ,«Ž©"®"I,É Tera
Term ,đ□l—¹,μ,Ü,·□B

TCP port#

f|□[fg"Ô□†□BTelnet ,đŽg—p,·,é,Æ,«,Í□A'Ê□í23,É,μ,Ü,·□B

Telnet

Telnet fvf□fgfRf<,đŽg—p,μ,Ü,·□B'Ê□í,Í'I'đ,μ,Ä,,¾,¾,ç□B

Terminal type

Telnet fvf□fgfRf<,Å□Ú'±,μ,½,Æ,«fzfXfg,É•ň□□,·,é terminal type□B

General ([Setup] f fjf... [I])

"General setup" f_fCfAf_fOf{fbfNfX

Default port

Tera Term , ðfRf}f“fhf%ofCf“fpf%of [f^ [, È, μ, Å<N“ ® , μ, 1/2, Æ, «, É □ Ú' ±
, , éf [[fg, ÌŽí—P (TCP/IP , Ü, 1/2, Í **Serial**) □B

Language

f^ [[f~fif<fGf~f...f [[fVf†f“ , Ì ¾ Æ êf, [[fh(%opÆê/“ú- {Æê/
f [[fVfAÆê) □B“ú- {Æê, ð•\Ž! , , é, 1/2, ß, É, Í **Japanese** , ð' Ì ð, μ, Å, , ¾, ¾, ç □B

Save setup ([Setup] f fjf... [I])

CE»Ÿ,ìŸ'è,đ Tera Term Ÿ'èftf@fCf<,É•Ů'ŋ,μ,Û,·B

"Save setup" f_fCfAf_fOf{fbfNfX

Tera Term Ÿ'èftf@fCf<,ìftf@fCf<-¼,đŽw'è,μ,Ä,-
,¾,³,çBŽw'è,μ,½ftf@fCf<,ª,·,Å,É'ŋŸ,·,éê±,íă',«,³,ê,Û,·Bftf@fCf<-
¼,ìŠg'£Žq,đÈ—ª,μ,½ê±A".INI" ,ªŠg'£Žq,Æ,È,è,Û,·B

Restore setup ([Setup] f fjf... [I])

Tera Term □Ý'èftf@fCf<,l"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð□Ý'è,μ,È,¨,μ,Ü,·□B

"Restore setup" f_fCfAf□fOf{fbfNfX

,·,Å,É'¶□Ý,·,é Tera Term □Ý'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,¢□Bftf@fCf<-¼,lšg'£Žq,ð□È—ª,μ,½□ê□#□A".INI" ,ªšg'£Žq,Æ,È,è,Ü,·□B

Load key map ([Setup] f fjf... [I])

fL[f{[fhY'èftf@fCf<,l"à—e,É,μ,½,ª,Á,ÄfL[f{[fh,ðY'è,μ,È,"μ,Ü,·B

"Load key map" f_fCfAfOf{fbfNfX

,·,Å,É'¶Y,·,éjL[f{[fhY'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,†Bftf@fCf<-¼,ìŠg'£Žq,ðÈ—ª,μ,½ê#A".CNF" ,ªŠg'£Žq,Æ,È,è,Ü,·B

[Control] f~fj...~

Reset terminal

^~fj<,išeŽif,~fh,đšfZfbfg,μ,Ü,·~B

Are you there

Telnet ,ì AYT (Are You There) fRf}f“fh,đ’—~o,μ,Ü,·~B’Ê~ifzfXfg,í,±,ê,ÉCEÄ%ž,μ,Ä%½“™,©,ìf~fbfZ~fW,đ’—,è•Ô,μ,Ä,«,Ü,·~BTelnet
~Ú’±,ì,Æ,«,¾,~Žg—p,Å,«,Ü,·~B

Send break

fufCE~fN~M~t,đ’—~o,μ,Ü,·~B

Reset port

fVfšfAf<f|~f~g,đfšfZfbfg,μ,Ü,·~BfVfšfAf<f|~f~g~Ú’±,ì,Æ,«,¾,~Žg—
p,Å,«,Ü,·~B

Open TEK

TEK window ,đšJ,«,Ü,·~B

Close TEK

TEK window ,đ•Â,¶,Ü,·~B

Macro

f}fNf~,đžÀ~s,μ,Ü,·~B

[Window] f fjf... [

ŽÀ s't, ì Tera Term fEfcf"fhfE, ð, ±, ìf fjf... [, ìfŠfXfg, ©, ç'l, Ñ A%æ-
Ê, î^ê"Ô'O, É•\Ž, ³, ¹, Ü, · B Å'â, Å9CEÂ, ìfEfbf"fhfE, ðfŠfXfg, É•\
Ž, ³, ê, Ü, · B ŽÀ s't, ìfEfbf"fhfE, ð9CEÂ, æ, è'½, -
A fŠfXfg, É, È, çfEfbf"fhfE, ð'l'ð, µ, ½, ç ê ð †, Í A, ±, ìf fjf... [, î^ê"Ô%º, É, , é
Window fRf}f"fh, ðŽg—p, µ, Ä, , ³/₄, ³, ç B

Window...

ŽÀ s't, ì Tera Term fEfcf"fhfE, ð%æ-Ê, î^ê"Ô'O, É•\
Ž, ³, ¹, ½, è•Â, ¶, ½, è, µ, Ü, · B

Window [Window] f fjf... [

ŽÀ s't, ì Tera Term fEjCf"fhfE, ð%œ-Ê, ì^ê"Ô'O, É•\Ž|, ³, ¹, ½, è•Â, ¶, ½, è, µ, Ü, ·B

"Window list" f_fCfAf fOf{fbfNfX

Window

ŽÀ s't, ì Tera Term fEjCf"fhfE, ìfŠfXfg B^ê, Â'I'ð, µ, Ä, ³/₄, ³, çB

Open

'I'ð, ³, ê, ½fEjCf"fhfE, ð%œ-Ê, ì^ê"Ô'O, É•\Ž|, ³, ¹ A, »µ, Ä, ±
, ìf_fCfAf fOf{fbfNfX, ð•Â, ¶, Ü, ·B

Close window

'I'ð, ³, ê, ½fEjCf"fhfE, ð•Â, ¶, Ü, ·B

[Help] f f f... [

Index

, ±, ÷, f w f < f v, ð • \ Ž |, μ, Ü, · □ B

Using help

f w f < f v, ÷ Ž g, ç • û, ÷ à - ¾, ð • \ Ž |, μ, Ü, · □ B

About Tera Term...

Tera Term , É Š Ö, ·, é □ ^ • ñ, ð • \ Ž |, μ, Ü, · □ B

TEK window ,lfRf}f“fh

[File] f[]fjf...[]

[Edit] f[]fjf...[]

[Setup] f[]fjf...[]

[VT-window] f[]fjf...[]
VT window ,Ö^Ú“® ,μ,Ü,·[]B

[Window] f[]fjf...[]

[Help] f[]fjf...[]

[File] fffj... (TEK window)

Print...

%æ-Ê'S'ì,Ü,½,íAf}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%æ'æ,ð^óü,μ,Ü,·B

Exit

TEK window,ð•Â,¶,Ü,·B

Print (TEK window [File] f fjf... [I])

"^óü" f_fCfAf_fOf{fbfNfX

^óü"íí,ìí'ð

"Sfy[fW" ,ð'í'ð,·,é,ÆACE»Ý,ì%æ-Ê,ð^óü,μ,Û,·B
"í'ð,μ,½•"•a",ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½-ì^æ,ì
%æ'æ,ð^óü,μ,Û,·B

[Edit] f[]ffj...[] (TEK window)

Copy

f}fEfX,Å'ì'ð,³,ê,^{1/2}—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

Copy screen

%œ-Ê'S'ì,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ,Û,·[]B

Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ[]A'±,¢,Ä%ö[]sfR[]fh,à'—
[]o,μ,Û,·[]B

Clear screen

%œ-Ê,ð[]Á<Ž,μ,Û,·[]B

[Setup] f[]ffj...[] (TEK window)

Window...

%oæ-Ê•\Ž!,ì[]Ý'è,đ,μ,Û,·[]B

Font...

ftfHf“fg,đ•ï[]X,μ,Û,·[]B

Window (TEK window [Setup] f fff... [I])

"Window setup" f fCfAf fOf {fbfNfX

Title

fEfBf"fhfE,lf^fCfgef<B

Cursor shape

f [f]f<, ìĀ` BBlock, Vertical line, Horizontal line
, ì3, Â, ©, ç' l, x, Ü, · B

Hide title bar

f^fCfgef<fo [, Æf fff... [fo [, ð Á, µ, Ü, · BfEfBf"fhfE, ð^Ú" ®, ³, ¹, é, É, Í Alt
fL [, ð%oÿ, µ, È, ª, ç%oEf} fEfXf {f^f" , ÅfEfBf"fhfE, ðfhf%ofbfO, µ, Ä, -
, ¾, ³, ç BfEfCf"fhfE, ð Å ¬%o» , ³, ¹, é, É, Í Alt fL [, ð
%oÿ, µ, È, ª, ç [f]f} fEfXf {f^f" , ð%oÿ, µ, Ä, , ¾, ³, ç BCtrl fL [, ð
%oÿ, µ, È, ª, ç [f]f} fEfXf {f^f" , ð%oÿ, · , Æf|fbfvfAfbfvf fff... [, ðĀ» , ê, Ü, · B

Hide menu bar

f fff... [fo [, ð Á, µ, Ü, · BCtrl fL [, ð%oÿ, µ, È, ª, ç [f]f} fEfXf {f^f" , ð
%oÿ, · , Æf|fbfvfAfbfvf fff... [, ðĀ» , ê, Ü, · B

Color emulation

• ¶ Žš, âfOf%oftfBfbfN, ì F, ð Žw'è, · , éfGfXfP [fvfV [fPf" fX, ð—
LĀø, É, µ, Ü, · B, ±
, ìf|fvfVf#f" , ð' l' ð, · , é, Æ A' l' ð, µ, È, ç ê [f] , É" ä, x f [f, fŠ A' i—Ê, ª [f]
%oÁ, µ, Ü, · B • K—v, ì, È, ç ê [f] , í' l' ð, µ, È, ç, Å, , ¾, ³, ç B

Color

Text

• ¶ Žš, ì F

Background

"wĀi, ì F

Reverse

• ¶ Žš, ì F, Æ" wĀi, ì F, ðĀðŠ, µ, Ü, · B

Font (TEK window [Setup] f...fj...)

ftfHf“fg,đ•ïX,μ,Ü,·B

"Font setup" f_fCfAf_fOf{fbfNfX

Font

•ïX,μ,½,çftfHf“fg,đfŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,³,çB

Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg”,ÅŽw'è,μ,Ä,,¾,³,çB

[Help] f̄fj̄f...̄[(TEK window)

Index

, ±, ìfwf<fv, đ•\Ž!, μ, Ü, ·̄B

Using help

f̄fwf<fv, ìžg, ç•û, ì̄à^{-3/4}, đ•\Ž!, μ, Ü, ·̄B

About Tera Term...

Tera Term , ÉŠÖ, ·, é̄î•ň, đ•\Ž!, μ, Ü, ·̄B

f[]fO, ižæ, è, ©, ½[]Af[]fO, i[]Ä[]¶<@”\

f[]fO (log) <@”\, ð, Â, ©, ¤, Æ[]AfzfXfg, ©, ç’—, ç, ê, Ä, «, ½•¶žš, ðftf@fCf<, É•Û’¶, ·, é, ±, Æ, ¢, Ä, «, Ü, ·[]B

f[]fO, ižæ, è, ©, ½

^È%oo, ižè[]¶, É, µ, ½, ¢, Ä, ¢, ¾, ¢, ¶[]B

1. [File] Log fRf}f“fh, ðžÀ[]s, ·, é[]B

2. "Tera Term: Log" f_fCfAf[]fOf{fbfNfX, ¢Æ» , é, é[]B
•Û’¶, ·, éftf@fCf<, ðftf@fCf<-¼, ð **File Name:** , É“ü—í, ·, é[]B

Binary , ð’l’ð, ·, é, Æ[]AfzfXfg, ©, ç’—
, ç, ê, ½•¶žš, í, ·, x, Äftf@fCf<, É[]’, «[]ž, Ü, ê, é[]B

Binary , ð’l’ð, µ, È, ç, Æ[]AŠžžš[]A
%oü[]sfR[]fh, í•İŠ, ¢, ê, Ä[]’, «[]ž, Ü, ê, é[]BfGfXfP[]fVfV[]fPf“fX, í[]’, «[]ž, Ü, ê, È,
ç[]B

Append , ð’l’ð, ·, é, Æ[]Aftf@fCf<, ¢, ·, Ä, É’¶[]Ý, ·, é[]è[]¶[]A’Ç

%oÁ, µ, Ä[]’, «[]ž, Ü, ê, é[]B

Append , ð’l’ð, µ, È, ç, Æ[]Aftf@fCf<, ¢, ·, Ä, É’¶[]Ý, ·, é[]è[]¶[]A[]ä[]’, «, ¢, é, é[]B

3. OKf{f^f“ , ð%oÿ, ·, Æ[]A"Tera Term: Log" , Æ, ç
, ¤fAfCfRf“ , ¢Æ» , é[]Af[]fO, ¢Šžžn, ¢, é, é[]Bf[]fO, ðžæ, Ä, Ä, ç, éŠÔ, à[]A^ê•” , i<@”\ , ð[]œ, ç, Ä, ·[]É, É Tera Term , ðžg—p, ·, é, ±, Æ, ¢, Ä, «, é[]B

4. f[]fO, ð[]—

¹, µ, ½, è[]A’t’f, µ, ½, ç[]è[]¶, í[]AfAfCfRf“ , ð(f_fuf<)fNfŠfbfN, µ, Ä_fCfAf[]fOf{fbfN
fX, ð•žž, ¢, í[]A**Close** , Ü, ½, í **Pause** f{f^f“ , ð%oÿ, ·[]B**Pause** f{f^f“ , ð
%oÿ, ·, Æ**Start** f{f^f“ , É•í, í, é, ì, Ä[]A, » , é, ð%oÿ, ·, Æf[]fO, ¢[]ÄŠ, ¢, é, é[]B

•Û’¶, µ, ½ftf@fCf<, í[]A[]uf[]f, ‘ []v“™ , ðGfffBf^, ÅÆ© , é, ±
, Æ, ¢, Ä, «, Ü, ·, ¢[]AfGfXfP[]fVfV[]fPf“fX“™ , ðšÜ, ñ, ¾ftf@fCf<, í[]Af[]fO, i[]Ä[]¶<@”\ , ðžg, Ä, ÅÆ© , é, Æ•Ö—~ , Ä, ·[]B

f[]fO, i[]Ä[]¶, ì, µ, ©, ½

fRf}f“fhf%ofCf“ , ð[]A

TTERMPRO /R=<f[]fOftf@fCf<-¼>

, ì, æ, ¤, Éžw’è, µ, Ä Tera Term

, ðžÀ[]s, µ, Ü, ·[]B, ·, é, Æ[]A, , ½, ©, àfzfXfg, ©, ç•¶žš, ¢’—, ç, ê, Ä, «, ½, ©, ì, æ, ¤

,É□Af□fOftf@fCf<,đ□Ä□¶,·,é,±,Æ,ª,Å,«,Ü,·□B

,Ü,½,Í□A[File] New connection ,Å **Host:** ,ì□Š,É

/R=<f□fOftf@fCf<-¼>

,Æ“ü—í,μ,Ä,à□Af□fOftf@fCf<,ª□Ä□¶,Å,«,Ü,·□B

Tera Term □Ý'èftf@fCf<

<N"®Žž,Ü,½,í□A[Setup] Restore setup ,đŽÀ□s,μ,½,Æ,«□A□Ý'èftf@fCf<,ì"à—
e,É,μ,½,^a,¢ Tera Term ,^a□%ú%»³,é,Ü,·□BfRf}f"fhf%ofCf",Á□Ý'èftf@fCf<-
¼,đŽw'è,·,é,±,Æ,^a,Á,«,Ü,·□BfRf}f"fhf%ofCf",Áftf@fCf<-
¼,đŽw'è,μ,È,¢□ê#□A□Ý'èftf@fCf< **TERATERM.INI** ,^a"Ç,Ý□ž,Ü,é,Ü,·□Bftf@fCf<-
¼,ÌŠg'£Žq,đ□È—^a,μ,½□ê#□A".INI",Á, ,é,Æ,Ý,È,³,é,Ü,·□B

CE»□Ý,ì□Ý'è,đ□Ý'èftf@fCf<,É•Ú'¶,·,é,É,í□A[Setup] Save setup ,đŽÀ□s,μ,Ä,-
,³/₄,³,¢□B

Tera Term □Ý'èftf@fCf<,ì"Á•ÊfjfvfVf#f"

^È%ú,ì□Ý'è,đ,·,é,É,í□Aft□[fU□],í Tera Term
□Ý'èftf@fCf<,đ'¼□Ú•Ò□W,μ,È,·,é,Î,È,è,Ü,¹,ñ□B

f^□[f~fj~fGf~f...fCE□[fvf#f"

fobfN□Ef%ofbfv (back wrap) new
BEL •¶ŽšŽó□M,Áfr□[fv%ú¹,đ-Á,ç,³,È,¢ new
C1 □šCEä•¶Žš(\$80-\$9F),đŽg—p,μ,È,¢
llS Š; Žš'—□o,ÌŽž□A□³,μ,,È,¢ "kanji-out" fv□[fPf"fX ^[(H ,đŽg—p%úÁ"]\
,É,·,é
2fofCfG•¶Žš(Š; Žš),ì1fofCfG-Ú,Æ2fofCfG-
Ú,ÌŠÔ,É□šCEä•¶Žš"™",^a"ü,Á,½□ê#□A1fofCfG-Ú,đ-³CEø,É,·,é
Žó□M,μ,½•¶Žš,đ,·,x,Ä•\Ž!,·,é,æ,æ,É,·,é
fXfe□[f^fXf%ofCf",đŽg—p•s%úÁ,É,·,é new
TEK GIN report ,lf}fEfXfR□[fh,ì'l,đ□Ý'è,·,é

fEfBf"fhfE

Ž©"®"l,È•¶Žš—ñfRfs□[l,đ,μ,È,¢
f_fuf<fNšfbfN,É,æ,é'PCEê'l'đ,ì<æ□Ø,è•¶Žš
f|fbfvfAfbfvf□fjf...□[l,đŽg—p•s%úÁ,É,·,é
"Show menu bar" fRf}f"fh,đ%úB,·
CE³/₄CEéf,□[fh,ì'l'đ,đ•s%úÁ,É,·,é
fXfNf□□[f<fofbftf@□[l,ì□Á'á□s□"
" -Á,μ,È,¢f|□[f|f<
^ê"x,ÉfXfNf□□[f<,·,é□Á'á,ì□s□",đ□Ý'è,·,é
f}fEfX,ÁEfBf"fhfE,đ'l'đ,μ,½,Æ,«,ì•¶Žš,ì'l'đ,đ<ÖŽ~,·,é
f^fCfGf<,ìCE`Ž® new
""□F,·,æ,Ñ□•□F'®□«,ì•¶Žš,ìŽÀ□Ú,ì□F
•¶Žš(□s)ŠÔ,É,·,«,Ü,đ,·,é
[Window] f□fjf...□[l,đ%úB,·

'ÊM

fVfŠfAf<f|[]fg"Ô[]t,ì[]Á'á'l new
TCP/IP %oñü[]Ø'f,ìŠm"É,ð,µ,É,ç
Telnet ,ìfofCfifŠf|fvfVf#f"
Telnet ,ìfGfR[]|f|fvfVf#f"
Telnet ,ìf[]fO
Telnet —pf|[]fg"Ô[]t / "ñ telnet []Ú'±—p'[-—[]Ý'è

ftf@fCf<"']'—

Žó[]M,µ,½ftf@fCf<,ì-¼'O,ðŽ©"®"I,É•ì[]X,µ,Ä[]ã[]',«,ð"ð,_,é new
B-Plus Žó[]M,ìŽ©"®<N"®
B-Plus ,Á,.,x,Ä,ì[]§CEä•¶Žš,ðfGfXfP[]|fv,.,é
B-Plus ,ìf[]fO
Kermit ,ìf[]fO
Quick-VAN ,ìf[]fO
Quick-VAN ,ìfEfBf"fhfEfTfCfY
XMODEM ,ìf[]fO
ZMODEM Žó[]M,ìŽ©"®<N"®
ZMODEM '—[]M,ì[]Ý'è
ZMODEM ,Á,.,x,Ä,ì[]§CEä•¶Žš,ðfGfXfP[]|fv,.,é
ZMODEM ,ìf[]fO

^óü

fGfXfP[]|fvfV[]|fPf"fx,É,æ,é^óü,ì'x%o,, new
fGfXfP[]|fvfV[]|fPf"fx,É,æ,é^óü,Á'¼[]Úf|[]fg,É[]o—í new
fGfXfP[]|fvfV[]|fPf"fx,É,æ,é^óüŽž,ì%üfy[]|fW,ð<ÖŽ~,.,é new
fVfŠf" f^ftfHf"fg,ìŽw'è
fy[]|fW—]'"',ìŽw'è
^óü,ì"{}—!

,»,'¼

[]Ú'±Žž,ìfr[]|fv%o¹
IME ("ú-{CEê"ü—|fvfxfef€),ÉŠÖ,.,é[]Ý'è
<N"®Žž,Éf}fNf[],ðŽÀ[]s

C1 [§CEä•ŕŽš (\$80-\$9F) ,đŽg—p,μ,È,ç

Tera Term ,ìŠžŽšf, [fh(ŽóM), đ **EUC** , © **JIS** ,É,μ,Ä A Teraminal ID ,đ VT2XX
,Ü,½, í A VT3XX ,É,μ,Ä, ç, é ê ð A Shift-JIS
,ìŠžŽš,đŽóM, ,é,Æ Afnf“ fOfAfbfv, ,é,±,Æ,ª, ,è,Ü, · B

,±,ê, í A Shift-JIS fR [fh, ì†, É C1 [§CEä•ŕŽš (\$80-9F) ,ªŠÜ,Ü,ê,Ä, ç
,é,½,ß,É A, » ,é, ç, đ [§CEä•ŕŽš,Æ,μ,Ä%ođŽß,μ,Ä,μ,Ü, ç A' [---, ìó'Ô,ª, ", ©, μ, -
,È,é, ©, ç, Å, · B

—á,ì, í AfzfXfg,É,æ,Á,Ä, í fOfCf“ Žž,È,Ç,É **SJIS**(Shift-JIS), **EUC**, **JIS** ,È,Ç,ì“ Ží—
p,ìŠžŽšfR [fh, đ' [---,É'—, è A, Ç, í fR [fh,ª³,μ, •\Ž',ª,ê,Ä,é, © f [fU [,É“ü—
í,ª,¹,é A,Æ, ç,ª,±,Æ,ª, ,è A,±,ì,æ,ª,É ê ð ,É-â'è,ª“ [ŕ,μ,Ü, · B

,à,μ A,±,ì,æ,ª,É ó'Ô,É,È,Á,½ ê ð A **[Control] Reset terminal** ,Á' [---
, ìó'Ô, đ Š fZfbfg,μ,Ä,¾,ª, ç B

,±,ì,æ,ª,È-â'è,đ,ª, -,é,É, í A3,Ä,ì•û-@,ª, ,è,Ü, · B

1) ŠžŽšf, [fh(ŽóM), đ **SJIS** ,ÉŕÝ'è, ,é B

2) **[Setup] Terminal** ,Á **Terminal ID** ,đ **VT1XX** (—á,ì, í **VT100**) ,É, ,é B

3) ŕÝ'è f [fCf<, ì **[Tera Term] fZfNfvf#f“**, ì **Accept8BitCtrl** [s,đ

Accept8BitCtrl=off

,ì,æ,ª,É•Ò W,μ A C1 [§CEä•ŕŽš,Æ,μ,Ä'—,ç,ê,Ä,«,½•ŕŽš,đ-³Ž<, ,é,æ,ª
,ÉŕÝ'è, ,é B

È—ªžž:

Accept8bitCtrl=on

☐³,μ,,È,ç "kanji-out" ,đŽg—p%oÂ"\,É,·,é

^ê•",)fVfXfef€„Å—p,ç,ç,ê,Ä,ç,é "kanji-out" fV☐[fPf“fX ^[(H ,í☐AJIS/ISO ,ì<KŠi,É☐],Á,Ä,ç,Ü,¹,ñ☐B-{"—,É•K—v,ì, ,é☐é☐#^ÈŠO,ÍŽg—p,μ,È,ç,Ä,,³/₄,³,ç☐B☐ %oŠú☐Ý'è,Å,ÍŠÔ^á,ç,đ-h,®,¹/₂,ß **[Setup] terminal** f_fCfAf☐fOf{fbfNfX,Å ^[(H ,ª'đ,Ä,«„È,ç,æ,ɣ,É,È,Á,Ä,ç,Ü,·☐B

^[(H ,đ'đ,Ä,«„é,æ,ɣ,É,·,é,É,Í☐A☐Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“ ,ì **AllowWrongSequence** ☐s,đ☐A

AllowWrongSequence=on

,ì,æ,ɣ,É•ï☐X,μ,Ä,,³/₄,³,ç☐Bf_fCfAf☐fOf{fbfNfX,Å'đ,Ä,«„é,æ,ɣ,É,È,è,Ü,·☐B

☐È—ªŽž:

AllowWrongSequence=off

ŽóM,μ,½ftf@fCf<,ì-¼'O,đŽ©“®“I,É•ïX,μ,Äã‘,«„đ”đ,~,é

Kermit, Zmodem, BPlus, Quick-VAN fvf ffgfRf<,đŽg—
p,μ,Äftf@fCf<,đŽóM,~,éê#Aftf@fCf<-¼,ízfXfg('—M'α),É,æ,è—
^,!,ç,ê,Û,·B,à,μA“~,¶ftf@fCf<—
¼,ª,·,Ä,Éf[fjf<fffBfXfN,É'¶Y,~,éê#A,»,ìftf@fCf<,íŽóM,³,ê,½ftf@fCf<,É,æ,è
ã‘,«,³,ê,Û,·B,±,ìã‘,«„đ”đ,~,é,É,íAÝ'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“,ì
AutoFileRename [s,đ^È%ooº,ì,æ,α,É•ïX,μ,Ä,,¾,¾,çB

AutoFileRename=on

,±,ìê#AŽóM,³,ê,½ftf@fCf<,íã‘,«„đ”đ,~,é,½,β,ÉŽ©“®“I,É-
¼'O,ª•ïX,³,ê,Û,·B—á,!,íAŽóM,³,ê,½ftf@fCf<,ª "abc.txt" ,Å“~,¶-
¼'O,ª,·,Ä,Éf[fjf<fffBfXfN,É'¶Y,~,éê#AŽóM,³,ê,½ftf@fCf<,ì-¼'O,í
"abc1.txt" ,É•ïX,³,ê,Û,·B

È—ªŽž:

AutoFileRename=on

Ž © “ ® “ I, È • ¶ Ž š — ñ f R f s [, ð , μ , È , ç

f}fEfX,Å•¶Žš—ñ,ð‘l’ð,·,é,Æ□A“~Žž,É,»„ê,afNfŠfbfvf{□[fh,ÉfRfs□[,³,ê,Ü,·□B,±
,lŽ © “ ® “ I, È • ¶ Ž š — ñ f R f s [, ð , μ , È , ç , æ , x , É , · , é , É , í □ A □ Ý ‘ è f t f @ f C f < , ì **[Tera Term]**
fZfNfVf†f“ , ì **AutoTextCopy** □ s , ð ^ È % o o , ì , æ , x , É • ï □ X , μ , Ä , , ³/₄ , ³ , ç □ B

AutoTextCopy=off

□ È — ð Ž ž :

AutoTextCopy=on

fofbfN□Ef%ofbfv (back wrap)

fofbfN□Ef%ofbfv (back wrap) <@”\,đ—LCEø,É,·,é,Æ□ABS

•¶Žš,đŽó□M,μ,½Žž,É□s,ìŽn,ß,É, ,éj□[f\

f<,ª‘O,ì□s,ì□ÅĚã,É^Ú“® ,μ,Ü,·□BfofbfN□Ef%ofbfv,đ—

LCEø,É,·,é,É,í□A□Ý‘èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“,ì **BackWrap** □s,đ^È

%oº,ì,æ,α,É•ï□X,μ,Ä,,¾,³,ç□B

BackWrap=on

□È—ªŽž:

BackWrap=off

BEL • ¶ŽšŽó ¶M, Åfr ¶[fv%o¹, ð-Â, ç, ³, È, ç

BEL • ¶Žš (ASCII \$07) , ðŽó ¶M, ³, ê, ½Žž, Éfr ¶[fv%o¹, ð-Â, ç, ³, È, ç, æ, x
, É, ·, é, É, Í ¶A ¶Ý`èftf@fCf<, Ì **[Tera Term]** fZfNfVf#f“ , Ì **Beep** ¶s, ð^È%o⁰, Ì, æ, x
, É•Í ¶X, µ, Ä, , ³/₄, ³, ç ¶B

Beep=off

¶È—ðŽž:

Beep=on

□Ú'±Žž,ìfr□[fv%oo¹

TCP/IP □Ú'±,Šm—š,μ,½Žž,Æ,»,ì□Ú'±,Ø,ê,½Žž,Éfr□[fv%oo¹,ð-
Â,ç,·,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“,ì **BeepOnConnect** □s,ð^È
%oo⁰,ì,æ,κ,É•ï□X,μ,Ä,,¾,³,ç□B

BeepOnConnect=on

□È—Šž:

BeepOnConnect=off

B-Plus ŽóM,ž©“®<N“®

ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ì BPAuto s,ðA

BPAuto=on

,ì,æ,α,É•ïX,·,é,ÆANifty-Serve “™,ì BBS ,ÅAB-Plus
,ìf_fEf“f[fhfRf}f“fh,ðŽÀs,μ,½,Æ,«,ÉAŽ©“®“I,É Tera Term ,ì B-Plus
ŽóM,ŠŽn,³,ê,é,æ,α,É,È,è,Ü,·B

È—āŽž:

BPAuto=off

B-Plus ,Å,·,x,Ä,ì§CEä•¶Žš,ðfGfXfP[]fv,·,é

B-Plus ,Å,íA'ÊM%ñü,^ê•",ì§CEä•¶Žš,ð'Ê,³È,ç,±
,Æ,ð'z'è,μ,ÄA,»,ê,ç,ðfGfXfP[]fv,·,é('¼,ì•¶Žš,ì'g,Ý¶,í,¹É'u,«Š·,!,é),æ,κ
,É,È,Á,Ä,ç,Ü,·B,μ,©,μA'z'èŠO,ì§CEä•¶Žš,à'Ê,³È,ç%ñü,ìê¶,Í"']—,^a,κ,Ü,,ç
,«,Ü,¹,ñB,»,ì,æ,κ,Èê¶,íA'Ý'èftf@fCf<,ì [Tera Term] fZfNfVf¶f",ì BPEscCtl
[]s,ðA

BPEscCtl=on

,ì,æ,κ,É•íX,μ,Ä,,³/₄,³,çB,±,ê,Å,·,x,Ä,ì§CEä•¶Žš,ðfGfXfP[]fv,·,é,æ,κ
,É,È,è,Ü,·B

È—^aŽž:

BPEscCtl=off

B-Plus ,lf fO

Y'èftf@fCf<, [Tera Term] fZfNfVf#f“ , BPLog s,ðA

BPLog=on

,ì,æ,æ,É•ïX,·,é,Æ AfzfXfg,Æ Tera Term ,İŠÔ,Å B-Plus ,ð—p,ç,½ftf@fCf<“]’—
,ð,·,é,Æ,«,É ACEđŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **BPLUS.LOG** ,É<L~^,μ,Û,·B

È—āŽž:

BPLog=off

TCP/IP %oňüØ'f,ìŠm" F,đ,μ,È,ç

Unix "™,lfzfXfg,É telnet ,ÁfOfCf" ,μ,Ä,ç,éó'Ô,ÅA%oňü,đ<-
\$"l,ÉØ'f,·,é,ÆAfvfZfX,žc,Á,½,Û,Û,É,É,é,±,Æ,a, ,è,Û,·B,â,p,đ"¾,È,çê†,
đœ,«A³,μ,ç•û-@,ÁfOfAfEfg,·,é,æ,κ,É,μ,Ä,,¾,³,çB

Tera Term ,ì%ŠúÝ'è,Å,í TCP/IP Ú'±Žž,É fVfXfef€fjf...
[,ìu•Ä,¶,évfRf}f"fh,Û,½,í **[File]** fjf...[,ì **Exit** fRf}f"fh,Å%oňü,đ<-
\$"l,ÉØ'f,·,é,Æ,«,ÉA"Disconnect ?" ,Æ,ç,κfbfZ[fW,đ•\
Ž,μ,Äf+[fU[,ÉŠm" F,đ,μ,Û,·B

Ý'èftf@fCf<,ì **[Tera Term]** fzfnfvf†f" ,ì **ConfirmDisconnect** s,đA

ConfirmDisconnect=off

,ì,æ,κ,É•ìX,·,é,ÆA%oňü,đ<\$Ø'f,·,é,Æ,«,Éf+[fU[,ÉŠm" F,đ,μ,Û,¹,ñB

È—žž:

ConfirmDisconnect=on

2fofCfg•¶Žš(Š;Žš),ì1fofCfg-Ú,Æ2fofCfg-Ú,ÌSÔ,É¶\$Æä•¶Žš“™,ª“ü,Á,½¶ê¶#¶A1fofCfg-Ú,ð-³Æø,É,·,é

fzfXfg, ©, ç' —, ç, ê, Ä,, é2fofCfg•¶Žš(Š;Žš“™),ì1fofCfg-Ú,Æ2fofCfg-Ú,ÌSÔ,É¶\$Æä•¶Žš(—á,!,í%ü¶s•¶Žš)“™,ª“ü,Á,Ä,à¶Atera Term ,ì¶%Šú¶Y'è,Å,Í2fofCfg•¶Žš,à¶\$Æä•¶Žš,à¶³,µ,Žæ,è^µ,í,ê,Ü,·¶B

¶Y'èftf@fCf<,ì [Tera Term] fzfNfvf¶f“,ì CtrlInKanji ¶s,ð¶A

CtrlInKanji=off

,ì,æ,æ,É•ì¶X,·,é,Æ¶A2fofCfg•¶Žš,ì1fofCfg-Ú,ìÆä,É¶\$Æä•¶Žš“™,ª—
^,½¶ê¶#¶A1fofCfg-Ú,ð-³Æø,É,µ,Ü,·¶B,±,ìÆä,É2fofCfg-Ú,ª—
^,Ä,à¶Afsf~ ,Æ,µ,Ä•\Ž!,³,ê,Ü,·¶B2fofCfg•¶Žš,ð¶³,µ,-
^µ,í,È,¶fAfvfŠfP¶[fvf¶f“,Å,í¶A,±,ì,æ,æ,É,µ,½,Ü,ª,ª¶A%æ-È,ì•¶Žš%»»,¯,ª¶,È,-
,È,é%Ä”\¶«,ª, ,è,Ü,·¶B—á,!,î¶AŠ;Žš,ì1fofCfg-Ú,ìÆä,É
%ü¶s•¶Žš,ð¶o,µ,Ä¶A,» ,ìÆä,É2fofCfg-Ú,í¶o,³,È,¶¶A,Æ,¶,¶fAfvfŠfP¶[fvf¶f“,ª, ,Á
,½,Æ,·,é,Æ¶A,» ,ìŠ;Žš,íŽì,Ä,ç,ê,Ü,·,ª¶A%ü¶s•¶Žš^È¶~ ,É—^ ,é•¶Žš,ª
%»»,¯, ,É¶İ,Ý,Ü,·¶B

¶È—ªŽž:

CtrlInKanji=on

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!,·,é,æ,κ,É,·,é,É,ÍAÝ'èftf@fCf<,ì [Tera Term]
fZfNfVf¶f“,ì **Debug** □s,đ□A

Debug=on

,ì,æ,κ,É•ï□X,μ,Ä,,¾,³,ç□BShift+Esc ,đ
%oÿ,·,ÆfffofbfOf,□[fh,É,È,è,Ü,·□BfffofbfOf,□[fh,đ%ođ□œ,·,é,É,Í,à,κ^ê“x
Shift+Esc ,đ%oÿ,μ,Ä,,¾,³,ç□B

fffofbfOf,□[fh,Å,Í□AŽóM,μ,½ff□[f^,đ^È%oo,ì<K'¥,Å•¶Žš,É•İŠ·,μ,Ä•\Ž!,μ,Ü,·□B

\$00-\$1F: ^@ - ^_,đ•\Ž!
\$20-\$7E: ,»,ì,Ü,Ü•¶Žš,Æ,μ,Ä•\Ž!
\$7F: ,đ•\Ž!
\$80-\$FF: □Å□ã^Ê bit ,đ0,É,μ,Ä□A\$00-\$7F,Æ“~,¶<K'¥
,Å•¶Žš,É•İŠ·,μ□A”½“]•¶Žš,Æ,μ,Ä•\Ž!□B

□È—ªŽž:

Debug=off

f_fuf<fNfŠfbfN,É,æ,é'PCEê'I'ð,ì<æ∅,è•ŕŽš

ŕŕf}fEfXf{f^f",Á'PCEê,ðf_fuf<fNfŠfbfN,·,é,Æ∅A,»,'PCEê,ð'I'ð,·,é,±
,Æ,ª,Á,«,Ü,·∅BŕÝ'èftj@fCf<,ì [Tera Term] fZfNfVf†f",ì **DelimList** ∅s,ð^È
%º,ì,æ,ª,É•Ī∅X,·,é,±,Æ,É,æ,Á,Ä'PCEê,ì<æ∅,è•ŕŽš,ðŽw'è,·,é,±,Æ,ª,Á,«,Ü,·∅B

DelimList=<<æ∅,è•ŕŽš,ìfŠfXfg>

—á,ì,Ī∅A

DelimList=<>()[]

,í6,Á,ì<æ∅,è•ŕŽš "<", ">", "(", ")", "[", "]" ,ðŽw'è,µ,Ü,·∅B
,½,¾,µ∅AfXfy∅[fX•ŕŽš,Æ "\$" ,í,»,é,¼,ê∅A"\$20", "\$24" ,Æ,†
,ªCE`Ž® ,ÁŽw'è,µ,È,¯,é,Ī,È,è,Ü,¹,ñ∅B

DelimList=\$20 ; fXfy∅[fX•ŕŽš

∅È—ªŽž:

DelimList=\$20!"#\$24%&'()*+,-./:;<=>?@[\]^`{|}~

,±,ì "DelimList" ∅s,É,Ī∅A1fofCfgyfR∅[fh•ŕŽš(,†,í,ä,é"¼Šp•ŕŽš)
,µ,© Žw'è,Á,«,Ü,¹,ñ∅B2fofCfgyfR∅[fh•ŕŽš(,†,í,ä,é"SSp•ŕŽš)
,ì<æ∅,è•ŕŽš,Æ,µ,ÄŽæ,è^µ,í,é,Ü,·∅B2fofCfgyfR∅[fh•ŕŽš,ð<æ∅,è•ŕŽš,Æ,µ,È,†
,æ,ª,É,·,é,É,Ī∅A**DelimDBCS** ∅s,ð^È%º,ì,æ,ª,É•Ī∅X,µ,Ä,,¾,³,†∅B

DelimDBCS=off

∅È—ªŽž:

DelimDBCS=on

^È'O,ìfo∅[fWf†f",ì Tera Term ,Æ'PCEê'I'ð,ìŽd•û,ð"¯,ŕ,É,·,é,É,Ī∅A

DelimList=\$20

DelimDBCS=off

,Æ,µ,Ä,,¾,³,†∅B

f|fbfvfAfbfvf[]ffj...[][,đŽg—p•s%oÂ,É,·,é

f[]ffj...[][fo[][,ª•\Ž!,³,ê,Ä,ç,È,ç,Æ,«[]ACtrl fL[][,đ%oŸ,µ,È,ª,çf}fEfX[]¶f{f^f“ ,đ
%oŸ,·,Æ[]Af|fbfvfAfbfvf[]ffj...[][,ª«» ,ê,Û,·[]Bf|fbfvfAfbfvf[]ffj...[][,ª«» ,ê,È,ç,æ,ª
,É,·,é,É,Í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfvf#f“ ,ì **EnablePopupMenu** []s,đ^È
%oº,ì,æ,ª,É•ï[]X,µ,Ä,,¾,³,ç[]B

EnablePopupMenu=off

[]È—ªŽž:

EnablePopupMenu=on

"Show menu bar" fRf}f“fh,đ%oB,·

f[]fjf...[]fo[][,ª·\Ž!,³,ê,Ä,ç,È,ç,Æ,«[]AfVfXfef€f[]fjf...[][,É "Show menu bar"
fRf}f“fh,ªCE»,ê,Û,·[]B,±,ì "Show menu bar" fRf}f“fh,ªCE»,ê,È,ç,æ,¸
,É,·,é,É,Í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“,ì **EnableShowMenu** []s,đ^È
%oº,ì,æ,¸,É·ï[]X,µ,Ä,,¾,³,ç[]B

EnableShowMenu=off

[]È—ªžž:

EnableShowMenu=on

fXfe [f^fXf%ofCf", đŽg—p•s%oÂ,É,·,é

VT '[--,lfXfe [f^fXf%ofCf",l<@"\,đŽg—p•s%oÂ,É,·,é,É,íA [Y'èftf@fCf<,l **[Tera Term]** fZfNfVf#f",l **EnableStatusLine** [s,đ^È%o^o,l,æ,α,É•i [X,μ,Â,,³/₄,³,ç [B

EnableStatusLine=off

,±,ì [ê [# [AfXfe [f^fXf%ofCf",ÉŠÖ,·,éfGfXfP [fVfV [fPf "fX,í,·,x,Ä-³Ž<,³,ê,Ü,· [B

[È—^aŽž:

EnableStatusLine=on

IME (“ú- {Œê“ü—íVfXfef€),ÉŠÖ,·,éY’è

IME ,ìfCf“f%ofCf““ü—í,đ,μ,È,ϕ,æ,κ,É,·,é,É,íA Y’èftf@fCf<,ì [Tera Term] fZfNfVf#f“,ì **IMEInline** □s,đ^È%o°,ì,æ,κ,É•İX,μ,Ä,,¾,³,ϕ□B

IMEInline=off

□È—ªŽž:

IMEInline=on

IME ,ÉŠÖ,·,é%o½,ç,©,ì•s<i□#,ì,½,β Tera Term ,ª IME ,đ□Œä,μ,È,ϕ,æ,κ,É,·,é,É,íA Y’èftf@fCf<,ì [Tera Term] fZfNfVf#f“,ì IME □s,đ^È%o°,ì,æ,κ,É•İX,μ,Ä,,¾,³,ϕ□B

IME=off

□È—ªŽž:

IME=on

Kermit ,lf fO

Y'èftf@fCf<,ì [Tera Term] fZfNfVf#f“ ,ì KmtLog s,ðA

KmtLog=on

,ì,æ,æ,É•ïX,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å Kermit ,ð—p,ç,½ftf@fCf<“]’—
,ð,·,é,Æ,«,É ACEđŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **KERMIT.LOG** ,É<L~^,μ,Û,·B

È—Žž:

KmtLog=off

☞¾☞êf,☐[fh,ì'í'ð,ð•s%oÂ,É,•,é

[Setup] General f_fCfAf☐fOf{fbfNfX,Å☞¾☞êf,☐[fh (**Language**) ,ì'í'ð,ª,Å,«,È,¢,æ,α,É,•,é,É,í☐A☐Ý'èftf@fCf<,ì [**Tera Term**] fZfNfVf#f“,ì **LanguageSelection** ☐s,ð☐A

LanguageSelection=off

,ì,æ,α,É•í☐X,μ,Ä,,¾,³,¢☐B

☐È—ªŽž:

LanguageSelection=on

fXfNf[f<fofbftf@[,ìÅ'å[s"

[Setup] Window f_fCfAf_fOf{fbfNfX,ÅŽw'è%oÅ"\
,ÉfXfNf[f<fofbftf@[,ìÅ'å[s",ð•ìX,·,é,É,íAÝ'èftf@fCf<,ì [Tera Term]
fZfNfVf+f",ì **MaxBuffSize** [s,ðA

MaxBuffSize=<Å'å[s">

(Tera Term Pro ,ìé# 100000 ^È%oº, Tera Term ,ìé# 800 ^È%oº)

,ì,æ,æ,É•ìX,μ,Ä,,¾,³,çB

'[: Tera Term ,í <Å'å[s"> * <terminal width> * 2
fofCfg•ª,ìf,f,š,ðfXfNf[f<fofbftf@[,ì,½,ß,ÉŽg—p,μ,Û,·B

È—ªŽž:

MaxBuffSize=10000 ; Tera Term Pro

MaxBuffSize=800 ; Tera Term

fVfŠfAf<f|[]fg"Ôt,ìÅ'â'l

[File] New connection , ,æ,Ñ [Setup] Serial port f_fCfAf[]fOf{fbfNfX,Å•\
Ž,³,ê,éfVfŠfAf<f|[]fg"Ôt,ìÅ'â'l (COMn ,ìÅ'â'l n)
,đŽw'è,·,é,É,íA[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“ ,ì **MaxComPort** []s,đ[]A

MaxComPort=<fVfŠfAf<f|[]fg"Ôt,ìÅ'â'l>

,ì,æ,α,É•í[]X,μ,Ä,,¾,³,ç[]B,½,Æ,|žÀ[]Û,Éžg—p%ooÅ"\\,Éf|
[]fg"Ôt,ìÅ'â'l,²4,æ,è[]¬,³,,Ä,à[]A3^È%ooº,ì'l,íŽw'è,Å,«,Û,¹,ň[]B

È—²žž:

MaxComPort=4

“_ - Å, µ, È, çfj □ [f\ f<

fj □ [f\ f< , ð “ _ - Å, ³ , ¹ , È, ç, æ, x, É, , , é, É, í □ A □ Ý ‘ èftf @fCf< , ì [Tera Term] fZfNfVf#f “ , É, ì
NonblinkingCursor □ s, ð □ A

NonblinkingCursor=on

, ì, æ, x, É • ì □ X, µ, Ä, , ³/₄ , ³ , ç □ B

□ È — ã Ž ž:

NonblinkingCursor=off

fGfXfP [fvfV [fPf“fX,É,æ,é^óü,ì'x%o,,

fGfXfP [fvfV [fPf“fX,É,æ,é^óü,É'î,·,é'x%o,,ŽžŠÔ,đŸ'è,·,é,±
,Æ,ª,Â,«,Ü,·BfGfXfP [fvfV [fPf“fX,É,æ,é^óü,í ESC[5i ,ĂŽn,Ü,è AESC[4i ,Ă
—¹,μ,Ü,·BESC[5i ,Æ ESC[4i ,ìŠÔ,ÉŽóM,³,é,½ff [f^,í Tera Term ,ª ESC[4i
,đŽóM,μ,Ä,©,ç'x%o,,ŽžŠÔ,ªCEo%oß,μ,½Žž,É^óü,³,é,Ü,·B,±,ì'x%o
,,ŽžŠÔ“à,É“ň”Ô-Ú,ì ESC[5i ,ªŽóM,³,é,½ê [A ^ê”Ô-Ú,Æ“ň”Ô-
Ú,ì^óüff [f^,íCE< [ª,³,éA“ň”Ô-Ú,ì'x%o,,ŽžŠÔ,ªCEo%oß,μ,½, ,Æ,ÉA^ê“x,É,Ü,Æ,
ß,Ä^óü,³,é,Ü,·B,Â,Ü,èA•i [“ ,ì^óüfv [fPf“fX,ª~A'±
,μ,ÄŽóM,³,é,» ,é,ç,ìŠÔŠu,ª'x%o,,ŽžŠÔ^È%oº,Â, ,éê [A,» ,é,ç,í^ê,Â,ì^óüfv [f
Pf“fX,Æ,μ,ÄŽæ,è^μ,í,ê,Ü,·B'x%o,,ŽžŠÔ,đŸ'è,·,é,É,íŸ'èftf@fCf<,ì [Tera Term]
fZfNfvfj“ ,ì **PassThruDelay** [s,đA

PassThruDelay=<'x%o,,ŽžŠÔ(•b)>

,ì,æ,ª,É•i [X,μ,Ä,,¾,³,ç [B

Default:

PassThruDelay=3

fgXfP [fvfV [fPf“fX,É,æ,é^óü,Åf [fg,É'¼Úo—í

Ý'èftf@fCf<,ì [Tera Term] fZfNfvf#f“,ì PassThruPort s,ð^È%º,ì,æ,x
,É•íX,·,é,±,Æ,É,æ,Á,ÄAfGfXfP [fvfV [fPf“fX,É,æ,è'—,ç,è,½^óüff [f^,ðf
[fg,É'¼Úo—í,·,é,±,Æ,ª,Å,«,Ü,·B

PassThruPort=<port>

•ŕŽš—ň <port> ,ío—íæ,lf [fg,ðŽw'è,μ,Ü,·B<port> ,ìÈ`Ž®,í MS-DOS ,ì
"mode" fRf}f“fh,Æ“ ,ŕ,Å,·B,à,μf [fg,ªŽw'è,³,è,È,çê#ATera Term ,í
Windows ,ì^óü<@"\,ðŽg—p,μ,Åff [f^,ð^óü,μ,Ü,·B

—á:

PassThruPort=LPT1

PassThruPort=COM2: 9600,n,8,1,x

È—ªŽž:

PassThruPort=

fGfXfP [fvfV [fPf“fX,É,æ,é^ó üžž,ì%üfy [fW,đ<ÖŽ~,·,é

fGfXfP [fvfV [fPf“fX,É,æ,é^ó üžž,É FF •¶žš,đžóM,·,é,Æ%üfy [fW (form-feed) ,³,ê,Û,·BFF •¶žš,É,æ,é%üfy [fW,đ<ÖŽ~,·,é,É,íAÝ'èftj@fCf<,ì **[Term]** fZfNfVf#f“,ì **PrnConvFF** [s,đ^È%°,ì,æ,ɹ,É•ĪX,μ,Ä,,¾,³,¢B

PrnConvFF=on

FF •¶žš,đžóM,μ,½žž,ÉA%üfy [fW,ì•Ī,í,è,É%ü[s,·,é,æ,ɹ,É,È,è,Û,·B

'^Ó: ,±,ìfifvfVf#f“,í^óüff [f^,đ'¼Úf [fg,Éo—í,·,éê#É,í-³ž<,³,ê,Û,·B

È—žž:

PrnConvFF=off

fvfŠf“f^ftfHf“fg,ìŽw’è

VT window ,ì%œ-Ê,đ^óü,·,é,Æ,«,ÉŽg—p,·,éftfHf“fg(fvfŠf“f^ftfHf“fg)
,đŽw’è,·,é,±,Æ,ª,Â,«,Ü,·B□%ŠúY’è,íA%œ-Ê•Ž!—p,ìftfHf“fg([**Setup**]
Font ,ÁŽw’è,ª,ê,éftfHf“fg),ª^óü—p,É,àŽg,í,ê,é,æ,ª,É,È,Á,Ä,ç
,Ü,·BfvfŠf“f^ftfHf“fg,đŽw’è,·,é,É,íAŽY,ìŽè□‡,É,μ,½,ª,Á,Ä,¾,ª,ç□B

1) [**Setup**] **Font** ,Á%œ-Ê•Ž!—p,ìftfHf“fg,đ,ç,ë,ç,ë•ì,í,ÄA^óü,μ,Ä,Ý,é□B

2) □D,Ý,ì^óü—pftfHf“fg,ªCE©,Â,©,Á,½,ç [**Setup**] **Save setup**
,ÁY’èftf@fCf<,ÉCE»□Y,ìY’è,đ•Ú’¶□B

3) [**Tera Term**] fZfNfVf#f“,ì **VTFont** □s,ìfpf%of□f^□[(—á,í,î"•W□€-¾’©,0,-
19,128"),đ **PrnFont** □s,ÉfRfs□[,·,é□B

4) %œ-Ê—p,ìftfHf“fg,đ,à,Æ,ìY’è,É,à,Ç,·□B

—á:

PrnFont=•W□€-¾’©,0,-19,128

□È—ªŽž:

PrnFont=

fy [fW—]''' ,ižw'è

Ý'èftf@fCf<,ì [Tera Term] fzfnfvf#f'' ,É PrnMargin s,đ^È%º,ì,æ,π
,É•ìX,·,é,ÆA^óü,ì,½,β,ìfy [fW—]''' (¶A%ºE AãA%º),đŽw'è,·,é,±
,Æ,ª,Å,«,Ü,·B

PrnMargin=<¶>,<%ºE>,<ã>,<%ºº> (1/100 fCf''f`'P^È)

È—ªŽž:

PrnMargin=50,50,50,50

Quick-VAN ,lf fO

Y'èftf@fCf<, [Tera Term] fZfNfVf+f“ , QVLog s,đA

QVLog=on

,ì,æ,æ,É•ïX,·,é,Æ AfzfXfg,Æ Tera Term ,İŠÔ,Å Quick-VAN ,đ—p,ç
,½ftf@fCf<“]—,đ,·,é,Æ,«,É ACEđŠ·,³,ê,éfpfPfbfg“à—e,đftf@fCf<
QUICKVAN.LOG ,É<L~^,μ,Ü,·B

È—ažž:

QVLog=off

Quick-VAN ,lfEfBf“fhfEfTfCfY

Ÿ'èftf@fCf<,ì [Tera Term] fzfnfvf#f“ ,ì QVWinSize □s,ð□A

QVWinSize=<window size (10□i□”(□³))>

,ì,æ,α,É•ï□X,·,é,Æ□AQuick-VAN fvf□fgfRf<,Å—p,ϕ,ç,ê,éfEfCf“fhfEfTfCfY,Æ,ϕ
,αfpf%of□□[f^□[,ðŸ'è,·,é,±,Æ,ª,Á,«,Û,·□B

Ÿ'è%oÂ“\,ÈfEfCf“fhfEfTfCfY,ì'l,í□A1□`99,Á,·□B^ê”Ê,É□A%oñ□ü,ª□\•ª,É□,‘¬,ÅfGf
%o□[,ª,È,ϕ□ê□#□AfEfCf“fhfEfTfCfY,ð'â,«,-
,·,ê,î,·,é,Û,Ç□A“]’—’¬“x,ªCEü□ã,μ,Û,·□B,½,¾,μ□A’á’¬,È%oñ□ü,âfGf%o□[,ì'½,ϕ
%oñ□ü,ðŽg—p,μ,½,è□AfzfXfg,â PC ,ªff□[f^,ðŽæ,è,±
,Ú,μ,½,è,·,é□ê□#É,í□AfEfCf“fhfEfTfCfY,ª'â,«,,·,¬,é,Æ<t,É“]’—’¬“x,ª'á
%oº,μ,Û,·□B

,Û,½□AZÀ□Û,É—p,ϕ,ç,ê,éfEfCf“fhfEfTfCfY,ì'l,í□A Tera Term ‘α,ìŸ'è'l,Æ□AfzfXfg
(PC-VAN) ‘α,ìŸ'è'l,ì□¬,³,ϕ•û,É,È,è,Û,·□B,μ,½,ª,Á,Ä□A Tera Term
,ìŸ'è'l,ð, ,é'l,æ,è'â,«,,·,é,Æ□A,» ,ê^È□ã“]’—’¬“x,í•ï%o» ,μ,È,,È,è,Û,·□B

□È—ªŽž:

QVWinSize=8

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é

VT window ,Å,í%œ-Ê,ìfXfNf□□[f<,ð'¬,,·,é,½,ß,É□A^ê"x,É•i□"□sfXfNf□□[f<,·,é,±
,Æ,^a, ,è,Ü,·□B

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]**
fZfNfVf†f",ì **ScrollThreshold** □s,ð□A

ScrollThreshold=<□s□"(10□i□@□)">

,ì,æ,κ,É•ï□X,μ,Ä,,¾,³,ç□B

□È—^aŽž:

ScrollThreshold=12

f}fEfX,ÅfEfBf“fhfE,ð‘l‘ð,μ,½Žž,ì•ŕŽš,ì‘l‘ð,ð<ÖŽ~,·,é

”ñ‘l‘ðó‘Ô,lfEfBf“fhfE,ì•ŕŽš—ì^æ,ðf}fEfX,ÅfNfŠfbfN,·,é,±
,Æ,É,æ,Á,ÅfEfBf“fhfE‘l‘ð,·,é,±,Æ,ª,Å,«,Û,·B□%ŠúY‘è,Å,íA,±
,lf}fEfXfNfŠfbfN,É,æ,Á,Ä“Žž,É•ŕŽš,ì‘l‘ð,àŠJŽn,³,ê,Û,·Bf}fEfX,ÅfEfBf“fhfE,ð‘l‘ð
,μ,½Žž,ì•ŕŽš,ì‘l‘ð,ð<ÖŽ~,·,é,É,íA□Y‘èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“,ì
SelectOnActivate □s,ð□A

SelectOnActivate=off

,ì,æ,α,É•ĩ□X,μ,Ä,,³/₄,³,ç□B

□È—ªŽž:

SelectOnActivate=on

<N“ ® Žž,Éf}fNf□,ðŽÀ□s

Tera Term <N“ ® Žž,Éf}fNf□,ðŽ© “ ® “l,ÉŽÀ□s,·,é,±,Æ,ª,Å,«,Ü,·□Bf}fNf□ftf@fCf<-
¼,ÍfRf}f“fhf%ofCf“flfvfVf†f“ “/M=<macro file>” ,ðŽg,κ,©□A□Y’èftf@fCf<,ì
[Tera Term] fZfNfVf†f“ ,ì StartupMacro □s,ð^È%oo°,ì,æ,κ,É•ì□X,·,é,±
,Æ,É,æ,Á,ÄŽw’è,Å,«,Ü,·□B

StartupMacro=<macro file>

□È—ªŽž:

StartupMacro=

TEK GIN report ,lf}fEfXfR[]fh

fzfXfg'α,lfAfvfŠfP[]fVf#f",É,æ,Á,Ä[]ATEK window ,@ GIN f,[]fh(fNf[]fXfwfA[]fj[]f\ f<,ªCE»,ê[]A[]À•W"ü—í,ª%oÀ"\,È[]ó'Ô),É,È,Á,½,Æ,«[]A, ,éfL[][,ð%oÿ,·,Æ TEK window ,ífNf[]fXfwfA[]fj[]f\ f<,ì[]À•W,ÆfL[][,ì ASCII fR[]fh,ðfzfXfg,Ö•ñ[][],μ,Ü,·[]B

GIN f,[]fh,Åf}fEfX,ì[]f{f^f",ð%oÿ,μ,½,Æ,«,É[]À•W,Æ,Æ,à,É'—[]o,·,é fL[]fR[]fh ,ð[]Ý'è,·,é,É,í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f",ì **TEKGINMouseCode** []s,ð[]A

TEKGINMouseCode=<key code(10[]i[]®[])">

,ì,æ,α,É•í[]X,μ,Ä,,¾,³,ϕ[]B

[]È—ªŽž:

TEKGINMouseCode=32

(32,íSpace ,ìASCII fR[]fh)

Telnet „lf of Cfif ŠflfvfVf#f“

fzfXfg,É telnet □Ú'±,μ□Aftf@fCf<“]’— (XMODEM “™),Å CR •¶Žš,đ’—
□o,·,é□ê□#□ATera Term ,ì□%Šú□Ý’è,Å,Í CR+NUL (\$0D \$00) ,É•İŠ·,μ,Ä,©,ç’—
□o,μ,Ü,·□BfofCfifŠflfvfVf#f“ ,Å telnet □Ú'±,·,é,Æ□A,±,ì,æ,α,È•İŠ·,Í,“,±,È,ç
,Ü,¹,ñ□B

□Ý’èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“ ,ì **TelBin** □s,đ□A

TelBin=on

,ì,æ,α,È•İ□X,·,é,Æ□ATelnet □Ú'±,·,é,Æ,«fofCfifŠflfvfVf#f“ ,đ—p,ç,Ü,·(fzfXfg,^aİ
%ž,μ,Ä,ç,ê,Î)□B

,Ü,¹/₂□A□Ý’èftf@fCf<,í□’,«Š·,|,·,É□Afrf}f“fhf%ofCf“,É /B
flfvfVf#f“ ,đ,Â,¯,Ä,à□AfofCfifŠflfvfVf#f“ ,đŽw’è,Å,«,Ü,·□B

□È—^aŽž:

TelBin=off

Telnet „lfGfR[fifvfVf#f“

Ÿ'èftf@fCf<,ì [Tera Term] fZfNfVf#f“,ì **TelEcho** □s,ð□A

TelEcho=on

,ì,æ,æ,É•ï□X,·,é,Æ□ATera Term ,ÍzfXfg,lfGfR□[(fŠf,□[fgfGfR□[),ì□ó'Ô,ð [Setup] Terminal f_fCfAf□fOf{fbfNfX,ÅŸ'è,³,è,é "**Local echo**" ,ì□ó'Ô,É %ož,¶,Ä•ï□X,·,é,±,Æ,ðŽŽ,Ý,Û,·□B,à,μ□A "**Local echo**" ,^a on (off) ,È,ç,Î□ATera Term ,ÍfŠf,□[fgfGfR□[,ð off (on) ,É,·,é,±,Æ,ðŽŽ,Ý□AfzfXfg,Æ Tera Term ,Å“ñ□dfGfR□[,μ,½,è□AfGfR□[,ð,Û,Á,½,,μ,È,ç□ó'Ô,É,È,é,±,Æ,ð-h,²,æ ,Æ,μ,Û,·□B,±,ì<@“\,ÍzfXfg,^a telnet „lfGfR[fifvfVf#f“ ,É'í%ož,μ,Ä,ç,È,ç,Æ“- ,«,Û,¹,ñ□B

È—^aŽž:

TelEcho=off

Telnet ,lfO

Y'èftf@fCf<, [Tera Term] fZfNfVf#f“ , TelLog s,đA

TelLog=on

,i,æ,x,É•iX,·,é,ÆAfzfXfg,Æ Tera Term ,ŠÔ, telnet , option negotiation , à
—e,đftf@fCf< **TELNET.LOG** ,É<L~^,μ,Ü,·B

È—āŽž:

TelLog=off

Telnet —pf|[]fg”Ôt

fRf}f“fhf%ofCf“[]A,Ü,½,í [File] New connection f_fCfAf[]Of{fbfNfX,Å,í[]ATCP/IP
[]Ú’±,ÉŽg—p,³,ê,é TCP f|[]fg”Ôt (<TCP port#>),Æ telnet ftf%ofO (<telnet
flag>),đŽw’è,·,é,±,Æ,ª,Å,«,Ü,·[]BfRf}f“fhf%ofCf“,Å,±,ê,ç,lfpf%of[]f^[][,ª[]È—
ª,³,ê,½[]ê[]#,í[]ATera Term []Ý’èftf@fCf<,É[]’,©,ê,Ä,ç,é[]Ý’è’l,ªŽg—p,³,ê,Ü,·[]B

<telnet flag>,ª 1 (on),Å[]A,©,Â <TCP port#>,ª 23,ì[]ê[]#,¾,~[]ATera Term
,lfzfXfg,É[]Ú’±,µ,½’¼Æã,É[]AŽ©”“l,É telnet fRf}f“fh,đzfXfg,É’—[]M,µ option
negotiation,đŠJŽn,µ,Ü,·[]B

,±,ì telnet,ì,½,β,ì“Á•Ê,Èf|[]fg”Ôt 23,í[]A[]Ý’èftf@fCf<,ì [Tera Term]
fZfNfVf#f“,ì **TelPort** []s,Å^Ê%º,ì,æ,α,É•ì[]X,·,é,±,Æ,ª,Å,«,Ü,·[]B

TelPort=<telnet port#>

[]È—ªŽž:

TelPort=23

<telnet flag>,Æ <TCP port #>,ª%½,Å,ê Tera Term,lfzfXfg,©,ç’—
,ç,ê,Ä,«,½ telnet fRf}f“fh,É%ºŽ“š,·,é,±,Æ,ª,Å,«,Ü,·[]B

”ñ telnet TCP/IP []Ú’±—p,ì’[—[]Ý’è

Telnet fvf[]fgfRf<,É’î%ºž,µ,Ä,ç,È,çzfXfg(’Êí 23 ^ÈŠO,lf|[]fg”Ôt,đŽg—p),É
TCP/IP []Ú’±,·,é[]ê[]#[]Af[][]fj<fGfR[][,đ on,É[]A’—[]M,·,é%ü[]sfR[]f[]h,đ CR+LF
,É,·,é•K—v,ª,é[]ê[]#,ª,è,Ü,·[]B[]Ý’èftf@fCf<,ì [Tera Term] fZfNfVf#f“,ì
TCPLocalEcho,Æ TCPCRSend []s,đ[]A

TCPLocalEcho=on

TCPCRSend=CRLF (CR,àŽw’è%ºÅ“\)

,ì,æ,α,É•ì[]X,·,é,Æ[]A<telnet flag>,ª 0 (off),ì[]ê[]#[]A,Ü,½,í <TCP port#>,ª
<telnet port#>,Å,È,ç[]ê[]#,É[]A[]Ú’±’¼Æã,É[]Af[][]fj<fGfR[][,đ on,É[]A’—[]M
%ü[]sfR[]f[]h,đ CR+LF,ÉŽ©“®“l,É•ì[]X,µ,Ü,·[]B,»ê^ÈŠO,ì[]ê[]#,í [Setup]
Terminal,Å,ì[]Ý’è’l,ªŽg—p,³,ê,Ü,·[]B,±
,ê,ç,lf|fvfVf#f“,É,æ,Á,Ä[]A^ê,Å,ì[]Ý’èftf@fCf<,Å telnet []Ú’±,Æ”ñ telnet []Ú’±,ì—
¼•Ü,É’î%ºž,·,é,±,Æ,ª%ºÅ“\,Æ,È,è,Ü,·[]B

[]È—ªŽž:

TCPLocalEcho=off (,±,lf|fvfVf#f“,íŽg,í,[]A[]í,É [Setup] Terminal

,ì[]Ý’è’l,ªŽg—p,³,ê,é)

TCPCRSend= (,±,lf|fvfVf#f“,íŽg,í,[]A[]í,É [Setup] Terminal,ì[]Ý’è’l,ªŽg—

$p,^3,\hat{e},\acute{e})$

f^fCfjgk,ìĚ`Ž®

f^fCfjgk,ìĚ`Ž®,đ•ì,ì,é,É,íŸ'èftf@fCf,ì [Tera Term] fZfNfVf#f“,ì **TitleFormat**
□s,đ^È%o°,ì,æ,α,É•ì□X,μ,Å,,¾,¾,ç□B

TitleFormat=<format ID>

<format ID> ,í^È%o°,ì,α,¿,ì^ê,Â,đ'l,ñ,Å,,¾,¾,ç□B

Format ID f^fCfjgk,ìĚ`Ž®

0	<title>
1	<title> - <host/port>
2	<title> (session no.)
3	<title> - <host/port> (session no.)
4	<title> VT/TEK
5	<title> - <host/port> VT/TEK
6	<title> (session no.) VT/TEK
7	<title> - <host/port> (session no.) VT/TEK

□È—ªŽž:

TitleFormat=5

""F,"æ,Ñ•F'®«,ì•ŕŽš,ìŽÀŰ,ìF

fGfXfP[fvfV[fPf"fx "<ESC>[37m" ,Æ"<ESC>[30m"
,ì•ŕŽš[F,đ,»è,¼,ê"" ,Æ•,É,μ,Û,·B"~—l,ÉfGfXfP[fvfV[fPf"fx "<ESC>[47m"
,Æ"<ESC>[40m" ,ì"wŒi[F,đ,»è,¼,ê"" ,Æ•,É,μ,Û,·B

,ç,,Â,©,lfAfvfšfP[fVf†" ,Å,ì"wŒi[F,ª(-{•" ,ì VT100 '[-- ,ì,æ,ª,É)•,Å, ,é,Æ
%¼'è,μ,ÄA" [F,ì•ŕŽš,ªŒ©, ,é,à,ì,ÆŠ'Ò,μ,Ä,ç,é,±,Æ,ª, ,è,Û,·B,μ,©,μATer
a Term ,ì"wŒi[F,ì%Š'ì,ì"" ,Å, ,é,½,ß" [F,ì•ŕŽš,ìŒ©, ,Û,¹,ñBŸèftf@fCf<,ì
[Tera Term] fZfNfVf†" ,ì **UseTextColor** [s,đA

UseTextColor=on

,ì,æ,ª,É•ìX,·,é,ÆA"" [F",ì•ŕŽš("wŒi),ìŽÀŰ,ìF,đ [Setup] Window
f_fCfAf[fOf{fbfNfX,ÅŽw'è,³,ê,é "Text" ,ìF,É,μ,Û,·B"~—
l,ÉA"• [F",ì•ŕŽš("wŒi),ìŽÀŰ,ìF,đ "Background" ,ìF,É,μ,Û,·B

È—ªŽž:

UseTextColor=off

• ŠŽš(š)ŠÔ,É,.,«,Û,đ, , , ,éB

• ŠŽš(š)ŠÔ,É,.,«,Û,đ, , , ,é,É,íAÝ'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ì
VTFontSpace š,đ^È%º,ì,æ,æ,É•íX,μ,Ä,,¾,¾,çB

VTFontSpace=<dx1>,<dx2>,<dy1>,<dy2>

,½,¾,μA

<dx1> ,íŠe•ŠŽš,ìŠŽš,É, , , ,é,.,«,ÛB

<dx2> ,íŠe•ŠŽš,ì%ºE'æ,É, , , ,é,.,«,ÛB

<dy1> ,íŠeš,ìššæ'æ,É, , , ,é,.,«,ÛB

<dy2> ,íŠeš,ì%ººæ'æ,É, , , ,é,.,«,ÛB

'P^Ê,í,ç,,ê,àA%ºæ'fB

—á:

VTFontSpace=0,1,0,0 Še•ŠŽš,ì%ºE'æ,É1%ºæ'f•ª,ì,.,«,Û,đ, , , ,éB

VTFontSpace=0,0,1,0 Šeš,ìššæ'æ,É1%ºæ'f•ª,ì,.,«,Û,đ, , , ,éB

šÈ—ªŽž:

VTFontSpace=0,0,0,0

^óü,ì" {—|

^óü,³,ê,¹/₂•¶Žš,â

%œ'œ,³□,;³,¹/₂,è'â,«,¹/₂,è,¹/₂,é□ê□#□A'É□í,íRf"fgf□□[f<fpf]f<,ì"fvfŠf"f^",Å
Šg'â/□k□" {—|,đ•Ī,|,é,±,Æ,É,æ,è•¶Žš,â%œ'œ,đŠg'â/□k□,;,é,±
,Æ,³,Å,«,Ü,·□B,à,μfvfŠf"f^fhf%ofCfo□[,³Šg'â/□k□,É'í%ž,μ,Ä,ç,È,ç□ê□#□A□...
•¹/₂•ûCEü,Æ□,¹/₄•ûCEü,ì" {—|,đŽw'è,;,é,±,Æ,³,Å,«,Ü,·□B" {—
|,đŽw'è,;,é,É,í□A□Y'èftf@fCf<,ì [Tera Term] fZfNfVf#f",ì **VTPPI** ,Æ **TEKPPI**
□s,đ^È%œ,ì,æ,α,É•í□X,μ,Ä,,³/₄,³,ç□B

VTPPI=<x(□...•¹/₂), y(□,'¹/₄); pixels per inch)> ;VT fEfBf"fhfE—p
TEKPPI=<x(□...•¹/₂), y(□,'¹/₄); pixels per inch)> ;TEK fEfCf"fhfE—
p

" {—|,ì'P^Ê,í fsfNfZf</fCf"f` ,Å,È,^,ê,î,È,è,Ü,¹,ñ□B,à,μ•¶Žš,â
%œ'œ,³□,;³,¹/₂,é('â,«,¹/₂,é)□ê□#,í" {—|,đ'□,â,μ,Ä(CE,ç,μ,Ä),-
,³/₄,³,ç□BŽw'è,³,ê,¹/₂" {—|,ì,α,ž,;,É,,Æ,à^ê,Å,³0,ì□ê□#□ATera Term ,ífvfŠf"f^fhf
%ofCfo□[,ìŠù'è,ì'l,đŽg—p,μ,Ü,·□B

□È—³žž:

VTPPI=0,0

TEKPPI=0,0

[Window] f[]fjf...[][,đ%°B,·

[Window] f[]fjf...[][,đ%°B,·,É,Í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“,ì
WindowMenu []s,đ^È%°°,ì,æ,α,É•Í[]X,μ,Ä,,¾,¾,ç[]B

WindowMenu=off

[]È—ªŽž:

WindowMenu=on

XMODEM ,lf fo

Y'èftf@fCf<, [Tera Term] fZfNfVf#f“ , XmodemLog s,ðA

XmodemLog=on

,ì,æ,æ,É•ïX,·,é,Æ AfzfXfg,Æ Tera Term ,ŠÔ,Å XMODEM ,ð—p,ç,½ftf@fCf<“]—
,ð,·,é,Æ,«,É ACEđŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **XMODEM.LOG**
,É<L~^,μ,Ü,·B

È—ažž:

XmodemLog=off

ZMODEM ŽÓM,İŽ © “® <N” ®

□Ý'èftf@fCf<,ì [Tera Term] fzfnfvf+f“ ,ì ZmodemAuto □s,ð□A

ZmodemAuto=on

,ì,æ,α,É•ï□X,·,é,Æ□AfzfXfg'α,ì ZMODEM '—
□M(f_fEf“f□□[fh]fRf}f“fh,ðŽÀ□s,μ,½,Æ,«,É□AŽ©“®“I,É Tera Term ,ì ZMODEM
Žó□M,ªŠJŽn,³,ê,é,æ,α,É,È,è,Ü,·□B

'□^Ó: ,±,ìfifvfVf+f“ ,ð on ,É,·,é,Æ□AfzfXfg'α
,ìŽó□M(fAfbfvf□□[fh]fRf}f“fh,ðŽÀ□s,μ,½Žž,É,à□AŽ©“®“I,É Tera Term ,ì
ZMODEM Žó□M('—□M,Â,í,È,)ªŠJŽn,³,ê,Ä,μ,Ü,α,±,Æ,ª, ,è,Ü,·□B,±,ì-â'è,í
%oðCE^•s%oÂ“\,Å□A,±,ì“®□ì,ª□ç,é□ê□†,í□A,±,ìfifvfVf+f“ ,ð off ,É,μ,Ä,,¾,³,ç□B

□È—ªŽž:

ZmodemAuto=off

ZMODEM '—□M,ì□Ý'è

□Ý'èftf@fCf<,ì [Tera Term] fzfnfvf#f“,ì ZmodemDataLen ,Æ
ZmodemWinSize □s,ð^È%ooº,ì,æ,α,É•í□X,; ,é,Æ□AZMODEM '—
□M,ÉŠÖ,·,é□Ý'è,ð,·,é,±,Æ,ª,Å,«,Ü,·□B,±,ê,ç,ì□Ý'è,í ZMODEM Žó□M,É,í%oe<¿,ð—
^,ì,Ü,¹,ñ□B

ZmodemDataLen=<ff□[f^fTfufpfPfbfg,ì□Á'á'·(fofCfg□)>

ZmodemWinSize=<'—□M,ìfEfBf“fhfEfTfCfY(fofCfg□)>

□È—ªŽž:

ZmodemDataLen=1024

ZmodemWinSize=32767

□Ý'è%oÅ“\,È<ff□[f^fTfufpfPfbfg,ì□Á'á'·>,ì'l,í0□` 1024,Å,·□B'á'¬,È%oñ□ü,âfGf
%o□[,ì'½,ç%oñ□ü,ðŽg—p,μ,½,è□AfzfXfg,ìff□[f^□—□“\—í,ª'á,ff□[f^,ðŽæ,è,±
,Ú,·□ê□±,í□A□¬,³,È'l,ð□Ý'è,·,é,Æ□AfGf
%o□[“™,ì□áŠQ,É'í,μ,Ä□A,æ,è^À'è,Èftf@fCf<'—□M,ð□s,α,±
,Æ,ª,Å,«,Ü,·□BfVfŠfAf<f|□[fgŽg—
pŽž,Åf{□[fCE□[fg,ª'á,ç□ê□±,í□A□Ý'è'l,æ,è,à□¬,³,ç'l,ªŽg—p,³,è,é,±,Æ,ª, ,è,Ü,·□B

□Ý'è%oÅ“\,È<'—□M,ìfEfBf“fhfEfTfCfY>,ì'l,í-32768□` 32767,Å,·□B—
á,ì,í□A'l,ð30000,É,·,é,Æ□A-ñ30000fofCfg,É^è%oñ□Aff□[f^fpfPfbfg,ì'—
□M,ð<x,Ý□AfzfXfg,©,çŠm”F,ðŽæ,è,Ü,·□B'l,ð•%o(fEfBf“fhfEfTfCfY-³CEÀ'á,É'í%ož)
,É,·,é,Æ□AfzfXfg,©,çGf%o□[,ì•ñ□□,ª,É,ç,©,¬,è□A^è
%oñ,à<x,Ü,·,Éff□[f^fpfPfbfg,ð'—□M,μ,Å,Ä,¬□A□Á'á'CEÀ,ì'—
□M'¬“x,ª“¾,ç,è,Ü,·□BfzfXfg,â%oñ□ü,ì“\—í,É,æ,Á,Ä,í□AfEfBf“fhfEfTfCfY,ð, ,é'l,æ
,è'á,«,·,é,Æ□A□³□í,Èftf@fCf<'—□M,ª,Å,«,È,-
,È,Á,½,è□A”ñ□í,ÉŽžŠÖ,ª,©,©,Á,½,è,·,é,±,Æ,ª, ,è,Ü,·□B

ZMODEM ,Å,·,×,Ä,ì§Œä•¶Žš,đfGfXfP[fv,·,é

ZMODEM ,Å,íA'ÊM%ñü,â^ê•",ì§Œä•¶Žš,đ'Ê,³È,ç,±
,Æ,đ'z'è,μ,ÄA,»ê,ç,đfGfXfP[fv,·,é('¼,ì•¶Žš,ì'g,Ý¶,í,¹É'u,«Š·,!,é),æ,κ
,É,È,Á,Ä,ç,Û,·B,μ,©,μA'z'èŠO,ì§Œä•¶Žš,à'Ê,³È,ç%ñü,ìê¶,Í"']—,â,κ,Û,,ç
,«,Û,¹,ñB,»ì,æ,κ,Èê¶,ÍAÝ'èftf@fCf<,ì [Tera Term] fZfNfVf¶f",ì
ZmodemEscCtl [s,đA

ZmodemEscCtl=on

,ì,æ,κ,É•ïX,μ,Ä,,³/₄,³,çB,±,ê,Å,·,×,Ä,ì§Œä•¶Žš,đfGfXfP[fv,·,é,æ,κ
,É,È,è,Û,·B

È—âŽž:

ZmodemEscCtl=off

ZMODEM ,lf fo

Y'èftf@fCf<,i [Tera Term] fZfNfVf+f“ ,i ZmodemLog s,ðA

ZmodemLog=on

,i,æ,x,É•iX,·,é,Æ AfzfXfg,Æ Tera Term ,iŠÔ,Å ZMODEM ,ð—p,ç,½ftf@fCf<“]’—
,ð,·,é,Æ,«,É ACEđŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **ZMODEM.LOG**
,É<L~^,μ,Ü,·B

È—ažž:

ZmodemLog=off

fRf}f“fhf%ofCf“

Tera Term Pro ,đ<N“® , ,é,Æ,« ,lfRf}f“fhf%ofCf“ (fVf#[]fgjfbfg,lfŠf“fN[]æ),ìĚ`Ž®

TTERMPRO [**<host>** [**[:]<TCP port#>**]]

[/B] **[/C=<serial port#>]**

[/F=<setup file>] **[/FD=<file transfer directory>]**

[/H] **[/I]** **[/K=<keyboard setup file>]**

[/KR=<kanji code (receive)>] **[/KT=<kanji code (transmit)>]**

[/L=<log file>] **[/LA=<language>]** **[/M=<macro file>]**

[/P=<TCP port#>] **[/R=<replay file>]** **[/T=<telnet flag>]**

[/V] **[/W="<window title>"]**

[/X=<window pos (x)>] **[/Y=<window pos (y)>]**

[/;<comment>]

,±,±,Å:

<host> fzfXfg-¼,Ü,½,Í IP fAfhfĚfX

<host>:<TCP port#> TCP f|[]fg"Ô[]t,Â,« <host>
<host> ,Æ <TCP port#> ,İŠÔ,É":",a'u,©,ê,é[]B

<host> <TCP port#> TCP f|[]fg"Ô[]t,Â,« <host>
<host> ,Æ <TCP port#> ,İŠÔ,É1ĚÂ^È[]ă,ì<ó""•¶Žš,a'u,©,ê,é[]B
<host> ,ì,.,®Ěă,É,,é[]Žš,Í TCP f|[]fg"Ô[]t,Æ,Ý,È,³,ê,é[]B

/B Telnet fofCfifŠf|fvfVf#f“

/C=<serial port#> fVfŠfAf<f|[]fg

/C=1 COM1

/C=2 COM2

/C=3 COM3

/C=4 COM4

/F=<setup file> []Ý'èftf@fCf<

/F=TERATERM.INI ([]Ě—ªŽž)

/FD=<file transfer directory> ftf@fCf<"']'—pffBfĚfNfgfŠ

/H f^fCfgf<fo[.,đ%oB,.

/I <N“®Žž,ÉfAfCfRf“[]ó'Ô,É,.,é

/K=<keyboard setup file>

/K=KEYBOARD.CNF (Ě—žž)

/KR=<kanji code (receive)> ŠžšR[fh (ŽóM)
/KR=SJIS
/KR=EUC
/KR=JIS

/KT=<kanji code (transmit)> ŠžšR[fh ('—M)
/KT=SJIS
/KT=EUC
/KT=JIS

/L=<log file> <N“®žž,Éf]fO,ššJžn

/LA=<language> Ć¾Ćêf,]fh
/LA=E %opĆê
/LA=J “ú-{Ćê
/LA=R f]VfĆê

/M=<macro file> <N“®žž,Éf}fNf],ššÀs

/P=<TCP port#> TCP f][fg”Ô†

/R=<replay file> ftf@fCf<,ššÄ]

/T=<telnet flag>
/T=1 Telnet fvf]fgfRf<,ššg—p
/T=0 Telnet fvf]fgfRf<,š•sžg—p

/V fEfBf“fhfE,ĆĆ©,],È,č]ó’Ô,Ā<N“®

/W="<window title>" fEfBf“fhfE,lf^fCf<

/X=<window position (x)> fEfBf“fhfE,ì^Ê’u(]...•½)

/Y=<window position (y)> fEfBf“fhfE,ì^Ê’u(],¼)

;<comment> fRf]f“fg]BfRf}f“fhf%ofCf“,]ĀĆã,É’u,•K—v,ª, ,é]B

—á:

TTERMPRO
TTERMPRO myhost.mydomain
TTERMPRO myhost.mydomain:23

TTERMPRO myhost.mydomain 23
TTERMPRO 111.111.11.11
TTERMPRO myhost.mydomain /T=0 /P=7
TTERMPRO /C=1
TTERMPRO /F=TELNET.INI
TTERMPRO foohost.foo domain /F=FOOHOST.INI
TTERMPRO /C=2 /F=MYSETUP.INI
TTERMPRO /K=MYKEY.CNF /W="My host"
TTERMPRO /R=README.TXT ; replay a file
TTERMPRO myhost /B /X=100 /Y=50

□È—ªžž,ìl

^È%oo°,ì□È—ªžž,ìl,í Tera Term □Ý'èftf@fCf<,É•Û'¶,³,ê,Ä,ç,Û,·□B

<TCP port#>
/B
<serial port#>
<file transfer directory>
/H
<kanji code (receive)>
<kanji code (transmit)>
<language>
<macro file>
<telnet flag>
<window title>
<window pos (x)>
<window pos (y)>

'□:

<telnet flag> ,ª 1 ,Å□A,©,Â <TCP port#> ,ª 23 ,ì,Æ,«,¾,~□ATera Term
 ,©,çŽ©""l,É telnet ,ì option negotiation
 ,đŠŽn,μ,Û,·□B,» ,ê^ÈŠO,ì□ê□†,Å,à Tera Term ,ízfXfg,©,ç'—,ç,ê,Ä,«,½
 telnet fRf}f"fh,É%ož"š,·,é,±,Æ,ª,Å,«,Û,·□B

ŽQ□Æ:

Telnet —pf□□[fg"Ô□† / "ñ telnet □Ú'±—p,ì'[--□Ý'è

fL[f{[fhY'èftf@fCf<

fL[f{[fhY'èftf@fCf<,íAFL[f{[fh,ìŠefL[,Æ,»,ê,ÉŠ,,è, ,Ä,é,ç,ê,é<@“(VT '[-- ,ì<@“\Aft[fU['è<` •¶Žš—ñ,ì'—oA Tera Term fRf}f“fh,ìŽÀ[sAf}fNf,ìŽÀ[s), ð'è<` ,μ,Ü,·B

Tera Term fCf“fXfg[f<Žž,ìfL[[]Y'è,ìŠefL[,ì<@“\,ª VT '[-- ,É,Å,«,é,¾,¯ <ß,- ,È,é,æ,κ,É,³,ê,Ä,ç,Ü,·BfL[f{[fhY'èftf@fCf<,ð•ÒW,·,é,±,Æ,É,æ,Á,ÄAŽ©— R,ÉfL[[]Y'è,ð•ìX,·,é,±,Æ,ª,Å,«,Ü,·Bftf@fCf<Æ`Ž®,É,Ä,ç ,Ä,íA“z•zftf@fCf<,ÉŠÜ,Ü,ê,Ä,ç,é KEYCODEJ.TXT ,ð“Ç,ñ,Å,,¾,³,çB

fRf}f“fhf%ofCf“,Å Tera Term ,ª“Ç,Ýž,pfL[f{[fhY'èftf@fCf<,ì- ¼'O,ðŽw'è,·,é,±,Æ,ª,Å,«,Ü,·Bftf@fCf<-¼,ìŠg'£Žq,ðÉ— ,ª,μ,½êê,íA".CNF",Å , ,é,Æ,Ý,È,³,ê,Ü,·Bftf@fCf<- ¼,ðŽw'è,μ,È,çêêAftf@fCf< **KEYBOARD.CNF** ,ª“Ç,Ýž,Ü,ê,Ü,·B

”z•zfpfbfP[fW,É,í^È%º,ìfL[f{[fhY'èftf@fCf<,ªŠÜ,Ü,ê,Ä,ç,Ü,·B

IBMKEYB.CNF	IBM-PC/AT (,ç,í,ä,é DOS/V f}fVf“) 101 (106) fL[f{[fh— pY'èftf@fCf<,ì—á (Windows 95/NT —p)
PC98KEYB.CNF	NEC PC 98 fL[f{[fh— pY'èftf@fCf<,ì—á (Windows 95 —p)
NT98KEYB.CNF	NEC PC 98 fL[f{[fh — pY'èftf@fCf<,ì—á (Windows NT —p)
KEYBOARD.CNF	•W€fL[f{[fhY' èftf@fCf<Bã<L3, Å,ì,κ ,ç,Ç,ê,©,ðfRfs[,μ ,½,à,ì

fCf“fXfg[f%o[,í **IBMKEYB.CNF**, **PC98KEYB.CNF**, **NT98KEYB.CNF** ,ì,κ ,ç“KØ,È,à,ì,ðfRfs[,μ,Ä **KEYBOARD.CNF** ftf@fCf<,ðì—,μ,Ü,·B,Ç,ê,ªfRfs[,³,ê,é,©,íAfcf“fXfg[f<'t,Éft[fU[,ªŽw'è,μ, ½fL[f{[fh,ìŽí—

p,É,æ,èĈ^'è,³,ê,Û,·B,à,μfCf“fXfg□[f<Žž,ÉfL□[f{□[fhŽw'è,đŠÔ^á,Á,½□ê□‡,Í□AŽ
©•^a,Å“K□Ø,Èftf@fCf<,đfRfs□[,μ,Ä **KEYBOARD.CNF** ,đ□ì□¬,μ'¹/₄,μ,Ä,,³/₄,³,č□B

PC98 NX fVfŠ□[fY,ì PC ,ì□ê□‡□AfCf“fXfg□[f%□□[,Å□uIBM PC/AT
fL□[f{□[fh□v,đŽw'è,μ,Ä,,³/₄,³,č□B

