

## -ÚŽŸ@WinZip Self-Extractor 2.1

[Á%É•K,,“Ç,Ý,,¾,¾,ç](#)

@WinZip Self-Extractor 2.1 ,lfwf<fvfgfsfbfN,í^È  
%º,ì'È,è,Á,·BfEfBf“fhfE,©,ç,í,Ýo,µ,Ä“Ç,ß,È,ç•Ÿš,ÍXfNf[f<fo[,ðŽg,Á,Ä“Ç,ň,Á,,¾,¾,çBfwf<fv,ìŽg—  
p•ú-@,É,Ä,ç,Ä,ÍA[F1] fL[,ð%Ÿ,µ,Ä,,¾,¾,çBfwf<fv,ìî“ñ,ð‡”Ô,É“Ç,ň,Á,ç,,É,ÍAfwf<fv,ìc[f<fo[,ì [;>]  
,Æ [<<] f{f^f“,ðŽg,Á,Ä,,¾,¾,çB

### fx[fVfbfN

[2'•Ÿ•ú-@ / 2“ü<à](#)

[fvfOf%œf€,ìŠT—v](#)

[fRfs\[f%œfCfç/f%œfCfZf“fX/•ÚØ](#)

[•l%œ;”Äf%œfCfZf“fX](#)

[fo\[fWf‡f“—š—ð](#)

[P&A,Ö,ì,“—â,ç‡,í,¹](#)

[Ž©œÈ“WŠ\]ftf@fCf<,É,Ä,ç,Ä](#)

[WinZip Self-Extractor ,Æ Personal Edition,ì^á,ç](#)

[WinZip,É,Ä,ç,Ä](#)

[ŽÓŽ«](#)

### fTf|f|fg

[fgf%œfuf<fvf...\[fefBf“fo](#)

[fqf“fg□f`fbfvfX](#)

[f\ftfgEfEfAfCf“fXfg□f<—p,ìŽ©œÈ“WŠ\]ftf@fCf<,ì□□—,É,Ä,ç,Ä,ìf`fbfv](#)

### “®□ìŠÄ<<□AfCf“fXfg□f<□AfAf“fCf“fXfg□f<

[“®□ìŠÄ<<](#)

[WinZip Self-Extractor “z•zftf@fCf<](#)

[fCf“fXfg□f<](#)

[fAf“fCf“fXfg□f<](#)

### ‘€□ì•ú-@

[Ž©œÈ“WŠ\]ftf@fCf<,ì□□—](#)

[WinZip Self-Extractor fEfBfU□\[fh,ìŽg—p](#)

[fRf}f“fhf%œfCf“flfvfVf‡f“](#)

[Ž©œÈ“WŠ\]ftf@fCf<,ðŽÄ□s,;é](#)

## ,2'□•¶

,2'□•¶û-@,É,Í□A^È%º,ì5,Â,ª, ,è,Û,·□B

### 1. “dŽqf□□[f<

□u“o~^—pŽ†□v,É•K—vŽ-□€„ð<L“ü,μ□A^È%º,ì^¶□æ,Éf□□[f<,μ,Ä,,¾,¾,¾,¾□B

NIFTY-Serve : PAF02461  
E-mail : paf02461@niftyserve.or.jp

### 2. FAX

□u“o~^—pŽ†□v,É•K—vŽ-□€„ð<L“ü,μ□A^È%º,ì^¶□æ,ÉFAX,μ,Ä,,¾,¾,¾,¾□B

FAX : 0425-35-9902

### 3. “d~b

,““d~b,É,æ,é,2'□•¶,àŽó,~•t,~„Ä,~„è,Û,·,ª□A,È,é,x,“dŽqf□□[f<,©FAX,Ä,~Šè„ç'v,μ,Û,·□B

TEL : 0425-35-9901

### 4. NIFTY-Serve fJf“f%ofCf“fVf†fbfsf“fO

GO SPANDA ,Ä□u,□•,`fXfe□[fVf†f“□v,É“ü,è□A □u2. ,□•,`fVf†fbfsf“fO□v,ð'I'ð,μ,Ä,,¾,¾,¾,¾□Bfgfbfvf□fjf...  
□[,ì,²—~—p•û-@,ðŽQ□Æ,μ□Aflf“f%ofCf“,Ä,ìŽwŽ†,É□],Ä,ÄŽè'±,«„ð□s,Ä,Ä,,¾,¾,¾,¾□B

'□^Ó!!

fJf“f%ofCf“fVf†fbfsf“fO,Ä,ì,~Žx•¥,ç—¿<à'ìCEn□A□x•i,ì”—,É,Ä,«„Û,μ,Ä,Í□A □u,2“ü<à□v,Ä□à-¾,¾,¾,¾,é,Ä,ç  
,é,à,ì,Æ^Û,È,è,Û,·,ì,Ä□A•K,,²—~—p•û-@,ð,~“Ç,Ý,,¾,¾,¾,¾□B

fJf“f%ofCf“fVf†fbfsf“fO,Ä,ì-^CŽ,ì,~“f“¾□x•i,â□AfZ□[f<,ð□□Žž□s,Ä,Ä,~„è,Û,·,ì,Ä□A□¥“ñ^è“x,~—  
š,¿Šñ,è,,¾,¾,¾,¾□B

### 5. fCf“f^□[flfbfg

fCf“f^□[flfbfg,ì□uP&AfvfFfAfeFfA fz□[f€fy□[fW□v,©,ç,à,2'□•¶,Ä,«„Û,·□BŠefvf□fOof€„ì□D  
%oify□[fW,É, ,é□u'□•¶[f{f^f“□v,ð%Ÿ,·,Æ□A,~—¼'O□A,²□Z□Š“™,ð“ü—Í,μ,Ä,ç,½,¾,¾,æ,x  
,É'□•¶',ªC»„è,Û,·□B□Ú,μ,Ífy□[fW,ì□à-¾,¾,¾,¾,ð,~“Ç,Ý,,¾,¾,¾,¾□B



f,,f}fg%o^—A,ª,“í,¯,µ,Û,·,ì,Å□A□x•iŽó,~Žæ,èŽž,É‘ã<à□i“o~^—¿<à + ‘ã^øŽè□”—¿□□~1.05,đ,“Žx•¥,¢,-,¾,¾,¢□B—á,ì,ì“o~^—¿<à,ª4,500%o~,ì□è□#□A(4,500%o~ + 700%o~) □~1.05 = 5,460%o~,Æ,È,è,Û,·□B

- •½“ú,ì□³CEß,Û,Ä,É,¢,½,¾,¢,½,²,²□•¶,í□A—kŠC“¹□A<ã□B□A%o<“è□A—£“†,đ,ì,¾,«□A“—“ú”“—,ì—,“ú”z'B,Æ,È,è,Û,·□B—kŠC“¹□A<ã□B□A%o<“è□A—£“†,É,“□Z,Û,¢,ì□è□#,í□A—,□X“ú,Æ,È,è,Û,·□i^ê“”n^æ,Ä,í,»è^É□ã,ì□è□#,à,²,´,¢,Û,·□j□BCEđ‘ÉŽ-□i“™,Ä,â,þ,đ,ì,É,¢□è□#,í□A□x•i,ì,“í,¯,ªx,è,é,±,Æ,ª,è,Û,·,ì,Ä□A, ,ç,©,¶,ß,²—¹□³,¾,¾,¢□B
- “y“ú,É,²,²□•¶,¢,½,¾,¢,½,ª,É,Ä,«Û,µ,Ä,í□ACEŽ—j,ìŽæ,èµ,¢,Æ,È,è,Û,·□B
- “ú”t•s□Ý,ì,±,Æ,ª½,¢□è□#,í□A—éŠŌŽw’è□i—é6Žž,©,ç8Žž,ìŠŌ,Ä,ì”z’B□j,Û,½,í□A”z’B“úŽw’è,đ,²—~—p,¾,¾,¢□B
- □x•i,É,æ,Ä,Ä,í□A‘i<}•Ö’...•¥,¢,đ,²—~—p,É,È,è,È,¢,à,ì,à,²,´,¢,Û,· (%o²<L□u□x•i,ì”“—□v,ì1.ì□è□#□j□BDOSf□□[f€,í,Û,Æ,ñ,ç,·,×,Ä%oÄ“\,Ä,·,ª□AWindowsfvf□fOf%of€ì□è□#□AZ—‘O,ÉP&AfvfFfAfeFfA,É,“—â,¢□#,í,¹,¾,¾,¢□B

### NIFTY-Serve fvffFafEfffA’—<à’ã□sf□□[frfX

NIFTY-Serve,É,²“ü%oi,ì•û,í□AfvffFafEfffA’—<à’ã□sf□□[frfX,à,²—~—p,É,È,è,Û,·□B,½,¾,µ□A^È%o²,ì,æ,x,È□§CEÄ,ª,è,Û,·□B

1. CEÄ□l%oi^đ,ÄfNfCefWfbfgf□□[fh,ÅCE^□í,³,è,Ä,¢,é•û,ì,Ý—~—p%oÄ
2. ,·,×,Ä,ìfvf□fOf%of€,ì’—<à,ª,Ä,«,é,í,¯,Ä,í,È,¢

1.,É,Ä,«Û,µ,Ä,í□AfrfWfIfXfAfffEfg,ÄNIFTY-Serve,É“ü%oi,³,è,Ä,¢,é□è□#,í□A,²—~—p,É,È,è,Û,¹,ñ□B2.É,Ä,«Û,µ,Ä□A’—<à%oÄ“\,Éfvf□fOf%of€,í“o~^—pŽt,É□uSW”Ô□t□v,ì<L,ª,è,Û,·□B<L,ì,È,¢,à,ì,É,Ä,«Û,µ,Ä,ì¾,ì,²“ü<à•û—@,đ,²—~—p,¾,¾,¢□B“o~^—pŽt,đ’—•tCEã□A^È%o²,ìŽè□#,É□]Ä,Ä’—<àŽè±,«,đ□s,¢,Û,·□B’—<àŽè±,«,¾,Ä,·,Æ□A□x•i,ì’—•t□æ,ª,í,©,è,Û,¹,ñ,ì,Å□A•K,“o~^—pŽt,đ’—•t,µ,Ä,¾,¾,¢□B,È,“ã<à,í—,CEŽ□ANIFTY-Serve,ì—~—p—¿<à,É%oÄŽZ,µ,Ä¿<□,³,¹,Ä,¢,½,¾,«Û,·□B

- 1) GO SWREG ,Ä□ufvffFafEfffAfeFfWfXfgfCE□[fvf#fzf“f^□□v,É“ü,è,Û,·□B
- 2) f□fjf...□[.©,ç□u3. ‘—<à’ã□sf□□[frfX□v,đ‘I’đ,µ,Û,·□B
- 3) ŽŸ,É□u2. ‘—<àfvfXfef€□v,đ‘I’đ,µ,Û,·□B
- 4) ‘—<àfvfXfef€,©,ç□A□u1:fvffFafEfffA”Ô□tŽw’è□v,đ‘I’đ,µ,Û,·□B
- 5) “o~^—pŽt,É,é□uSW”Ô□t□v,đ“ü—í,µ,Û,·□B
- 6) fv□fOf%of€,ì•â<□à¾,ª•Ž!³,è,Û,·,ì,Å□A•K,Šó—],ì,à,ì,©,ç,ª,©Šm”F,µ□A□u1:Šó—],·,é□v,đ‘I’đ,µ,Ä,-¾,¾,¢□B



# “o~^—pŽt

fvfjOf%of€-¼

WinZip Self-Extractor

□Á”i□Ā (5%)

, Žx•¥,¢—ž<à

“o~^—ž<à

6,000%~

300%~

6,300%~

□ ‘í<}•Ö’...•¥,¢,đ,²—~—p,ì□é□#,í□A□ă<L□u, Žx•¥,¢—ž<à□v,ÉŽè□” —ž(700%~) <y,ÑŽè□” —ž,ì□Ā”i□Ā•²(35%~)□#CEv735%~ ,đ%oĀŽZ,μ,Ā□ž<□,³,¹,Ā,¢,½,¾,«,Ü,·□B

□ fvfjOf%of€,í’É□í□A“ü<àŠm”FCEă□A1□TŠÔ“ö“x,Ā, ŽèCE³,É“í,«,Ü,·,²□A□YCEÉ□Ø,é“™,Ā’—•t,²x,é,é,±,Æ,², ,è,Ü,·□B%½’²CEă—¹□³%²,³,¢□B

P&A ID

ìØŋpĀ

, Ž-¼’O

—X•Ö”Ô□t

ìØŋpĀ

,²□Z□Š

TEL (FAX)

NIFTY-Serve ID

E-mail

, Žx•¥,¢•ú-@

fj□[fh”Ô□t

—LCEøŠúCEÀ

‘í<}•Ö-éŠÔŽw’è

‘í<}•Ö”z’B“úŽw’è

fvfFfAfEfFfA”Ā,ì“üŽè□æ

, Ž□,ž,ìfRf“fsf...□[f^

(,È,“□A—ìŽû□’□ACE□□í□’□A”[•i□’,È,Ç,²•K—v,È□é□#,í□A,» ,ìŽ|,²<L“ü,,¾,³,¢□B)

## ,²”□^Ó!!

1. □ufj□[fh”Ô□t□v□A□u—LCEøŠúCEÀ□v,ífNfCEfWfjbfj□[fh,đ,²—~—p,ì□é□#,ì,Ý,²<L“ü,,¾,³,¢□B

2. □u’í<}•Ö-éŠÔŽw’è□v□A□u’í<}•Ö”z’B“úŽw’è□v,í’í<}•Ö’...•¥,¢,đ,²—~—p,ì□é□#,ì,Ý%oĀ”\,Ā,·□B

,±,lfwf<fvftf@fCf<,É,ÍAfCf“fXfg[]f<•û-@A,²[]•¶•û-@,È,Ç,ŠÜ,Ü,ê,Ä,ç,Û,·BWinZip Self-  
Extractor ,lfVfFfAfEfFfA”Å(-ç“o~^”Å),É,Â,ç,Ä,ÍA,²[]•¶•û-@,ì,“-â,ç[]#,í,¹^ÈŠO,“f,è,ç,½,μ,Û,·B





## Ž©ĀĚ“WŠJftf@fCf<,É,Â,ċ,Ä

□@,±,í□Ě,Ä,í□AZipftf@fCf<,ĀĚŽ©ĀĚ“WŠJftf@fCf<□AZ©ĀĚ“WŠJftf@fCf<,í—  
~“\_” ,æ,ŇŽ©ĀĚ“WŠJftf@fCf<,í” @□,É,Ä,ċ,Ä,íŠĚ’P,É□à-¾,ð,μ,Û,·□B

### Zip ftf@fCf<,Ā,í□H

□@Zip ftf@fCf<,íĀĚŠĚ•W□Ě,íftf@fCf<^³□k□AfOf<□[fsf“fO,íftf@fCf<ĀĚ`Ž@,·□B^è,Ä,í Zip  
ftf@fCf<,í•í□”,íftf@fCf<,ðŠÛ,β,±,Ā,Ā,«,Û,·□BZip ftf@fCf<“à,íftf@fCf<,í’É□í³□k,³,è,Ä,ċ,Û,·□BZip  
ftf@fCf<,í^Ē%º,í,æ,π,ÉŽg—p,³,è,Û,·□B

□E Internet ,É,Ĉ,Ä“üžè%Ä”\,Éftf@fCf<,í,Û,Ā,ñ,Ĉ Zip ftf@fCf<,Ā,μ,Ä”z•z,³,è,Ä,ċ,Û,·□BZip ftf@fCf<,ðŽg—  
p,·,é,Q,Ä,í—~“\_”í□ASÖ~A,·,éftf@fCf<,ð^è,Ä,íftf@fCf<,É,Û,Ā,β,é,±,Ā,Ā,«,é“\_”Ā□AZip ftf@fCf<,É,·,é,±  
,Ā,Āftf@fCf<fTfCfY,ð□-,³,μ□Aftf@fCf<,í“j’—ŽžŠÖ,ð’Z□k,·,é,±,Ā,Ā,«,é“\_”Ä,·□B

□E ŠÖ~A,μ,½•í□”,íftf@fCf<,ð’—□M,·,é,í,É”ñ□í,É•Ö—  
~,Ä,·□Bftf@fCf<,ð^è,Ä,·,Ä”z•z,·,é,æ,è,à□A•í□”,íftf@fCf<,ðfOf<□[fv%º»,μ□A^³□k,μ,Ä”z•z,·,é,Û,π  
,āŠĚ’P,Ä,·□B

Zip ftf@fCf<,í [WinZip@](#) ,â PKWARE@ŽĐ,í PKZIP@ ,É,Ĉ,íft□[fefBfŠfefB□[,Ä□í□-,³,è,Û,·□B

### Ž©ĀĚ“WŠJftf@fCf<,Ā,í□H

□@Ž©ĀĚ“WŠJftf@fCf<,í□A Zip ftf@fCf<,Ā Zip ftf@fCf<,í’t□g,ð“WŠJ,·,é\ftf@fCf<,ĀŠÛ,Û,è,½ŽÄ□s%ºÄ”\  
(.EXE) ,Éftf@fCf<,Ä,·□B

□@WinZip Self-Extractor ,É,æ,Ä,Ä□í□-,³,è,½Ž©ĀĚ“WŠJftf@fCf<,āŽÄ□s,³,è,½□Û□Af\_fCfAf□fOf{fbfnfX,ā•  
Ž,³,è,Û,·□B,±,í,·f\_fCfAf□fOf{fbfnfX,Ä□A“WŠJ□æ,íftfHf<f\_,ð•í□X,μ,½,è□A,ċ,é,ċ  
,è,ÉfjfvfVfj” ,ð“WŠJ’O,É•í□X,·,é,±,Ā,Ā,«,Û,·□BWinZip Self-Extractor  
,É,æ,Ä,Ä□í□-,³,è,½Ž©ĀĚ“WŠJftf@fCf<,í□A

□E PKZIP 2.04g ,Ā 100% ĀĚŠ•□,ā ,è,Û,·,í,Ä□AWinZip ,â PKUNZIP ,É,Ĉ,í•W□Ě“í,É UNZIP  
ft□[fefBfŠfefB□[,Ä“WŠJ,·,é,±,Ā,Ā,«,Û,·□B

□E ‘É□í,íftfvfVfj” ,Ä,í□AZ©ĀĚ“WŠJĀĚ^,Ä,É,ċ Zip ftf@fCf<,É”ä,x,Ä 12KB ,Û,Ĉ’ā,«,,É,é,¾,·,Ä,·□B

### Ž©ĀĚ“WŠJftf@fCf<,í—~“\_

□@ftf@fCf<,ð“WŠJ,·,é,½,β,É□A•Ē“r“WŠJft□[fefBfŠfefB□[,ð—p^Ó,μ,½,è□A“WŠJft□[fefBfŠfefB□[,íŽg—p-  
@,ð’m,é•K—v,í ,è,Û,³,ñ□B,Ä,Û,è□AZ©ĀĚ“WŠJftf@fCf<,í Zip ftf@fCf<,É,É,Ň,Y,í,É,ċ□%□SZÖft□[fU,Éf  
ftfgfEjFfA,ð”z•z,·,é,í,É□A“K,É,í,Ä,·□B

WinZip Self-Extractor ,É,æ,Ä,Ä□í□-,³,è,½Ž©ĀĚ“WŠJftf@fCf<,íftfCfefBfu,È Windows ,íftfvf□fOf%ºfĚ,È,í,Ä□AMS-  
DOS ,íĀoĀ±,í-³,ċft□[fU,Ä,àŠĚ’P,ÉŽg—p,·,é,±,Ā,Ā,«,Û,·□B

### “@□í•ú-@

WinZip Self-Extractor ,É,í,Q,Ä,í•”•ā,ā ,è,Û,·□B

- 1) WinZip Self-Extractor ,íŽ©ĀĚ“WŠJftf@fCf<,ð□í□-,μ,Û,·□B
- 2) WinZip Self-Extractor ,āŽ©ĀĚ“WŠJftf@fCf<,ð□í□-,μ,½□Û,É□AZ©ĀĚ“WŠJftf@fCf<“à,É Self-Extractor  
,í^è•”,ðŠÛ,Y,Û,·□BŽ©ĀĚ“WŠJftf@fCf<,ÉŠÛ,Û,è,½ WinZip Self-Extractor ,í<@”\  
,É,æ,Ä,Āftf@fCf<,ð“WŠJ,·,é,±,Ā,Ā,«,Û,·□B

□@Ž©ĀĚ“WŠJftf@fCf<,ð□í□-,·,é,É,í□AWinZip Self-Extractor ,ð<N“@,μ□AZip ftf@fCf<,í-  
¼’O□AfífvfVfj”□AftfHf<fg,í“WŠJ□æ□A“WŠJĀĚ,ÉŽ©“@ŽÄ□s,·,éfvf□fOf%ºfĚ,ðŽw’è,μ,Û,·□BWinZip Self-  
Extractor ,í□A,±,é,Ĉ,í□í•ñ,ðŽ©ĀĚ“WŠJftf@fCf<,É•Û’Ň,μ□AZÄ□s,³,è,½□Û,É,±,é,Ĉ,íftfvfVfj” ,ā—  
LĀø,É,É,è,Û,·□B□Û,μ,í□AZ©ĀĚ“WŠJftf@fCf<,í□í□-,í□Ě,ðŽQ□Ā,μ,Ä,,¾,¾,ċ□Bf%ºfCfZf“fX,É,Ä,ċ,Ä,í□Af  
%ºfCfZf“fX,í□Ě,ðŽQ□Ā,μ,Ä,,¾,¾,ċ□B

# fRfs [f%ofCf g/f%ofCfZf" fX/• Û

## fRfs [f%ofCf g

© WinZip® Self-Extractor Copyright © 1995-1997 by Nico Mak Computing, Inc. All rights reserved.

## f%ofCfZf" fX"~^Ó

©, ±, ÿftfgfEjFfA, ðŽg—p, , é' O, É^ È%º, ìð€Æ, ðœ, “Ç, ñ, Å%º, ¸, çBNico Mak Computing, Inc. , É, æ, é• È, ÿ%ofCfZf" fX, ðŽ, Á, Ä, ç, È, , è, ÌA, ±, ÿftfgfEjFfA, ÌŽg—p, Í, ±, ÿ%ofCfZf" fX, É"~^ Ó, µ, ½, à, Ì, Æ, Ý, È, ¸, è, Û, ·B

© WinZip Self-Extractor , ÿVfFfA fEjFfA • ]%º ÿ" Å, Ì" z• z, É, Á, ç, Ä, ÌA • ]%º ÿ" Å f%ofCfZf" fX, ì€ , ðŽQÆ, µ, Ä, - , ¸, ¸, çB

## "o~^"Å

© WinZip Self-Extractor , Ì"o~^" Å fRfs [ , ÌA, P' ä, ÿ [ ÿ fNfXfe [ ÿVfj# " ðã, ÅA" — È- ¸ \$CEÀ, ÿ [ çf, , fŠfefB- ¸ — ç, Å" z• z%º Å" \, ÈŽ © CE È "WŠjftf@fCfç, ðA^ È%º, ìðœ, ì%º, É ð Ì -, , é, ±, Æ, ¸, Å, «, Û, ·B

© f [ ÿ fNfXfe [ ÿVfj# " ðã, ÅAŽ © CE È "WŠjftf@fCfç, ð Ì -, , é, Ì, É WinZip Self-Extractor, ¸Žg, í, è, é ð è [ A, » , è, ¸, ½, Æ, ! ^ è Ž Ž " I, ÈŽg—p, Å, , Á, Ä, à A, » , è, ¼, è, ÿ [ ÿ fNfXfe [ ÿVfj# " , É, Á, ç , Ä • È X, Ì WinZip Self-Extractor, Ì"o~^" Å, ÿRfs [ , ¸Žæ" ¸, ¸, è, È, , è, Ì, È, è, Û, ¸, ñB, ±, ÿ%ofCfZf" fX, Í " Ž Ž, É ç " , ÅŽg—p, Å, «, Û, ¸, ñB

WinZip Self-Extractor, É, æ, Á, Ä ð Ì -, ¸, è, è Ž © CE È "WŠjftf@fCfç, ÌA WinZip Self-Extractor, Ì^ è • " , ðŠÛ, Ý, Û, ·B

© WinZip Self-Extractor, É, æ, Á, Ä ð Ì -, ¸, è, ½ Ž © CE È "WŠjftf@fCfç, É, ÌA " ÅCE , Ì • Û CE Ì, ¸, è, ½ f ÿftfgfEjFfA A " ÅCE , Ì [ ' m, » , µ, Å Ž - • È [ • ñ ( ð u " WŠjftfgfEjFfA [ v ), ðŠÛ, ñ, ¼ ^ è • " • ¸, Æ, µ, Ä, Ì WinZip Self-Extractor, ð, » , Ì' ¼, Ì, ±, Æ, Æ, Æ, à, È ŠÛ, p, ±, Æ, È, È, è, Û, ·B [ ], Á, Ä " o ~ ^ f t [ f U [ , Å , , è A' ¼, Ì' N, Å , è A, ± , Ì " WŠjftfgfEjFfA, ð • Ì X [ E C ¸ , , é, ±, Æ, Í, Å, «, Û, ¸, ñB, Û, ½ , , È, ½, ÌA, ç, ©, È, è Ž Ö, É' Í, µ, Ä, à, ±, Ì " WŠjftfgfEjFfA, ð • Ì X, , é ç - %º Å, ð — ^ , Ì, é, ±, Æ, Í, Å, «, Û, ¸, ñB, ±, ÿ%ofCfZf" fX " ~ ^ Ó ' , Å - ¼ Ž ! " I, É " F, ß, ç, è, Ä, ç , È, ç ' S, Ä, Ì CE — , È, Á, ç, Ä, à AŠ @ ' S, É Nico Mak Computing, Inc., ¸ • Û — L, , é, à, Ì, Æ, µ, Û, ·B

## -@-¥, Ì "K—p

©, ±, Ì " ~ ^ Ó ' , ÿRfj f` f jfbfg B - @, É, æ, Á, Ä " [ ¸, ¸, è, Ä, ç, Û, ·B

## • Û, Ì • úš

©, ±, ÿftfgfEjFfA, , æ, ÑŠÖ ~ Aftf@fCfç, Ì ACE » ó, Ì, Û, Û' ñ ç Y, ¸, è, é, à, Ì, Å , è A [ x • i, Ì " © Ì, à • Û, Ì - ¼ Ž ! " I, , æ, Ñ - Û Ž ! " I, È Š Ö, ç , ÌA ^ è [ Ø • Û, µ, Û, ¸, ñB WinZip Self-Extractor , ¸ fCf " fXfg [ fç, ¸, è, é — Ì X, È fn [ fhfEjFfA ç y, Ñ fftfgfEjFfA Š Å «, È, Á, ç, ÄA " Á' è, Ì - Û " I, È' í, , é " K [ ç «, Ì • Û, Ì ^ è [ Ø, µ, Û, ¸, ñB

©, ±, ÿv [ ÿ fO f%º f€, ð - { Š i " I, È, ¸ — p, É, È, é' O, É A [ d — v, Å, È, ç ff [ f ^ , Å " O' è " I, É fefXfg, µ, Ä, , ¸, ¸, ç B ft [ f U, Ì - { f v [ ÿ fO f%º f€, Ì Žg—p, É, æ, é, ç, ©, È, é' Š Q, à ø, « Ž ó, , È, , è, Ì, È, è, Û, ¸, ñB, ç, ©, È, é ð è [ ç, È, , ç , Ä, à A " I " , Ž Ö, Ì Ó " C, Ì » • i, Ì CE ð Š • Û, ½, Ì " I " , » à Š z, Ì • Ö Š Ö, ð ðã CEÀ, Æ, µ, Û, ·B

## • ]%o\_z " Åf%ofCfZf" fX

### • ]%o\_z " Å,Æ "o~^" Å

□@,±,ê,İftfŠ□İfEfFfA,Å,İ, ,è,Ü,¹,ñ□BfVfFfAfEfFfA•] %o\_z " Å,İ WinZip Self-Extractor ,đ•] %o\_z -  
Ú"İ,İ,½,ß,İ,Ý,É21"úŠÖ-³—İ,ÅŽŽ—p,·,é,±,Æ,ª,Å,«,Ü,·□B21"úŠÖ,İ•] %o\_z ŠúŠÖ,đ%oz,İ,Å,±,İftfjgfEfFfA,đŽg—  
p,·,é,É,İ□A"o~^—İ<à,ª•K—v,Å,·□B

□@fVfFfAfEfFfA•] %o\_z " Å,İ WinZip Self-Extractor,Å□İ—,³,è,½Ž©CEÈ"WSjftf@fCf<,İ,ç,©,È,é□ó<μ,É,·,ç  
,Å,à□A"z•z,·,é,±,Æ,İ,Å,«,Ü,¹,ñ□B

□@WinZip Self-Extractor,đ21"úŠÖ,đ' ,İ,Å-ç"o~^,İ,Ü,ÜŽg—p,·,é,Æ□AfAf□fŠfj□#□O□'-@,·,æ,Ñ□'□Ü'~□İCE -  
@^á"½,Æ,É,è,Ü,·□B

### WinZip Self-Extractor ,İ"z•z

□@, ,È,½,İ□A,±,İfVfFfAfEfFfA•] %o\_z " Å,İftfjg,·,æ,Ñ•¶□',İfRfs□[ ,đ□İ□—,·,é,±  
,Æ,ª,Å,«,Ü,·□BfİfŠfWfjf<,İfVfFfAfEfFfA" Å,İ'S,·" ,¶fRfs□[ ,đ'N,É,Å,à"z•z,·,é,±  
,Æ,ª,Å,«,Ü,·ª□A,½,¾,μ□A□C□³,·,é,±,Æ,İ,Å,«,Ü,¹,ñ□B,±,İfVfFfAfEfFfA" Å,İ"z•z,É,Å,ç,Å,İ□A—İ<à,İ•K—v, ,è,Ü,  
¹,ñ□B

□@□" ,ÉŠÖ,İ,ç,·,ç,©,È,éfRfs□[ ,É'İ,μ,Å,à,» ,İ"z•z,É,·,ç,Å—İ<à,đ%oÜ,μ,½,è□AŠñ•t,đ<□,ß,é,±  
,Æ□A,» ,μ,Å,Ü,½Ž-'O,İ□'—p,É,æ,é<-‰Å-³,□A,±,İftfjgfEfFfA□A<y,Ñ□^,Ü,½,İ□A,±  
,é,É•t□□,·,é•¶□',đ'¼,İ□»•i□i□π"İ,Å, ,é,É,μ,É,©,©,İ,ç,·□j,Æ<π,É"z•z,·,é,±,Æ□A,İ"Å,É<ÖŽ~ ,μ,Ü,·□B,½,¾,μ□A  
—áŠO,Æ,μ,ÅAssociation of Shareware ProfessionalsCEö" F,İffBfXfNfxf" f\_□[ ,ÉCEÀ,Å,Å□A,±,İf  
%ofCfZf" fX,É,·, ,é'S,Å,İ□đCE□,İ,à,Æ,Å□A"Å•É,É□'—p,É,æ,é<-‰Å,đ"¾, ,ÉWinZip Self-Extractor,đ□Å"z•z,·,é,±  
,Æ,ª,Å,«,Ü,·□B



## Self-Extractor,ÆPersonal Edition ,ì^á,ç,É,Â,ç,Ä

@WinZip Self-Extractor **Personal Edition**,íWinZip@,ÉŠÜ,Ü,ê,Ü,·BWinZip Self-Extractor 2.1  
,íWinZip,Æ,í·É,ì»·i,Ä,·BWinZip Self-Extractor 2.1,íWinZip,ìfAfhfìf“fvfìfOf%of€,ÄAPersonal Edition  
,É,í,É,ç^È%ºº,ì<@”\,ðŽg—p,·,é,±,Æ,ª,Ä,«,Ü,·B

E Self-Extractor,ìfìfCf“f\_fCfAfìfO,ÅŽg—p,·,éAfCfRf“AfefLfXfg,ðŽw’èAfZfbfgfAfbfvfvfìfOf  
%of€ŽÀsEä,Éfef“fìf%ofŠftf@fCf<,ðìíœ,·,é,È,ÇAfìftfgfEfFfA,ìfCf“fXfgìf<,ðŽ©“®  
%ºº»AfjffXf^f}fCfY,·,é<@”\BInstallShield 3.0 fZfbfgfAfbfvfvfìfOf%of€,àfTfìfìfgB

E “WŠJ’€ìì—¹Eä,ÉAfRf}f“fh,ðŽÀs,·,é,±,Æ,ª,Ä,«,éB

E fRf}f“fhf%ofCf“,©,çŽ©EÈ“WŠJftf@fCf<,ðìì—,·,é,±,Æ,ª,Ä,«,éB

E MS-DOSä,À,àWindowsä,À,àŽÀs%ºº”\,È’P^ê,ìŽ©EÈ“WŠJftf@fCf<,ðìì—,·,é,±,Æ,ª,Ä,«,éB

E %opEè,Ü,½,ìfhfCfcEè,É,æ,éfìfbfZìfW,ðìì—,·,é,±,Æ,ª,Ä,«,éB

E Ž©EÈ“WŠJftf@fCf<,ªŽÀs,³,ê,½Ü,ÉŽ©“®“ì,Éftf@fCf<,ð“WŠJ,·,é,±,Æ,ª,Ä,«,éB

E fpfXfììfh,ì,©,©,Á,½Zipftf@fCf<,ðfTfììfg

E ,·,x,Ä,ì32bitŽ©EÈ“WŠJftf@fCf<,íAMicrosoft® Authenticode™ fefNfmfìfW,ðfTfììfg

E ftìfUŽw’è,ìfAfcfRf“,ðŽg—p,Ä,«,éB

E Ž©“®“ì,É“WŠJ,·,éŽ©EÈ“WŠJftf@fCf<,ðìì—,·,é,±,Æ,ª,Ä,«,éB

’^Ö@,±,ê,ç,ì<@”\,ì,ç,,Ä,©,ª«—^“ì,ÉWinZip Self-Extractor Personal Edition,ÉŠÜ,Ü,ê,é%ºº”\«ª, ,è,Ü,·B



## ŽÓŽ«

© WinZip Self-Extractor, a CE » Ý, i CE ` , É, È, Á, ½, Ì, Í, A ½, , Ì, X, Ì, • CE ¾ Afvf fOf % of €  
, IfefXfg AfofO, Ì, ñ, É, Ç, Ì, •, , ª, , Á, ½, ©, ç, Å, • B "Á, É, A Ted Abell, John Conde, Joel Diamond, Chris Dunford,  
Gregg Hommel, Oyvind Kaldestad, Kevin Kearney, Jim Larkin, Steve Queen, Mark Stern, Nick Sweeting, Mike  
Tajmajer, » , µ, Å Hans Top, lŠeŽ, É, Í Š ` Ž Ó, l ^ Ó, ð • \, µ, Ü, • B

© WinZip Self-Extractor, l ^ ê • " • ª, l Info-Zip fOf < [fv, l < Z p, É Š î, Å, ç, Å, " , è A, » , l < - % o o Å, É, æ, Á, Å Ž g — p, º, ê, Å, ç  
, Ü, • B < » - ; , Ì, , é • ú, í A, » , l Info-Zip fR [fh, ð ' ½, , Ì, ê Š, ©, ç Ž è, É " ü, é, é, ±, Æ, ª, Å, «, Ü, • B —  
á, l, l A CompuServe, libmproftfH [f % of € ABIX: ibm.pc listings A Internet  
, © , ç, l ftp.uu.net:/pub/zip B, » , l " TCE ^ " l, È ft f @ fC f < - ¼, Í ZIP 19P.ZIP, Å A 19P • " • ª, í, » , Ì, Å V " Å, ð • \  
, µ, Ü, • B, à, µ, » , Ì, Ü, ©, Ì, ê Š, ©, ç, Ì " ü Ž è, ª, Å, «, È, ©, Á, ½, Æ, «, Í A WinZip Self-  
Extractor, l " About " f\_fC f Af fOf {fbfNfX, Å \ Ž l, º, é, é Z Š, Ö f f B f X f N, Æ Ž © • ª, Ì Z Š, Ì, ©, é, ½ Ø Ž è, Ì "  
, ç, é, ½ • • " > , ð ' —, Å, Å " ü Ž è, , é, ±, Æ, à, Å, «, Ü, • B

## P&A, Ö, Ì, " - â, ç, í, 1

□α•i, Ì, 2□w"ü, É, Â, ç, Ä, Ì, " - â, ç, í, 1, Í□A

sales@panda.co.jp

TEL: 0425-35-9901('ä)

FAX: 0425-35-9902

, Ü, Â, " Šè, ç, ç, ½, μ, Ü, ·□B

□³<K"o" ^, ³, è, ½•û, Í□AfefNfjffj<fTfj□□[fg, ðŽó, " .é, ±, Æ, ð, Â, «, Ü, ·□BfefNfjffj<fTfj□□[fg, Í□A

support@panda.co.jp

FAX 0425-35-9902

TEL: 0425-35-9903 (fTfj□□[fg□ê—p)

, Ü, Â□A, Â, «, é, ¾, " dŽqf□□[f<, © FAX, Â, " - â, ç, í, 1, , ¾, ¾, ç□B, Ü, ½, " - â, ç, í, 1, Ì□Ü, Í□AP&A ID, ð•K, , " □\, μ□o, -  
, ¾, ¾, ç□B, " d~b, Í□A□Ö"ú, ð□œ, - ^□TCEŽ—j, ©, ç<à—j"ú, ÌCEßCEã, PŽž, ©, ç, UŽž, Ü, ÂŽó, "•t, " , Â, ç, Ü, ·□B

□§190 "CE<ž"s—§□ìŽs□ã□»'¬1-3-6-2

TEL 0425-35-9901 ('ä) / FAX 0425-35-9902

(For information in English, call 0425-35-9901)

WWW: <http://www.panda.co.jp>

## ŠÖ~A□€-Ü

[fgf%œfuf<fVf...□□\[fefBf"fO](#)

[fgf"f□□•f`fbfvfX](#)



## fgf%ofuf<fVf...[]fefBf“fo

(1) **Ž © CEÈ “WŠJftf@fCf<, dŽÀ s, μ, ½, Æ, ±, è □ A “out of memory”, ìf fbfZ □ [fW, aCE» , è, Û, μ, ½ □ B**

□ @, ±, ì □ ê □ †, ì ‘ ð ’ ïftf@fCf<, ì ‘ ’ — ‘ †, Éftf@fCf<, a%ó, è, Ä, μ, Û, Á, ½, ±, Æ, É, æ, è, Û, · □ BDOS, âWindows, Å, Í □ A-  
³CEø, ÈŽÀ □ sftf@fCf<, dŽÀ □ s, ³, ¹, æ, π, Æ, μ, ½ □ ê □ † □ Af □ f, fŠ • s ‘ ‹, ìfGf% □ [f □ fbfZ □ [fW, ð □ o, μ, Û, · □ B, ±  
ì □ ê □ †, ì, à, Á, Æ, à — Ç, ç % ð CE ^ — @, Í □ A • È, ì Ž © CEÈ “WŠJftf@fCf<, dŽÀ “ üŽ è, ·, é, ±, Æ, Ä, · □ B

(2) **ft □ [fU, aŽ © CEÈ “WŠJftf@fCf<, dŽÀ s, μ, ½ □ Û, É □ A WinZip Self-Extractor , ìf\_fCfAf □ fOf {fbfNfX, a • \  
Ž, ³, è, È, ç □ B**

□ @, ±, π, ç, Á, ½ □ ó □ μ, Í □ Af □ ft □ [fU □ [ , ìfVfXfef€, ÅŠ ù, É □ A “ ~ -¼, ì EXE □ AFON □ ADLL □ ADRVftf@fCf<, a < N “ @ , μ, Ä, ç  
, é □ ê □ †, É, ·, è, Û, · □ B — á, ì, Í □ AUSER.EXE , Æ, ç, π EXE

ftf@fCf<, dŽÀ □ —, μ, ½ □ ê □ † □ AWindows, aŽ © “ @ “ I, ÉUSER.EXE, Æ, æ, ì, è, éftf@fCf<, ðf □ [fh, μ, Û, ·, a □ A “ ~ -  
¼, Å ^ Û, È, éftf@fCf<, dŽÀ □ s, ·, é, ±, Æ, a, Å, «, È, ç, ì, Å □ A, ±, ìftf@fCf<, dŽÀ □ s, ·, é, ±, Æ, ì, Å, «, Û, ¹, ñ □ B WinZip Self-  
Extractor , ì Ž © CEÈ “WŠJftf@fCf<, dŽÀ □ —, ·, é □ Û, É □ A, ·, È, ½, ìf } fVf “ □ ä, Å, ì -  
¼ ‘ O, ì □ Ö “ È, ðf` fFbfN, μ, Û, ·, a □ A, à, ì, è, ñft □ [fU, ìf } fVf “ □ ä, Å, ì □ Ö “ È, ðf` fFbfN, ·, é, ±, Æ, ì, Å, «, Û, ¹, ñ □ B, ±, ì -  
à ‘ è, ð % ð CE ^ , ·, é, È, Í □ A Ž © CEÈ “WŠJftf@fCf<, ìftf@fCf< -¼, ð • Í □ X, μ, Ä, , ¾, ³, ç □ B

(3) **ìftfgfEfFfA, ìfCf “fXfg □ [f< — pŽ © CEÈ “WŠJftf@fCf<, Å — à ‘ è, a □ D □ D □ D**

ìftfgfEfFfAfCf “fXfg □ [f< — p, ì Ž © CEÈ “WŠJftf@fCf<, ì □ □ —, É, Å, ç, Ä, ìf`fbfv, ì □ €, dŽQ □ Æ, μ, Ä, , ¾, ³, ç □ B

## ŠÖ ~ A □ € — Û

ìfNfìfìf<fTf □ [fg

ìf “ fg □ • f`fbfvfX

ìftfgfEfFfAfCf “fXfg □ [f< — p, ì Ž © CEÈ “WŠJftf@fCf<, ì □ □ —, É, Å, ç, Ä, ìf`fbfv





## “®” ŠĀ<<<

©, ±, ±, Ā, í, A, , È, ½, <sup>a</sup> Windows, ĺ, Ž, g, ç, •, ũ, Ā, Zip ftf@fCf< ħ ħ ħ • ũ - ©, đ' m, Ā, Ā, ç, é, ±, Ā, đ' O' ħ, Ā, μ, Ā, ç, Ū, • ħ B

### Ž © Ā Ē “WŠjftf@fCf<, ĺ ħ ħ ħ

© WinZip Self-Extractor, Ā, í Zip ftf@fCf<, đ ħ ħ ħ ħ, •, é, ±, Ā, í, Ā, <, Ū, <sup>1</sup>, ħ ħ B Zip ftf@fCf<, đ ħ ħ ħ ħ, •, é, É, í ħ A [WinZip](#), ĺ, æ, x, È f ħ ħ ħ [f ef B f Š f ef B ħ ħ ħ, <sup>a</sup> • K - v, É, È, è, Ū, • ħ B

f ħ ħ “f O f t f @ f C f < f ħ ħ ħ [f €, đ f t f ħ ħ [f g, μ, È, ç ħ ħ AMS-DOS, ĺ • W ħ ħ € “ ĺ, È % o p Ā Ē, ĺ Ž © Ā Ē “WŠjftf@fCf<, í ħ A WinZip Self-Extractor 1.0, Ā Ē - , ħ, æ, x, É ħ ħ AMS-DOS, Ū, ½, í Windows ħ ħ ħ, Ā ħ ħ ħ ħ, •, é, ±, Ā, Ā, <, Ū, • ħ B, » ĺ <sup>1</sup> ¼, ĺ Ž © Ā Ē “WŠjftf@fCf<, í ħ A Windows 3.1/95/NT ħ ħ ħ, Ā, μ, © ħ ħ ħ ħ, Ā, <, Ū, <sup>1</sup>, ħ ħ B

### Ž © Ā Ē “WŠjftf@fCf<, ĺ Ž Ā ħ s

© 32bit Win32 Ž © Ā Ē “WŠjftf@fCf<, í ħ A Windows95, Ū, ½, í Windows NT ħ ħ ħ, Ā, μ, © Ž Ā ħ s, •, é, ±, Ā, Ā, <, Ū, <sup>1</sup>, ħ ħ B f ħ ħ “f p f N f g f w f b f \_ ħ ħ ħ ħ ħ, đ ħ ħ œ, ç, Ā ħ A, •, x, Ā, ĺ 16bit f w f b f \_ ĺ Ž © Ā Ē “WŠjftf@fCf<, í Windows 95, Ā, ĺ f ħ ħ “f O f t f @ f C f < f ħ ħ ħ [f €, đ f t f ħ ħ [f g, μ, Ā, ç, Ū, • ħ B Ā Ē » ħ ħ ħ, ĺ Windows NT, ĺ f o ħ ħ [f W f ħ ħ f “, Ā, í ħ A 16bit f Ā f v f Š f P ħ ħ [f V f ħ ħ f “, É f ħ ħ “f O f t f @ f C f < f ħ ħ ħ [f €, đ f Ā f N f z f X, <sup>3</sup>, <sup>1</sup>, È, ç, ½, β ħ ħ A 32bit, ĺ Ž © Ā Ē “WŠjftf@fCf<, í Windows NT, đ f ^ ħ ħ [f Q f b f g, Ā, μ, Ā ħ ħ A f ħ ħ “f O f t f @ f C f < f ħ ħ ħ [f €, đ Ž g - p, •, é ħ ħ ħ ħ, É Ž g - p, μ, Ū, • ħ B

## WinZip Self-Extractor "z•zftf@fCf<

ftf@fCf<-¼	□à-¾
README.TXT	"±"üî•ñ
LICENSE.TXT	f%ofCfZf"fX
WINZIPSE.TXT	flf"f%ofCf"fhfLf...f□f"fg,ì—v-ñ
WINZIPSE.HLP	flf"f%ofCf"fwf<fv
WINZIPSE.EXE	Windows"À,ìŽÀ□sftf@fCf<
WZIPSE32.EXE	Windows95<y,ÑWindowsNT—p,ìŽÀ□sftf@fCf<
ORDER.TXT	fl□[f_□[ftfH□[f€
WHATSNEW.TXT	□Å□V□î•ñ
FILE_ID.DIZ	BBS—p,ì'Z,†□à-¾
VENDOR.TXT	fVfFfAfEfFfAfffBfXfgfŠfrf...□[f^,ÆfffBfXfNfxf"f_□[,ìî•ñ
SETUP.EXE	*32bitfCf"fXfg□[f<fvf□[fOf%of€fwf<fp□[
SETUP32.EXE	*fCf"fXfg□[f<fvf□[fOf%of€
[ '□^Ó ]□@*,ì,À,†,½ftf@fCf<,ífn□[fhfffBfXfN,ÉfRfs□[,³,ê,Û,¹,ñ□B	

## fCf“fXfg□lf<

fCf“fXfg□lf<,i’O.É□A□i’“fvf□fOf%of€,.È,Ç□AfCf“fXfg□lf<,É•K—v,Ä,È,çfvf□fOf%of€,.Í,Ä,«,.é,¾,~□l—<sup>1,3,1</sup>,é,æ,π,É,μ,Ä,,¾,¾,ç□B

1. ,±,lfwf<fvftf@fCf<,i%ođ“€,<sup>3,é,½</sup>ftfHf<f\_É□Awzipse21.exe,Æ,ç,æftf@fCf<,ª, ,è,Ü,·□B ,±,lfth@fCf<,ðfGfNfXfvf□□lf%o,àftf@fCf<f}f□□fWff,È,Ç,© ,çf\_fuf<fNfŠfbfN,μ,Ü,·□B
2. **Thank you for installing WinZip Self-Extractor 2.1!**  
,±,±,Ä,Í□A[Setup]f{f^f“ ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç□B
3. **Setup will install WinZip Self-Extractor into the ...**  
,±,±,Ä,ÍfCf“fXfg□lf<□æ,ðŽw’è,μ,Ü,·□BInstall to:,ì—“ ,ÉfCf“fXfg□lf<□æ,ðŽw’è,μ□A[OK]f{f^f“ ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç□B
4. **Welcome to WinZip Self-Extractor!**  
,±,±,Ä,Í□A[View License Agreement],ðfNfŠfbfN,μ□Af%ofCfZf“fX”à—e,ðŠm”FCEã□A[Yes],ðfNfŠfbfN,μ,Ä,-¾,¾,ç□B
5. **You can run WinZip Self-Extractor when you choose...**  
WinZip,ì[Action]-[Make EXE File],ð’l’ð,μ,½□é□±,É□AWinZip Self-Extractor ,ð<N“@, ,é,æ,π,É□A[Program Locations]f\_fCfAf□fOf{fbfNfX,ì”à—e,ð•ì□X,μ,Ü,·□B•ì□X, ,é□é□±,Í□A[Yes] ,ð□A•ì□X,μ,È,ç□é□±,Í□A[No] ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç□B
6. **Welcome to WinZip Self-Extractor!**  
,±,é,© ,çŽŽ—p,<sup>3,é,é</sup>é□é□±,Í□A,±,±,ÄfCf“fXfg□lf<,í□l,í,è,Ä,·□B[Close],ðfNfŠfbfN,μ,Ä,-¾,¾,ç□B□<sup>3</sup>K“o~^ft□[fU,ì•ú,Í□A[Enter Registration Code]f{f^f“ ,ðfNfŠfbfN,μ□A7..Ö□i,ñ,Ä,,¾,¾,ç□B
7. **Register WinZip Self-Extractor**  
[Organization],ì—“ ,É“o~^—¼,ð□A[Registration #],ì—“ ,É“o~^”Ô□t,ð“ü—í,μ□A[OK],ðfNfŠfbfN,μ,Ä,-¾,¾,ç□B,±,é,ÄfCf“fXfg□lf<,í□l—<sup>1,Ä,·</sup>□B[Close],ðfNfŠfbfN,μ,ÄfEfBf“fhfE,ð•Ä,¶,Ä,,¾,¾,ç□B

WinZip Self-Extractor,Ä,Í□A□i, “Ç,Ý,lfwf<fv,æfCf“fXfg□lf<,é,Ü,<sup>1,ñ</sup>□B,±,lfwf<fvftf@fCf<(winzipse.hlp),ð□AfCf“fXfg□lf<ftfHf<f\_É□ã□□,«fRfs□[ ,é,±,Æ,Ä□A’É□í,lfif“f%ofCf“fwf<fv,Æ”—l,ÉŽg—p, ,é,±,Æ,ª,Ä,«,Ü,·□B,±,ì□Ü□A%opCEè”Ä,lfwf<fv,íŽ , ,í,è,Ü, ,ì,Ä□A•K—v,É□é□±,ì•ÉftfHf<f\_ÉfRfs□[ ,μ,Ä,,¾,¾,ç□B

## fAf“fCf“fXfg□[f<

□@WinZip Self-Extractor ,É,ÍfAf“fCf“fXfg□[f<<@\,ª, ,è,Ü,·□BŽŸ,ì,æ,æ,ÉŽÀ□s,μ,Ä,,¾,¾,¾,¾□□B

□E Windows 3.1□AWindows NT 3.5 , ,æ,Ñ 3.51,Á,í□Afvf□fOf%of€f}f□□[fWff,ìWinZip Self-Extractor fOf<□[fv,©,ç  
Uninstall WinZip Self-Extractor fAfCfRf“ ,ðf\_fuf<fNfŠfbfN,μ,Ä,,¾,¾,¾,¾□□B

□E Windows 95 , ,æ,Ñ Windows NT 4.0,Á,í□A[fXf^□[fg]-[fvf□fOf%of€]-[WinZip Self-Extractor] ,æ,è  
[Uninstall WinZip Self-Extractor] ,ð'ì'ð,μ,Ä,,¾,¾,¾,¾□□B

ŽŸ,ì,æ,æ,É,μ,ÄŽè“ @ ,ÁfAf“fCf“fXfg□[f<, ,é,±,Æ,à,Á,«,Ü,·□□B

1. Windows□@,Íftf@fCf<f}f□□[fWff□AfGfNfXfvf□□[f%o,È,Ç,Íft□[fefBfŠfefB□[ ,ÁWinZip Self-  
Extractor,ÍftfHf<f\_ ,ðftfHf<f\_²,Æ□í□œ,μ,Ü,·□□B
2. WinZip Self-Extractor ,ÍfAfCfRf“ ,Æfvf□fOf%of€fOf<□[fv,ð□í□œ,μ,Ü,·□□BWindows 3.1 , ,æ,ÑNT 3.51,Á,ÍWinZip  
Self-Extractor ,ÍfOf<□[fv,ðŠ],ç,Ä□AfAfCfRf“ ,ª,·,×,Ä□Á,ì,é,Ü,Á [Delete] fL□[ ,ð%oŸ,μ,Ä,-  
¾,¾,¾,¾□□BfOf<□[fv,ªó,É,È,è,Ü,μ,½,ç□A,à,æ^è“x [Delete] fL□[ ,ð%oŸ,μ,Ä□AfOf<□[fvŽ©'ì,ð□í□œ,μ,Ä,-  
¾,¾,¾,¾□□BWindows 95 , ,æ,ÑNT 4.0,Á,í□AfXf^□[fgf□fjf...□[ ,©,ç□A□[Ÿ'è(S)]-  
[f^fXfNfo□(T)...]□A[fXf^□[fgf□fjf...□[ ,ìŸ'è] f^fu,ð%oŸ,μ,Ü,·□□B[í□œ(R)...] f{f^f“ ,ð%oŸ,μ□AWinZip  
Self-Extractor ,ð'ì,Ñ□A□[í□œ] f{f^f“ ,ð%oŸ,μ,Ü,·□□B
3. WinZip Self-Extractor ,ðWinZip ,ì [Make EXE]fvf□fOf%of€ ,ÉŽw'è,μ,Ä,ç  
,é□ê□#□AWinZip,ð<N“ @ ,μ□A[Options] f□fjf...□[ ,©,ç [Program Locations] ,ð'ì,Ñ,Ü,·□□B[Make Exe],ì—“ ,ðó  
—“ ,É,μ,Ü,·□□B

## Ž©ĀÈ“WŠjftf@fCf<,ììì~

□@Ž©ĀÈ“WŠjftf@fCf<,đìì~.,.é,É,í□A,Ü, WinZip® Self-Extractor ,đ<N“®.,μ,Ü,·□B<N“®,.,é,É,í□A^È  
%°°,ì,R'È,è,ì•ù-@,°,è,Ü,·□B

1. Windows ,ì,».,ì'¼,ìfvf□fOf%°°f€„Æ“~—ì,É□AWinZip Self-Extractor ,đ<N“®,.,é□B  
Windows 95,Á,í□A[fXf^□[fg]f□fjf...□[-fvf□fOf%°°f€ (P)]-[WinZip Self-Extractor]□A[WinZip Self-Extractor]  
,đ'ì,Ñ,Ü,·□BWindows 3.1,Á,í□AWinZip Self-Extractor fvf□fOf%°°f€fOf<□[fv,ì't,ì [WinZip Self-Extractor]  
fAfCfRf“,đf\_fuf<fNfŠfbfN,μ,Ä,,¾,¾,¾,¾□B
2. WinZip 6.0^È□~.,©,ç'¼Ú WinZip Self-Extractor ,đŽÀ□s,.,é□B  
WinZip ,ì [Actions] f□fjf...□[.,ç [Make EXE File] ,đ'ì'đ,.,é,Æ□AŽ©“®“ì,ÉWinZip Self-  
ExtractorfEfBfU□[fh,°<N“®,μ,Ü,·□B,½,¾,μ□A,».,ì'O,ÉWinZip ,ì [Options]-[Program Locations] ,ì [Make  
EXE],ì—“ ,É□AWinZip Self-Extractor ,ìftf<fpfX,đŽw'è,.,é•K—v,°,è,Ü,·□B
3. WinZip Self-Extractor ,đDOS fvf□“fvfg,©,çŽÀ□s,.,é□B  
,±,ì□é□□AfRf}f“fhf%°°fCf“flfvfVf#f“,°•K—v,É,È,è,Ü,·□BfjfVfVf#f“,ì^è—,É,Ä,ç,Ä,í□AfRf}f“fhf  
%°°fCf“flfvfVf#f“,ì□€,đŽQ□Æ,μ,Ä,,¾,¾,¾,¾□B

'□^Ó

- E Ž©ĀÈ“WŠjftf@fCf<,áŽÀ□s,¾,è,½□é□□AZip ftftf@fCf<“à,ìftfHf<f\_□î•ñ,áŽ©“®“ì,ÉŽg—p,¾,è,Ü,·□B
- E WinZip Self-Extractor ,ìfpfXf□□[fhfVf□fVfNfgZipftf@fCf<,â□AfffBfXfN,É•áŠ,,,¾,è,½Zipftf@fCf<,đ^μ,±,±  
,Æ,°,Ä,«,Ü,¹,ñ□B



## fpfXf[fh

["Compact^" <y,Ñ "MS-DOS + Windows^" ,δœ,, ,x,Ä,İž©È"WSjftf@fCf<,É'í,μ,ÄA<ÆSE•W€  
,İZippfXf[fhfvfNfvf#f",ÄZipftf@fCf<,đ^Ä+%%», ,é,±  
,Æ,ª,Ä,«,Ü,·BfpfXf[fh•ÜCEì,³,é,½Zipftf@fCf<,đi- , ,é,É,íAWinZip,È,Ç,İZipCEÝŠ·ft[fefBfŠfefB[ ,ª•K—  
v,É,È,è,Ü,·B,»,İCEâA^Ä+%%»,³,é,½Zipftf@fCf<,đWinZip Self-Extractor,đŽg—p,μ,ÄA'Éí,İZipftf@fCf<,Æ" —  
l,ÉAZ©È"WSjftf@fCf<,đi- ,μ,Ü,·Bft[fU[ ,İž©È"WSjftf@fCf<,ªŽÄs,³,é,½Ü,ÉAfpfXf[fh,ì"ü—  
í,đ<β,ç,é,Ü,·B³,μ,çfpfXf[fh,ª"ü—í,³,é,É,çé#Aftf@fCf<,í"WSj,³,é,Ü,¹,ñB  
@WinZip,Ä,í<ÆSE•W€ ,İZip 2.0^Ä+%%»ftfH[f]fbfg,đŽg—p,μ,Ä,ç  
,Ü,·BfpfXf[fhfvfNfvf#f",ì,©,©,Á,½Zipftf@fCf<,İfpfXf[fh,đ,à,Á,Ä," ,ç, ,Aftf@fCf<,ì'tg,đCE© ,æ,π  
,Æ,· ,éft[fU,É'í,μ,ÄA, ,é'ö"x,İ•ÜCEìCEø%É,ª ,è,Ü,·B,μ,©,μ,É,ª,ç Zip 2.0 ^Ä+%%»ftfH[f]fbfg,Í PGP  
,É,Ç,ì,æ,π,Éfvf[fOf%œf€,ÄŽg—p,³,é,é RSA CEóŠJCE@ ^Ä+•úŽ@ ,âADES,É,Ç,ì•úŽ@ ,Ü,Ç^À'S,Ä,í,É,-  
A<Zp,ì ,éCEÄ[ ,ª^Ä+fc[f<,đŽg—p,μ,½é# ,ÉAâ'í"l,É•ÜCEì,đ'ñ<Ÿ,Ä,«,é,í, -,Ä,í ,è,Ü,¹,ñB' ^Ó  
@WinZip,ª,æ,è^À'S,É^Ä+%%»ftfH[f]fbfg,đŽA'• ,μ,É,ç,ì,í,Q,Ä,ì—R,ª ,è,Ü,·  
B(1)^Ü,É,éftfH[f]fbfg,íAZip 2.0,Æ,İCEÝŠ·« ,đŽ,½,É,ç,½,βA'¼,İZipft[fefBfŠfefB[ ,ªftf@fCf<,đ•œ+  
%%»,Ä,«,É,,É,Ä,Ä,μ,Ü,πB(2)CE»ÝfAf[fŠj,É,í^Ä+<Zp,ì—A<Ks,ª ,é,±,ÆB,à,μ<—í,É^Ä+%%»,đ•K—  
v,Æ,· ,éé#AZip 2.0^Ä+%%»ftfH[f]fbfg,Ä,í,É,ÄAé—p,ì^Ä+%%»ftfgfEfffA,đŽg—p, ,é,±  
,Æ,đ," , , ,β,μ,Ü,·B

## fRf}f“fhf%ofCf“flfvfVf#f“

□@fRf}f“fhf%ofCf“flfvfVf#f“,í□ABATftf@fCf<,â□Amake ftf@fCf<,ðŽg,Á,Ž©CEÉ“WŠjftf@fCf<,í□^—  
□,ðŽ©“@“l,É□s,æ□é□#,ÉŽg—p,μ,Ü,·□BfRf}f“fhf%ofCf“flfvfVf#f“,žw’è,ž,½□é□#□AWinZip Self-Extractor  
,lfEfBf“fhfE,íÉ□í•Ž!,,ž,è,Ü,¹,ñ□BfRf}f“fhf%ofCf“,íCE`Ž®,í^É%º,í’É,è,Á,·□B

winzipse[.exe] filename[.zip] [options]

fVfXfef€,í□\$CEÀ,É,æ,Á,Ä□Afrf}f“fhf%ofCf“,í□#CEv,í’.,³,ª127•ŕŽš,É□\$CEÀ,ž,è,Ä,ç,Ü,·□B’,çfRf}f“fhf  
%ofCf“,ðŽw’è,·,é,É,í□Afrf}f“fhf%ofCf“flfvfVf#f“,ðftf@fCf<,É,μ□A@,ð,Ä,~,ÄfCEfXfJf“fXftf@fCf<,Æ,μ,Ü,·□B—  
á,!,í□A^É%º,ì,æ,æ,ÈfefLfXfg,ðŠÜ,þfefLfXfgftf@fCf<,ð□Astandard.inp ,Æ,μ,Ü,·□B

- compact -d c:\modem
- m c:\folder\greeting.txt
- nooverwrite

standard.inpftf@fCf<“à,lfifvfVf#f“,í□é□#□AŽŸ,ì,æ,æ,É,μ,Ü,·□B

winzipse filename.zip @standard.inp

□@□Ú□×,ÈfRf}f“fhf%ofCf“,í□\•ŕ,É,Á,ç,Ä,í□A•W□€CE^Ž©CEÉ“WŠjftf@fCf<,lfRf}f“fhf  
%ofCf“flfvfVf#f“,”,æ,ÑfVftfgfEfFfAfCf“fXfg□f—pŽ©CEÉ“WŠjftf@fCf<□í□—,lfRf}f“fhf%ofCf“flfvfVf#f“,í□€  
,ðŽQ□Æ,μ,Ä,,³/4,³,ç□B

[’□^Ő]□@,à,μ¹/4,lfvf□fOf%of€,©,çŽ©CEÉ“WŠjftf@fCf<,ðŽÀ□s,ž,¹,½□é□#□A/auto fpf%of□□f^,ðŽg—p,·,é,±  
,Æ,Ä□Aft□fU,í“ü—í-³,μ,Éftf@fCf<,ð“WŠJ,·,é,±,Æ,ª,Ä,«,Ü,·□B,±,lfifvfVf#f“,í□A\_fCfAf□fOf{fbfNfX,ª•\  
Ž!,ž,è,½□Ü,É [Unzip] ,Ü,½,í [Setup] f{f^f“,ðfNfŠfbfN□A“WŠJ□^—□□—¹CEã,É [Close]  
f{f^f“,ðfNfŠfbfN,·,é,ì,Æ“~,ŕCEø%É,ª, ,è,Ü,·□B•W□€CE^Ž©CEÉ“WŠjftf@fCf<,ðŽg—  
p,μ,½□é□#□A“WŠJ□æ,lfthf<f\_,ðŽw’è,·,é,±,Æ,ª,Ä,«,Ü,·□B—á,!,í□A modem.exe  
,žŽ©CEÉ“WŠjftf@fCf<,í□é□#□A

modem.exe /auto c:\modem

,ì,æ,æ,É,μ,½□é□#□Aftf@fCf<,íŽ©“@“l,É C:\modem ftfHf<f\_,É“WŠJ,ž,è,Ü,·□B

# •W☐€CE^Ž☐CEÈ“WŠjftf@fCf<,lfRf}f“fhf%ofCf“flfvfVf#f“

- ☐@•W☐€CE^Ž☐CEÈ“WŠjftf@fCf<,đ☐i☐-,·,é,Æ,«,-lCEø,ÈflfvfVf#f“,í^È%º,ì'É,è☐B
- y "overwrite file"fvf☐f“fvfg,É'í,μ,Ä☐AZ☐@“@“l,Éyes,Æ %ºž“š,μ☐AfpfXf☐☐lfh,ìCEx☐☐f☐bfZ☐[fW,đ•\Ž!,μ,Ü,<sup>1</sup>,ñ☐B
- 3 f^☐[fQfbfgfVfXfef€É,“,ç,Ä☐A%ºÄ“\,È,ç,ÍCTL3D.DLL,đ—p,ç,Ä3DCEø %ºÉ,đŽ☐,½,<sup>1</sup>,é☐B
- d <ftfHf<f\_> ffftfHf<fg,ì“WŠj☐æftfHf<f\_
- i <fileid> Ž☐CEÈ“WŠjftf@fCf<,ÅŽg— p,·,é,fAfCfRf“ftf@fCf<,đŽw'è,μ,Ü,·☐B(•W☐€“l,È.ICOftfH☐[f}fbfg,ì,Ý)
- m<fileid> Ž☐CEÈ“WŠjftf@fCf<,ªŽÀ☐s,<sup>3</sup>,é,½☐Ü,É•\ Ž!,<sup>3</sup>,é,é,f☐fbfZ☐[fW(fRf☐f“fg)☐BffftfHf<fg,í,Ä☐AZipftf@fCf<“à,É WINZIPSE.DIZ ,ª, ,é☐é☐#,í☐A,» ,lftf@fCf<,É,È,è,Ü,·☐B
- compact fRf“fpfNfg16bit Windows,lftf@fCf<,đ☐i☐-,μ,Ü,·☐B,± ,lflfvfVf#f“,í☐Afpf“fOf tf@fCf<f☐[f€,Ö,ì'í%ºž, ,é,ç,í☐i☐s“x•\ Ž!f☐☐[f^☐[í,È,ç,Ž☐CEÈ“WŠjftf@fCf<,đ☐i☐-,μ,Ü,·☐Bf☐f“fOf tf@fCf<f☐ [f€,ªŽg—p,<sup>3</sup>,é,Ä,ç,È,ç☐é☐#,í☐A,± ,é,ç,lftf@fCf<,íWindows3.1.95.NT,Ä“@☐i,μ,Ü,·☐B,± ,é,Ä☐i☐-,<sup>3</sup>,é,½ftf@fCf<,íWinZip Self-Extractor 1.0,Ä☐i☐-,<sup>3</sup>,é,½,à,ì,Æ,Ü,Æ,ñ,Ç“-,¶,Ä,·☐B
- standard •W☐€“l,È16frfbfgWindows,lftf@fCf<,đ☐i☐-,μ,Ü,·☐B,± ,lflfvfVf#f“,É,æ,è☐i☐-,<sup>3</sup>,é,éŽ☐CEÈ“WŠjftf@fCf<,lf☐f“fOf tf@fCf<f☐[f€ ,Æ☐i☐s•\Ž!f☐☐[f^☐[í,É'í %ºž,μ,Ü,·☐B,½,<sup>3</sup>/<sub>4</sub>,μ☐A,à,μf☐f“fOf tf@fCf<f☐[f€,ªŽg—p,<sup>3</sup>,é,Ä,ç ,Ä☐A,» ,ìŽ☐CEÈ“WŠjftf@fCf<,ª16frfbfgf☐f“fOf tf@fCf<f☐[f€API,đfTf] ☐[fg,μ,È,çfvfXfef€☐i— á,ì,íNT,ìCE»f☐[fWf#f“☐j☐ä,ÄŽÀ☐s,<sup>3</sup>,é,½☐é☐#☐A-â'è,ì<N,±,é%ºÄ“\ ☐«,<sup>ª</sup>, ,éŽ],ìCEx☐☐,ª•\Ž!,<sup>3</sup>,é☐A',çftf@fCf<- ¼,í'S,Ä☐ø,è,Ä,ß,ç,é,Ü,·☐B,± ,ìCEx☐☐,í☐AflfvfVf#f“,lfRf☐f“fgf☐fbfZ☐[fW,ìCEä,É•\Ž!,<sup>3</sup>,é,Ü,·☐B
- dos MS-DOS,“,æ,Ñ16frfbfgWindows'í%ºž,lftf@fCf<,đ☐i☐-,μ,Ü,·☐B,± ,lflfvfVf#f“,É,æ,è☐i☐-,<sup>3</sup>,é,½Ž☐CEÈ“WŠjftf@fCf<,íWindows,©,ç,Å,àD OSfvf☐f“fvfg,©,ç,Å,àŽÀ☐s,Å,«,Ü,·☐Bf☐f“fOf tf@fCf<f☐[f€,É,í☐AMS- DOS,ª“ñ'í%ºž,ì,½,ß☐A'í%ºž,μ,Ü,<sup>1</sup>,ñ☐B
- win32 32frfbfg,ìWindows 95,“,æ,ÑNT'í%ºž,lftf@fCf<,đ☐i☐-,μ,Ü,·☐B,± ,lflfvfVf#f“,É,æ,è☐i☐-,<sup>3</sup>,é,½Ž☐CEÈ“WŠjftf@fCf<,íWindows95,“,æ,ÑNT ŠÀ«%ºº,Åf☐f“fOf tf@fCf<f☐[f€,É'í%ºž,μ,Ü,·☐B,± ,é,ç,ìŽ☐CEÈ“WŠjftf@fCf<,íŠ'Š,È32frfbfgfvf☐fOf%of€ ,È,ì,Ä☐AWindows 3.1ŠÀ«%ºº,Ä,íŽÀ☐s,Å,«,Ü,<sup>1</sup>,ñ☐B
- le %ºpCEè,Ä•\Ž!
- lg fhfCfcCEè,Ä•\Ž!
- overwrite Ž☐CEÈ“WŠjftf@fCf<,ì☐ä☐',«f fFfbfNf{fbfNfX ( [Overwrite] ) ,ª, ,ç,©,¶,ßf fFfbfN,<sup>3</sup>,é,Ü,·☐B
- nooverwrite Ž☐CEÈ“WŠjftf@fCf<,ì☐ä☐',«f fFfbfNf{fbfNfX ( [Overwrite] ) ,ª, ,ç,©,¶,ßf fFfbfN,<sup>3</sup>,é,Ü,<sup>1</sup>,ñ☐B
- auto Ž☐CEÈ“WŠjftf@fCf<,ªŽÀ☐s,<sup>3</sup>,é,½☐Ü,É☐AZ☐@“@“l,É [Unzip] f{f^f“,đ %ºÝ,μ,Ü,·☐B,±,ì<@“\,đŽg—p,·,é☐é☐#,í☐A'☐^Ó,μ,Ä,- ,¾,<sup>3</sup>,ç☐B,à,μ,» ,lftf@fCf<,đfCf“f^☐[f]fbfg,âfpf\ fRf“É☐M,ÉfAfbfvf☐☐[fh,μ,æ,x,Æ,“☐l,ì,ì☐é☐#☐AfvfXfef€ŠÇ— ☐ŽÖ,ª☐Afvf☐f“fvfg- <sup>3</sup>,μ,Åftf@fCf<,đ“WŠj,·,éftf@fCf<,đ<““Ü,·,é,©,à,μ,é,Ü,<sup>1</sup>,ñ☐B

```

-st "<title>"      Ž©ĀĒ"ŴŠjftf@fCf<,lf^fCf<fo[.É•\
                  Ž! ,3,é,éfefLfXfg,đŽw'è,μ,Ū,·□B,±,lf|fvfVf#f",Í "CompactĀĒ^" <y,Ń
                  "MS-DOS + WindowsĀĒ^" ,lŽ©ĀĒ"ŴŠjftf@fCf<,lĕĕ# ,Í-3Ž<,3,é,Ū,·□B
-c <command>     "ŴŠJĀĚŽĀ□s,·,éffftfHf<fg,lfRf}f"fh,đŽw'è,μ,Ū,·□B□Ÿ'è,·,é□ĕĕ#□A,±
                  ,lf|fvfVf#f",Í^ĕ"Ō□ĀĀĀĚ,É<L□q,μ,Ā%o,3,ĕ□B,±,±
                  ,ĀŽw'è,μ,½fRf}f"fh,Íft□lfU□[,l"ŴŠJ□æftfHf<f_ ,æ,èŽĀ□s,3,é,é,ì,Ā□A,
                  ±,lfRf}f"fh,ÉftfHf<f_ ,lĕĕ•ñ,Í•□'É•K—v, ,è,Ū,1,ñ□B,±
                  ,lfRf}f"fh,lŽĀ□s,É,lWindows WinExec API,āŽg—
                  p,3,é,Ū,·□BŽw'è,·,é□Ū,Í□Aftf@fCf<-¼,¾, ,Ā,Ē,□Afrf}f"fh-
                  ¼,đ□3Šm,ÉŽw'è,μ,Ē, ,é,Í,Ē,è,Ū,1,ñ□B

```

Žg—p—á□F

C> winzipse filename -d c:\modem -c winhelp modem.hlp

```

□@,±,lfRf}f"fh,Ā,Í□Afilename.zip,Ā,ĕ,ĕftf@fCf<,©,ĕfilename.exe,Ā,ĕ
,ŵŽ©ĀĒ"ŴŠjftf@fCf<,đ□l□→,μ,Ū,·□BffftfHf<fg,l"ŴŠJ□æftfHf<f_ ,l"c:\modem",Ā□A"ŴŠJĀĚ,É"winhelp
modem.hlp",Ā,ĕ,ĕftf@fCf<,āŽ©"®"l,ÉŽĀ□s,3,é,Ū,·□B

```

```

□@,Ū,½□Afrf}f"fhf%ofCf"flfvfVf#f",đfRf}f"fhf%ofCf"flfvfVf#f",l□ĕ,Ā□q,x,½fĀfXfj
f"fxftf@fCf<"à,É<L□q,·,é,±,Ā,ā,Ā,« ,Ū,·□B

```

# f\ftfgfEjFfAfCf“fXfg□[f<—pŽ©CEÈ“WŠjftf@fCf<,lfRf}f“fhf %ofCf“flfvfVf#f“

□@f\ftfgfEjFfAfCf“fXfg□[f<—pŽ©CEÈ“WŠjftf@fCf<,đ□□—,·,é□Ú,É—LCEø,ÉfRf}f“fhf%ofCf“flfvfVf#f“,í^È %oº,í^È,è□B

- setup f\ftfgfEjFfAfCf“fXfg□[f<—pŽ©CEÈ“WŠjftf@fCf<,đ□□—,μ,Ü,·□B
- t <fileid> f□fCf“,íŽ©CEÈ“WŠj f\_CfAf□fOf{fbfNfX,Ā,lfefLfXfg•¶Žš— ñ,đŠÜ,pftf@fCf<,đŽw’è,μ,Ü,·□B
- i <fileid> Ž©CEÈ“WŠj f\_CfAf□fOf{fbfNfX,ljAfCfRf“,đŠÜ,ñ,¾ftf@fCf<,đŽw’è,μ, Ü,·□i•W□€,ì.icof tf@fCf<CE`Ž□□□B,± ,ljAfCfRf“,ÍEXEftf@fCf<y,Ñ□Af\_fCfAf□fO,ĀŽg—p,³,è,Ü,·□B
- a <fileid> Ž©CEÈ“WŠjŽž,ì [About] f\_fCfAf□fOf{fbfNfX,Ā“Á,É•\ Ž!,³,¹,éfefLfXfg•¶Žš—ñ,đŠÜ,ñ,¾ftf@fCf<,đŽw’è,μ,Ü,·□B
- 3 Ž©CEÈ“WŠjftf@fCf<,āŽÀ□s,³,è,éfvfXfef€,Ā%oĀ“\,É□é#□A3DCEø %oÉ,ì,½,β,ÉCTL3D.DLL,đŽg—p,μ,Ü,·□B
- wait<name> fRf}f“fh,ì^ă,í,è,É,±,±,Ā□Ÿ’è,μ,½ <name> ,āŠ@— ¹,·,é,ì,đ^Ò,ž,Ü,·□B32frfbfgŽ©CEÈ“WŠjftf@fCf<,đ□□—,·,é,Æ,«,í,±,± ,Ā,Íftf@fCf<- ¼,đ□A16frfbfgŽ©CEÈ“WŠjftf@fCf<,đ□□—,·,é,Æ,«,Íf,fWf...□[f<- ¼,đ□Ÿ’è,μ,Ü,·□B,± ,ljfvfVf#f“,ÉŠÖ,·,é□î•ñ,í“WŠj□□<ÆCEāŽÀ□s,·,éRf}f“fh,ì□€ ,đŽQ□Æ,μ,Ā%oº,³,†□B
- ishield3 [InstallShield 3.0](#),ÆInstallShield 3.0 SDK Edition,Íft□[fU□[,É•K— v,ÉlfvVf#f“,Ā,·□B,± ,ljfvfVf#f“,ÉŠÖ,·,é□î•ñ,í“WŠj□□<Æ,ìCEāŽÀ□s,·,éRf}f“fh,ì□€ ,đŽQ□Æ,μ,Ā%oº,³,†□B
- win32 32frfbfg,ìWindows 95,“,æ,ÑNT’í%ož,Íftf@fCf<,đ□□—,μ,Ü,·□B,± ,ljfvfVf#f“,É,æ,è□□—,³,è,½Ž©CEÈ“WŠjftf@fCf<,ìWindows95,“,æ,ÑN TŠĀ<<%oº,Āf□f“fOf tf@fCf<f□[f€,É’í%ož,μ,Ü,·□B,± ,é,ç,ìŽ©CEÈ“WŠjftf@fCf<,íŠ@‘S,É32frfbfgfvf□fOf%of€ ,É,ì,Ā□AWindows 3.1ŠĀ<<%oº,Ā,ìŽA□s,Ā,«,Ü,¹,ñ□B
- le %opCEé,Ā•\Ž!
- lg fhfCfCCEé,Ā•\Ž!
- auto Ž©CEÈ“WŠjftf@fCf<,āŽÀ□s,³,è,½□Ú,É□AŽ©“®“l,É [Unzip] f{f^f“,đ %oŸ,μ,Ü,·□B,±,ì<@“\,đŽg—p,·,é□é#□,í□A’□^Ó,μ,Ā,- ,¾,³,†□B,à,μ,»,Íftf@fCf<,đfCf“f^□[f]fbfg,âfpf\ fRf“’É□M,ÉfAfbfvf□□[fh,μ,æ,π,Æ,“□l,ì□é#□AfVfXfef€ŠÇ— □ŽÓ,ā□AfVf□f“fvfg- ³,μ,Āftf@fCf<,đ“WŠj,·,éftf@fCf<,đ<“’Ú,·,é,©,à,μ,è,Ü,¹,ñ□B
- st "<titile>" Ž©CEÈ“WŠjftf@fCf<,lf^fCfgf\_fo□[,É•\ Ž!,³,è,éfefLfXfg,đŽw’è,μ,Ü,·□B
- c <command> “WŠjCEāŽÀ□s,·,éffftfHf<fg,ljRf}f“fh,đŽw’è,μ,Ü,·□B□Ÿ’è,·,é□é#□A,± ,ljfvfVf#f“,í^è“Ô□ĀCEă,É<L□q,μ,Ā%oº,³,†□B,±,± ,ĀŽw’è,μ,½fRf}f“fh,Íft□[fU□[,ì“WŠj□æftfHf<f\_æ,èŽÀ□s,³,è,é,ì,Ā□A, ±,ljRf}f“fh,ÉftfHf<f\_,ì□î•ñ,í•□’É•K—v, ,è,Ü,¹,ñ□B,± ,ljRf}f“fh,ìŽÀ□s,É,ìWindows WinExec API,āŽg— p,³,è,Ü,·□BŽw’è,·,é□Ú,í□Aftf@fCf<-¼,¾, ,Ā,É,□AfRf}f“fh- ¼,đ□³Šm,ÉŽw’è,μ,É, ,é,î,É,è,Ü,¹,ñ□B

## l’^ó

□E fRf}f“fhf%ofCf“flfvfVf#f“,đfRf}f“fhf%ofCf“flfvfVf#f“,ì□€,Ā□q,x,½fCEfXf|f“fXftf@fCf<“à,É<L□q,·,é,± ,Æ,ā,Ā,«,Ü,·□B

□E f\ftgfeFfAfCf“fXfg□lf<-p,lž©CEÈ“WŠjftf@fCf<,đ□AfeFbfU□[fh,Å,Í,È,fRf}f“fhf  
%ofCf“,Å□ì□-,·,é□ê□#□A□,È,,Æ,à^È%o²,ì,ᄁ,ì,Ç,ì,ç,©,đŽw'è,·,é•K—v,ª, ,è,Û,·□B  
-setup ,“,æ,Ñ -c flfvfVf#f“  
 ,Û,½,í  
-ishield3 flfvfVf#f“  
,»,ì'¼,lfifvfVf#f“fXfCbf` ,ífifvfVf#f“,Å,·□B

## Ž☉☉È“WŠjftf@fCf<,iŽÀ□s

□@Ž☉☉È“WŠjftf@fCf<,đ“WŠj,·,é,É,í□A,»iŽÀ□sftf@fCf<□i.EXE□j,đŽÀ□s,·,é,¾,·,Ä,·□B—á,í,í^È%º,ì,æ,¼,É,È,è,Û,·□B

□E Windows 3.1□AWindows NT 3.5,»μ,Ä3.51□ā,Ä,í□Afvf□fOf%ºf€f}f□□[fWff,đfAfNfefBfu,É,·,é□A[ftf@fCf<(F)] f□fjf...□[,©,ç [ftf@fCf<-¼,đŽw'è,μ,ÄŽÀ□s(R)] ,đ'í'đ,·,é□A—Ú“í,iŽ☉☉È“WŠjftf@fCf<,iftf@fCf<-¼,đ□³Šm,É“ü—í,μ,Ä [Enter] fL□[,đ%ºÿ,·□B,·,é,ç,iftf@fCf<f}f□□[fWff,đ<N“® ,μ,Ä—Ú“í,iŽ☉☉È“WŠjftf@fCf<,đf\_fuf<fNfšfbfN,·,é□B

□E Windows 95,Û,½,íWindows NT 4.0□ā,Ä,í [fXf^□[fg] f□fjf...□[,©,ç [ftf@fCf<-¼,đŽw'è,μ,ÄŽÀ□s(R)] ,đ'í,N□A—Ú“í,iŽ☉☉È“WŠjftf@fCf<,iftf@fCf<-¼,đ□³Šm,É“ü—í,μ,Ä [Enter] fL□[,đ%ºÿ,·□B,·,é,ç ,ífRf}f“fhfvf□“fvfg,Ä—Ú“í,iŽ☉☉È“WŠjftf@fCf<,iftf@fCf<-¼,đ□³Šm,É“ü—í,μ,Ä [Enter] fL□[,đ%ºÿ,·□B

### •W□€“IŽ☉☉È“WŠjftf@fCf<,iŽÀ□s,i□Ú□×□F

□@•W□€“IŽ☉☉È“WŠjftf@fCf<,»ŽÀ□s,¾,é,é,Æ□AfvfVf#f“□Y'è,íf\_CfAf□fOf{fbfNfX,»\Ž! ,¾,è,Û,·□B

□E ftf@fCf<,í“WŠj□æftfHf<f\_

□E “-¼,iftf@fCf<,»í□Y,μ,½,Æ,«,ÉŽ☉“®“í,É□ā□“,«,đ,·,é,©□A,»é,¾,è,đ□ā□“,«,·,é,Æ,«,ÉŠm“F,·,é,©,Ç,¼,·,©□B

□E ,»iZIPftf@fCf<,»í□—,¾,è,½,Æ,«,É□Y'è,¾,è,Ä,ç,éfvfVf#f“ ,ífRf}f“fh,đŽÀ□s,·,é,©,Ç,¼,·,©□BfvfVf#f“ ,ífRf}f“fh,»□Y'è,¾,è,Ä,ç,É,ç,Æ,«,í,±,íf`fFfbfNf{fbfNfX,í%ºB,¾,è,Ä,ç,Û,·□B

[UnZip] (“WŠj,·,é) f{f^f“,Ä'S,Ä,iftf@fCf<,đ□Y'è,¾,è,½ftfHf<f\_Ö“WŠj,μ,Û,·□B[Run WinZip](WinZip,đ<N“® ,·,é) f{f^f“,đfNfšfbfN,·,é,Æ□A,±,íŽ☉☉È“WŠjftf@fCf<,đWinZip,đŽg,Ä,ÄŠj,«,Û,·□iWinZip,»fvfXfef€ ,ÉfCf“fXfg□[f<,¾,è,Ä,ç,½□é□#□□B,±,é,É,æ,è□A□“ÉÉ“à,í“Á'è,iftf@fCf<,¾,·“WŠj,Û,½,í+□g,í%º{ —□Afvf□fOf%ºf€fOf<□[fv,ì□□—□A□“ÉÉ,ì^Ú“® ,É,Ç,»%ºÄ“\,É,È,è,Û,·□B

[Close](•Ä,¶,é)□A[About]□A[Help] f{f^f“,í,»é,¾,è□A□uŽ☉☉È“WŠjftf@fCf<,đ•Ä,¶,é□v□A□u“ÁCE □í•ñ,ì\Ž!□v□A□uŠî—{“í,ÉŽg—p-@,ì\Ž!□v,đ^Ó-i,μ,Û,·□B

### fvtfgfEfvfAfCf“fXfg□[f<—pŽ☉☉È“WŠjftf@fCf<,iŽÀ□s,i□Ú□×□F

fvtfgfEfvfAfCf“fXfg□[f<—pŽ☉☉È“WŠjftf@fCf< ,»<N“® ,¾,é,é,Æ□A[Setup](fZfbfgfAfbfv) □A[Cancel] (fLfff“fZf<)□A[Help](fwf<fv),iŽO,Ä,íf{f^f“ ,» ,éfv\_CfAf□fOf{fbfNfX,»CE»,é,Û,·□B,± ,é,ç,íf{f^f“,đ,»é,¾,è□u□Y'è,¾,è,Ä,ç

,éZIPftf@fCf<“à,ífRf}f“fh,iŽÀ□s□v□A□uŽ☉☉È“WŠjftf@fCf<,đ•Ä,¶,é□v□A□u“ÁCE □í•ñ,ÆŽg—p•û-@,đ\Ž!,·,é□v,đ^Ó-i,μ,Û,·□B

---

“□^Ó□@•É,ífvf□fOf%ºf€,©,çŽ☉☉È“WŠjftf@fCf<,đŽÀ□s,·,é□é□□A ^ø□“,É /auto ,đ,Ä,·,é,± ,Æ,Äft□[fU,iŽwŽ! ,É,μ,Äftf@fCf<,đ“WŠj,·,é,±,Æ,»Ä,«,Û,·□B,±,íf{fvfVf#f“ ,í□AfvfCf“f\_CfAf□fO,»\Ž!,¾,é,½□Û,É□A[Unzip] f{f^f“,đ%ºÿ,μ□A“WŠj,»□—¹,μ,½□Û,É [Close] f{f^f“,đ%ºÿ,·,í,Æ“~ ,¶CEº %ºÉ,» ,é,Û,·□B“WŠj□æ,iftfHf<f\_đŽw'è,·,é,±,Æ,à,Ä,«,Û,·□B—á,í,í□Amodem.exe ,»Ž☉☉È“WŠjftf@fCf<,i□é□#□A

modem.exe /auto c:\modem

□ā,ì,æ,¼,ÉŽw'è,·,é,±,Æ,Ä□AŽ☉“®“í,É C:\modem ftfHf<f\_É“WŠj,¾,è,Û,·□B

## WinZip Self-Extractor fEfBfU [fh,đŽg—p,·,é

@WinZip Self-Extractor fEfBfU [fh,đŽg—

p,·,é,Æ[AŽ©Ě“WŚ]ftf@fCf<,đŠĚ‘P,É[]—,Á,«,Ü,·B^ê~A,lfXfefbfv,đ **[Next]** f{f^f“,đ%oŸ,μ,È,ª,ç[]i,ß,Ä,ç,,±  
,Æ,ª,Á,«,Ü,·B‘O,ìó‘Ó,É-ß,éê[]‡,í[]A,ç,Á,Á,à **[Back]** f{f^f“,đ%oŸ,μ,Ä-ß,é,±  
,Æ,ª,Á,«,Ü,·Bf|fvfvf‡“,ÉŠÖ,·,é[]Ú,μ,ç[]i•ñ,đĚ©,é,É,í[]A,ç,ìfEfBf“fhfE,Á,à[]A**[Help]** f{f^f“,đ  
%oŸ,μ,ÄĚ©,é,±,Æ,ª,Á,«,Ü,·B



# Ž©ĀÈ“WŠJftf@fCf<,ìf^fCfv,đ‘ì’đ

## Standard Self-Extractor (•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<)

□@•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<,í□ì□¬,àŠÈ‘P,Ā, ,è□A•¶□‘□A%œ‘œ,»,’¼,ìftf@fCf<,đ%œiŽĐ,ì“  
—»,’È,Ç,É‘—,é,ì,É—□‘z“ì,Ā,•□B,Û,½‘P□f,Èf  
ftfgfEfFfAfCf“fXfg□[f<,É,àŽg,ì,Û,•□B•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<,í16bit Windows□A32bit  
Windows□A,»,’μ,Ā Windows + MS-DOS ‘í%ž“Ā,ª□ì□¬,Ā,«,’Û,•□B<N“®,’μ,½□Û,É^ŽA•¶,à•Žì,•,é,±  
,Ā,ª,Ā,«,’Û,•□BffftfHf<fg,ì“WŠJ□æftfHf<f\_□A[Overwrite files without prompting]  
(Šm“F,¹, ,Éftf@fCf<,đ□ă□‘,«,’é)f{fbfNfX,đffftfHf<fg,Āf^fFfbfN,•,é,©,Ç,ª,©□A  
“WŠJ□ì<ĀĀĀŽĀ□s,³,¹,½,†fRf}f“fh□A,È,Ç,đ□Ý‘è,Ā,«,’Û,•□B

## Self-Extractor for Software Installation (†ftfgfEfFfAfCf“fXfg□[f<—pŽ©ĀÈ“WŠJftf@fCf<)

□@†ftfgfEfFfAfCf“fXfg□[f<—pŽ©ĀÈ“WŠJftf@fCf<,ìfZfbfgfAfbfv,É‘½□,ì□ì<Ā,ª•K—  
v,É,È,è,Û,•ª□A,æ,èfvf□ftfFfbfvf#fif<,ÉfCf“fXfg□[f<,ª,Ā,«,’é,æ,ª,É,È,è,Û,•□BŽ©ĀÈ“WŠJftf@fCf<,Ā•\  
Žì,³,è,éfefLfXfg•¶Žš—ñ,“ ,æ,ÑfAfCfRf“,đjJfXf^f}fCfY,Ā,«,’Û,•□B,±  
,ìŽ©ĀÈ“WŠJftf@fCf<,ì^èŽžftfHf<f\_đ□ì□¬,μ□A,»,’±,Öftf@fCf<,đ“WŠJ,μ□A□Ý‘è,μ,½fZfbfgfAfbfvf#fif□Of  
%œf€,đ<N“®,’μ□A,»,’ìŽĀ□s,ªŠ@—¹,•,é,ì,đ‘Ò,Ā,Ā□A□Ā□%œ,ì‘iŠK,Ā□ì□¬,μ,½^èŽžftfHf<f\_đ□ì□œ,μ,Û,•□B

□Ú□x,É‘Š^á“\_ ,É,Ā,†,Ā,ìŽ©ĀÈ“WŠJftf@fCf<,ì•W□€ĀÈ^,Ā†ftfgfEfFfAfCf“fXfg□[f<—p,Ā,ìŠ^á“\_ ,ì□€,đŽQ□Ā  
%œ²,³,†□B

## Ž©ĀÈ“WŠJĀĒ^,É,·,éZipftf@fCf<,ì‘l’ð

□@WinZip Self-Extractor ,íŠù,É‘ŋ□Ÿ,·,éZIPftf@fCf<□i.zip,ìŠg’£Žq,ì,Ā,¢  
,½ftf@fCf<□j,©,çŽ©ĀÈ“WŠJĀĒ^,ìZIPftf@fCf<,ð□ì□¬,μ,Û,·□B□ì□¬,³,è,½Ž©ĀÈ“WŠJftf@fCf<,ì-  
¼‘O,íĀ³,ìZIPftf@fCf<,Ā“¬¼,É,È,è,Û,·□Bftf@fCf<Ž˘•ĒŽq,í.EXE,Ā,È,è,Û,·□B

□@-Ú“l,ìZIPftf@fCf<-¼,ð□³Šm,É“ü—í,·,é,©□A[**Browse**]  
(ŽQ□Ā)ff{f^f“,ðfNfŠfbfN,μ,ĀŠg’£Žq,ª.Zip,ìftf@fCf<,ð‘T,μ,Û,·□B

□@WinZip,ðŽg,Ā,ĀZIPftf@fCf<,ð□ì□¬,μ,½,¢,ĀE,«,í□A[**Run WinZip**]  
(WinZip,ð·N“®,·,é)ff{f^f“,ðfNfŠfbfN,μ,Û,·□B,»μ,ĀWinZip,ì [Actions] f□ffj...□[.ì [Make EXE],ð‘l,ñ,Ā WinZip  
Self-Extractor,Ö-ß,Ā,Ā%ºº,³,¢□B

□@-Ú“l,ìZIPftf@fCf<,ð‘l,ñ,¼,È,ç,í□A[**Next**] ,ðfNfŠfbfN,μ,ĀfIfvfVf#f“,ð□Ÿ‘è,·,é,©□A[**Finish**]  
,ðfNfŠfbfN,μ,ĀffftfHf<fg,ìfIfvfVf#f“,ĀŽ©ĀÈ“WŠJftf@fCf<,ð□ì□¬,μ,Ā%ºº,³,¢□B

## f[]fbfZ[]fWftf@fCf<,i[]i[]-,.,é

□@•W□€CE^Ž©CEÈ“WŠjftf@fCf<,í<N“® ,μ,½□ê□#,É□A□fbfZ[]fWf{fbfNfX,ð•\Ž!,.,é,±,Æ,ª,Á,«,Ü,·□B□fbfZ[]fW•\Ž!,ª•K—v,È,ç,Æ,«,í□A,±,íftfB[]f<fh,ð<ó””,É,μ,Á%º,³,ç□B

□@f[]fbfZ[]fW,í’,³,É,μ,Á”¼Šp512•¶Žš^È“à,Á•\Ž!%ºÁ”\

,Á,·□i”¼Šp512•¶Žš,í•W□€“l,ÈWindows,ífbfZ[]fWf{fbfNfX“à,ífbfZ[]fW,ìCEÀŠE,Á,·□j□B,±,ífbfZ[]fWf{fbfNfX,ì□Ž©,í□,μfgfŠfbfL□[,Á,·□B,Á,Ü,è□A□fbfZ[]fW<,ì□³Šm,ÈftfCfY,ífvxfef€,ì%ºæ-È•\Ž!,ì□Ý’è,É^È’¶,μ,Ü,.,ì,Á□A,±,±,Á,ífefLfXfg,É,í•¶Žš—ñ,ð•ª,\_,é,½,ß,É<ó□s,ð“ü,è,½,ç,Æ,«,¾,~□A%ºü□s(CR/LF),ð“ü,è,È,\_,è,í,È,è,Ü,¹,ñ□B,±,íftf@fCf<,ð[]i[]-,.,é,ç,ç•û-@,ì^è,Á,í^È%º,ì,æ,π,É,È,è,Ü,·□B

□E f[]f,’ (Notepad),ð<N“®

□E [•Ö□W(E)] fvf<f\_fEf“f[]fj...□[,Á [%ºE’[,Á□Ü,è•Ö,.(W)] ,af`fFfbfN,³,è,Ä,ç,È,\_,è,í□A`fFfbfN,.,é□B

□E □s,ð□Ü,è•Ö,.,½,ß,ì%ºü□s ([Enter]),ð“ü,è,.,,É•¶Žš—ñ,ð“ü—í,μ,Ü,·□B,Á,Ü,è□A□ã,ífbfZ[]fWf{fbfNfX<@”\ ,Á•¶Žš,ð□Ü,è•Ö,³,¹,Ü,·□B<ó□s,ð“ü,è,½,ç,Æ,«,¾,~ [Enter] fL□[,ð%ºÿ,μ,Á%ºº,³,ç□B,±,ì□ê□# [Enter] fL□[,ð“ñ“x%ºÿ,μ,Ü,·□B

□E f[]f,’ ,ì<,íftfCfY,ð•í,ì,Á,Ý,Ä□ACE©%ºh,ì,ì—Ç,çftfCfY,É,È,Á,½,Æ,±,è,Áftf@fCf<,ð•Ü’¶,μ,Ü,·□B ,±,íftfB[]f<fh,íRf}f“fhf%ºfCf“f[]fvfVf#”,ì -m ,É’S“-,μ,Ü,·□B

□@[Next],ðfNfŠfbfN,μ,Äf[]fvfVf#”,ð□Ý’è,.,é,©□A[Finish]

,ðfNfŠfbfN,μ,ÁŽ©CEÈ“WŠjftf@fCf<,ðffftfHf<fg,ífvfVf#”,Á□i[]-,μ,Ü,·□B

## ffftfHf<fg,ì“WŠJ□æftfHf<f\_

□@ZIP“WŠJ□æ,ìffftfHf<fg,ìftfHf<f\_,ðŸ’è,Å,«,Ü,·□B,à,μ,±,ìftfB□[f<fh,ð<ó’’,É,μ,Ä,“, -  
,Æ□Aft□[fU□[,ªŠÅ<<•ì□“TEMP=,ÅŽw’è,μ,½ftfHf<f\_,ªŽg—p,<sup>3</sup>,è,Ü,·□B,à,μ, ,È,½,  
ìZIPftf@fCf<,É“WŠJ,μ,½’t□g,ð•É,ìftfHf<f\_,ÖfRfs□[,·,é,æ,x,ÈfZfbfgfAfbfvfvf□fOf%of€,ªŠÜ,Ü,è,Ä,ç  
,½□è□#,É,ì□A’É□í,±,è,ª□Å—Ç,ì’l’ð,Æ,È,è,Ü,·□B,à,μfZfbfgfAfbfvfvf□fOf%of€  
,ðŠÜ,Ü,È,ç□è□#,ì□A,»ìZIPftf@fCf<,ì“à—e,É,ì,È,ñ,¾ftfHf<f\_—¼,ð’l,Ö,ì,à,æ,ç,Å,μ,â,x□B—  
á,ì,ì□Amodem.hlp,Æ,ç,x-¼’O,ìfwf<fvftf@fCf<,ðŠÜ,ÞZIPftf@fCf<,ìè□#,É,ìc:modem,Æ,·,é,È,Ç□B  
□@,±,ìftfB□[f<fh,ìfRf}f“fhf%ofCf“fìfvfvf#f“,ì -d ,É’Š“—,μ,Ü,·□B  
□@[Next],ðfNfŠfbfN,μ,Äfìfvfvf#f“,ðŸ’è,·,é,©□A[Finish]  
,ðfNfŠfbfN,μ,ÅŽ©ÆÈ“WŠJftf@fCf<,ðffftfHf<fg,ìfìfvfvf#f“,Å□ì□—,μ,Ü,·□B

## “WŠJĀĚŽÀs,·,éRf}f“fh

Ⓜ@“WŠJĀĚŽÀs,·,éRf}f“fh,đŸ’è,Ā,«,Ü,·B,±,łtfBł[f<fh,đ<ó”’,ì,Ü,Ü,É,·,é,ĀfRf}f“fh,í  
%o½,àŽÀs,³,è,Ü,¹,ñB,±,łRf}f“fh,łftł[fUł[,ì“WŠJĀĚfHf<f\_æ,èŽÀs,³,è,Ü,·Bł],Ā,ĀftfHf<f\_łĥ•ñ,í•Ē,±  
,łRf}f“fh,É,í•K—v, ,è,Ü,¹,ñBWindows WinExec API,²,±  
,łRf}f“fh,đŽÀs,·,éłÜ,ÉŽg,í,è,Ü,·BłŸ’èŽŽ,É,łtf@fCf<-¼,¾,¯,Ā,È,ł³Šm,ÈfRf}f“fh,đ<Lłq,·,é•K—v,², ,è,Ü,·  
B“TĀĚ^“ł,ÈfRf}f“fh,łF

ⓂE WINHELP myfile.HLP ł\Windows,łHELP,đ<N“® ,μ,ĀZIP“à,łfwf<fvftf@fCf<,đŠJ,«,Ü,·B

ⓂE NOTEPAD myfile.TXTłfłf,‘ (NOTEPAD),đ<N“® ,μ,ĀZIP“à,łtf@fCf<,đŠJ,«,Ü,·B

Ⓜ@,±,łfłvfVfłf“ ,đŽg—p,μ,ĀłA“MS-DOS + WindowsĀĚ^” ŽĀĚ“WŠJłtf@fCf<,đłłł-,·,éłĚłłłAMS-  
DOS,ĀŽÀs,μ,½łĚłł,É-³Āø,Ā, ,é,Ā,łĀxłł,đŽó,¯,Ü,·B

Ⓜ@,±,łtfBł[f<fh,łRf}f“fhf%ofCf“fłvfVfłf“ ,ì -c ,É’Š—,μ,Ü,·B

Ⓜ@[Next] ,đfNfŠfłfN,μ,ĀfłvfVfłf“ ,đŸ’è,·,é,łA[Finish]  
,đfNfŠfłfN,μ,ĀŽĀĚ“WŠJłtf@fCf<,đffftfHf<fg,łfłvfVfłf“ ,Āłłł-,μ,Ü,·B

## Ž©ĀÈ“WŠjftf@fCf<,ÅŽg—p,·,éAfCfRf“ ,ìŽw’è

□@Ž©ĀÈ“WŠjftf@fCf<,ÅŽg—p,·,éAfCfRf“ ,đŽw’è,·,é,±,Æ,ª,Å,«,Û,·□B,à,μ,±,ì—“ ,đ<ó—“ ,É,μ,Å,“,ç  
,½□ê±□AffffHf<fg,ìfAfCfRf“ ,ªŽg—p,ª,é,Û,·□B,±,ìftf@fCf<,í•W□€“l,ÉWindows,ìfAfCfRf“ftf@fCf<Ā`Ž®,Å, ,é•  
K—v,ª, ,è,Û,·□B,±,ìftf@fCf<,í□AWindows SDK,Æ“z•z,ª,é,Å,ç,éfcf□□[fWfGfffBfbfgfvf□fOf%of€ AppStudio  
□AfT□[fhfp□[fefB□\$,ìOf%oftfBfbfNfc□[f<,đŽg—p,μ,Å□i□—,·,é,±,Æ,ª,Å,«,Û,·□B

□@□Ů□×□@WinZip Self-Extractor

,í□AŽw’è,μ,½fAfCfRf“ftf@fCf<,©,ç□A32x32,“,æ,Ñ16x16fsfNfZf<,ìfcf□□[fW,đfRfs□[.μ,Û,·□B16□F,ìfcf□□[fW,ì,Ý  
Žg—p,·,é,±,Æ,ª,Å,«,Û,·□B,à,μŽw’è,μ,½fAfCfRf“ftf@fCf<,ª□A16x16fcf□□[fW,đŠÛ,ñ,Å,ç  
,É,ç□ê±□A,» ,ìftf@fCf<,đ□—,ª,çfAfCfRf“],Å•Žì,·,é,Æ□A32x32fsfNfZf<,ìfcf□□[fW,đ□k□—,μ,½fAfCfRf“ ,đ•\  
Žì,μ,Û,·□B

,±,ì—“ ,í□A-i fRf}f“fhf%ofCf“flfvjvf±f“ ,Æ“~,ñ,Å,·□B



## “}MS-DOS + WindowsCE^”},É,Â,ç,Ä,Ì§CEÀ

"MS-DOS + WindowsCE^" ,É,Â,ç,Ä,Í^È%º,Ì,æ,¸,È§CEÀŽ-€ª, ,è,Û,·B

1. MS-DOS,ªf“foftf@fCf<fllf€,ÍfTfllfg,µ,Ä,ç,È,ç,½,ßAf“foftf@fCf<fllf€,É‘î%ž,µ,Ä,ç,Û,¹,ñB
2. MS-DOSã,ÄŽÀs,µ,½ê±A^È%º,ÌfVfVf“ ,ª-³Ž<,³,è,Û,·B
  - E "Unzip To"ftfHf<f\_ Bftf@fCf<,Íí,ÉJfCEf“fgffBfCEfNfgfŠ,É“WŠJ,³,è,Û,·B
  - E “WŠJCEã,ÉŽÀs,·,éfRf}f“fhBMS-DOS ,Æ Windows ,ÌRf}f“fh,Íí,É”ñCEÝŠ·,Ä, ,é,½,ßAMS-DOSã,Ä,ÍŽw’è,³,è,½fRf}f“fh,ðŽÀs,·,é,±,Æ,Í,Ä,«,Û,¹,ñB
  - E "Default to overwriting files without prompting",ÌÝ’è Bftf@fCf<,Íí,Éã‘,«,³,è,Û,·B
  - E "Unzip automatically" fVfVf“ BftlFU,Íí,É“WŠJ’O,É“ü—Í,ª•K—v,É,È,è,Û,·B
  - E fAfCfRf“fVfVf“ BffftfHf<fg,Ì WinZip Self-Extractor fAfCfRf“,ªí,ÉŽg—p,³,è,Û,·B
3. fpfXfllfhfvflefNfg,³,è,½Zipftf@fCf<,ÍfTfllfg,³,è,Ä,ç,Û,¹,ñB





Ž © Ć È “ W Š J f t f @ f C f < , ð ì ñ ¬ , · , é € ” ò , š ® — <sup>1</sup> , μ , Ü , μ , <sup>1</sup>/<sub>2</sub>

␣@ [Next] , , é , ç , í [Finish] , ð f N f Š f b f N , μ , Ä Ž © Ć È “ W Š J f t f @ f C f < , ð • \ Ž ! , <sup>3</sup> , ê , Ä , ç , é f l f v f V f f f “ , Ä ì ñ ¬ , μ , Ü , · B f l f v f V f f f “ , ì , ç , , Ä , © , ð • í X , μ , <sup>1</sup>/<sub>2</sub> , ç , Æ , < , í “ K “ - , È f p f l f < , É , È , é , Ü , Ä [Back] , ð f N f Š f b f N , μ , Ä - ß , è , Ü , · B

## Ž © Ć È “ W Š J f t f @ f C f < , ² ì ì - , ³ , ê , Ü , μ , ½

□ @ □ Ý ' è , μ , ½ f l f v f v f f f “ , Å Ž © Ć È “ W Š J f t f @ f C f < , ² ì ì - , ³ , ê , Ü , μ , ½ □ B , ±  
, l f t f @ f C f < , ð “ z • z , • , é ' O , É • K , , f e f X f g , ð , μ , Å , Ý , Å % ° ° , ³ , † □ B f ^ □ [ f Q f b f g , Æ , È , é f v f x f e f € , ² Ž g —  
p , • , é ' S , Å , l O S □ ã , Å f e f X f g , • , é , l , ² , à , Å , Æ , à — □ ' z “ l , Å , • □ B —  
á , ! , l □ A W i n d o w s , l ' S , Å , l f o □ [ f W f f f “ , Å Ž g , í , ê , é , ± , Æ , ð - Ú “ l , Æ , μ , ½ , È , ç , l □ A W i n d o w s 3 . 1 □ A W i n d o w s  
9 5 , » , μ , Å W i n d o w s N T □ ã , Å f e f X f g , μ , Ü , • □ B , à , μ [ T e s t s e l f - e x t r a c t i n g Z i p f i l e n o w ] ( □ ; f e f X f g , • , é )  
f { f ^ f “ , ² f ` f f b f N , ³ , ê , Ä , † , ½ □ ê □ † □ A [ N e x t ] , ð f N f Š f b f N , • , é , ±  
, Æ , Å , » , l Ž © Ć È “ W Š J f t f @ f C f < , í Ž Ä □ s , ³ , ê , Ü , • □ B



## ☐Ý'èftf@fCf<

☐@,±,ìfpfìf<,É,ìŽO,Â,ì“ü—ìftfB☐ìf<fh,ª, ,è☐AZ©CEÈ“WŠJftf@fCf<,ì•\Ž!ŠÖCEW,ðCE^,ß,Ü,☐B

Dialog text file name

f\_fCfAf☐fOf{fbfNfX,É•\Ž!,³,¹,é•¶Žš—ñ,ðŠÜ,ñ,¾ftf@fCf<-¼,ðŽw'è,µ,È,¯,ê,î,È,è,Ü,¹,ñ☐B,±,±,Â,ìftf@fCf<“à,ìfefLfXfg•¶Žš—ñ,í”¼Šp,Â256•¶Žš^È“à,Â,☐B

Dialog icon filename

f\_fCfAf☐fOf{fbfNfX,ìfAfCfRf“ ,ðŽw'è,Â,« ,Ü,☐B,±,ìftf@fCf<,íWindows•W☐€fAfCfRf“ftf@fCf<CE`Ž®,Â,È,ç,Æ,ç,¯,Ü,¹,ñ☐B,±,ìCE`Ž®,ìftf@fCf<,íAWindows SDK•t'®,ìAppStudio☐AlmagEditfvf☐fOf%of€☐A, ,é,ç,ìfT☐ìfhfp☐ìfefB,ì%œ'œfc☐ìf<,È,Ç,Â☐ì☐-,Â,« ,Ü,☐B

About box text filename

[About] f{fbfNfX,Â•\Ž!,³,¹,é'Ç%œÁfefLfXfg,ðŠÜ,þftf@fCf<-¼,ðŽw'è,Â,« ,Ü,☐B,±,±,Â,ìftf@fCf<“à,ìfefLfXfg•¶Žš—ñ,í”¼Šp,Â256•¶Žš^È“à,Â,☐B

,±,ê,ç,ìfefLfXfgftf@fCf<,ð☐ì☐-, ,é•û-@,ì^ê,Â,Æ,µ,Ä,í☐F

☐E [Run Notepad],ðfNfŠfbfN,µ☐Af☐f, ' (Notepad),ð<N“@

☐E [•Ò☐W(E)]fvf<f\_fEf“f☐fjf...☐[,Á [%œE'[,Á☐Ü,è•Ô,•(W)] ,³f`fFfbfN,³,ê,Ä,ç,È,¯,ê,î☐Af`fFfbfN, ,é☐B

☐E ☐s,ð☐Ü,è•Ô, ,½,ß,ì%œü☐s([Enter]),ð“ü,ê, ,É•¶Žš—ñ,ð“ü—í,µ,Ü,☐B,Â,Ü,è☐A☐ä,ìf☐☐ìfhf%œfbfv<@“\,Â•¶Žš,ð☐Ü,è•Ô,³,¹,Ü,☐B<ó☐s,ð“ü,ê,½,ç,Æ,« ,¾,¯ [Enter] fL☐[,ð%œÝ,µ,Ä%œº,³,ç☐B,±,ì☐ê☐‡ [Enter] fL☐[,ð“ñ“x%œÝ,µ,Ü,☐B

☐E f☐f, ' ,ìfefBf“fhfE,ìftfCfY,ð•î,ì,Ä,Ý,Ä☐ACE©%œh,ì,ì—Ç,çftfCfY,É,È,Á,½,Æ,±,è,Äftf@fCf<,ð•Ü'¶,µ,Ü,☐B

## ,» ,ì¼,ìfìfvfVf†f“

,±,ìfpfìf<,Á,íÈ%º,ìfìfvfVf†f“,ðCE^,ß,Ü,·B

Use Ctl3D for 3D effects if available

□@Ž©CEÈ“WŠjftf@fCf<,Á3DCEø%ºÊ,ð¶¶¶¶,·,é,½,ß,ÉCTL3D.DLL,ðŽg,×  
,x,«,©CE^,ß,Ü,·iWindows 95,“,æ,ÑWindows NT 4.0,í,±,ìfìfvfVf†f“,²¶Ý’è,³,ê,Ä,ç,È,-  
,Æ,àŽ©“@“I,É3DCEø%ºÊ,ð¶¶¶¶,·,µ,Ü,·¶j¶BCTL3D.DLL,í½,,ìfAfvfŠfP¶[fvf†f“,ÁŽg—  
p,³,ê¶A3DCEø%ºÊ,ð¶¶¶¶,·,µ,Ü,·¶B,µ,½,²,Á,Äf^¶[fQfbfg,Æ,È,é½,,ìfvfXfef€,É,±,ìftf@fCf<,², ,é  
,Æ,¶,ì,ç,è,Ü,·¶B,±,ìfìfvfVf†f“,²¶Ý’è,³,ê,Ä,ç,éè¶¶AWinZip,ÍCTL3DV2.DLL,ð“Ç,Ýž,à,×  
,Æ,µ,Ü,·¶BCE©,Á,©,ç,È,,Ä,àCTL3D.DLL,ð“Ç,Ýž,à,×  
,Æ,µ,Ü,·¶BCTL3D.DLL,²f^¶[fQfbfg,Æ,È,éfvfXfef€¶ã,Á“K³,É<@“\,·,é,©,Ç,×,©,íWinZip Self-  
Extractor,É,í•ÜØ,Á,«,È,ç,±,Æ,É’¶Ó,µ,Ä%º,³,ç¶B,±,ìftfB¶[f<fh,ìfRf}f“fhf%ofCf“fìfvfVf†f“,ì-  
3,ÉŠ“- ,µ,Ü,·¶B

32-bit header

□@Ž©CEÈ“WŠjftf@fCf<,ð16frfbfg’í%ºž,É,·,é,©32frfbfg’í%ºž,É,·,é,©,ðCE^,ß,Ü,·B32frfbfg’í  
%ºžŽ©CEÈ“WŠjftf@fCf<,íWindows 95, ,é,ç,íWindows NT¶ã,Á,µ,©“@¶ì,µ,Ü,¹,ñ¶B,±  
,ìfìfvfVf†f“,ìfRf}f“fhf%ofCf“fìfvfVf†f“,ì-standard,Æ-win32,ÉŠ“- ,µ,Ü,·¶B

Unzip automatically

□@Ž©CEÈ“WŠjftf@fCf<ŽÀ¶sŽž,ÉŽ©“@“I,Éftf@fCf<,ð“WŠJ,·,é,©,Ç,×,©,ð¶Ý’è,µ,Ü,·¶B,±,é,í -  
auto fRf}f“fhf%ofCf“fìfvfVf†f“,Æ“- ,¶,Á,·¶B,±,ì<@“\,ðŽg—p,·,éè¶¶,í¶A’¶Ó,µ,Ä,-  
,¾,³,ç¶B,à,µ,»,ìftf@fCf<,ðfCf“f^¶[fìfbfg,âpfìfRf““ÊM,ÉfAfbfvf¶¶[fh,µ,æ,×  
,Æ,“¶,ì,ìè¶¶AfvfXfef€ŠÇ—¶ŽO,²Afvf¶f“fvfg-  
³,µ,Äftf@fCf<,ð“WŠJ,·,éftf@fCf<,ð<““Ü,·,é,©,à,µ,è,Ü,¹,ñ¶B

Language

□@Ž©CEÈ“WŠjftf@fCf<,ð%ºpCEè”Á,É,·,é,©fhfCfcCEè”Á,É,·,é,©,ðCE^,ß,Ü,·¶B,±,ìf  
%ofWfìf{f^f“,ìfRf}f“fhf%ofCf“fìfvfVf†f“,ì-le ,Æ -lg ,ÉŠ“- ,µ,Ü,·¶B

## InstallShield, İftf[fU[,Ö,İ' ^ Ó

©\ftfgfEfffA,İfCf“fXfg[f<—p,ÉŽ©CEÈ“WŠJftf@fCf<,đİİ—,μA,È,“,©,ÅSterling Software,İInstallShield 3A, ,é,ç,İInstallShield SDK EditionİMicrosoft,İVisual C++ ,Æ,Æ,à,É”z•z[j,©,çSETUP.EXE,đN“®“³,¹,æ,ı,Æ,·,éİÉİİ,İA^È%º,İ' ^ Ó,đ,“Ç,Ý%º,³,çB

İE İ@f\ftfgfEfffA,İfCf“fXfg[f<—pŽ©CEÈ“WŠJftf@fCf<,đInstallShield,Æ,Æ,à,ÉŽg— p,·,éİÉİİ,İA,»İŽ©CEÈ“WŠJftf@fCf<“à,ÉInstallShield,İftf@fCf<,Å, ,é\_ISDEL.EXE,đŠÜ,ı•K—v,ª, ,è,Ü,·İB\_ISDEL,İ'Éİİ,İAMicrosoft Visual C++İCD-ROM,É•t'®,·,éInstallShield SDK Edition,àŠÜ,ı,ÅİInstallShield 3.0,Åİİ—,³,é,é'S,Ä,İ”z•zfpfbfP[fW,İ^ê•”Æ,È,Ä,Ä,ç ,Ü,·İB\_ISDEL.EXE,İAMInstallShield 2.x, ,é,ç,İWin32 SDK“à,İInstallShield SDK Edition,É,İŠÜ,Ü,è,Ä,ç ,Ü,¹,ñİBİ,Ä,ÄA,±,è,ç,İCEÄ,çfo[fWfıf“İInstallShield,đŽg,Ä,Ä\ftfgfEfffAfcf“fXfg[f<— pŽ©CEÈ“WŠJftf@fCf<,đWinZip Self-Extractor,Åİİ—,·,é,±,Æ,İ,Ä,«,Ü,¹,ñİB

İE İ@f\ftfgfEfffAfcf“fXfg[f<—pŽ©CEÈ“WŠJftf@fCf<,©,çInstallShield,İfZfbfgfAfbfvfvfİfOf%of€ ,đŽÄİs,·,é,Æ,«,İAfrf}f“fhf%ofCf“,İfpf%ofİİf^İ,Å-ishield3,đŽg,ı,©İA, ,é,ç,İAWinZip Self-ExtractorfEfBfU[fh,İ [Wait for]ftfB[f<fh,É'I,đİY'è,μ,È, ,é,İ,È,è,Ü,¹,ñİB[Wait for] ftfB[f<fh“à,İ'I,İ'Éİİ,İŽ©“®“I,É—,ı,ı,ç,è,Ü,·İB,± ,İ'I,İA16frfbfgŽ©CEÈ“WŠJftf@fCf<,đİİ—,·,é,Æ,«,İ \_DELISİA,Ü,½32frfbfgŽ©CEÈ“WŠJftf@fCf<,đİİ—,·,é,Æ,«,İ\_ISDEL,Æ,È,é,İ,·,Ä,·İB

İE İ@InstallShield 3.0,É,æ,é”z•zftf@fCf<,đ^³İk,È,μ,Åİİ—,μ,Ä,Ý,Ä%º,³,çİicompRf}f“fh,Å- snfXfCbf` ,đŽg,ıİjİB,»ı,μ,Ä,»è,ç,İftf@fCf<,đİAİ,İ³İk“x,ÅZIP^³İk,μ,Ä %º,³,çİB”z•zftf@fCf<,É,æ,è,Ü,·,ªİA,± ,é,É,æ,èİA,æ,èİ—,³,ÈfTfCfY,İŽ©CEÈ“WŠJftf@fCf<,ª,Ä,«, ,ª,è,Ü,·İB—á,İİAWinZip 6.1,İ•]‰ İ”Ä,İftf@fCf<,đİcomp,Å³İk,μ,½İÉİİA^³İk,μ,½ftf@fCf<,İftfCfY,İAİcomp^³İk,đ•t, ,È,ç ,Æ,«,æ,è,à12fpİfZf“fg'á,«,,È,è,Ü,·İB

['] İInstallShield ,İInstallShielf Software Corporation ,İı•W,Ä,·İB

## WinZip Self-Extractor, ì“o~^

□@□Š‘®-¼,Æ“o~^”Ô□t,đ□³Šm,É“ü—í,μ,Ä%°°³,ç□BfXfyf<,»),ì¼,đ•î□X,μ,Ä“ü—  
í,Ä,«,Ü,¹,ñ□BfXfyf<~fX,È,Ç,Ä,â,þ,đ“¾,È,ç•î□X,ì•K—v,², ,é,Æ,«,í□

AP&AfVfFfAfEfFfA,Ü,Ä•î□XCEã,ì□î•ñ,đ’m,ç,¹,Ä,,¾,³,ç□B,»,»,.,é,Æ□V,μ,ç“o~^”Ô□t,²”-  
□s,³,ê,Ü,·□B

□@, ,È,½,²f°°fCfZf“fX,đŽ□,Á,Ä,ç,éWinZip Self-

Extractor,Á□î□-,³,ê,½Ž©CEÈ“WŠJftf@fCf<,²<N“©,μ,Ä,ç,é,Æ,«,ìf□fCf“fEfBf“fhfE□ã,É,í, ,È,½,ì’g□  
D-¼,²•\Ž|,³,ê,Ü,·□B





**osada**

version 1.0 1997-06-20

version 1.1 1997-06-20 Expression Fix

version 2.1 1997-08-22 Version up to 2.1

