

 [目次へ戻る](#)

## “ú- {IBMS”Ž®%oiŽĐ 'ñ<ÿfAfbfvff[]fg URL: <http://www.ibm.co.jp/>

**NEW!** □V<K,ÉŽú~^,³,ê,½fAfbfvff[]fg□•ª

**UP!** □X□V,³,ê,½fAfbfvff[]fg□•ª

fz□[f€fy□[fW□Efrf<f\_□[ fo□[fWf:f“ 3.0 Šw□ZCEü,-’Ç%oÁ‘f□P□W□@ **NEW!**

 DISC2:\APUPDATE\IBM\_APP\HPB30S {button ,EF(`..\MENU\DATA\IMPVIEW',`IBM\_APP\HPB30S\HPB30S.TXT',1)} □à-¾,đ•\Ž!  
 ,c,a fz□[f€fy□[fW□Efrf<f\_□[ fo□[fWf:f“ 1.0.1□@ **NEW!**

**NEW!** DISC2:\APUPDATE\IBM\_APP\DBHPB101 {button ,EF(`..\MENU\DATA\IMPVIEW',`IBM\_APP\DBHPB101\DBHPB101.TXT',1)} □à-¾,đ•\Ž!

fCf“f^□[f|fbfg-|-ó,ì%oœ—l fo□[fWf:f“ 2.0.5 □C□³fvf□fOf%of€ (KING205A)□@ **NEW!**

**NEW!**

**NEW!** DISC2:\APUPDATE\IBM\_APP\KING205A {button ,EF(`..\MENU\DATA\IMPVIEW',`IBM\_APP\KING205A\KING205A.TXT',1)} □à-¾,đ•\Ž!

fCf“f^□[f|fbfg-|-ó,ì%oœ—l fo□[fWf:f“ 2.0.5 □C□³fvf□fOf%of€ (KING205B)□@ **NEW!**

**NEW!**

**NEW!** DISC2:\APUPDATE\IBM\_APP\KING205B {button ,EF(`..\MENU\DATA\IMPVIEW',`IBM\_APP\KING205B\KING205B.TXT',1)} □à-¾,đ•\Ž!

fz□[f€fy□[fW□Efrf<f\_□[ fo□[fWf:f“ 3.0 □C□³fvf□fOf%of€□@ **NEW!**

**NEW!**

**NEW!** DISC2:\APUPDATE\IBM\_APP\HPB305F {button ,EF(`..\MENU\DATA\IMPVIEW',`IBM\_APP\HPB305F\HPB305F.TXT',1)} □à-¾,đ•\Ž!



