 [目次へ戻る](#)

# SOYO Computer BIOS

URL: <http://www.soyo.com.tw/>

'1FŠeff[f^,ì~ìCE ,íA“Á•Ê,ì'f,è,ª,È,¢,©,¬,è,»„ê,¼,ê,İŠJ”-  
f[fj][,É<A'®„µ,Û,·B

'2FŽû~^ŠeŽĐ,“,æ,ÑDOS/V POWER  
REPORT•ÒW•”,Á,ÍAfAfbfvff[fg,É,æ,é  
,¢,©,È,é“ŠQ,ÉŠÖ,µ,Ä,à^êØÓ”C,đ•%o,¢,Û,<sup>1</sup>,ñ,ì,Á, ,ç,©,¶,ß,<sup>2</sup>—<sup>1</sup>³,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢B

**NEW!** V<K,ÉŽû~^,<sup>3</sup>,ê,½BIOS

**UP!** X[V,<sup>3</sup>,ê,½BIOS

## **ft[fefBfŠfefB**

Award Flash Utility AWDFLASH ver5.5@

 DISC2:\BIOS\SOYO\AWDFLASH {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\  
AWDFLASH\README.TXT',1)} [à-¾,đ•Ž!](#)

**DMI Configuration Utility for Award Flash BIOS (DOS version)@**

 DISC2:\BIOS\SOYO\DMICFG {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\  
DMICFG\README.TXT',1)} [à-¾,đ•Ž!](#)

## **Pentium II f}fU[f{[fh**

### **6BA**

2A3 for SOYO 6BA Mainboards (2MB BIOS)@ **NEW!**

 DISC2:\BIOS\SOYO\6BA-2A3 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\  
6BA-2A3\README.TXT',1)} [à-¾,đ•Ž!](#)

### **6BE**

1A2 for SOYO 6BE Mainboards (1MB BIOS)@ **NEW!**

 DISC2:\BIOS\SOYO\6BE-1A2 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\  
6BE-1A2\README.TXT',1)} [à-¾,đ•Ž!](#)

### **6KA**

2a2 for SOYO 6KA Mainboard (2Mbit BIOS)@

 DISC2:\BIOS\SOYO\6KA-2A2 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\  
6KA-2A2\README.TXT',1)} [à-¾,đ•Ž!](#)

### **6KB**

**2b2 fo SOYO 6KB Mainboard (2Mbit BIOS) @ UP!**

DISC2:\BIOS\SOYO\6KB-2A3 {button ,EF(`..\MENUDATA\IMPVVIEW',`SOYO\6KB-2A3\README.TXT',1)} [à-¾,ø·Ž!](#)

**6KE**

**1A1 for SOYO 6KE Mainboards (1MB BIOS) @ NEW!**

DISC2:\BIOS\SOYO\6KE-1A1 {button ,EF(`..\MENUDATA\IMPVVIEW',`SOYO\6KE-1A1\README.TXT',1)} [à-¾,ø·Ž!](#)

**6KF**

**2a6 for SOYO 6KF Mainboard 1998/3/9 @**

DISC2:\BIOS\SOYO\6KF-2A6 {button ,EF(`..\MENUDATA\IMPVVIEW',`SOYO\6KF-2A6\README.TXT',1)} [à-¾,ø·Ž!](#)

**6KL**

**1B1 for SOYO 6KL Mainboards (1MB BIOS) @ NEW!**

DISC2:\BIOS\SOYO\6KL-1B1 {button ,EF(`..\MENUDATA\IMPVVIEW',`SOYO\6KL-1B1\README.TXT',1)} [à-¾,ø·Ž!](#)

**6KM**

**1A1 for SOYO 6KM Mainboards (1MB BIOS) @ NEW!**

DISC2:\BIOS\SOYO\6KM-1A1 {button ,EF(`..\MENUDATA\IMPVVIEW',`SOYO\6KM-1A1\README.TXT',1)} [à-¾,ø·Ž!](#)

**Pentium Pro f}fU[f{[fh**

**6FA**

**1C for SOYO 6FA Mainboards (1Mbit BIOS) 1997/4/21 @**

DISC2:\BIOS\SOYO\6FA-1C {button ,EF(`..\MENUDATA\IMPVVIEW',`SOYO\6FA-1C\README.TXT',1)} [à-¾,ø·Ž!](#)

**C for SOYO 6FA Mainboards (2Mbit BIOS) 1997/3/25 @**

DISC2:\BIOS\SOYO\6FA-C {button ,EF(`..\MENUDATA\IMPVVIEW',`SOYO\6FA-C\README.TXT',1)} [à-¾,ø·Ž!](#)

**6FB**

**0507b for SOYO 6FB Mainboards (1Mbit BIOS) 1997/5/7 @**

DISC2:\BIOS\SOYO\6FB0507B {button ,EF(`..\MENUDATA\IMPVVIEW',`SOYO\

6FB0507B\README.TXT',1)} ␣à-¾,ǒ•\Ž!

**Pentium f}fU␣f{␣fh**

**31A**

**A4 for SOYO 31A2 Mainboard (1Mbit BIOS)␣@**

DISC2:\BIOS\SOYO\31A-A4 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\31A-A4\README.TXT',1)} ␣à-¾,ǒ•\Ž!

**33A**

**D1 for SOYO 33A2 Mainboard (1Mbit BIOS) 1997/6/6␣@**

DISC2:\BIOS\SOYO\33A-D1 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\33A-D1\README.TXT',1)} ␣à-¾,ǒ•\Ž!

**5BT**

**1b6 for the SOYO 5BT Mainboard (1Mbit BIOS) 6-22-98␣@ UP!**

DISC2:\BIOS\SOYO\5BT-1B6 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5BT-1B6\README.TXT',1)} ␣à-¾,ǒ•\Ž!

**1125p for SOYO 5BT (2Mbit BIOS) Mainboards 1998/2/9␣@**

DISC2:\BIOS\SOYO\5BT1125P {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5BT1125P\README.TXT',1)} ␣à-¾,ǒ•\Ž!

**1120J for SOYO 5BT Mainboard (2Mbit BIOS) 1998/1/23␣@**

DISC2:\BIOS\SOYO\5BT1120J {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5BT1120J\README.TXT',1)} ␣à-¾,ǒ•\Ž!

**5EA**

**D5 for SOYO 5EA Mainboard (1Mbit BIOS)␣@**

DISC2:\BIOS\SOYO\5EA-D5 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5EA-D5\README.TXT',1)} ␣à-¾,ǒ•\Ž!

**5EAS**

**1A5 for SOYO 5EAS Mainboard (1Mbit BIOS)␣@**

DISC2:\BIOS\SOYO\5EAS-1A5 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5EAS-1A5\README.TXT',1)} ␣à-¾,ǒ•\Ž!

**5ED**

**1B3 for SOYO 5ED Mainboard (1Mbit BIOS)␣@**



DISC2:\BIOS\SOYO\5ED-1B3 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5ED-1B3\README.TXT',1)} [à-¾,ø·Ž!](#)

<b>5EH</b>
<b>1A2 for SOYO 5EH Mainboard (1MB BIOS)</b> @



DISC2:\BIOS\SOYO\5EH-1A2 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5EH-1A2\README.TXT',1)} [à-¾,ø·Ž!](#)

<b>5SA</b>
<b>0704B for SOYO 5SAx Mainboards (1Mbit BIOS) 1997/7/4</b> @

DISC2:\BIOS\SOYO\5SA0704B {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5SA0704B\README.TXT',1)} [à-¾,ø·Ž!](#)

<b>5SM</b>
<b>V31 for SOYO 5SM Mainboards (1Mbit BIOS)</b> @

DISC2:\BIOS\SOYO\5SM-V31 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5SM-V31\README.TXT',1)} [à-¾,ø·Ž!](#)

<b>5SV</b>
<b>A2 for SOYO 5SVx Mainboards (1Mbit BIOS)</b> @

DISC2:\BIOS\SOYO\5SV-A2 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5SV-A2\README.TXT',1)} [à-¾,ø·Ž!](#)

<b>5SW</b>
<b>A2 for SOYO 5SWx Mainboards (1Mbit BIOS)</b> @

DISC2:\BIOS\SOYO\5SW-A2 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5SW-A2\README.TXT',1)} [à-¾,ø·Ž!](#)

<b>5TA/TD</b>
<b>0823 for SOYO 5TA/5TD Mainboard with NS I/O chip (1Mbit BIOS) 1997/11/18</b> @

DISC2:\BIOS\SOYO\5TAN0823 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TAN0823\README.TXT',1)} [à-¾,ø·Ž!](#)

<b>5TB</b>
------------

**A for SOYO 5TB Mainboard (1Mbit BIOS) @**



DISC2:\BIOS\SOYO\5TBA {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TBA\README.TXT',1)} [à-¾,ð·Ž!](#)

**5TC(S)**

**1014 for SOYO 5TC(S) Mainboard (1Mbit BIOS) 1997/11/18 @**



DISC2:\BIOS\SOYO\5TCS1015 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TCS1015\README.TXT',1)} [à-¾,ð·Ž!](#)

**5TCU**

**A23 for SOYO 5TCU Mainboard (1Mbit BIOS) @**



DISC2:\BIOS\SOYO\5TCU-A23 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TCU-A23\README.TXT',1)} [à-¾,ð·Ž!](#)

**5TE**

**0821A for SOYO 5TE and 5TCU Mainboard (1Mbit BIOS) 1997/10/15 @**



DISC2:\BIOS\SOYO\5TE0821A {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TE0821A\README.TXT',1)} [à-¾,ð·Ž!](#)

**5TF**

**1114 for SOYO 5TF Mainboard (1Mbit BIOS) 1997/11/26 @**



DISC2:\BIOS\SOYO\5TF1114 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TF1114\README.TXT',1)} [à-¾,ð·Ž!](#)

**5TH**

**0827 for SOYO 5TH Mainboard (1Mbit BIOS) 1997/8/27 @**



DISC2:\BIOS\SOYO\5TH0827 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TH0827\README.TXT',1)} [à-¾,ð·Ž!](#)

**5TS**

**C-4 for SOYO 5TS Mainboard (1Mbit BIOS) 1997/4/10 @**



DISC2:\BIOS\SOYO\5TS-C-4 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TS-C-4\README.TXT',1)} [à-¾,ð·Ž!](#)

**5TT**

**1120J for SOYO 5TT Mainboard (2Mbit BIOS) 1997/12/17** @



DISC2:\BIOS\SOYO\5TT1120J {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TT1120J\README.TXT',1)} [à-¾,ð·Ž!](#)

**5TX**

**B for SOYO 5TX Mainboard (2Mbit BIOS) 1997/04/29** @



DISC2:\BIOS\SOYO\5TX-B {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5TX-B\README.TXT',1)} [à-¾,ð·Ž!](#)

**5VA**

**0911H for SOYO 5VA Mainboard (1Mbit BIOS) 1997/11/18** @



DISC2:\BIOS\SOYO\5VA0911H {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5VA0911H\README.TXT',1)} [à-¾,ð·Ž!](#)

**5VC**

**0721 for SOYO 5VC Mainboard (1Mbit BIOS) 1997/7/21** @



DISC2:\BIOS\SOYO\5VC-0721 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5VC-0721\README.TXT',1)} [à-¾,ð·Ž!](#)

**5VD**

**B6 for SOYO 5VD Mainboard (1Mbit BIOS) 1997/10/13** @



DISC2:\BIOS\SOYO\5VD-B6 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5VD-B6\README.TXT',1)} [à-¾,ð·Ž!](#)

**5VM**

**1001 for SOYO 5VM Mainboard (2Mbit BIOS) 1997/10/16** @



DISC2:\BIOS\SOYO\5VM1001 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5VM1001\README.TXT',1)} [à-¾,ð·Ž!](#)

**5VX**

**1C for SOYO 5VX Mainboard (1Mbit BIOS) 1997/10/04** @




DISC2:\BIOS\SOYO\5VX-1C {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5VX-1C\README.TXT',1)} [à-¾,ð·Ž!](#)


**0814J for SOYO 5VX Mainboard (2Mbit BIOS) 1997/11/18** @



DISC2:\BIOS\SOYO\5VX0814J {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5VX0814J\README.TXT',1)} [à-¾,ð·Ž!](#)

<b>5XA</b>
<b>2a6 for SOYO 5XA Mainboard (2Mbit BIOS) 1998/2/16</b>



DISC2:\BIOS\SOYO\5XA-2A6 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5XA-2A6\README.TXT',1)} [à-¾,ð·Ž!](#)

<b>5XAE</b>
<b>1a3 fo SOYO 5XAE Mainboard (1Mbit BIOS) 1998/2/16</b>


DISC2:\BIOS\SOYO\5XAE-1A3 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5XAE-1A3\README.TXT',1)} [à-¾,ð·Ž!](#)


**2a1 for SOYO 5XAE Mainboard (2Mbit BIOS)**

DISC2:\BIOS\SOYO\5XAE-2A1 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5XAE-2A1\README.TXT',1)} [à-¾,ð·Ž!](#)


<b>5XB</b>
<b>1a6 for SOYO 5XB Mainboard (1Mbit BIOS) 1998/2/16</b>


DISC2:\BIOS\SOYO\5XB-1A6 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\5XB-1A6\README.TXT',1)} [à-¾,ð·Ž!](#)


**486 f}fU[f{[fh**

<b>25R2</b>
<b>B2 for SOYO 25R2 Mainboards</b>



DISC2:\BIOS\SOYO\25R2-B2 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\25R2-B2\README.TXT',1)} [à-¾,ð·Ž!](#)


<b>30H</b>
<b>B2 for SOYO 30H Mainboards</b>


DISC2:\BIOS\SOYO\30H-B2 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\30H-B2\README.TXT',1)} [à-¾,ð·Ž!](#)

<b>4SA2</b>
<b>0730 for SOYO 4SA2 Mainboards 1997/7/30</b>


DISC2:\BIOS\SOYO\4SA0730 {button ,EF(`..\MENUDATA\IMPVIEW',`SOYO\4SA0730\README.TXT',1)} [à-¾,ð·Ž!](#)

 <b>4SAW2</b>
<b>0911 for SOYO 4SAW2 Mainboards 1997/9/11</b> @ 

 DISC2:\BIOS\SOYO\4SAW0911 {button ,EF(`..\MENU\IMPVIEW',`SOYO\4SAW0911\README.TXT',1)} à-¾,ö·Ž!





