

-ÚŽŸ@WinZip Self-Extractor 2.1

[PÁ%o.É•K,,“C,Ý,,¾,¾,¾,¾](#)

@WinZip Self-Extractor 2.1 ,lfwf<fvfgfsfbfN,í^È
%oº,ì'È,è,Á,·BfEfBf“fhfE,©,ç,í,Ýo,µ,Ä“C,ß,È,ç•¶Žš,ÍXfNf[f<fo[.ðŽg,Á,Ä“C,ň,Á,,¾,¾,¾,¾,çBfwf<fv,ìŽg—
p•û-@,É,Á,ç,Ä,ÍA[F1] fL[.ð%oÝ,µ,Ä,,¾,¾,¾,¾,çBfwf<fv,ìî“ñ,ð‡”Ô,É“C,ň,Á,ç,,É,ÍAfwf<fv,Ífc[f<fo[.ì [;>]
,Æ [<<] f{f^f“,ðŽg,Á,Ä,,¾,¾,¾,¾,çB

fx[fVfbfN

[2'•¶•û-@ / 2“ü<à](#)

[fv\[fOf%of€,ìŠT—v](#)

[fRfs\[f%ofCfG/f%ofCfZf“fX/•Ú∅](#)

[•l%o;”Áf%ofCfZf“fX](#)

[fo\[fWf‡f“—š—ð](#)

[P&A,Ö,ì,“—â,ç‡,í,¹](#)

[Ž©CEÈ“WŠ\]ftf@fCf<,É,Á,ç,Ä](#)

[WinZip Self-Extractor ,Æ Personal Edition,ì^á,ç](#)

[WinZip,É,Á,ç,Ä](#)

[ŽÓŽ«](#)

fTf|f|fg

[fgf%ofuf<fvf...\[fefBf“fo](#)

[fqf“fg\[•f`fbfvfX](#)

[f\ftfgEfEfAfCf“fXfg\[f<—p,ìŽ©CEÈ“WŠ\]ftf@fCf<,ì∅—,É,Á,ç,Ä,ìf`fbfv](#)

“®[ìŠÁ<<[AfCf“fXfg[f<[AfAf“fCf“fXfg[f<

[“®\[ìŠÁ<<](#)

[WinZip Self-Extractor “z•zftf@fCf<](#)

[fCf“fXfg\[f<](#)

[fAf“fCf“fXfg\[f<](#)

‘€[ì•û-@

[Ž©CEÈ“WŠ\]ftf@fCf<,ì∅—](#)

[WinZip Self-Extractor fEfBfU\[fh,ìŽg—p](#)

[fRf}f“fhf%ofCf“flfvfVf‡f“](#)

[Ž©CEÈ“WŠ\]ftf@fCf<,ðŽÁ\[s,;é](#)

,2'□•¶

,2'□•¶û-@,É,Í□A^È%º,ì5,Â,ª, ,è,Û,·□B

1. “dŽqf□□[f<

□u“o~^—pŽ†□v,É•K—vŽ-□€,δ<L“ü,μ□A^È%º,ì^¶□æ,Éf□□[f<,μ,Ä,,¾,¾,¾,¾□B

NIFTY-Serve : PAF02461
E-mail : paf02461@niftyserve.or.jp

2. FAX

□u“o~^—pŽ†□v,É•K—vŽ-□€,δ<L“ü,μ□A^È%º,ì^¶□æ,ÉFAX,μ,Ä,,¾,¾,¾,¾□B

FAX : 0425-35-9902

3. “d~b

,““d~b,É,æ,é,2'□•¶,àŽó,~•t,~ ,Ä,~ ,è,Û,·,ª□A,È,é,x,“dŽqf□□[f<,©FAX,Ä,~Šè,ç'v,μ,Û,·□B

TEL : 0425-35-9901

4. NIFTY-Serve fJf“f%ofCf“fVf†fbfsf“fO

GO SPANDA ,Ä□u,o□•,`fXfe□[fVf†f“□v,É“ü,è□A □u2. ,o□•,`fVf†fbfsf“fO□v,ð'I'ð,μ,Ä,,¾,¾,¾,¾□Bfgfbfvf□fjf...
□[,ì,²—~—p•û-@,ðŽQ□Æ,μ□Aflf“f%ofCf“,Ä,ìŽwŽ†,É□],Ä,ÄŽè'±,«,ð□s,Ä,Ä,,¾,¾,¾,¾□B

'□^Ó!!

fJf“f%ofCf“fVf†fbfsf“fO,Ä,ì,~Žx•¥,ç—¿<à'ìCEn□A□x•i,ì”’—,É,Ä,«,Û,·,μ,Ä,Í□A □u,2“ü<à□v,Ä□à-¾,¾,¾,¾,é,Ä,ç
,é,à,ì,Æ^Û,È,è,Û,·,ì,Ä□A•K,,²—~—p•û-@,ð,““Ç,Ý,,¾,¾,¾,¾□B

fJf“f%ofCf“fVf†fbfsf“fO,Ä,ì-^CŽ,ì,““f“¾□x•i,â□AfZ□[f<,ð□□Žž□s,Ä,Ä,~ ,è,Û,·,ì,Ä□A□¥“ň^è“x,~—
š,¿Šň,è,,¾,¾,¾,¾□B

5. fCf“f^□[flfbfg

fCf“f^□[flfbfg,ì□uP&AfvfFfAfeFfA fz□[f€fy□[fW□v,© ,ç,à,2'□•¶,Ä,«,Û,·□BŠefvf□fO f%of€,ì□Ð
%oifY□[fW,É, ,é□u'□•¶[f{f^f“□v,ð%Ÿ,·,Æ□A,“—¼'O□A,²□Z□Š“™,ð“ü—Í,μ,Ä,ç,½,¾,¾,æ,x
,É'□•¶□',ªC» ,è,Û,·□B□Ú,μ,Ífy□[fW,ì□à-¾,¾,¾,¾,ð,““Ç,Ý,,¾,¾,¾,¾□B

,2"ü<à

□u,2'□□v,ì,ç,,è,©,Ä□A"o~^—pŽt,đ'—•t,μ,½CEã□A^È%œ,ì,ç,,è,©,ì•ù-@,Ä,2"ü<à,-
,¾,¾,ç□B,½,¾,μ□A□u4.NIFTY-Serve fJf"ƒ%ofCƒ"ƒVfƒbfƒsf"ƒO□v,ì□é□‡,ì□Afƒ"ƒ%ofCƒ"□ã,Ä,ì□à-¾,É□,Ä,Ä,-
,¾,¾,ç□B

—X•Ö□U'Ö

"o~^—pŽt,đ'—•tCEã□A—X•Ö<Ç,É"đ,ì•t,~ì□U'Ö—pŽt,đŽg,Ä,Ä□A"o~^—<à,É□A"i□Ä,đ
%œÄŽZ,μ,½<àŠz,đ□A^È%œ,ìCEù□Ä,É,2"ü<à,,¾,¾,ç□B—á,ì,î"o~^—<à,œ4,500%œ~,ì□é□‡□A4,500%œ~ +
(4,500□~0.05) = 4,725%œ~,Æ,É,è,Ü,•□B□½,É□\,μ-ó,²,´,ç,Ü,¹,ñ,œ□A□U'ÖŽè□"—<ç,ì,~<q—ì•
%œ'S,ÄCEãŠè,ç'v,μ,Ü,•□B,É,~'—<ç,ìP&AfVƒFfAfEƒFfA,œ%œ'S,¾,¾,Ä,ç,½,¾,«□A□œ•ì,ì"ü<àŠm"ƒCEã,ì—X'—
,Æ,É,è,Ü,•□B

'□^Ó!!

—X•Ö□U'Ö,ì□A□U'ÖŽè±,«CEã□A"ü<àŠm"ƒ,Ü,Ä,É4□'5"ú,©,©,è,Ü,•,ì,Ä□A,»,ì•œ'—
•t,œ'x,è,Ü,•□B,~<ç,~,ì□é□‡,ì□A□U'Ö—pŽt,ì□T,ì,đP&AfVƒFfAfEƒFfA,Ü,ÄFAX,μ,Ä,ç,½,¾,,Æ□A'□,-
,•,Ÿ,Ü,•□B

-¾< : (—L) fs□[fAf"ƒhfG□[

CEù□Ä"Ö□t: 00160-0-611599

<â□s□U□ž

"o~^—pŽt,đ'—•tCEã□A"o~^—<à,É□A"i□Ä,đ%œÄŽZ,μ,½<àŠz,đ□A^È%œ,ìCEù□Ä,É,2"ü<à,,¾,¾,ç□B"o~^—
<à,œ4,500%œ~,ì□é□‡□A4,500%œ~ + (4,500□~0.05) = 4,725%œ~,Æ,É,è,Ü,•□B□½,É□\,μ-ó,²,´,ç,
Ü,¹,ñ,œ□A□U□žŽè□"—<ç,ì,~<q—ì•%œ'S,ÄCEãŠè,ç'v,μ,Ü,•□B,É,~'—<ç,ìP&AfVƒFfAfEƒFfA,œ%œ'S,¾,¾,Ä,ç,
½,¾,«□A□œ•ì,ì"ü<àŠm"ƒCEã,ì—X'—,Æ,É,è,Ü,•□B

-¾< : (—L) fs□[fAf"ƒhfG□[

□U□ž□œ : □'-~<â□s □œ"ƒŽx"X (•□) 9432641

CE»<à□'—

"o~^—pŽt,đ'••,μ□A"o~^—<à,É□A"i□Ä,đ%œÄŽZ,μ,½<àŠz,đ□A^È%œ,ì^□œ,É,~'—,è,,¾,¾,ç□B"o~^—
<à,œ4,500%œ~,ì□é□‡□A4,500%œ~ + (4,500□~0.05) = 4,725%œ~,Æ,É,è,Ü,•□B,É,~□œ•ì,ì'—
ç,ìP&AfVƒFfAfEƒFfA,œ%œ'S,¾,¾,Ä,ç,½,¾,«□A□œ•ì,ì—X'—,Æ,É,è,Ü,•□B

^□œ : P&AfVƒFfAfEƒFfA

□Z□Š : □§190 "CE<ž"s—§□iŽs□ã□»'—1-3-6-2

fNƒCEƒWƒbfƒgƒj□[ƒh

fNƒCEƒWƒbfƒgƒj□[ƒh,ì□AMASTER□AVISA□ADC□AAMEX,ì,Ÿ,2~—p,É,É,è,Ü,•□B"o~^—pŽt,Éƒj□[ƒh,ìží—
p,Æ"Ö□+□A—LCEøŠúCEÄ,đ-¾<L,μ□AFAX□A—X•Ö□A,Ü,½,ì"džqf□[ƒ<,ÄP&AfVƒFfAfEƒFfA,Ü,Ä,~'—,è,-
,¾,¾,ç□B,~Žx•¥,ç,ì—,CEŽ1%œñ•¥,ç,Æ,É,è□A"o~^—<à,É□A"i□Ä,đ%œÄŽZ,μ,½<àŠz,đ□<□,¾,¾,Ä,ç,
½,¾,«,Ü,•□B—á,ì,î"o~^—<à,œ4,500%œ~,ì□é□‡□A4,500%œ~ + (4,500□~0.05) = 4,725%œ~
,Æ,É,è,Ü,•□B□[ƒh□^—□,ìP&AfVƒFfAfEƒFfA,œs,ç□A□œ•ì,Æ^è□□,É"„□ã•[,ì□T,ì,đ'—•t,¾,¾,Ä,ç,
½,¾,«,Ü,•,ì,Ä□A,2Šm"ƒ,,¾,¾,ç□B'—<ç,ìP&AfVƒFfAfEƒFfA,œ%œ'S,¾,¾,Ä,ç,½,¾,«□A□œ•ì,ì—X'—
,Æ,É,è,Ü,•□B

'{•Ö'...•¥,ç

f,,f}fg%o^—A,ª,“í,¯,µ,Û,·,ì,Å□A□x•iŽó,~Žæ,èŽž,É‘ã<à□i“o~^—¿<à + ‘ã^øŽè□” —¿□□~1.05,đ,“Žx•¥,¢,-,¾,¾,¢□B—á,ì,“o~^—¿<à,ª4,500%o~,ì□è□#□A(4,500%o~ + 700%o~) □~1.05 = 5,460%o~,Æ,È,è,Û,·□B

- •½“ú,ì□³CEß,Û,Å,É,¢,½,¾,¢,½,²,²□•¶,ì□A—kŠC“¹□A<ã□B□A%o<“è□A—£“‡,đ,ì,¾,«□A“—“ú”“—,ì—,“ú”z’B,Æ,È,è,Û,·□B—kŠC“¹□A<ã□B□A%o<“è□A—£“‡,É,“□Z,Û,¢,ì□è□#,ì□A—,□X“ú,Æ,È,è,Û,·□i^è•”n^æ,Å,ì,»„è^È□ã,ì□è□#„à,²,´,¢,Û,·□j□BCEđ’ÉŽ—□i“™,Å,ã,þ,đ,ì,É,¢□è□#„ì□A□x•i,ì,“í,¯,ªx,è,é,±,Æ,ª,è,Û,·,ì,Å□A, ,ç,©,¶,ß,²—¹□³,¾,¾,¾,¢□B
- “y“ú,É,²,²□•¶,ì,¢,½,¾,¢,½,ª,É,Å,«„Û,µ,Ä,ì□ACEŽ—j,ìŽæ,è^µ,¢,Æ,È,è,Û,·□B
- “ú”t•s□Ý,ì,±,Æ,ª,½,¢□è□#„ì□A—éŠŌŽw’è□i—é6Žž,©,ç8Žž,ìŠŌ,Å,ì”z’B□j,Û,½,ì□A”z’B“úŽw’è,đ,²—~—p,¾,¾,¾,¢□B
- □x•i,É,æ,Å,Ä,ì□A‘i’}•Ö’...•¥,¢,đ,²—~—p,É,È,è,È,¢,à,ì,à,²,´,¢,Û,· (%o²<L□u□x•i,ì”“—□v,ì1.ì□è□#□j□BDOSf□□[f€„ì,Û,Æ,ñ,ç,·,×,Å%oÅ“\,Å,·,ª□AWindowsfvf□fOf%of€„ì□è□#□AZ—‘O,ÉP&AfvfFfAfeFfA,É,“—â,¢□#„ì,¾,¾,¾,¢□B

NIFTY-Serve fvffAfeFfA’—<à’ã□sf□[frfX

NIFTY-Serve,É,²“ü%oi,ì•û,ì□AfvffAfeFfA’—<à’ã□sf□[frfX,à,²—~—p,É,È,è,Û,·□B,½,¾,µ□A^È%o²,ì,æ,x,È□§CEÅ,ª,è,Û,·□B

1. CEÅ□l%oi^đ,ÅfnfCefWfbfgf□[fh,ÅCE^□i,³,è,Ä,¢,é•û,ì,Ý—~—p%oÅ
2. ,·,×,Ä,ìfvf□fOf%of€,ì’—<à,ª,Å,«„é,í,¯,Å,ì,É,¢

1.,É,Å,«„Û,µ,Ä,ì□AfvffWfXfAjjfEf“fg,ÅNIFTY-Serve,É“ü%oi,³,è,Ä,¢,é□è□#„ì□A,²—~—p,É,È,è,Û,·,ñ□B2.É,Å,«„Û,µ,Ä□A’—<à%oÅ“\,Éfvf□fOf%of€,ì“o~^—pŽt,É□uSW”Ô□t□v,ì<L,ª,è,Û,·□B<L,ì,É,¢,à,ì,É,Å,«„Û,µ,Ä,ì’¾,ì,²“ü<à•û—@,đ,²—~—p,¾,¾,¾,¢□B“o~^—pŽt,đ’—•tCEã□A^È%o²,ìŽè□#„É□]„Å,Ä’—<àŽè’±,«„đ□s,¢,Û,·□B’—<àŽè’±,«„¾,“Ä,·,Æ□A□x•i,ì’—•t□æ,ª,í,©,è,Û,¹,ñ,ì,Å□A•K,“o~^—pŽt,đ’—•t,µ,Ä,¾,¾,¾,¢□B,È,“ã<à,ì—,CEŽ□ANIFTY-Serve,ì—~—p—¿<à,É%oÅŽZ,µ,Ä¿<□,³,¹,Å,¢,½,¾,«„Û,·□B

- 1) GO SWREG, Å□ufvffAfeFfAfeFfWfXfgfCE□[fvf#“fzf”f^□□v,É“ü,è,Û,·□B
- 2) f□fjf...□[.©,ç□u3. ‘—<à’ã□sf□[frfX□v,đ’I’đ,µ,Û,·□B
- 3) ŽŸ,É□u2. ‘—<àfvfXfef€□v,đ’I’đ,µ,Û,·□B
- 4) ‘—<àfvfXfef€,©,ç□A□u1:fvffAfeFfA”Ô□tŽw’è□v,đ’I’đ,µ,Û,·□B
- 5) “o~^—pŽt,É,é□uSW”Ô□t□v,đ“ü—ì,µ,Û,·□B
- 6) fv□fOf%of€,ì•â<□à-¾,ª•Ž!„³,è,Û,·,ì,Å□A•K,Šó-ì,ì,à,ì,©,ç,ª,©Šm”F,µ□A□u1:Šó-ì,·,é□v,đ’I’đ,µ,Ä,-,¾,¾,¾,¢□B

“o~^—pŽt

fvfjOf%of€-¼

WinZip Self-Extractor

□Á”i□Ā (5%)

, Žx•¥,¢—¿<à

“o~^—¿<à

6,000‰~

300‰~

6,300‰~

- ‘í<}•Ö’...•¥,¢,đ,²—~—p,ì□é□#,í□A□ă<L□u, Žx•¥,¢—¿<à□v,ÉŽè□” —¿(700‰~) <y,ÑŽè□” —¿,ì□Ā”i□Ā•ª(35‰~)□#CEv735‰~ ,đ‰ĀŽZ,μ,Ā□¿<□,³,¹,Ā,¢,½,¾,«,Ü,·□B
- fvfjOf%of€ ,í’É□í□A“ü<àŠm” FCEă□A1□TŠÔ“ö“x,Ā, ŽèCE³,É“í,«,Ü,·,ª□A□YCEÉ□Ø,é“™ ,Ā’—•t,ª’x,é,é,± ,Æ,ª, ,è,Ü,·□B‰½’²CEă—¹³‰ª,³,¢□B

P&A ID

ìØŋpĀ

, Žx•¥,¢—¿<à

—X•Ö”Ô□t

ìØŋpĀ

,²□Z□Š

TEL (FAX)

NIFTY-Serve ID

E-mail

, Žx•¥,¢—¿<à

fj□[fh”Ô□t

—LCEŠúCEÀ

‘í<}•Ö—éŠÔŽw’è

‘í<}•Ö”z’B“úŽw’è

fVfFfAfEfFfA”Ā,ì“üŽè□æ

, Žx•¥,¢—¿<à,ìfRf“fsf...□[f^

(È, Žx•¥,¢—¿<à

), Žx•¥,¢—¿<à

[]—X•Ö□U’Ö

[]<à□s□U□ž

[]CE»<à□’—

[] MASTER

[] VISA

[] DC

[] AMEX

:□@□@”N□@□@CEŽ

[] Šó-],,é

[] Šó-],,é□@□@□@CEŽ□@□@“ú”z’BŠó-])

ŽGŽ□•t~^□AfCf“f^□[f]fbfg□Afpf]fRf”É□M,É,Ç

:Ž□@□[f]Vf]f]bfvuf

%of“fh□ADOS/V<@□ANEC□@PC98□Afm□[fg...,É,Ç

,²”□^Ó!!

- ufj□[fh”Ô□t□v□A□u—LCEŠúCEÀ□v,ífNfCEfWf]bfgfj□[fh,đ,²—~—p,ì□é□#,ì,Ý,²<L“ü,,¾,³,¢□B
- u’í<}•Ö—éŠÔŽw’è□v□A□u’í<}•Ö”z’B“úŽw’è□v,í’í<}•Ö’...•¥,¢,đ,²—~—p,ì□é□#,ì,Ý‰Ā“\,Ā,·□B

,±,lfwf<fvftf@fCf<,É,ÍAfCf“fXfg[]f<•û-@A,²[]•¶•û-@,È,Ç,ŠÜ,Ü,ê,Ä,ç,Û,·BWinZip Self-
Extractor ,lfVfFfAfEfFfA”Å(-ç“o~^”Å),É,Â,ç,Ä,ÍA,²[]•¶•û-@,Ì,“-â,ç[]#,í,¹^ÈŠO,“f,è,ç,½,μ,Û,·B

fvf□fOf%of€ ,išT—v

WinZip® Self-Extractor ,Æ,İ?

□@WinZip Self-Extractor ,İ Windows flfCfefBfu,İŽ©CEÈ“WŠjftf@fCf<,δ□İ□—,.,éft□[fefBfŠfefB□[fvf□fOf%of€ ,Å,·□B—{fvf□fOf%of€ ,Å□İ□—,³,ê,½Ž©CEÈ“WŠjftf@fCf<,İŽŸ,İ,æ,ϻ,È“_ ,Å□A Internet ,Å,İftf@fCf<,İ”z•z,É—□’z“İ,ÆCE¾⁄,İ,Ü,·□B.

(1) •İ□”,İftf@fCf<,δŠÜ,ρ,±,Æ,¾%Å”\□B

(2) •È“r“WŠjfvf□fOf%of€ ,δ•K—v,Æ,·,é,±,Æ,È,□A Windows ,İfCf“f^□[ftfFfCfX,Å“WŠj,·,é,±,Æ,¾,Å,«,é□B

(3) ftf@fCf<,¾“WŠj,³,ê,½□Ü,É□AfzfbfgfAfbfvfvf□fOf%of€ ,δŽÀ□s,·,é,±,Æ,¾,Å,«,é□B

□@WinZip Self-Extractor ,İ WinZip,É“~□«,³,ê,Ä,ç,é [WinZip Self-Extractor Personal Edition](#),İ<@”\ Šg’£fo□[fWf†f“,Ä,·□BWinZip,É,Ä,ç,Ä□Ü,μ,ç□İ•ñ,İ□A[WinZip,É,Ä,ç,Ä](#),İ□€ ,δŽQ□Æ,μ,Ä,,¾⁄,³,ç□B

Zip ftf@fCf<□AZ©CEÈ“WŠjftf@fCf<□AZ©CEÈ“WŠjftf@fCf<,δŽg—p,·,é—~“_□AWinZip Self-Extractor,İ’€□İ•û— @,É,Ä,ç,Ä,İ□AZ©CEÈ“WŠjftf@fCf<,É,Ä,ç,Ä,İ□€ ,δŽQ□Æ,μ,,¾⁄,³,ç□B

WinZip Self-Extractor ,İ<@”\

□E ^³□kftf@fCf<,δŠÈ’P,É”z•z,Å,«,é□B

□E □,È,çft□[fo□[fwfbfh (flfvfVf†f“,É,æ,Ä,Ä12KB,Ü,Å□—,³,,·,é,±,Æ,¾%Å”\□B)

□E Microsoft® Authenticode™ fefNfmf□fW,İftf□[fg,δŠÜ,ρ□A32bit (Windows 95,“,æ,ÑWindows NT) Ž©CEÈ“WŠjftf@fCf<,İftf□[fg

□E Windows ,Æ MS-DOS ,Ä“WŠj%Å”\,ÈŽ©CEÈ“WŠjftf@fCf<,δ□İ□—,Å,«,é□BWindows ,İ,È,çft□[fU,Ä,àftf@fCf<,δ“WŠj,·,é,±,Æ,¾,Å,«,é□B

□E Ž©CEÈ“WŠjftf@fCf<,ÉfAfCfRf“,δŽg—p,·,é,±,Æ,¾,Å,«,é□B

□E “WŠj’€□İ□—¹Žž,ÉfRf}f”fh,δŽÀ□s,·,é,±,Æ,¾,Å,«,é□BŽ©CEÈ“WŠjftf@fCf<,ÉŠÜ,Ü,ê,Ä,ç ,éfzfbfgfAfbfvfvf□fOf%of€ ,δŠÈ’P,ÉŽÀ□s,·,é,±,Æ,¾,Å,«,Ü,·□B

□E Zip ftf@fCf<,İftfHf<f_□İ•ñ,İŽ©“®“İ,É•ÜŽ□,³,ê,Ü,·□B

□E PKZIP 2.04g ,Æ 100% CEŸŠ·□B

Ž©ĀĚ“WŠJftf@fCf<,É,Â,ċ,Ä

□@,±,í□Ā,Ä,í□AZipftf@fCf<,ĀĚŽ©ĀĚ“WŠJftf@fCf<□AZ©ĀĚ“WŠJftf@fCf<,í—
~“_” ,æ,ŇŽ©ĀĚ“WŠJftf@fCf<,í” @□,É,Ä,ċ,Ä,íŠĚ’P,É□à-¾,ð,µ,Û,·□B

Zip ftf@fCf<,Ā,í□H

□@Zip ftf@fCf<,íĀĚŠĚ•W□Ā,íftf@fCf<^³□k□AfOf<□[fsf“fO,íftf@fCf<ĀĚ`Ž@,·□B^è,Ä,í Zip
ftf@fCf<,í•í□”,íftf@fCf<,ðŠÛ,µ,±,Ā,Ā,«,Û,·□BZip ftf@fCf<“à,íftf@fCf<,í’É□í³□k,³,è,Ä,ċ,Û,·□BZip
ftf@fCf<,í^É%º,í,æ,µ,ÉŽg—p,³,è,Û,·□B

□E Internet ,É,Ĉ,Ä“üžè%Ä”\,Éftf@fCf<,í,Û,Ā,ñ,Ĉ Zip ftf@fCf<,Ā,µ,Ä”z•z,³,è,Ä,ċ,Û,·□BZip ftf@fCf<,ðŽg—
p,·,é,Q,Ä,í—~“_”í□AŠÖ~A,·,éftf@fCf<,ð^è,Ä,íftf@fCf<,É,Û,Ā,β,é,±,Ā,Ā,«,é“_”Ā□AZip ftf@fCf<,É,·,é,±
,Ā,Āftf@fCf<ftfCfY,ð□-,³,µ□Aftf@fCf<,í“j’—ŽžŠÖ,ð’Z□k,·,é,±,Ā,Ā,«,é“_”Ä,·□B

□E ŠÖ~A,µ,½•í□”,íftf@fCf<,ð’—□M,·,é,í,É”ñ□í,É•Ö—
~,Ä,·□Bftf@fCf<,ð^è,Ä,·,Ä”z•z,·,é,æ,è,à□A•í□”,íftf@fCf<,ðfOf<□[fv%º»,µ□A^³□k,µ,Ä”z•z,·,é,Û,µ
,æŠĚ’P,Ä,·□B

Zip ftf@fCf<,í [WinZip@](#) ,â PKWARE@ŽĐ,í PKZIP@ ,É,Ĉ,íft□[fefBfŠfefB□[,Ä□í□-,³,è,Û,·□B

Ž©ĀĚ“WŠJftf@fCf<,Ā,í□H

□@Ž©ĀĚ“WŠJftf@fCf<,í□A Zip ftf@fCf<,Ā Zip ftf@fCf<,í’t□g,ð“WŠJ,·,é\ftf@fCf<fFfA,æŠÛ,Û,è,½ŽÄ□s%ºÄ”\
(.EXE) ,Éftf@fCf<,Ä,·□B

□@WinZip Self-Extractor ,É,æ,Ä,Ä□í□-,³,è,½Ž©ĀĚ“WŠJftf@fCf<,æŽÄ□s,³,è,½□Û□Af_fCfAf□fOf{fbfnfX,æ•
Ž,³,è,Û,·□B,±,í,·f_fCfAf□fOf{fbfnfX,Ä□A“WŠJ□æ,íftfHf<f_,ð•í□X,µ,½,è□A,ċ,é,ċ
,è,É\fvfvfj” ,ð“WŠJ’O,É•í□X,·,é,±,Ā,Ā,«,Û,·□BWinZip Self-Extractor
,É,æ,Ä,Ä□í□-,³,è,½Ž©ĀĚ“WŠJftf@fCf<,í□A

□E PKZIP 2.04g ,Ā 100% ĀĚŠ•□,æ,è,Û,·,í,Ä□AWinZip ,â PKUNZIP ,É,Ĉ,í•W□Ā“í,É UNZIP
ft□[fefBfŠfefB□[,Ä“WŠJ,·,é,±,Ā,Ā,«,Û,·□B

□E ‘É□í,í\fvfvfj” ,Ä,í□AZ©ĀĚ“WŠJĀĚ^,Ä,É,ċ Zip ftf@fCf<,É”ä,x,Ä 12KB ,Û,Ĉ’ä,«,,É,é,¾,·,Ä,·□B

Ž©ĀĚ“WŠJftf@fCf<,í—~“_

□@ftf@fCf<,ð“WŠJ,·,é,½,β,É□A•É“r“WŠJft□[fefBfŠfefB□[,ð—p^Ó,µ,½,è□A“WŠJft□[fefBfŠfefB□[,íŽg—p-
@,ð’m,é•K—v,í ,è,Û,³,ñ□B,Ä,Û,è□AZ©ĀĚ“WŠJftf@fCf<,í Zip ftf@fCf<,É,É,Ň,Û,É,ċ□%□SZÖft□[fU,É\
ftf@fCf<fFfA,ð”z•z,·,é,í,É□A“K,É,í,Ä,·□B

WinZip Self-Extractor ,É,æ,Ä,Ä□í□-,³,è,½Ž©ĀĚ“WŠJftf@fCf<,í\fcfefBfu,É Windows ,í\fvfvfvf%ºfÉ,É,í,Ä□AMS-
DOS ,íĀoĀ±,í-³,ċft□[fU,Ä,àŠĚ’P,ÉŽg—p,·,é,±,Ā,Ā,«,Û,·□B

“@□í•ú-@

WinZip Self-Extractor ,É,í,Q,Ä,í•”•æ,æ,è,Û,·□B

- 1) WinZip Self-Extractor ,íŽ©ĀĚ“WŠJftf@fCf<,ð□í□-,µ,Û,·□B
- 2) WinZip Self-Extractor ,æŽ©ĀĚ“WŠJftf@fCf<,ð□í□-,µ,½□Û,É□AZ©ĀĚ“WŠJftf@fCf<“à,É Self-Extractor
,í^è•”,ðŠÛ,Û,·□BŽ©ĀĚ“WŠJftf@fCf<,ÉŠÛ,Û,è,½ WinZip Self-Extractor ,í<@”\
,É,æ,Ä,Āftf@fCf<,ð“WŠJ,·,é,±,Ā,Ā,«,Û,·□B

□@Ž©ĀĚ“WŠJftf@fCf<,ð□í□-,·,é,É,í□AWinZip Self-Extractor ,ð<N” @,µ□AZip ftf@fCf<,í-
¼’O□Afí\fvfvfj” □AftfHf<fg,í“WŠJ□æ□A“WŠJĀĚ,ÉŽ© “ @ŽÄ□s,·,é\fvfvfvf%ºfÉ,ðŽw’è,µ,Û,·□BWinZip Self-
Extractor ,í□A,±,é,Ĉ,í□í•ñ,ðŽ©ĀĚ“WŠJftf@fCf<,É•Û’Ň,µ□AZÄ□s,³,è,½□Û,É,±,é,Ĉ,í\fvfvfvfj” ,æ—
LĀø,É,É,è,Û,·□B□Û,µ,í□AZ©ĀĚ“WŠJftf@fCf<,í□í□-,í□Ā,ðŽQ□Ā,µ,Ä,,¾,¾,ċ□Bf%ºfCfZf“fX,É,Ä,ċ,Ä,í□A\
%ºfCfZf“fX,í□Ā,ðŽQ□Ā,µ,Ä,,¾,¾,ċ□B

fRfs [f%ofCfG/f%ofCfZf"fx/•UØ

fRfs [f%ofCfG

© WinZip® Self-Extractor Copyright © 1995-1997 by Nico Mak Computing, Inc. All rights reserved.

f%ofCfZf"fx"~^Ó

©, ±, ÿftfgfEjFfA, ðŽg—p, ‚, é‘O, É^È%º, ìð€Æ, ðœ, “Ç, ñ, Å%º, ¸, çBNico Mak Computing, Inc. ,É,æ,é•É, ÿ%ofCfZf"fx, ðŽ, Á, Ä, ç, È, ~, è, ÍA, ±, ÿftfgfEjFfA, ÌŽg—p, Í, ±, ÿ%ofCfZf"fx, É“~^Ó, µ, ½, à, Ì, Æ, Ý, È, ¸, è, Ù, ·B

© WinZip Self-Extractor, ÿVfFfAjEjFfA•]ºº“Á, Ì”z•z, É, Á, ç, Ä, ÍA•]ºº“Áf%ofCfZf"fx, ì€, ðŽQÆ, µ, Ä, - , ¸, ¸, çB

“o~^”Á

© WinZip Self-Extractor, Ì“o~^”ÁfRfs [, ÍA, P’ä, ÿ [fNfXfe [fVfj#“ ðä, ÁA” —É-³\$CEA, ÿ [Cf, , fŠfefB-³— ç, Á”z•z%ºÁ”, ÈŽ©CEÈ“WŠjftf@fCfç, ðA^È%º, ìð€Æ, ìºº, É [- , ‚, é, ±, Æ, ¸, Á, «, Ù, ·B

È f [[fNfXfe [fVfj#“ ðä, ÁAŽ©CEÈ“WŠjftf@fCfç, ð [- , ‚, é, Ì, É WinZip Self-Extractor, ¸Žg, í, è, é [[A, » , è, ¸, ½, Æ, !^èŽŽ“Ì, ÈŽg—p, Á, , Á, Ä, à [A, » , è, ¼, è, ÿ [[fNfXfe [fVfj#“ , É, Á, ç , Á•É [X, Ì WinZip Self-Extractor, Ì“o~^”Á, ÿRfs [, ¸Žæ“¾, ¸, è, È, ~, è, Í, È, è, Ù, ¸, ñB, ±, ÿ%ofCfZf"fx, Í“ŽŽ, Éç~“ , ÁŽg—p, Á, «, Ù, ¸, ñB

WinZip Self-Extractor, É, æ, Á, Ä [- , ¸, è, èŽ©CEÈ“WŠjftf@fCfç, ÍA WinZip Self-Extractor, Ì^è•” , ðŠÜ, Ý, Ù, ·B

È WinZip Self-Extractor, É, æ, Á, Ä [- , ¸, è, ½Ž©CEÈ“WŠjftf@fCfç, É, ÍA”ÁCE , Ì•ÙCEì, ¸, è, ½f ftfgfEjFfA A”ÁCE , ì [‘m, » , µ, ÁŽ~•É [• ñ ([u“WŠjftfgfEjFfA [v) , ðŠÜ, ñ, ¾^è•” • ¸, Æ, µ, Ä, Ì WinZip Self-Extractor, ð, » , Ì¼, Ì, ±, Æ, Æ, Æ, à, ÉŠÜ, p, ±, Æ, É, È, è, Ù, ·B [] , Á, Ä“o~^ft [fU [, Á , è [A¼, Ì’N, Á , è [A, ± , Ì“WŠjftfgfEjFfA, ð• [X [E [C³ , ‚, é, ±, Æ, Í, Á, «, Ù, ¸, ñB, Ù, ½ , È, ½, ÍA, ç, ©, È, èŽÖ, É’Í, µ, Ä, à, ±, Ì“WŠjftfgfEjFfA, ð• [X , ‚, éç-ººÁ, ð—^ , Ì, é, ±, Æ, Í, Á, «, Ù, ¸, ñB, ±, ÿ%ofCfZf"fx“~^Ó [, Á-¾Žì“Ì, É”F, ß, ç, è, Ä, ç , È, ç‘S, Ä, ÌCE ~ , È, Á, ç, Ä, à [AŠ@‘S, É Nico Mak Computing, Inc. , ¸•Ù—L, ‚, é, à, Ì, Æ, µ, Ù, ·B

-@-¥, Ì“K—p

©, ±, Ì“~^Ó [, ÿRfj# fjbfg [B-@, É, æ, Á, Ä“ [¸, ¸, è, Ä, ç, Ù, ·B

•UØ, Ì•úŠ

©, ±, ÿftfgfEjFfA , „æ, ÑŠÖ~Aftf@fCfç, ÍACE»ó, Ì, Ù, Ù’ñçY, ¸, è, é, à, Ì, Á , è [Aç•ì, Ì“ [, à•UØ, Ì-¾Žì“Ì , „æ, Ñ-ÙŽì“Ì, ÉŠÖ, ç , [A^è [Ø•UØ, µ, Ù, ¸, ñB WinZip Self-Extractor , ¸fCf“fxfg [fç, ¸, è, é— [X, Èfn [fhfEjFfAçy, ÑftfgfEjFfAŠÁçç, É, Á, ç, ÁA “Á’è, Ì-Ù“Ì, É’Í, ‚, é“K [[ç, Ì•UØ, Ì^è [Ø, µ, Ù, ¸, ñB

©, ±, ÿvf [fOf%of€, ð- {Si“Ì, É, ¸—p, É, È, é‘O, É [A [d—v, Á, È, çff [f^ , Á“O’è“Ì, ÉfefXfg, µ, Ä, , ¸, ¸, ç [Bft [fU, Ì- {fv [fOf%of€, ÌŽg—p, É, æ, é, ç, ©, È, é¹SQ, àø, «Žó, ~, È, ~, è, Í, È, è, Ù, ¸, ñB, ç, ©, È, é [è [ç, È, ~, ç , Á, à [A”Ì” , „ŽÖ, Ì [Ó“C, Í [»•ì, ÌCEðŠ•, Ù, ½, Ì”Ì” , „àŠz, Ì•ÖŠÖ, ðäCEA, Æ, µ, Ù, ·B

•]%o; "Åf%ofCfZf"fx

•]%o; "Å,Æ"o~^"Å

□@,±,ê,İftfŠ□İfEfFfA,Å,İ, ,è,Ü,¹,ñ□BfVfFfAfEfFfA•] %o; "Å,İ WinZip Self-Extractor ,đ•] %o; -
Ú"İ,İ,½,ß,İ,Ý,É21"úŠÖ-³—İ,ÅŽŽ—p,·,é,±,Æ,ª,Å,«,Ü,·□B21"úŠÖ,İ•] %o; ŠúŠÖ,đ%oz,İ,Å,±,İftfjgfEfFfA,đŽg—
p,·,é,É,İ□A"o~^—İ<à,ª•K—v,Å,·□B

□@fVfFfAfEfFfA•] %o; "Å,İ WinZip Self-Extractor,Å□İ—,³,è,½Ž©CEÈ"WSjftf@fCf<,İ,ç,©,È,é□ó<μ,É,·,ç
,Å,à□A"z•z,·,é,±,Æ,İ,Å,«,Ü,¹,ñ□B

□@WinZip Self-Extractor,đ21"úŠÖ,đ' ,İ,Å-ç"o~^,İ,Ü,ÜŽg—p,·,é,Æ□AfAf□fŠfj□#□O□'-@,·,æ,Ñ□'□Ü'~□İCE -
@^á"½,Æ,É,è,Ü,·□B

WinZip Self-Extractor ,İ"z•z

□@, ,È,½,İ□A,±,İfVfFfAfEfFfA•] %o; "Å,İftfjg,·,æ,Ñ•¶□',İfRfs□[,đ□İ□—,·,é,±
,Æ,ª,Å,«,Ü,·□BfİfŠfWfjf<,İfVfFfAfEfFfA"Å,İ'S,·" ,¶fRfs□[,đ'N,É,Å,à"z•z,·,é,±
,Æ,ª,Å,«,Ü,·ª□A,½,¾,μ□A□C□³,·,é,±,Æ,İ,Å,«,Ü,¹,ñ□B,±,İfVfFfAfEfFfA"Å,İ"z•z,É,Å,ç,Å,İ□A—İ<à,İ•K—v, ,è,Ü,
¹,ñ□B

□@□",ÉŠÖ,İ,ç,·,ç,©,È,éfRfs□[,É'İ,μ,Å,à,»,"z•z,É,·,ç,Å—İ<à,đ%oÜ,μ,½,è□AŠñ•t,đ<□,ß,é,±
,Æ□A,»μ,Å,Ü,½Ž-'O,İ□'—p,É,æ,é<-‰Å-³,□A,±,İftfjgfEfFfA□A<y,Ñ□^,Ü,½,İ□A,±
,é,É•t□□,·,é•¶□',đ'¼,İ□»•i□i□π"İ,Å, ,é,É,μ,É,©,©,İ,ç,·□j,Æ<π,É"z•z,·,é,±,Æ□A,İ"Å,É<ÖŽ~μ,Ü,·□B,½,¾,μ□A
—áŠO,Æ,μ,ÅAssociation of Shareware ProfessionalsCEö"F,İffBfXfNfxf"f_□[,ÉCEÀ,Å,Å□A,±,İf
%ofCfZf"fx,É,·, ,é'S,Å,İ□đCE□,İ,à,Æ,Å□A"Å•É,É□'—p,É,æ,é<-‰Å,đ"¾, ,ÉWinZip Self-Extractor,đ□Å"z•z,·,é,±
,Æ,ª,Å,«,Ü,·□B

WinZip®, É, Â, ç, Ä

@WinZip Self-Extractor, Í WinZip, ìRf“fpjfflf“fvf[]Of%of€ ,Ä, ·BWinZip ,íAWindows[]ã, ÅŠÈ'P, É Zip
ftf@fCf<, ð^μ, ±, Æ, ì, Ä, «, é[]X, ìÜ, ðŽóÜ, μ, ½ft[]fefBfŠfefB[], Ä, ·BWinZip ,É, íAPKZIP, ÆÆÝŠ·[]«, ì, , é“à'
ZIP[]AUNZIP<@“\, ð, , é, ½, ßAŠî-{}“ì, ÈfA[]ffjCfu, ì'€[]ì, ð, , é, ì, È[]APKZIP, à PKUNZIP, ì•K—
v, , è, Ü, ¹, ñB, Ü, ½AfA[]ffjCfu“à, ìftf@fCf<, ì%o{—[]AŽA[]s[]A“WŠJ[]A'Ç%oA[]A[]í[]œ[]AfefXfg, È, Ç, ì'€[]ì, ð'½Š
“ì, ÈfjCf“fg[]•fNfŠfbfN, Ä[]s, ±, Æ, ð, Ä, «, Ü, ·B, Ü, ½AfEfBf<fXfLfff“fvf[]Of%of€ ,ð—p^Ó, , é, ±
, Æ, Ä[]AfA[]ffjCfu“à, ìftf@fCf<, ðEfBf<fXfXfLfff“ , , é, ±, Æ, à, Ä, «, Ü, ·B

@WinZip, É, ÍWinZip Self-Extractor Personal Edition , ðŠÜ, Ü, è, Ä, ç, Ü, ·BÜ, μ, , íA [Self-Extractor, ÆPersonal Edition](#)
[.ì.á.ç.É.Ä.ç.Ä](#) , ì[]€, ð, ²—, , ¾, ³, ç[]B

@WinZip, ì•]‰¿“Ä, ÍWinZip, ìfz[]f€fy[]fW (<http://www.winzip.com>), , é, ç, Í NIFTY-Serve, Ä, ÍuGO
SPANDASW[]v, ©, çf_fEf“f[]fh, Ä, «, Ü, ·B

Self-Extractor,ÆPersonal Edition ,ì^á,ç,É,Â,ç,Ä

␣@WinZip Self-Extractor **Personal Edition**, íWinZip@, ÉŠÜ, Ü, è, Ü, ·␣BWinZip Self-Extractor 2.1
, íWinZip, Æ, í·É, ì␣»·i, Ä, ·␣BWinZip Self-Extractor 2.1, íWinZip, ìfAfhfj}fvj␣fOf%of€, Ä␣APersonal Edition
, É, í, È, ç^È%ºº, ì<@”\, ðŽg—p, ·, é, ±, Æ, º, Ä, «, Ü, ·␣B

␣E Self-Extractor, ìf␣fCf“f_fCfA f␣fO, ÅŽg—p, ·, éfA fCfRf“␣Afe fLfXfg, ðŽw’è␣AfZfbfgfAfbfvfvf␣fOf
%of€ŽÀ␣sCEä, Éfef“fj%ofŠftf@fCf<, ð␣í␣œ, ·, é, È, Ç␣Af\ftfgfE fFfA, ìfCf“fXfg␣f<, ðŽ©“®
%ºº»␣Afj fXf^f}fCfY, ·, é<@”\␣BInstallShield 3.0 fZfbfgfAfbfvfvf␣fOf%of€, àfTfj␣f␣fg␣B

␣E “WŠJ’€␣␣␣—¹CEä, É␣AfRf}f“fh, ðŽÀ␣s, ·, é, ±, Æ, º, Ä, «, é␣B

␣E fRf}f“fhf%ofCf“, ©, çŽ©CEÉ“WŠJftf@fCf<, ð␣␣␣—, ·, é, ±, Æ, º, Ä, «, é␣B

␣E MS-DOS␣ä, Ä, àWindows␣ä, Ä, àŽÀ␣s%ºº”\, È’P^è, ìŽ©CEÉ“WŠJftf@fCf<, ð␣␣␣—, ·, é, ±, Æ, º, Ä, «, é␣B

␣E %opCEè, Ü, ½, ìfhfCfcCEè, É, æ, éf␣fbfZ␣fW, ð␣␣␣—, ·, é, ±, Æ, º, Ä, «, é␣B

␣E Ž©CEÉ“WŠJftf@fCf<, ºŽÀ␣s, º, è, ½␣Ü, ÉŽ©“®“ì, Éftf@fCf<, ð“WŠJ, ·, é, ±, Æ, º, Ä, «, é␣B

␣E fpfXf␣␣f, ì, ©, ©, Ä, ½Zipftf@fCf<, ðfTfj␣f␣fg

␣E ·, ·, x, Ä, ì32bitŽ©CEÉ“WŠJftf@fCf<, í␣AMicrosoft® Authenticode™ fefNfmf␣fW, ðfTfj␣f␣fg

␣E ft␣fUŽw’è, ìfA fCfRf“, ðŽg—p, Ä, «, é␣B

␣E Ž©“®“ì, É“WŠJ, ·, éŽ©CEÉ“WŠJftf@fCf<, ð␣␣␣—, ·, é, ±, Æ, º, Ä, «, é␣B

’␣^Ö␣@, ±, è, ç, ì<@”\, ì, ç, , Ä, ©, º␣«—^“ì, ÉWinZip Self-Extractor Personal Edition, ÉŠÜ, Ü, è, è%ºº”\␣«, º, , è, Ü, ·␣B

fo [fWfj] "—š—đ

@WinZip® Self-Extractor 2.1 ,í2.0<y,Ñ1.0,İŠ®'Súä^ÉCEYŠ,Ä,·□B□%Šú,İfo [fWfj] ,Ä,İ<@"\,í2.1,Ä,à~—İ,ÉŽg—p,·,é,±,Æ,ª,Ä,«,Ü,·□B□V,μ,ç<@"\,İ^È%º,İ'É,è,Ä,·□B

fjXf□□[fh,İTfj□□[fg□□@Compact□AMS-DOS+Windows ^ÉŠO,·,x,Ä,İŽ©CEÈ"WŠjftf@fCf<,Ä□A<ÆŠE•W□€ ,İZip^Ä□+%º» ,đTfj□□[fg□B

·,·, x,Ä,İ32bitŽ©CEÈ"WŠjftf@fCf<,Í Microsoft® Authenticcode™fjNfmf□fW,đTfj□□[fg□□B □%Šú,İfo [fWfj] ,Ä,İ□AŽ©CEÈ"WŠjftf@fCf<,İ□@□#□«,İf' fFbfN,Í Authenticcode ,Æ•s<İ□# ,ª ,è,Ü,μ,½□B(Authenticcode ,É,Ä,ç ,Ä,İ□Ú,μ,ç□İ•ñ,İ□AMicrosoftŽĐ,İfz□[f€fy□[fW,©,ç□A"authenticcode code signing",đCEŸ□đ,μ,Ä,,¾,¾,ç□B)

ft□[fUŽw'è,İfAfCfRf" ,đŽg—p%ºÄ"\□@"Compact",Ü,½,Í"MS-DOS + Windows ,đŽw'è,μ,½□ê#^ÉŠO,İ□AfAfCfRf" ,đŽw'è,·,é,±,Æ,ª,Ä,«,Ü,·□B,±,è,ç,İfAfCfRf" ,İfGfNfXfvf□□[f% ,Ä•\Ž,¾,è,Ü,·□B(fo [fWfj] "2.0,Ä,İ□A\ ftfgfEfFfAfCf" fXfg□[f<,İŽ©CEÈ"WŠjftf@fCf<,đŽw'è,μ,½□ê# ,İf' fCfAf□□[f{fbfNfX,İ't ,Ä,μ,©•\ Ž,¾,è,Ü,¾,ñ,Ä,μ,½□B)

fo [fWfj] "2.0,Ä,à32frfbfg"Ä,İŽ©CEÈ"WŠjftf@fCf<,đ□□—,·,é,± ,Æ,ª,Ä,«,Ü,μ,½,ª□AŽÄ□Ú,É□□—,¾,é,éfvf□fOf%ºf€,Í16frfbfg"Ä,İfvf□fOf%ºf€ ,Ä,μ,½□B32frfbfgfo [fWfj] "(wzipse32.exe),ªŠÜ,Ü,è,é,æ,α,É,È,è,Ü,μ,½□B

ftf@fCf<,đŽ©" @"İ,É"WŠj,·,éŽ©CEÈ"WŠjftf@fCf<,đ□□—,·,é,± ,Æ,ª,Ä,«,Ü,·□B(fo [fWfj] "2.0,Ä,İŽ©" @"İ,É"WŠj,·,é,½,ß,É□AfGf" fhft□[fU,ª /auto flfvfVfj" ,đŽÄ□sŽž,É,Ä,·,é•K—v,ª ,è,Ü,μ,½□B),±,İ<@"\,đŽg—p,·,é□ê# ,İ□A'□^Ó,μ,Ä,- ,¾,¾,ç□B,à,μ,» ,İftf@fCf<,đfCf" f^□[flfbfg,âfp\VRf" ^É□M,ÉfAfbfvf□□[fh,μ,æ,α,Æ, "□,İ,İ□ê#□AfVfXfefēŠČ —□ŽÖ,ª□Afvf□" fvf—¾,μ,Äftf@fCf<,đ"WŠj,·,éftf@fCf<,đ<"Ü,·,é,©,à,μ,è,Ü,¾,ñ□B

fEfBfU□□[fh□□AÉä,İ□A[Mail Self-Extracting Zip File] <@"\,đŽg—p,μ,Ä□AŠÈ'P,É'¼,İft□[fU,Éftf@fCf<,đ'— ,é,±,Æ,ª,Ä,«,Ü,·□B(±,İ<@"\,İ□AfVfXfef€,ÄMAPI,đTfj□□[fg,μ,Ä,ç,é•K—v,ª ,è,Ü,·□B)

fo [fWfj] "2.0,Ä'Ç%ºÄ,¾,è,½<@"\

□V,μ,çfwfbf_ ,İŽ©CEÈ"WŠjftf@fCf<,đ□□—,·,éflfvfVfj"

32bit Win32 fwfbf_

Windows 95 f□" fOf□fCf<fl□[f€,đTfj□□[fg,μ,½16bit Windows fwfbf_

MS-DOS,İTfj□□[fg(^è,Ä,İŽÄ□sftf@fCf<,ª□AMS-DOS,Ä,àWindows,Ä,àŽÄ□s%ºÄ"\)

f\ftfgfEfFfA,İfCf" fXfg□[f<,É•Ö— ~,ÉfjXf^f}fCfy□□[fCf" f' fCfAf□fO,ÄfAfCfRf" ,â□AfefLfxfg,đŽw'è,μ,½,è□AfZfbfgfAfbfvfvf□□[fOf%ºf€□—¹CEä,Éfef" flf%ºfŠftf@fCf<,đ□□□ce,·,é,±,Æ,ª,Ä,«,Ü,·□BInstallShield Corporation,İfzfbfgfAfbfvfvf□□[fOf%ºf€ ,đTfj□□[fg,μ,Ä,ç,Ü,·□B

%ºpCEè,Ü,½,İfhfCfcCEè,İf□fbfz□□[fW,đŽg—p,Ä,«,Ü,·□B

EXEftf@fCf<,ªŽÄ□s,¾,è,½□Ú,É□AŽ©" @"İ,Éftf@fCf<,đ"WŠj,·,é,±,Æ,ª,Ä,«,Ü,·□B

"WŠj't ,Éfvf□□[fXf□□[f^□[,đ•\Ž,¾,¾,è,±,Æ,ª,Ä,«,Ü,·□B

WinZip Self-Extractor ,ÉfAf" fCf" fXfg□[f<<@"\,ª,Ä,«,Ü,μ,½□B

@filename ,đŽg,Ä,½fRf}f" fhf%ºfCf" flfvfVfj" ,đŽg—p,·,é,±,Æ,ª,Ä,«,Ü,·□B—á,İ,İ^È%º,İ,æ,α,É,·,é,± ,Æ,ª,Ä,«,Ü,·□B

wzipse <flfvfVfj" > @continued_options.inp

ŠÈ'P,ÉŽ©CEÈ"WŠjftf@fCf<,đ□□—,Ä,«,éEfBfU□□[fh

ŽÓŽ«

@WinZip Self-Extractor, »Ÿ, ìCE` , É, È, Á, ½, ì, íA'½,, ìX, ì•CE¾AfvfOf%of€
, ìfXfgAfofO, ì•ñ, É, Ç, ì•, , ¢, Á, ½, ©, ç, Ä, •B"Á, ÉATed Abell, John Conde, Joel Diamond, Chris Dunford,
Gregg Hommel, Oyvind Kaldestad, Kevin Kearney, Jim Larkin, Steve Queen, Mark Stern, Nick Sweeting, Mike
Tajmajer, » , µ, ÄHans Top, ìŠeŽ, É, ÍŠ´ŽÓ, ì^Ó, ð•\, µ, Ü, •B

@WinZip Self-Extractor, ì^ê•"•ª, ìInfo-ZipfOf<[fv, ì<Zp, ÉŠî, Ä, ç, Ä, ", èA, » , ì<-%oÄ, É, æ, Á, ÄŽg—p, ¢, ê, Ä, ç
, Ü, •B<»-ì, ì , é•ù, íA, » , ìInfo-ZipfR[fh, ð'½,, ìêŠ, ©, çŽè, É"ü, é, é, ±, Æ, ¢, Ä, «, Ü, •B—
á, ì, ìACompuServe, ìlibprofitfH[f%of€ABIX: ibm.pc listingsAIInternet
, © , ç, ìftp.uu.net:/pub/zipB, » , ì"TCÈ^"ì, Èftf@fCf<-¼, ìZIP19P.ZIP, ÄA19P•"•ª, ì, » , ìÄV"Ä, ð•\
, µ, Ü, •B, à, µ, » , ì, Ü, ©, ìêŠ, ©, ç, ì"üŽè, ¢, Ä, «, È, ©, Á, ½, Æ, «, ìAWinZip Self-
Extractor, ì>About"f_fCfAfOf{fbfNfX, Ä\Žì, ¢, é, éZŠ, ÖffBfXfN, ÆŽ©•ª, ìZŠ, ì', ©, é, ½ØŽè, ì\
, ç, é, ½•"•>, ð'—, Ä, Ä"üŽè, , é, ±, Æ, à, Ä, «, Ü, •B

P&A, Ö, Ì, " - â, ç, í, 1

□α•i, Ì, ²□w"ü, É, Â, ç, Ä, Ì, " - â, ç, í, 1, Í□A

sales@panda.co.jp

TEL: 0425-35-9901('ä)

FAX: 0425-35-9902

, Ü, Â, " Šè, ç, ç, ½, μ, Ü, ·□B

□³<K"o" ^, ³, è, ½•û, Í□AfefNfjffj<fTfj□□[fg, ðŽó, " .é, ±, Æ, ð, Â, «, Ü, ·□BfefNfjffj<fTfj□□[fg, Í□A

support@panda.co.jp

FAX 0425-35-9902

TEL: 0425-35-9903 (fTfj□□[fg□ê—p)

, Ü, Â□A, Â, «, é, ¾, " dŽqf□□[f<, © FAX, Â, " - â, ç, í, 1, , ¾, ¾, ç□B, Ü, ½, " - â, ç, í, 1, Ì□Ü, Í□AP&A ID, ð•K, , " □\, μ□o, -
, ¾, ¾, ç□B, " d~b, Í□A□Ö"ú, ð□œ, - ^□TCEŽ—j, ©, ç<à—j"ú, ÌCEßCEã, PŽž, ©, ç, UŽž, Ü, ÂŽó, "•t, " , Â, ç, Ü, ·□B

□§190 "CE<ž"s—§□ìŽs□ã□»'¬1-3-6-2

TEL 0425-35-9901 ('ä) / FAX 0425-35-9902

(For information in English, call 0425-35-9901)

WWW: <http://www.panda.co.jp>

ŠÖ~A□€-Ü

[fgf%œfuf<fVf...□□\[fefBf"fO](#)

[fgf"f□□•f`fbfvfX](#)

fgf%ofuf<fVf...[]fefBf“fo

(1) **Ž © CEÈ “WŠJftf@fCf<, dŽÀ s, μ, ½, Æ, ±, è □ A “out of memory”, ìf fbfZ []fW, aCE», è, Û, μ, ½ □ B**

□ @, ±, ì □ ê □ †, ì ‘ ð ‘ ïftf@fCf<, ì ‘ ‘ – ‘ †, Éftf@fCf<, a%ó, è, Ä, μ, Û, Á, ½, ±, Æ, É, æ, è, Û, · □ BDOS, âWindows, Å, Í □ A-
³CEø, ÈŽÀ □sftf@fCf<, dŽÀ □s, ³, ¹, æ, π, Æ, μ, ½ □ ê □ † □ Af □ f, fŠ • s ‘ ‹, ìfGf%o □ []f □ fbfZ □ []fW, ð □ o, μ, Û, · □ B, ±
ì □ ê □ †, ì, à, Á, Æ, à – Ç, ç % ð CE ^ – @, Í □ A • È, ì Ž © CEÈ “WŠJftf@fCf<, dŽÀ “üŽè, ·, é, ±, Æ, Ä, · □ B

(2) **ft □ []fU, aŽ © CEÈ “WŠJftf@fCf<, dŽÀ s, μ, ½ □ Û, É □ A WinZip Self-Extractor , ìf_fCfAf □ fOf {fbfNfX, a • \
Ž, ³, è, È, ç □ B**

□ @, ±, π, ç, Á, ½ □ ó □ μ, Í □ Af □ ft □ []fU □ [], ìfVfXfef€, ÅŠ ù, É □ A “ – ¼, ì EXE □ AFON □ ADLL □ ADRVftf@fCf<, a < N “ @, μ, Ä, ç
, é □ ê □ †, É, ·, è, Û, · □ B – á, ì, Í □ AUSER.EXE , Æ, ç, π EXE

ftf@fCf<, dŽÀ □ – , μ, ½ □ ê □ † □ AWindows, aŽ © “ @ “ I, ÉUSER.EXE, Æ, æ, ì, è, éftf@fCf<, ðf □ []fh, μ, Û, ·, a □ A “ –
¼, Å ^ Û, È, éftf@fCf<, dŽÀ □ s, ·, é, ±, Æ, a, Å, ‹, È, ç, ì, Å □ A, ±, ìftf@fCf<, dŽÀ □ s, ·, é, ±, Æ, ì, Å, ‹, Û, ¹, ñ □ B WinZip Self-
Extractor , ì Ž © CEÈ “WŠJftf@fCf<, dŽÀ □ – , ·, é □ Û, É □ A, ·, È, ½, ìf } fVf “ □ ä, Å, ì –
¼ ‘ O, ì □ Ö “ È, ðf`fFbfN, μ, Û, ·, a □ A, à, ì, è, ñft □ []fU, ìf } fVf “ □ ä, Å, ì □ Ö “ È, ðf`fFbfN, ·, é, ±, Æ, ì, Å, ‹, Û, ¹, ñ □ B, ±, ì –
à ‘ è, ð % ð CE ^, ·, é, È, Í □ A Ž © CEÈ “WŠJftf@fCf<, ìftf@fCf< – ¼, ð • Í □ X, μ, Ä, , ¾, ³, ç □ B

(3) **ìftfgfEfFfA, ìfCf“fXfg □ []f< – pŽ © CEÈ “WŠJftf@fCf<, Å – à ‘ è, a □ D □ D □ D**

ìftfgfEfFfAfCf“fXfg □ []f< – p, ì Ž © CEÈ “WŠJftf@fCf<, ì □ [] – , É, Å, ç, Ä, ìf`fbfv, ì □ €, dŽQ □ Æ, μ, Ä, , ¾, ³, ç □ B

ŠÖ ~ A □ € – Û

ìfNfìfìf<fTf □ []fg

ìf“fg □ • f`fbfvfX

ìftfgfEfFfAfCf“fXfg □ []f< – p, ì Ž © CEÈ “WŠJftf@fCf<, ì □ [] – , É, Å, ç, Ä, ìf`fbfv

f\ftfgfEfFfAfCf“fXfg□[f<-p,İŽ©CEÈ“WŠJftf@fCf<,İ□İ□-,É,Â,ç,Ä,İf`fbfv

□@f\ftfgfEfFfAfCf“fXfg□[f<-

p,İŽ©CEÈ“WŠJftf@fCf<,đ□□-,·,é,É,İ□A•W□€CE^Ž©CEÈ“WŠJftf@fCf<,đ□□-,·,é,æ,è,à□-
□XžèŠÖ,ª,©,©,è,Û,·,ª□A,æ,è□,“x,ÈCE©%oh,İ,İfCf“fXfg□[f<,É,È,è,Û,·□B,à,µf\ftfgfEfFfAfCf“fXfg□[f<-
p,İŽ©CEÈ“WŠJftf@fCf<,Ä-à'è,ª,·,é□è□#□A^È%o,İ,æ,æ,É,µ,Ä,Ý,Ä,,¾,¾,¾,ç□B

1) •W□€CE^Ž©CEÈ“WŠJftf@fCf<,đ□□-,µ,Ä,,¾,¾,¾,ç□B,à,µ,» ,İftf@fCf<,ª³,µ,“ @□,µ,½□è□#□AfeFbfU□[fh,İ
[Wait for] ,İ-“ ,Û,½,İ□Afrf}f“fhf%ofCf“ ,đŽg—p,µ,Ä,ç,é□è□#,İ□A -wait fpf%of□□[f^ ,đf`fFbfN,µ,Ä,-
¾,¾,¾,ç□B,à,µInstallShield,đŽg—p,µ,Ä,ç,é□è□#□A,» ,İfo□[fWf#f“3.0,Ä□AZipftf@fCf<“à,É _isdel.exe ,Æ,ç
,µftf@fCf<,ª ,é,©,Ç,æ,©,đŠm”F,µ,Ä,,¾,¾,¾,ç□B

2) f\ftfgfEfFfAfCf“fXfg□[f<-p,İŽ©CEÈ“WŠJftf@fCf<,İ□Aftf□fbfs□[fffBfXfN,Û,½,İCD-
ROM,©,çftf@fCf<,đRfs□[·,é□A,Æ,ç,æ,æ,æ,ÉfCf“fXfg□[f<fvf□fOf%of€,Æ,Æ,à,É“ @□,·,é,æ,æ
,ÉfffUfCf“ ,¾,è,Ä,ç,é,±,Æ,đ-Y,è,È,ç,Ä,,¾,¾,¾,ç□Bf\ftfgfEfFfAfCf“fXfg□[f<-p,İŽ©CEÈ“WŠJftf@fCf<,İ□Afef“fj
%ofŠfffBfCEfNfgfŠ,Éftf@fCf<,đ“WŠJ,µ□AZw'è,µ,½rfj}f“fh,đŽÄ□s□A□^—□'t,É,©,©,İ,ç,·,rfj}f“fh□—
¹Eä,Éfef“fj%ofŠftf@fCf<,đ,·,x,Ä□í□œ,µ,Û,·□B□,Ä,Ä□Afrf}f“fh,ª□—
¹,·,é'O,É□A“WŠJ,¾,è,½ftf@fCf<,İfRfs□[·,ªfZfbfgfAfbfv,É•K—v,É,È,è,Û,·□B,à,µfRfs□[·,ª•K—
v,É□è□#□A fZfbfgfAfbfvrfj}f“fh,İftf□fbfs□[fffBfXfN,âCD-ROM,©,çftf@fCf<,đRfs□[·,é•K—v,ª ,è,Û,·□Bf\
ftfgfEfFfAfCf“fXfg□[f<-p,İŽ©CEÈ“WŠJftf@fCf<,İ□A□İ,Éfef“fj
%ofŠfffBfCEfNfgfŠ,Éftf@fCf<,đ“WŠJ,µ□A,à,µ“Ä'è,İfffBfCEfNfgfŠ,É“WŠJ,·,é•K—v,ª ,é□è□#,İ□A•W□€CE^Ž
©CEÈ“WŠJftf@fCf<,đŽg—p,·,é•K—v,ª ,è,Û,·□B

3) Visual Basic,İfAfvfŠfP□[fVf#f“fZfbfgfAfbfvfEfbfU□[fh,đŽg—p,µ,Ä,ç,é□è□#,İ,Ý□A%o°<L,đŽŽ,µ,Ä,Ý,Ä,-
¾,¾,¾,ç□B,±,İfZfbfgfAfbfvfEfbfU□[fh,İ□Afcf“fXfg□[f<fv□[f<fh,İ□è□#,İsetup/_isdel,Æ,ç,µfyfA,İfvf□fOf%of€
,Æ“~ ,¶,æ,æ,É□A,QfXfefbfv,İfcf“fXfg□[f<,İfvf□fZfX,đ□□-,µ,Û,·□B,±,İ□è□#,İVisual Basic
fAfvfŠfP□[fVf#f“ ,İfcf“fXfg□[f<,İ□Asetup ,Æ,ç,æ-¼'0,İfvf□fOf%of€
,ªŽÄ□s,¾,è,½□è□#,ÉŽn,Û,è,Û,·□B,» ,İfZfbfgfAfbfvf□fOf%of€,ª□Asetup1,Æ,ç,æ-¼'0,İfvf□fOf%of€
(,Û,½,İ32bit”Ä,İVisual Basic ,đŽg—p,µ,Ä,ç,é□è□#□Asetup132,Æ,ç,æ-¼'0,İfvf□fOf%of€)
,đ<N“ @ ,µ,Û,·□Bsetup1[32]fvf□fOf%of€,İfAfvfŠfP□[fVf#f“ ,İfcf“fXfg□[f<^—□,đ□—¹,¾,Û,·□B,à,µVisual
Basic,İfAfvfŠfP□[fVf#f“fCf“fXfg□[f<,đSelf-Extractor,Ä”z•z,·,é□è□#,İ□A“WŠJ□^—□,ª□—
¹Eä,ÉŽÄ□s,¾,è,éffffHf<fg,İfRf}f“fh,Æ,µ,Ä□Asetup,đ□A“Wait For”fRf}f“fh,Æ,µ,Äsetup1(,Û,½,İsetup132)
,đ□AfeFbfU□[fh,Û,½,İrfj}f“fhf%ofCf“fjfvf#f“ ,ÄŽw'è,·,é•K—v,ª ,è,Û,·□B“Wait
For”fRf}f“fh,Æ,µ,Ä□Asetup1(,Û,½,İsetup132),đŽw'è,µ,È,ç,Æ□AWinZip Self-
Extractor,É,æ,Ä,Ä□AfvfŠfP□[fVf#f“ ,İfZfbfgfAfbfv,É•K—
v,Éftf@fCf<,đ□í□œ,¾,è,Ä,µ,Û,ç□Afcf“fXfg□[f<,ª•sŠ@’S,É,È,Ä,½,è□AfGf%o□[·,ª<N,±,éCE<%oÈ,Æ,È,è,Û,·□B

□@WinZip Self-Extractor,ªfcf“fXfg□[f<fvf□fOf%of€,đ’Ò,Ä,±
,Æ,ª,Ä,« ,È,ç□è□#,ª ,è“¾,Û,·,ª□A,» ,İ□è□#,İ□AWinZip,İftfCfG,İ WinZip Self-Extractor
fy□[fW,Ä□Ä□V□î•ñ,đf`fFbfN,µ,ÄCE©,Ä,,¾,¾,¾,ç□B

ŠÖ~A□€-Û

[fefNfiflf<ftf|□\[fg](#)
[fqf“fg□•f`fbfvfX](#)

fgf“fg•f fbvfX

1. Windows95ã,ÂABAT ftf@fCf<,â make ftf@fCf<,©,ç WinZip Self-Extractor ,ðŽg—p,·,éèè# ,íAŽŸ,ì,æ,æ ,É,µ,Â127•ŸŽš,lfRf}f“fhf%ofCf“•ŸŽš” ,ìSCEÀ,ð”ð,·,é,½,ß,ÉA@fCefXfjff“fxftf@fCf<,ðŽg—p,·,é,± ,Æ,ª,Â,«,Ü,·BfRf}f“fhf%ofCf“flfvfVf#f“ ,ì€ ,ðCEäŽQÆ, ,¾,¾,çB
START /WAIT WINZIPSE.EXE -y [other options] filename.zip
2. •É,lfvf□fOf%of€,©,çŽ©CEÈ“WŠJftf@fCf<,ðŽÀ□s,·,éèè#A ^ø” ,É /auto ,ð,Â,·,é,± ,Æ,Âft□[fU,ìŽwŽ!,È,µ,Âftf@fCf<,ð“WŠJ,·,é,±,Æ,ª,Â,«,Ü,·B,±,lfifvfVf#f“ ,íA□f□Cf“f_fCfAf□fO,ª•\ Ž!,¾,é,½□Ü,ÉA[Unzip] f{f^f“ ,ð%Ÿ,µA“WŠJ,ª□—¹,µ,½□Ü,É [Close] f{f^f“ ,ð%Ÿ,·,ì,Æ“· ,íCEø %oÉ,ª, ,è,Ü,·B“WŠJ□æ,lfHf<f_ ,ðŽw’è,·,é,±,Æ,à,Â,«,Ü,·B—á,!,íAmodem.exe ,ªŽ©CEÈ“WŠJftf@fCf<,ìèè#A
modem.exe /auto c:\modem
ã,ì,æ,æ,ÉŽw’è,·,é,±,Æ,ÂAŽ©“®“l,É C:\modem ftfHf<f_ ,É“WŠJ,¾,è,Ü,·B

ŠÖ~A□€-Ú

[fefNfjff<fTf|□lfg](#)

[fgf%ofuf<fVf...□lfefBf“fO](#)

“®” ŠĀ<<<

©, ±, ±, Ā, í A, , È, ½, ^a Windows , i Žg, ç • ũ, Ā Zip ftf@fCf< ñ ñ • ũ - ©, ð' m, Ā, Ā, ç, é, ±, Ā, ð' O' ñ, Ā, μ, Ā, ç, ũ, · B

Ž © Ā Ē “WŠjftf@fCf<, ñ ñ ñ

© WinZip Self-Extractor , Ā, í Zip ftf@fCf<, ð ñ ñ ñ, ·, é, ±, Ā, í, Ā, <, ũ, ¹, ñ B Zip ftf@fCf<, ð ñ ñ ñ, ·, é, É, í A [WinZip](#)
, ì, æ, x, È f t [f e f B f Š f e f B [, ^a • K - v, É, È, è, ũ, · B

f f “ f O f t f @ f C f < f l [f € , ð f t f [[f g , μ , È , ç [A M S - D O S , ì • W [€ “ l , È % o p Ā Ē , ì Ž © Ā Ē “ W Š j f t f @ f C f < , í A W i n Z i p S e l f -
E x t r a c t o r 1 . 0 , Ā “ - , ¶ , æ , x , É [A M S - D O S , ũ , ½ , í W i n d o w s [ä , Ā ñ ñ ñ , · , é , ±
, Ā , ^a , Ā , < , ũ , · B , » , ì ¹ / 4 , ì Ž © Ā Ē “ W Š j f t f @ f C f < , í A W i n d o w s 3 . 1 / 9 5 / N T [ä , Ā , μ , © ñ ñ ñ , Ā , < , ũ , ¹ , ñ B

Ž © Ā Ē “WŠjftf@fCf<, ì Ž Ā [s

© 32bit Win32 Ž © Ā Ē “ W Š j f t f @ f C f < , í A W i n d o w s 9 5 , ũ , ½ , í W i n d o w s N T [ä , Ā , μ , © Ž Ā [s , · , é , ±
, Ā , í , Ā , < , ũ , ¹ , ñ B f r f “ f p f N f g f w f b f _ , ñ é [# , ð [œ , ç , Ā [A , · , x , Ā , ì 1 6 b i t f w f b f _ , ì Ž © Ā Ē “ W Š j f t f @ f C f < , í W i n d o w s
9 5 , Ā , ì f [“ f O f t f @ f C f < f l [f € , ð f t f [[f g , μ , Ā , ç , ũ , · B Ā » [Ý , ì W i n d o w s N T , ì f o [[f W f # f “ , Ā , í A 1 6 b i t
f A f v f Š f P [[f v f # f “ , É f [“ f O f t f @ f C f < f l [f € , ð f A f N f z f X , ³ , ¹ , È , ç
, ½ , ß [A 3 2 b i t , ì Ž © Ā Ē “ W Š j f t f @ f C f < , í W i n d o w s N T , ð f ^ [[f Q f b f g , Ā , μ , Ā [A f [“ f O f t f @ f C f < f l [f € , ð Ž g -
p , · , é [é [# , É Ž g - p , μ , ũ , · B

WinZip Self-Extractor "z•zftf@fCf<

ftf@fCf<-¼	□à-¾
README.TXT	"±"üî•ñ
LICENSE.TXT	f%ofCfZf"fX
WINZIPSE.TXT	flf"f%ofCf"fhfLf...f□f"fg,ì—v-ñ
WINZIPSE.HLP	flf"f%ofCf"fwf<fv
WINZIPSE.EXE	Windows"À,ìŽÀ□sftf@fCf<
WZIPSE32.EXE	Windows95<y,ÑWindowsNT—p,ìŽÀ□sftf@fCf<
ORDER.TXT	fl□[f_□[ftfH□[f€
WHATSNEW.TXT	□Å□V□î•ñ
FILE_ID.DIZ	BBS—p,ì'Z,†□à-¾
VENDOR.TXT	fVfFfAfEfFfAfffBfXfgfŠfrf...□[f^,ÆfffBfXfNfxf"f_□[,ìî•ñ
SETUP.EXE	*32bitfCf"fXfg□[f<fvf□[fOf%of€fwf<fp□[
SETUP32.EXE	*fCf"fXfg□[f<fvf□[fOf%of€
['□^Ó]□@*,ì,À,†,½ftf@fCf<,ífn□[fhfffBfXfN,ÉfRfs□[,³,ê,Û,¹,ñ□B	

fCf“fXfg□lf<

fCf“fXfg□lf<,i’O.É□A□i’“fvf□fOf%of€,.È,Ç□AfCf“fXfg□lf<,É•K—v,Ä,È,çfvf□fOf%of€,.Í,Ä,«,.é,¾,³,¹,é,æ,π,É,μ,Ä,,¾,³,ç□B

1. ,±,lfwf<fvftf@fCf<,i%ođ“€,,¾,é,½ftfHf<f_É□Awzipse21.exe,Æ,ç,æftf@fCf<,¾,è,Ü,·□B ,±,lfwf<fCf<,đfGfNfXfvf□□lf%o,àftf@fCf<f}f□□fWff,É,Ç,©,çf_fuf<fNfŠfbfN,μ,Ü,·□B
2. **Thank you for installing WinZip Self-Extractor 2.1!**
,±,±,Ä,Í□A[Setup]f{f^f“,đfNfŠfbfN,μ,Ä,,¾,³,ç□B
3. **Setup will install WinZip Self-Extractor into the ...**
,±,±,Ä,ÍfCf“fXfg□lf<□æ,đŽw’è,μ,Ü,·□BInstall to:,ì—“,ÉfCf“fXfg□lf<□æ,đŽw’è,μ□A[OK]f{f^f“,đfNfŠfbfN,μ,Ä,,¾,³,ç□B
4. **Welcome to WinZip Self-Extractor!**
,±,±,Ä,Í□A[View License Agreement],đfNfŠfbfN,μ□Af%ofCfZf“fX”à—e,đŠm”FCEã□A[Yes],đfNfŠfbfN,μ,Ä,-¾,³,ç□B
5. **You can run WinZip Self-Extractor when you choose...**
WinZip,ì[Action]-[Make EXE File],đ’i’đ,μ,½□é□±,É□AWinZip Self-Extractor ,đ<N“@,,é,æ,π,É□A[Program Locations]f_fCfAf□fOf{fbfNfX,ì”à—e,đ•i□X,μ,Ü,·□B•i□X,·,é□é□±,Í□A[Yes] ,đ□A•i□X,μ,É,ç□é□±,Í□A[No] ,đfNfŠfbfN,μ,Ä,,¾,³,ç□B
6. **Welcome to WinZip Self-Extractor!**
,±,é,©,çŽŽ—p,¾,é,é□é□±,Í□A,±,±,ÄfCf“fXfg□lf<,í□i,í,è,Ä,·□B[Close],đfNfŠfbfN,μ,Ä,-¾,³,ç□B□³K“o~^ft□[U,ì•ú,Í□A[Enter Registration Code]f{f^f“,đfNfŠfbfN,μ□A7..Ö□i,ñ,Ä,,¾,³,ç□B
7. **Register WinZip Self-Extractor**
[Organization],ì—“,É“o~^—¼,đ□A[Registration #],ì—“,É“o~^”Ô□t,đ“ü—í,μ□A[OK],đfNfŠfbfN,μ,Ä,-¾,³,ç□B,±,é,ÄfCf“fXfg□lf<,í□i—¹,Ä,·□B[Close],đfNfŠfbfN,μ,ÄfEfBf“fhfE,đ•Ä,¶,Ä,,¾,³,ç□B

WinZip Self-Extractor,Ä,Í□A□i,““Ç,Ý,lfwf<fv,æfCf“fXfg□lf<,¾,é,Ü,¹,ñ□B,±,lfwf<fvftf@fCf<(winzipse.hlp),đ□AfCf“fXfg□lf<ftfHf<f_É□ã□□,«fRfs□[·,é,±,Æ,Ä□A’É□í,lfif“f%ofCf“fwf<fv,Æ”—í,ÉŽg—p,·,é,±,Æ,¾,Ä,«,Ü,·□B,±,ì□Ü□A%opCEè”Ä,lfwf<fv,íŽ,·,í,è,Ü,·,ì,Ä□A•K—v,É□é□±,ì•ÉftfHf<f_ÉfRfs□[·,μ,Ä,,¾,³,ç□B

fAf“fCf“fXfg[]f<

@WinZip Self-Extractor ,É,ÍfAf“fCf“fXfg[]f<<@\,ª, ,è,Ü,·BŽŸ,ì,æ,æ,ÉŽÀ[]s,µ,Ä,,¾,¾,¾,¾

E Windows 3.1[]AWindows NT 3.5 , ,æ,Ń 3.51,Á,í[]Afvf[]fOf%of€f}f[]fWff,ìWinZip Self-Extractor fOf<[]fv,©,ç
Uninstall WinZip Self-Extractor fAfCfRf“ ,ðf_fuf<fNfŠfbfN,µ,Ä,,¾,¾,¾,¾

E Windows 95 , ,æ,Ń Windows NT 4.0,Á,í[]AfXf^[]fjg[]fjv[]fOf%of€]-[WinZip Self-Extractor] ,æ,è
[Uninstall WinZip Self-Extractor] ,ð'ì'ð,µ,Ä,,¾,¾,¾,¾

ŽŸ,ì,æ,æ,É,µ,ÄŽè“ @ ,ÁfAf“fCf“fXfg[]f<, ,é,±,Æ,à,Á,«,Ü,·B

1. Windows @ ,ìftf@fCf<f}f[]fWff[]AfGfNfXfvf[]f%o,È,Ç,ìft[]fefBfŠfefB[] ,ÁWinZip Self-
Extractor,ìftfHf<f_ ,ðftfHf<f_²,Æ[]í[]œ,µ,Ü,·B
2. WinZip Self-Extractor ,ìfAfCfRf“ ,Æfvf[]fOf%of€fOf<[]fv,ð[]í[]œ,µ,Ü,·BWindows 3.1 , ,æ,ŃNT 3.51,Á,íWinZip
Self-Extractor ,ìfOf<[]fv,ðŠ,ç,Ä[]AfAfCfRf“ ,ª,·,x,Ä[]Á,ì,é,Ü,Á [Delete] fL[] ,ð%oŸ,µ,Ä,-
¾,¾,¾,¾BfOf<[]fv,ªó,É,È,è,Ü,µ,½,ç[]A,à,æ^è“x [Delete] fL[] ,ð%oŸ,µ,Ä[]AfOf<[]fvŽ©'ì,ð[]í[]œ,µ,Ä,-
¾,¾,¾,¾BWindows 95 , ,æ,ŃNT 4.0,Á,í[]AfXf^[]fjg[]fjv...[] ,©,ç[]A[]Ÿ'è(S)-
[f^fXfNfo[](T)...][]AfXf^[]fjg[]fjv...[] ,ìŸ'è] f^fu,ð%oŸ,µ,Ü,·B[]í[]œ(R)...] f{f^f“ ,ð%oŸ,µ,Ü,·BWinZip
Self-Extractor ,ð'ì,Ń[]A[]í[]œ] f{f^f“ ,ð%oŸ,µ,Ü,·B
3. WinZip Self-Extractor ,ðWinZip ,ì [Make EXE]fvf[]fOf%of€ ,ÉŽw'è,µ,Ä,ç
 ,é[]ê[]#[]AWinZip,ð<N“ @ ,µ[]A[Options] f[]fjv...[] ,©,ç [Program Locations] ,ð'ì,Ń,Ü,·B[Make Exe],ì—“ ,ðó
—“ ,É,µ,Ü,·B

Ž©ĀÈ“WŠjftf@fCf<,ììì~

□@Ž©ĀÈ“WŠjftf@fCf<,đìì~.,,é,É,í□A,Ü, WinZip® Self-Extractor ,đ<N“®.,μ,Ü,·□B<N“®,.,é,É,í□A^È
%oº,ì,R'È,è,ì•ù-@,º,è,Ü,·□B

1. Windows ,ì,».,ì'¼,ìfvf□fOf%of€,,Æ“~—ì,É□AWinZip Self-Extractor ,đ<N“®,.,é□B
Windows 95,Á,í□A[fXf^□[fg]f□fjf...□[-fvf□fOf%of€ (P)]-[WinZip Self-Extractor]□A[WinZip Self-Extractor]
,đ'ì,Ñ,Ü,·□BWindows 3.1,Á,í□AWinZip Self-Extractor fvf□fOf%of€fOf<□[fv,ì't,ì [WinZip Self-Extractor]
fAfCfRf“,đf_fuf<fNfŠfbfN,μ,Ä,,¾,¾,¾,¾□B
2. WinZip 6.0^È□~.,©,ç'¼Ú WinZip Self-Extractor ,đŽÀ□s,.,é□B
WinZip ,ì [Actions] f□fjf...□[.,ç [Make EXE File] ,đ'ì'đ,.,é,Æ□AŽ©“®“ì,ÉWinZip Self-
ExtractorfEfBfU□[fh,º<N“®,μ,Ü,·□B,½,¾,μ□A,»,ì'O,ÉWinZip ,ì [Options]-[Program Locations] ,ì [Make
EXE],ì—“ ,É□AWinZip Self-Extractor ,ìftf<fpfX,đŽw'è,.,é•K—v,º,è,è,Ü,·□B
3. WinZip Self-Extractor ,đDOS fvf□“fvfg,©,çŽÀ□s,.,é□B
,±,ì□é□□AfRf}f“fhf%ofCf“flfvfVf#f“,º•K—v,É,È,è,Ü,·□BfjfVfVf#f“,ì^è—,É,Á,ç,Ä,í□AfRf}f“fhf
%ofCf“flfvfVf#f“,ì□€,đŽQ□Æ,μ,Ä,,¾,¾,¾,¾□B

'□^Ó

- E Ž©ĀÈ“WŠjftf@fCf<,ºŽÀ□s,¾,è,½□é□□AZip ftf@fCf<“à,ìftfHf<f_□î•ñ,ºŽ©“®“ì,ÉŽg—p,¾,è,Ü,·□B
- E WinZip Self-Extractor ,ìfpfXf□□[fhfVf□fefNfgZipftf@fCf<,â□AfffBfXfN,É•ºŠ,,¾,è,½Zipftf@fCf<,đ^μ,±,±
,Æ,º,Ä,«,Ü,¹,ñ□B

fpfXf[fh

["Compact^" <y,Ñ "MS-DOS + Windows^" ,δœ,, ,x,Ä,İŽ©È"WSjftf@fCf<,É'í,μ,ÄA<ÆSE•W€
İZippfXf[fhfvfNfvf#f",ÄZipftf@fCf<,đ^Ä+%%», ,é,±
,Æ,ª,Ä,«,Ü,·BfpfXf[fh•ÜCEì,³,é,½Zipftf@fCf<,đi- , ,é,É,íAWinZip,È,Ç,İZipCEÝŠ·ft[fefBfŠfefB[,ª•K—
v,É,È,è,Ü,·B,»,İCEâA^Ä+%%»,³,é,½Zipftf@fCf<,đWinZip Self-Extractor,đŽg—p,μ,ÄA'Éí,İZipftf@fCf<,Æ" —
l,ÉAZ©È"WSjftf@fCf<,đi- ,μ,Ü,·Bft[fU[,İŽ©È"WSjftf@fCf<,ªŽÄs,³,é,½Ü,ÉAfpfXf[fh,ì"ü—
í,đ<β,ç,é,Ü,·B³,μ,çfpfXf[fh,ª"ü—í,³,é,É,çé#Aftf@fCf<,í"WSj,³,é,Ü,¹,ñB
@WinZip,Ä,í<ÆSE•W€ ,İZip 2.0^Ä+%%»ftfH[f}fbfg,đŽg—p,μ,Ä,ç
,Ü,·BfpfXf[fhfvfNfvf#f",ì,©,©,Ä,½Zipftf@fCf<,İfpfXf[fh,đ,à,Ä,Ä," ,ç, ,Aftf@fCf<,ì'tg,đCE© ,æ,π
,Æ,· ,éft[fU,É'í,μ,ÄA, ,é'ö"x,İ•ÜCEìCEø%É,ª ,è,Ü,·B,μ,©,μ,É,ª,ç Zip 2.0 ^Ä+%%»ftfH[f}fbfg,Í PGP
,É,Ç,ì,æ,π,Éfvf[fOf%œf€,ÄŽg—p,³,é,é RSA CEóŠJCE@ ^Ä+•úŽ@ ,âADES,É,Ç,ì•úŽ@ ,Ü,Ç^À'S,Ä,í,É,-
A<Zp,ì ,éCEÄ[,ª^Ä+fc[f<,đŽg—p,μ,½é# ,ÉAâ'í"l,É•ÜCEì,đ'ñ<Ÿ,Ä,«,é,í, -,Ä,í ,è,Ü,¹,ñB' ^Ó
@WinZip,ª,æ,è^À'S,É^Ä+%%»ftfH[f}fbfg,đŽA'• ,μ,É,ç,ì,í,Q,Ä,ì—R,ª ,è,Ü,·
B(1)^Ü,É,éftfH[f}fbfg,íAZip 2.0,Æ,İCEÝŠ·« ,đŽ,½,É,ç,½,βA'¼,İZipft[fefBfŠfefB[,ªftf@fCf<,đ•œ+
%%»,Ä,«,É,,É,Ä,Ä,μ,Ü,πB(2)CE»ÝfA[fŠj,É,í^Ä+<Zp,ì—A<Ks,ª ,é,±,ÆB,à,μ<—í,É^Ä+%%»,đ•K—
v,Æ,· ,éé#AZip 2.0^Ä+%%»ftfH[f}fbfg,Ä,í,É,Äé—p,ì^Ä+%%»ftfgfEfffA,đŽg—p, ,é,±
,Æ,đ," , , ,β,μ,Ü,·B

fRf}f“fhf%ofCf“flfvfVf#f“

□@fRf}f“fhf%ofCf“flfvfVf#f“,í□ABATftf@fCf<,â□Amake ftf@fCf<,ðŽg,Á,Ž©CEÉ“WŠjftf@fCf<,í□^—
□,ðŽ©“®“l,É□s,æ□é□#,ÉŽg—p,μ,Ü,·□BfRf}f“fhf%ofCf“flfvfVf#f“,ªŽw'è,ª,½□é□#□AWinZip Self-Extractor
,lfEfBf“fhfE,í'É□í•\Ž!ª,è,Ü,ª,ñ□BfRf}f“fhf%ofCf“,íCE`Ž®,í^É%º,í'É,è,Á,·□B

winzipse[.exe] filename[.zip] [options]

fVfXfef€,í□\$CEÀ,É,æ,Á,Ä□Afrf}f“fhf%ofCf“,í□#CEv,í'ª,ª127•¶Žš,É□\$CEÀ,ª,è,Ä,ç,Ü,·□B'·,çfRf}f“fhf
%ofCf“,ðŽw'è,·,é,É,í□Afrf}f“fhf%ofCf“flfvfVf#f“,ðftf@fCf<,É,μ□A@,ð,Ä,~,ÄfCEfXfJf“fXftf@fCf<,Æ,μ,Ü,·□B—
á,í,í□A^É%º,í,æ,æ,ÈfefLfXfg,ðŠÜ,þfefLfXfgftf@fCf<,ð□Astandard.inp ,Æ,μ,Ü,·□B

- compact -d c:\modem
- m c:\folder\greeting.txt
- nooverwrite

standard.inpftf@fCf<“à,lfifvfVf#f“,í□é□#□AŽŸ,í,æ,æ,É,μ,Ü,·□B

winzipse filename.zip @standard.inp

□@□Ú□×,ÈfRf}f“fhf%ofCf“,í□\•¶,É,Á,ç,Ä,í□A•W□€CE^Ž©CEÉ“WŠjftf@fCf<,lfRf}f“fhf
%ofCf“flfvfVf#f“, ,æ,ÑfVftfgfEfFfAfCf“fXfg□f—pŽ©CEÉ“WŠjftf@fCf<□í□—,lfRf}f“fhf%ofCf“flfvfVf#f“,í□€
,ðŽQ□Æ,μ,Ä,,ª/ª,ª,ç□B

['□^Ö]□@,à,μ'¼,lfvf□fOf%of€,©,çŽ©CEÉ“WŠjftf@fCf<,ðŽÀ□s,ª,ª,½□é□#□A/auto fpf%of□□f^,ðŽg—p,·,é,±
,Æ,Ä□Aft□fU,í“ü—í—ª,μ,Éftf@fCf<,ð“WŠJ,·,é,±,Æ,ª,Ä,«,Ü,·□B,±,lfifvfVf#f“,í□Af_fCfAf□fOf{fbfNfX,ª•\
Ž!ª,è,½□Ü,É [Unzip] ,Ü,½,í [Setup] f{f^f“,ðfNfŠfbfN□A“WŠJ□^—□□—¹CEã,É [Close]
f{f^f“,ðfNfŠfbfN,·,é,í,Æ“~,¶CEø%É,ª, ,è,Ü,·□B•W□€CE^Ž©CEÉ“WŠjftf@fCf<,ðŽg—
p,μ,½□é□#□A“WŠJ□æ,íftfHf<f_,ðŽw'è,·,é,±,Æ,ª,Ä,«,Ü,·□B—á,í,í□A modem.exe
,ªŽ©CEÉ“WŠjftf@fCf<,í□é□#□A

modem.exe /auto c:\modem

,í,æ,æ,É,μ,½□é□#□Aftf@fCf<,íŽ©“®“l,É C:\modem ftfHf<f_,É“WŠJ,ª,è,Ü,·□B

• W⊠€CE^Ž©CEÈ“WŠjftf@fCf<,lfRf}f“fhf%ofCf“flfvfVf#f”

- ⊠@•W⊠€CE^Ž©CEÈ“WŠjftf@fCf<,lfRf}f“fhf%ofCf“flfvfVf#f”
⊠@•W⊠€CE^Ž©CEÈ“WŠjftf@fCf<,lfRf}f“fhf%ofCf“flfvfVf#f” ,í^È%º,ì'É,è⊠B
- y "overwrite file"fvf⊠f“fvfg,É'í,μ,Ä⊠AŽ©“⊠“l,Éyes,Æ
%ºž“š,μ⊠AfpfXf⊠⊠fH,ìCEx⊠⊠f⊠fbfZ⊠fW,ð•\Žì,μ,Ü,¹,ñ⊠B
- 3 f^⊠[fQfbfgfVfXfef€É,“,ç,Ä⊠A%ºÄ“\,È,ç,ÏCTL3D.DLL,ð—p,ç,Ä3DCEØ
%ºÉ,ðŽ⊠,¹/₂,¹,é⊠B
- d <ftfHf<f_> ffftfHf<fg,ì“WŠj⊠æftfHf<f_
-i <fileid> Ž©CEÈ“WŠjftf@fCf<,ÄŽg—
p,·,·,éAfCfRf“ftf@fCf<,ðŽž'è,μ,Ü,·⊠B(•W⊠€“l,È.ICOftfH⊠[f]fbfg,ì,Ý)
- m <fileid> Ž©CEÈ“WŠjftf@fCf<,ªŽÀ⊠s,³,é,¹/₂⊠Ú,É•\
Žì,³,é,éfbfZ⊠fW(frff⊠f“fg)⊠BffftfHf<fg,ì,Ä⊠AZipftf@fCf<“à,É
WINZIPSE.DIZ ,ª,·,é⊠é⊠# ,ì⊠A,» ,ìftf@fCf<,É,È,è,Ü,·⊠B
- compact frf“fpgNfg16bit Windows,ìftf@fCf<,ð⊠⊠—,μ,Ü,·⊠B,±
,ìfvfvf#f“,ìAfpf“foftf@fCf<fl⊠f€,Ö,ì'í%ºž ,é,ç,ì⊠⊠s“x•\
Žìf⊠⊠f^⊠[,ì,È,çŽ©CEÈ“WŠjftf@fCf<,ð⊠⊠—,μ,Ü,·⊠Bfpf“foftf@fCf<fl⊠
f€ ,ªŽg—p,³,é,Ä,ç,È,ç⊠é⊠# ,ì⊠A,±
,é,ç,ìftf@fCf<,ìWindows3.1.95.NT,Ä“⊠⊠,μ,Ü,·⊠B,±
,é,Ä⊠⊠—,³,é,¹/₂ftf@fCf<,ìWinZip Self-Extractor
1.0,Ä⊠⊠—,³,é,¹/₂,à,ì,Æ,Ü,Æ,ñ,Ç“ ,¶,Ä,·⊠B
- standard •W⊠€“l,È16frfbfgWindows,ìftf@fCf<,ð⊠⊠—,μ,Ü,·⊠B,±
,ìfvfvf#f“,É,æ,è⊠⊠—,³,é,éŽ©CEÈ“WŠjftf@fCf<,lf⊠f“foftf@fCf<fl⊠f
€ ,Æ⊠⊠s•\Žìf⊠⊠f^⊠[,É'í
%ºž,μ,Ü,·⊠B,¹/₂,³/₄,μ⊠A,à,μf⊠f“foftf@fCf<fl⊠f€ ,ªŽg—p,³,é,Ä,ç
,Ä⊠A,» ,ìŽ©CEÈ“WŠjftf@fCf<,ª16frfbfgf⊠f“foftf@fCf<fl⊠f€API,ðfTfj
⊠[fg,μ,È,çfvfXfef€⊠i—
á,ì,ìNT,ìCE»f⊠fWf#f“⊠j⊠ä,ÄŽÀ⊠s,³,é,¹/₂⊠é⊠#⊠A-â'è,ì<N,±,é%ºÄ“\
⊠« ,ª ,éŽì ,ìCEx⊠⊠ ,ª•\Žì ,³,é⊠A' ,çftf@fCf<—
¹/₄,ì'S,Ä⊠Ø,è,Ä,ß,ç,é,Ü,·⊠B,±
,ìCEx⊠⊠,ìAflfvfvf#f“,lfRf⊠f“fgf⊠fbfZ⊠fW,ìCEä,É•\Žì,³,é,Ü,·⊠B
- dos MS-DOS,“,æ,Ñ16frfbfgWindows'í%ºž,ìftf@fCf<,ð⊠⊠—,μ,Ü,·⊠B,±
,ìfvfvf#f“,É,æ,è⊠⊠—,³,é,¹/₂Ž©CEÈ“WŠjftf@fCf<,ìWindows,© ,ç,Ä,àD
OSfvf⊠f“fvfg,© ,ç,Ä,àŽÀ⊠s,Ä,« ,Ü,·⊠Bfpf“foftf@fCf<fl⊠f€ ,É ,ì⊠AMS-
DOS,ª“ñ'í%ºž,ì,¹/₂,ß⊠A'í%ºž,μ,Ü,¹,ñ⊠B
- win32 32frfbfg,ìWindows 95,“,æ,ÑNT'í%ºž,ìftf@fCf<,ð⊠⊠—,μ,Ü,·⊠B,±
,ìfvfvf#f“,É,æ,è⊠⊠—,³,é,¹/₂Ž©CEÈ“WŠjftf@fCf<,ìWindows95,“,æ,ÑN
TŠÀ«%ºº,Äfpf“foftf@fCf<fl⊠f€ ,É'í%ºž,μ,Ü,·⊠B,±
,é,ç,ìŽ©CEÈ“WŠjftf@fCf<,ìŠ'Š,È32frfbfgfvf⊠fOf%of€
,È,ì,Ä⊠AWindows 3.1ŠÀ«%ºº,Ä,ìŽÀ⊠s,Ä,« ,Ü,¹,ñ⊠B
- le %ºpCEè,Ä•\Žì
-lg fhfCfcCEè,Ä•\Žì
-overwrite Ž©CEÈ“WŠjftf@fCf<,ì⊠ä⊠',«f fFfbfNf{fbfNfX ([Overwrite])
,ª ,ç,© ,¶,ßf fFfbfN,³,é,Ü,·⊠B
- nooverwrite Ž©CEÈ“WŠjftf@fCf<,ì⊠ä⊠',«f fFfbfNf{fbfNfX ([Overwrite])
,ª ,ç,© ,¶,ßf fFfbfN,³,é,Ü,¹,ñ⊠B
- auto Ž©CEÈ“WŠjftf@fCf<,ªŽÀ⊠s,³,é,¹/₂⊠Ú,É⊠AZ©“⊠“l,É [Unzip] f{f^f“,ð
%ºŸ,μ,Ü,·⊠B,±,ì<@“\,ðŽg—p,·,·,é⊠é⊠# ,ì⊠A'⊠^Ó,μ,Ä, -
,³/₄,³,ç⊠B,à,μ,» ,ìftf@fCf<,ðfCf“f^⊠[flfbfg,âfpf
frf“É⊠M,ÉfAfbfvf⊠⊠[fh,μ,æ,æ,Æ,“⊠l,ì,ì⊠é⊠#⊠AfvfXfef€ŠÇ—
⊠ŽØ ,ª⊠Afvf⊠f“fvfg—
³,μ,Äftf@fCf<,ð“WŠj ,·,éftf@fCf<,ð<““Ü ,·,é,© ,à,μ,é,Ü,¹,ñ⊠B

```

-st "<title>"      Ž©ĀĒ"ŴŠjftf@fCf<,lf^fCf<fo[.É•\
                  Ž! ,³,è,éfefLfXfg,ðŽw'è,μ,Û,·□B,±,lf|fvfVf#f",Í "CompactĀĒ^" <y,Ñ
                  "MS-DOS + WindowsĀĒ^" ,lŽ©ĀĒ"ŴŠjftf@fCf<,lĕĕ# ,Í-³Ž<,³,è,Û,·□B
-c <command>     "ŴŠJĀĚŽĀ□s,·,éffftfHf<fg,lfRf}f"fh,ðŽw'è,μ,Û,·□B□Ŷ'è,·,é□ĕĕ#□A,±
                  ,lf|fvfVf#f",Í^ĕ"Ō□ĀĀĀĚ,É<L□q,μ,Ā%°³,ċ□B,±,±
                  ,ĀŽw'è,μ,½fRf}f"fh,Íft□lfU□[,l"ŴŠJ□æftfHf<f_ ,æ,èŽĀ□s,³,è,é,ì,Ā□A,
                  ±,lfRf}f"fh,ÉftfHf<f_ ,lĕĕ•ñ,Í•□'É•K—v, ,è,Û,¹,ñ□B,±
                  ,lfRf}f"fh,lŽĀ□s,É,lWindows WinExec API,āŽg—
                  p,³,è,Û,·□BŽw'è,·,é□Ū,Í□Aftf@fCf<-¼,¾, ,Ā,Ē,□Afrf}f"fh-
                  ¼,ð□³Šm,ÉŽw'è,μ,Ē, ,è,Ī,Ē,è,Û,¹,ñ□B

```

Žg—p—á□F

C> winzipse filename -d c:\modem -c winhelp modem.hlp

```

□@,±,lfRf}f"fh,Ā,Í□Afilename.zip,Ā,ċ,ċftf@fCf<,©,ċfilename.exe,Ā,ċ
,ġŽ©ĀĒ"ŴŠjftf@fCf<,ð□l□¬,μ,Û,·□BffftfHf<fg,l"ŴŠJ□æftfHf<f_ ,l"c:\modem",Ā□A"ŴŠJĀĚ,É"winhelp
modem.hlp",Ā,ċ,ċftf@fCf<,āŽ©"®"l,ÉŽĀ□s,³,è,Û,·□B

```

```

□@,Û,½□Afrf}f"fhf%ofCf"flfvfVf#f",ðfrf}f"fhf%ofCf"flfvfVf#f",l□Ē,Ā□q,x,½fĀfXfj
f"fxftf@fCf<"à,É<L□q,·,é,±,Ā,ā,Ā,«,Û,·□B

```

f\ftfgfEjFfAfCf"fxfg[]f<-pŽ©CEÈ"WSjftf@fCf<,lfRf}f"fhf %ofCf"flfvfVf#f"

[\[\]@f\ftfgfEjFfAfCf"fxfg\[\]f<-pŽ©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f"](#), í Ě %oº, í Ě, è []B

- setup f\ftfgfEjFfAfCf"fxfg[]f<-pŽ©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- t <fileid> f\ftfgfEjFfAfCf"fxfg[]f<-pŽ©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- i <fileid> Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- a <fileid> Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- 3 Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- wait<name> fRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- ishield3 [InstallShield 3.0](#), ÆInstallShield 3.0 SDK Edition, lft[]fU[], É•K— v, ÈflfvfVf#f", í Ě %oº, í Ě, è []B
- win32 32frfbfg, lWindows 95, "æ, ÑNT'í%ºž, lftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- le %opCEè, Å•\Ž!
- lg fhfCfCCEè, Å•\Ž!
- auto Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- st "<titile>" Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B
- c <command> "WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf#f", í Ě %oº, í Ě, è []B

[´^Ó]

[]E fRf}f"fhf%ofCf"flfvfVf#f", ðfRf}f"fhf%ofCf"flfvfVf#f", []E, Åq, x, ½fCfXfj|f"fxftf@fCf<"à, É<L[]q, í Ě, è, ±, Æ, º, Å, «, Û, []B

□E f\ftgfeFfAfCf“fXfg□lf<-p,lž©CEÈ“WŠjftf@fCf<,đ□AfeFbfU□[fh,Å,Í,È,fRf}f“fhf
%ofCf“,Å□ì□-,·,é□ê□#□A□,È,,Æ,à^È%o²,ì,ᄁ,ì,Ç,ì,ç,©,đŽw'è,·,é•K—v,ª, ,è,Û,·□B
-setup ,“,æ,Ñ -c flfvfVf#f“
 ,Û,½,í
-ishield3 flfvfVf#f“
,»,ì'¼,lfifvfVf#f“fXfCbf` ,ífifvfVf#f“,Å,·□B

Ž☉☉È“WŠJftf@fCf<,iŽÀ□s

□@Ž☉☉È“WŠJftf@fCf<,đ“WŠJ,·,é,É,í□A,»i,ŽÀ□sftf@fCf<□i.EXE□j,đŽÀ□s,·,é,¾,·,Á,·□B—á,í,í^È%º,ì,æ,¼,É,È,è,Û,·□B

□E Windows 3.1□AWindows NT 3.5,»·,µ,Ä3.51□ā,Á,í□Afvf□fOf%ºf€f}f□□[fWff,đfAfNfefBfu,É,·,é□A[ftf@fCf<(F)] f□fjf...□[·,©,ç [ftf@fCf<-¼,đŽw'è,µ,ÄŽÀ□s(R)] ,đ'í'đ,·,é□A—Ú“í,íŽ☉☉È“WŠJftf@fCf<,íftf@fCf<-¼,đ□³Šm,É“ü—í,µ,Ä [Enter] fL□[·,đ%ºÿ,·□B,·,é,ç,íftf@fCf<f}f□□[fWff,đ<N“®·,µ,Ä—Ú“í,íŽ☉☉È“WŠJftf@fCf<,đf_fuf<fNfšfbfN,·,é□B

□E Windows 95,Û,½,íWindows NT 4.0□ā,Á,í [fXf^□[fg] f□fjf...□[·,©,ç [ftf@fCf<-¼,đŽw'è,µ,ÄŽÀ□s(R)] ,đ'í,ñ□A—Ú“í,íŽ☉☉È“WŠJftf@fCf<,íftf@fCf<-¼,đ□³Šm,É“ü—í,µ,Ä [Enter] fL□[·,đ%ºÿ,·□B,·,é,ç,íRf}f“fhfvf□“fvfg,Á—Ú“í,íŽ☉☉È“WŠJftf@fCf<,íftf@fCf<-¼,đ□³Šm,É“ü—í,µ,Ä [Enter] fL□[·,đ%ºÿ,·□B

•W□€“íŽ☉☉È“WŠJftf@fCf<,iŽÀ□s,ì□Ú□×□F

□@·W□€“íŽ☉☉È“WŠJftf@fCf<,»ŽÀ□s,¾,é,é,Æ□AfvfVfVf#“□Y'è,íf_fCfAf□fOf{fbfNfX,»\Ž!;¾,é,Û,·□B

□E ftf@fCf<,í“WŠJ□æftfHf<f_

□E “-¼,íftf@fCf<,»í□Y,µ,½,Æ,«,ÉŽ☉“®“í,É□ā□‘,«,đ,·,é,©□A,»é,¾,é,đ□ā□‘,«,·,é,Æ,«,ÉŠm“F,·,é,©,Ç,¼,·,©□B

□E ,»iZIPftf@fCf<,»í□—,¾,é,½,Æ,«,É□Y'è,¾,é,Ä,ç,éfvfVfVf#“íRf}f“fh,đŽÀ□s,·,é,©,Ç,¼,·,©□BfvfVfVf#“íRf}f“fh,»□Y'è,¾,é,Ä,ç,É,ç,Æ,«,í,±,í`fFfbfNf{fbfNfX,í%ºB,¾,é,Ä,ç,Û,·□B

[UnZip] (“WŠJ,·,é) f{f^f“,Á'S,Ä,íftf@fCf<,đ□Y'è,¾,é,½ftfHf<f_Ö“WŠJ,µ,Û,·□B[Run WinZip](WinZip,đ<N“®·,é) f{f^f“,đfNfšfbfN,·,é,Æ□A,±,íŽ☉☉È“WŠJftf@fCf<,đWinZip,đŽg,Á,ÄŠJ,«,Û,·□iWinZip,»fvfXfef€ ,ÉfCf“fXfg□[f<,¾,é,Ä,ç,½□é□#□□B,±,é,É,æ,è□A□'CEÉ“à,í'Á'è,íftf@fCf<,¾,·“WŠJ,Û,½,í+□g,í%º{——□Afvf□fOf%ºf€fOf<□[fv,ì□ì□—□A□'CEÉ,ì^Ú“®,É,Ç,»%ºÁ“\,É,È,è,Û,·□B

[Close](·Á,¶,é)□A[About]□A[Help] f{f^f“,í,»é,¾,é□A□uŽ☉☉È“WŠJftf@fCf<,đ·Á,¶,é□v□A□u“ÁCE □í·ñ,ì\Ž!□v□A□uŠî—{“í,ÉŽg—p—@,ì\Ž!□v,đ^Ó—i,µ,Û,·□B

fvtfgfEfvfAfCf“fXfg□[f<—pŽ☉☉È“WŠJftf@fCf<,iŽÀ□s,ì□Ú□×□F

fvtfgfEfvfAfCf“fXfg□[f<—pŽ☉☉È“WŠJftf@fCf<,»<N“®,¾,é,é,Æ□A[Setup](fZfbfgfAfbfv) □A[Cancel] (fLfff“fZf<)□A[Help](fvf<fv),íŽO,Á,íf{f^f“,» ,éfvfCfAf□fOf{fbfNfX,»CE»,é,Û,·□B,±

,é,ç,íf{f^f“,đ,»é,¾,é,é□u□Y'è,¾,é,Ä,ç

,éZIPftf@fCf<“à,íRf}f“fh,íŽÀ□s□v□A□uŽ☉☉È“WŠJftf@fCf<,đ·Á,¶,é□v□A□u“ÁCE □í·ñ,ÆŽg—p·ú—@,đ·\Ž!,·,é□v,đ^Ó—i,µ,Û,·□B

'□^Ó□@·É,ífvf□fOf%ºf€,©,çŽ☉☉È“WŠJftf@fCf<,đŽÀ□s,·,é□é□□A ^ø□“,É /auto ,đ,Á,·,é,±,Æ,Áft□[fU,íŽwŽ!,É,µ,Áftf@fCf<,đ“WŠJ,·,é,±,Æ,»Á,«,Û,·□B,±,íf{fvfVfVf#“í□AfvfCf“f_fCfAf□fO,»·\Ž!,¾,é,½□Û,É□A[Unzip] f{f^f“,đ%ºÿ,µ□A“WŠJ,»□—¹,µ,½□Û,É [Close] f{f^f“,đ%ºÿ,·,í,Æ“·,¶CEº%ºÉ,» ,é,Û,·□B“WŠJ□æ,íftfHf<f_đŽw'è,·,é,±,Æ,à,Á,«,Û,·□B—á,í,í□Amodem.exe ,»Ž☉☉È“WŠJftf@fCf<,ì□é□#□A

modem.exe /auto c:\modem

□ā,ì,æ,¼,ÉŽw'è,·,é,±,Æ,Á□AŽ☉“®“í,É C:\modem ftfHf<f_É“WŠJ,¾,é,Û,·□B

WinZip Self-Extractor fEfBfU [fh,đŽg—p,·,é

@WinZip Self-Extractor fEfBfU [fh,đŽg—

p,·,é,Æ[AŽ©Ě“WŚ]ftf@fCf<,đŠĚ‘P,É[]—,Á,«,Ü,·B^ê~A,lfXfefbfv,đ **[Next]** f{f^f“,đ%oŸ,μ,È,ª,ç[]i,ß,Ä,ç,,±
,Æ,ª,Á,«,Ü,·B‘O,ìó‘Ó,É-ß,éê[]‡,í[]A,ç,Á,Á,à **[Back]** f{f^f“,đ%oŸ,μ,Ä-ß,é,±
,Æ,ª,Á,«,Ü,·Bf|fvfvf‡“,ÉŠÖ,·,é[]Ú,μ,ç[]i•ñ,đĚ©,é,É,í[]A,ç,ìfEfBf“fhfE,Á,à[]A**[Help]** f{f^f“,đ
%oŸ,μ,ÄĚ©,é,±,Æ,ª,Á,«,Ü,·B

Ž©ĀÈ“WŠJftf@fCf<,ìf^fCfv,đ‘ì’đ

Standard Self-Extractor (•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<)

□@•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<,í□ì□¬,àŠÈ‘P,Ā, ,è□A•¶□‘□A%œ‘œ,»„,ì‘¼,ìftf@fCf<,đ%œìŽĐ,ì“
—»„,È,Ç,É‘—,é,ì,É—□‘z“ì,Ā,•□B,Û,½‘P□f,Èf
ftfgfEfFfAfCf“fXfg□[f<,É,àŽg,ì,Û,•□B•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<,í16bit Windows□A32bit
Windows□A,»„,μ,Ā Windows + MS-DOS ‘í%ž“Ā,ª□ì□¬,Ā,«„,Û,•□B<N“®„,μ,½□Û,É^ŽA•¶,à•Žì,•,é,±
,Ā,ª,Ā,«„,Û,•□BffftfHf<fg,ì“WŠJ□æftfHf<f_□A[**Overwrite files without prompting**]
(Šm“F,¹,•,Éftf@fCf<,đ□ă□‘,«„,•,é)f{fbfNfX,đffftfHf<fg,Āf^fFfbfN,•,é,©,Ç,ª,©□A
“WŠJ□ì<ĀĀĀŽĀ□s,³,¹,½,†fRf}f“fh□A,È,Ç,đ□Ý‘è,Ā,«„,Û,•□B

Self-Extractor for Software Installation (†ftfgfEfFfAfCf“fXfg□[f<—pŽ©ĀÈ“WŠJftf@fCf<)

□@†ftfgfEfFfAfCf“fXfg□[f<—pŽ©ĀÈ“WŠJftf@fCf<,ìfZfbfgfAfbfv,É‘½□,ì□ì<Ā,ª•K—
v,É,È,è,Û,•,ª□A,æ,èfvf□ftfFfbfvf#fif<,ÉfCf“fXfg□[f<,ª,Ā,«„,é,æ,ª,É,È,è,Û,•□BŽ©ĀÈ“WŠJftf@fCf<,Ā•\
Žì,³,é,éfelfXfg•¶Žš—ñ,“„,æ,ÑfAfCfRf“,đjJfXf^f}fCfY,Ā,«„,Û,•□B,±
,ìŽ©ĀÈ“WŠJftf@fCf<,ì^èŽžftfHf<f_đ□ì□¬,μ□A,»„,±,Öftf@fCf<,đ“WŠJ,μ□A□Ý‘è,μ,½fZfbfgfAfbfvf#fif□Of
%œf€,đ<N“®„,μ□A,»„,ìŽĀ□s,ªŠ@—¹,•,é,ì,đ‘Ò,Ā,Ā□A□Ā□%œ,ì‘iŠK,Ā□ì□¬,μ,½^èŽžftfHf<f_đ□ì□œ,μ,Û,•□B

□Ú□x,É‘Š^á“_„,É,Ā,†,Ā,ìŽ©ĀÈ“WŠJftf@fCf<,ì•W□€ĀÈ^,Ā†ftfgfEfFfAfCf“fXfg□[f<—p,Ā,ìŠ^á“_„,ì□€,đŽQ□Ā
%œ²,³,†□B

Ž©ĀÈ“WŠJĀĤ,É,·,éZipftf@fCf<,ì‘l’ð

□@WinZip Self-Extractor ,íŠù,É‘ŋ□Ÿ,·,éZIPftf@fCf<□i.zip,ìŠg’£Žq,ì,Ā,¢
,½ftf@fCf<□j,©,çŽ©ĀÈ“WŠJĀĤ,ìZIPftf@fCf<,ð□ì□¬,μ,Û,·□B□ì□¬,³,è,½Ž©ĀÈ“WŠJftf@fCf<,ì-
¼‘O,íĀ³,ìZIPftf@fCf<,Ā“¬¼,É,È,è,Û,·□Bftf@fCf<Ž“•ĒŽq,í.EXE,Ā,È,è,Û,·□B

□@-Ú“l,ìZIPftf@fCf<-¼,ð□³Šm,É“ü—í,·,é,©□A[**Browse**]
(ŽQ□Ā)ff{f^f“,ðfNfŠfbfN,μ,ĀŠg’£Žq,ª.Zip,ìftf@fCf<,ð‘T,μ,Û,·□B

□@WinZip,ðŽg,Ā,ĀZIPftf@fCf<,ð□ì□¬,μ,½,¢,ĀE,«,í□A[**Run WinZip**]
(WinZip,ð·N“®,·,é)ff{f^f“,ðfNfŠfbfN,μ,Û,·□B,»μ,ĀWinZip,ì [Actions] f□ffj...□[.ì [Make EXE],ð‘l,ñ,Ā WinZip
Self-Extractor,Ö-ß,Ā,Ā%ºº,³,¢□B

□@-Ú“l,ìZIPftf@fCf<,ð‘l,ñ,¼,È,ç,í□A[**Next**] ,ðfNfŠfbfN,μ,ĀflfvfVf#f“,ð□Ÿ‘è,·,é,©□A[**Finish**]
,ðfNfŠfbfN,μ,ĀffftfHf<fg,ìflfvfVf#f“,ĀŽ©ĀÈ“WŠJftf@fCf<,ð□ì□¬,μ,Ā%ºº,³,¢□B

f[]fbfZ[]fWftf@fCf<,i[]i[]-,.,é

□@•W□€CE^Ž©CEÈ“WŠjftf@fCf<,í<N“® ,μ,½□ê□#,É□A□fbfZ[]fWf{fbfNfX,đ•\Ž!,.,é,± ,Æ,ª,Á,«,Ü,·□B□fbfZ[]fW•\Ž!,ª•K—v,È,ç,Æ,«,í□A,±,íftfB[]f<fh,đ<ó” ,É,μ,Á%º,³,ç□B

□@f[]fbfZ[]fW,í',ª,É,μ,Á“¼Šp512•¶Žš^È“à,Á•\Ž!%ºÁ“\

,Á,·□i“¼Šp512•¶Žš,í•W□€“l,ÈWindows,ífbfZ[]fWf{fbfNfX“à,ífbfZ[]fW,ìCEÀŠE,Á,·□j□B,± ,ífbfZ[]fWf{fbfNfX,ì□Ž©,í□,μfgfŠfbfL□[,Á,·□B,Á,Ü,è□A□fbfZ[]fW<,ì□³Šm,ÈftfCfY,ífvfxfef€,ì%ºæ-È•\ Ž!,ì□Ý'è,É^È'¶,μ,Ü,.,ì,Á□A,±,±,Á,ífefLfxfg,É,í•¶Žš—ñ,đ•ª,¯,é,½,ß,É<ó□s,đ“ü,è,½,ç,Æ,«,¾,¯□A%ºü□s(CR/LF),đ“ü,è,È,¯,è,í,È,è,Ü,¹,ñ□B,±,íftf@fCf<,đ□i[]-,.,é,ç,ç•û-@,ì^è,Á,í^È%º,ì,æ,π,É,È,è,Ü,·□B

□E f[]f,' (Notepad),đ<N“®

□E [•Ö□W(E)] fvf<f_fEf“f[]ffj...□[,Á [%ºE'[,Á□Ü,è•Ö,·(W)] ,af`fFfbfN,ª,è,Ä,ç,È,¯,è,í□A□f`fFfbfN,·,é□B

□E □s,đ□Ü,è•Ö,·,½,ß,ì%ºü□s (Enter),đ“ü,è,.,,É•¶Žš—ñ,đ“ü—í,μ,Ü,·□B,Á,Ü,è□A□ã,ífbfZ[]fWf{fbfNfX<@“\ ,Á•¶Žš,đ□Ü,è•Ö,ª,¹,Ü,·□B<ó□s,đ“ü,è,½,ç,Æ,«,¾,¯ [Enter] fL□[,đ%ºÝ,μ,Á%ºº,³,ç□B,±,ì□ê□# [Enter] fL□[,đ“ñ“x%ºÝ,μ,Ü,·□B

□E f[]f,' ,ì<,íftfCfY,đ•í,ì,Á,Ý,Ä□ACE©%ºh,ì,ì—Ç,çftfCfY,É,È,Á,½,Æ,±,è,Áftf@fCf<,đ•Ü'¶,μ,Ü,·□B

,±,íftfB[]f<fh,íRf}f“fhf%ºfCf“f[]fvfVf#“ ,ì -m ,É'S“ -,μ,Ü,·□B

□@[Next],đfNfŠfbfN,μ,Äf[]fvfVf#“ ,đ□Ý'è,.,é,©□A[Finish]

,đfNfŠfbfN,μ,ÁŽ©CEÈ“WŠjftf@fCf<,đffftfHf<fg,ífvfVf#“ ,Á□i[]-,μ,Ü,·□B

ffftfHf<fg,ì“WŠJ□æftfHf<f_

□@ZIP“WŠJ□æ,ìffftfHf<fg,ìftfHf<f_,ðŸ’è,Å,«,Ü,·□B,à,μ,±,ìftfB□[f<fh,ð<ó’’,É,μ,Ä,“, -
,Æ□Aft□[fU□[,ªŠÅ<<•ì□“TEMP=,ÅŽw’è,μ,½ftfHf<f_,ªŽg—p,³,è,Ü,·□B,à,μ, ,È,½,
ìZIPftf@fCf<,É“WŠJ,μ,½’t□g,ð•É,ìftfHf<f_,ÖfRfs□[.,,é,æ,x,ÈfZfbfgfAfbfvfvf□fOf%of€ªŠÜ,Ü,è,Ä,ç
,½□è□#,É,í□A’Éí,±,è,ª□Å—Ç,ì‘’ð,Æ,È,è,Ü,·□B,à,μfZfbfgfAfbfvfvf□fOf%of€
,ðŠÜ,Ü,È,ç□è□#,í□A,»ìZIPftf@fCf<,ì“à—e,É,ì,È,ñ,¾ftfHf<f_—¼,ð‘I,Ö,ì,à,æ,ç,Å,μ,â,x□B—
á,ì,í□Amodem.hlp,Æ,ç,x-¼‘O,ìfwf<fvftf@fCf<,ðŠÜ,ÞZIPftf@fCf<,ìè□#,É,íc:modem,Æ,.,é,È,Ç□B
□@,±,ìftfB□[f<fh,ìfRf}f“fhf%ofCf“fìfvfvf#f“,ì -d ,É‘Š“—,μ,Ü,·□B
□@[Next],ðfNfŠfbfN,μ,Äfìfvfvf#f“,ðŸ’è,.,é,©□A[Finish]
,ðfNfŠfbfN,μ,ÅŽ©ÆÈ“WŠJftf@fCf<,ðffftfHf<fg,ìfìfvfvf#f“,Å□ì□—,μ,Ü,·□B

“WŠJĀĚŽÀs,·,éRf}f“fh

Ⓜ@“WŠJĀĚŽÀs,·,éRf}f“fh,đŸ’è,Ā,«,Ü,·B,±,łtfBł[f<fh,đ<ó”’,ì,Ü,Ü,É,·,é,ĀfRf}f“fh,í
%½,àŽÀs,³,è,Ü,¹,ñB,±,łRf}f“fh,łftł[fUł[,ì“WŠJĀĚfHf<f_æ,èŽÀs,³,è,Ü,·Bł],Ā,ĀftfHf<f_łĥ,í•ĥ,í•Ě,±
,łRf}f“fh,É,í•K—v, ,è,Ü,¹,ñBWindows WinExec API,²,±
,łRf}f“fh,đŽÀs,·,éłÜ,ÉŽg,í,è,Ü,·BłŸ’èŽž,É,łtf@fCf<-¼,¾,¯,Ā,È,ł³Šm,ÈfRf}f“fh,đ<Lłq,·,é•K—v,², ,è,Ü,·
B“TĀĚ^“ł,ÈfRf}f“fh,łF

ⓂE WINHELP myfile.HLP ł\Windows,łHELP,đ<N“® ,μ,ĀZIP“à,łfwf<fvftf@fCf<,đŠJ,«,Ü,·B

ⓂE NOTEPAD myfile.TXTłfłf,‘ (NOTEPAD),đ<N“® ,μ,ĀZIP“à,łtf@fCf<,đŠJ,«,Ü,·B

Ⓜ@,±,łfłvfVfłf“ ,đŽg—p,μ,ĀłA“MS-DOS + WindowsĀĚ^” ŽĀĚ“WŠJłtf@fCf<,đłłł-,·,éłĚłłłAMS-
DOS,ĀŽÀs,μ,½łĚłł,É-³Āø,Ā, ,é,Ā,łĀxłł,đŽó,¯,Ü,·B

Ⓜ@,±,łtfBł[f<fh,łRf}f“fhf%ofCf“fłvfVfłf“ ,ì -c ,É’Š—,μ,Ü,·B

Ⓜ@[Next] ,đfNfŠfłfN,μ,ĀfłvfVfłf“ ,đŸ’è,·,é,łA[Finish]
,đfNfŠfłfN,μ,ĀŽĀĚ“WŠJłtf@fCf<,đffftfHf<fg,łfłvfVfłf“ ,Āłłł-,μ,Ü,·B

Ž©ĀÈ“WŠjftf@fCf<,ÅŽg—p,·,éAfCfRf“ ,iŽw'è

□@Ž©ĀÈ“WŠjftf@fCf<,ÅŽg—p,·,éAfCfRf“ ,đŽw'è,·,é,±,Æ,ª,Å,«,Û,·□B,à,μ,±,ì—“ ,đ<ó—“ ,É,μ,Å,“,ç
,½□ê±□AffffHf<fg,ìfAfCfRf“ ,ªŽg—p,ª,é,Û,·□B,±,ìftf@fCf<,í•W□€“l,ÉWindows,ìfAfCfRf“ftf@fCf<Ā`Ž®,Å, ,é•
K—v,ª, ,è,Û,·□B,±,ìftf@fCf<,í□AWindows SDK,Æ“z•z,ª,é,Å,ç,éfcf□□[fWfGfffBfbfgfvf□fOf%of€ AppStudio
□AfT□[fhfp□[fefB□\$,ìOf%oftfBfbfNfc□[f<,đŽg—p,μ,Å□i□—,·,é,±,Æ,ª,Å,«,Û,·□B

□@□Ů□×□@WinZip Self-Extractor

,í□AŽw'è,μ,½fAfCfRf“ftf@fCf<,©,ç□A32x32,“,æ,Ñ16x16fsfNfZf<,ìfcf□□[fW,đfRfs□[.μ,Û,·□B16□F,ìfcf□□[fW,ì,Ý
Žg—p,·,é,±,Æ,ª,Å,«,Û,·□B,à,μŽw'è,μ,½fAfCfRf“ftf@fCf<,ª□A16x16fcf□□[fW,đŠÛ,ñ,Å,ç
,É,ç□ê±□A,» ,ìftf@fCf<,đ□—,ª,çfAfCfRf“],Å•Ž!,·,é,Æ□A32x32fsfNfZf<,ìfcf□□[fW,đ□k□—,μ,½fAfCfRf“ ,đ•\
Ž!,μ,Û,·□B

,±,ì—“ ,í□A-i fRf}f“fhf%ofCf“flfvjvf±f“ ,Æ“~,¶,Å,·□B

ŽŒ“WŠJtf@fCf<,İŽİ—P

4,Ä,İŽİ—P,İŽŒ“WŠJtf@fCf<,ªïï¬,Ä,«,Ü,·ïB

☐E **Standard 16-bit Windows** (•W€€,İ16frfbfgWindows‘İ%žtf@fCf<)

,±,İfİfvVf#“,É,æ,èïï¬,ª,è,ÉŽŒ“WŠJtf@fCf<,İf“fOftf@fCf<fİ[f€,ÆïïS•\Žİfïïf^ï[Éİ
%ž,µ,Ü,·ïB,½,¾,µA,à,µf“fOftf@fCf<fİ[f€,ªŽg—p,ª,è,Ä,ç
,ÄA,».,İŽŒ“WŠJtf@fCf<,ª16frfbfgf“fOftf@fCf<fİ[f€API,ðTfïïfg,µ,È,çfvXfef€ïi—
á,İ,İNT,İE»fo[fWf#“ïïã,ÄŽÄs,ª,è,½èïïA-à‘è,İ<N,±,é%Ä“\ï«ª, ,éŽ|,İExïï,ª\
Ž|,ª,èA’,çftf@fCf<-¼,İ’S,ÄØ,è,Ä,ß,ç,è,Ü,·ïB,à,µ’,çftf@fCf<-¼,ªŽg,İ,è,Ä,ç,È,çèïï#,İ,±
,è,ç,İftf@fCf<,İ’S,Ä,İfo[fWf#“,İWindowsïã,Ä“@ï,µ,Ü,·ïB

☐E **Compact 16-bit Windows** (fRf“fPfNfg 16frfbfg Windows‘İ%žtf@fCf<)

,±,İfİfvVf#“,İAf“fOftf@fCf<fİ[f€,Ö,İ‘İ%ž, ,é,ç,İïïS“x\
Žİfïïf^ï[İ,È,çŽŒ“WŠJtf@fCf<,ðïï¬,µ,Ü,·ïBf“fOftf@fCf<fİ[f€,ªŽg—p,ª,è,Ä,ç,È,çèïï#,İA,±
,è,ç,İftf@fCf<,İWindows3.1,95,NT,Ä“@ï,µ,Ü,·ïB,±,è,Äïï¬,ª,è,½ftf@fCf<,İWinZip Self-Extractor
1.0,Äïï¬,ª,è,½,à,İ,Æ,Ü,Æ,ñ,ç““,¶,Ä,·ïB

☐E **MS-DOS and 16-bit Windows** (MS-DOS,“,æ,Ñ16frfbfgWindows‘İ%žtf@fCf<)

,±
,İfİfvVf#“,É,æ,èïï¬,ª,è,½ŽŒ“WŠJtf@fCf<,İWindows,©,ç,Ä,àDOSfvf“fvfg,©,ç,Ä,àŽÄs,Ä,«,Ü,·ï
B,±,è,ç,İftf@fCf<,É,İ,ç,Ä,©,İïSCEÄ,ª, ,è,Ü,·ïB“MS-DOS + WindowsCE^“,É,Ä,ç,Ä,İïSCEÄ,İ€€,ð,²—, -
,¾,ª,çïB

☐E **32-bit Windows 95 and NT** (32frfbfg,İWindows 95,“,æ,ÑNT‘İ%žtf@fCf<)

,±,İfİfvVf#“,É,æ,èïï¬,ª,è,½ŽŒ“WŠJtf@fCf<,İWindows95,“,æ,ÑNTŠÄ«%ž,Äf“fOftf@fCf<fİ[f€
,Éİ%ž,µ,Ü,·ïB,±,è,ç,İŽŒ“WŠJtf@fCf<,İŠ@‘S,È32frfbfgfvf“fOf%of€,È,İ,ÄAWindows
3.1ŠÄ«%ž,Ä,İŽÄs,Ä,«,Ü,¹,ñïB

ï@,±,è,ç,İfİfvVf#“,İfRf}f“fhf%ofCf“fİfvVf#“,İ -standardïA -compactïA -dos ,»,µ,Ä -win32 ,É,»,è,¼,è‘Š—
,µ,Ü,·ïB[Next] ,ðNfŠfbfN,µ,ÄfİfvVf#“,ðÝ‘è,·,é,©ïA[Finish]
,ðNfŠfbfN,µ,ÄŽŒ“WŠJtf@fCf<,ðfftfHf<fg,İfİfvVf#“,Äïï¬,µ,Ü,·ïB

“}MS-DOS + WindowsCE^”},É,Â,ç,Ä,Ì§CEÀ

"MS-DOS + WindowsCE^" ,É,Â,ç,Ä,ÍÈ%º,ì,æ,æ,È§CEÀŽ-€ª, ,è,Û,·B

1. MS-DOS,ªf“foftf@fCf<fllf€,ÍfTfllfg,µ,Ä,ç,È,ç,½,ßAf“foftf@fCf<fllf€,É‘í%ž,µ,Ä,ç,Û,¹,ñB
2. MS-DOSã,ÄŽÀs,µ,½ê±A^È%º,ìfVfVf“ ,ª-³Ž<,³,è,Û,·B
 - E "Unzip To"ftfHf<f_ Bftf@fCf<,Íí,ÉJfCEf“fgffBfCEfNfgfŠ,É“WŠJ,³,è,Û,·B
 - E “WŠJCEã,ÉŽÀs,·,éfRf}f“fhBMS-DOS ,Æ Windows ,ìRf}f“fh,Íí,É”ñCEÝŠ·,Ä, ,é,½,ßAMS-DOSã,Ä,ÍŽw’è,³,è,½fRf}f“fh,ðŽÀs,·,é,±,Æ,Í,Ä,«,Û,¹,ñB
 - E "Default to overwriting files without prompting",ìÝ’è Bftf@fCf<,Íí,Éã‘,«,³,è,Û,·B
 - E "Unzip automatically" fVfVf“ BftlFU,Íí,É“WŠJ’O,É“ü—Í,ª•K—v,É,È,è,Û,·B
 - E fAfCfRf“fVfVf“ BffftfHf<fg,ì WinZip Self-Extractor fAfCfRf“,ªí,ÉŽg—p,³,è,Û,·B
3. fpfXfllfhfvflefNfg,³,è,½Zipftf@fCf<,ÍfTfllfg,³,è,Ä,ç,Û,¹,ñB

Self-Extractor ,» ,ì¼,ìfìfvfVf†f“

□@,±,ìfpfìf<,Á,íŽ©CEÈ“WŠjftf@fCf<,ìÈ%º,ìfìfvfVf†f“ ,ðÝ’è,Á,« ,Ü ,□B

□E Use Ctl3D for 3D effects if available

□@Ž©CEÈ“WŠjftf@fCf<,Á3DCEø%ºÈ,ð□□□□,·,é,½,ß,ÉCTL3D.DLL,ðŽg,«,©,Ç,«,©,ðCE^,ß,Ü,·□BCTL3D.DLL,ì¼,ìfìfvfVf†f“ ,ÁŽg—p,³,è□A3DCEø%ºÈ,ð□□□□,µ,Ü,·□B,µ,½,²,Á,Äf^□[fQfbfg,Æ,È,é½,ìfVfXfef€ ,É,±,ìftf@fCf<,², ,é,Æ□□,¡,ç,è,Ü,·□B,±,ìfìfvfVf†f“ ,²□Ý’è,³,è,Ä,ç,éèè†□AWinZip,íCTL3DV2.DLL,ð“Ç,Ý□ž,à,«,Æ,µ,Ü,·□BCE©,Á,©,ç,È,,Ä,àCTL3D.DLL,ð“Ç,Ý□ž,à,«,Æ,µ,Ü,·□BCTL3D.DLL,²f^□[fQfbfg,Æ,È,éfvfXfef€□ä,Á“K□³,É<@”\,·,é,©,Ç,«,©,íWinZip Self-Extractor,É,í•Ü□Ø,Á,« ,È,ç,±,Æ,É’□Ó,µ,Ä%º,³,ç□B,±,ìftfB□[f<fh,ìfRf}f“fhf%ºfCf“fìfvfVf†f“ ,ì-3 ,É’Š“- ,µ,Ü,·□B

□E Default to overwrite files without prompting

□@Ž©CEÈ“WŠjftf@fCf<ŽÀ□sŽž,É [Overwrite files without prompting]
(Šm”F,¹, ,Éftf@fCf<,ðã□□,« ,·,é) f fFfbfNf{fbfNfX,ìfìf“□Eflft,ðffftfHf<fg,Á,Ç,«,·,é,©,ðCE^,ß,Ü,·□BfRf}f“fhf%ºfCf“fìfvfVf†f“ ,ì -overwrite ,Æ -nooverwrite ,É’Š“- ,µ,Ü,·□B

□E Unzip automatically

□@Ž©CEÈ“WŠjftf@fCf<ŽÀ□sŽž,ÉŽ©“ @“I,Éftf@fCf<,ð“WŠJ,·,é,©,Ç,«,©,ðÝ’è,µ,Ü,·□B,±,è,í - auto fRf}f“fhf%ºfCf“fìfvfVf†f“ ,Æ“ ,¹,Á,·□B,±,ì<@”\,ðŽg—p,·,éèè†,í□A’□Ó,µ,Ä, - ,¾,³,ç□B,à,µ,», ìftf@fCf<,ðfCf“f^□[fìfbfg,âpfìRf”“È□M,ÉfAfbfvf□□[fh,µ,æ,«,Æ,“□□,¡,ìèè†□AfvfXfef€ŠÇ—□ŽO,²□Afvf□f“fvfg-³,µ,Äftf@fCf<,ð“WŠJ,·,éftf@fCf<,ð<”Ü,·,é,©,à,µ,è,Ü,¹,ñ□B

□E Language

□@Ž©CEÈ“WŠjftf@fCf<,ð%ºpCEè”Á,É,·,é,©fhfCfcCEè”Á,É,·,é,©,ðCE^,ß,Ü,·□B,±,ìf%ºfWfìf{f^f“ ,ìfRf}f“fhf%ºfCf“fìfvfVf†f“ ,ì -le ,Æ -lg ,É’Š“- ,µ,Ü,·□B

□@[Next] ,ðfNfŠfbfN,µ,Ä’ì’ð,µ,½fìfvfVf†f“ ,ìè—,ðŠm”F,·,é,©□A[Finish]
,ðfNfŠfbfN,µ,ÄŽ©CEÈ“WŠjftf@fCf<,ð,½,¾,ž,É□□□□,µ,Ü,·□B

Ž © Ć È “ W Š J f t f @ f C f < , ð ì ñ ¬ , · , é € ” ò , ð Š ® —¹ , μ , Ü , μ , ½

␣@ [Next] , , é , ç , í [Finish] , ð f N f Š f b f N , μ , Ä Ž © Ć È “ W Š J f t f @ f C f < , ð • \ Ž ! , ³ , ê , Ä , ç , é f l f v f V f † f “ , Ä ì ñ ¬ , μ , Ü , · B f l f v f V f † f “ , ì , ç , , Ä , © , ð • í X , μ , ½ , ç , Æ , < , í “ K “ - , È f p f l f < , É , È , é , Ü , Ä [Back] , ð f N f Š f b f N , μ , Ä - ß , è , Ü , · B

Ž © Ć È “ W Š J f t f @ f C f < , ² ì ì ¬ , ³ , ê , Ü , μ , ½

□ @ □ Ý ' è , μ , ½ f l f v f v f t f “ , Å Ž © Ć È “ W Š J f t f @ f C f < , ² ì ì ¬ , ³ , ê , Ü , μ , ½ □ B , ± , ì t f @ f C f < , ð “ z • z , • , é ' O , É • K , , f e f X f g , ð , μ , Å , Ý , Å % ° ° , ³ , † □ B f ^ □ [f Q f b f g , Æ , È , é f v f x f e f € , ² Ž g — p , • , é ' S , Å , ì O S □ ã , Å f e f X f g , • , é , ì , ² , à , Å , Æ , à — □ ' z “ ì , Å , • □ B — á , ! , ì □ A W i n d o w s , ì ' S , Å , ì f o □ [f W f t f “ , Å Ž g , ì , ê , é , ± , Æ , ð - Ú “ ì , Æ , μ , ½ , È , † □ A W i n d o w s 3 . 1 □ A W i n d o w s 9 5 , » , μ , Å W i n d o w s N T □ ã , Å f e f X f g , μ , Ü , • □ B , à , μ [T e s t s e l f - e x t r a c t i n g Z i p f i l e n o w] (□ ; f e f X f g , • , é) f { f ^ f “ , ² f ` f f b f N , ³ , ê , Ä , † , ½ □ ê □ † □ A [N e x t] , ð f N f Š f b f N , • , é , ± , Æ , Å , » , ì Ž © Ć È “ W Š J f t f @ f C f < , ì Ž Ä □ s , ³ , ê , Ü , • □ B

“WŠJ”i<ÆCEã,ÉŽÀs,·,éRf}f“fh

@“WŠJ”i<Æ,²|—¹,µ,½CEã,ÉŽÀs,·,éRf}f“fh”i•“É,í“setup.exe”j,ðŽw’è,µ,È,¯,é,î,È,è,Û,¹,ñB Ž©CEÈ“WŠJftf@fCf<,íAft@fU[[,² [Setup] f{f^f“,ðfNfŠfbfN,µ,½,Æ,«ŽÝ,ì,æ,π ,èfXfefbfv,ðŽÀs,µ,Äs,«,Û,·B

1. ^êžžftfHf<f_ ,ìi¬
2. ,»,ì^êžžftfHf<f_ ,ÉZiPftf@fCf<,ÉŠÛ,Û,é,é’S,Ä,ìftf@fCf<,ð“WŠJfRfs[[,µ,Û,·B
3. Windows WinExec API,ðŽg,Á,ÄÝ’è,³,è,½fRf}f“fh,ðŽÀs,µ,Û,·B
4. fRf}f“fh,²Š@—¹,·,é,ì,ð’Ò,ç,Û,·B
5. Å%%,ìfXfefbfv,Äi¬,³,è,½^êžžftfHf<f_ ,ì’t,ìftf@fCf<,ð’S,Äíœ,µ,Û,·B

[‘^Ó] ,±

,è,ç,ìfXfefbfv,íACE³ftfHf<f_ ,iä,ì1fXfefbfv,Äi¬¬j, ©,çft@fU[[,²Žw’è,µ,½ftfHf<f_ ,Öftf@fCf<,ðf Rfs[[,·,é,æ,π,È’á’i,ìZfbfgfAfbfjvfvf@fOf%%f€,Ä“@i,·,é,æ,π,ÉÝ’è,³,è,Ä,ç,Û,·B

@Ž©CEÈ“WŠJftf@fCf<,íAÝ’è,³,è,Ä,ç ,éRf}f“fh,ðŽÀs,·,é,Û,Ä,íA^êžžftfHf<f_ ,²uCE»Ý,ìi<ÆftfHf<f_ ,v,Æ,È,è,Û,·B,µ,½,²,Á,ÄAŽÀs ,·,éRf}f“fh,ðÝ’è,·,éÛ,É,íÉí,ìftfHf<f_ ,ìîñ,Û,ÄÝ’è,µ,Ä,í,ç,¯,Û,¹,ñB

Wait for,ðŽg,πF

@[Wait for],íÉí,íK—v, ,è,Û,¹,ñB,½,¾,µAsterling Software,ìInstallShield,²Žg—p,·,éfvf@fOf %%f€,àŠÛ,ß,Ä,ç, ,Ä, ©,ìZfbfgfAfbfjvfvf@fOf%%f€,íAfcf“fXfg@f<i<Æ,ì,½,ß,É•É,ìfvf@fOf%%f€ ,ðN“@,µ,½,çA,»,ì¼CEã,É|—¹,µ,Û,·B,±,ì,æ,π,Èé±,ÉA[Wait For]ftfB[[f<fh,ðŽg—p,·,éK —v,², ,è,Û,·B,±,è,É,æ,èŽ©CEÈ“WŠJfvf@fOf%%f€ ,í^êžžftfHf<f_ “à,ìftf@fCf<,ðíœ,·,é’O,ÉA[Command to issue],ÁŽw’è,³,è,½fvf@fOf%%f€ ,ðA,»,µ,Ä [Wait for] ,ÁŽw’è,³,è,½ftf@fCf<,ìŽÀs,²Š@— ¹,·,é,Û,Ä’Ò,ç,Û,·B32frfbfgŽ©CEÈ“WŠJftf@fCf<,ði¬,·,éé±,íAŽ©CEÈ“WŠJftf@fCf<,É,»,ìŠ @—¹,ð’Ò,½,¹,½,çŽÀsftf@fCf<,ì-¼’O,ðŽw’è,µ,È,¯,é,î,È,è,Û,¹,ñB<Zp“l,È— R, ©,çA16frfbfgŽ©CEÈ“WŠJftf@fCf<,ði¬,·,é,Æ,«,íAftf@fCf<-¼,Á,í,È,f,FWf...[[f<- ¼,ðÝ’è,µ,È,¯,é,î,È,è,Û,¹,ñBf,FWf...[[f<-¼,í,½,ç,Ä,çi•K, ,µ,à,»,π,Á,í, ,è,Û,¹,ñ,²j,»,ìftf@f Cf<-¼,Æ“¯,í,Ä,·BŽÀsftf@fCf<,ìf,FWf...[[f<-¼,ðŠm, ©,ß,é•ú- @,ì^è,Ä,Æ,µ,Ä,íAWindows95,ìNfCfbfNfjf...[[.Ä,»,ìftf@fCf<,ð%{ —,µ,Ä,Ý,é,±,Æ,², ,°,ç,è,Û, ·B

[‘] ,±,ìfìfvfvtf“ ,É,Ä,ç,Ä-â’è,²N,«,½,Æ,«,íA•W%%CE^Ž©CEÈ“WŠJftf@fCf<,É,·,é,±,Æ,à^è,Ä,ì %%ðCE^•ú-@,Ä,·B

☐Ý'èftf@fCf<

☐@,±,ìfpfìf<,É,ìŽO,Â,ì“ü—ìftfB☐ìf<fh,ª, ,è☐AZ©CEÈ“WŠJftf@fCf<,ì•\Ž!ŠÖCEW,ðCE^,ß,Ü,☐B

Dialog text file name

f_fCfAf☐fOf{fbfNfX,É•\Ž!,³,¹,é•¶Žš—ñ,ðŠÜ,ñ,¾ftf@fCf<-¼,ðŽw'è,µ,È,¯,ê,î,È,è,Ü,¹,ñ☐B,±,±,Â,ìftf@fCf<“à,ìfefLfXfg•¶Žš—ñ,í”¾Šp,Â256•¶Žš^È“à,Â,☐B

Dialog icon filename

f_fCfAf☐fOf{fbfNfX,ìfAfCfRf“ ,ðŽw'è,Â,«,Ü,☐B,±,ìftf@fCf<,íWindows•W☐€fAfCfRf“ftf@fCf<CE`Ž®,Â,È,ç,Æ,ç,¯,Ü,¹,ñ☐B,±,ìCE`Ž®,ìftf@fCf<,íAWindows SDK•t'®,ìAppStudio☐AlmagEditfvf☐fOf%of€☐A, ,é,ç,ìfT☐ìfhfp☐ìfefB,ì%œ'œfc☐ìf<,È,Ç,Â☐ì☐-,Â,«,Ü,☐B

About box text filename

[About] f{fbfNfX,Â•\Ž!,³,¹,é'Ç%oÁfefLfXfg,ðŠÜ,þftf@fCf<-¼,ðŽw'è,Â,«,Ü,☐B,±,±,Â,ìftf@fCf<“à,ìfefLfXfg•¶Žš—ñ,í”¾Šp,Â256•¶Žš^È“à,Â,☐B

,±,ê,ç,ìfefLfXfgftf@fCf<,ð☐ì☐-, ,é•û-@,ì^ê,Â,Æ,µ,Ä,í☐F

☐E [Run Notepad],ðfNfŠfbfN,µ☐Af☐f, ' (Notepad),ð<N“@

☐E [•Ò☐W(E)]fvf<f_fEf“f☐fjf...☐[,Á [%oE'[,Á☐Ü,è•Ô,•(W)] ,ªf`fFfbfN,³,ê,Ä,ç,È,¯,ê,î☐Af`fFfbfN, ,é☐B

☐E ☐s,ð☐Ü,è•Ô, ,½,ß,ì%ü☐s([Enter]),ð“ü,ê, ,É•¶Žš—ñ,ð“ü—í,µ,Ü,☐B,Â,Ü,è☐A☐ä,ìf☐☐ìfhf %ofbfv<@”\,Â•¶Žš,ð☐Ü,è•Ô,³,¹,Ü,☐B<ó☐s,ð“ü,ê,½,ç,Æ,«,¾,¯ [Enter] fL☐[,ð%oÝ,µ,Ä %oo,³,ç☐B,±,ì☐ê☐‡ [Enter] fL☐[,ð“ñ“x%oÝ,µ,Ü,☐B

☐E f☐f, ' ,ìfEfbf“fhfE,ìftfCfY,ð•í,ì,Ä,Ý,Ä☐ACE©%oh,ì,ì—Ç,çftfCfY,É,È,Á,½,Æ,± ,è,Äftf@fCf<,ð•Ü'¶,µ,Ü,☐B

,» ,ì¼,ìfìfvfVf#“

,±,ìfpfìf<,Á,íÈ%º,ìfìfvfVf#“ ,ðCE^ ,ß,Ü,·B

Use Ctl3D for 3D effects if available

□@Ž©CEÈ“WŠjftf@fCf<,Á3DCEø%ºÊ,ð¶¶¶¶,·,é,½,ß,ÉCTL3D.DLL,ðŽg,×
,×,«,©CE^ ,ß,Ü,·iWindows 95,“,æ,ÑWindows NT 4.0,í,±,ìfìfvfVf#“,²¶Ý’è,³,ê,Ä,ç,È,-
,Æ,àŽ©“@“I,É3DCEø%ºÊ,ð¶¶¶¶,·,µ,Ü,·¶j¶BCTL3D.DLL,í½,ìfAfvfŠfP¶[fvf#“,ÁŽg—
p,³,ê¶A3DCEø%ºÊ,ð¶¶¶¶,·,µ,Ü,·¶B,µ,½,²,Á,Äf^¶[fQfbfg,Æ,È,é½,ìfvfXfef€ ,É,±,ìftf@fCf<,², ,é
,Æ,¶,ì,ç,ê,Ü,·B,±,ìfìfvfVf#“,²¶Ý’è,³,ê,Ä,ç,éè¶¶AWinZip,ÍCTL3DV2.DLL,ð“Ç,Ýž,à,×
,Æ,µ,Ü,·BCE©,Á,©,ç,È,,Ä,àCTL3D.DLL,ð“Ç,Ýž,à,×
,Æ,µ,Ü,·BCTL3D.DLL,²f^¶[fQfbfg,Æ,È,éfvfXfef€¶ã,Á“K³,É<@“\,·,é,©,Ç,×,©,íWinZip Self-
Extractor,É,í•ÜØ,Á,«,È,ç,±,Æ,É’¶Ó,µ,Ä%º,³,ç¶B,±,ìftfB¶[f<fh,ìfRf}f“fhf%ofCf“fìfvfVf#“,ì-
3,ÉŠ“- ,µ,Ü,·B

32-bit header

□@Ž©CEÈ“WŠjftf@fCf<,ð16frfbfg’í%ºž,É,·,é,©32frfbfg’í%ºž,É,·,é,©,ðCE^ ,ß,Ü,·B32frfbfg’í
%ºžŽ©CEÈ“WŠjftf@fCf<,íWindows 95, ,é,ç,íWindows NT¶ã,Á,µ,©“@¶ì,µ,Ü,¹,ñ¶B,±
,ìfìfvfVf#“,ìfRf}f“fhf%ofCf“fìfvfVf#“,ì-standard,Æ-win32,ÉŠ“- ,µ,Ü,·B

Unzip automatically

□@Ž©CEÈ“WŠjftf@fCf<ŽÀ¶sŽž,ÉŽ©“@“I,Éftf@fCf<,ð“WŠJ,·,é,©,Ç,×,©,ð¶Ý’è,µ,Ü,·B,±,é,í -
auto fRf}f“fhf%ofCf“fìfvfVf#“,Æ“- ,¶,Á,·B,±,ì<@“\,ðŽg—p,·,éè¶¶,íA’¶Ó,µ,Ä,-
,¾,³,ç¶B,à,µ,»,ìftf@fCf<,ðfCf“f^¶[fìfbfg,âp¶fRf““ÊM,ÉfAfbfvf¶¶[fh,µ,æ,×
,Æ,“¶,ì,ìè¶¶AfvfXfef€ŠÇ—¶ŽO,²Afvf¶f“fvfg-
³,µ,Äftf@fCf<,ð“WŠJ,·,éftf@fCf<,ð<““Ü,·,é,©,à,µ,ê,Ü,¹,ñ¶B

Language

□@Ž©CEÈ“WŠjftf@fCf<,ð%ºpCEè”Á,É,·,é,©fhfCfcCEè”Á,É,·,é,©,ðCE^ ,ß,Ü,·B,±,ìf
%ofWfìf{f^f“,ìfRf}f“fhf%ofCf“fìfvfVf#“,ì-le ,Æ -lg ,ÉŠ“- ,µ,Ü,·B

InstallShield, İftf[fU[,Ö,İ' ^ Ó

©\ftfgfEfffA,İfCf“fXfg[f<—p,ÉŽ©CEÈ“WŠJftf@fCf<,đİİ—,μA,È,“,©,ÅSterling Software,İInstallShield 3A, ,é,ç,İInstallShield SDK EditionİMicrosoft,İVisual C++ ,Æ,Æ,à,É”z•z[j,©,çSETUP.EXE,đN“®“³,¹,æ,ı,Æ,·,éİÉİİ,İA^È%º,İ' ^ Ó,đ,“Ç,Ý%º,³,çB

İE İ@f\ftfgfEfffA,İfCf“fXfg[f<—pŽ©CEÈ“WŠJftf@fCf<,đInstallShield,Æ,Æ,à,ÉŽg— p,·,éİÉİİ,İA,»İŽ©CEÈ“WŠJftf@fCf<“à,ÉInstallShield,İftf@fCf<,Å, ,é_ISDEL.EXE,đŠÜ,ı•K—v,², ,è,Ü,·İB_ISDEL,İ'Éİİ,İAMicrosoft Visual C++İCD-ROM,É•t'®,·,éInstallShield SDK Edition,àŠÜ,ı,ÅİInstallShield 3.0,Åİİ—,³,é,é'S,Ä,İ”z•zfpfbfP[fW,İ^ê•”Æ,È,Ä,Ä,ç ,Ü,·İB_ISDEL.EXE,İAMInstallShield 2.x, ,é,ç,İWin32 SDK“à,İInstallShield SDK Edition,É,İŠÜ,Ü,è,Ä,ç ,Ü,¹,ñİBİ,Ä,ÄA,±,é,ç,İCEÄ,çfo[fWfıf“İInstallShield,đŽg,Ä,Ä\ftfgfEfffAfcf“fXfg[f<— pŽ©CEÈ“WŠJftf@fCf<,đWinZip Self-Extractor,Åİİ—,·,é,±,Æ,İ,Ä,«,Ü,¹,ñİB

İE İ@f\ftfgfEfffAfcf“fXfg[f<—pŽ©CEÈ“WŠJftf@fCf<,©,çInstallShield,İfZfbfgfAfbfvfvfİfOf%of€ ,đŽÄİs,·,é,Æ,«,İAfrf}f“fhf%ofCf“,İfpf%ofİİf^İ,Å-ishield3,đŽg,ı,©İA, ,é,ç,İAWinZip Self-ExtractorfEfBfU[fh,İ [Wait for]ftfB[f<fh,É'I,đİY'è,μ,È, ,é,İ,È,è,Ü,¹,ñİB[Wait for] ftfB[f<fh“à,İ'I,İ'Éİİ,İŽ©“®“I,É—,ı,ı,ç,é,Ü,·İB,± ,İ'I,İA16frfbfgŽ©CEÈ“WŠJftf@fCf<,đİİ—,·,é,Æ,«,İ _DELISİA,Ü,½32frfbfgŽ©CEÈ“WŠJftf@fCf<,đİİ—,·,é,Æ,«,İ_ISDEL,Æ,È,é,İ,·,Ä,·İB

İE İ@InstallShield 3.0,É,æ,é”z•zftf@fCf<,đ^³İk,È,μ,Åİİ—,μ,Ä,Ý,Ä%º,³,çİicompRf}f“fh,Å- snfXfCbf` ,đŽg,ıİjİB,»ı,μ,Ä,»é,ç,İftf@fCf<,đİAİ,İ³İk“x,ÅZIP^³İk,μ,Ä %º,³,çİB”z•zftf@fCf<,É,æ,è,Ü,·,²İA,± ,é,É,æ,èİA,æ,èİ—,³,ÈfTfCfY,İŽ©CEÈ“WŠJftf@fCf<,²,Ä,«, ,²,è,Ü,·İB—á,İİAWinZip 6.1,İ•]‰ İ”Ä,İftf@fCf<,đİcomp,Å³İk,μ,½İÉİİA^³İk,μ,½ftf@fCf<,İftfCfY,İAİcomp^³İk,đ•t, ,È,ç ,Æ,«,æ,è,à12fpİfZf“fg'á,«,,È,è,Ü,·İB

['] İInstallShield ,İInstallShield Software Corporation ,İı•W,Ä,·İB

WinZip Self-Extractor, ì“o~^

□@□Š‘®-¼,Æ“o~^”Ô□t,ð□³Šm,É“ü—í,μ,Ä%°°³,ç□BfXfyf<,»),ì¼,ð•î□X,μ,Ä“ü—
í,Ä,«,Ü,¹,ñ□BfXfyf<~fX,È,Ç,Ä,â,þ,ð“¾,È,ç•î□X,ì•K—v,², ,é,Æ,«,í□

AP&AfVfFfAfEfFfA,Ü,Ä•î□XCEã,ì□î•ñ,ð’m,ç,¹,Ä,,¾,³,ç□B,»,»,.,é,Æ□V,μ,ç“o~^”Ô□t,²”-
□s,³,è,Ü,·□B

□@, ,È,½,²f°°fCfZf“fX,ðŽ□,Ä,Ä,ç,éWinZip Self-

Extractor,Ä□î□-,³,è,½Ž©CEÈ“WŠJftf@fCf<,²<N“©,μ,Ä,ç,é,Æ,«,ìf□fCf“fEfBf“fhfE□ã,É,í, ,È,½,ì’g□
D-¼,²•\Ž|,³,è,Ü,·□B

• W⊠€CE^ ,Æf\ftfgfEjFfAfCf“fXfg⊠[f<—pCE^ ,Æ,ì‘Š^á“_

• W⊠€CE^	f\ftfgfEjFfAfCf“fXfg⊠[f<—p
Žó, Žæ, Á, ½⊠I, a“WŠJ⊠æftfHf<f_, ð• , Á, «, é ì⊠X, Á, «, é	, Á, «, È, ç⊠G^êžžftfHf<f_, a⊠ì⊠¬, ³, è⊠ACEã, Á⊠í⊠ œ, ³, è, é
Žó, Žæ, Á, ½⊠I, a“WŠJ⊠ì<ÆCEã, ÉfRf , Á, «, é }f“fh, ðŽA⊠s, ·, é, ©, Ç, x, ©, ð‘I, Ö	, Á, «, È, ç⊠G“WŠJ⊠ì<ÆCEã, í⊠í, É⊠Y’è, ³, è, ½fRf} f“fh, aŽA⊠s, ³, è, é
Žó, Žæ, Á, ½⊠I, aftf@fCf<, ðŽ©“@“I, , Á, «, é É⊠ã‘, «, ·, é, æ, x, È, ·, é, ©, Ç, x , ©, ð‘I, Ö	“K— pŠO⊠G, È, °, È, çftf@fCf<, í⊠V, ½, É⊠ì⊠¬, ³, è, ½^è ŽžftfHf<f_, Ö“WŠJ, ³, è, é, ©, ç
Ž©CEÈ“WŠJftf@fCf<, aŽA⊠s, ³, è, é, Æ, ³, è, é f\fvfVf†f“, ì^ŽZf⊠fbfZ⊠[fW, a•\	, ³, è, È, ç
Žì, ³, è, é	
MS-DOS, “, æ, ÑWindows‘í%ož”Á, a %oÁ”\	•s%oÁ”\
%oÁ”\	
16frfbfgWindows”Á, a%oÁ”\ %oÁ”\	%oÁ”\
32frfbfgWindows”Á, a%oÁ”\ %oÁ”\	%oÁ”\
fhfCfcCEè, “, æ, Ñ%opCEè”Á, a%oÁ”\ %oÁ”\	%oÁ”\
“WŠJ, ³, è, ½ftf@fCf<, ÍŽ©“@“I, ÉfRf , ³, è, È, ç	, ³, è, é
}f“fh⊠I—¹CEã, Éí⊠œ, ³, è, é	
f_fCfAf⊠fOfefLFXfg, ÆfAfCfRf“, a⊠Y •s%oÁ”\	%oÁ”\
‘è%oÁ”\	

⊠@•W⊠€“I, ÈŽ©CEÈ“WŠJftf@fCf<, ð⊠ì⊠¬, ·, é, É, í⊠A“ñ”Ô-
Ú, ìfEfBfU⊠[fhfpfif<, Á⊠u•W⊠€CE^Ž©CEÈ“WŠJftf@fCf<⊠v(Standard Self-Extractor)f
%ofWfif{f^f“, ð‘I’ð, μ, Á%o°, ³, ç⊠BfRf}f“fhf%ofCf“fpf%of⊠[f^⊠[. ðŽg, Á, Ä, ç, é, Æ, «, í⊠A-
setupXfCfbf^, ð⊠Y’è, μ, È, çCEÀ, è⊠A•W⊠€CE^Ž©CEÈ“WŠJftf@fCf<, a⊠ì⊠¬, ³, è, Ü, ·⊠B
f\ftfgfEjFfAfCf“fXfg⊠[f<—pŽ©CEÈ“WŠJftf@fCf<, ð⊠ì⊠¬, ·, é, É, í⊠A“ñ”Ô-Ú, ìfEfBfU⊠[fhfpfif<, Á⊠u\
ftfgfEjFfAfCf“fXfg⊠[f<—pŽ©CEÈ“WŠJftf@fCf<⊠v(Self-Extractor for Software Installation)f
%ofWfif{f^f“, ð‘I’ð, μ, Á%o°, ³, ç⊠B, , é, ç, í⊠AfRf}f“fhf%ofCf“fpf%of⊠[f^⊠[. ðŽg—p, μ, Á, ç
, é, Æ, «, í⊠A-setupXfCfbf^, ð⊠Y’è, μ, Á%o°, ³, ç⊠B

ŠÖ~A⊠€-Ú
[“ñŽì—p, ÌŽ©CEÈ“WŠJftf@fCf<](#)

osada

version 1.0 1997-06-20

version 1.1 1997-06-20 Expression Fix

version 2.1 1997-08-22 Version up to 2.1

