

## ŠĀ«Ÿ`nfy fW

ŠĀ«Ÿ`nfy fW, Ā, ĪCff f^fx fX, ĒfA fN fZ fX, ., é, ½, β, fhf% fCfo, ĪÇ% Ā, Ā B Borland Database Engine ĪBDE Īj, ĪŠĀ«Ÿ`è, đ, s, ç, Ū, . B ŠĀ«Ÿ`nfy fW, đ•Ž!, ., é, Ē, ĪCBDE Administrator, Ī f f y f C f“, Ē, , é ŠĀ«Ÿ`è n, đ f N f Š f b f N, μ, Ū, . B

ft fU Ī, ĪC% Efy fCf“, Ē, , é f^ fufy fW, ĪŸ`è“à—e, đ•Ž! /• Ō W, Ā, «, Ū, . B

fhf% fCfo, ĪŠĀ«Ÿ`è CBDE, ĪŠĀ«Ÿ`è, ĒŠŌ, ., é à-

¾, đŽQÆ, ., é, Ē, ĪC mfwf<fv(H) n, đ!đ, μ, Ā, -

, ¾, ¾, ç B ŠĀ«Ÿ`è ĩ•ň, Ī•Ū'¶, ĒŠŌ, μ, Ā, ĪC ŠĀ«Ÿ`è ĩ•ň, Ī•Ū'¶, đŽQÆ, μ, Ā, , ¾, ¾, ç B

'Ū^Ō: BDE ŠĀ«Ÿ`è ft f @ f C f <, Ī•Ī X, ĪCBDE fA f v f Š f P [ f V f # f“, đ, ., x, Ā•Ā, ¶, Ā, ©, ç s, Ā, Ā, -  
¾, ¾, ç B •Ī X“à—e, ĪCBDE fA f v f Š f P [ f V f # f“, đ N“ @, μ, ½, Æ, «, Ē“½% of, ¾, é, Ū, . B

{ button ,AL(`drivers')} fhf% fCfo. ĪŠĀ«Ÿ`è, ĒŠŌ, ., é g f s f b f N

{ button ,AL(`ĭ; ½Ā<ĭ; ½ĭ; ½Ÿ'ĭ; ½; c f g g u i d e')} BDE ŠĀ«Ÿ`è, ĒŠŌ, ., é g f s f b f N

{ button ,AL(`UI')} BDE Administrator ft fU fCf“ f^ ftf f fX

{ button ,AL(`b dedocs')} BDE , ĒŠŌ, ., é f f f“% fCf“ f h f L f... f f“ f g

## ŠĀ<<Ÿ'èî•ñ,ì•Ů'ŋ

ŠĀ<<Ÿ'èî•ñ,đ•Ů'ŋ,·,é,É,ÍCmflfufWfFfNfg(O) bXV(A) n,đ'l'đ,·,é,©mXVnf{f^f",đf NfŠfbfN,μ,Ů,·B

BDE Administrator ,Ā,ÍCBDE ,İŠĀ<<Ÿ'èî•ñ,đC^È%º,ÉŽ!,·,Ç,¿,ç,©, ,é,ç,Í— ¼•Ů,ÉŠi"[Ā,«,Ů,·B

- Windows fCfWfXfgfŠ fCfWfXfgfŠ,É,ÍC,·,x,Ā,İfhf%oCfoî•ñCfXfıbfvfobftf@ıffıf^fxıfXffıf^,İfLffffbfVf... ıj,İfTfCfYıC,·,æ,Ŋ,»,ì,Ů,©,İfVfXfef€î•ñ,ªŠŮ,Ů,è,Ů,·B
- ffftfHf<fg,İ BDE ŠĀ<<Ÿ'èftf@fCf<ıİDAPI32.CFGıj ,±,İŠĀ<<Ÿ'èftf@fCf<,É,ÍCffıf^fxıfX,İfGfŠfAfXıC,·,æ,Ŋ Paradox fZfNfVfıf",İ Paradox NET DIR fGf"fgfŠ,ªŠŮ,Ů,è,Ů,·BWindows 3.1 ĆYŠ·Ć`Ž@ıi16/32 frfbfg·ıııĆ`Ž@ıj,Ā•Ů'ŋ,·,éèèııCfVfXfef€fGf"fgfŠ,Æfhf%oCfofGf"fgfŠ,İ^è•",É,Ā,ç ,ĀC·ıı»,ªıııı,ª,é,éèèıı,ª, ,è,Ů,·B

BDE ŠĀ<<Ÿ'èî•ñ,İŠi"[èŠ,âŠi"[•Ů- ©,ÍCm•Ů'ŋİfıfVfıfıf"ınf\_fCfAfıfOf{fbfNfX,Ì,Ç,é,đf\_ffbfN,·,é,©,É,æ,Ā,Ā^Ů,È,è,Ů,·B

•ııX,μ,½Ÿ'è"à—e,ÍC<N"® ,μ,Ā,ç,é,·,x,Ā,İ BDE fAfıfŠfPıfVfıf",đ,ç,Ā,½,ñıı— ¼,μ,ĀĀ<N"® ,μ,½,Æ,«,É—LĆø,É,È,è,Ů,·B

IDAPI32.CFG ^ÈŠO,İftf@fCf<,É•İX"à—e,đ•Ů'ŋ,·,é,É,ÍCmflfufWfFfNfg(O) bŠĀ<<Ÿ'è,đ- ¼'Ů,đ•t,·,Ā•Ů'ŋıın,đ'l'đ,μ,Ů,·B

---

{button ,AL(`cfgguide')} BDE ŠĀ<<Ÿ'è,ÉŠO,·,éfgfsfbfN

## ODBC Open Database Connectivity, ŠĀ««Ÿ'è

ODBC, ŠĀ««, đŸ'è, ., é•û-@, Í^È%º, Ì, Æ, ", è, Ā, ·B

1. BDE Administrator, ÌmŠĀ««Ÿ'ènfy[fWã, Ì ODBC, đ<'2•\Ž!, ., é, ©Cmf[f^fx[fXnfy[fWã, Ì ODBC ff[f^fx[fX, đ<'2•\Ž!, μ, Ū, ·B
2. mfIfufWfFfNfg(O)bODBC Administratorn, đ'Íđ, μ, Ū, ·BODBC 2.x fhf %ofCfo, Ìê#CODBC fAfhf~fjfXfgf[f^, º•\Ž!, º, é, Ū, ·BODBC 3.x fhf %ofCfo, Ìê#CfRf"fgf[f<fpf|f<, º•\Ž!, º, é, Ū, ·B%ºæ-É, É•\Ž!, º, é, éŽwŽ!, É], Á, Ā,, º/4, º, ºB

ODBC, ŠĀ««Ÿ'è, ÌCŽè" @, Ā, às, !, Ū, ·B

^È%º, ÌfgfsfbfN, ÉŠŪ, Ū, é, Ā, º, éftf"fvf<ftf@fCf<, đŽQÆ, ., é, ±, Æ, É, æ, èCODBC

, ŠĀ««Ÿ'è, É, Ā, º, Ā, æ, è—%ºđ, đ, [B, é, ±, Æ, º, Ā, «, Ū, ·B, Ū, CODBC

ŠĀ««Ÿ'èftf@fCf<, đŸ'è, μ, ĀCODBC, đftf][fg, Ā, «, é, æ, º, É BDE

ŠĀ««Ÿ'èftf@fCf<, đ•ÌX, μ, Ū, ·B

- ODBC ŠĀ««Ÿ'èftf@fCf<, ÌŸ'è
- BDE ŠĀ««Ÿ'èftf@fCf<, ÌŸ'è
- ODBC f\fpfbfg
- AutoODBC

{button, AL(`drivers')} fhf%ofCfo, ŠĀ««Ÿ'è

{button, AL(`cfgguide')} BDE ŠĀ««Ÿ'è, ÉŠŪ, ., éfgfsfbfN

## ODBC ŠĀ««Ÿ'èftf@fCf<,ìŸ'è

- ODBC ,ìŠĀ««Ÿ'èŋ•ñ,íC^È%º,ÉŽ!,.,Q,Ā,ìftf@fCf<,É, ,è,Û,·ŮB
  - Windows fCfWfXfgfŠ,É ODBC fhf%ofCfo,ª—ñ<“,³,è,Ā,ç,Û,·ŮB
  - ODBC.INIŮBODBC ff[f^fŮ[fX,ª—ñ<“,³,è,Ā,ç,Û,·ŮB
- “o~^ŠÇ—ŮfvfŮfOf%of€ ODBCADMIN ,ðŽg,Ā,Ā,±,è,ç,ìftf@fCf<,ð•ïŮX,μ,Û,·ŮB,±,ìfvfŮfOf%of€ ,ð<N“@,.,é,É,íCŮmfŮfufWfFfNfg(O)Ůbfxf“f\_Ů[,ìŠĀ««Ÿ'èŋ,ð'I'ð,μ,Û,·ŮB
- ,±,è,ç,í ASCII ftf@fCf<,Ā,.,ªC'¼ŮŮ•ïŮX,μ,È,ç,æ,æ,É,μ,Ā,,¾,³,çŮB
- ODBC.INI ftf@fCf<,ì—á,ð^È%º,ÉŽ!,μ,Û,·ŮB

```
[ODBC Data Sources]
My Oracle7=VENDOR Oracle7
```

```
[My Oracle7]
Driver=C:\windows\system\OR706.DLL
Description=ODBC Oracle7 Driver
ServerName=X:ZAPPA
Servers=
LogonID=guest
LockTimeOut=
ArraySize=
QEWS=34480
```

```
[ODBC Data Sources] ,É,íCŮBODBC ff[f^fŮ[fX, ,æ,Ñ,»,è,ÉŠÖ~A,μ,½fhf
%ofCfo,ªŽw'è,³,è,Û,·ŮB,»,è,É'±,ç,ĀCŠeff[f^fŮ[fX,²,Æ,É,»,ìff[f^fŮ
[fX,ð<LŮq,.,éfufŮfbfN,ªŽw'è,³,è,Û,·ŮB,±,ì—á,Ā,í [My Oracle7] ,ªff[f^fŮ[fX,É,È,è,Û,·ŮB
fhf%ofCfo,É,Ā,ç,Ā<LŮq,μ,½ ODBCINST.INI ftf@fCf<,ì—á,ðŽŸ,ÉŽ!,μ,Û,·ŮB
```

```
[ODBC Drivers]
VENDOR Oracle7=Installed
```

```
[VENDOR Oracle7]
Driver=C:\ODBC\OR706.DLL
Setup=C:\ODBC\OR706.DLL
APILevel=1
ConnectFunctions=YYY
DriverODBCVer=02.01
FileUsage=0
SQLLevel=1
```

```
[ODBC Drivers] ,É,íCfCf“fXfgŮ[f<,³,è,Ā,ç,éfhf%ofCfo,ª—ñ<“,³,è,Û,·ŮBŽŸ,ìfufŮfbfN,Ā,íCŮŮŮ
%,ÉfCf“fXfgŮ[f<,³,è,Ā,ç,éfhf%ofCfo,ìŠĀ««,ðŸ'è,μ,Ā,ç,Û,·ŮB
```

```
ODBCINST.INI ftf@fCf<,ÉfCf“fXfgŮ[f<,³,è,éfhf%ofCfoŮi,±,ì—á,Ā,í VENDOR
Oracle7Ůj,íCŮBODBC.INI ftf@fCf<,ĀŽw'è,³,è,Ā,ç,éŠeff[f^fŮ[fX,²,Æ,É'ŮŸ,μ,Û,·ŮB
```

---

{button ,AL(`cfgguide')} BDE ŠĀ««Ÿ'è,ÉŠÖ,.,éfgsfbfN

{button ,AL(`odbcconfig')} ODBC ,ìŠĀ««Ÿ'è

## ODBC —p BDE ŠĀ««Ÿ'èftf@fCf<,iŸ'e

BDE ,iŠĀ««Ÿ'è,iŸCSQL ,ÉŠÖ~A, ,éêŸ,í ODBC ,iŠĀ««Ÿ'è,É—pŽ—,μ,Ä,ç,Û,·ŸBBDE  
ŠĀ««Ÿ'èftf@fCf<,Ä,iŸCfhf%ofCfoŸiODBC ,ifhf%ofCfo,É—pŽ—Ÿj,Æ fGfŠfAfXŸiODBC ,iffŸf^fŸ  
Ÿ[fX,É—pŽ—Ÿj,ðŽw'è,μ,É, ,ê,Î,È,è,Û,¹,ñŸB

fŸfWfXfGfŠ,ì Drivers fZfNfVfŸf“,ì—á,ð^È%º,ÉŽ,μ,Û,·ŸB

ORACLE:

INIT:

VERSION:3.0  
TYPE:SERVER  
DLL:SQLD\_ORA.DLL  
DLL32:SQLORA32.DLL  
VENDOR INIT:NULL  
DRIVER FLAGS:NULL  
TRACE MODE=0

DB OPEN:

SERVER NAME:ORA\_SERVER  
USER NAME:MYNAME  
NET PROTOCOL:MYNET PROTOCOL  
OPEN MODE:READ/WRITE  
SCHEMA CACHE SIZE:8  
LANGDRIVER:NULL  
SQLQRYMODE:NULL  
SQLPASSTHRU MODE: SHARED AUTOCOMMIT  
SCHEMA CACHE TIME: -1  
MAXROWS: -1  
BATCH COUNT: 200

fGf“fgfŠ ORACLE ,iŸC'O<L,ifGfŠfAfXŽQŸÆ,ðfhf%ofCfo,ÉŠÖ~A•t, ,Ä,ç,é,±,Æ,É'Ÿ^Ó,μ,Ä,-  
,¾,¾,çŸB

BDE ŠĀ««Ÿ'èftf@fCf<ŸiIDAPI32.CFGŸj,iffŸf^fxŸfXfGfŠfAfXfZfNfVfŸf“,ì—á,ð^È  
%º,ÉŽ,μ,Û,·ŸB

ORACLE7:

DB INFO:

TYPE:ORACLE  
PATH:NULL

DB OPEN:

SERVER NAME: ORA\_SERVER  
USER NAME:MYNAME  
NET PROTOCOL:MY NET PROTOCOL  
OPEN MODE:READ/WRITE  
SCHEMA CACHE SIZE:32  
LANGDRIVER:NULL  
SQLQRYMODE:NULL  
SQLPASSTHRU MODE:NOT SHARED  
SCHEMA CACHE TIME:-1  
MAXROWS: -1  
BATCH COUNT: 200

fTfufvfŸfŸfB INFO ,iŸCfGfŠfAfX,ðŸ¾,μ,çfhf%ofCfo-¾,ÉŠÖ~A•t, ,é,¾,ß,ÉŽg,í,è,Û,·ŸBOPEN  
,iŸCffŸf^fxŸfXfGfŠfAfX,ðŸj,,¾,ß,ÉŽg,í,è,Û,·ŸB

---

{button ,AL(`cfgguide')} BDE ŠÁ««□Ý'è,ÉŠÖ,·.éfgfsbfN

{button ,AL(`odbcconfig')} ODBC ŠÁ««□Ý'è

## ODBC f\pfbfgŠÂ««Ÿ'èfgf“fgfŠ

fCfWfXfgfŠ, à BDE fZfNfVf+f““à, à Drivers fZfNfVf+f“ , ð^È%º, ÉŽ, µ, Ü, ·B, ±, lfZfNfVf+f“ , íCBDE Administrator , ðŽg, Á, Ä'Ç%ºÁ, ¸, ê, ½, à, Ì, Å, ·B

ODBC\_ORA7:

INIT:

VERSION:3.0  
TYPE:SERVER  
DLL:IDODBC01.DLL  
DLL32: IDODBC32.DLL  
ODBC DRIVER:VENDOR Oracle7  
DRIVER FLAGS:NULL

DB OPEN:

USER NAME:guest  
ODBC DSN:My Oracle7  
OPEN MODE:READ/WRITE  
SCHEMA CACHE SIZE:8  
SQLQRYMODE:NULL  
LANGDRIVER:NULL  
SQLPASSTHRU MODE:NULL

fhf%oCfo—p, Ì DLL ftfB[]f<fh, íCODBC f\pfbfg, Ì .dll , Å, , èCODBC , Ì .dll , Å, Ì, È, ç, ± , Æ, È' ^ Ó, µ, Å, , ¾, ¸, çBODBC , Ì dll , íCODBC f\pfbfg, ¸ff[]f^f[]fX, ÉÜ'±, ðŽŽ, Ý, é, Æ, «, É^Ã- Ù“Ì, Éf[]f<fh, ¸, ê, Ü, ·B, ±, Ì—á, Ìè[]Cff[]f^f[]fX, Ì "My Oracle7"iDSN fgf“fgfŠj, Å, ·B

BDE ŠÂ««Ÿ'èftf@fCf<[]iIDAPI32.CFG[]j“à, à Database Alias fZfNfVf+f“ , Ì—á, ð^È %º, ÉŽ, µ, Ü, ·B, ±, lfZfNfVf+f“ , íCBDE AdministratoriBDEADMIN.EXEj, ðŽg, Á, Ä'Ç %ºÁ, ¸, ê, ½, à, Ì, Å, ·B

ODBC\_ORACLE:

DB INFO:

TYPE:ODBC\_ORA7  
PATH:NULL

DB OPEN:

USER NAME:guest  
ODBC DSN:My Oracle7  
OPEN MODE:READ/WRITE  
SCHEMA CACHE SIZE:8  
SQLQRYMODE:NULL  
LANGDRIVER:NULL  
SQLPASSTHRU MODE:SHARED AUTOCOMMIT

---

{button ,AL(`cfgguide')} BDE ŠÂ««Ÿ'è,ÉŠÖ,·éfgfsfbfN

{button ,AL(`odbcconfig')} ODBC ŠÂ««Ÿ'è

## System.ini file

BDE, System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

1. System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

2. System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

3. System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, \_

System.ini file	System.ini file
VERSION	BDE, System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _
LOCAL SHARE	BDE f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _
MINBUFSIZE	System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _
MAXBUFSIZE	System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _
LANGDRIVER	f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _
MAXFILEHANDLES	BDE, System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _
SYSFLAGS	BDE, System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _
LOW MEMORY USAGE LIMIT	BDE, System.ini file "à—e, É, Á, Ä, Å, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _
AUTO ODBC	ODBC.INI file f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z, [, \, ^, _



,ÉŸ'è,µ,Û,·BffftfHf<fg,í FALSE ,Å,·B

DEFAULT DRIVER TYPE ,ª FILE ,Åfe□[fuf<-¼,ªŠg'£Žq,ðŽ□,½,È,¢□ê□‡,É□C□Å□%o ,ÉŽŽ,³,è,éfhf%ofCfo,Å,·B

SQLQRYMODE SQL ff□[f^,É'í,·,é-â,¢□‡,í,¹,ì•ûŽ®,Å,·BSERVER ,Û,½,í LOCAL ,ÉŸ'è,·,é,©□C<ó'',ì,Û,Û,É,µ,Û,·BSQLQRYMODE fpf %of□□[f^,ì□CBorland SQL Link fhf%ofCfo,ªfCf''fXfg□[f<,³,è,Ä,¢ ,é□ê□‡,ÉCEÀ,è•Žì,³,è,Û,·BffftfHf<fg,í<ó'',Å,·B

MEMSIZE BDE ,ªŽg,ª<ª—Lf□f,fŠ,ìTfCfY,ì□ãCEÀ□iMB 'P^Ê□,Å,·BffftfHf<fg,í 16 MB ,Å,·B

SHAREDMEMSIZE <ª—Lf□f,fŠf}f□[fWff,ÉŠ,,è“- ,Ä,éfTfCfY,ì□Å'á'l,Å,·BffftfHf<fg,í 2048 KB ,Å,·B

SHAREDMEMLOCATIO <ª—Lf□f,fŠf}f□[fWff,ìŽw'èfAfhfCEfX,Å,·B<ª—Lf□f,fŠf}f□[fWff,Æ<ª —Lfofbftf@f}f□[fWff,ìŽw'è,ìfAfhfCEfX,Éf□□[fh,³,è,Û,·B,± ,ìfAfhfCEfX,ªŽg—p□ì,Ý,ì□ê□‡□CfVfXfef€ ,ì□Å“K,ÉfAfhfCEfX,ðCE©,Å,¯,é,±,Æ,ª,Å,«,Û,·□i□Å□%o ,ìfvf□fZfX,ì,Ý□j□B,± ,ìfAfhfCEfX,ª¼,ìfAfvfŠfP□[fVf†f“,Æ□d•j,·,é□ê□‡,í•ï□X,µ,½•û,ª,æ,¢ ,Å,µ,ã,ª□BffftfHf<fg: E000□iWindows 95 ,ì□ê□‡□j□C7000□iWindows NT ,ì□ê□‡□j

DATA REPOSITORY CE»Ÿ,ìff□[f^ffBfNfVf†fjŠ,ì-¼'O,Å,·B

## System Formats Date n, l Y'è

System Formats Date n, l, C, Žš—ñ, ð“ú•t, É•İŠ•, , é•û-@, ðŽw'è, µ, Ü, B

Y'è“à—e, ð•\Ž|, , é, É, C^È%º, İŽè, É], ç, Ü, B

1. mŠÅ««Y'ènf^fu, ðfNfŠfbfN, µ, Ü, B
2. fcfŠ[, l, mSystem n, ðŠJ, «, Ü, B
3. fcfŠ[, l, mFormats n, ðŠJ, «, Ü, B
4. fcfŠ[, l, mDate n, ðŠJ, «, Ü, B

Y'è“à—e, C%ºEfyfCf“, l, m'è<` n, É•\Ž|, , é, Ü, B

fpf%of[f^: , , x, Ä, l“ú•tfpf%of[f^, İê—, Æ, », ê, ç, İCE>Y', İY'è'l, a•\Ž|, , é, Ü, BBDE  
fAfvfŠfP[fVf#f“, ðfCf“fXfg[f<, µ, ½'¼CEä, C, , x, Ä, l, l, a, ffftfHf<fg, İY'è, É, È, Ä, Ä, ç, Ü, B

à-¾: 'l' ð, µ, Ä, ç, éfpf%of[f^, É, Ä, ç, Ä, İŠÈ'P, Èà-¾, Ä, B

Y'è'l, ð•İX, , é, É, Cfpf%of[f^, ð<'2•\

Ž|, µ, CŠù'¶, İY'è'l, ðV, µ, çY'è'l, É'u, «Š•, , , Ü, B•ÖW, aI—

¹, µ, ½, çCmfjufWfFfNfg(O) bXV(A) n, ð'l' ð, , é, ©mXVnf{f^f“, ðfNfŠfbfN, µ, ÄC•İX“  
à—e, ð•Ü'¶, µ, Ü, B

fpf%of[f^	à-¾
SEPARATOR	“ú•t, l, l, l”N CCEŽC“ú, l—v'f, ð•a—f , , é, ½, ß, ÉŽg, í, ê, é<æ∅, è•¶Žš, Ä, B, ½, Æ, , , İC'l "96.12.31" , Ä, İC<æ∅, è•¶Žš, Æ, µ, ÄfsfŠfifh[i. [j, aŽg, í, ê, Ä, ç , Ü, BfftfHf<fg, İfsfŠfifh[i. [j, Ä, B
MODE	“N CCEŽC“ú, l, l, ðŽw'è, µ, Ü, B0iCEŽ“ú”NjC1i“úCEŽ”NjC2i” NCEŽ“újC90i”a—i JnMMDD [j, l, ç, , , é, ©, Ä, [i, ½, ¾, µCdBASE , İ 90i”a—i JnMMDD [j, ðTf [f [fg, µ, Ü, , , ñ [j B, », ê^ÈŠO, l'l, l— ¾Ž<, , é, Ü, BfftfHf<fg, l 2i”NCEŽ“ú [j, Ä, B  Paradox , Ä, İC, ±, ±, ÄŽw'è, µ, ½ [Ž@, Ä-â, ç [j, í, ¹ ðCE [j, ð“ü— İ, µ, È, , é, İ, È, è, Ü, , , ñ [j B, ½, Æ, , , İC2i”NCEŽ“ú [j, ÉY'è, µ, ½ [ê [j, İC— â, ç [j, í, ¹, Ä 12.31.1996 , Æ, ç, x ðCE [j, ð“ü— İ, µ, Ä, à³, µ, çCE%ºÈ, İ“¾, ç, ê, Ü, , , ñ [j B
FOURDIGITYEAR	“N, l, l, ÉŽg, í, ê, éCE... [i4 , Ü, ½, İ 2 [j, ðŽw'è, µ, Ü, BTRUE , È, ç, İC”N, İ 4 CE... [i, ½, Æ, , , İ 1996 [j, Ä•\, , é, Ü, BfftfHf<fg, İ FALSE , ÄC”N, İ 2 CE... [i96 [j, Ä•\, , é, Ü, B  , ½, Æ, , , İ Paradox , Ä, İC-â, ç [j, í, ¹, Ä ðCE [j, ð "1996.12.@@" , Æ“ü— İ, , é, © "96.12.@@" , Æ“ü—İ, , é, ©, ðCE^, ß, é, ½, ß, ÉŽQ [j Æ, , , é, Ü, BMODE , ð 90i”a—i [j, É, , é, Æ [j FOURDIGITYEAR , İY'è'l, l-³CE∅, É, È, è, Ü, B
YEARBIASED	2 CE... , Ä“ü—İ, , é, ½”N, É 1900 , ð%ºÄŽZ, , é, ©, Ç, x, ©, ðŽwŽ , , é, à, l, Ä, B  Paradox , Ä, İC, ½, Æ, , , İ TRUE , İê [j, É "96.7.21" , ð“ü—İ, , é, Æ [j C'l, İ "1996.7.21" , Ä, , é, Æ%ºðŽß, , é, Ü, BFALSE , İê [j C“ú•t, l“ü— İ, µ, ½, Æ, , , è, É [j, ±, İê [j "0096.7.21" [j, É%ºðŽß, , é, Ü, BfftfHf<fg: TRUE
LEADINGZEROM	CEŽ, a 1 CE... , l, Æ, «, É [j æ [s, , é [f [j, ð•t, , é, ©, Ç, x, ©, ðŽw'è, µ, Ü, B  Paradox , Ä, İC, ½, Æ, , , İ TRUE , İê [j, É "80.1.1" , ð“ü—İ, , é, Æ [j C“ú•t, l "80.01.1" , É•İŠ•, , é, Ü, BFALSE , İê [j C'l, İ "80.1.1" , Ä, BTRUE , ÉY'è, , é, Æ [j C-â, ç [j, í, ¹, Ä "80.@.1" , Æ, ç, x ðCE [j, ð“ü—İ, µ, Ä, à "80.1.1" , İCE ©, Ä, ©, è, Ü, , , ñ [j B"80.@@.1" , Æ, ç, x ðCE [j, ðŽw'è, , é, ±

LEADINGZEROD

,Æ,ÅŒ©,Â,¯,é,±,Æ,<sup>a</sup>,Â,«,Û,·BffftjHf<fg: FALSE  
“ú,<sup>a</sup> 1 Œ...ì,Æ,«,ÉCæs,·éf[f,ð•t,¯,é,©,Ç,æ,©,ðŒä,µ,Û,·B  
,½,Æ,î,î Paradox ,Å,ÍCTRUE ,ìê±,É "80.1.1" ,ð“ü—í,·,é,ÆC'í,í  
"80.1.01" ,É•íŠ·,<sup>3</sup>,ê,Û,·BFALSE ,ìê±,ÍC"80.1.1" ,Å,·BTRUE  
,ÉY'è,·,é,ÆC-â,ç±,í,<sup>1</sup>,Å "80.1.@" ,Æ,ç,æðŒ,ð“ü—í,µ,Å,à "80.1.1"  
,ÍŒ©,Å,©,è,Û,<sup>1</sup>,ñB"80.1.@" ,Æ,ç,æðŒ,ðŽw'è,·,é,±  
,Æ,ÅŒ©,Â,¯,é,±,Æ,<sup>a</sup>,Â,«,Û,·BffftjHf<fg: FALSE

## System Formats Time, à'è

System Formats Time, à'è, Å, C, žš—ñ, đžžšŌ, É, ĨŠ, , é, û-@, đžw'è, µ, Ü, B

à—e, đ, ž, , é, É, C^È%º, Ĩžè, É, ç, Ü, B

1. mŠÅ«à'ènf^fu, đfNfŠfbfN, µ, Ü, B
2. fcfŠ[, à'è, mSystem, n, đš, «, Ü, B
3. fcfŠ[, à'è, mFormats, n, đš, «, Ü, B
4. fcfŠ[, à'è, mTime, n, đš, «, Ü, B

à'è—e, C%EfYfCf", à'm'è<`n, É, ž, , é, Ü, B

fpf%of[f^: , , x, Å, ĨžžšŌfpf%of[f^, ĨžžšŌ—, Æ, » , é, ç, ĨCE»à'è', à, ž, , é, Ü, BBDE  
fAfVfŠfP[fVf#f", đfCf"fxfg[f<, µ, ½'¼Æä, C, , x, Å, Ĩ', ãffftfHf<fg, à'è, É, É, Å, Å, ç, Ü, B

à-¾: 'I'đ, µ, Å, ç, éfpf%of[f^, É, Å, ç, Å, ĨŠÈ'P, Èà-¾, Å, B

à'è', đ, ĨX, , é, É, Cfpf%of[f^, đ<'2\ ž, µ, CŠù'ŕ, à'è', đV, µ, ç, à'è', É'ú, «Š, , Ĩ, Ü, B, ĨX, µ, Ĩ, , ½, ç, CmfIfufWfFfNfg(O)B, X, V(A)  
)n, đ'đ, , é, ©, m, X, V, nf{f^f", đfNfŠfbfN, µ, Å, C, ĨX"à—e, đ"½%of, µ, Ü, B

fpf%of[f^	à-¾
TWELVEHOUR	žž, Ĩ', đ 12 žžšŌ, Å, \Æ», , é, ©, Ç, x , ©, đžwž, µ, Ü, B, ½, Æ, Ĩ, ĨCE»à'è', ãCEßCEä 8 žž 21.ª, Å, , é, Ĩ, ĨCTWELVEHOUR ,ª TRUE , É, ç, Ĩžž, Ĩ, Ĩ "08:21 PM" , Å, BFALSE , É, ç, Ĩžž, Ĩ, Ĩ "20:21" , Å, BffftfHf<fg: TRUE
AMSTRING	TWELVEHOUR ,ª TRUE , Ĩ, Æ, «, CCEß'Ōi-é, Ĩ 0 žž, ©, ç<, Ĩ 0 žž, Ü, Å, Ĩ, đž, , , ½, Æ, Éžg, í, é, é, žš—ñ, Å, B" C^Ó, Ĩ, žš—ñ, đ"ü— Í, Å, «, Ü, B, TWELVEHOUR ,ª FALSE , Ĩ, Ĩ, ĨCAMSTRING , Ĩ- žž<, , é, Ü, B, BffftfHf<fg: AM
PMSTRING	TWELVEHOUR ,ª TRUE , Ĩ, Æ, «, CCEßCEäi'<, Ĩ 0 žž, ©, ç-é, Ĩ 0 žž, Ü, Å, Ĩ, đž, , , ½, Æ, Éžg, í, é, é, žš—ñ, Å, B" C^Ó, Ĩ, žš—ñ, đ"ü— Í, Å, «, Ü, B, TWELVEHOUR ,ª FALSE , Ĩ, Ĩ, ĨCPMSTRING , Ĩ- žž<, , é, Ü, B, BffftfHf<fg: PM
SECONDS	žžšŌ, Ĩ', Éf~fš•b, đšÜ, Æ, é, ©, Ç, x, ©, đžw'è, µ, Ü, B, ½, Æ, Ĩ, ĨCE»à'è', ãCEßCEä 8:21:35 , Å, , é, Ĩ, ĨCSECONDS ,ª TRUE , É, ç, Ĩžž, Ĩ, Ĩ "8:21:35 PM" , Å, BFALSE , É, ç, Ĩžž, Ĩ, Ĩ "8:21 PM" , Å, BffftfHf<fg: TRUE
MILSECONDS	žžšŌ, Ĩ', Éf~fš•b, đšÜ, Æ, é, ©, Ç, x, ©, đžw'è, µ, Ü, B, MILSECONDS ,ª TRUE , Ĩ, Ĩ, ĨCžžšŌ, Ĩ', É, Ĩ, Ĩ, Æ, Ĩ, Ĩ "8:21:35.54 PM" , Æ, ç, x, æ, x , É, Ĩf~fš•b, ãšÜ, Ü, é, Ü, B, FALSE , É, ç, ĨžžšŌ, Ĩ', Éf~fš•b, ĨšÜ, Ü, é, Ü, Ĩ, Ĩ, BffftfHf<fg: FALSE

## System Formats Number n, l Y'è

System Formats Number n Y'è, Á, í C • Žš—ñ, ð " I, É • Š, ., é • ũ - @, ð Ž w' è, μ, Ů, B

Y'è " à — e, ð • Ž, ., é, É, í C ^ È % °, Ì Ž è †, É ], ç, Ů, B

1. m Š Á « Y'è n f ^ f u, ð f N f Š f b f N, μ, Ů, B
2. f c f Š [ , Ì m System n, ð Š ], «, Ů, B
3. f c f Š [ , Ì m Formats n, ð Š ], «, Ů, B
4. f c f Š [ , Ì m Number n, ð Š ], «, Ů, B

Y'è " à — e, í C % E f y f C f " , Ì m ' è < ` n, É • Ž, , 3, é, Ů, B

f p f % o f [ f ^ : , , x, Ä, Ì " " l f p f % o f [ f ^ , Ì ^ è — , Æ, » , é, ç, Ì C E » Y, Ì Y'è ' l, a • Ž, , 3, é, Ů, B B D E  
f A f v f Š f P [ f V f † " , ð f C f " f X f g [ f < , μ, ½ ' ¼ C ä , í C , . , x, Ä, Ì ' l, a f f f t f H f < f g, Ì Y'è , É, È, Á, Ä, ç, Ů, B

à - ¾ : ' l ' ð, μ, Ä, ç, é f p f % o f [ f ^ , É, Á, ç, Ä, Ì Š È ' P, È à - ¾, Ä, B

Y'è ' l, ð • Ĩ X, ., é, É, í C f p f % o f [ f ^ , ð < ' 2 • \

Ž, μ, C Š ù ' q, Ì Y'è ' l, ð V, μ, ç Y'è ' l, É ' u, « Š, , !, Ů, B • Ĩ X, μ, Ì, , ½, ç C m f l f u f W f f N f g ( O ) b X V ( A ) n, ð ' l ' ð, ., é, © m X V n f { f ^ f " , ð ' l ' ð, μ, Ä C • Ĩ X " à — e, ð ' ½ % o f, μ, Ů, B

f p f % o f [ f ^	à - ¾
DECIMALSEPARATOR	<p>® " • " • a, ©, ç - " • " • a, ð • a — f , , é, ½, ß, É Ž g, í, è, é • Ž š, Á, B, ½, Æ, !, í C 3. 14 , Á, í C ® " i 3 j, Æ - " • " i 14 j, l f s f Š f l f h i. j, Á • a, , ç, é, Ä, ç , Ů, B " C ^ Ó, l • Ž š, ð " ü — í, Á, «, Ů, B f f f t f H f &lt; f g: f s f Š f l f h i. j</p>
THOUSANDSEPARATOR	<p>' à, «, È " " l, ð 1000 ' P ^ È, Á &lt; æ Ø, é, ½, ß, É Ž g, í, è, é • Ž š, Á, B, ½, Æ, !, í C 1,000,000.00 , Á, l f j f " f } i, j, a 100 - œ, Æ 1000 , Ì — v ' f, ð &lt; æ Ø, Á, Ä, ç , Ů, B " C ^ Ó, l • Ž š, ð " ü — í, Á, «, Ů, B f f f t f H f &lt; f g: f j f " f } i, j</p>
DECIMALDIGITS	<p>&lt; à Š z C E ^ , à Ž À " C E ^ , Ì € — Ú, Á - " " _ ^ È % ° % ½ C E ... , Ů, Á Ž g, x , ©, ð Ž w' è, μ, Ů, B f f f t f H f &lt; f g: 0  Paradox , Ì - â, ç †, í, 1, Á, í C &lt; à Š z C E ^ , Ì € — Ú, É C Ä, è C, ±, Ì Y'è , a — L C E Ø, É, È, è, Ů, B</p>
LEADINGZERON	<p>1 , Æ - 1 , Ì Š Ô, Ì " " l, É C C - " " _ , Ì q ' x, É æ s, , é f l f , ð • t, , é, ©, Ç, x , ©, ð Ž, , μ, Ů, B, ½, Æ, !, í C ' l, a . 14 , Á LEADINGZERO , a TRUE , É, ç, í C ' l, í 0.14 , Æ • \, 3, é, Ů, B FALSE , É, ç, í C æ s, , é f l f , í, , è, Ů, 1, ñ i. 14 j B f f t f H f &lt; f g: TRUE  Paradox , Á, í C, ½, Æ, !, Í TRUE , É Y'è , μ, Ä " . 12 .. " , Æ, ç, x — â, ç †, í, 1 ð C E , ð Ž w' è, μ, Ä, à " 0.123 " , í C E , Á, ©, è, Ů, 1, ñ B " 0.12 .. " , Æ, ç, x ð C E , ð Ž w' è, , é, ±, Æ, Á C E ©, Á, , é, ±, Æ, a, Ä, «, Ů, B</p>

## ODBC Drivers, Paradox, dBASE, ODBC

Paradox fhf%ofCfo, ìÝ'è      dBASE fhf%ofCfo, ìÝ'è      ODBC fhf%ofCfo Ù'±, ìÝ'è

ODBC Drivers, ìÝ'è "à—e, íCfAfvfŠfP[fVf#f", Å, ìfe[fuf<, ìì—Cf\fgC, ", æ, Ñ^—•û-  
@, ðCE^, ß, é, Æ, «, É BDE, É, æ, Å, ÅŽg—p, ³, ê, Ü, •B

ìÝ'è "à—e, ð•Ž!, •, é, É, íC^È%º, ìŽè±, É], ç, Ü, •B

1. mŠÅ«ìÝ'ènf^fu, ðfNfŠfbfN, µ, Ü, •B
2. fcfŠ[, ìmDriversn, ðŠ], «, Ü, •BfCf"fxfg[f<, ³, ê, Ä, ç, éff[f^fx[fxfhf%ofCfo, ¢•Ž!, ³, ê, Ü, •B
3. fhf%ofCfo, ð'l'ð, µ, Ü, •B

ìÝ'è "à—e, íC%ºEfyfCf", ìm'è< n, É•Ž!, ³, ê, Ü, •B

STANDARD fhf%ofCfo, í ParadoxCdBASEiLEVEL, ð 25, ÉÝ'èj, Å, •B, Ü, ½CAccess —p, ìfhf  
%ofCfo, àŠÜ, Ü, é, Ä, ç, Ü, •B'¼, ìfhf%ofCfo, í•ÉÊÄ, ÉfCf"fxfg[f<, µ, Ü, •BìÝ'è "à—  
e, ð•ìX, •, é, É, íCfhf%ofCfo—¼, ð'l'ð, µ, Å•ìX'ìÜ, ìŠÅ«ìÝ'èfpf%of[f^, ð<'²•\  
Ž!, µCfefLfxfgf{fbfNfX, É'l, ð"ü—í, µ, Ü, •B•ìX, Å, «, é, ì, íC×Žš, ìfpf%of[f^, ÉÊÄ, ç, é, Ü, •B

mflfufWfFfNfg(O) bV<Kì—(N)n, ð'l'ð, •, é, ±, Æ, É, æ, èCODBC fhf%ofCfo, ð'Ç%ºÁ, •, é, ±,  
Æ, ¢, Å, «, Ü, •B, Ü, ½CmflfufWfFfNfg(O)nfñff...[.l'¼, ìfRf}f"fh, É, æ, èCODBC fhf  
%ofCfo, ìŠÇ—/íœ, ðs, !, Ü, •B

## BDE Administrator fGf%o[]

fGf%o[], ìCE´^ö,É,Â,ç,Ä´²,×,éêë,ÍC^È%º,ìŽèë,É],Á,Ä,,¾,¾,çB

1. fwfçvf{f^f“,ð‘‘ð,μ,Û,·B

2. •Ž!,³,ê,½fGf%o[]f[]fbfZ[]fW,ðmfefLfxfgCEÿ[]ö[]nf{fbfNfx,É“ü—  
Í,μ,Û,·BSÖ~A,·,éfgfsfbfN,ª•Ž!,³,ê,Û,·B

3. fgfsfbfN,ì‘‘ðCEã[]C[]m•Ž!(D)[]n,ð‘‘ð,μ,Û,·B

fGf%o[][“à—e,ìŠm”FCEã[]CfGf%o[]f[]fbfZ[]fWfEfBf“fhfE,Å[]mOK[]n,ð‘‘ð,μ,Ä‘€[]i,ð[]ĂŠ],μ,Ä,-  
¾,¾,çB

## BDE Administrator ,É,Â,ç,ÄiŠT—v

BDE Administrator ,ì<@”\,É,Â,ç,Ä,íC^È%º,ìfgfsfbfN,ðŽQÆ,μ,Ä,,¾,¾,çB

- Borland Database Engine iBDEj,ìŠÄ<<Ý'è
- Paradox CdBASE SQL Access CODBC fhf%ofCfo,ìfCf“fXfg [f<CŠÄ<<Ý'èCíœ
- ff [f^fx [fXfGfŠfAfX,ìi—,ÆŠÇ—

---

{button ,AL(`intro')} BDE Administrator ,ÉŠÖ,·,é,»,ì'¼,ìfgfsfbfN



## BDE Administrator fEfBf“fhfE

BDE Administrator ,lfEfBf“fhfE,É,Í,Q,Â,lfyfCf“,a, ,è,Ü,·B

- □lfyfCf“,É,lfufWfFfNfg,lfcfS□[ŠK'w,a•\Ž!,<sup>3</sup>,è,Ü,·B  
□mff□[f^fx□[fX□nfy□[fW,É,Í,Cff□[f^fx□[fX,lfGfŠfAfX,a•\Ž!,<sup>3</sup>,è,Ü,·B  
□mSÁ<«□Y'è□nfy□[fW,É,Í,Cff□[f^ffBfNfVf#fifŠ“à,lf□[f^fx□[fX,Æ'@□«fZfbfg,a•\Ž!,<sup>3</sup>,è,Ü,·B
- %EfyfCf“,É,Í,C□lfyfCf“,Á<'2•\Ž!,μ,½lfufWfFfNfg,l't□g,É,Â,ç,Ä•\Ž!,μ,½□Cf^fu•t,«fy□[fW,a, ,è,Ü,·B%EfyfCf“,lf^fu•t,«fy□[fW,Í,C□lfyfCf“,Á<'2•\Ž!,μ,½lfufWfFfNfg,É,æ,Á,Ä^Ü,È,è,Ü,·Bfy□[fW,ðŽQ□Æ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

□lfyfCf“,ÁlfufWfFfNfg,i%oi,É•\Ž!,<sup>3</sup>,è,Ä,ç,évf  
%oX<L□+□i+□j,Í,C,» ,lfufWfFfNfg,aŽqfufWfFfNfg,ðŠÜ,ñ,Á,ç,é,±,Æ,ðŽ!,μ,Ä,ç  
Ü,·BŽqfufWfFfNfg,ð•\Ž!,·,é,É,Í,C+ ,ðNfŠfbfN,μ,Ü,·BŽqfufWfFfNfg,a•\Ž!,<sup>3</sup>,è,é,é,Æ□C+  
,lf}fCfifX<L□+□i-□j,É•i,í,è,Ü,·BCE<sup>3</sup>,É-β,·,É,Í - ,ðNfŠfbfN,μ,Ü,·B□lfyfCf“,l'<sup>1</sup>/<sub>4</sub>,l<L□+ ,É,Ä,ç  
,Á,Í,C<L□+ ,ðŽQ□Æ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

□lfyfCf“,É, ,élfufWfFfNfg,ÉŠÖ,·,é□i•ñ,ð•\Ž!,·,é,É,Í,CfufWfFfNfg,ðf\_fuf<NfŠfbfN,μ,Ü,·B  
%EfyfCf“,É,Í,Cf\_fuf<NfŠfbfN,μ,½lfufWfFfNfg,É,Ä,ç,ÄŽ!,μ,½f^fu•t,«fy□[fW,a•\Ž!,<sup>3</sup>,è,Ü,·B,½,Æ,Í,Í,C□lfyfCf“,Áff□[f^fx□[fX,lfGfŠfAfX,ð<'2•\Ž!,·,é,Æ□C  
%EfyfCf“,É,Í,Cff□[f^fx□[fX,Í TYPE□CPATH□C,“,æ,Ñ DRIVER NAME  
,ðŠÜ,ñ,<sup>3</sup>/<sub>4</sub>□m'è<`□nfy□[fW,a•\Ž!,<sup>3</sup>,è,Ü,·B'<sup>3</sup>/<sub>4</sub>Žš,ÁŽ!,<sup>3</sup>,è,Ä,ç,épf%of□[f^,Í•i□X,Á,«,Ü,<sup>1</sup>,ñ□B  
%EfyfCf“,É•\Ž!,<sup>3</sup>,è,Ä,ç,é,»,l'<sup>1</sup>/<sub>4</sub>,lfpf%of□[f^,Í•i□X,Á,«,Ü,·B

---

{button ,AL(`UI')} BDE Administrator ft□[fU□[fCf“f^□[ftfF□[fX

## ◀L◻t

◻1fufCf“,ÅflufufWfFfNfg,ì◻1,É•\Ž!,<sup>3</sup>,ê,é◻L◻t,δ^È%◻◻,ÉŽ!,μ,Û,◻B

**fAfCfRf“**

**^Ó-i**

—Î,Ï{fbfNfX

ŠJ,ç,Ä,ç,éff◻[f^fx◻[fX,δŽ!,μ,Ä,ç,Û,◻Bft◻[fU◻[,í◻Cff◻[f^fx◻[fX“à,ÏflufufWfFfNfg,δ•\Ž!,Å,«,Û,◻B

—Î,ì-î^ó

•Ò◻Wf,◻[fh,É, ,éflufufWfFfNfg,δŽ!,μ,Ä,ç,Û,◻B•Ï◻X'í◻Û,Æ,È,é,ì,í◻C,±,ÏflufufWfFfNfg,Æ,»,ê,É◻'®,,.éflufufWfFfNfg,Å,◻B•Ï◻X“à—e,í”½ %◻f,<sup>3</sup>,ê,Ä,ç,Û,<sup>1</sup>,ñ◻B

—Î,ì-î^ó◻i◻P◻j

◻V◻K,É◻î◻¬,<sup>3</sup>,ê,½flufufWfFfNfg,δŽ!,μ,Ä,ç,Û,◻B

◻Ô,ì X

◻«—^◻í◻œ,<sup>3</sup>,ê,éflufufWfFfNfg,δŽ!,μ,Ä,ç,Û,◻B,±,ÏflufufWfFfNfg,Û,<sup>½</sup>,í◻eflufufWfFfNfg,É'í,,.é•Ï◻X,<sup>a</sup>◻X◻V,<sup>3</sup>,ê,é,Æ◻C,±,ÏflufufWfFfNfg,í◻í◻œ,<sup>3</sup>,ê,Û,◻B◻mf◻l◻v◻f◻f“(P)◻nf◻f◻f... ◻[,ì◻m•Ò◻WŽŽ,ÉŠm”F(E)◻n,δf`fFfbfN,μ,Ä,ç,È,ç,Æ◻CflufufWfFfNfg,í,<sup>½</sup>,<sup>¾</sup>,¿,É◻í◻œ,<sup>3</sup>,ê,Û,◻B

### •Ï◻X“à—e,ì“K—p

'◻^Ó: •Ï◻X“à—e,δ“K—p,,.é,É,í◻C^È%◻◻,ìŽè◻‡,É◻],ç,Û,◻B

1. •Ï◻X,δ“K—p,,.é◻ê◻Š,É, ,é-î^ó,δfNfŠfN,μ,Û,◻B

2. %◻EfNfŠfN,μ,Ä◻m◻X◻V(A)◻n,δ'l'δ,,.é,©◻C◻m◻X◻V◻nf{f^f“,δfNfŠfN,μ,Û,◻B

---

{button ,AL(`UI')} BDE Administrator ft◻[fU◻[fCf“f^◻[ftfF◻[fX

## fy[]fW

□¶fyfCf“ ,Å'!δ,δ□s,κ,Æ□C%oEfyfCf“ ,ì^È%oº,ìf^fu•t,«fy[]fW,ð—LÆø,É,·,é,±,Æ,ª,Å,«,Ü,·□B  
%oEfyfCf“fy[]fW □à-¾

---

□m'è<`□n □¶fyfCf“ ,Å<'²•\Ž!,μ,½fGfŠfAfX□Cfe□[fuf<□CftfB□[f<fh,ð•\Ž!,μ,Ü,·□B  
ft□[fU□[.í□C•W□€□'ì,ìpf%of□[f^,É,Â,ç,Ä•ï□X,Å,«,Ü,·□B¾Žš,ìpf%of□[f^,É,Â,ç  
,Ä,í•ï□X,Å,«,Ü,¹,ñ□B

---

{button ,AL(`UI')} BDE Administrator ft□[fU□[fCf“f^□[ftfF□[fX

## f fjf... [fRf}f“fh

BDE Administrator ,lf fjf... [fo [ ,Å— ~—p,Å,«,éRf}f“fh,É,Â,ç,Ä,íC^È  
%oo,lf gsfbfN,đŽQAE,μ,Ä,,¾,¾,çB

[mflfufWfFfNfg(0)nfRf}f“fh

[m•ÖW(E)nfRf}f“fh

[m•\Ž!(V)nfRf}f“fh

[mflfvfVf+f“(P)nfRf}f“fh

[mfwf<fv(H)nfRf}f“fh

---

{button ,AL(`UI')} BDE Administrator ft [fU [fCf“f^ [ftfF [fX

## mfufWfFfNfg(O)nfRf}f“fh

—~—p,Å,«,émfufWfFfNfg(O)nfRf}f“fh,ð^È%º,ÉŽ!,µ,Û,·□B,±,ê,ç,lfRf}f“fh,í□CBDE Administrator ,Å'! 'ð,µ,½fufWfFfNfg,ð%ºEfnfŠfbfN,µ,½,Æ,«,É•Ž!,³,ê,éfRf“fefLfxfgf□fjf... □[,Æ,µ,Ä,à~—p,Å,«,Û,·□B

### fRf}f“fh à-¾

---

- msj,(O)n <'²•Ž!,³,ê,½fufWfFfNfg,ðŠj,«,Û,·□B
- m•Å,¶,é(C)n <'²•Ž!,³,ê,½fufWfFfNfg,ð•Å,¶,Û,·□B
- m□V<K□ì□-(N)n <'²•Ž!,³,ê,½fufWfFfNfgfNf %ofX,lfCf“fXf^f“fX,ð□ì□-,µ,Û,·□B
- m□í□œ(D)n <'²•Ž!,³,ê,½fufWfFfNfg,ð□í□œ,µ,Û,·□B
- m-¼□ì•ï□X(M)n fufWfFfNfg,ì-¼'O,ð•ï□X,µ,Û,·□B
- m□X□V(A)n •ï□X“à—e,ð•Û'¶,µ,Û,·□B
- mfLfff“fZf<(L)n œ»□Ý□s,Á,Ä,ç,é'€□ì,ðŽæ,è□Á,µ,Û,·□B
- m-¼'O,ð•t,~,Ä•Û'¶(S)n •Û'¶,ì'í□Û,Æ,È,é SQL fufWfFfNfg,ì-¼'O,ðŽw'è,µ,Û,·□B
- mODBC Administratorn
- mfxf“f □[,ìŠÅ<<□Ý'è□n
- mfhf%ofCfo.ìfo□[fWf#f“□n
- mŠÅ<<□Ý'è,ðŠj,□n
- mŠÅ<<□Ý'è,ð-¼'O,ð•t,~,Ä•Û'¶□n
- mŠÅ<<□Ý'è,ðf}□[fW□n
- mfLfvfVf#f“□n
- m□l—¹(X)□n

---

{ button ,AL(` menus')} f□fjf...□[fRf}f“fh

## □m•Ö□W(E)□nfRf}f“fh

**fRf}f“fh**

□à-¾

□mCE³,É-ß,:(U)□n

'¼'O,ÉŽÀ□s,μ,½fRf}f“fh,ðŽæ,è□Á,μ,Ü,·□B

□m□Ø,èŽæ,è(T)□n

'l'ð,μ,½fpf  
%of□□[f^,âftfB□[f<fhff□[f^,ð□Ø,èŽæ,è,Ü,·□i□í□œ,í,μ,È,¢□□B

□mfRfs□[(C)□n

'l'ð,μ,½fpf%of□□[f^,âftfB□[f<fhff□[f^,ðfRfs□[μ,Ü,·□B

□m“\,è•t,~(P)□n

'l'ð,³,ê,½ftfB□[f<fh,É•¶Žš—ñ,ðfy□[fXfg,μ,Ü,·□B

□m□í□œ(D)□n

'l'ð,³,ê,½fefLfXfg,ð□í□œ,μ,Ü,·□B

□m,·,x,Ä,ð'l'ð(L)□n

,·,x,Ä,lfefLfXfg,ð'l'ð,μ,Ü,·□B

---

{button ,AL(` menus')} f□fjif...□[fRf}f“fh

## **m•Ž!(V)nfRf}f“fh**

**fRf}f“fh**      à-¾

---

mfc[f<fo[(T)n      ,±,ìfRf}f“fh,ð'!‘ð,·,é,ÆCBDE Administrator ,ì%œ-  
Êä,Éfc[f<fo[ ,ª•Ž! ,³,ê,Ü,·Bfc[f<fo[ ,É,ÍCmŠ),-  
(O)nCmí(œ(D)nCmfLfff“fZf<(L)nCmXV(A)n  
,È,C,ìfjif...[fo[fRf}f“fh,Æ““™ ,ì<@“\,ðŽ,ÀfAfCfRf“ ,ª—  
p^Ó ,³,ê,Ä,ç,Ü,·B

mfXfe[f^fXfo[(B)n      ,±,ìfRf}f“fh,ð'!‘ð,·,é,ÆCBDE Administrator ,ì%œ-  
Êä,ÉfXfe[f^fXfo[ ,ª•\  
Ž! ,³,ê,Ü,·BfXfe[f^fXfo[ ,É,ÍC“fyfCf“ ,Å<'²•\  
Ž! ,µ,½flfufWfFfNfg,É, ,é€-Ú,ì“ ,ªŽ! ,³,ê,Ü,·B

mÅV,ìî•ñ,ÉXV(R)n      Œ»Ý'!‘ð,³,ê,Ä,ç,é BDE Administrator flfufWfFfNfg,É‘î,µ,Ä  
—LŒø,É,È,Ä,Ä,ç,éê‡,ÍC,» ,ìŽqflfufWfFfNfg,Æ,Æ,à,ÉÄ•`  
%œ,µ,Ü,·B

---

{button ,AL(` menus')} f[jif...[fRf}f“fh

## mfjvfVfjf“(P)nfRf}f“fh

fRf}f“fh à-¾

---

m•ÒWŽž,ÉŠm”F(E)n

,±,lfRf}f“fh,đ’l’đ,·,é,±,Æ,É,æ,èC•iX“à—  
e,đŠm”F,·,é,½,ß,lf\_fCfAf{fbfNfX,ª·\  
Ž!,³,ê,Ü,·B

mEx,đ·\Ž!(W)n

---

{button ,AL(` menus')} f{fj...nfRf}f“fh



## **mfwf<fv(H)nfRf}f“fh**

**fRf}f“fh**      à-¾

---

m-ÚŽŸ(C)n      BDE Administrator flf“f%ofCf“fwf<fv,ì-ÚŽŸ,đ•\Ž!,μ,Ü,·

mfo[fWf#f“î•ň(A)n      BDE Administrator ,ìfo[fWf#f“ , ,æ,Ñ’~ìCE îî•ň,đ•\  
Ž!,μ,Ü,·

---

{button ,AL(`menus')} f[]jf...[]fRf}f“fh

## fL[]

^È%º,ìfL[]‘€[],É,æ,è[]C[]fycf“,É, ,élfufWfFfNfg,ìŽqflfufWfFfNfg,đ•\Ž;/”ñ•\Ž|,Å,«,Ü,·[]B

-Ú“!

fL[]

---

ŽqflfufWfFfNfg,ì•\Ž| +[]ifvf%ofX<L[]+[]j,Ü,½,Í[]”

ŽqflfufWfFfNfg,ì”ñ•\Ž| -[]if}fCfifX<L[]+[]j,Ü,½,Í[]©

fcfŠ[]‘S’ì,ì•\Ž| \*[]ifAfXf^fŠfXfN[]j

---

{button ,AL(`UI')} BDE Administrator ft[]fU[]fCf“f^[]ftfF[]fX

## □mff□[f^fx□[fX□nfy□[fW

□mff□[f^fx□[fX□nfy□[fW,É,í□C—~—p%°Å"\\,Èff□[f^fx□[fX,ìGfŠfAfX,a•\  
Ž!,<sup>3</sup>,ê,Ü,·□B□mff□[f^fx□[fX□nfy□[fW,ì"à—e,ðŽQ□Æ,·,é,É,í□CBDE Administrator  
,ì□¶fyfCf",É, ,é□mff□[f^fx□[fX□nf^fu,ðfNfŠfN,μ,Ü,·□B

ft□[fU□[,í□C%°EfyfCf",ìf^fu•t,«fy□[fW,Å□Ý'è,<sup>3</sup>,ê,Ä,ç,é"à—e,ð•\Ž!/<sup>3</sup>•Ò□W,Å,«,Ü,·□B

ff□[f^fx□[fXfifufWfFfNfg,ì□i□¬,Æ•Ò□W,É,Ä,ç,Ä,í□C^È%°°,ìfgfsfbfN,ðŽQ□Æ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

{button ,AL(`UI')} BDE Administrator ft□[fU□[fCf" f^□[ftfF□[fX

{button ,AL(`database')} □mff□[f^fx□[fX□nfy□[fW,ÉŠÖ,·,éfgfsfbfN

## ff[f^fx[fXfGfŠfAfX,ìžg—p

ft[fU[.íCBDE Administrator ,đžg—p,μ,ÄCBDE fGfŠfAfX,đ•Ž!□□ì□—□C•ïX,.,é,±,Æ,ª,Å,«,Ü,·□B,±,ê,ç,đŽÀ□s,.,é,½,ß,É□C□mff[f^fx□[fX□nfy□[fW□ã,Å□s,«□i<Æ,Æ,»,ìžè□‡,đ^È%º,ì•\,ÉŽ!,μ,Ü,·□B

□i<Æ	Žè□‡
fGfŠfAfX,ì•Ž!	<ol style="list-style-type: none"> <li>□ïfyfCf“,É, ,éff[f^fx□[fXfifufWfFfNfg,ì%ºj,É•Ž!,³,é,Ä,ç,é + ,đfNfŠfbfN,μ,Ü,·□B</li> <li>□ïfyfCf“,É•Ž!,.,éfGfŠfAfX,đ'ìđ,μ,Ü,·□B %ºEfyfCf“,É□m'è&lt;`□nfy□[fW,ª•Ž!,³,é,Ü,·□B</li> </ol>
fGfŠfAfX,ì□ì□—	<ol style="list-style-type: none"> <li>□ïfyfCf“,Äff□[f^fx□[fXfifufWfFfNfg,đ'ìđ,μ,Ü,·□B</li> <li>%ºEfnfŠfbfN,μ,ÄfRf“fefLfxfgf□fjf...□[,đ&lt;N“® ,μ,Ü,·□B</li> <li>□m□V&lt;K□ì□—(N)□n,đ'ìđ,μ,Ü,·□B</li> </ol> <ol style="list-style-type: none"> <li>□mff□[f^fx□[fXfGfŠfAfX,ì□V&lt;K□ì□—□nf_fCfAf□fOf{fbfNfX,ÄfGfŠfAfX ,đ'ìđœã□C□mOK□n,đ'ìđ,μ,Ü,·□B</li> <li>□ïfyfCf“,ÄfGfŠfAfX—¼,đ“ü—í,μ,Ü,·□B</li> <li>%ºEfyfCf“,ì□m'è&lt;`□nfy□[fW,É, ,é PATH fpf %ºf□□[f^ ,É□CfGfŠfAfX,ìfpfX,đŽw'è,μ,Ü,·□B•K—v,É %ºž,¶,Ä□CDEFAULT DRIVER fpf%ºf□□[f^ ,Éfhf%ºfCfo,đŽw'è,μ,Ü,·□B</li> <li>□ïfyfCf“,É, ,éff□[f^fx□[fXfifufWfFfNfg,đ %ºEfnfŠfbfN,μ,ÄfRf“fefLfxfgf□fjf... □[,đ&lt;N“® ,μ,Ü,·□BŽY,É□C□m□X□V(A)□n,đ'ìđ,μ,Äff□[f^fx□[fX,đ□X□V, μ,Ü,·□B</li> </ol>
fGfŠfAfX,ì□C³	<ol style="list-style-type: none"> <li>□ïfyfCf“,Ä•ïX,.,éfGfŠfAfX,đ'ìđ,μ,Ü,·□B□m'è&lt;`□nfy□[fW,ª %ºEfyfCf“,É•Ž!,³,é,Ü,·□B</li> <li>•K—v,É%ºž,¶,Ä□CPATH ,â DEFAULT DRIVER fpf %ºf□□[f^ ,đ•ïX,μ,Ü,·□B</li> <li>□ïfyfCf“,É, ,éff□[f^fx□[fXfifufWfFfNfg,đ %ºEfnfŠfbfN,μ,ÄfRf“fefLfxfgf□fjf... □[,đ&lt;N“® ,μ,Ü,·□BŽY,É□C□m□X□V(A)□n,đ'ìđ,μ,Äff□[f^fx□[fX,đ□X□V, μ,Ü,·□B</li> </ol>
fGfŠfAfX,ì□í□œ	<ol style="list-style-type: none"> <li>□í□œ,.,éfGfŠfAfX,đ□ïfyfCf“,Ä'ìđ,μ,Ü,·□B</li> <li>%ºEfnfŠfbfN,μ,ÄfRf“fefLfxfgf□fjf...□[,đ•Ž!,μ,Ü,·□B</li> <li>□m□í□œ(D)□n,đ'ìđ,μ,ÄfGfŠfAfX,đ□í□œ,μ,Ü,·□B</li> <li>ff□[f^fx□[fXfifufWfFfNfg,đ%ºEfnfŠfbfN,μ,ÄfRf“fefLfxfgf□fjf... □[,đ&lt;N“® ,μ,Ü,·□BŽY,É□C□m□X□V(A)□n,đ'ìđ,μ,Äff□[f^fx□[fX,đ□X□V, μ,Ü,·□B</li> </ol>

{button ,AL(` database')} □mff□[f^fx□[fX□nfy□[fW,ÉŠÖ,.,éfgfsfbfN

{button ,AL(` UI')} BDE Administrator ft[fU□[fCf“f^□[ftfF□[fX

## fGfŠfAfX

fGfŠfAfX, íCfIbfjgffNfŠf\ [fX, ðŽ!, ·-¼' O, Ü, ½, í^ê~A, lfpf%o f [f^, Å, ·BBDE  
fAfvfŠfP [fVf#f", íCfGfŠfAfX, ðŽg—p, μ, Äff [f^fx [fX, ÉU' ±, μ, Ü, ·Bff [f^fx [fX, af [f]f<, É, ,é  
ê# , í•K—v, , è, Ü, ¹, ñBSQL ff [f^fx [fX, íê# , í•K—v, Å, ·B

## BDE Administrator f{f^f“

BDE Administrator ,lfc[f<fo[.É, ,éCfRf}f“fh,ðŽÀ[s,·,é,½,ß,l{f^f“ ,ð^È%º,ÉŽl,μ,Û,·B

f{f^f“

à-¾

mŠj,n

flfufWfFfNfg,ðŠj,·B

míœn

‘l’ð,μ,½flfufWfFfNfg,ðíœ,μ,Û,·B

mfLfff“fZf<n

‘l’ð,μ,½flfufWfFfNfg,É‘î,·,é•ïX,ð”jŠü,μ,Û,·B

mXVn

‘l’ð,μ,½flfufWfFfNfg,É‘î,·,é•ïX,ðff[f^fx[fX,Éf  
Rf~fbfg,μ,Û,·B

---

{button ,AL(`UI')} BDE Administrator ft[fU[fCf“f^[]ftfF[fX

## **m'è`nfyfW**

%EfyfCf“,ìm'è`nfyfW,É,ÍC¶fyfCf“,Å<'²•\Ž!,μ,½fifufWfFfNfg,ìfpf%of[]f^,ª•\Ž!,³,ê,Û,·BmSystemn,đ\_fuf·fNfSfbfN,·,é,ÆC^É%º,ìfpf%of[]f^,ª•\Ž!,³,ê,Û,·B

### **mFormatsn**

mDaten

mTimen

mNumbern

mINITn





**□m,·,×,Ä,ð'í'ð(L)□nfRf}f“fh**

□m,·,×,Ä,ð'í'ð(L)□n,ð'í'ð,·,é,±,Æ,É,æ,è□C•Ò□Wf{fbfNfX,lfefLfXfg,ð,·,×,Ä'í'ð,Å,«,Ü,·□B

## □m-¼'O,đ•t,̄,Ä•Û'¶(S)□nfRf}f“fh

□m-¼'O,đ•t,̄,Ä•Û'¶(S)□n,Û,½,í□mfIfufWfFfNfg(O)□b-¼'O,đ•t,̄,Ä•Û'¶(S)□n,đ'l'đ,·,é,±,Æ,É,æ,è□C'l'đ,μ,½fIfufWfFfNfg,đ•Û'¶,Å,«,Û,·□B-¼'O,đ•Û'¶X,·,é,Æ□CfIfufWfFfNfg,<sup>a</sup>□V<K,É□i□-,<sup>3</sup>,ê□C•Û'¶X,<sup>3</sup>,ê,½“à—e,í,»,ìfIfufWfFfNfg,É“K—p,<sup>3</sup>,ê,Û,·□BCE<sup>3</sup>,ìfIfufWfFfNfg,É,í”½%of,<sup>3</sup>,ê,Û,<sup>1</sup>,ñ□B

□m-¼'O,đ•t,̄,Ä•Û'¶(S)□n,đ'l'đ,·,é,Æ□C□m-¼'O,đ•t,̄,Ä•Û'¶□nf\_fCfAf□fOf\_{fbfNfX,<sup>a</sup>·\Ž,<sup>3</sup>,ê,Û,·□B

## □m-¼'O,đ•t,̄,Ä•Û'¶□nf\_fCfAf□fOf{fbfNfX

□m-¼'O,đ•t,̄,Ä•Û'¶□nf\_fCfAf□fOf{fbfNfX,đŽg—p,·,é,±  
,Æ,É,æ,è□C'I'đ,μ,½f|fufWfFfNfg,đ•Û'¶,Å,«,Û,·□B,±,ìf\_fCfAf□fOf{fbfNfX,đ•\Ž|,·,é,É,í□□m-  
¼'O,đ•t,̄,Ä•Û'¶□n,Û,½,í□mf|fufWfFfNfg(O)□b-¼'O,đ•t,̄,Ä•Û'¶(S)□n,đ'I'đ,μ,Û,·□B

## □m□V,μ,ϕ-¼'O□n

•Ò□Wf{fbfNfX,É“ü—í,·,é|fufWfFfNfg,ì-¼'O□BffftfHf<fg,Å,í□CCE»□ÝŽg—p,μ,Ä,ϕ,é-¼'O,ª\  
Ž|,³,è,Ä,ϕ,Û,·□B•ï□X,·,é•K—v,ª,È,̄,è,í□□mOK□n,đ'I'đ,μ,Û,·□B

**□mfo□[fWf†f“□î•ñ(A)□nfRf}f“fh**

□mfo□[fWf†f“□î•ñ(A)□n,Ü,½,Í□mfwf<fv(H)□bfo□[fWf†f“□î•ñ(A)□n,đ'ı'đ,·,é,±,Æ,É,æ,è□CBDE  
Administrator ,lfo□[fWf†f“ , ,æ,Ñ'~□iE □î•ñ,đ•\Zı,Å,«,Ü,·□B

## □m□X□V(A)□nfRf}f“fh

□m□X□V(A)□n,Ü,½,í□mfIfufWfFfNfg(O)□b□X□V(A)□n,đ'í'đ,·,é,±,Æ,É,æ,è□C<'²·\  
Ž|,³,ê,½fIfufWfFfNfg,đ•Ů'¶,Å,«,Ů,·□B,±  
,IfufWfFfNfg,İcfŠ□[,É'®,·,éIfufWfFfNfg,É'î,μ,Ä□s,Á,½•ĩ□X,â□í□œ,à□C•Ů'¶,ì'î□Ů,É,È,è,Ů,·□B

**mfLfff“fZf<(L)nfRf}f“fh**

‘€̀ì,đŽæ,èÁ,·,É,ÍCmfLfff“fZf<(L)n,Û,½,ÍmfLfufWfFfNfg(O)bfLfff“fZf<(L)n,đ‘đ,μ,Û,·B

**□m•Â,¶,é(C)□nfRf}f“fh**

□m•Â,¶,é(C)□n,Ü,½,í□mfIfufWfFfNfg(O)□b•Â,¶,é(C)□n,ð'í'ð,·,é,±,Æ,É,æ,è□C<'²•\Ž|,³,ê,Ä,¢  
,éIfufWfFfNfg,ð•Â,¶,é,±,Æ,ª,Ä,«,Ü,·□B

## □m•Ò□WŽž,ÉŠm”F(E)□nfRf}f“fh

,±,lfRf}f“fh,É,æ,è□C•ï□X“à—

e,đŠm”F,Å,«,Ü,·□Bf`fFbfN,·,é,Æ□C•ï□X□ì<Æ,đ□s,Á,½CEã□C,»„ì“à—  
e,đŠm”F,·,é,½,β,lf\_fCfAf□fOf{fbfNfX,<sup>a</sup>•\Z,³,ê,Ü,·□B



## □mCEx□□,đ•\Ž!□nfRf}f“fh

□mf|fvfVf+f“(P)□bCEx□□,ì•\Ž!(W)□n,đ‘l‘đ,·,é,±  
,Æ,É,æ,è□C•Ö□W‘t,Éff□[f^,ì‘1Ž,Ü,½,í□f^ff□[f^,ì‘1Ž,ª”□¶,·,é%oÂ”\□«,ª, ,é,Æ,«,ÉCEx□□f□fbf  
Z□[fW,đ•\Ž!,·,é,©,Ç,⌘,©,đ□Ø,è‘Ö,ì,é,±,Æ,ª,Å,«,Ü,·□B

,½,Æ,ì,î□Cfe□[fuf<,ì—ñ,đ^Ú“® ,μ,½□ê□#□Cfe□[fuf<,í□í□œ,³,ê□C—  
ñ,í□V,μ,ç□#□~ ,Å□Å□ì□—,³,ê,é,ì,Å□Cff□[f^,ì‘1Ž,ª”□¶,¶,é%oÂ”\□«,ª, ,è,Ü,·□B,Ü,½□C•\  
Ž!f|fufWfFfNfg,ì“à—e,ª•í□X,³,ê,½□ê□# ,É,í□Cf□f^ff□[f^,ì‘1Ž,ª”□¶,¶,é%oÂ”\□«,ª, ,è,Ü,·□B

□mCEx□□,đ•\Ž!(W)□n,Éf`fFfbfN,đ•t,¯,Ä,¨,-  
,Æ□C‘€□ì‘í□Ù,ìf|fufWfFfNfg,²,Æ,É“K□Ø,ÉŽŽ“\_ ,ÅCEx□□,ª•\Ž!,³,ê,Ü,·□B

**m-ÚŽŸ(C)nfRf}f“fh**

mfwf<fv(H)b-ÚŽŸ(C)n,đ'í'đ,.,é,ÆCBDE Administrator ,lf" f%ofCf"fwf<fv,ª•\Ž|,³,ê,Ü,·B

**mfRfs[(C)nfRf}f“fh**

mfRfs[(C)n,Ü,½,Ím•ÒW(E)bfRfs[(C)n,ð'í'ð,·,é,±,Æ,É,æ,èC'í'ð,μ,½fpf  
%of[f^CftfB[f<fhff[f^CfefLfXfg,È,Ç,ðfNfŠfbjvf{[fh,ÉfRfs[,Å,«,Ü,·B

**□m□Ø,èŽæ,è(T)□nfRf}f“fh**

□m□Ø,èŽæ,è(T)□n,Ü,½,Í□m•Ò□W(E)□b□Ø,èŽæ,è(T)□n,ð'í'ð,·,é,±,Æ,É,æ,è□C'í'ð,μ,½fpf  
%of□□[f^□CftfB□[f<fhff□[f^□CfefLfXfg,È,Ç,ð□Ø,èŽæ,Á,ĂfNfŠfbfvf{□[fh,ÉfRfs□[,Å,«,Ü,·□B

## □m□í□œ(D)□nfRf}f“fh

□m□í□œ(D)□n,Ü,½,í□mfIfufWfFfNfg(O)□b□í□œ(D)□n,ð'í'ð,·,é,±,Æ,É,æ,è□C<'²·\Ž|,³,ê,Ä,ç  
,élfufWfFfNfg,âfefLfXfg,ð□í□œ,Å,«,Ü,·□ifNfSfbvf{□[fh,É,ÍfRfs□[,³,ê,Ü,¹,ñ□j□B

□m□í□œ(D)□n,Ü,½,í□m•Ò□W(E)□b□í□œ(D)□n,ð'í'ð,·,é,±,Æ,É,æ,è□C□mSQL •¶,ì“ü—  
Í□nfy□[fW,lfefLfXfg,ð□í□œ,Å,«,Ü,·□B

**□m□l—<sup>1</sup>(X)□nfRf}f“fh**

□m□l—<sup>1</sup>(X)□n,Ü,½,Í□mfJfufWfFfNfg(O)□b□l—<sup>1</sup>(X)□n,đ'l'đ,·,é,±,Æ,É,æ,è□CBDE Administrator  
,đ□l—<sup>1</sup>,Å,«,Ü,·□B

## **□m□V<K□ì□¬(N)□nfRf}f“fh**

□m□V<K□ì□¬(N)□n,Ü,½,Í□mfJfufWfFfNfg(O)□b□V<K□ì□¬(N)□n,ð'í'ð,·,é,±,Æ,É,æ,è□C<'²•\  
Ž,³,ê,Ä,č  
,éJfufWfFfNfg,ìfCf“fXf^f“fX,ð□ì□¬,Å,«,Ü,·□Bff□[f^fx□[fX,ð'í'ð,·,é,Æ□C□mff□[f^fx□[fXfGfŠfAf  
X,ì□V<K□ì□¬□nf\_fCfAf□fOf{fbfNfX,ª•\Ž,³,ê,Ü,·□B

## mf [f^fx [fXfGfŠfAfX, i V<K i - nf\_fCfAf fOf {fbfNfX

, ±, ð, f\_c fA f fOf {fbfNfX, í C i -, ·, é fGfŠfAfX, ð Ž í — b, ð Ž |, · fhf% ofCfo, ð ' l' ð, µ, Ü, · B

, ±, ð, f\_c fA f fOf {fbfNfX, ð · \

Ž |, ·, é, É, í C mf [f^fx [fX nfy [fW, Å m f l f u f W f F f N f g (O) b V<K i -(N) n, ð ' l' ð, µ, Ü, · B

## mf [f^fx [fXfhf% ofCfo - 1/4 n

í -, ·, é fGfŠfAfX, ð fhf% ofCfo B f f t f H f < f g, Å, í C f h f% ofCfo - 1/4, Š, „, è “ - , Ä, ç, é, Ä, ç, Ü, · B · É, ð -

1/4 ' O, É · í X, µ, 1/2, é fGfŠfAfX, ð ' l' ð, µ, 1/2, è, ·, é, É, í C % of E f N f Š f b f N, µ, Ä m -

1/4 í · í X (M) n, ð ' l' ð, µ, Ü, · B



## □mŠJ,(O)□nfRf}f“fh

□mŠJ,(O)□n,Ü,½,í□mfIfufWfFfNfg(O)□bŠJ,(O)□n,đ'ı'đ,·,é,±,Æ,É,æ,è□C<'2•\  
Žı,μ,½fIfufWfFfNfg,đŠJ,,±,Æ,ª,Å,«,Ü,·□B

**m“\,è•t,¯(P)nfRf}f“fh**

m“\,è•t,¯(P)n,Û,½,Ím•ÒW(E)b“\,è•t,¯(P)n,đ'ı'đ,·,é,±  
,Æ,É,æ,èC'ı'đ,μ,½ftfB[f<fh,É•¶Žš—ň,đfy[fXfg,·,é,±,Æ,<sup>a</sup>Å,«,Û,·B

## □m□Å□V□î•ñ,É□X□V(R)□nfRf}f“fh

□m□Å□V□î•ñ,É□X□V(R)□n,Ü,½,Í□m•Ž!(V)□b□Å□V□î•ñ,É□X□V(R)□n,đ'!đ,·,é,±  
,Æ,É,æ,è□C'!đ,μ,½ BDE Administrator flfufWfFfNfg,¨,æ,Ñ,»,lžqflfufWfFfNfg,đ□Ä•`  
%œ,Å,«,Ü,·□B

**□m-¼□ì•ï□X(M)□nfRf}f“fh**

□m-¼□ì•ï□X(M)□n,Ü,½,Í□mfJfufWfFfNfg(O)□b-¼□ì•ï□X(M)□n,ð'ì'ð,·,é,±  
,Æ,É,æ,è□C'ì'ð,μ,½fJfufWfFfNfg,ì-¼'O,ð•ï□X,Å,«,Ü,·□B

## mfXfe[f^fXfo[(B)nfRf}f“fh

m•\Ž!(V)bfXfe[f^fXfo[(B)n,đ'!đ,·,é,±,Æ,É,æ,èCBDE Administrator fEjBf“fhfE,ìÅ  
%o°•”,ÉfXfe[f^fXfo[đ•\Ž!,Å,«,Ü,·BfXfe[f^fXfo[É,æ,èC¶fyfCf“,Å<'²•\Ž!,³,ê,Ä,ç  
,éjfuWfFfNfg“à,ì€-Ú”,É,Ä,ç,Ä'm,é,±,Æ,ª,Å,«,Ü,·B

**□mCE³,É-β,·(U)□nfRf}f“fh**

%oEfnfšfbfN,μ,Ä□mCE³,É-β,·(U)□n,đ'ı'đ,·,é,©□C□m•Ò□W(E)□bCE³,É-β,·(U)□n,đ'ı'đ,·,é,±  
,Æ,É,æ,è□CfAfNfefBfu,Ëfpf%of□□[f^ftfB□[f<fh,đ'¼'O,ì□ó'Ô,É-β,·,±,Æ,â,Å,«,Ü,·□B

## □m<fxf“f\_□[,ìŠĀ<<□Ý’è>□nfRf}f“fh

‘□^Ó: ,±,ìfRf}f“fh,ì-¼’O,í“®“l,É•ï%»»,μ□CŽÀ□Ů,É,í’l’ð,<sup>3</sup>,ê,Ā,ç,éfhf%ofCfo,Ů,½,ìfGfŠfAfX,É  
%»ž,¶,½fxf“f\_□[‘ñ<Ÿ,ì□Ý’èft□[fefBfŠfefB,ì-¼’O,É,È,è,Ů,·□B

□m<fxf“f\_□[,ìŠĀ<<□Ý’è>□n,Ů,½,ì□mfìfufWfFfNfg(O)□b<fxf“f\_□[,ìŠĀ<<□Ý’è>□n,ð’l’ð,·,é,±  
,Æ,É,æ,è□CODBC , ,é,ç,í SQL fhf%ofCfo□C,Ů,½,ì<’2•\Žì,<sup>3</sup>,ê,Ā,ç,é^fCfv,ìfGfŠfAfX,É,Ā,ç  
,Ā,ì□Ý’è,ð□s,±,Æ,<sup>a</sup>,Ā,«,,Ů,·□B’l’ð,μ,Ā,ç,éfhf  
%ofCfo,Ů,½,ìfGfŠfAfX,É,í,μ,Āfxf“f\_□[<Ÿ<<,ì□Ý’èft□[fefBfŠfefB,<sup>a</sup>Žg—p%»Ā“\,È□ê□#,É,í□C,»»,ê,<sup>a</sup>•\  
Žì,<sup>3</sup>,ê,Ů,·□B□Ý’èft□[fefBfŠfefB,<sup>a</sup>CE©,Ā,©,ç,È,ç□ê□#,É,í□C□mfffBfCefNfgfŠ,ì’l’ð□nf\_fCfAf□fOf{f  
bfNfX,<sup>a</sup>•\Žì,<sup>3</sup>,ê□C’ă’Ů,ìfxf“f\_□[□Ý’èft□[fefBfŠfefB,ð’l’ð,·,é,±  
,Æ,<sup>a</sup>,Ā,«,,Ů,·□B’ă’Ů,ìft□[fefBfŠfefB,ðŽw’è,·,é,Æ□C,»»,ê,<sup>a</sup>fCefWfXfgfŠ,ì Cfgutils ,É•Ů’¶,<sup>3</sup>,ê□CŽŸ  
%»ñ,©,ç,»»,ìf^fCfv,ìfhf%ofCfo,Ů,½,ìfGfŠfAfX,ð<’2•\  
Žì,μ,Ā□m<fxf“f\_□[,ìŠĀ<<□Ý’è>□n,ð’l’ð,μ,½,Æ,«,,É•\Žì,<sup>3</sup>,ê,Ů,·□B

□Ú□x,É,Ā,ç,Ā,í□Cft□[fefBfŠfefB,ìf\_fCfAf□fOf{fbfNfX,©,çfwf<fv,ðŽQ□Æ,μ,Ā,¾,<sup>3</sup>,ç□B

## mODBC Administrator

mODBC Administrator, ð'í'ð, ·, é, ±, Æ, É, æ, è CODBC, ìfhf%ofCfo, Ü, ½, Íff[f^f\ [fX, ì'Ç  
%oÁ C í œ C, ", æ, Ñ Y'è, a s, i, Ü, · B, ±  
, ìRf}f"fh, í C mff[f^fx [fX nfy [fW, ì mff[f^fx [fX nfm [fh, © C mŠÁ << Y'è nfy [fW, ì  
mODBC nfm [fh, ð%oEfNfŠfbfN, µ, ½, Æ, «, É · \Z!, ³, ê CŽg—p, µ, Ä, ç, é ODBC fhf  
%ofCfo, ìfxf"f\_ [, a'ñ < Y', ·, é ODBC fVfXfef€ŠÇ—ft [fefBfŠfefB, a < N" ®, ³, é, Ü, · B  
ODBC, ìfhf%ofCfo, Ü, ½, Íff[f^f\ [fX, ð'² · \Z!, µ, Ä  
%oEfNfŠfbfN, ·, é, í C m < fxf"f\_ [, ì ŠÁ << Y'è > n, ð'í'ð, µ, Ä" -, ¶ ODBC fVfXfef€ŠÇ—  
ft [fefBfŠfefB, ð < N" ®, ·, é, ±, Æ, a, Ä, «, · B  
Ú x, É, Á, ç, Ä, í C fVfXfef€ŠÇ—ft [fefBfŠfefB, ìf\_cfAfOf {fbfNfX, ©, çfwf < fv, ðŽQ Æ, µ, Ä, -  
, ¾, ³, ç B



## mfhf%ofCfo,ìfo[fWf#f“nfRf}f“fh

mfjfufWfFfNfg(O)bfhf%ofCfo,ìfo[fWf#f“n,đ'l'đ,·,é,±,Æ,É,æ,èCBDE DLL ,âfhf  
%ofCfo,ÉŠÖ,·,éî•ñ,đ•\Ž!,Å,«,Ü,·B,±,ìfRf}f“fh,đŽÀs,·,é,ÆCmBDE  
fo[fWf#f“î•ñnf\_fCfAfOf{fbfNfX,<sup>a</sup>•\Ž!,<sup>3</sup>,ê,Ü,·B

## **□mBDE fo□[fWf#f“□î•ñ□nf\_fCfAf□fOf{fbfNfX**

,±,lf\_fCfAf□fOf{fbfNfX,É,Í□CBDE DLL ,ÉŠÖ,.,é□î•ñ,ª•\Ž|,³,ê,Ü,·□B

,±,lf\_fCfAf□fOf{fbfNfX,đ•\Ž|,.,é,É,Í□C□mfhf

%oCfo,lf□[fWf#f“□n,Ü,½,Í□mfJufWfFfNfg(O)□bfhf%oCfo,lf□[fWf#f“□n,đ'f'đ,μ,Ü,·□B

### **□mDLL -¼□n**

BDE ,lfCf“fXfg□[f<Žž,ÉfCf“fXfg□[f<,³,é,é DLL ftf@fCf<,ì-¼'O□B

### **□mfo□[fWf#f“”Ô□t□n**

□ã<L,ì□mDLL -¼□n,ÁŽ|,³,ê,é DLL ,ÉŠ,,,è“-,Ä,ç,ê,éfo□[fWf#f“”Ô□t□B

### **□m“ú•t□n**

□ã<L,ì DLL ,ì“ú•t□B

### **□mŽžŠÔ□n**

□ã<L,ì DLL ,ìžž□□□B

### **□mfTfCfY□ifofCfG□j□n**

□ã<L,ì DLL ,lfTfCfY□B

## ODBC fhf%ofCfo,ìV<Kì-ñf\_fCfAfOf{fbfNfX

ODBC fhf%ofCfo,ìV<Kì-ñf\_fCfAfOf{fbfNfX,ðŽg,Á,ÄCfhf%ofCfo,ìê—i mfhf %ofCfo-¼ñfŠfXfgf{fbfNfXj,É ODBC fhf%ofCfoU'±,ð'Ç%A,μ,Û,·Bfhf%ofCfo,ìê—,É ODBC fhf%ofCfoU'±,³·Ž,³,é,½,çC,»,ìU'±,ì,½,β,lfGfŠfAfX,ðì-À,«,Û,·BODBC ff[f^f \ [fX,lfGfŠfAfX,ðŽg,æ,ÆCBDE fAfvfŠfP[fVf#f",ð%oi,μ,Á ODBC ff[f^fx[fX,ÉU'±,Á,«,Û,·B

### ODBC fhf%ofCfoU'±,ð'Ç%A,·,é,É,íC^È%º,iŽè†,É],¢,Û,·B

1. BDE Administrator ,ìmŠÂ«Y'èñfy[fW,ð'l'ð,μ,Û,·B
2. mDriversñ,É,·é mODBCñ,ð%EfNfŠfbfN,μ,ÄmV<Kì-(N)ñ,ð'l'ð,μ,Û,·B
3. U'±,·,é,ì,½,β,ì-¼'O,ðmfhf%ofCfo-¼ñfefLfxfgf{fbfNfX,É"ü-í,μ,Û,·B
4. ODBC fhf%ofCfo-¼ñfhf{fbfvf\_fEf"fŠfXfgf{fbfNfX,Á-U"l,iff[f^f \ [fX-p,ì ODBC fhf %ofCfo,ðCE©,Á,~,Û,·B
5. mff[f^fx[fXì-¼-pff[f^f \ [fX,ì'l'ðñfhf{fbfvf\_fEf"fŠfXfgf{fbfNfX,Á-U"l,iff[f^f \ [fX,ðCE©,Á,~,Û,·B

ODBC fhf%ofCfo,â ODBC ff[f^f \ [fX-¼,íC³,μ,fCf"fxfg[f<,³,é,Ä,ç,È,ç,Æ^ê—,É·\ Ž,³,é,Û,¹,ñB,±,ìê†CODBC fhf%ofCfo,ðfCf"fxfg[f<,μ'¼,·,© ODBC ff[f^f \ [fX,ðY'è,μ'¼,μ,Á,¾,³,çBÜx,É,Á,ç,Ä,íCŽY,lfgfsfbfN,ðŽQÆ,μ,Ä,¾,³,çB

{button ,AL('odbcconfig')} ODBC ŠÂ«Y'è

CE»Y,ìŠÂ«Y'èftf@fCf<,ÉV<K,Éì-¼,μ,½ ODBC fhf %ofCfo,ð·U'¶,·,é,É,íCmfufWfFfNfg(O)bŠÂ«Y'è,ð-¼'O,ð·t,~,Ä·U'¶ñ,ð'l'ð,μ,Ä,-,¾,³,çB

### mfhf%ofCfo-¼ñ

ODBC fhf%ofCfoU'±,É·t,~,é-¼'O Bfhf%ofCfo-¼,É,íCfRf"i:ñj,Æ%~<L+ \ j,íŽg,ì,Û,¹,ñB

### mODBC fhf%ofCfo-¼ñ

,±,ì ODBC ff[f^f \ [fX,ÉU'±,·,é,½,β,ÉŽg-p,·,é ODBC fhf%ofCfo,ì-¼'O B

### mff[f^fx[fXì-¼-pff[f^f \ [fX,ì'l'ðñ

ODBC ff[f^f \ [fX,ì-¼'O B

**ftf@fCf<,ªCE©,Â,©,è,Ü,<sup>1</sup>,ñ.,±,ìftf@fCf<,ðŽ©•ª,Â'T,µ,Ü,.,©?**

BDE Administrator

,Â,ÍCŽw'è,µ,½ftf@fCf<,ðCEÿðö,Â,«,Ü,<sup>1</sup>,ñ,Â,µ,½BmOKn,ð'l'ð,µ,ÄCEÿðö,µ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

ŠÂ««ÿ'èftf@fCf<,ðŽw'è,µ,½é±,ÍC,»,è,ªCEë,Â,½ffBfCEfNfgfŠ,ÉŠi"[,<sup>3</sup>,è,Ä,ç,é%oÂ"\«ª,è,

Ü,·BCONFIGFILE01 ,ìfCEfWfXfgfŠ,ð'<sup>2</sup>,x,Â,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

HKEY\_LOCAL\_MACHINE\Software\Borland\BDE\CONFIGFILE01

ŠÖ~AfgfsfbfN,Æ,µ,ÄCfftfHf<fg,ÌŠÂ««ÿ'èftf@fCf<,ðŽQÆ,µ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

## mfBfEfNfgfŠ,ì'ìďnf\_fCfAf\_fOf{fbfNfX

,±,ìf\_fCfAf\_fOf{fbfNfX,íCfxf“f\_[] ,ìŠÂ««Ÿ'èftf@fCf<,Ši”[,<sup>3</sup>,ê,Ä,ç  
,éffBfEfNfgfŠ,ď'ìď,·,éêê±C, ,é,ç,Í“K∅,ÈffBfEfNfgfŠ,ď“ü—Í,·,éêê±,ÉŽg,ç  
,Ü,·BffBfEfNfgfŠ,ď'ìď,μ,É,ç,Å,±  
,ìf\_fCfAf\_fOf{fbfNfX,ď•Â,¶,é,É,ÍCmfLfff“fZf<n,ď'ìď,μ,Ü,·B

**fhf%ofCfo-¼,ªd•i,µ,Ä,ç,Ü,·.V,µ,ç-¼'O,ð"ü—Í,µ,Ä,,¾,³,ç.**

ODBC fhf%ofCfoÚ'±,ì-¼'O,ªd•i,µ,Ä,ç,Ü,·B,P,Â,ŠÂ«Y'èftf@fCf<,É,¨,¯,é ODBC fhf  
%ofCfoÚ'±,ì-¼'O,ÍCftfj[fN,È,à,ì,Å,È,¯,ê,Î,È,è,Ü,¹,ñB

BDE ŠÂ«Y'è,ìfGf%of[f]fbfZ[fW,ì%œ-Ê,ÅmOK[n,ð'I'ð,µ,ÄC"ü—Í,µ¼,µ,Ä,,¾,³,çB



•s³,ÈŠÂ««Ÿ'èftf@fCf<,Â,·.

BDE Administrator ,íCŽw'è,³,ê,½ŠÂ««Ÿ'èftf@fCf<,đŠj,¯,Ü,¹,ň,Â,μ,½BCE  
'^ö,Æ,μ,Ä,íCftf@fCf<,ìĚ`Ž®,ªĚë,Á,Ä,č,éCftf@fCf<,ª%ó,ê,Ä,č,éC"Ç,ÝŽæ,èê—  
p,ìftf@fCf<,Â, ,éC,Ě,Ç,ªl,i,ç,ê,Ü,·B

BDE ŠÂ««Ÿ'è,ìfGf%o[f]fbfZ[fW,ì%æ-Ê,ÂmOKn,đ'l'đ,μ,ÄC•Ê,ìftf@fCf<,ĂŽŽ,μ,Ä,-  
,¾,¾,čB



## f}[]fW,ðCE³,É-ß,·,±,Æ,Í,Å,«,Ü,¹,ñ.‘±,¯,Ü,·,©?

mf}tf@fCf<,ðŠj,[]nf\_fCfAf[]fOf{fbfNfX,Å‘l’ð,μ,½ŠÂ<«Ý’èftf@fCf<,ð[]Cf[]f,fŠ“à,É, ,éŠÂ<«Ý’èftf@fCf<,Éf}[]fW,μ,æ,π,Æ,μ,Ü,μ,½[]B

**CEx**[]!ft[]fU[][,Íf}[]fW‘€[]i,ðŽæ,è[]Á,·,±,Æ,Í,Å,«,Ü,¹,ñ[]BCE»[]ÝŽg—p,μ,Ä,ç, ,éŠÂ<«Ý’èftf@fCf<,ð•Ê,ì-¼‘O,Å•Û‘¶,μ,Ä,,¾,³,ç[]B

,±,ì[]ê[]±,Ü, ,[]C[]mflfff“fZf<[]n,ð‘l’ð,μ,Ü,·[]BŽÿ,É[]C[]mflfufWfFfNfg(O)[]bŠÂ<«Ý’è,ð-¼‘O,ð•t,¯,Ä•Û‘¶[]n,ð‘l’ð,μ,ÄfobfNfAfbfvftf@fCf<,ð[]ì[]¯,μ,Ü,·[]B

### []mOK[]n

f}[]fW,ð‘±[]s,·,é[]ê[]±,É‘l’ð,μ,Ü,·[]B

### []mflfff“fZf<[]n

f}[]fW,ðŽæ,è[]Á,·[]ê[]±,É‘l’ð,μ,Ü,·[]B

## f} [fW, íŽ, "s, μ, Ü, μ, ½.

BDE Administrator , íŽw'è, μ, ½ftf@fCf<, ìî•ñ, ðCCE»ÝŽg—p, μ, Ä, ç  
, éŠÂ««Ý'èftf@fCf<, Éf} [fW, Å, «, Ü, 1, ñ, Å, μ, ½Bftf@fCf<, ìE`Ž®, æEë, Á, Ä, ç, é%oÂ"\«, æ, , è, Ü, .  
B

BDE ŠÂ««Ý'è, ìfGf%o [f fbfZ [fW, ì%oæ-Ê, ÅmOKn, ð'I'ð, μ, ÄCÄ, ÑŽŽ, μ, Ä, -  
, ¾, ¾, çBŠg'£Žq, æu.CFGv, ìftf@fCf<, ðŽw'è, μ, Ä, , ¾, ¾, çB

## ftf@fCf<,ì□',«□ž,YfGf%o□[

BDE Administrator ,Í□CŠù'¶,ìŠÂ««□Ý'èftf@fCf<,Ö•ï□X"à—e,ð□ã□',«,Å,«,Ü,<sup>1</sup>,ñ,Å,μ,<sup>1</sup>/<sub>2</sub>□B

### □m,í,ç□n

•ï□X"à—e,ð•Û'¶,·,é□ê□‡,É'í'ð,μ,Ü,·□B

### □m,ç,ç,í□n

•ï□X"à—e,ð•Û'¶,<sup>1</sup>,,É□CBDE Administrator ,ð•Â,¶,é□ê□‡,â•Ê,ìŠÂ««□Ý'èftf@fCf<,ðŠJ,-  
□ê□‡,É'í'ð,μ,Ü,·□B

,.,x,Ä,ì BDE fAfvfŠfP[fVf+f“,ð•Â,¶,È,ç  
,ÆŠÂ««Ÿ'èftf@fCf<,íŠJ,-,Ü,<sup>1</sup>,ñ.

BDE Administrator ,íCŽw'è,<sup>3</sup>,é,<sup>1</sup>/<sub>2</sub>ŠÂ««Ÿ'èftf@fCf<,ðŠJ,-,Ü,<sup>1</sup>,ñ,Å,μ,<sup>1</sup>/<sub>2</sub>□BCE  
´^ö,Æ,μ,Ä,íC´<sup>1</sup>/<sub>4</sub>,lfZfbfVf+f“,Å,±,lfAfvfŠfP[fVf+f“,ð<N“©,μ,Ä,ç,éC•È,ì BDE  
fAfvfŠfP[fVf+f“,ð<N“©,μ,Ä,ç,éC,È,Ç,<sup>3</sup>□l,l,ç,è,Ü,·□B

,±,lfGf%□[,ð%ñ“ð,·,é,É,íC,Ü,„fGf  
%□[f□fbfZ□[fWf\_fCfAf□fOf{fbfNfX,l□mOK□n,ðfNfŠfbfN,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□BŽŸ,É□CCE»Ÿ,lfZfbfVf+f“,ð□œ,-  
,.,x,Ä,lfZfbfVf+f“,·,æ,ÑfAfvfŠfP[fVf+f“,ð•Â,¶,Ä□C□Ä,ÑŽŽ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

## ffftfHf<fg,ìŸ'è,Æ,μ,ÄŽg—p,μ,Ü,·,©?

ŠÂ<<Ÿ'èftf@fCf<,affftfHf<fg^ÈŠO,ì-¼'O,Å•Ü'ŋ,<sup>3</sup>,ê,Ü,μ,½B,±  
,lftf@fCf<,ðffftfHf<fg,ŠÂ<<Ÿ'èftf@fCf<,Æ,μ,Ä•Ü'ŋ,·,é,É,ÍCf\_fCfAf{fbfNfX,ìmOKnf{f^f  
“,ðfNfSfbfN,μ,Ü,·B,±,ê,É,æ,èCWindows fCfWfXfgfŠ,ì CONFIGFILE01 fpf  
%of[f^,ð•ìX,Å,«,Ü,·B

### m,í,çn

Windows fCfWfXfgfŠ,ì•ìX,ð BDE Administrator ,Ås,æ,É,ÍCm,í,çn,ð'I'ð,μ,Ü,·B•ìX“à—  
e,ÍCBDE fAfvfŠP[fVf#“,ð<N“®,μ'¼,μ,½,Æ,«,É”½%of,<sup>3</sup>,ê,Ü,·B

### m,ç,ç,ìn

fCfWfXfgfŠ,ð•ìX,μ,È,çêç,É'I'ð,μ,Ü,·B

**□V,μ,ϕŠÂ«□Ý'è,ðVfXfef€„É“K—p,Â,«„Ü,¹,ñ.**

BDE Administrator ,ì¼,É□C•Ê,ì BDE fAfvfŠfP□[fVf†f“,ªŠ],ϕ,Ä,ϕ,Ü,·□BDelphi  
,È,Ç,ì□C¼,ì,·,×,Ä,ì BDE fAfvfŠfP□[fVf†f“,ð•Â,¶,Ä□Ä,ÑŽŽ,μ,Ä,,¾,¾,ϕ□B

f}[]fW,í[-CE÷,μ,Ü,μ,½.

ŠÂ<<[]Ý'èftf@fCf<,ð[]³,μ,-

f}[]fW,Å,<,Ü,μ,½[]Bftf@fCf<,ð•Ú'¶,·,é,É,í[]C[]mfIfufWfFfNfg(O)[]bŠÂ<<[]Ý'è,ð-  
¼'O,ð•t,·,Ä•Ú'¶[]n,ð'í'ð,μ,Ü,·[]B

«»Ÿ,İŠÂ««Ÿ'è,ð•Â,Ÿ,é,±,Æ,ª,Â,«,Ü,<sup>1</sup>,ñ.‘€ì,ÍfLfff“fZf<,³,ê,Ü,μ,½.

ŠJ,ç,Ä,ç,éff[]f^fx[]fX,ª, ,é,½,ß[]CBDE Administrator ,Á,Í[]CŠÂ««Ÿ'èftf@fCf<,ð•Â,Ÿ,é,± ,Æ,ª,Â,«,Ü,<sup>1</sup>,ñ[]BSJ,ç,Ä,ç,éff[]f^fx[]fX,ð,·,x,Ä•Â,Ÿ,Ä,©,ç[]Ä,ŃŽŽ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B



## ODBC ,afCf“fXfg[f<,3,ê,Ä,ç,Û,1,ñ. fhf%ofCfo,ð'Ç%oÁ,Ä,«,Û,1,ñ.

BDE Administrator ,Í ODBC f\_fCfif~fbfNfŠf“fNf%ofCfuf  
%ofŠiIDODBC32.DLLj,ÉfAfnfzfX,Ä,«,Û,1,ñ,Ä,μ,½B

,±,ì .DLL ,ÍÉíCProgram Files\Borland\Common Files\BDE ,Û,½,Í BDE  
fAfvfŠfP[fVf#f“ ,lfz[f€fffBfÇfNfgfŠ,ÉfCf“fXfg[f<,3,ê,Û,·B

BDE ŠÄ«Yè,ìfGf%o[f]fbfZ[fW,ì%oæ-Ê,ÄmOKn,ð'I'ð,μ,ÄCIDODBC32.DLL  
,ìŠi”[éŠ,ð'2,x,Ä,,¾,¾,çBă<L^ÈŠO,ìfffBfÇfNfgfŠ,É, ,éé#íC'ÉifCf“fXfg[f<,3,ê,éfffBfÇf  
NfgfŠ,É^Ú“@,μ,Ä,©,ç BDE Administrator ,ð<N“@,μ'¼,μ,ÄCÄ,ÑŽŽ,μ,Ä,,¾,¾,çB

,» ,é,Ä,à-â'è,¾%oðÇ^,μ,È,çé#CBDE fAfvfŠfP[fVf#f“ ,ðfCf“fXfg[f<,μ'¼,·K—  
v,¾ ,é,©,à,μ,ê,Û,1,ñB

**,±,ìfgfsbfN,í'¶Y,μ,Ü,¹,ñ.**

—v<³,ê,½fwf<fvfgfsbfN,í'¶Y,μ,Ü,¹,ñB,½,Æ,¡,ÎCSQL Link fhf%ofCfo,É,Â,ç,Ä,ìà-  
¾,ÍCSQL Link ,É,Â,ç,Ä%oðà,μ,½flf“f%ofCf“fwf<fv[iSQLLNK32.HLPj,É<Lq,³,ê,Ä,ç,Ü,·B  
,±,ìftf@fCf<,Å,ìà-¾,ÍCParadoxCdBASEC,“,æ,Ñ,ìà-¾,Í ODBC fhf%ofCfo,ÉÆÀ,ç,ê,Ä,ç,Ü,·B

ŠÂ««Ÿ'è,ì•ïX,ð"½%of,μ,Û,-,©?

•ïX"à—e,Í•Û'¶,<sup>3</sup>,ê,Ä,ç,Û,<sup>1</sup>,ñB•Û'¶,·,é,É,Ím,Í,çnC•Û'¶,μ,È,çê‡,Ím,ç,ç,în,ð'í'ð,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

ŠÂ««Ÿ'è,ì•ïX,ðff[f^fx[fX,É"½%of,μ,Û,.,©?

BDE

ff[f^fx[fX, ,é,ç,Íff[f^/fffBfNfVf†fifŠ,ìŠÂ««Ÿ'è,ð•ïX,μ,Û,μ,½B•Û'¶,.,éêê‡,Ím,Í,çnC,  
»,ê^ÊSO,ìêê‡,Ím,ç,ç,|n,ð'ð,μ,Ä,,¾,¾,çB

• ĩX, ðff[f^fx[fX, É•Ů'¶, μ, Ů, ·, ©?

BDE

ff[f^fx[fX, ,é,ç,Íff[f^/fffBfNfVf†fifŠ, ÌŠÂ««Ÿ'è, ð•ĭX, μ, Ů, μ, ½B•Ů'¶, ·, éêê†, Ím, Í, çnC, » , ê^ÊSO, ĩê†, Ím, ç, ç, !n, ð'ĭ, ð, μ, Ā, , ¾, ¾, çB

'€̀ì,đ'±s,·,é,É,Íff[f^fx[fX,đNf[fY,μ,Ä,,¾,³,ç.fNf[fY,μ,Ü,·,©?

'±s,·,éê±,ÍmOKn,đ'l'đ,μ,Äff[f^fx[fX,đ•Ä,¶,Ä,,¾,³,çB'€̀ì,đ!—  
¹,·,éê±,ÍmfLfff“fZf<n,đ'l'đ,μ,Ä,,¾,³,çB

## □mfffBfϰEfNfgfŠ,ì'í'đ□nf\_fCfAf□fOf{fbfNfX

,±,ì\_fCfAf□fOf{fbfNfX,Å,Í□CŽw'è,<sup>3</sup>,ê,<sup>1/2</sup>ff□[f^,đŠi''[/  
fAfNfZfX,·,é,<sup>1/2</sup>,ß,ìfffBfϰEfNfgfŠfpfX,đ'è<` ,μ,Ü,·□B





**, ·, x, Ä, ìff [f^fx [fXfGfŠfAfX, ð í œ, μ, Û, ·, ©?**

fhf%ofCfo, ð í œ, μ, Û, μ, ½ B, » ìfhf

%ofCfo, ìff [f^fx [fXfGfŠfAfX, ð, ·, x, Ä í œ, ·, é ê ð †, í m, í, † n C, » ê Ê Š O, ì ê ð †, í m, †, †, ì n, ð ' ð, μ, Û, · B

**fhf%ofCfo-¼,đŽw'è,μ,Ä,,¾,³,ç.**

fhf%ofCfo,đ'Ç%oÁ,·,é,É,íC'Ç%oÁ,·,éfhf%ofCfo,ì-¼'O,đ"ü—í,μ,Ä,,¾,³,çB

## mfcbf<fo[(T)nfRf}f“fh iBDE Administratorj

m•\Ž!(V)bfcbf<fo[(T)n,đ'l'đ,.,é,±,Æ,É,æ,èCBDE Administrator,lfcbf<fo[,ª•\  
Ž!,³,ê,Û,·Bfcbf<fo[,Á,ÍCmŠj,-  
(O)nCmíœ(D)nCmfLfff“fZf<(L)nCmXV(A)n,È,Ç,lfffj...  
fbf<fo[(fRf}f“fh,Æ“~,¶<@“\,đŽ,Á,½fAfCfRf“,đ~—p,Á,«,Û,·B

**,±,ìfRf}f“fh,íŽg—p,Å,«,Ü,<sup>1</sup>,ñ.**

‘l’ð,<sup>3</sup>,ê,<sup>1/2</sup>fRf}f“fh,íC,±,ìfAfvfŠfP[fVf+f“,Å,íŽg—p,Å,«,Ü,<sup>1</sup>,ñ□B

## **mftf@fCf<,đŠJ,ñf\_fCfAf{fbfNfX}i mŠĀ<<Ÿ'è,đf}[fWn]**

mŠJ,ñf\_fCfAf{fbfNfX,đŽg—p,·,é,±,Æ,É,æ,èCŽg—p,μ,Ä,č  
,éŠĀ<<Ÿ'èftf@fCf<,É•Ě,İŠĀ<<Ÿ'èftf@fCf<,đf}[fW,·,é,±,Æ,ā,Ā,«,Ü,·B

,±,İf\_fCfAf{fbfNfX,đ•\

Ž!,·,é,É,İCmŠĀ<<Ÿ'è,đf}[fWn,Ü,½,İmflfufWfFfNfg(O)bŠĀ<<Ÿ'è,đf}[fWn,đ'l'đ,μ,Ü,·  
B

'^Ó: f}[fW'€İ,İĚ³,É-

ß,¹,Ü,¹,ñB•Ě,İŠĀ<<Ÿ'èftf@fCf<,đf}[fW,·,é'Ō,ÉĚĚ»Ÿ,İŠĀ<<Ÿ'èftf@fCf<,đf{fbfNfA  
fbfv,Æ,μ,Ā•Ě,İ-¼'Ō,Ā•Ü'ŋ,μ,Ā,¨,±,Æ,đ,Š©,ß,μ,Ü,·B

## **f\_fCfAf{fbfNfX,İfİfvfVf†f“**

**mftf@fCf<,İêŠ(I)n**

Ě»Ÿ,İfffBfĚfNfgfŠ,đ•\Ž!,μ,Ü,·B,»,İfffBfĚfNfgfŠ,É,·,éftf@fCf<,ÆftfHf<f\_,İ^è—,ā•\  
Ž!,³,è,Ü,·B

**mftf@fCf<-¼(N)n**

Ě»Ÿ,İfffBfĚfNfgfŠ,É,·,éftf@fCf<İ\*·CFG,Ü,½,İ\*·\*j,İ^è—B

**mftf@fCf<,İŽí—p(T)n**

mftf@fCf<-¼(N)ñf{fbfNfX,É•\Ž!,³,è,éftf@fCf<,İŽí—pB

## □mŠÂ««□Ý'è,ðŠJ,□nfRf}f“fh

□mŠÂ««□Ý'è,ðŠJ,□n,Û,½,Í□mfIfufWfFfNfg(O)□bŠÂ««□Ý'è,ðŠJ,□n,ð'l'ð,μ,Ä□C•\Ž!/.Ò□W,·,é  
BDE ŠÂ««□Ý'èftf@fCf<□i.CFG□j,ð'l'ð,μ,Û,·□B□mftf@fCf<,ðŠJ,-  
□nf\_fCfAf□fOf{fbfNfX□i□mŠÂ««□Ý'è,ðŠJ,□n□j,<sup>a</sup>•\Ž!,<sup>3</sup>,é,Û,·□B

.CFG

ftf@fCf<,ð'l'ð,·,é,É,Í□C□mftf@fCf<,ì□ê□Š(l)□nfhf□fbfvf\_fEf“fŠfXfgf{fbfNfX,ì□m,P,Ä□ã,ìftfHf<f\_  
Ö□nf{f^f“,ðŽg—p,μ,Û,·□Bftf@fCf<,ðCEÿ□ð,Ä,«,½,ç□C□mŠJ,(O)□n,ð'l'ð,μ,Ä,»,é,ðŠJ,«,Û,·□B  
fCf“f□f,fŠ,ìŠÂ««□Ý'è,Í□CfCfWfXfgfŠ,“,æ,ÑŠÂ««□Ý'èftf@fCf<,©,çf}□[fW,<sup>3</sup>,é,Û,·□BfCfWfXfgfŠ,  
ÆŠÂ««□Ý'èftf@fCf<,ì—¼•û,Ä“~,¶“à—e,<sup>a</sup>'è`<sup>3</sup>,é,Ä,ç,é□ê□#,í□CŠÂ««□Ý'èftf@fCf<,ì“à—e,<sup>a</sup>—  
D□æ,<sup>3</sup>,é,Û,·□B

## ☐mftf@fCf<,đŠJ,☐nf\_fCfAf☐fOf{fbfNfX☐i☐mŠÂ<<☐Ý'è,đŠJ,☐n☐j

,±,ìf\_fCfAf☐fOf{fbfN,Â,í☐C•\Ž!/.Ò☐W,.,é BDE ŠÂ<<☐Ý'èftf@fCf<,đ'í'đ,μ,Û,·☐B,±  
,ìf\_fCfAf☐fOf{fbfNfX,đ•\Ž!.,é,É,í☐C☐mŠÂ<<☐Ý'è,đŠJ,-  
☐n,Û,½,í☐mflfufWfFfNfg(O)☐bŠÂ<<☐Ý'è,đŠJ,☐n,đ'í'đ,μ,Û,·☐B

## ☐mftf@fCf<,ìè☐Š(I)☐n

☐E»☐Ý,ìfffBf☐EfnfgfŠ,đ•\Ž!,μ,Û,·☐B,»,ìfffBf☐EfnfgfŠ,É, ,éftf@fCf<,ÆftfHf<f\_,ì^è—,ª•\  
Ž!,³,è,Û,·☐B

## ☐mftf@fCf<-¼(N)☐n

☐E»☐Ý,ìfffBf☐EfnfgfŠ,É, ,éftf@fCf<☐i\*.CFG ,Û,½,í \*.☐j,ì^è—☐B

## ☐mftf@fCf<,ìŽí—p(T)☐n

☐mftf@fCf<-¼(N)☐nf{fbfNfX,É•\Ž!,³,è,éftf@fCf<,ìŽí—p☐B

## □mŠĀ<<□Ý'è,đ-¼'O,đ•t,̄,Ä•Ů'¶□nfRf}f"fh

□mŠĀ<<□Ý'è,đ-¼'O,đ•t,̄,Ä•Ů'¶□n,Ů,½,Í□mflfufWfFfNfg(O)□bŠĀ<<□Ý'è,đ-¼'O,đ•t,̄,Ä•Ů'¶□n,đ'đ,μ,Ä□CĒ»□Ý,İŠĀ<<□Ý'èftf@fCf<,É'Í,μ,Ä□s,Ä,½•İ□X"à—e,đ•Ů'¶,μ,Ů,·□B□mftf@fCf<-¼,đ•t,̄,Ä•Ů'¶□nf\_fCfA□fOf{fbfNfX,<sup>a</sup>•\Ž!,<sup>3</sup>,é,Ů,·□B

ŠĀ<<□Ý'èftf@fCf<-

¼,â•Ů'¶,·,éfffBfĀfNfgfŠ,đ'đ,·,é,É,Í□C□m•Ů'¶,·,é□é□Š(İ)□nfhf□fbfvf\_fEf"fŠfXfgf{fbfNfX,İ□m,P,Ä'O,İftfHf<f\_Ö□nf{f^f",đŽg—p,μ,Ů,·□B'đĀä□C□m•Ů'¶(S)□n,đ'đ,μ,Ä□mftf@fCf<-¼(N)□nf{fbfNfX,É•\Ž!,<sup>3</sup>,é,Ä,ĉ,é-¼'O,Ä,»,İftf@fCf<,đ•Ů'¶,μ,Ů,·□B

ffftfHf<fg,İŠĀ<<□Ý'èftf@fCf<,Ä,È,ĉ□é□‡,Í□CBDE Administrator

,É,æ,è□C,»,İftf@fCf<,đffftfHf<fg,İftf@fCf<,Æ,μ,Ä•Ů'¶,·,é,æ,α,ÉŽwŽ!,<sup>3</sup>,é,Ů,·□B

□mflfvfVf‡f"□nfRf}f"fh,É,æ,è□CŠĀ<<□Ý'èftf@fCf<,đ Windows 95/NT Ā`Ž®□C16/32

frfbfg•i□‡Ā`Ž®,İ,ĉ,ž,ĉ,Ä•Ů'¶,·,é,©,đ'đ,Ä,«,Ů,·□B16/32

frfbfg•i□‡Ā`Ž®,Ä•Ů'¶,·,é,Æ□CWindows 3.1 fAfvfŠfP□[fvf‡f",Æ,İ%°°ÊĀÝŠ•□«,đ•Ů,Ä,±,Æ,<sup>a</sup>,Ä,«,Ů,·□BŮ□×,É,Ä,ĉ,Ä,Í□CŠĀ<<□Ý'è□İ•ñ,İ•Ů'¶,đŽQ□Æ,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ĉ□B

'□^Ó: ,±,İfRf}f"fh,đŽg—p,·,é,İ,Í□CffftfHf<fg,İŠĀ<<□Ý'èftf@fCf<^ÈŠO,İftf@fCf<,É□Ý'è"à—e,đ•Ů'¶,·,é□é□‡,Ä,·□B□mflfufWfFfNfg(O)□b□X□V(A)□n,đ'đ,μ,½□é□‡□C•İ□X"à—e,İffftfHf<fg,İŠĀ<<□Ý'èftf@fCf<,É•Ů'¶,<sup>3</sup>,é,Ů,·□B



## □mftf@fCf<-¼,đ•t, ¯,Ä•Û'¶□nf\_fCfAf□fOf{fbfNfX

□mftf@fCf<-

¼,đ•t, ¯,Ä•Û'¶□nf\_fCfAf□fOf{fbfNfX,Ä,íCCE»□Ý,ìŠÄ«□Ý'èftf@fCf<,É'í,µ,Ä□s,Á,½•ï□X,đ•Û'¶,µ,Ü,·□B,±,ìf\_fCfAf□fOf{fbfNfX,đ•\Ž|,·,é,É,íC□mŠÄ«□Ý'è,đ-¼'O,đ•t, ¯,Ä•Û'¶□n,Ü,½,í□mf|fufWfFfNfg(O)□bŠÄ«□Ý'è,đ-¼'O,đ•t, ¯,Ä•Û'¶□n,đ'l'đ,µ,Ü,·□B

## □m•Û'¶,·,éêŠ(I)□n

CE»□Ý,ìfffBfCEfNfgš,đ•\Ž|,µ,Ü,·□B,»,ìfffBfCEfNfgš,É, ,éftf@fCf<,ÆftfHf<f\_ ,ì^è—,²•\Ž|,³,è,Ü,·□B

## □mftf@fCf<-¼(N)□n

CE»□Ý,ìfffBfCEfNfgš,É, ,éftf@fCf<□i\*.CFG ,Ü,½,í \*.□j,ì^è—□B

ŠÄ«□Ý'èftf@fCf<,ì-¼'O,íC^È%º,ì<K'¥,É□],Á,Ä•t, ¯,Ü,·□B

- □u.CFG□v,Ä□l,í,é
- ftf@fCf<-¼,ì'·,³,íC□Ä'å 255 •¶Žš□i<ó''' ,đŠÜ,□j
- ^È%º,ì•¶Žš,đŠÜ,ñ,Ä,í,È,ç,È,ç
- \ / : \* ? " < > |
- ftf<fpfX,Äžw'è,·,é

## □mftf@fCf<,ìŽí—p(T)□n

□mftf@fCf<-¼(N)□nfefLfxfgf{fbfNfX,É•\Ž|,³,è,éftf@fCf<,ìŽí—p□B

**ffftjHf<fg,iŠÂ<<□Ý'èftf@fCf<**

fAfvfŠfP□[fvf#f“,ì<N“®Žž,ÉŽg—

p,<sup>3</sup>,é,éŠÂ<<□Ý'èftf@fCf<,Á,·□BffftjHf<fg,iŠÂ<<□Ý'èftf@fCf<□uCONFIGFILE01□v,í Windows  
fCfWfXfgfŠ,É•\Žì,<sup>3</sup>,é,Ü,·□B

—á:

HKEY\_LOCAL\_MACHINE/ SOFTWARE/ BORLAND/  
DATABASE ENGINE/CONFIGFILE01

ŠÂ<<□Ý'èftf@fCf<,ì-¼'0,í□C^È%º,ì<K'¥,É□],Á,Ä•t,¯,Ü,·□B

- □u.CFG□v,Á□l,í,é
- ftf@fCf<-¼,ì'·,<sup>3</sup>,í□C□Á'â 255 •¶Žš□i<ó"" ,đŠÜ,þ□j
- ^È%º,ì•¶Žš,đŠÜ,ň,Á,í,É,ç,É,ç
- \ / : \* ? " < > |
- ftf<fpfX,ÁŽw'è,·,é

## ŠÂ««Ÿ'è,ðf} [fWnfRf}f“fh

mŠÂ««Ÿ'è,ðf} [fWn,Ü,½,ímfIfufWfFfNfg(O) bŠÂ««Ÿ'è,ðf} [fWn,ð'l'ð,·,é,±  
,Æ,É,æ,èC,·,Å,ÉŽg—p,μ,Ä,ç  
,éŠÂ««Ÿ'èftf@fCf<,É•É,ŠÂ««Ÿ'èftf@fCf<,ðf} [fW,Å,«,Ü,·BBDE Administrator  
,É,æ,èCmf\_tf@fCf<,ðŠ,·nf\_fCfAfOf{fbfNfX,<sup>a</sup>·Ž,<sup>3</sup>,é,Ü,·B

ŠÂ««Ÿ'èftf@fCf<-

¼,â•Ü'¶,·,éfffBfCfNfgfŠ,ð'l'ð,·,é,É,íCmf\_tf@fCf<,ìèŠ(l)nfhf\_bfvf\_fEf“fŠfXfgf{fbfNfX,ì  
m,P,Äã,ìftfHf<f\_Önf{f^f“,ðŽg—p,μ,Ü,·BmŠ), (O)n,ð'l'ð,μ,ÄCf,fŠ,Éf{fvf“,<sup>3</sup>,é,Ä,ç  
,éŠÂ««Ÿ'èftf@fCf<,É'l'ð,μ,½ftf@fCf<,ðf} [fW,μ,Ü,·B

ŽŸ,ÉCf} [fW,ð±s,·,é,©,Ç,κ

,©,ð'l'ð,μ,Ü,·BmOKn,ð'l'ð,μ,½èþ,Íf} [fW,ð±s,μ,Ü,·Bmflfff“fZf<n,ð'l'ð,μ,½èþ,Í  
Cf} [fW,ðl—<sup>1</sup>,μ,Ü,·B

'^Ó: f} [fW,ð<sup>3</sup>,μ,s,!,È,©,Á,½èþ,É”ð,!,ÄCf} [fW,ðŽÀs,·,é'O,ÉCCE»ŸŽg,Á,Ä,ç  
,éŠÂ««Ÿ'èftf@fCf<,ìfobfNfAfbfv,ðì¬,μ,Ä,,ç,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

## mfjfvfVfjf“nfRf}f“fh

- %EfnfŠfbfN,μ,ÄmfjfvfVfjf“n,đ'l'đ,·,é,©CmfjufWfFfNfg(O)bfjfvfVfjf“n,đ'l'đ,·,é,±,Æ,É,æ,èCZÿ,ì,±,Æ,ªŽw'è,Å,«,Ü,·B
- ìñ,·,éŠÄ««ÿ'èftf@fCf<,ìŽí—p,Æ,μ,ÄCWindows 3.1 —p,ì BDE fAfvfŠfP[fVfjf“,Æ,ì%°^ÊEÿŠ·«,ì, é 16/32 frfbfg•iñ#E`Ž®,©CWindows 95 ,“,æ,Ñ Windows NT ,¾,¯,ÅŽg—p,·,é 32 frfbfgE`Ž®,ì,Ç,¿,ç,đŽg—p,·,é,©
  - ODBC ,ìfhf%ofCfo,Æff[f^f[fX,ì,Ç,ìf^fCfv,đ•\Žì,·,é,©
- ,±,ìRf}f“fh,đ'l'đ,·,é,ÆmfjfvfVfjf“nf\_fCfAfOf{fbfNfX,ª•\Žì,³,è,Ü,·B

## mfjfvfVfj"nf\_fCfAfOf{fbfNfX

mfjfvfVfj"nf\_fCfAfOf{fbfNfX,Ås,æi<Æ,í^È%º,ì,Æ,¨,è,Å,·B  
· ŠÅ<<Y'èftf@fCf<,ì·Ù'¶·ù-@,ð'ì'ð,µ,Û,·B16/32 frfbfg·i±CE`Ž@,Å·Ù'¶,·,é,Æ Windows  
3.1 BDE fAfvfŠfP[fVfj",Æ,ì%º^ÈCEÝŠ·<«,ð·Ù,Å,±,Æ,ª,Å,«,Û,·B32  
frfbfgCE`Ž@,Å·Ù'¶,·,é,ÆCfvf%fbfgftfH[f€,í Windows 95/NT ,ÉCEÀ,ç,è,Û,·B  
· fCf"fxfg[f<,³,è,Å,ç,é,·,x,Å,ì ODBC fhf%ofCfo,ð·\Žì,·,é,©CBDE ,ÅŠÇ—,µ,Å,ç  
,é,à,ì,¾,·,ÉCEÀ`è,·,é,©,ð'ì'ð,µ,Û,·B  
,±,ìf\_fCfAfOf{fbfNfX,ð·\  
Žì,·,é,É,ìCBm·Ù'¶fjfvfVfj"n,Û,½,ìmfjfvfWfFfNfg(O)pb·Ù'¶fjfvfVfj"n,ð'ì'ð,µ,Û,·B

## mŠÅ<<Y'èftf@fCf<,ì·Ù'¶CE`Ž@n

ŠÅ<<Y'èftf@fCf<,ìCE`Ž@,ðŽw'è,µ,Û,·B

## mWindows 3.1 , ,æ,Ñ Windows 95/NTn

ŠÅ<<Y'èftf@fCf<,ìC16/32 frfbfg·i±CE`Ž@,Å·Ù'¶,³,è,Û,·B,±  
,ìCE`Ž@,Å·Ù'¶,·,é,ÆCWindows 95/NT fAfvfŠfP[fVfj" , ,æ,Ñ Windows 95/3.1  
fAfvfŠfP[fVfj",ÅŽg—p,Å,«,Û,·B  
· CE»Y,ìŠÅ<<Y'èftf@fCf<,É, ,é System , ,æ,Ñ Driver  
,ìY'è,ìCQV<K,ìŠÅ<<Y'èftf@fCf<,É¶',«Ž,Û,è,Û,·B  
· ,»,'¼,ì System , ,æ,Ñ Driver ,ìY'è,ìCfCEfWfXfgfŠ,É¶',«Ž,Û,è,Û,·B  
· fff[f^fx[fX,ìY'è,ìCQV<K,ìŠÅ<<Y'èftf@fCf<,É·Ù'¶,³,è,Û,·B  
· NET DIR ,ìCQV<K,ìŠÅ<<Y'èftf@fCf<,É·Ù'¶,³,è,Û,·B

## mWindows 95/NT ,ì,Yn

32 frfbfgfAfvfŠfP[fVfj",ÉCEÀ,èŽg—p,Å,«,Û,·B  
· System ,Æ Driver ,ìY'è,ìCfCEfWfXfgfŠ,É·Ù'¶,³,è,Û,·BffftfHf<fg,ìŠÅ<<Y'èftf@fCf<,ðŽg—  
p,µ,Å,ç,è,ìCfCEfWfXfgfŠ,ìí,ÉXQV,³,è,Û,·B  
'Q^Ó: fffftfHf<fg,ìŠÅ<<Y'èftf@fCf<,ðŽg—p,µ,Å,ç,È,çê±,ìC16/32 frfbfg·i±CE`Ž@,Å·Ù'¶,µ,Å,  
,¾,³,çB  
· fff[f^fx[fX,ìY'è,ìCQV<K,ìŠÅ<<Y'èftf@fCf<,É·Ù'¶,³,è,Û,·B  
· NET DIR ,ìCQV<K,ìŠÅ<<Y'èftf@fCf<,É·Ù'¶,³,è,Û,·B

## m·\Žì,·,éŠÅ<<Y'èf,[]fh,ì'ì'ðn

ODBC ,ì,Ç,ìfhf%ofCfo,Æff[f^f[]fX,ð·\Žì,·,é,©,ðŽw'è,µ,Û,·B,±  
,ìfZfbfVfj",ì,½,ß,Éi±,³,è,½,à,ì,ì,YCBDE ,É,æ,Å,ÅŠÇ—,³,è,è,à,ì,ì,YC, ,é,ç,ìfVfXfef€  
,ÉfCf"fxfg[f<,³,è,Å,ç,é,·,x,ÅC,ì,R'É,è,ì'ì'ð,ª,Å,«,Û,·B"-¶-¼'O,ìfifufWfFfNfg,ª, ,éè±,ìCB  
mfZfbfVfj"n,ªmŽ'±n,É—Dæ,µCBmŽ'±n,ªm%¼'zn,É—Dæ,µ,Û,·B'Q^ÓF,±  
,±,Å,ìY'è,ìCfCEfWfXfgfŠ,ì Borland, Database Engine ,ì%º,ì ViewMode ,ÉŠì"[,³,è,Û,·B

## mfZfbfVfj"n

f^FfbfN,ð·t,·,é,ÆCQ¶fyfCf",ìcfŠ[],ÉCCÈ»Y,ìfZfbfVfj",ìfvf[]fOf  
%of€fR[]fh,É,æ,Å,Åi±,³,è,½ ODBC fhf%ofCfo, ,æ,Ñff[f^f[]fX,ª·\Žì,³,è,Û,·B

## mŽ'±n

f^FfbfN,ð·t,·,é,ÆCQ¶fyfCf",ìcfŠ[],ÉCBDE fAfvfŠfP[fVfj",ÅŽg—p,³,èCBDE  
Administrator ,ÅŠÅ<<Y'è,³,è,½ ODBC fhf%ofCfo, ,æ,Ñff[f^f[]fX,ª·\Žì,³,è,Û,·B

## m%¼'zn

f^FfbfN,ð·t,·,é,ÆCQ¶fyfCf",ìcfŠ[],ÉCBDE fAfvfŠfP[fVfj",ÅŽg—p,³,èCBDE  
Administrator ,ÅŠÅ<<Y'è,³,è,½,©,Ç,æ,©,ÉŠÖ,ì,ç, ,CfvfXfef€,ÉfCf"fxfg[f<,³,è,Å,ç  
,é,·,x,Å,ì ODBC fhf%ofCfo, ,æ,Ñff[f^f[]fX,ª·\Žì,³,è,Û,·B%¼'zff[f^f[]  
[]fX,ìCfxf"[]f,©,ç'ñ<Y,³,è,é ODBC Administrator ,ðŽg,Å,Åo~^ŠÇ—,³,èCBDE

,Å,íffftjHf<fg,ìfpf%of□□[f^,Å•\Ž!,<sup>3</sup>,é,Ü,·□BBDE ,Å%¼'zff□[f^f\  
□[fX,ðŠÅ««□Y'è,·,é,Æ□C,»,ìff□[f^f□[fX,Í□uŽ□'±□v,Æ,È,è□CBDE  
ŠÅ««□Y'èftf@fCf<,ÉŠi"[<sup>3</sup>,é,Ü,·□B'□^Ó□F□mŽ□'±□n,Éf`fFbfN,<sup>a</sup>•t,«□C□m  
%¼'z□n,ìf`fFbfN,<sup>a</sup>,Í,<sup>3</sup>,é,½□ó'Ô,Å ODBC fhf%ofCfo,Ü,½,ìff□[f^f□[fX,<sup>a</sup>%¼'z,©,çŽ□'±  
,É•Í□X,<sup>3</sup>,é,é,Æ□C,»,ìfhf%ofCfo,Í□m•\  
Ž!(V)□b□Å□Vî•ň,É□X□V(R)□n,<sup>a</sup>!đ,<sup>3</sup>,é,é,Ü,ÅfcfŠ□[<sup>3</sup>,é,Ü,<sup>1</sup>,ň□B

## STANDARD fgšfAfX,ìŸ'è

mf^fx[XnfyfW,ÅfGšfAfX,ðì-.,é,Æ,«É,ÍCmSTANDARDn,ð'ìδ,μ,ÄŽŸ,lfhf  
%ofCfof^fCfv,ì,ç,,è,©,ð'ìδ,μ,Ü,·B

PARADOX Paradoxi.DB fe[fuf<]

DBASE dBASE , ,æ,Ñ FoxProi.DBf fe[fuf<]

ASCII DRV ASCII feLfXfgi.TXT fe[fuf<]

Ÿ'è,ð·ìX,·,é,É,ÍC·ìX,μ,½,çŠÀ<«Ÿ'èfpf%of[f^,ð<'2·\

Žì,μC“K∅,ÉfefLfXfgf{fbfNfX,ìCEÄ,ç'l,ðìœ,μ,ÄV,μ,ç'l,ð“ü—í,μ,Ü,·B<sup>3</sup>/<sub>4</sub>Žš,lf  
%ofxf^ÈŠO,lfpf%of[f^,μ,©·ìX,Ä,«,Ü,<sup>1</sup>,ñB

ŽŸ,ì·\,ÍC'ìδ,<sup>3</sup>,è,Ä,ç,éfhf%ofCfof^fCfv,ÉŠÖ,·,éfpf%of[f^,ÆCE»Ÿ,ì'l,ì^è—,Ä,·Bfhf  
%ofCfo,ð%o,ß,ÄfCf“fXfg[f<,μ,½,Æ,«,É,ÍC,·,x,Ä,ì'l,³ffftfHf<fg'l,ÉŸ'è,<sup>3</sup>,è,Ä,ç,Ü,·B

à-<sup>3</sup>/<sub>4</sub>,ì—“,Ä,ÍC<'2·\Žì,μ,½fpf%of[f^,ì—p“r,ðŠÈ'P,Éà-<sup>3</sup>/<sub>4</sub>,μ,Ä,ç,Ü,·B

fpf%of[f^

à-<sup>3</sup>/<sub>4</sub>

---

TYPE	,»,lfhf%ofCfo,ÅÚ'±,·,éff[f^fx[X,lf^fCfvF STANDARD
PATH	'îÛff[f^fx[X,Ö,lfpfX
DEFAULT DRIVER	fAfNfZfX,·,éftf@fCf<,lf^fCfvf^fCfvîä<L,lfhf%ofCfof^fCfv,ðŽQÆjF PARADOX CDBASE CASCI DRV
ENABLE BCD	BDE ,³“'l€-Ú, ,æ,Ñ 10 î“'l€-Ú,ð•,“®-““ 'l,Æ BCDi,Qi%o» 10 î“'l,ì,ç,ç,É·İŠ·,·,é,©,ðŽw'è,·,éBBCD 'l,Ä,ÍC·,“®-““ %o %oZZ,É”º,πŠÜ,ßfGf%o[î—áF3 * (2/3) ,ìCE<%oÉ,ª 2.0000000001 ,É,É,éj,ª%oðÄ, <sup>3</sup> ,è,éBENABLE BCD ,ð TRUE ,ÉŸ'è,·,é,Æ CDECIMAL , ,æ,Ñ NUMERIC €-Ú,Í BCD ,É·İŠ·, <sup>3</sup> ,è,é

## Microsoft Access fhf%ofCfo,ìŸ'è

fo[fWf#f" 4.0 ,ì BDE ,Å,íCMSACCESS fhf%ofCfo,ðŽg—p,μ,Ä Microsoft Access  
 ,lfe[fuf<,ðf[fvf"/òì—,·,é,±,Æ,ª,Å,«,Ü,·BAccess  
 ,lfe[fuf<,ð'€òì,·,é,É,íCmSÅ<«Ÿ'ènfy[fW,Å MSACCESS ,ð'l'ð,μ,ÄCŠÅ<«Ÿ'èfpf  
 %of[f^,ð<'²·\Žì,μ,Ü,·BŽŸ,ÉCŠù'¶,ìŸ'è'l,ðíœ,μ,ÄfefLxfgf{fbfNfX,ÉV<K,ì'l,ð"ü—  
 í,μ,Ü,·B·ìX,Å,«,é,ì,íC×Žš,lfpf%of[f^,ÉCEÀ,ç,ê,Ü,·B

Access fhf%ofCfo,ìfpf%of[f^i,·,æ,Ñ,» ,ê,É·t,·,éfpf%of[f^j,Æ,» ,ìà-¾,ð^È%º,ì·\  
 ,ÉŽì,μ,Ü,·BŸ'è'l,lfcf"fxfg[f<Žž,ì,à,ì,Å,·iffHf<fgjB

fpf%of[f^	à-¾
VERSION	Access fhf%ofCfo,ì"à·"fo[fWf#f""ÔtB
TYPE	fhf%ofCfo,ÅÚ'±,·,éæ,lft[f,ìŽí—pBSERVERiSQL ft[f,Ü,½,í FILE·W·lftf@fc<ft[f,ì,ç,ì,ç,©,Å,·B
DLL32	fhf%ofCfo,ì 32 frfbfgf_fCjif~fbfNfŠf"fNf%ofCfuf%ofŠi*.DLLj,ì- ¼'O,Å,·iffHf<fg,í IDDAO32.DLLjB
DRIVER FLAGS	»·iEÅ—L,ì"à·"ftf%ofBf{[f%of"fhŽĐ,lfefNfjff<ftf[f,ìS"— ŽÒ,ìŽwŽì,ª,È,çCEÀ,è·ìX,μ,É,ç,Å,,¾,¾,çB
TRACE MODE	fMf"fO,·,égfCE[fXî·ñ,ðŽì,·'lfrfbfgf}fxfnjB— v<¾,¾,½î·ñ,ðffofbfOfEfBf"fhfE,Éo—í,·,é,½,ß,É Windows ìuOutputDebugStringv,ðŽg— p,μ,Ü,·Bfrfbfg,ìŸ'è,ÆfMf"fO,¾,é,éî·ñ,ðŽŸ,ì·\,ÉŽì,μ,Ü,·B
<b>frfbfg,ìŸ'è</b>	<b>fMf"fO,¾,é,éî·ñ</b>
0x0001	ŽÀs,¾,é,é'O,ì-â,ç±,í,¹·¶
0x0002	ŽÀs,¾,é,½Eã,ì-â,ç±,í,¹·¶
0x0004	xf"f_lfGf%o[
0x0008	-â,ç±,í,¹·¶,lfjvfVf#f"iallocateCfreej
0x0010	Ú'±/ºð·ú
0x0020	gf%of"fuNfVf#f"
0x0040	BLOB "üo—í
0x0080	,» ,ì¼
0x0100	xf"f_l[CEÄ,Ño,μ
DATABASE NAME	fAfNfZfX,·,éfhf%ofCfuCfpfXC,·,æ,Ñ .MDB ftf@fc<,ì-¼'OjB
USER_NAME	ff[f^fx[fX,ÉfAfNfZfX,·,é,Æ,«,ì-¼'OjB
OPEN MODE	ODBC fhf%ofCfoÚ'±,Åff[f^fx[fX,ðŠj,f,[fhBŽw'è,Å,«,é'l,í READ/WRITEiffHf<fgj,·,æ,Ñ READ ONLY ,Å,·B
LANGDRIVER	f[fuf<,lf[f,ç,·,æ,Ñ·¶ŽšZfbfg,ðCE^,ß,é,½,ß,ìE¾Eèfhf%ofCfo



## Paradox fhf%ofCfo,iY'è

Paradox fe[fuf<,i]i[-]Cf[f]g[C,;æ,Ñ^ -]•û-@,ÉŠÖ,;éŠÂ<<Y'è,ð[s,α  
,É,í]CmŠÂ<<Y'ènfyf[fW,ÅuParadoxv,ð'í'ð,μ,Û,·]BŽŸ,É]C•í]X,μ,½,çŠÂ<<Y'èfpf  
%of[f^,ð<'2•\Ž,μ,Û,·]BfefLfxfgf{fbfNfx"à,ìŠù"¶,ì]Y'è'l,ð]i]œ,μ,Å]C]V<K,ì'l,ð"ü—  
í,μ,Û,·]B•í]X,Å,«,é,ì,í]C]xŽš,ìfpf%of[f^,ÉCEÀ,ç,é,Û,·]BParadox fhf%ofCfo,ìfpf  
%of[f^i,;æ,Ñ,»è,É•t]i,;éfpf%of[f^]j,Æ,»è,ì]à-¾,ð^É%o°,ì•\  
,ÉŽ,μ,Û,·]B]Y'è'l,ìfcf"fxfg[f<Žž,ì,à,ì,Å,·]iff]Hf<fg]i]B

fpf%of[f^	à-¾
VERSION	Paradox fhf%ofCfo,ì"à"fo[fWfj"Ô]t,Å,·]B,± ,é,ì"à"Y'è,Å,·]B•í]X,μ,É,ç,Å,,¾,¾,ç]B
TYPE	fhf%ofCfo,Å]U'±,;é]œ,ìft]fo],ìŽí—p,Å,·]B SERVER]iSQL ft]fo]j,Û,½,í FILE]i•W]€,ìft]fCf<ft]fo]j,ì,ç,ç,©,Å,·]B,± ,é,ì"à"Y'è,Å,·]B•í]X,μ,É,ç,Å,,¾,¾,ç]B
NET DIR	flfbfgf[fNfRf"fgf[f<ft]fCf<]iPDOXUSRS.NET],ª, éfffbfCefNfgfŠ,Å, ·]BfAfNfefBfu,É NET DIR fpf%of[f^,í BDE ŠÂ<<Y'èft]fCf<,ì Paradox fzNfVfj",ÉŠi"["¾,é]C]E>]Y,ìŠÂ<<Y'èft]fCf<,ì System Init fzNfVfj",à]CEfWfXfgfŠ,ÉŠi"["¾,é,Å,ç,é,Û,©,ì NET DIR ,æ,è— D]œ,¾,é,Û,·]Bflfbfgf[fNfhf%ofCfu]ã,ì Paradox fe[fuf<,ÉfAfNfZfX,;é,É,í]CBDE ŠÂ<<Y'èft]fCf<,É, é Paradox fzNfVfj",ìfAfNfefBfu,É NET DIR fpf%of[f^,ªflfbfgf[fNfhf %ofCfu,ðŽ,μ,Å,ç,É,è,ì,È,è,Û,¹,ñ]B
LANGDRIVER	fe[fuf<,ìf]f]g]f]~ ,Æ•¶ŽšZfjfg,ðCE^è,;éCE¾CEêfhf %ofCfo,Å,·]B]U,μ,,í]CParadox ,ìCE¾CEêfhf%ofCfo,ðŽQ]Æ,μ,Å,- ,¾,¾,ç]B"ú-{-,ìff]Hf<fg: japan
LEVEL	Paradox ,ì^èŽžfe[fuf<,ð]i]i,;é,½,β,ÉŽg,ì,è,éfe[fuf<CE`Ž®,Å,·]B Level 7 Paradox for Windows ,ì 32 frfbfgfe[fuf< Level 5 Paradox 5.0 ,ìfe[fuf<CE`Ž® Level 4 Paradox 4.0 ,ÅŽg—p,¾,é,é STANDARD fe[fuf<CE`Ž®]iff]Hf<fg]j Level 3 Paradox 3.5 ^È'Ö,ìfo[fWfj",ÅŽg—p,¾,é,éCEÝŠ:fe[fuf<CE`Ž® BLOB ]€-Ú]C"ñŽŸfCf"fffbfNfX]C,;æ,Ñ]Cμ-š,ÉŽQ]Æ]®]f]«,ðŽg— p,;é,É,í]C]f]C]f]x]f] 4 ,Û,½,ìf]C]f]x]f] 5 ,ìfe[fuf<,ðŽw'è,μ,Å,,¾,¾,ç]B %o°^ÉCEÝŠ•]«,ð]Å'âCEÀ,É^Û]Q,μ,½,ç]é]f],í]C]Å,à'á,çf]C]f]x]f],ìfe[fuf< CE`Ž®,ðŽg,ç,Û,·]B32 frfbfgfe[fuf<CE`Ž®,Åft]fj ]f]g,¾,é,é],“x,ÉfCf"fffbfNfX@",ª•K—v,É]é]f],ìf]C]f]x]f] 7 ,ð'í'ð,μ,Û,·]B
BLOCK SIZE	Paradox ,ìfe[fuf<,ìf]C]f]R]f]h,ð•Û"¶,;é,½,β,ÉŽg,ì,è,éfffbfXfNfuf]fbfN,ìft]fCfY,Å,· ]Bfe[fuf<,ð]i]i,;é,Æ]C]fffbfXfNfXfy]f]X,ªfuf]fbfN'P^É,ÅŠ,,è"— ,Å,ç,é,Û,·]B]Y'è,Å,«,é'l,ì 2048]C4096]C16384]C32768 ,ì,ç ,,è,©,Å,·]Bff]Hf<fg: 2048
FILL FACTOR	Paradox ,ªfCf"fffbfNfXft]fCf<,Æ,μ,Å•È,ìfffbfXfNfuf]fbfN,ð,ç,ÅŠ,,è"— ,Å,é,©,ðCE^è,;éfp]f]Zf"fg'P^È,ì'l,Å,·]B'l,ì 1 ,©,ç 100 ,ìŠÖ,ì"C^Ó,ì]®]i,Å,·]BfCf"fffbfNfX,ªCE>]Y,ìfffbfXfNfuf]fbfN,Å,± ,ì'l,É'B,μ,½,Æ,«,É]C]Paradox ,ìft]fCf<— p,É•È,ìfffbfXfNfuf]fbfN,ðŠ,,è"—,Å,Û,·]Bff]Hf<fg: 95

'□^Ó: 'l, ð□¬, ³, , , , ê, Î□C□^ —□'¬“x, ÍĈÛ□ã, μ, Û, , , ðfCf“ffbfNfX, ðfTfCfY, ð'ã, «, -  
, Ê, è, Û, , □B'l, ð'ã, «, , , , ê, Î□CfCf“ffbfNfXftf@fCf<, Í□¬, ³, -  
, Ê, è, Û, , , ðfCf“ffbfNfX, ði□¬, ÊŽŽŠÓ, ð, ©, ©, è, Û, , □B

STRICTINTEGRITY

ŽQ□Æ, ð□®□#□«, ðfTf|□[fg, μ, Ä, ç, È, çfAfvfŠfP□[fVf#f“□i, ½, Æ, , , , Î Paradox  
4.0□j, ðŽQ□Æ, ð□®□#□«, ð<@“\, ðŽg, Á, Á□Cfe□[fuf<, ð•Í□X, Á, «, é, æ, x  
, Ê, , , é, ©, Ç, x, ©, ðĈ^, ß, Û, , □B, ½, Æ, , , , Î□CTRUÉ , ðê□# , Ê Paradox 4.0  
, ðŽQ□Æ, ð□®□#□«, ðŽg, Á, Áfe□[fuf<, ð•Í□X, μ, æ, x, Æ, , , , é, Æ□CfGf  
%□□[f□f□Z□[fW, ð•\Ž|, ³, è, Û, , □BFALSE  
, Ê, , , è, ðfe□[fuf<, ð•Í□X, Á, «, Û, , , ð□Cff□[f^ , ð□®□#□«, ðŽ , , , é, è, é, ±, Æ, ð, , è, Û, , □  
BffftfHf<fg: TRUE

## dBASE fhf%ofCfo,ìY'è

dBASE fe[fuf<,ìì-□Cf□[fg□C,“,æ,Ñ□-□•û-@,ÉŠÖ,;éŠÂ«□Y'è,δ□s,α  
 ,É,í□C□mSÂ«□Y'è□nfy□[fW,Å□udBASE□v,δ'l'δ,μ,Ü,□BŽÝ,É□C•í□X,μ,½,čŠÂ«□Y'èfpf  
 %of□□[f^,δ<'2•\Žì,μ,Ü,□BfefLfXfgf{fbfNfX“à,ìSù'¶,ìY'è'l,δ□í□œ,μ,Å□C□V<K,ì'l,δ“ü—  
 í,μ,Ü,□B•í□X,Å,«,é,ì,í□C□×Žš,ìfpf%of□□[f^,ÉCEÀ,ç,ê,Ü,□BdBASE fhf%ofCfo,ì**fpf**  
 %of□□[f^□i,“,æ,Ñ,»,ê,É•t□□,;éfpf%of□□[f^□j,Æ,»,ì□à-¾,δ^É%oo,ì•\  
 ,ÉŽì,μ,Ü,□B□Y'è'l,ìfCf“fXfg□[f<Žž,ì,à,ì,Å,□iffftfHf<fg□□B

fpf%of□□[f^	□à-¾
VERSION	dBASE fhf%ofCfo,ì“à•”fo□[fWf#””Ô□†,Å,□B,± ,é,ì“à•”□Y'è,Å,□B•í□X,μ,É,ç,Å,,¾,¾,ç□B
TYPE	fhf%ofCfo,Å□Ú'±,;é□œ,ìfT□[fo□[,ìŽí—p,Å,□BCE»□YŽg,ì,é,ì,í FILE□i•W□€,ìftf@fCf<fT□[fo□[□j,ì,Ý,Å,□B,± ,é,ì“à•”□Y'è,Å,□B•í□X,μ,É,ç,Å,,¾,¾,ç□B
LANGDRIVER	fe□[fuf<,ìf□[fg□#□~,Æ•¶ŽšfZfbfg,δCE^,β,éCE¾CEêfhf %ofCfo,Å,□B□Ú,μ,,í□CdBASE,ìCE¾CEêfhf%ofCfo,δŽQ□Æ,μ,Ä,- ,¾,¾,ç□B“ú-{,ìffftfHf<fg: dBASE_JPN_cp932
LEVEL	dBASE ,ì^èŽžfe□[fuf<,δ□ì□-,;é,½,β,ÉŽg,ì,é,éfe□[fuf<CE`Ž®,Å,□BdBASE 5.0 fe□[fuf<CE`Ž®,É,ç,ì 5□CdBASE 4.0 fe□[fuf<CE`Ž®,É,ç,ì 4□CdBASE III ,Æ dBASE III PLUS ,ìfe□[fuf<CE`Ž®,É,ç,ì 3 ,É□Y'è,μ,Ü,□BffftfHf<fg: 5
MDX BLOCK SIZE	dBASE ,ª .MDX ftf@fCf<,ÉŠ,,,è“- ,Ä,éfffBfXfnfuf□fbfN,ìfTfCfY□ifofCfg'P^Ê□j,Å,□B'l,ì 512 ,ì”{□”,É,É,é□@□”,Å,□BffftfHf<fg: 1024
MEMO FILE BLOCK SIZE	dBASE ,ªf□f,ftf@fCf<□i.DBT□j,ÉŠ,,,è“- ,Ä,éfffBfXfnfuf□fbfN,ìfTfCfY□ifofCfg'P^Ê□j,Å,□B'l,ì 512 ,ì”{□”,É,É,é□@□”,Å,□BffftfHf<fg: 1024

## ODBC fhf%ofCfoÚ'±,ìY'è

ODBC fhf%ofCfoÚ'±,ìY'è ODBC fhf%ofCfoÚ'±,ìY'è

ODBC fhf%ofCfoÚ'±,ìY'è ODBC fhf%ofCfoÚ'±,ìY'è  
 ,É,íCmSÁ«Y'ènfyfW,Á ODBC fhf%ofCfoÚ'±  
 ,ð'í'ð,µ,Û,·BŽY,ÉC·iX,µ,½,çSÁ«Y'èfpf%ofCfoÚ'±,ð'²·\  
 Ž,µ,Û,·BfefLjXfgf{fbfNfX"à,ìSù'¶,ìY'è'l,ðíœ,µ,ÁCvK,ì'l,ð"ü—  
 í,µ,Û,·B·iX,Á,«,é,íC×Žš,ìpf%ofCfoÚ'±,ÉCEA,ç,è,Û,·B

ODBC fhf%ofCfo,ìpf%ofCfoÚ'±,ìY'è,æ,Ñ,»,è,É•t,·,épf%ofCfoÚ'±,ìY'è,ìà-¾,ð^È%º,ì·\  
 ,ÉŽ,µ,Û,·BŸ'è'l,ìCf"Xfgf{fŽž,ì,à,ì,Á,·iffHf<fgjB

fhf%ofCfoÚ'±,ìY'è	ìY'è
VERSION	ODBC fhf%ofCfo,ì"à"fo[Wfj"Ôt,Á,·B,± ,é,ì"à"Y'è,Á,·B·iX,µ,É,ç,Á,,¾,¾,çB
TYPE	fhf%ofCfo,ÁÚ'±,·,éæ,ìT[fo[ì,ìŽí—p,Á,·B·iX,µ,É,ç,Á,,¾,¾,çB
DLL	fhf%ofCfo,ì 16 frfbfg,ìfCjif~fbfNfŠf"fnf%ofCfuf%ofŠi*.DLLj,ì- ¼'O,Á,·BffHf<fg: IDODBC01.DLL
DLL32	fhf%ofCfo,ì 32 frfbfg,ìfCjif~fbfNfŠf"fnf%ofCfuf%ofŠi*.DLLj,ì- ¼'O,Á,·BffHf<fg: IDODBC32.DLL
ODBC DRIVER	fNfXfe[fVfj"Æ ODBC fT[fo[ì,ðÚ'±,·,é,Æ,«,ÉŽg,æ ODBC fhf% ofCfo,Á,·B
DRIVER FLAGS	»·iCEÁ—L,ì"à"ft%ofO,Á,·Bf{[f%of"fgŽĐ,ìfefNjfffTfj[fg,ìS"— ŽÒ,©,çŽwŽ,ì,É,çCEA,è·iX,µ,É,ç,Á,,¾,¾,çB
DATABASE_NAME	fAfNfZfX,·,éff[f^fx[fX,ìTf@fCf-¼
USER NAME	ODBC fT[fo[ì,ðfAfNfZfX,·,é,½,ß,ìffHf<fg-¼,Á,·B
ODBC DSN	,±,ìGfŠfAfX,³Ú'±,·,é ODBC fhf%ofCfoÚ'±,ìY'è,ðí—,µ,½,Æ,«,ì ODBC fhf%ofCfoÚ'±,ìY'è,ì-¼'O,Æ"—,¶,Á,É,è,ì,È,è,Û,¹,ñB
OPEN MODE	ODBC fhf%ofCfoÚ'±,ìY'è,ìf^fx[fX,ðŠj,f,[fh,Á,·BŽw'è,Á,«,é,f,[fh,ì READ/WRITE ,Û,½,ì READ ONLY ,Á,·BffHf<fg: READ/WRITE
LANGDRIVER	fe[fuf<,ìf[fg±,Æ·¶ššfzfbfg,ðCE^,ß,é,½,ß,ìCE¾Æêhf%ofCfo
SCHEMA CACHE SIZE	fXfL[f}î·ñ,ðfLffbfVf...,·,é SQL fe[fuf<,ìCEÁ",Á,·BŽw'è,Á,«,é'l,ì 0 ,©,ç 32 ,Á,·BffHf<fg: 8
SQLQRYMODE	SQL fhf%ofCfoÚ'±,ìY'è,·,é-à,ç±,ì,¹,ì·ùŽ®,Á,·BSERVER ,Û,½,ì LOCAL ,ÉY'è,·,é,©C<ó",ì,Û,Û,É,µ,Û,·BÚ'±,·,é,Á,ç,Á,ìCSQLQRYMODE ,ìY'è,ðŽQÆ,µ,Á,,¾,¾,çBffHf<fg: <ó"
SQLPASSTHRU MODE	BDE fAfVfŠfP[fVfj"É,·,ç,ÄffXfNfgfbfv,ì- â,ç±,ì,¹,·,æ,NfpfXfXf[ SQL ·¶,É,æ,é- â,ç±,ì,¹,ðŽÀs,·,é,Æ,«C"—,¶GfŠfAfXÚ'±,Á SQL fT[fo[ì,ÖfAfNfZfX,·,é,©,Ç,æ,©,ðŽw'è,µ,Û,·BŽw'è,Á,«,é,f,[fh,ì NOT SHARED CSHARED AUTOCOMMIT C,·,æ,Ñ SHARED NOAUTOCOMMIT ,Á,·BSQLPASSTHRU MODE ,ìY'è,ðŽQÆ,µ,Á,,¾,¾,çBffHf<fg: SHARED AUTOCOMMIT
TRACE MODE	fMf"fo,·,éfgfCE[fXî·ñ,ðŽ,·,ìifrfbfg}fXfNjB— v<³,è,½î·ñ,ðffofbfOfEfBf"fhfE,Éo—ì,·,é,½,ß,É Windows ,ìuOutputDebugStringv,ðŽg— p,µ,Û,·Bfrfbfg,ìY'è,ÆfMf"fo,³,è,éî·ñ,ðŽY,ì·\,ÉŽ,µ,Û,·B

<b>frfbfgŸ'è</b>	<b>fMf"fo,³,è,éî•ñ</b>
0x0001	ŽÀs,³,è,é'O,ì-â,ç±,í,¹•¶
0x0002	ŽÀs,³,è,½ĀĚ,ì-â,ç±,í,¹•¶
0x0004	fxf"f_l[Gf%o_l
0x0008	-â,ç±,í,¹•¶,lfjvfVf±f"i,·,È,í,¿_Callocatē_Cfree_l
0x0010	Ů'±/%oð•ú
0x0020	fgf%of"fUfNfVf±f"
0x0040	BLOB "üo—í
0x0080	,»,ì'¼
0x0100	fxf"f_l[ĀĚ,Ñ_o,μ

ENABLE SCHEMA CACHE

SCHEMA CACHE TIME fe\_l[fuf<fŠfXfgî•ñ,ðfLfffbfVf...,·,éŽžŠÔ\_iBDE  
 ,Ā,í\_C\_uDbiOpenTableList\_v,Ů,½,í  
 \_uDbiOpenFileList\_v,ðĀĚ,Ñ\_o,μ,½,Ā,«,Ē\_Cfe\_l[fuf<î•ñ,lfLfffbfVf...  
 ,ªŠŽn,³,è,Ů,·\_j\_BSCHEMA CACHE TIME  
 ,ì'l,ìŸ'è,É,æ,è\_Cfe\_l[fuf<,Āftf@fCf<,lfŠfXfg,ìĀŸ\_ðĀø—l,ðā,°,é,±  
 ,Ā,ª,Ā,«,Ů,·\_BŽw'è,Ā,«,éf,lfh,Ā,»,l"à—e,ð^Ē%oº,ÉŽ!,μ,Ů,·\_B

<b>Ÿ'è</b>	<b>^Ó-i</b>
-1	ff_l[f^fx_l[fX,ð•Ā,¶,é,Ů,Āfe_l[fuf<fŠfXfg,ðfLfffbfVf... ,·,é_lfffHf<fg_l
0	fe_l[fuf<fŠfXfg,ðfLfffbfVf...,μ,È,ç
1` 2147483647	Ÿ'è,μ,½ŽžŠÔ_i•b_l_Cfe_l[fuf<fŠfXfg,ðfLfffbfVf...,·,é

BATCH COUNT

fofbf`ftf@fCf<,ÉŠŮ,ß,é\_CŽ©"®"l,ÉfRf~fbfg,³,è,é'O,É\_î\_X,³,è,éfĀfR\_l[f  
 h,ì"l\_B,±,ì•û-@,Ā\_Cfofbf`S'ì,ð^—\_l,·,é,¾,\_,ì'ā,«,³,ª,È,çfT\_l[fo\_l[fgf  
 %of"fUfNfVf±f"ffo,É±,í,¹,Ā\_Cfofbf` ,lfTfCfY,ð'²\_l[®,·,é,±  
 ,Ā,ª,Ā,«,Ů,·\_BBDE  
 ,Ā,í\_Cff\_l[f^fx\_l[fXfvf\_lfpfefB\_udbBATCHCOUNT\_v,ðŸ'è,·,é,±,Ā,Ā,±  
 ,ì'l,ð•Ē\_X,·,é,±,Ā,ª,Ā,«,Ů,·\_BffftfHf<fg: 32 KB  
 ^Ē"à,ÉŽù,Ů,éfĀfR\_l[fh\_l"BŮ\_x,É,Ā,ç,Ā,í\_C\_Borland Database  
 Engine\_iBDE\_l,ìŠT—v,ðŽQ\_l[Ā,μ,Ā,¾,¾,ç\_B

MAX ROWS

ROWSET SIZE fT\_l[fo\_l[ā,Ā^è"x,ÉĀŸ\_ð,·,é\_s\_l",ðŽw'è,μ,Ů,·\_B,Ů,½\_CDbiWriteBlock  
 ,Ā^è"x,É'}"ü,·,éfĀfR\_l[fh\_l",ðŽw'è,μ,Ů,·\_BffftfHf<fg: 20

ENABLE\_BCD

BLOBS\_TO\_CACHE

BLOB\_SIZE

## Sybase fhf%ofCfo,ìŸ'è

Sybase è—p SQL Link ,đfCf“fXfg[f<,μ,Ä,ç  
,éê±,íCmŠÁ<<Ÿ'ènfy[fW,ìŸ'è“fCf“,É, ,émDriversn,©,ç Sybase  
,đ'ì'đ,μ,Û,·BSybase fhf%ofCfo,ìŸ'è“à—e,ª%oEfyfCf“,É•Žì,³,è,Û,·B

Ú×,É,Â,ç,Ä,íC^È%º,ìfgfsfbfN,đŽQÆ,μ,Ä,,³/4,³,çB

Sybase ,Æ,ìÚ'±

Sybase fhf%ofCfo,ìŸ'è

Sybase driver setting jump

## Oracle fhf%ofCfo,ìÿ'è

Oracle ìê—p SQL Link ,ðfCf“fXfg[f<,μ,Ä,ç  
,éê±,íCmŠÂ«ÿ'ènfy[fW,ì1fyfCf“,É, ,émDrivers[n,©,ç Oracle ,ð'l'ð,μ,Û,·BOracle  
fhf%ofCfo,ìÿ'è“à—e,ª%°EfyfCf“,É•\Z,³,è,Û,·B

Ú×,É,Â,ç,Ä,íC^È%°,ìfgfsfbfN,ðŽQÆ,μ,Ä,,³/4,³,çB

Oracle ,Æ,ìÚ'±

Oracle fhf%ofCfo,ìÿ'è



Oracle driver setting jump

## Informix fhf%ofCfo,ìŸ'è

Informix è—p SQL Link ,đfCf“fXfg[f<,μ,Ä,ç  
,éê±,íCmŠÁ<<Ÿ'ènfy[fW,ìŸfyfCf“,É, ,émDrivers[n,©,ç Informix  
,đ'í'đ,μ,Û,·BInformix fhf%ofCfo,ìŸ'è“à—e,ª%ofyfCf“,É•\Z|,³,ê,Û,·B

Ú×,É,Â,ç,Ä,íC^È%º,ìfgfsfbfN,đŽQÆ,μ,Ä,,³/4,³,çB

Informix ,Æ,ìÚ'±

Informix fhf%ofCfo,ìŸ'è

Informix driver setting jump

## InterBase fhf%ofCfo,ìŸ'è

InterBase è—p SQL Link ,đfCf“fXfg[f<,μ,Ä,ç  
,éê‡,íCmŠÁ<<Ÿ'ènfy[fW,ìŸ'è“fCf“,É, ,émDrivers[n,©,ç InterBase  
,đ'í'đ,μ,Û,·BInterBase fhf%ofCfo,ìŸ'è“à—e,ª%ofyfCf“,É•\Ž|,³,è,Û,·B

Ú×,É,Â,ç,Ä,íC^È%º,ìfgfsfbfN,đŽQÆ,μ,Ä,,³/4,³,çB

InterBase ,Æ,ìÚ'±

InterBase fhf%ofCfo,ìŸ'è

InterBase driver setting jump

## Microsoft SQL Server fhf%ofCfo,ìŸ'è

Microsoft SQL Server —p SQL Link ,đfCf“fXfg[f<,μ,Ä,ç  
,éê±,íCmŠÂ«Ÿ'ènfy[fW,ìŸ'è“fhf%ofCf“,É, ,émDriversn,©,ç Microsoft SQL Server  
,đ'í'đ,μ,Û,·BMicrosoft SQL Server fhf%ofCfo,ìŸ'è“à—e,ª%oEfyfCf“,É•Ž|,³,ê,Û,·B

Ú×,É,Â,ç,Ä,íC^È%º,ìfgfsfbfN,đŽQÆ,μ,Ä,,³/4,³,çB

Microsoft SQL Server ,Æ,ìÚ'±

Microsoft SQL Server fhf%ofCfo,ìŸ'è

MS SQL driver setting jump

## DB2 fhf%ofCfo,ìÿ'è

DB2 òê—p SQL Link ,ðfCf“fXfg[f,μ,Ä,ç  
,éê±,íCmŠÁ«ÿ'ènfy[fW,ì1fyfCf“,É, ,émDrivers[n,©,ç DB2 ,ð'l'ð,μ,Û,·BDB2 fhf  
%ofCfo,ìÿ'è“à—e,ª%oEfyfCf“,É•\Z|,³,ê,Û,·B

Ú×,É,Â,ç,Ä,íC^È%º,ìfgfsfbfN,ðŽQÆ,μ,Ä,,³/4,³,çB

DB2 ,Æ,ìÚ'±

DB2 fhf%ofCfo,ìÿ'è



DB2 driver setting jump

## MAX ROWS

SQL fhf%ofCfo, aŠe SQL •¶,²,Æ,É“Ç,Ý□ž,ñ,Āft□[fo□[.É'—,é□s□",ì□Ā'â'l,đŽw'è,μ,Û,·□B,±,è,É,í□C—ñ□CfCf“fffbfNfX□C,“,æ,N—  
LÆø□«f`fffbfN,ÉSÖ,·,é□î•ñ,đŽæ,è□o,·,½,ß,É□Cfe□[fuf<,ªŠ],ç,Ā,ç,éŠÖ,Éfhf  
%ofCfo,ªft□[fo□[.É'—,é□C□Æ%oi-â,ç□#,í,¹,àŠÛ,Û,è,Û,·□B

MAX ROWS ,ì□Ý'è'l,æ,è,à'½,—v<□,ª"□s,³,è,é,ÆfGf  
%□□[□iDBIERR\_ROWFETCHLIMIT□j,ª•Ö,³,è,Û,·□B-ß,è'l DBIERR\_ROWFETCHLIMIT ,í  
DBIERR\_EOF ,ÉŽ—,Ā,ç,Û,·,ª□CDBIERR\_ROWFETCHLIMIT ,íft□[fo□[□ã,É□s,ªŽc,Ā,Ā,ç  
,é,Æ,«,É□CfNf%ofCfAf“fg,ª<□\$“l,É'—□M,·,é EOF ,Ā, ,é,Æ,ç,ª“\_ª^Û,É,è,Û,·□BMAX ROWS  
flfvfVf#f“ ,É,æ,è□Cft□[fU□[.É,æ,éfvfXfefēfŠf□[fX,ì□S'©,đ  
%oñ“đ,Ā,«,Û,·□B,½,Æ,í,íff□[f^fx□[fXŠÇ—□ŽÖ,ì□Cft□[fU□[.ª'â<K-í,Éff□[f^fx□[fX,É'í,μ,Ā  
"SELECT \* ..." ,đCè,Ā,ĀŽĀ□s,μ,Ā,μ,Û,Ā,½□è□#,Ā,à□Cft□[fo□[,“,æ,Nflfbfgf□[fNfŠf\  
□[fX,ª,» ,ìft□[fU□[.É□S'©,³,è,É,ç,æ,ª,É□CŠĀ<<□Ý'èftf@fCf<,đ□Ý'è,Ā,«,Û,·□B

MAX ROWS ,ì□Ý'è,ª□-³,ç,Æ□CfXfL□[f}□î•ñ,đ□\ª,É“¾,é,±,Æ,ª,Ā,«,È,ç  
,½,ß,Éfe□[fuf<,đŠ],-,È,É,é□è□#,ª, ,é,ì,Ā'□^Ó,μ,Ā,¾,³,ç□BMAX ROWS ,ì□Ý'è'l,ª□-³,ç  
,½,ß,É□Cfe□[fuf<,đŠ],ç,Ā,ç,é,Æ,«,É•K—v,È,·,x,Ā,ìf□[f^ff□[f^□î•ñ,ªŽæ,è□o,¹,È,ç,ÆfGf  
%□[.É,È,è□Cfe□[fuf<,đŠ],,±,Æ,í,Ā,«,Û,¹,ñ□BMAX ROWS ,ì□X□V•s%oĀ“\,É-â,ç□#,í,¹,É,í  
%oe<¿,μ,Û,¹,ñ□B,±,è,í—ñ□î•ñ,ì-â,ç□#,í,¹,É,ì□CfXfL□[f}-â,ç□#,í,¹,ì'ă,í,è,É DESCRIBE  
,ªŽg,í,é,é,½,ß,Ā,·□B

ffftfHf<fg: -1□i“Ç,Ý□ž,þ□s□",É□\$CÈĀ,È,μ□j

CEx□□! MAX ROWS ,ì□\$CÈĀ,É,æ,Ā,Ā,í□CDBIERR\_EOF  
,đŽó,~Žæ,é,Û,Ā“Ç,Ý□ž,Ý,đ□s,ªŠù'¶,ì BDE fAfvfŠfP□[fVf#f“,ª□l—¹,·,é□è□#,ª, ,è,Û,·□B-  
ß,è'l,Æ,μ,Ā DBIERR\_EOF ,¾,~,Ā,È, DBIERR\_ROWFETCHLIMIT ,à□^—□,Ā,«,é,æ,ª  
,É□C,» ,ìfAfvfŠfP□[fVf#f“•ì□X,μ,È,~,é,î,È,è,Û,¹,ñ□Bft□[fU□[.í□C,·,Ā,É“Ç,Ý□ž,ñ,¾□s,đ,·,x,ĀŽQ□  
Æ,Ā,«,È,~,é,î,È,è,Û,¹,ñ□B,Û,½□Cft□[fo□[□ã,É,³,ç,É□s,ª, ,é,±  
,Æ,đft□[fU□[.ª“FŽ~,Ā,«,È,~,é,î,È,è,Û,¹,ñ□B

**SQLQRYMODE**

<b>Y'è</b>	<b>"à—e</b>
NULLi<ó''j	Å%ì-â,ç,í,¹,í SQL fT[fó[É'í,µ,Ås,í,é,éBfT[fó[,ª- â,ç,í,¹,ðŽÀs,Å,«,È,çêçC,»,- â,ç,í,¹,íf[fjf<,ÅŽÀs,³,é,éifftfHf<fgj
SERVER	-â,ç,í,¹,í SQL fT[fó[É'— M,³,é,éBfT[fó[,ª- â,ç,í,¹,ðŽÀs,Å,«,È,çêçCf[fjf<,Å,ì^— ÍŽÀs,³,é,È,ç
LOCAL	-â,ç,í,¹,íí,Éf[fjf<,ÅŽÀs,³,é,é

**SQLPASSTHRU MODE**

fpfXfXf<[ SQL ,Æ•W€ BDE ,Æ,ìŠÔ,Å"- ,ff[f^fx[fXÚ'±,ð<α—L,·,é,©,Ç,α,©C<α—  
L,·,éêç,í,Ç,ì,æ,α,È<α—L,·,é,©,ðŽw'è,µ,Û,·Bfgf%of"fuFnfvf#",ìêç,ÍCfpfXfXf<[fgf  
%of"fuFnfvf#",Æ,» ,ê`ÈŠO,ìfgf%of"fuFnfvf#",ªÉY,ç,É'SŽè,ðu'm,Á,Ä,ç,év,©,Ç,α  
,©,ðCE^,ß,Û,·B

SQLPASSTHRUMODE ,ìY'è,É'¼ÚŠÖCEW,·,é,ì,ÍCfpfXfXf<[ SQL ,ðŽg—  
p,·,éAfvfŠfP[fVf#",ÉCEÀ,ç,è,Û,·B,½,Æ,ì,ÍCfpfXfXf<[ SQL ,Åfgf  
%of"fuFnfvf#",ð^µ,xfAfvfŠfP[fVf#",ð\$CEä,·,évf[fO%of€ ,ðŠj",·,éêç,ÍCSQLPASSTHRU  
MODE ,ð NOT SHARED ,ÉY'è,µ,È,·,é,Í,È,è,Û,¹,ñB,» ,α,µ,È,ç,ÆCfpfXfXf<[ SQL  
,ÆAfvfŠfP[fVf#",ìf\fbfh,ª£ç,µ,ÅC—'zŠO,ìCE<%oÈ,ðµ,±,Æ,ª ,è,Û,·B

<b>Y'è</b>	<b>"à—e</b>
NOT SHARED	fpfXfXf<[ SQL ,Æ,» ,ê`ÈŠO,ì SQL ,íC"- ,fÚ'±,ð<α— L,µ,È,çifftfHf<fgjB
SHARED AUTOCOMMIT	fpfXfXf<[ SQL ,Æ,» ,ê`ÈŠO,ì SQL ,íC"- ,fÚ'±,ð<α— L,·,éB-¾Ž! "I,ÉfNf%ofCfAf"fgfgf%of"fuFnfvf#",·,é,ç ,íofbf^f, [fh,Å,È,çCEA,èCfpfXfXf<[ SQL •¶,ÍŽ© "® "I,ÉfRf~fbfg,³,é,éifftfHf<fgjB
SHARED NOAUTOCOMMIT	fpfXfXf<[ SQL ,ÆfpfXfXf<[ ^ÈŠO,ì SQL ,íC"- ,fÚ'±,ð<α— L,·,éB,½,¾,µCSQL fhf %ofCfo,ífpfXfXf<[ •¶,ðŽ© "® "I,ÉfRf~fbfg,µ,È,çBfAfvfŠfP [fVf#",Å,ÍC-¾Ž! "I,Éfgf %of"fuFnfvf#",ð<N"®CfRf~fbfg,µ,È,·,é,Í,È,è,Û,¹,ñB,± ,ìY'è,È,æ,èC•j" ,ìft[fU[,ª"~è,ìs,ðXV,·,é,æ,α ,Éf}f<f ft[fU[ŠÀ<<,Å,ÍC<£ç,ª"¶,·,éêç,ª ,è,Û,·B

**Paradox CE¾CEêfhf%ofCfo**

à-¾

ŽY,ì\,Í Paradox fe[fuf<,ÅŽg,ì,éCE¾CEêfhf%ofCfo,Æ,» ,è,¾,è,ìCE¾CEêfhf  
%ofCfo,ìfR[fhfy[fW,Å,·B

'^Ó: "à•"fhf%ofCfo-¾,ì'â•¶Žš,Æ-•¶Žš,ì<æ•È,³,è,Û,·B

**fhf%ofCfo-¾ "à•"fhf CE¾CEè / DOS fR[fhfy[fW**

%fCfo-¼

Paradox 'ascii'      ascii      %pCÊ / 437

Paradox 'japan'      japan      “ú- {CÊ / 932

**fm** [fg: “ú- {, Å, Í ascii fhf %fCfo, Å, à “ú- {CÊ ifR [fhfy [fW 932 j, ðŽg—p, μ, Ü, · Bascii fhf  
%fCfo, Í • ¶ ŽšfR [fh ¶, lfCf “ffbfNfX, ði ¶—, μ, Ü, ·, · Cjapan fhf  
%fCfo, Å, Í Ž « ¶ ¶, É • Å, ñ, ¼fCf “ffbfNfX, ði ¶—, μ, Ü, · B

## dbase 4.0 character set

à-4

ŽŸ,ì\,í dBASE fe [fuf<,ÅŽg,|,é4êfhf%ofCfo,Æ4êfhf%ofCfo,³Tf] [fg,·,é4ê,Å,·B

fm [fg: "à" fhf%ofCfo-¼,ì'â • ¶ Žš,Æ → • ¶ Žš,í<æ • Ê,³,ê,Û,·B

fhf%ofCfo-¼	"à" fhf%ofCfo-¼	4ê
dbase_enu_cp437	DB437US0	%pê
dbase_jpn_cp932	DB932JP0	"ú-{ê
dbase_jpn_dic932	DB932JP1	"ú-{ê

**ODBC fhf%ofCfoÚ±**

BDE fAfvfŠfP[fVf#f“, ©, ç ODBC fhf%ofCfo, ÉÚ±, ·, é, ½, ß, ìÝ’è, Å, ·BÚ±, É, íCBDE fAfvfŠfP[fVf#f“Cfxf“f\_[]’ñ<ÿ, ì ODBC fhf%ofCfoCMicrosoft ODBC fhf %ofCfof}f[]fWff[]Cf[]fNfXfe[]fVf#f“‘x, ì BDE fGfŠfAfX[]CfT[]fo[]‘x, ì ODBC ff[]f^f[]fX, ìf ftfgfEjFfA, ð•K—v, Å, ·B

ODBC fhf%ofCfoÚ±, ðì[]-, ·, é, ÆCBDE Administrator, ì—~—p%oÅ“\, Èfhf%ofCfo, ì^ê— — []m fhf%ofCfo-¼[]nfŠfXfgf{fbfNfX[], É•\Ž, ð, è, Ü, ·B[]ì[]-, μ, ½ ODBC fhf%ofCfoÚ±, ðŽg— p, μ, Ä[]C, ð, ç, É—Ú“ì, ì ODBC ff[]f^f[]fX, ìfGfŠfAfX, ðÝ’è, ·, é, ±, Æ, É, æ, èCBDE fAfvfŠfP[fVf#f“, ð%oi, μ, Ä ODBC ff[]f^f[]fX, ÉÚ±, Å, «, Ü, ·B



