

SRCpy for WIN32 (C) 1997-1998 KAZA

SRCpy ,íÙ WWatch for WIN32

,ì•â•fc[f,Æ,μ,Äï¬,³,ê,½ftfŠ[fEfFfA,Å,•B

“Á’¥,Æ’□^Ó”

“®ìŠÁ<<

fCf“fXfg□[f<

fAf“fCf“fXfg□[f<

<N“®•û-@

‘€ì•û-@

□^—□,ìÙ□x

fefXfg•û-@

’~ì€

Žg—p□đ€□

-Æ□Ó

□ǻ•W

ft□[fU□[fTf□[fg

“Á’Ÿ,Æ’^Ó”_

Windows <N“®’†,É,Íu<κ—L^á”½v,ÅfRfs[]o—^,È,ç<κ—
L,c,k,k™,ª’¶[]Ý,μ,Û,·B

SRCpy ,ÍA,±,ì,æ,κ,Éftf@fCf<,ðfRfs[],·,é,½,β,ìfc[]f<,Å,·B

“Á’Ÿ

□EŽè“® ,Á,í-Ê“|,È□^—□,ðŽ©“®%o» ,μ,Û,·

’^Ó”_

Windows NT ,Á,Í Administrator ,ìCE CEÀ,ª•K—v,Å,·B

Windows NT ,Á,Í□Å□V,ìfT[]lfrfXfpfbfN,ðfCf“fXfg[]f<,μ,Ä,ç,È,ç,ÆŽ,“s,·,é
%oÅ“\□«,ª, ,è,Û,·B

Windows 95(98) ,Á,ÍufRfs[][]æftf@fCf<□v,ªf[]“fOftf@fCf<-¼,ìê[]#,É,ÍGf
%o[] ,É,È,è,Û,·BftfHf<f_-¼,ìf[]“fOftfHf<f_-¼,Å,à,©,Û,ç,Û,¹,ñ□B

□@□@c:\test files\long file.txt fGf%o[]
□@□@c:\test files\short.txt □¬CE÷

□^—□,ðŠ®—¹,·,é,½,β,É,ÍVffffbfgf_fEf“□Ä<N“® ,ª•K—v,Å,·B,±,ê,í□AŽŸ
%oñ,ìfVfXfef€<N“® Žž,É□^—□,ªŽA□s,³,è,é,½,β,Å,·B

ŽÀ□Û,ÉŽg—p,·,é’O,ÉfefXfg,μ,Ä,Ý,Ä,,¾,¾,ç□**SRCpy** ,ÍfefXfg%oÅ“\,È,æ,κ
,É’Êí,Á,àfRfs[]o—^,éftf@fCf<,à□u“o~^□v□o—^,é,æ,κ,É,μ,Ä,ç,Û,·B
□Ú□×,ÍfefXfg•û-@,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

“®ïŠÂ<<

□@□@fn□[fhfEjFfA Windows 95 ^È□~□AWindows NT 4.0 ,ì“®ï,·,éfp□[f\
fif<fRf“fsf...□[f^

□@□@f\ftfgfEjFfA Windows 95 ^È□~,ì“ú- {Œê”Å□AWindows NT 4.0 “ú-
{Œê”Å□iIntel□j

□@□@“®ïŠm”F AT ŒÝŠ·<@□ANEC PC-9801

Windows NT 3.5 ,Å,í“®ï,μ,Û,¹,ñ□B

Windows NT 3.51 ,Å,ì“®ïŠm”F,í□s,È,Á,Ä,φ,Û,¹,ñ□B

Windows NT ,Å“®ï,³,¹,é,¹/₂,ß,É,Í Administrator ,ìŒ ŒÀ,^a•K—v,Å,·□B

fCf“fXfg[]f<

^³[]kftf@fCf<,É,Í

[]@[]@SRCPY.EXE SRCpy -{‘ì
[]@[]@SRCPY.HLP fwf<fv
[]@[]@README.TXT fhfLf...f[]f“fg
[]@[]@UPDATE.TXT fo[][fWf#f“fAfbfv—š—ð

,,šÜ,Ü,é,Ü,·[]B

SRCpy ,ð“K“- ,ÈftfHf<f_ ,É%øð“€ ,μ,Ä,,¾,³,¢[]B—á,ì,î[]A^È%øø,ì,æ,æ
,ÈftfHf<f_ ,ð[][]¬ ,μ[]A,» ,± ,É%øð“€ ,μ,Ü,·[]B

C:\WIN32APP\SRCPY

fAf“fCf“fXfg□lf<

SRCpy ŠÖ~ A, ìftf@fCf<, ðíœ, μ, Ä,, ¾, ¾, ç□BINIftf@fCf<, âfÆfWfXfgfŠ, ÍŽg—
p, μ, Û, ¹, ñ□B

<N“®•û-@

fGfNfXfjvf□□[f%o□[“™,©,ç SRCPY.EXE ,đ<N“® ,μ,Ä,,³/₄,³,ç□B

'€̀ì•û-@

'Ç%Á

ufRfs[CE³ftf@fCf<v,ÆufRfs[æftf@fCf<v,đ'Ç%Á,μ,Û,·B

@@ufRfs[CE³ftf@fCf<v fRfs[,·,éftf@fCf<
@@ufRfs[æftf@fCf<v ã',«,³,ê,éftf@fCf<

ufRfs[CE³ftf@fCf<v,ÍfÍbfjgf[fNfhf%ofCfuã,É'¶Y,μ,Ä,ç,Ä,à,©,Û,ç
,Û,¹,ñ,^aAufRfs[æftf@fCf<v,ÍfÍ[fjfhf%ofCfuã,É'¶Y,·,é•K—v,^a, ,è,Û,
·B,Û,½AWindows 95(98) ,Á,ÍufRfs[æftf@fCf<v-¼,^af"foftf@fCf<-
¼,³/₄,ÆfGf%o[.É,È,è,Û,·BftfHf<f_-¼,ÍfÍ"foftfHf<f_-¼,Á,à,©,Û,ç,Û,¹,ñB

Úx,É,Â,ç,Ä,í^—,ìÚx,đŽQÆ,μ,Ä,,³/₄,³,çB

íœ

'Ç%Á,μ,½€-Ú,đíœ,μ,Û,·B

fRfs[æftf@fCf<,đ•Ú'¶,·,é

ufRfs[æftf@fCf<v,đ•Ú'¶,μ,Û,·BufRfs[æftf@fCf<v,^aŠù,ÉfofbfNfAfb
fv,³,ê,Ä,ç,éêê‡^ÈŠO,Í•Ú'¶,·,é,æ,κ,É,μ,Ä,,³/₄,³,çB•Ú'¶,μ,Ä, ,ê,Î-
œ,^aê,ìêê‡CE³,É-β,¹,Û,·B

“o~^

'Ç%Á,³,ê,½€-Ú,đŽÿ%ñ,ÍfVfXfef€<N“ ®Žž,ÉfRfs[,·,é€”ö,đ,μ,Û,·B
“o~^,^a¶í,É|—¹,·,é,Æu^—Š®—¹vf_fCfAfOf{fbfNfX,^a•\
Ž!,³,ê,Û,·B;·,·,®,ÉfRfs[,μ,½,çê‡,É,ÍuÄ<N“®vf{f^f”,đACEã,Á,à,ç
,çê‡,É,ÍufLfff“fZf<vf{f^f”,đ%ÿ,μ,Ä,,³/₄,³,çB uÄ<N“®vf{f^f”,^a
%ÿ,³,ê,½ê‡,É,ÍA'¼,®,ÉVfffbfjgf_fEf“Ä<N“®,³,ê,Û,·B
“o~^,³,ê,½“à—e,ÍŽÿ%ñ,ÍfVfXfef€<N“ ®Žž,ÉfRfs[,³,ê,Û,·B

“o~^ÆãAŠÔ^á,ç,É<C,Ä,ç,½ê‡,É,Íu^—Š®—
¹vf_fCfAfOf{fbfNfX,^a•\Ž!,³,ê,½Žž,ÉuÄ<N“®vf{f^f”,Á,Í,È,-
ufLfff“fZf<vf{f^f”,đ%ÿ,μ,Ä,,³/₄,³,çBfRfs[,³,ê,È,ç,æ,κ,ÉC³,·,é•û-
@,É,Ä,ç,Ä,í^—,ìÚx,đŽQÆ,μ,Ä,,³/₄,³,çB

fLfff“fZf<

“o~^,¹,,É SRCpy ,đ|—¹,μ,Û,·B

□^—□,ì□Ú□×

□ì□¬,³,ê,éftf@fCf<

□u“o~^□vf{f^f“,ð%öÿ,μ,Ä□^—□,ª□³□í,É□|—
¹,·,é,Æ□A□ufRfs□[CE³ftf@fCf<□v,í□ufRfs□[□æftf@fCf<□v,ª'¶□Ý,·,éf<□[fgfffBf
CEfNfgfŠ,ÉfRfs□[,³,ê,Ü,·□B—á,ì,í□A

□@□@□ufRfs□[CE³ftf@fCf<□v d:\test files\comctl32.dll
□@□@□ufRfs□[□æftf@fCf<□v c:\windows\system\comctl32.dll

,È,ç□AfRfs□[□æ,ìf<□[fgfffBfCEfNfgfŠ c:\ ,É

□@□@□d:\test files\comctl32.dll -> c:\srcpy000.tmp

,ì,æ,κ
,ÉfRfs□[,³,ê,Ü,·□i□ufRfs□[CE³ftf@fCf<□v,í□í□œ,³,ê,Ü,¹,ñ□j□B,Ü,½□A□ufRfs□[□
æftf@fCf<,ð•Ú'¶,·,é□v,ªf`fFbfN,³,ê,Ä,ç,é□ê□#□A□ufRfs□[□æftf@fCf<□v,í

□@□@□c:\windows\system\comctl32.dll -> c:\windows\system\
comctl32.000

,ì,æ,κ
,ÉfRfs□[,³,ê,Ü,·□B,à,μ,à,ì□ê□#□A•Ú'¶,³,ê,½ftf@fCf<,ð□ufRfs□[CE³ftf
@fCf<□v,ÉŽw'è,μ,ÄCE³,É-β,¹,Ü,·□B

“o~^,³,ê,½“à—e,í□AZÿ%öñ,ìfVfXfef€<N“ ® Žž,É

□@□@□c:\srcpy000.tmp -> c:\windows\system\comctl32.dll

,ì,æ,κ,É□ã□',«fRfs□[,³,ê□Ac:\srcpy000.tmp ,í□í□œ,³,ê,Ü,·□B

□ì□¬,³,ê,éftf@fCf<-¼,ì,RCE...,ì□”Žš□i000□j,í□AŠù,É“^-¼ftf@fCf<,ª'¶□Ý,μ,Ä,ç
,é□ê□#□,É,í 001 ,ì,æ,κ,Éf_fu,ç,É,ç□”Žš,ðŽg—p,μ,Ü,·□B

“o~^Žž,ì'□^ÓŽ-□€

fVfXfef€<N“ ® Žž,É□^—□,ªŽÀ□s,³,ê,é,½,β□ufRfs□[□æftf@fCf<□v,í□□□[f]f<fhf
%ofCfu□ã,É'¶□Ý,·,é•K—v,ª, ,è,Ü,·□B,±
,ì,½,β□A□ufRfs□[□æftf@fCf<□v,Éf]fbfgf□□[fNfhf
%ofCfu,ªŽw'è,³,ê,½□ê□#□,É,íGf%□□[,É,É,è,Ü,·□B

□ufRfs□[□æftf@fCf<,ð•Ú'¶,·,é□v,ªf`fFbfN,³,ê,Ä,ç
,é□ê□#□,Å□A□ufRfs□[□æftf@fCf<□v,ªfRfs□[□o—^,É,ç□ê□#□,É,íGf
%□□[,É,É,è,Ü,·□B□ifZfLf...fŠfefB□ã,âft□[fU□[CE CEÀ,ª,É,çftf@fCf<,íRfs□[□o—
^,Ü,¹,ñ□j

Windows 95(98) ,Á,Í DOS f,[]fh,ÅÔ^—,³,ê,é,½,ß[]ufRfs[][]æftf@fCf<[]v-
¼,²f[]f“fOftf@fCf<-¼,¾,ÆfVf#[]f[]gftf@fCf<-¼,É•ïX,³,ê,Ä,µ,Ü,ç,Û,·[]B,±
,ì,½,ß[]A[]ufRfs[][]æftf@fCf<[]v,Éf[]f“fOftf@fCf<-
¼,²Žw’è,³,ê,½[]ê[]#[]ASRCpy ,Á,ÍfGf%[][],É,È,è,Û,·[]BftfHf<f_-
¼,Íf[]f“fOftfHf<f_-¼,Á,à,©,Û,ç,Û,¹,ň[]B

“o~^Æã,ÉfRfs[],ð’tŽ~,·,é[]ê[]‡

[]u“o~^[]vf{f^f“,ð%öÿ,µ,½Æã[]AŠÔ^á,ç,É<C,Ä,ç,½[]ê[]‡,É,Í[]u[]^—[]Š®—
¹[]vf_fCfAf[]Of{fbfNfX,²•\Ž,³,ê,½Žž,É[]ufLfff“fZf<[]vf{f^f“,ð%öÿ,µ,Ä,-
,¾,³,ç[]B’A,µ[]A,±,ì,Û,Û,Ä,ÍŽÝ
%oň,ÍfVfXfef€<N“®Žž,É[]ã[]’,«fRfs[],³,ê,Ä,µ,Ü,ç,Û,·[]B
[]ã[]’,«fRfs[],ðfLfff“fZf<,·,é,½,ß,É,Í[]AfRfs[][]æ,Íf<[]f[]gfffBfÆfNfgfŠ,ÉfRfs[],³,
é,½[]ufRfs[][]Æ³ftf@fCf<[]v srcpy000.tmp, srcpy001.tmp
“™,ð’S,Äí[]œ,µ,Û,·[]BŽÝ%oň,ÍfVfXfef€<N“®Žž,É,Í[]ufRfs[][]Æ³ftf@fCf<[]v,²-
³,ç,½,ß[]ã[]’,«fRfs[],ÍŽÀ[]s,³,ê,Û,¹,ň[]B
ŽÝ,É[]A[]ufRfs[][]æftf@fCf<[]v,²•Û’¶,³,ê,Ä,ç
,é[]ê[]‡,É,Í•Û’¶,³,ê,½ftf@fCf<,ðí[]œ,µ,Û,·[]B

Windows 95(98)

[]^—,²³[]í,É[]l—¹,·,é,Æ Windows fffBfÆfNfgfŠ“à,É WININIT.INI ,ð

[]@[]@[rename]

[]@[]@c:\windows\system\comctl32.dll=c:\srcpy000.tmp

,ì,æ,æ,É[]ì[]-,µ,Û,·[]BŠù,É WININIT.INI ,²¶[]Ý,·,é[]ê[]‡,É,Í’Ç%oÁ,³,ê,Û,·[]B
,±,ì“à—e,ÍŽÝ%oň,ÍfVfXfef€<N“®Žž,ÉfVfXfef€,²ŽÀ[]s,µ[]AWININIT.INI ,Í
WININIT.BAK ,Æ,µ,Ä•Û’¶,³,ê,Û,·[]B

Windows NT

[]^—,²³[]í,É[]l—¹,·,é,ÆfÆfWfXfgfŠ,ÍfL[][-¼

[]@[]@HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session
Manager

“à,É’l-¼

[]@[]@PendigFileRenameOperations

,²[]ì[]-,³,ê,Û,·[]B
,±,ì“à—e,ÍŽÝ%oň,ÍfVfXfef€<N“®Žž,ÉfVfXfef€
,²ŽÀ[]s,µ[]AŽÀ[]sÆã[]í[]œ,³,ê,Û,·[]B

fefXfg•û-@

fef"f|f%ofŠftfHf<f_,"É"à—e,ì^Ù,È,éfefLfXfgftf@fCf<,đ"ň,Â[]-,-,μ,Û,·[]B—á,!,Î[]A

[]@[]@c:\temp\test1.txt
[]@[]@c:\temp\test2.txt

,ì,æ,κ,É[]-,-,μ,Û,·[]BŽŸ,É[]A

[]@[]@[]ufRfs[][CE³ftf@fCf<[]v c:\temp\test1.txt
[]@[]@[]ufRfs[][[]æftf@fCf<[]v c:\temp\test2.txt

,Æ,μ,Ä[]u'Ç%Á[]v,μ[]u"o~^[]vf{f^f",đ%öŸ,μ,Û,·[]B•\Ž!,³,ê,½[]u[]^—[]Š®—
¹[]vf_fCfAf[]Of{fbfNfX,Â[]ufLfff"fZf<[]vf{f^f",đ%öŸ,μ[]A[]Ä<N"® ,μ,È,ç,æ,κ
,É,μ,Û,·[]B

,±,ì[]ó'Ô,Â[]A

[]@[]@c:\srcpy000.tmp
[]@[]@c:\temp\test2.000

,ª[]-,-,³,ê,Ä,ç,éŽ-,đŠm"F,μ,Ä,,¾,³,ç[]Btest2.000
,Í[]ufRfs[][[]æftf@fCf<,đ•Û'¶,·,é[]v,ªf`fFfbfN,³,ê,Ä,ç,é[]ê[]#,É[]-,-,³,ê,Û,·[]B
Šm"F,Â,«,½,çfVfffbfgf_fEf"[]Ä<N"® ,μ,Û,·[]B[]Ä<N"® CEã

[]@[]@c:\srcpy000.tmp

,ª[]í[]æ,³,ê,Ä,ç,Ä c:\temp\test2.txt ,ì"à—e,ª c:\temp\test1.txt ,ì"à—
e,É•ì[]X,³,ê,Ä,ç,½,ç[]-CE÷,Â,·[]B

'~̀ìĈ

-{f\ftfgfEjFfA,ì'~̀ìĈ ifwfvAfhfLf...f"fg,àŠÜ,þj,í <{è Ĩ_ŠĈiKAZAĭj,ª—
L,µ,Ü,·ĬB

Žg—pðŒ

'~̀ìŒ ŽÒ,ì<-‰oÂ⁻³,μ,É‰oc—~ -Ú“l,Å”ì”,,,é,±,Æ,ío—
^,Û,¹,ňBŽGŽ“™,Ö,ìŒfú“™,í'~̀ìŒ ŽÒ,Û,Å,“-â†,¹‰o^o,³,çB“]ú,É,Â,ç
,Ä,íŽ-‘o,ÉìŽÒ,Û,Åf[f<,μ,Ä,,³/₄,³,çB

-ÆÓ

-{f\ftfgfEjFfA,đŽg—p,μ,½ã,Å"¶,μ,½'ŠQ,É,Â,ç,ÄA'~ì€ ŽÒ,í^êø,ìÓ"C,đ•
%o,ç,©,Ë,Û,·BŽg—pŽÒ,ìÓ"C,Å,²Žg—p,,¾,³,çB

□▪•W

Microsoft □AWindows □AWindows NT ,Í Microsoft Corporation ,ì“o~^□▪•W,Å,·□B
,» ,ì'¼,ì%oiŽĐ-¼,â□»•i-¼,Í□A,»,ê,¼,ê,ì%oiŽĐ,ì“o~^□▪•W,Ü,½,Í□▪•W,Å,·□B

ft[]fU[]fTf[]f[]fg

-{f\ftfgfEjFfA,É,Â,ç,Ä,İŽç-â[]E-v-][]E•s<i[]#“™,í[]A%°°<L,ì
%°i<cŽ°,©f[][]f<,Á,Šè,ç,μ,Ü,·[]B

[]@[]@FWINNT MES 5 μÝ×²ÝçìÄ[]î•ñ[]L[]ê [±,¾»Ø]
>[]@[]@FWINAC MES 9 μÝ×²ÝçìÄ[]î•ñ[]L[]ê[WinENV]

NIFTY SERVE , ©,çfCf“f^[]f[]f[]b[]f[]g[]f[]f[]f[]f<,ð'—[]M,·,é[]ê[]#É,Í

[]@[]@INET:kaza@hi-net.ne.jp

,ì,æ,α,É[]AID ,ì'O,É INET: ,ð•t%°°Á,μ,Ä'—[]M,μ,Ä,,¾,¾,ç[]B

[]@NIFTY SERVE : NBA02405 KAZA
>[]@Internet : kaza@hi-net.ne.jp

