








**SideWinder fQ[f€ fRf“fgf□□[f%o,İŽg—p•û-@,ÉŠÖ,.,éfwf.fv,ª•K—v,Èëë†,İA^È%o²,İí %ož,.,éf{f^f“,đfNfŠfbfN,μ,Ä,,¾,³,¢□B**


-  SideWinder fQ[f€ fpfbfh
-  SideWinder Freestyle Pro
-  SideWinder Precision Pro
-  SideWinder Force Feedback Pro
-  SideWinder 3D Pro
-  SideWinder Force Feedback Wheel

**fWf†fCfXfefBfbfN,İfRf“fgf□□[f<,đfefXfg,.,é**

[fQ□[f€ fRf“fgf□□[f%o,İfvf□pfefB] f\_fCfAf□fO f{fbfNfX,đŽg,ª,Æ□AfWf†fCfXfefBfbfN,İf{f^f“,âfnfbfg fXfCfbf` □AfgfŠfK,ª□³í,É“ @□İ,μ,Ä,¢,é,©,Ç,ª,©,đŠm“F,Å,«,Ü,·□B,Ü,½□Afnf“fhf<‘€□İ,ª□³í,É<@“\,μ,Ä,¢ ,é,©,Ç,ª,©,àŠm“F,Å,«,Ü,·□B

- 1 ,±,± ,đfNfŠfbfN,μ,Ä□A[fQ□[f€ fRf“fgf□□[f%o] f\_fCfAf□fO f{fbfNfX,đŠJ,«,Ü,·□B
- 2 [fRf“fgf□□[f%o] fŠfXfg f{fbfNfX,É•\Žİ,³,è,Ä,¢,éfQ□[f€ fRf“fgf□□[f%o,İ^è—,©,cfefXfg,.,é SideWinder fWf†fCfXfefBfbfN,đ'İ'đ,μ□A[fvf□pfefB],đfNfŠfbfN,μ,Ü,·□B
- 3 [fefXfg] f^fu,đfNfŠfbfN,μ□AfefXfg,ª•K—v,È SideWinder fWf†fCfXfefBfbfNā,İfnfbfg fXfCfbf` ,âf{f^f“,đ%oÿ,μ,Ü,·□Bf{f^f“,đ%oÿ,μ,½,Æ,«,É%oæ-Èā,İ'İ%ož,.,éf %ofCfg,ª“ \_““,.,è,İ□A,» ,İf{f^f“,İ□³í,É“ @□İ,μ,Ä,¢,Ü,·□B
- 4 fnf“fhf<,đ“ @,©,μ,ÄfWf†fCfXfefBfbfN,đfefXfg,μ,Ü,·□BCEX,¯,½•ûCë,ÉfEfBf“fhfE,İ't,İf□[f< ,f<,ª“ @,¯,İ□Afnf“fhf<,İ□³í,É<@“\,μ,Ä,¢,Ü,·□B

---

 ŠÖ~A□€-Ú

**fQ[if€“à,Áfvf[]ftf@fCf<,žg—p,Á,«,È,č**

ŽŸ,ì“\_ ,đšm”F,μ,Ä,,¾,¾,č□B

- fv[]ftf@fCf< fzCFfNf^ ,đžg,Á,Äžg—p,μ,Ä,č,éfQ[]f€ fRf“fgf[]f% ,lfv[]ftf@fCf<,đ—  
LCEø,ÉŸ’è,μ,½,©Šm”F,μ,Ů,·□Bfv[]ftf@fCf<,l^è—,É•\Ž!,¾,è,Ä,č,éf[]ftf@fCf<-¼,l□Ÿ’α,Éf^fFfbfN  
f}[]fN,¾•\Ž!,¾,è,Ä,č,è,í□A,»,lfv[]ftf@fCf<,l—LCEø,Á,·□B,±,± ,đfNfŠfbfN,·,é,Æ□A[fv[]ftf@fCf<  
fzCFfNf^] ,¾Šj,«,Ů,·□B
- fQ[]f€ fRf“fgf[]f% fv[]ftf@fCf% ,lf^fXfNfo[] fAfCfRf“ ,É “X” ,¾•\Ž!,¾,è,Ä,č,È,č,±,Æ□B“X” ,¾•\  
Ž!,¾,è,Ä,č,é□è□±,í□AfAfCfRf“ ,đ%EfNfŠfbfN,μ,Ä□AfVf#[]fgfjfbfg f[]fj...[] ,©,ç [fv[]ftf@fCf% ,l□ÁŠj]  
,đ’l’đ,μ□Af[]ftf@fCf<,đ—LCEø,É,μ,Ä,,¾,¾,č□B
- SideWinder fQ[]f€ fpfbfh,đ%ô,μ,ÄfRf“fsf...[]f^ ,ÉfWf#fCfXfefBfbfN,đ□Ú’±,μ,Ä,č,é□è□±,í□AfQ[]f€  
fpfbfh□ā,lf%ofCf,¾□Á”” ,μ,Ä,č,é,±,Æ□Bf%ofCf,¾“\_”” ,μ,Ä,č,é□è□±,í□AfQ[]f€ fpfbfh,lf.□[fh f{f^f” ,đ  
%oŸ,μ,Ů,·□B


SideWinder fWf#fCfXfefBfbfN,lfv[]ftf@fCf<,l□Ú□×,É,Á,č,Ä,í□Af[]ftf@fCf< fGffBf^ ,áf[]ftf@fCf<  
fzCFfNf^ ,lfwf<fv f[]fj...[] ,đžg,Á,Ä□Af[]ftf@fCf% ,lfwf<fv,đžQ□Æ,μ,Ä,,¾,¾,č□B  
,±,± ,đfNfŠfbfN,·,é,Æ□A[SideWinder flf“f%ofCf” fwf<fv] ,¾Šj,«,Ů,·□B

---

■ ŠÖ~A□€-Ú

## fWf#CfXfefBfbfN, ðŽg—p't, ÉfQ[f€ , ³ftfŠ[fY, ·, é

SideWinder fWf#CfXfefBfbfN, ðŽg—p't, ÉfQ[f€ , ³ftfŠ[fY, μ, ½, è□A“ @□i, ³'x, -  
, È, é□è□#, í□AZŸ, ð“\_ , ðŠm”F, μ, Ä, , ¾, ¾, ç□B

- fRf“fsf...□[f^, ð“w-É, É, , é 15 fsf“ fQ□[f€ f|□[fg, ÉfWf#CfXfefBfbfN, ³ŠmŽÀ, É□Ú'±, ¾, è, Ä, ç, é, ±  
, Æ, ðŠm”F, μ, Û, ·□B, “Žg, ç, ðfRf“fsf...□[f^, Éf|fbfgf□□[fN f|□[fh, ³'•... , ¾, è, Ä, ç  
, é□è□#, í□AfWf#CfXfefBfbfN, È, Ç, ðfQ□[f€ fRf“fgf□□[f%ø, ð 15 fsf“ , ðf|fbfgf□□[fN fRf|fNf^ , É□Ú'±, μ, È, ç  
, æ, ¼, É'□^ Ó, μ, Ä, , ¾, ¾, ç□B
- SideWinder 'í%øž, ðfTfEf“fh f|□[fh, ðŽg—p, μ, Ä, ç, é, ±, Æ□BCEÝŠ·□« , ð, È, çfTfEf“fh f|□[fh, ð^è—  
, í□AReadme ftf@fCf< , ÉCEf□Ú, ¾, è, Ä, ç, Û, ·□B Readme ftf@fCf< , ðŠJ , , É, í□A[SideWinder Central] , ð  
[SideWinder flf“f%øfCf“ fwf<fv] , ðfNfŠfbfN, μ□AZg—p, μ, Ä, ç, éfWf#CfXfefBfbfN, É'í%øž, μ, ½ Readme  
ftf@fCf< , ð'ð, μ, Û, ·□B  
, ±, ±  , ðfNfŠfbfN, ·, é, Æ□A[SideWinder flf“f%øfCf“ fwf<fv] , ³ŠJ , « , Û , ·□B

fñf“fhf<,ð•ú,μ,Ä,àA[fQ[f€ fRf“fgf[f%o] ,ì [fefXfg]  
f^fu,ÄfWf#fCfXfefBfbfN,lfñf“fhf<,ªCEX,ç,½ó’Ö,ì,Ü,Û,É,È,Á,Ä,ç,é  
fffWf^f< fQ[f€ fRf“fgf[f%o,ì³í,È” ©ì,Å,·BfWf#fCfXfefBfbfN,É-â’è,í, ,è,Û,¹,ñB

fQ□[f€ ,ì²□@f◊□[f`f“ ,đŽg,Á,ÄfWf†fCfXfefBfbfN,đ□³,μ,²□@,Á,«,È,¢

fQ□[f€ ,ì²□@f◊□[f`f“ ,ìŽÀ□s`t,ÉfgfŠfK,È,Ç,ìf{f^f“ ,ð%öÿ,•K—v,ª, ,é□ê□#□AfQ□[f€ fRf“fgf□□[f%  
fvf□ftf@fCf%oo,đŽg,Á,Ä,» ,ìf{f^f“ ,É•W□€^ÈŠO,ì“ @□ì,đŠ,,è“-

,Ä,Ä,é,Æ□A²□@f◊□[f`f“ ,ª,» ,ìf{f^f“ ,ì‘€□ì,đ“FŽ` ,μ,È,¢,±,Æ,ª, ,è,Ü,·□B

,±,ì,æ,x,È□ê□# ,í□AfQ□[f€ fRf“fgf□□[f%oo fvf□ftf@fCf%oo,đŽg,Á,Ä□A,» ,ìf{f^f“ ,ÉfQ□[f€ ,ì•W□€“ @□ì,đŠ,,è“-  
,Ä,½€ã□A□Ä“x²□@ ,đ□s,A,Ä,³/4,³,¢□B

**fWf#CfXfefBfbfN,lf{f^f",l't,ÉfQ□[f€"à,ĀŽg—p,Ā,«,È,ç,à,ì,², ,é**

Žg—p,Ā,«,éf{f^f",ì□",í□AfQ□[f€,É,æ,Ā,Ā^Ù,È,è,Ù,·□B,·,x,Ā,ì SideWinder fWf#CfXfefBfbfN f{f^f",²Žg—p,Ā,«,é,Æ,íCEĀ,è,Ù,¹,ñ□BfQ□[f€"à,ĀŽg—p,Ā,«,éf{f^f",ìŽí—p,â,»,ì<@"\,É,Ā,ç,Ā,í□AfQ□[f€,lf}fff... fAf<,ðŽQ□Æ,μ,Ā,,¾,¾,ç□B


fQ□[f€"à,Ā 4 ,Ā,lfx□[fX f{f^f",²Žg—p,³,è,Ā,ç,Ā□A,±,è,ç,lf{f^f",²"®ì,μ,È,ç□è□#,í□AZÿ,ì"\_,ðŠm"F,μ,Ā,-¾,¾,ç□B

- SideWinder fQ□[f€ fRf"fjgf□□[f%° f\ftfgfEjFfA 3.0 ,²fCf"fXfg□[f<,³,è,Ā,ç,é□B

- SideWinder fWf#CfXfefBfbfN,²fRf"fjgf□□[f%° 1 ,ÉŠ,,è"—,Ā,ç,è,Ā,ç,é□B

■ fRf"fjgf□□[f%°"Ó□t,ðŠm"F/□Y'è,·,é□B

- fQ□[f€ f□[fg,ÉfWf#CfXfefBfbfN,²□Ú'±,³,è,Ā,ç,é□è□#□AWindows □ă,ĀfQ□[f€ f□[fg,²□³,μ,□Y'è,³,è,Ā,ç,é,±,Æ,ðŠm"F,μ,Ù,·□BfQ□[f€ f□[fgŠÖ~Ā,ì-â'è,ì□Ú□×,É,Ā,ç,Ā,í□ASideWinder fWf#CfXfefBfbfN,ìReadme ftf@fCf<,ðŽQ□Æ,μ,Ā,,¾,¾,ç□B Readme ftf@fCf<,í□ASideWinder flf"f %ofCf" fwf<fv,©,çŽQ□Æ,Ā,«,Ù,·□B

,±,±  ,ðfNfšfbfN,·,é,Æ□A[SideWinder flf"f%ofCf" fwf<fv ] ,²šJ,<,Ü,·□B

■ fQ□[f€ f□[fg,ì□Y'è,ðŠm"F,·,é□B

- USB 'í%°ž,ì SideWinder fWf#CfXfefBfbfN,²fRf"fsf...□[f^,ì USB f□[fg,É□Ú'±,³,è,Ā,ç,é□è□#□AWindows □ă,Ā USB f□[fg,²□³,μ,□Y'è,³,è,Ā,ç,é,±,Æ,ðŠm"F,μ,Ù,·□BUSB f□[fgŠÖ~Ā,ì-â'è,ì□Ú□×,É,Ā,ç,Ā,í□ASideWinder fWf#CfXfefBfbfN ,ì Readme ftf@fCf<,ðŽQ□Æ,μ,Ā,,¾,¾,ç□B Readme ftf@fCf<,í□ASideWinder flf"f%ofCf" fwf<fv,©,çŽQ□Æ,Ā,«,Ù,·□B

■ USB f□[fg,ì□Y'è,ðŠm"F,·,é□B

**f□f,**

SideWinder fQ□[f€ fRf"fjgf□□[f%° f\ftfgfEjFfA,ðŽg—p,μ,Ā□ASideWinder fWf#CfXfefBfbfN,lfx□[fX f{f^f",âfnf"fhf<□ă,lf{f^f" (f{f^f" 1 ,©,ç 8) ,Æfnfbfg fXfCfbf` ,ÉfQ□[f€ fAfNfVf#f",ðŠ,,è"—,Ā,é,± ,Æ,²,Ā,«,Ù,·□B

,±,łtf@fCf<,É,íA,·,×,Ä,łfQ[]f€ fRf“fgf[]f%o,É<π'Ê,·,é'è<` ,²<LÚ,³,é,Ä,ç,Ü,·B,±  
,łtf@fCf<,íA fRf“fpfCf<Žž,ÉŠefwf<fv ftf@fCf<,É'g,Ýž,ň,Å,,¾,³,çB

## fAfiffo f,lfh

SideWinder 3D Pro ,đfAfiffo f,lfh,ÁŽg—p,·,é,ÆA^ê”Ê”I,ÈfAfiffo fWf#fCfXfefBfbfN,Æ,μ,Ä<@”\ ,μ,Ü,·B SideWinder 3D Pro ,É,ÍACEđŠwCEÏofVfXfef€,ªi—p,<sup>3</sup>,ê,Ä,ç,é,½,ßAM—Š«ª,- AfhfŠftfg,à”l,μ,Ü,<sup>1</sup>,ñB

SideWinder 3D Pro ,íAŽÏ,ìê±,É,ÍŽ©“@”I,ÈfAfiffo f,lfh,É,È,è,Ü,·B

- fQ[f€,ª Microsoft MS-DOS ,Ü,½,Ífo[fWf#f” 3.1 ,ì Microsoft Windows ã,ÁŽÀs,<sup>3</sup>,ê,éê±B Windows 3.1 ,ì MS-DOS fEfBf”fhfE”à,ÁŽÀs,<sup>3</sup>,ê,éê±,àŠÜ,Ý,Ü,·B
- SideWinder fQ[f€ fRf”fgf[f%o fftfgfEjfFA,đfCf”fXfg[f<,μ,Ä,ç,È,çê±B
- Windows 95 ,ì [fQ[f€ fRf”fgf[f%o] f\_fCfAffo f{fbfNfX,Á Microsoft SideWinder 3D Pro ,ª’I’đ,<sup>3</sup>,ê,Ä,ç,È,çê±



**fx[]fX f{f^f“**

f{f^f“, ìŽg—p•û-@, í[]AfQ[]f€, É, æ, Á, Ä^Ù, È, è, Ü, ·[]B, Ü, ½[]A•W[]€[]Ý'è, Å, í[]A, ±, è, ç, ìf{f^f“, ì^è•”, μ, ©Žg—  
p, μ, È, çfQ[]f€, à, , è, Ü, ·[]Bf{f^f“, ì<@“\, È, Á, ç, Ä, í[]AfQ[]f€, ìf}jjf...fAf<, ÅŠm”F, ·, é, ©[]AfQ[]f€'t, Èf{f^f“, ð  
%oÿ, μ, Ä, Ý, Ä, , ¾, ¾, ç[]B

## A f{f^f“

A f{f^f“, íA•W□€fWf‡fCfXfefBfbfN, íf{f^f“ 1 (‘Ê□í, ífWf‡fCfXfefBfbfN fgfŠfK) ,É‘í%oož,μ,Ä,ç  
,Ü,·□BfQ□[f€“à,Ä,ì A f{f^f“, ÌŽg—p•û-@,É,Ä,ç,Ä,í□AfQ□[f€,í}fjf...fAf<,đŽQ□E,μ,Ä,,¾,¾,ç□B

## B f{f^f“

B f{f^f“, íA•W□€fWf†fCfXfefBfbfN, ìf{f^f“ 2 ,É'í%ž,μ,Ä,ç,Ü,·□BfQ□[f€“à,Å,ì B f{f^f“, ìŽg—p•û-  
@,É,Ä,ç,Ä,í□AfQ□[f€, ìf}ffj...fAf<,đŽQ□Æ,μ,Ä,,¾,¾,ç□B

## C f{f^f“

C f{f^f“, íŽŸ, ì, æ, x, É<@“\, μ, Ü, ·□B

- Windows 95 —p, É□ŸŒv, <sup>3</sup>, è, ½fQ□[f€, Å, í□AfWf#fCfXfefBfbfN, ìf{f^f“ 3 , É'í%ož, μ, Ü, ·□BfQ□[f€“à, Å, ì C f{f^f“, ìŽg—p•û-@, É, Å, ç, Ä, í□AfQ□[f€, ìf}ffj...fAf<, ðŽQ□/E, μ, Å, <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ç□B
- Windows 95 , ì MS-DOS fEfBf“fhfE“à, ÅŽÀ□s, ·, éfQ□[f€, ìê□#□AC f{f^f“, í<@“\, μ, Ü, <sup>1</sup>, ñ□B

## X f{f^f“

X f{f^f“, íŽŸ, ì, æ, x, É<@“\, μ, Ü, ·□B

- Windows 95 —p, ÉŸŸEv, ³, è, ½fQ□[f€, Å, í□AfWf#fCfXfefBfbfN, ìf{f^f“ 4 , É'í%ož, μ, Ü, ·□B
- Windows 95 , ì MS-DOS fEfBf“fhfE“à, ÅŽÅ□s, ·, éfQ□[f€, ì□è□#□AfWf#fCfXfefBfbfN, ìf{f^f“ 3 , É'í%ož, μ, Ü, ·□B

fQ□[f€“à, Å, ì X f{f^f“, ìŽg—p•ù-@, É, Å, ç, Ä, í□AfQ□[f€, ìf}fjf...fAf<, ðŽQ□Æ, μ, Ä, , ¾, ³, ç□B

## Y f{f^f“

Y f{f^f“, í Ž Ÿ, ì, æ, x, É < @ " \, μ, Ü, · □ B

- Windows 95 — p, É Ÿ Ć v, ³, è, ½ f Q □ [ f € , Å, í □ A f W f # f C f X f e f B f b f N, ì f { f ^ f “ 5 , É ‘ í % o ž, μ, Ü, · □ B
- Windows 95 , ì MS-DOS f e f B f “ f h f E “ à, Å Ž Å □ s, ·, é f Q □ [ f € , ì □ è □ # □ A f W f # f C f X f e f B f b f N, ì f { f ^ f “ 4 , É ‘ í % o ž, μ, Ü, · □ B

f Q □ [ f € “ à, Å, ì Y f { f ^ f “, ì Ž g — p • ú — @, É, Å, ç, Ä, í □ A f Q □ [ f € , ì f } f j f ... f A f <, ð Ž Q □ A E, μ, Ä, , ¾, ³, ç □ B

## Z f{f^f“

Z f{f^f“, íŽŸ, ì, æ, x, É<@“\, μ, Ü, ·□B

- Windows 95 —p, É□ŸŒv, <sup>3</sup>, è, ½fQ□[f€, Å, í□AfWf#fCfXfefBfbfN, ìf{f^f“ 6 , É'î%ž, μ, Ü, ·□BfQ□[f€“à, Å, ì Z f{f^f“, ìŽg—p•û-@, É, Å, ç, Ä, í□AfQ□[f€, ìf}fj...fAf<, ðŽQ□/E, μ, Å, <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ç□B
- Windows 95 , ì MS-DOS fEfBf“fhfE“à, ÅŽÀ□s, ·, éfQ□[f€, ìê□#□AZ f{f^f“, í<@“\, μ, Ü, <sup>1</sup>, ñ□B

## A f{f^f“

fzfc[]f<[]ã,ì A f{f^f“,í[]AfQ[]f€“à,ìf{f^f“ 1 ,É'î%ož,μ,Ä,ç,Ü,·[]BfQ[]f€“à,Ä,ì A f{f^f“,ìŽg—p•û-@,É,Ä,ç,Ä,í[]AfQ[]f€,ìf}fj...fAf<,ðŽQ[]E,μ,Ä,,¾,¾,ç[]B



## B f{f^f“

fzfC[f<[ä,ì B f{f^f“,í[AfQ[f€“à,ìf{f^f“ 2 ,É'î%ož,μ,Ä,ç,Ü,·[BfQ[f€“à,Ä,ì B f{f^f“,ìŽg—p•û-@,É,Â,ç,Ä,í[AfQ[f€,ìf}ff...fAf<,ðŽQ[Æ,μ,Ä,,¾,¾,ç[B



## X f{f^f“

fzfC[f<[ã,ì X f{f^f“,í[AfQ[f€“à,ìf{f^f“ 4 ,É'î%ož,μ,Ä,ç,Ü,·[BfQ[f€“à,Ä,ì X f{f^f“,ìŽg—p•û-@,É,Â,ç,Ä,í[AfQ[f€,ìf}ff...fAf<,ðŽQ[Æ,μ,Ä,,¾,¾,ç[B

## Y f{f^f“

Y f{f^f“, í Ž Ÿ, ì, æ, ɹ, É < @ " \, μ, Ü, · □ B

- Windows 95 — p, É Ÿ Ć v, ³, è, ½ f Q □ [ f € , Å, í □ A f W f # f C f X f e f B f b f N, ì f { f ^ f “ 5 , É ‘ í % o ž, μ, Ü, · □ B
- Windows 95 , ì MS-DOS f E f B f “ f h f E “ à, Å Ž Å □ s, ·, é f Q □ [ f € , ì □ è □ # □ A Y f { f ^ f “ , í < @ " \, μ, Ü, ¹, ñ □ B  
f Q □ [ f € “ à, Å, ì Y f { f ^ f “ , ì Ž g — p • û — @ , É, Å, ç, Ä, í □ A f Q □ [ f € , ì f } f j f . . . f A f < , ð Ž Q □ / E , μ, Ä, , ¾, ³, ç □ B

## Z f{f^f“

Z f{f^f“, íŽŸ, ì, æ, x, É<@“\, μ, Ü, ·□B

- Windows 95 —p, É□ŸŒv, <sup>3</sup>, è, ½fQ□[f€, Å, í□AfWf#fCfXfefBfbfN, ìf{f^f“ 6 , É'î%ž, μ, Ü, ·□BfQ□[f€“à, Å, ì Z f{f^f“, ìŽg—p•û-@, É, Å, ç, Ä, í□AfQ□[f€, ìf}fj...fAf<, ðŽQ□/E, μ, Å, <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ç□B
- Windows 95 , ì MS-DOS fEfBf“fhfE“à, ÅŽÀ□s, ·, éfQ□[f€, ìê□#□AZ f{f^f“, í<@“\, μ, Ü, <sup>1</sup>, ñ□B

'²®

fWf#fCfXfefBfbfN,lfZf" f^[]^É'u[]A"®[]"í^í[]A"®[],lfXf[]fbfjg<"í^í[]A"®[],lf%of\_[]["í^í[]AŽ<"\_ (POV = point-of-view) fnfbfg fXfCfbf` ,ì•ûĈËü,È,Ç,ì[]Ý'è,ðf}ffj...fAf<'€[]ì,Å[]s,±,±,Æ,Å,·[]B

SideWinder fffWf^f< fQ[]f€ fRf"fgf[][]f%o

,Å,í[]AŽ©"®"l,É'²® ,ŽA[]s,³,ê,Û,·[]B•W[]€fWf#fCfXfefBfbfN,ì'²® ,ð[]s,±[]ê[]±,í[]AWindows ,ì [fRf"fgf[][]f< fpf[]f<] ,ì [fQ[]f€ fRf"fgf[][]f%o fv[]f[]pfefB] ,ðŽg—p,μ,Å,,³/4,³,ç[]B

**fRf“fgf□□[f< fpflf<,lfQ□[f€ fRf“fgf□□[f%o**

[fQ□[f€ fRf“fgf□□[f%o] f\_fCfAf□fO f\_{fbfNfX,đŽg—p,·,é,Æ□AfQ□[f€ fRf“fgf□□[f%o  
,l“®□□ó‘Ō,İŠm”F□A□V,μ,†fRf“fgf□□[f%o,ì‘Ç%oÁ□AfQ□[f€ fRf“fgf□□[f%o,ìí□œ,đ□s,±  
,Æ,ª,Ä,«,Ü,·□B‘€□ì,□Afvf□pfefB,lfy□[fW,É•\Ž!,³,ê,éŽwŽ!,É□],Ä,Ä□s,Ä,Ä,,¾,¾,¾,†□B  
'l'đ,μ,Ä,†,éfRf“fgf□□[f%o,lfvf□pfefB ([fefXfg] ,â [□î•ň] ,È,Ç) ,đ•\Ž!,·,é,É,Í□A[lfvf□pfefB]  
f{f^f“ ,đfNfŠfbfN,μ,Ü,·□B  
fQ□[f€ fRf“fgf□□[f%o,ÉfRf“fgf□□[f%o”Ô□†,đŠ,,è“- ,Ä,é,É,Í□A[□Ú□×] f^fu,đfNfŠfbfN,μ,Ü,·□B

**fRf“fgf□□lf%o**

, ù, Æ, ñ, Ç, ìfQ□lf€, ÅfQ□lf€, ðfRf“fgf□□lf<, ·, é, ½, ß, ì'·'u, ð•\Œ», ·, é, Æ, «, ÉŽg—p, ·, é—pŒê, Å, ·□B  
, ½, Æ, ì, î□A“Á'è, ìfQ□lf€, É'î, µ, Ä□AfWf#fCfXfefBfbfN□AfQ□lf€ fpfbfh□AfL□lf{□lfh□Af}fEfX, È, Ç, ðfRf“fgf□□lf  
%o, Æ, µ, ÄŽg—p, Å, «, Ù, ·□BfRf“fgf□□lf%o, ì'î'ð•û-@, É, Å, ç, Ä, í□AfQ□lf€, ìf}fjf...fAf<, ðŽQ□Æ, µ, Ä, ,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>, ç□B



•ûĀüfpbfh

fQ[f€“à,Å,î^Ů“® ,ÉŽg—p,·,é SideWinder fQ[f€ fpbfh,â SideWinder Freestyle Pro (fZf“fT[f,âfift,îê#)  
,îf{f^f“B[ã%°¶%°E,Æ‘Ŧpü 4 •ûĀü,îÅ‘â 8 Ží—p,î•ûĀü,É^Ů“® ,Å,« ,Û,·B SideWinder Freestyle  
Pro ,Å,íAfZf“fT[f,âfift“ ,îê#A,±,îf{f^f“ ,îŽ<“\_Ø,è‘Ö,¡ (fnfbfg fXfCbf` ) ,Æ,µ,Ä<@“\,µ,Û,·B  
8 •ûĀü,·,x,Ä,âŽg—p,Å,« ,é,©,Ç,æ,©,É,Â,ç,Ä,íAfQ[f€ ,îf}fjf...fAf<,ðŽQ[Æ,µ,Ä,,¾,¾,çB

**fffWf^f< f,[]fh**

fffWf^f< f,[]fh,Å,ÍAÅ“K,ÈfXfs[]fhA,“x[]AfpftfH[]f}f“fX,ð’ñ<ÿ,·,é[]V,μ,ç<Z[]p,ðŽg—p,μ,Å,ç,Ü,·[]B,<sup>3</sup>,ç,É[]ACEðŠwCEÿ[]ofVfXfef€,ì[]—p,É,æ,Å,Å[]A[]M—Š[]«,ðCEü[]ă,<sup>3</sup>,<sup>1</sup>[]AfhfŠftfg,ð”r[]ce,μ,Ü,μ,<sup>1</sup>/<sub>2</sub>[]B  
SideWinder fffWf^f< fQ[]f€ fRf“fgf[][]f%o,í[]AZÿ,ì,æ,α,È[]ê[]#,É,í[]AZ©“®“l,ÉfffWf^f< f,[]fh,É,È,è,Ü,·[]B

- Windows 95 (Windows 95 ,ì MS-DOS fEfBf“fhfE,ðŠÜ,Þ)[]A,Ü,<sup>1</sup>/<sub>2</sub>,í,»,ê^È[]~ ,ìfo[]fWf#f“,ÅfQ[]f€ ,ðŽÀ[]s,·,é[]ê[]#[]B
- SideWinder fQ[]f€ fRf“fgf[][]f%o f\ftfgfEfFfA,²fCf“fXfg[]f<,³,è,Å,ç,é[]ê[]#[]B
- [fRf“fgf[][]f< fpf|f<] ,ì [fQ[]f€ fRf“fgf[][]f%o] ,Å SideWinder fQ[]f€ fRf“fgf[][]f%o,²fRf“fgf[][]f%o 1 ,Æ,μ,Å’l’ð,<sup>3</sup>,è,Å,ç,é[]ê[]#[]B

**fffWf^f< fi□[fo□[fhf%ofCfu**

fffWf^f< fi□[fo□[fhf%ofCfu,đŽg—p,·,é,Æ□AfQ□[f€ fpfbfh,É□Ú'±,<sup>3</sup>,ê,Ä,ç,éRf“fgf□□[f%o,Å,Í,È,□AfQ□[f€ fpfbfh,»ì,à,ì,đŽg—p,Å,«,·□BSideWinder fQ□[f€ fpfbfh,đfffWf^f< fi□[fo□[fhf%ofCfu f,□[fh,É□Ý'è,μ,Ä,ç ,é□ê□‡,Í□AfQ□[f€ fpfbfh,ì—ì,lf%of“fv,“” \_ “”,μ□A,»,lfQ□[f€ fpfbfh,É□Ú'±,<sup>3</sup>,ê,Ä,ç,é'<sup>1</sup>/<sub>4</sub>,lfQ□[f€ fRf“fgf□□[f%o ,lfRf“fsf...□[f^,É”FŽ<sup>-</sup>,<sup>3</sup>,ê,Ü,<sup>1</sup>,ň□B

## ftfH[]fX f{f^f“

,±,ìf{f^f“,í[]AftfH[]fX ftfB[]fhfofbfN,ìfif“/fift,δ[]Ø,è'Ö,ì,Ü,·[]Bf%of“fv,<sup>a</sup> “”,μ,Ä,ç

,è,ìftfH[]fX,ìfif“,Ä,·[]BftfH[]fX,ìfif“/fift,δ[]Ø,è'Ö,ì,é,É,í [ftfH[]fX] f{f^f“,ð

%oÿ,μ,Ü,·[]BftfH[]fX,<sup>a</sup>fift,ìè[]#[]AfzfC[]f<,í[]A•W[]€,ìfzfC[]f< fRf“fgf[]f%o,Æ,μ,Ä<@“\,μ,Ü,·[]B

**fQ[]f€ fAfNfVf#f"**

fQ[]f€ fAfNfVf#f", íAfl[]f{[]fh,âf}fEfX,Ü,½,í'¼,lfQ[]f€ fRf"fgh[]f%[]ã,lfL[],âf{f^f",ð  
%öÿ,µ,½,Æ,«,ÉfQ[]f€"à,lfLfff%ofNf^,â[]æ,è•" ,â[]s,æ" @[]ì,Ä,·[]B,½,Æ,í,í[]A[]ufWjfff"fv,·,é[]A,©,ª,p[]A"-  
C,·,é[]AZ<"\_,ð[]Ø,è'Ö,í,é[]A[]R,é[]A%£,é[]v ,Æ,ç,Á,½" @[]ì,í,·,x,ÄfQ[]f€fAfNfVf#f",Ä,·[]BSideWinder  
fQ[]f€ fRf"fgh[]f%[] fvf[]ftf@fCf%°,ðŽg,Á,Ä[]AfQ[]f€ fAfNfVf#f",í'g,Y[]#,í,¹,â^ê~A,lfCxf"fgh,ð 1  
,Ä,lf{f^f",ÉS,,,è"-,Ä,é,±,Æ,ª,Ä,«,Ü,·[]B,½,Æ,í,í[]ASi"-fQ[]f€,Ä []ufLfbfN[]AflfbfN[]Afpf"f^[]A,©,ª,p[]v  
,Æ,ç,Á,½" @[]ì,ð[]s,æ^ê~A,lfQ[]f€ fAfNfVf#f",ð[]ì,é,±,Æ,ª,Ä,«,Ü,·[]B  
fQ[]f€ fAfNfVf#f",í[]A[]fvf[]ftf@fCf< fGfffBf^),ì [f}fNf[] fCfR[]f\_] ,Ä-Ü"í,lfAfNfVf#f",É'í  
%öž,µ,½fRf}f"fh,ð"ü-í,·,é,±,Æ,É,æ,Ä,Ä[]AfQ[]f€ fRf"fgh[]f%[]ã,lf{f^f",ÉS,,,è"-,Ä,é,±,Æ,ª,Ä,«,Ü,·[]B

**fQ[]f€ f[]fg**

fQ[]f€ fRf“fgf[]f%o,ð[]Ú‘±,·,é,½,ß,ìfRfIfNf^[]B’Êí,íTfEf“fh f[]fh[]ã,É, ,è,Ü,·[]B

SideWinder fQ[]f€ fpfbfh,ìfR[]fh,ì%o°,ì‘...’E%oÂ”\fpfif<,ì%oœ,É, ,éfRfIfNf^,àfQ[]f€ f[]fg,Â,·[]B,±  
,ìfQ[]f€ f[]fg,ìAŽÝ,ì,æ,æ,Ê‘·’u,ð[]Ú‘±,·,é,Æ,«,ÉŽg—p,μ,Ü,·[]B

- []Å’â 3 ‘ä,Ü,Â,ì‘¼,ì SideWinder fQ[]f€ fpfbfh,ð[]Ú‘±,·,é[]ê[]# (f`fF[]f“Æ`Ž®,Â[]Ú‘±,μ,Ü,·)[]B
- []Å[]%o,ì SideWinder fQ[]f€ fpfbfh,É‘¼,ìfQ[]f€ fRf“fgf[]f%o,ð 1 ‘ä,¾,¯[]Ú‘±,·,é[]ê[]#[]B

**fnf“fhf<□ã,lf{f^f“**

fnf“fhf<□ã,É”z’u,<sup>3</sup>,ê,Ä,ç,Ä□A’Ê□í,lfWf†fCfXfefBfjfN,ì 1 , ©,ç 4 ,lf{f^f“,É’í  
%ož,·,éf{f^f“,đŽw,μ,Ü,·□Bf{f^f“,lŽg—p•û-@,lfQ□[f€,É,æ,Ä,Ä^Ü,É,è□A^è•”,lf{f^f“,μ,©Žg—  
p,μ,É,çfQ□[f€,à, ,è,Ü,·□Bf{f^f“,l<@”\,É,Ä,ç,Ä,í□AfQ□[f€,lf}fjf...fAf<,đŠm”F,·,é,©□AfQ□[f€’t,Éf{f^f“,đ  
%oÿ,μ,Ä,ÿ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

## fnfbfg fXfCfbf`

fnfbfg fXfCfbf` ,íAeŽw,Å'€ì,μ,Ä•úCEü§CEä,ðs,π,½,ß,ì,à,ì,Å.·Bfnfbfg fXfCfbf` ,ì<@“\,íAfQ[f€  
,É,æ,Á,Ä^Ù,É,è,Ü,·,ªA'Éí,íŽŸ,ì,æ,π,É§CEä,ÉŽg—p,μ,Ü,·B

- Ž<“\_ì∅,è'Ö,ì
- ∅æ,è•“ ,ìi s•úCEü
- ∅q<ó<@,ì∅,“x
- 3D fQ[f€,Å,ìã%º,Ü,½,í∅¶%E,ì“ @ì



**“à’ f, □[fVf#f” fzj“fT□[**

SideWinder Freestyle Pro ftfŠ□[ f, □[fVf#f” fRf“fgf□□[f%o, í□A1 ‘ä, Å, Q Ží—p, ìfQ□[f€‘ìCE±, a%oÅ”\ ,É‘•‘u, Å, ·□B

**f, □[fVf#f” fzj“fT□[, ðfj”** (—î, ìf%of“fv) ,É, ·, é, Æ□AfQ□[f€, É-v“a, μ, Ä, μ, Ü, ç, Ü, ·□BfRf“fgf□□[f%o ,ðCEX, ¯, é, ¾, ¯, Å-Ú“i, ì•ûCEü, É^Ú“® , Å, «□A□í, ÉfLfff%ofNf^ , Æ“¯, ¶^É‘u, ÉŽ© •a, a, ç, éŠ ‘So, aŠy, μ, β, Ü, ·□Bf, □[fVf#f” fzj“fT□[, í□AfQ□[f€“à, Å‘OCEä□¶%oE, Ü, ½, í‘íŠp□ü•ûCEü, É^Ú“® , ·, é, ì, ÉŽg— p, μ, Ü, ·□B

□[—^, ìfQ□[f€ fpfbfh, Æ“¯, ¶CE` , ÅfRf“fgf□□[f%o, ðŽg— p, ·, é, Æ, «, É, í□A**fzj“fT□[ fjft**, É□Ý‘è, μ, Ü, ·□B•ûCEüfpfbfh□ã, ì 8 , Å, ìf{f^f” , ðŽg, Å, ÄfQ□[f€“à, ð^Ú“® , μ, Ä, - , ¾, ¾, ç□B

•W□€□ó‘Ô, Å, í□Afzj“fT□[, afj” , É, È, è, Ü, ·, a□Afzj“fT□[ f{f^f” , ð%oÿ, ·, ¾, ¯ , ÅŠÈ‘P, Éfjft, É, Å, «, Ü, ·□B

## fWf#fCfXfefBfbfN fXfCfbf`

fWf#fCfXfefBfbfN fXfCfbf` ,íA fWf#fCfXfefBfbfN,ì" w-ÊA fR[fh,ì%º,É, ,è,Ü,·B,±  
,ìfXfCfbf` ,ðØ,è' Ö,ì,é,±,Æ,É,æ,Á,ÂASideWinder 3D Pro ,ìŠefRf"fgf[f<,ì" ©ì,ð•İX,Á,«,Ü,·B  
fQ[f€,ÁŽg—p,·,éfWf#fCfXfefBfbfN,É%ž,¶,ĂŽŸ,ì,æ,α,ÉŽg—p,μ,Ü,·B

- SideWinder 3D Pro fWf#fCfXfefBfbfN,ìŽg—p,ð'O'ň,Æ,μ,½fQ[f€  
,ìê¶,íA fXfCfbf` ,í,Ç,¿,ç,ì^Ê'u,Á,à,©,Ü,ç,Ü,¹,ňB
- A CH Flightstick Pro fVfŠ[fY,ìfWf#fCfXfefBfbfN,ìŽg—p,ð'O'ň,Æ,μ,½fQ[f€,ìê¶,íA,±,ìfXfCfbf` ,ð 1  
(" \_<sup>a</sup> 1 ,Á) ,ì^Ê'u,É¶,í,¹,Ü,·B
- ThrustMaster fWf#fCfXfefBfbfN,ìŽg—p,ð'O'ň,Æ,μ,½fQ[f€,ìê¶,íA,±,ìfXfCfbf` ,ð 2 (" \_<sup>a</sup> 2 ,Á)  
,ì^Ê'u,É¶,í,¹,Ü,·B

f{f^f“ ,Ö,lfL□[,iS,,,è“- ,Ä

fQ□[f€“à,Å,î^Ú“ © ,đfL□[f{□[fh□ã,ì 1 ,Â, © 2 ,Â,lfL□[,đŽg,Á,Ä□s,æ□ê□‡,í□A,» ,lfL□[f{□[fh‘€□],đ SideWinder  
fQ□[f€ fRf“fgf□□[f%□□ã,lf{f^f“ ,ÉS,,,è“- ,Ä,é,±,Æ,<sup>a</sup>,Å,« ,Ü,·□B,±,ê,æf{f^f“ ,Ö,lfL□[,iS,,,è“- ,Ä,Å,·□B



## 1fgfŠfK

1fVftfg, íAŽŸ, ì, æ, x, É<@”\, μ, Ü, ·B

- Windows 95 —p, ìfQ[f€, ìê#A1fgfŠfK, ífWf#fCfXfefBfbfN f{f^f“ 7 ,Éî %ož, μ, Ü, ·BfQ[f€“à, Ā, ì1fgfŠfK, ÌŽg—p•û-@, É, Ā, ç, Ā, íAfQ[f€, lf}ff...fAf<, ðŽQ[Æ, μ, Ā, , ¾, ³, çB
- Windows 95 ,ì MS-DOS fEfBf“fhfE“à, ĀŽÀs, ·, éfQ[f€, ìê#A1fgfŠfK, í<@”\, μ, Ü, ¹, ñB

**f%of“fv**

SideWinder fQ□f€ fpfbfh,ì—î,ìf%of“fv,í□AfQ□f€ fpfbfh,ìCE»□Ÿ,ìf,□fjh,ðŽ!,μ,Ü,·□B

- f%of“fv,³fj“,ì□ê□#□AfQ□f€ fpfbfh,ìffWf^f< fì□f□fjh%ofCfu f.□fjh,É□Ý’è,³,è,Ä,ç,Ä□AfQ□f€“à,ÅŽg—p,Å,«,é□ó’Ô,Å,·□B
- f%of“fv,³fjft,ì□ê□#□AfQ□f€ fpfbfh,ì“§%o&f,□fjh,É,È,Ä,ç,Ü,·□B,±,ì□ê□#□ASideWinder fQ□f€ fpfbfh,Å,ì,È,□A,±,ìfQ□f€ fpfbfh,É□Ú’±,³,è,Ä,ç,é’¼,ìfRf“fgf□□f%oo,ðŽg—p,·,é,±,Æ,É,È,è,Ü,·□B

## M f{f^f“

M f{f^f“, íAŽŸ, ì, ç, , ê, ©, ì•û-@, ÅŽg—p, μ, Ü, ·B

- 1 fQ[f€, ìf{f^fVf#f“%æ-Ê, âŸ'è%æ-Ê, Åf{f^f“ 10 , ÉŠ,,, è“-, Ä, Ü, · (fjXf^f€ f{f^f“Ÿ'è, a%Å“\, ÈfQ[f€, ìê#î, Ÿ)B
- 2 fVftfg f{f^f“, Æ, μ, ÄŽg—p, μ, Ü, ·B SideWinder fQ[f€ fRf“fgf[f% fVftfgfEjFfA, ðŽg—p, ·, ê, íA, Ü, Æ, ñ, Ç, ìf{f^f“, É 2 Ží—p, ìfQ[f€ fAfNfVf#f“, ðŠ,,, è“-, Ä, é, ±, Æ, a, Å, «, Ü, ·B, ½, Æ, !, îAfvf... [fefBf“fO fQ[f€, Å A f{f^f“, ð•Ší, î•îXf{f^f“, Æ, μ, ÄŽg—p, μAfvftfg + A f{f^f“, ð'e-ò, î•îXf{f^f“, Æ, μ, ÄŽg—p, μ, Ü, ·B

fVftfgŸ'ò, ìf{f^f“, ÉŠ,,, è“-, Ä, ½fQ[f€ fAfNfVf#f“, ðŽÀs, ·, éê#î, íAM f{f^f“, ð%Ÿ, μ, È, a, ç-Ú“l, ìf{f^f“, ð%Ÿ, μ, Ü, ·B ä, ì—á, Å, íAM f{f^f“, ð%Ÿ, μ, È, a, ç A f{f^f“, ð%Ÿ, ·, Æ'e-ò, a•îX, ³, êAA f{f^f“, ¾, -, ð%Ÿ, ·, Æ•Ší, a•îX, ³, è, Ü, ·B

**f, □[fh f{f^f“**

f, □[fh f{f^f“, ð%öÿ, ·, Æ □AZÿ, ì 2 Ží—p, ìf, □[fh, ð □Ø, è'Ö, ì, é, ±, Æ, ð, Å, «, Ü, · □B

- fffWf^f< f □[fo □[fhf%ofCfu f, □[fh  
 fQ □[f€ fpfbfh □ä, ì—î, ìf%of“fv, ð“ \_““, μ, Ä, ç, é □ê □# □ASideWinder fQ □[f€ fpfbfh, ìffWf^f< f □[fo □[fhf  
 %ofCfu f, □[fh, È, È, Á, Ä, ç, Ä □AfQ □[f€ “à, Ä, ±, ìfRf“fgf □□[f%ö, ðŽg—p, ·, é, ±, Æ, ð, Å, «, Ü, · □B
- “§%öβf, □[fh  
 fQ □[f€ fpfbfh □ä, ì—î, ìf%of“fv, ð □Á““, μ, Ä, ç, é □ê □# □ASideWinder fQ □[f€ fpfbfh, ì“§%öβf, □[fh, Å, · □B, ±  
 , ì □ó'Ö, Ä, ì □AfQ □[f€ fpfbfh, » , ì, à, ì, Ä, Ì, È, □A, » , ê, É □Ú' ±, ð, è, Ä, ç, é'¼, ìfRf“fgf □□[f%ö, ðŽg—p, ·, é, ±  
 , Æ, È, È, è, Ü, · □B



“§%oβf,□[fh

SideWinder fQ□[f€ fpjbfh,»ì,à,ì,Å,í,È,□A,»ê,É□Ú‘±,³,ê,Ä,ç,é‘¼,ìRf“fgf□□[f%o,đŽg—p,·,éf,□[fh,Å,·□B

SideWinder fQ□[f€ fpjbfh,ª“§%oβf,□[fh,É,È,Á,Ä,ç,é□ê□#,í□AfQ□[f€ fpjbfh□ă,ì—î,ìf%of“fv,ªfift,É,È,è,Ü,·□B

**fvfjftf@fCf<**

fvfjftf@fCf<,íA“Á`è,lfQ[f€,É'í,μ,ÄfQ[f€ fRf“fgf[f%o,ì<@“\,ðffXf^f}fCfY,·,é,½,β,É'è<` ,μ,½fQ[f€ fAfNfVf#f“,ì'g,Ý#í,¹,âY'è,ð•Û'¶,·,éftf@fCf<,Ä,·B,±,ìftf@fCf<,ðŽg—p,·,é,±,Æ,É,æ,Á,ÄAfQ[f€ ,ð,·,é,½,Ñ,ÉY'è,ð•íX,·,é•K—v,ª,È,,È,è,Û,·BfQ[f€,ìfvfjftf@fCf%o,ð—LÆø,É,·,é,ÆAfQ[f€ ,ìXf^f[fgŽž,Éftf@fCf<,É•Û'¶,ª,è,Ä,ç,éY'è,ªŽ©“ @“ì,ÉŽg—p,ª,è,Û,·B

fvfjftf@fCf<,É,íAZÿ,ì“à—e,ð•Û'¶,Ä,«,Û,·B

- **fL[f{[fh'€** ì fQ[f€“à,ÄŽg—p,·,éQ[f€ fRf“fgf[f%o f{f^f“,ª 8 ,Ä,Û,Ä,ÄA<—<,ð“ŽÈ,·,é,ì,É CTRL+T ,Æ,ç,Ä,½fL[f{[fh'€]i,ðŽg—p,·,éê#A,±,ìL[f{[fh'€]i,ðQ[f€ fRf“fgf[f%o]ã,ì—çŽg —p,ìf{f^f“,ÉŠ,,è“—,Ä,é,±,Æ,ª,Ä,«,Û,·B
- **f}fNf** ^ê~A,ìQ[f€ fRf“fgf[f%o f{f^f“,ì'€]i,ð'P^è,ìf{f^f“,ÉŠ,,è“—,Ä,é,±,Æ,à,Ä,«,Û,·B
- **Y'è** "½%ž,μ,È,ç—ì^æ,â“@]i,ì"íí,È,ÇAfQ[f€,É'í,·,é SideWinder fQ[f€ fRf“fgf[f%o,ì %ož“šó'Ô,ðY'è,Ä,«,Û,·B Y'è,Ä,«,é“à—e,íAfQ[f€ fRf“fgf[f%o,É,æ,Ä,Ä^Û,È,è,Û,·B

## %EfgfŠfK

%EfgfŠfK, íAZŸ, ì, æ, ɣ, É<@“\, μ, Ü, ·B

- Windows 95 —p, ìfQ[f€, ìê#A%EfgfŠfK, ífWf#fCfXfefBfbfN f{f^f“ 8 ,É‘î%ž, μ, Ü, ·BfQ[f€“à, Å, ì  
%EfgfŠfK, ìŽg—p•û-@, É, Â, ç, Ä, íAfQ[f€, ìf}fjf...fAf<, ðŽQ[Æ, μ, Ä, , ¾, ¾, çB
- Windows 95 , ì MS-DOS fEfBf“fhfE“à, ÅŽÀ[s, , éfQ[f€, ìê#A%EfgfŠfK, í<@“\, μ, Ü, ¹, ñB

## %EfgfŠfK

%EfgfŠfK, íAZŸ, ì, æ, æ, É<@“\, μ, Ü, ·B

- Windows 95 —p, ìfQ[f€, ìê#A%EfgfŠfK, ífWf#fCfXfefBfbfN f{f^f“ 8 ,É‘î%ž, μ, Ü, ·BfQ[f€“à, Å, ì  
%EfgfŠfK, ìŽg—p•û-@, É, Á, ç, Ä, íAfQ[f€, ìf}fjf...fAf<, ðŽQ[Æ, μ, Á, , ¾, ¾, çB
- Windows 95 , ì MS-DOS fEfBf“fhfE“à, ÅŽÀ[s, , éfQ[f€, ìê#A%EfgfŠfK, í<@“\, μ, Ü, ¹, ñB

## fzf“ft[] f{f^f“

,±,if{f^f“,íA“à‘ f,[fVf#f“ fzf“ft[],ílf“/flft,ð∅,è‘Ö,ÿ,Ü,·Bf,[fVf#f“ fzf“ft[],³flf“,©flft,©,íAf %of“fv,Ä”»‘f,Ä,«,Ü,·B

- f%of“fv,³—î (‘W,ç) ,È,çzf“ft[],ílf“,Ä,·B
- f%of“fv,³ô (-¾,é,ç) ,È,çzf“ft[],ílf“,Ä,·B
- W€ó‘ô,Ä,íAfzf“ft[],ílf“,É,È,è,Ü,·Bzf“ft[],ðflft,É,·,é,É,íAfzf“ft[] f{f^f“,ð%ö,µ,Ä,,¾,¾,çB

## fVftfgó'Ô

SideWinder fQ[]f€ fRf“fgf[]f% fVftgfEjFfA, aŽg—p, ³, ê, Ä, ç, Ä[]AfQ[]f€, aVftfg<@“\, É'í%ž, μ, Ä, ç, ê, î[]A, Û, Æ, ñ, Ç, ì SideWinder fQ[]f€ fpjbfh, “, æ, ÑfWf#fCfXfefBfbfN, Å[]A1 , Ä, lf{f^f“, É 2 Ží—p, lfQ[]f€ fAfNfVf#f“, ðŠ,,, è“- , Ä, é, ±, Æ, a, Ä, «, Û, :[]BfQ[]f€ fRf“fgf[]f%[]ã, lfVftfg f{f^f“, ð %oÿ, ., Æ[]A'¼, lf{f^f“, aVftfgó'Ô, É, È, è[]A2 "Ô-Û, lfQ[]f€ fAfNfVf#f“, ðŽÄ[]s, Ä, «, é, æ, x, É, È, è, Û, :[]BfQ[]f€ fRf“fgf[]f%[]ã, lf{f^f“, ÉfQ[]f€ fAfNfVf#f“, ðŠ,,, è“- , Ä, é, É, í[]Afvf[]ftj@fCf< fGfffBf^, ðŽg—p, μ, Û, :[]B

**fXf^[]fg f{f^f“**

fQ[]f€.,É,æ,Á,Ä,Í[]A,±,lf{f^f“,ðŽg,Á,ÄfQ[]f€,ðfXf^[]fg,Ü,½,í[]Ä<N“®,. ,é,±,Æ,ª,À,«,Ü,·[]B,±,lf{f^f“,ªŽg  
—p,Á,«,é,©,Ç,¤,©,É,Á,ç,Ä,í[]AfQ[]f€,lf}fjf...fAf<,ðŠm“F,·,é[]A,Ü,½,lfQ[]f€'t,Éf{f^f“,ð%Ÿ,µ,Ä,Ý,Ä,-  
,¾,¾,ç[]B,Ü,½[]ASideWinder ,lfQ[]f€ fRf“fgf[][]f%° fvf[]ftf@fCf%°,ðŽg,Á,ÄfQ[]f€,lfXf^[]fg fRf}f“fh  
(Ü,½,í'¾,lfQ[]f€ fAfNfVf#“),ð,±,lf{f^f“,ÉŠ,,,è“- ,Á,é,±,Æ,à,Ä,«,Ü,·[]B

## fVftfg f{f^f“

fVftfgf{f^f“,íAŽŸ,ì,ç,.,ê,©,ì•û-@,ÅŽg—p,μ,Û,·□B

- 1 fQ□[f€,ìfìfVf#f“%œ-Ê,âŸ'è%œ-Ê,Åf{f^f“ 10 ,ÉŠ,,,è“-,Ä,Û,· (fjXf^f€ f{f^f“□Ÿ'è,%Å“\,ÈfQ□[f€ ,ìê□#,ì,Ÿ)□B
- 2 fVftfg f{f^f“,Æ,μ,ÄŽg—p,μ,Û,·□BSideWinder fQ□[f€ fRf“fgf□□[f%o fVftfgEfFfA,ðŽg— p,.,ê,í□A,Û,Æ,ñ,Ç,ìf{f^f“,É 2 Ží—p,ìfQ□[f€ fAfNfVf#f“,ðŠ,,,è“-,Ä,é,±,Æ,<sup>a</sup>,Å,«,.,Û,·□B,½,Æ,!,í□AfVf... □[fefBf“fO fQ□[f€,Å A f{f^f“,ð•□Ší,ì•í□Xf{f^f“,Æ,μ,ÄŽg—p,μ□AfVftfg + A f{f^f“,ð'e- ò,ì•í□Xf{f^f“,Æ,μ,ÄŽg—p,μ,Û,·□B

fVftfg□ó'Ò,ìf{f^f“,ÉŠ,,,è“-,Ä,½fQ□[f€ fAfNfVf#f“,ðŽÀ□s,.,é□ê□#,í□AfVftfg f{f^f“,ð%Ÿ,μ,È,<sup>a</sup>,ç- Ú“ì,ìf{f^f“,ð%Ÿ,μ,Û,·□B□ã,ì—á,Å,í□AfVftfg f{f^f“,ð%Ÿ,μ,È,<sup>a</sup>,ç A f{f^f“,ð%Ÿ,.,Æ'e-ò,<sup>a</sup>•í□X,<sup>3</sup>,ê□AA f{f^f“,¾,.,ð%Ÿ,.,Æ•□Ší,<sup>a</sup>•í□X,<sup>3</sup>,ê,Û,·□B



## **fXf□fbfgf<**

fXf□fbfgf<,đŽg—p,·,é,Æ□AŽŸ,ì,æ,ɣ,ÈfQ□[f€ fAfNfVf†f“ ,đ” ÷-- ,ÉfRf“fgf□□[f<,·,é,±,Æ,ª,Å,« ,Ü,·□B

- □,□i—í,í'²□®
- fXf□fbfgf<,í'²□®
- □,“x,ì•í□X

