

Å,È,Ä,àA,»,)ftf@fCf<,ÆŠÖ~A•t,¯,³,è,½fAfvfŠfP[fVf#f“,ð<N“©,μ,ÄŽÀs,μ,Û,·B—
á,!,ÍWRiftf@fCf<,Å, ,é,ÍAf[fhfjfbfh,ð<N“©,μ,ÄŽÀs,·,é,í,¯,Å,·B

Windows,ÌŠì-{'€ì,Å, ,éfhf%fbfO•fhfjfbfvfCf“f^[]ftfE[]fX ,É,ÍŠ®‘S’î%ž,μ,Ä,ç
,Û,·,ì,ÅAWinZip,©,ç¼,lfAfvfŠfP[fVf#f“,Éfhf%fbfO&fhfjfbfv,·,é,±,Æ,ª,Å,«,Û,·BWinZip,Í-
Ú“l,lfAfvfŠfP[fVf#f“,Éfhfjfbfv,³,è,é‘O,Éftf@fCf<,ð%ð“€,μ,Û,·B-
Ú“l,lfAfvfŠfP[fVf#f“,Íf}fCfRf“fsf...[]f^,âfGfNfXfvf[]f%©,çfhfjfbfv,³,è,½,ì,Æ“¯,¶,æ,κ
,Éftf@fCf<,ð^μ,κ,í,¯,Å,·BWinZip,lf[]fCf“fEfBf“fhfE,©,çftf@fCf<,ðfhfjfbfv,μ,Ä%ð“€,·,é,±
,Æ,àA<t,Éf[]fCf“fEfBf“fhfE,Éftf@fCf<,ðfhfjfbfv,μ,Ä^³k,·,é,±,Æ,à,Å,«,Û,·B

ŽGŽ,]%o;

WinZip, Á• Windows Magazine Ž, 1998 Win100 Award A• APC World Ž, 1998 "World Class" Award A %op Personal Computer World Ž, 1998 "Best Utility" Award, ð, » , ê, ¼, ê Žó Ü, μ, Ä, ç, Ü, • B97" N, É, à SAIF 97, ì "People's Choice Award Winner" A CMPNet, ì "Best Of 97" "Š• [, É, ", ç, Ä "Best PC Download" APC Week Labs 12/9/96, Å "Analyst's Choice" A 1996 PC Magazine "Best Utility" A 1996 Windows Magazine "Win100" Award A 1996 PC Computing "Best of the Internet" Award for compression, ð Žó Ü, μ, Ä, ç, Ü, • B

WinZip, É, æ, ¹, ç, ê, ½ Še Ž,]%o;

- "ftf@fCf<, ð^ μ, x, l, È, ç • KCEg" PC World, 7/98
- "l, Ô, È, ç, ±, ê i WinZip]" Windows Magazine, 6/98
- "ZIPftf@fCf<, ì € i, È, ç WinZip 6.3, ¾ B Windows, Æ, ì " f, æ, ç, μ, ç" PC Computing, 3/98
- "ŠÈ' P' € i" Computer Shopper, 3/98
- "—vf_fEf" f f h" ZDNet 1/27/98
- "Version 6.3, Í < Á, , Ù, Ç • Ö — ~ B < Efo f f W f f f " , â ' ¼, ì ZIPfc f f , Í, ², Ý" , Ö" Computer Currents 1/20/98
- "WinZip 6.3, ì o — ^ , í f ° , ç, μ, ç B Microsoft, Å, à WinZip, É ' í R, μ, æ, x, Æ, Í Ž v, í, È, ç, ¾, è, x" C|NET 1/19/98
- "WinZip, Í f p f f f f f Ef" f f f f f f f Ef" f f f f h, ð • p" É, É s, x i' B j, É, Æ, Á, Ä A E ±, , ±, Æ, Ì, Ä, «, È, ç f c f f f f , ¾, è, x" Download.Com 1/2/98
- "WinZip, Í ^ ³ k f t f f f e f B f Š f e f B, Ì ' t, Å, Í f g f b f v f B, ±, è, È, μ, Å f t f @ f C f <, ð f f E f " f f f f h, • , é, Ì, á, ß, ½, Ù, x, æ, ç, ç" PC Computing, 1/98
- "ŠÈ' P, È ' € i, È, æ, ç p f f f f t f U, ð, à, x, È, ç, ¹, é o — ^" PC Magazine, 4/8/97
- "ZIPftf@fCf<, ð^ μ, x, Ì, É WinZip ^ È ã, Ì f c f f f , Í, È, ç" Windows Sources, 3/1/97
- " , â, Á, ©, ç, È ZIPftf@fCf<, ì % ð " € , É • K { , Ì f t f f e f B f Š f e f B" PC World Online, 3/1/97
- " < £ ' ^ , Ì E f , μ, ç f } f f P f b f g, É, ", ç, Ä A , , ç, ä, é - È, Å f % o f C f o f <, Ì æ, ð, ç, x • i, Æ, ç, x, Ì, Ì, ß, Á, ½, É, , é, à, Ì, Ä, Í, È, ç, æ A WinZip 6.2, Í Š Ö ^ á, ç, È, , » , Ì 1, Ä, ¾ " PC Week, 12/9/96
- " f " , é ^ ³ k k E % ð " € f t f f e f B f Š f e f B, Ì ' t, Å A WinZip, æ f x f X f g, ¾ " Windows Magazine, 11/96
- " , â, Á, ©, ç, È f f E f " f f f f h, â f t f @ f C f < "] ' — , í WinZip, Å " PC Computing, 10/96
- " f " ½ , , Ì v f f f A f E f f f A, ð f f f b f N, • , é, Æ, «, í WinZip" Home Office Computing, 9/96
- "WinZip 6.1, Ì Á, à Š È ' P, È Ž g — p, Å, «, é ^ ³ k f v f f f O f % o f € , ¾ " Computer Shopper, 8/96
- " f f f f f ^ ^ ³ k A f A f f f f C f u f t f f e f B f Š f e f B, Æ, μ, Ä, Í f x f X f g" PC Computing, 7/96
- " ^ ³ k f t f @ f C f <, ð < Á, , Ù, Ç Š È ' P, É ^ μ, Ì, é" Windows Magazine, 7/96
- "v6.1, È, È, Á, Ä A WinZip, Ì ; CE ä, à S f t f f f U, Ì } f X f g f A f C f e f € , Æ, È, é, ¾, è, x" PC Magazine. 7/96
- " f t f f e f B f Š f e f B " - â, Å, í WinZip, Í f x f X f g" Computer Life, 7/96
- " • W € " l, È f A f f f f C f u f t f f e f B f Š f e f B, Ì " Á ' ¥ , • , x, Ä, ð " ö, Ì, Ä, ç, é" Government Computer News, 8/96
- "Windows 95 — p ^ ³ k f c f f f , Æ, μ, Ä, Í " ? CEQ" Computer Shopper, 6/96
- "WinZip, æ Zipfc f f f , Ì f Š f f f f f , Á, , é, ±, Æ, Í < ^ , ç, æ, È, ç - f % o f C f o f <, Í, È, μ" PC World, 6/96
- "Windows 95, Ì f f f X f N f g f b f v, É f A f f f f C f u f t f f e f B f Š f e f B, Í • K f f f B Nico Mak Computing, Ì WinZip 6.0, à • K f f " PC Magazine, 5/96
- "Nico Mak, Í, ±, Ì ^ ³ k f t f f e f B f Š f e f B, ð f N f % o f v f b f N, È, μ, , °, ½ " Windows Sources, 5/96
- " , , ç, , ç Ž g, Ì, é" Windows Magazine, 5/96

- “,É,ñ,Å,àfhf%fbfO&fhf[]fbfv,Å” Byte, 4/96
- “Windows 95/NT,ÅŽg,|,é’½-Ú“lfA[]fjfcfuft[]fjefBfŠfefB” Windows Sources, 3/96
- “[]i,â’N,à,ª,æ,ç%oð“€fc[]f<,ð’T,μ,Ä,ç,é[]B,»„è,È,çWinZip,ªfxfXfg,¾/4” PC Computing, 12/95
- “fA[]fjfcfu’€[],ªŠÈ’P,É,È,é” NetGuide, 12/95
- “Windows 95•K[]{}ft[]fjefBfŠfefB,ì1,Å” Windows Magazine, 12/95
- “WinZip for Windows 95,ìftf@fCf<,ìfAfbfvf[][]f[]Af_fEf“f[][]f[]h,É•K[]{}” PC Computing, 11/95
- “~N•ñ: fxfXfgZIPft[]fjefBfŠfefB[]iWinZip[],ÉWindows95”Å,ª“o[]ê” Computer Shopper, 10/95
- ““ñ[]í,É•Ö—~ ,È^³[]kfc[]f<” PC World, 10/95
- “Windows 95ft[]fU,È,ç[]¥”ñWinZip,ìVfo[]fWfþf“ ,ðŽŽ,μ,Ä,Ý,é,x,«,¾/4” Windows Sources, 10/95
- “WinZip,í”ñ[]í,É•Ö—~ ,Èfc[]f<[]BŽžŠÔ,ð[]β-ñ,μ,½,ç,È,ç,±,ê” Computer Shopper, 9/95
- “WinZip 6.0,ÍWindows95ŠÅ<«„Å,à,Á,Æ,à“[][]þ,³,è,½ZIPft[]fjefBfŠfefB,¾/4” PC Magazine, 9/12/95
- “f_fEf“f[][]f[]h,·,é,±,Æ,ð,“Š©,β,μ,Ü,·” Windows Magazine, 9/95
- “fjf“f%ofCf“ ,Å,ìžžŠÔ,ð’Z[]k” PC Computing, 8/95
- “fCf“f^[]f[]fbfgftf@fCf<,ìTf[]f[]fg,Å[]A<—Í,ÈWinZip,ª,³,ç,Éfpf[][]fAfbfv” Computer Shopper, 8/95
- “fCf“f^[]f[]fbfg,Å,æ,,Ý,©, , ,é^³[]kftfH[]f[]f[]fbfg,ðfhf%fbfO&fhf[]fbfv,ÅŠÈ’P’€[]” Online Access 6/95
- “fjfcf“fg&fNfŠfbfN,ÅZIPftf@fCf<,ð,ç,,ç,f[]f[]fvf“” Maximize, 6/95
- ““½[]” ,ìftf@fCf<,ð^μ,¸[]l,É,Æ,Á,Ä,ÍWinZip,í[]Å[],” PC Magazine UK, 6/95
- “[]»”™,ìCEÇ“þ,Åfm[]f[]gf[]pf\ fRf“,ÆCompuServefAfj[]f[]Ej“fg,¾/4, ~“n,³,è,½,ç[]AŽ,,ª,Ù,μ,çft[]fjefBfŠfefB,í,½,¾/4^ê,Å[]AWinZip,¾/4” PC World 5/95
- “^³[]kfvf[]f[]Of%of€,,Æ,μ,Ä,í[]Å[],” Knight-Ridder Newspapers 5/21/95

fNfCfbfNfXf^[]fkg

WinZip, ĺŽg, ç•û, ðf}fXf^[][, , é, É, Í, ³, Ü, ´, Ü, È•û-@, º—p^Ó, ³, ê, Ä, ç, Ü, ·□B, , È, ½, ĺ'm, è, ½, ç, Æ, ±, è, ©, çŽn, ß, Ä, , ¾, ³, ç□B

- **à, µ, Ü, ¾WinZip, ðfCf“fXfg[]f<, µ, Ä, ç, È, ´, ê, î□AWinZip.ġfCf“fXfg[]f<, ĺ□€, ð, ´“Ç, Ý, -, ¾, ³, ç□B**
- **, ·, ®, ÉŽg, ç, ½, çft[]fU fA[]fjCfu, ÆWindows, ĺ'mŽ´, ð, ´Ž□, ĺ, È, ç, ĺ, ·, ®, ÉŽg, Ä, Ä, Ý, Ä, -, ¾, ³, ç□B[F1]fL[][, ð%Ÿ, ·, Æ, ç, Ä, Ä, àfwf<fv, º—~—p%oÄ“\, Ä, ·□B**
- **Šî-{"ĺ, ÉŽg—p-@, ðŠw, Ń, ½, ç, È, ç, ĺfufŠ[]ftf`f...[]fgyŠfAf<, ð, ´“Ç, Ý, , ¾, ³, ç□B**
- **ŽÄ□Ü, É'€[]ì, µ, È, º, çŠw□K, µ, ½, ç, È, ç, ĺWinZipf`f...[]f^[][, º, æ, ç, Ä, µ, ä, º□B•t'®, ĺftf“fvf<fA[]fjCfu, ð%ð“€□A³□k, ·, é, Æ, ç, ºfXfefbfv, ð, ´Žè“` , ç, ·, é, ĺ~bCE^fwf<fv, Ä, ·□B**
- **WinZipfEfBfU[]fh**
, ĺft[]fU, ĺ□ì<Æ, ð•â□•, ·, é“Ä•È, ÈfEfBf“fhfE, ĺ†, ĺ^ê~A, ĺfpfġ<, Ü, ½, ĺfy[]fW, Ä□AfeBfU[]fh, Æ, µ, Ä'm, ç, ê, Ä, ç, é, à, ĺ, Ä, ·□B, ±, ĺ□V, µ, •Ö—~ , È WinZip, ĺfCf“f^[]ftfFfCfX, ĺ%ð“€, Æf\ftfgfEfFfA, ĺfCf“fXfg[]f<, ĺ, ´Žè“` , ç, ð, µ, Ü, ·□B

¾, ĺ□€-Ü, à, ´-Y, ê, È, :

- **Windows95/98/NTfvfFf<, Æ, ĺ“□□± , ĺ□€, Ä, ĺfGfNfXfvf[]f%o, âffXfNfgfbfv□ä, Ä, ĺWinZip, ĺ•Ö—~ , ÉŽg—p—á, ð, ²□Ð%oî, µ, Ü, ·□B**
- **fhf%o_bfO&fhf[]fbfvfCf“f^[]ftfF[]fX , ĺ□€, Ä, ĺfhf %o_bfO&fhf[]fbfv, ĺ'€[]ì, ÄŠÉ'P, É, È, éWinZip, ĺ'€[]ì, ð, ²□Ð%oî, µ, Ü, ·□B□¥”ñ-Ü, ð'É, µ, Ä, , ¾, ³, ç□B**
- **fqf“fg&f_bfvfX , Ä, ĺWinZip, ðŽg—p, ·, é□ä, Ä, ĺ•Ö—~ , Èfqf“fg, ð, ²□Ð%oî, µ, Ü, ·□B**
- **fġ“f%oofCf“fvf<fv, ĺŽg—p-@, ĺWinZip, ĺHelpf[]fj...[][, ©, çHow to Use Help , ðŽQ□Æ, µ, Ä, -, ¾, ³, ç□B**

ZIP,Æ,»,ì¼,ìfA[]fjfcfu

fA[]fjfcfu,Á,Ä%½H

fA[]fjfcfu,Æ,İž©[]g,ì†,É¼,ìftf@fCf<,ðŠÜ,pftf@fCf<,ì,±,Æ,ÁA¼,-
,ìè[]fA[]fjfcfu“à,ìftf@fCf<,ì³[]k,³,è,Ä,ç,Ü,·[]BfA[]fjfcfu,É,í,»,ì³[]k•û-@,É,æ,è[]AZIP, LZH, ARJ,
ARC,Æ,ç,Á,¼Šg'£Žq,ª,Ä,ç,Ä,ç,Ü,·[]BfA[]fjfcfu,ìftf@fCf<,ðfOf<[]fv%»»,μ[]A^U“®,âfRfs[][,Æ,ç
,Ä,¼[]i<Æ,ì“\—|%»»,ð,í,©,Ä,Ä,ç,Ü,·[]B

fA[]fjfcfu,ì“Á¥:

- fpf\rf“É[]M,ìff[]f^%fCfuf%ofŠ,âfCf“f^[]fjfbfg,ìFTPfTfCf<,ì,æ,æ,É“dŽqfT[]fjfx,Á~—p
%Ä“\,È,Ü,Æ,ñ,ç,ìftf@fCf<,ìfA[]fjfcfu,Æ,μ,Ä“z•z,³,è,Ä,ç
,Ü,·[]Bftf@fCf<,ì“z•z,ÉfA[]fjfcfu,ðŽg,æ~“_,É,í,Q,Ä,è,Ü,·[]B,P,Ä,ìftf@fCf<,ìf_fEf“f[]fh,Ä
ŠÖEW,ì,é‘S,Ä,ìftf@fCf<,ðŽè,É“ü,è,é,±,Æ,ª,Ä,«,é,±,Æ,Æ[]AfA[]fjfcfu,ª³[]k,³,è,Ä,ç
,é,¼,ß,É“j’—ŽžŠÖ,ð‘Z,,é,±,Æ,ª,Ä,«,é,Æ,ç,±,Æ,Ä,·[]B
- ŠÖEW,ì,éftf@fCf<,ìfOf<[]fv,ð^è[][],É,μ,Ä—,é,ì,í•Ö—
~Ä,·[]B‘P‘Æ,Äftf@fCf<,ð“z•z,·,é,æ,è,è[]Aftf@fCf<,ðfOf<[]fv,É,μ,Ä³[]k,μ[]AfA[]fjfcfu,Æ,μ,
Äftf@fCf<,ð“z•z,·,é•ü,ª,,Ä,ÆŠÉ‘P,Ä,·[]B
- []d—v,¾,¯,è,Ä,àŽg—p•p“x,ì‘á,çftf@fCf<,ì[]A fffBfXfNfXfy[]fX,ð[]ß-ñ,·,é-
Ü“l,ÄfA[]fjfcfu,É³[]k,μ[]A•K—v,È,Æ,«,É,ì,Y%ð“€,,é,ì,ª•Ö—~Ä,·[]B

Ž©ÆÈ%ð“€CE^ZIPftf@fCf<,Á,Ä%½H

Ž©ÆÈ%ð“€CE^ZIPftf@fCf<,Æ,ìZIPftf@fCf<,Æ,»,è,ð%ð“€,,éftfg,ð—
¼•ûŠÜ,ñ,¾ŽÄ[]sCE^(.EXEftf@fCf<),ìfv[]fOf%of€ftf@fCf<,Ä,·[]Bft[]fU,ì,¼,¾,»,ìfv[]fOf%of€
,ðŽÄ[]s,,é,¾,¯,ÄŽ©ÆÈ%ð“€CE^ZIPftf@fCf<,ì†[]g,ð%ð“€,,é,±,Æ,ª,Ä,«,Ü,·[]B%ð“€
,·,é,ì,É[]AWinZip,ì,æ,æ,È%ð“€fv[]fOf%of€,ªfGf“fhft[]fU,É•K—v,È,ç,¼,ß[]A‘â•í•Ö—~Ä,·[]B

Ž©ÆÈ%ð“€CE^ZIPftf@fCf<,ìWinZip Self-Extractorf[]fififGffBfVf+“,,ðŽg,Ä,ÄŠÉ‘P,É[]i[]-,·,é,±,
,Æ,ª,Ä,«,Ü,·[]B

fA[]fjfcfuCE`Ž@:

- ZIP,ì[]A[]çŠE‘t,Ä[]L,—~—p,³,è,Ä,ç,é[]Ä,âf[]fsf...f
%[][,ÉfA[]fjfcfuCE`Ž@,Ä,·[]BWinZip,Ä,ìŠÖ•“fv[]fOf%of€,ðŽg—p,¹,,ÉZIPftf@fCf<,ì[]i[]-,Æ
%ð“€,ð[]s,±,Æ,ª,Ä,«,Ü,·[]B
- TAR, Z, GZ, TAZ, TGZ , ±
,è,ç,ìfA[]fjfcfu,ì[]AZà,ÉUnixfx[]fX,ìfCf“f^[]fjfbfgTfCf<,Ä,μ,í,μ,íCE©,©,¯,é,Ä,μ,â,±[]BTAR
,ì[]A[]gTape ARchive[]h,ì‘Ó-j,Ä,·[]B,±,è,ì,â,âCEÄ,çCE`Ž@,Ä[]Aftf@fCf<³[]k,ì<@“\,í,É,-
[]ATARfA[]fjfcfu“à,ìftf@fCf<,ì,¼,¾fOf<[]fv%»»,³,è,Ä,ç
,é,¾,¯,Ä,·[]BZftf@fCf<,ì[]Agzip,Ü,¼,íCEÄ,çUnix,ìCompress,Ä³[]k,³,è,½ftf@fCf<,Ä,·[]BGZftf
@fCf<,ìgzip,Ä[]i[]-,³,è,éftf@fCf<,Ä,·[]BZftf@fCf<,ÆGZftf@fCf<,ì•j[]-,ìftf@fCf<,ðŠÜ,p,±
,Æ,ª,Ä,«,Ü,¹,ñ[]BTAZ,ÆTGZftf@fCf<,ìZ,Ü,¼,ìZRCÉ`Ž@,Ä³[]k,³,è,½TARftf@fCf<,Ä,·[]B[]A<ß
,ìZIP,âLZH,ª^è“É“l,Ä,,ì,Ä[]AWinZip,É,ì,±,è,ç,ìfA[]fjfcfu,ì[]V<K[]i[]-[]A‘Ç%Ä<@“\,í,,è,Ü,¹,
ñ[]i,»,ì¼,ì<@“\,ìŽg—p,Ä,«,Ü,·[]B,±,è,ç,ìCE`Ž@,ìftf@fCf<,ð^μ,±,ì,ÉWinZip,ìŠÖ•“fv[]fOf
%of€,ð•K—v,Æ,μ,Ü,¹,ñ[]B
- UUencoded, XXencoded, BinHex, MIMEftf@fCf<,ì{-{—
^fCf“f^[]fjfbfg,ì“dŽqf[]f<,ÄfOfCfifŠftf@fCf<,ð“j’—,·,éžž,ÉŽg,í,è,Ü,·[]B,±,è,ç,ìftf@fCf<,ì
WinZip,ÄŠ),«[]A“à—e,ð%ð“€,,é,±,Æ,ª,Ä,«,Ü,·[]BWinZip,ì[]Actions[]fjff...
[][,©,ç[Uuencode],ð‘ì,ð,μ,ÄfA[]fjfcfu,ðUUencodeCE`Ž@,É,,é,±,Æ,ª,Ä,«,Ü,·[]B,±
,è,ç,ìCE`Ž@,ìftf@fCf<,ð^μ,±,ì,ÉWinZip,ìŠÖ•“fv[]fOf%of€,ð•K—v,Æ,μ,Ü,¹,ñ[]B
- Microsoft CompressCE`Ž@[]LZEXPANDCE`Ž@,Æ,àCE¾,ç,Ü,·[]j,àWinZip,Ä^μ,±,
,Æ,ª,Ä,«,Ü,·[]B,μ,©,μ,È,ç[]A,±,ìCE`Ž@,É,í,ç,,Ä,©Ží—p,ª,,è[]AMicrosoft,à,»,è,ç,É,Ä,ç
,Ä,ì[]à-¾,ð,μ,Ä,ç,Ü,¹,ñ[]B[]),Ä,Ä,±,Ü,%ð“€,Ä,«,É,ç[]è[]±,à,,è,Ü,·[]B,“Žg,ç,ìWindows,Äftf[]
[]fg,³,è,Ä,ç,É,çftf@fCf<,ð%ð“€,μ,æ,±,Æ,,é,Æ[]Af[]fbfZ[]fW,ª\
Žì,³,è,Ü,·[]BMicrosoft^³[]kCE`Ž@,ìftf@fCf<,ì[]A,¼,ç,Ä,çŠg'£Žq,ì[]ÄCEâ,ª%[]ü,É,È,Ä,Ä,ç

,Ü,·□B—á,¡,¡□ACOMMDLG.DL_,Æ,ç,Á,½,®, ,ç,Á,·□B,Ü,½Z,âGZftf@fCf<“~—
l□A·;□”,¡ftf@fCf<,ðŠÜ,p,±,Æ,Í,Á,«,Ü,¹,ñ□B,±,ìCE`Ž®,¡ftf@fCf<,í Windows ,â¼,ì Microsoft
ŽĐ□»·i,¡fCf“fXfg□[f<fffBfXfN,Á—p,ç,ç,è,Á,ç,Ü,·□B,ftf@fCf<-¼,ì□ÁCEã,^a
%o^oü,Á, ,é,©,ç,Æ,ç,Á,Á□AMicrosoft CompressCE`Ž®,Á, ,é,Æ,íCEÁ,è,Ü,¹,ñ□B,±
,ìCE`Ž®,àWinZip,ÍŠO·”fvf□fOf%of€,ð·K—v,Æ,μ,Ü,¹,ñ□B

- Microsoft CAB (Cabinet,ì—^a) CE`Ž®,íMicrosoftŽĐ□»·i,¡fZfbfgfAfbfvfvf□fOf%of€,ÁŽg—
p,³,è,éCE`Ž®,Á,·□B,±,ìCE`Ž®,¡ftf@fCf<,ì³□k,ÆfOf<□[fv%o»,ì—¼·û,ì<@“\
,ðŽ□,Á,Ä,“,è□A,à,¿,è,ñWinZip,Á%oð“€,,é,±,Æ,^a,Á,«,Ü,·□B,Ü,½WinZip,í,Ü,Æ,ñ,Ç,ìŽ©CEÈ
%oð“€CE^CABftf@fCf<,É,àí%ož,μ,Á,ç,Ü,·□B,±,ìCE`Ž®,àWinZip,ÍŠO·”fvf□fOf%of€,ð·K—
v,Æ,μ,Ü,¹,ñ□B
- ARC, ARJ, LZHCE`Ž®,ÍZIP“~—l,Éftf@fCf<,¡fOf<□[fv%o»,“,æ,Ñ³□k,ì<@“\
,ðŽ□,ÁfA□[fjCfuCE`Ž®,Á,·□B□ă<L,Ü,Á,Æ^Ü,È,è□A,±,é,ç,ìCE`Ž®,¡ftf@fCf<,ðWinZip,ÁŽg—
p,·,é,É,í□A,»,è,¼,è,ÍŠO·”fvf□fOf%of€,^a·K—v,É,È,è,Ü,·□i□Ú,μ,,í·K—v“®□iŠÁ<<,ì□€
,ðŽQ□Æ,μ,Á,,³/₄,³,ç□j□B

fufŠ [ftf` f... [fgfŠfAf<

-{fwf<fv, íWinZip, ěŠe@”\, đřž, đ’Ç, Á, Äà-¾, ., éf`f... [fgfŠfAf<, đŠÜ, ň, Å, ç, Ü, ·B
fufŠ [ftf` f... [fgfŠfAf<, đŠŽn, ., é, É, í, ±, ±, ±, đfNfŠfbfN, μ, Ä, ,¾, ¾, çB

fufŠ [ftf` f... [fgfŠfAf< - -ÚŽŸ

WinZip, Ì, ·, ×, Ä, É, Â, ç, Ä, ð, Ö, É, Š, Ÿ, Ì, ð, É, fNfŠfN, µ, Ä, , ¾, ³, ç:

- | | | |
|--|---|--|
| 1. WinZip, Ì, ð, %î | 2. WinZipfEfBf“fhfE | 3. fA [fjfCfu, ðŠJ |
| 4. ftf@fCf<, Ì, % { — | 5. ftf@fCf<, Ì, % ð “€ | 6. fA [fjfCfu, Ì, Ì, — |
| 7. ftf@fCf<, Ì, Ç, %Á | 8. ftf@fCf<, Ì, í, çæ | 9. fjfXf^f€ÿ’è |
| 10. ‘Ç, %Á, @, \ | | |

, ±, ±, Á, Í WinZip, Ì, fRf“fzfvfg, Æ, » , è, ¼, è, Ì, @, \, ð, ð, %î, µ, Ü, ·, B

‘, ð, Ö: Ž, À, Ù, É WinZip, Ì, € Ì, ð, µ, È, ª, ç Šw, K, µ, ½, ç, ê, ð, Í, A WinZipf`f... [f^ [, ð, “Š, ©, ß, µ, Ü, ·, B

WinZip, ð, f, w, f, v, Æ, “, Ž, É, Š, J, , ±, Æ, ª, Á, «, é, æ, x, É, A, f, w, f, v, f, E, f, B, f, “, f, h, f, E, Ì, f, T, f, C, f, Y, ð, ·, Ì, Ì, é, Æ, ·, Ö—

~, Á, ·, B, f, w, f, v, Ì, € Ì, ð, Ç, ©, È, ª, ç, A WinZip, ð, Ž, Ž, µ, Á, Ý, Á, , ¾, ³, ç, B, æ, è, [, —

% ð, Á, «, é, Á, µ, ª, x, B, € Ì, Ì, È, ½, Ì, D, «, È, Ì, ª, ³, Á, s, Á, Á, , ¾, ³, ç, B, à, µ WinZip, ð, Ž, g, Á, Ä, ç, Á, ^, -à, ª, , è, Ì, A, f, l, [, ð, % ÿ, µ, Á, ó, µ, ^, È, ‘, Ç, ^, f, w, f, v, ð, Ž, Q, Æ, µ, Á, , ¾, ³, ç, B

f`f... [fgfŠfAf<, Ì, †, È, Í—Í, F, Ì, ·, Ž, š, ª, , è, Ü, ·, B, ±, è, Ì, fNfŠfN, ·, é, Æ, A, » , Ì, “, Á, ‘, è, Ì, €—Ú, È, Á, ç, Ì, Ç

% ð, Á, Ì, ·, ð, ·, Ž, Ì, µ, Ü, ·, B, ‘, ¼, ‘, O, Ì, €—Ú, È—ß, é, ê, ð, Ì, A, f, E, f, B, f, “, f, h, f, E, Ì, ð, ä, ·, “, È, , é, [—ß, é, (B), f, {, f, ^, f, “, ð, fNfŠfN, µ, Ä, , ¾, ³, ç, B

ð, d—v: WinZip, Á, fA [fjfCfu, ð, ^, µ, x, È, Í, A, ½, , ³, ñ, Ì, ·, Ö—~, È, ·, û—@, ª, , è, Ü, ·, B, ±, Ì, f`f... [fgfŠfAf<, Á, Í, A, f, f, C, f, “, WinZip, f, E, f, B, f, “, f, h, f, E, ð, Ž, g, Á, ½, Š, Í—{“Í, È, ‘, € Ì, ð, ð, à—¾, µ, Á, ç, Ü, ·, B

, ±, è, Í WinZip, Ì, ·, Ö—~, È, <@, \, É, f, A, f, N, f, Z, f, X, ·, é, ½, ß, Ì—B, ^, è, Ì, ·, û—@, Á, Í, , è, Ü, , ¹, ñ, B—

á, Ì, Ì, A WinZip, ð, Ž, g, Á, Á, A, f, G, f, N, f, X, f, v, [f, % “, à, Á, f, t, f, @, f, C, f, <, Ì, ^, ³, k, Æ, % ð, “, €, ð, ·, é, ±, Æ, ª, Á, «, Ü, ·, B, f`f... [fgfŠfAf<, È, ‘, ©, è, Á, ç, é, Š, Í—{“Í, È, ‘, € Ì, Ì, Š, w, K, ð, Ì, Ì, Ì, µ, ½, ç, A Windows95/98/NTfVfEf<, Æ, Ì, “, ð, ð, à, ð, qf“fg&f`fbfvfX. , Ì, € , à, Ž, Q, Æ, , ¾, ³, ç, B

NTfVfEf<, Æ, Ì, “, ð, ð, à, ð, qf“fg&f`fbfvfX. , Ì, € , à, Ž, Q, Æ, , ¾, ³, ç, B

Ž, Ÿ, Ö

fufŠ [lftf` f... [fgfŠfAf< - WinZip, ì Ð%oî

WinZip, ì, ·, x, Ä, É, Ä, ç, Ä, ð, Ö, É, Š, w, Ö, É, Í, "Žš, ì, ð, É, f, N, Š, f, b, f, N, µ, Ä, , ¾, ³, ç:

- 1. WinZip, ì Ð%oî
- 2. WinZipEfBf"fhfE
- 3. fA [fjfcfu, ðŠJ.
- 4. ftf@fCf<, ì%o{ —
- 5. ftf@fCf<, ì%oð"€
- 6. fA [fjfcfu, ì ì ñ
- 7. ftf@fCf<, ì'Ç%oÁ
- 8. ftf@fCf<, ì í ð œ
- 9. fjfXf^f€ ð'Y'è
- 10. 'Ç%oÁ<@"\

WinZip, ÍZIP, â, » , ì'¼, ìfA [fjfcfuftf@fCf<, ðŠÈ'P, É^µ, x, ½, ß, ìfc [f<, Å, · ðBftf@fCf<, âfvf ðfZfX, ì ð à-¾, ©, ç, í, ¶, ß, Ü, µ, å, x ðB

fA [fjfcfu, Æ, ç, x, ì, ì'¼, ìftf@fCf<, ðŠÜ, ðftf@fCf<, Å, · ðBZIP, í, à, Á, Æ, à ðL, Žg, í, è, Ä, ç, éfA [fjfcfu€ `Ž @, ì, ±, Æ, Å, · ðB · ð'É ðAfA [fjfcfu"à, ìftf@fCf<, ì^¾ ðk, ¾, é, Ä, ç, Ü, · ðB

WinZip, Å, ì ð uAdd ðv, Æ, ç, x, ì, ì ð uftf@fCf<, ð^¾ ðk, µ, ÄfA [fjfcfu, É'Ç%oÁ, ·, é ðv, Æ, ç, x^Ó-; , ÅŽg, ç, Ü, · ðB ð uExtract ðv, ì ð u fA [fjfcfu"à, ìftf@fCf<, ð"WSJ, µ ð Af ffBfXfN ð ã, É •ª — £, µ, ½ftf@fCf<, ð ð ñ, ·, é ðv, Æ, ç, x^Ó-; , Å, · ðB ð u%oð"€, ·, é ðv, Æ, à, æ, €¾, í, è, Ü, · ðB ð uAdd ðv, ì'ã, í, è, É zip , â pack ð Aextract , ì'ã, í, è, É unzip , â unpack , Æ, ç, x€¾ — t, ðŽg, x ð ê ð ð, à, , è, Ü, · ðB.

ðÚ, µ, ç ð í · ñ, É, Ä, ç, Ä, ìZIP, Æ, » , ì'¼, ìfA [fjfcfu , ì ð €, ðŽQ ð Æ, µ, Ä, , ¾, ³, ç ðB ŽŸ, Ö

fufŠ [ftf` f... [fgfŠfAf< - fA [fjfcfu, đŠJ,

WinZip, ì, ·, x, Ä, É, Â, ç, Ä, ð, Ö, É, Š, w, Ô, É, Í, "Žš, ì, ð, É, fNfŠfbfN, µ, Ä, , ¾, ¾, ç:

- 1. WinZip, ì [D%ô
- 2. WinZipfEfBf"fhfE
- 3. fA [fjfcfu, đŠJ,
- 4. ftf@fCf<, ì%o{ —
- 5. ftf@fCf<, ì%ođ"€
- 6. fA [fjfcfu, ì [i] -
- 7. ftf@fCf<, ì'Ç%oÁ
- 8. ftf@fCf<, ì [í] œ
- 9. fjfXf^f€ [Y]'è
- 10. 'Ç%oÁ<@" \

[A]%, ìfXfefbfv, Á, Í, Ü, , AfA [fjfcfu, đŠJ], «, Ü, · BWinZip, ì [File]f [fjfcfu, ì [Open Archive] , đ'í, đ, ·, é, © Afç [f<fo [ì [Open]f {f^f", đ%oŸ, µ, Ä A[Open Archive]f_fCfAf [fOf {fbfNfX, đŠJ}, «, Ü, · B

[Open Archive]f_fCfAf [fOf {fbfNfX, Á AŠJ], «, ½, ç fA [fjfcfu, đ'í, đ, µ, Ü, · B, ± , ìf_fCfAf [fOf {fbfNfX, ì A ¼, ìfAfvfŠfP [fvfj", ìf [fvf" f_fCfAf [fOf {fbfNfX, Æ" , ¶, æ, x , É Af tf@fCf<, ìfŠfXfg, ©, çŠJ], «, ½, ç ftf@fCf<, đ'í, đ, µ, Ä, , ¾, ¾, ç BŠù'¶, ìfA [fjfcfu, đŠJ], ì, Á, Í, È, - AfA [fjfcfu, đ [i] -, ·, é ê ð ð AfufŠ [ftf` f... [fgfŠfAf< - fA [fjfcfu, ì [i] -, ì [€, đŽQ [Æ, µ, Ä, , ¾, ¾, ç B

Šù'¶, ìfA [fjfcfu, đŠJ], Æ AfA [fjfcfu" à, ìftf@fCf<, đ%ođ"€ , µ, ½, è A, » , ì ¼, ì [< Æ, đ, ·, é, ± , Æ, ¢, Á, «, Ü, · B fA [fjfcfu" à, ìftf@fCf<, ìf [fCf" WinZipfEfBf"fhfE, ÉfŠfXfg · \Ž, ¾, é, Ä, ç, Ü, · B

- fXfNf [f<fo [ì, â-î^ ófL [[A [[[[fRf} f" fh, đŽg, Á, Ä AfA [fjfcfu" à, ìftf@fCf<- ¼, â [Ü [x, đ, Y, é, ±, Æ, ¢, Á, «, Ü, · B
- fwfbf_ [·" · ¢, đfNfŠfbfN, µ, Ä f [fCf" fEfBf" fhfE" à, ìftf@fCf<, đ [® — ñ, ¾, ¾, é, ±, Æ, ¢, Á, «, Ü, · B (— á, ì, ì Af tf@fCf<, ìfŠfXfg, ì [ä, É, , éfwf bf_ [ì [g [[h, ì ·" · ¢, đfNfŠfbfN, ·, é, Æ Af tf@fCf<- ¼ [ð, É [® — ñ, ·, é, ±, Æ, ¢, Á, «, Ü, · B)

ŽŸ, Ö

fufŠ [ftf` f... [fgfŠfAf< - ftf@fCf<,i%o{---

WinZip, Ì, ·, x, Ä, É, Â, Å, ç, Ä±±"Ô, ÉŠw, Ô, É, Í"Žš, Ì±±, ÉfNfŠfN, µ, Ä, ¾, ¾, ç:

- 1. WinZip, Ì [D%ô
- 2. WinZipfEfBf"fhfE
- 3. fA [fjfCfu, ðŠJ.
- 4. ftf@fCf<, i%o{---
- 5. ftf@fCf<, i%oð"€
- 6. fA [fjfCfu, Ì [i [-
- 7. ftf@fCf<, i'Ç%oÁ
- 8. ftf@fCf<, Ì [í [œ
- 9. fjfXf^f€ [Y'è
- 10. 'Ç%oÁ<@" \

WinZip [fCf" fEfBf" fhfE" à, Ìftf@fCf<, ðf_fuf<fNfŠfN, ·, é, Æ AfA [fjfCfu" à, Ìftf@fCf<, ðŠÈ'P, É%o{ ---, ·, é, ±, Æ, ¢, Ä, «, Ü, · BWinZip, ÍŠÖ~A•t, ç, ê, ½fAfvfŠfP [fVf#f" , Å, » , Ìftf@fCf<, ðŠJ, «, Ü, · B— á, !, Í Af [fh, Ìftf@fCf<(DOC), Íf [fh, Å AfefLfXfgftf@fCf<(TXT), Íf [f, ' , Å•\Ž, ¾, è, Ü, · Bfvf [fOf %of€ftf@fCf<(EXE), ðf_fuf<fNfŠfN, µ, ½, Æ, «, ÍŽÁ [s, ¾, è, Ü, · B

[Actions] [f] [f] ... [, ©, ç [View], ð' ð, µ, Ä [A" à' , Ìrf... [fA, Ü, ½, Í [Y'è, µ, ½rf... [fA, Åftf@fCf<, ð%o { ---, ·, é, ±, Æ, à, Ä, «, Ü, · B

ŽŸ, Ö

fufŠ [ftf` f... [fgfŠfAf< - ftf@fCf<,l%ođ“€

WinZip,ì,·,x,Ä,É,Â,ç,Ä±“Ö,ÉŠw,Ô,É,Í“Žš,ì±,ÉfNfŠfbfN,μ,Ä,,¾,¾,ç:

- 1. WinZip,ì [D%oî
- 2. WinZipEfBf“fhfE
- 3. fA [fjfcfu,đŠJ.
- 4. ftf@fCf<,l%o{---
- 5. ftf@fCf<,l%ođ“€
- 6. fA [fjfcfu,ì [i [-
- 7. ftf@fCf<,l'Ç%oÁ
- 8. ftf@fCf<,ì [í [œ
- 9. fjfXf^f€ [Y'è
- 10. 'Ç%oÁ<@“\

ftf@fCf<,đ%ođ“€,·,é,Æ,« [AWinZip,Í,» ,ê,ç,đft [fU,ªl'đ,μ,½ftfHf<f_,É“WŠ] [i %ođ“€ [j,μ,Ü,· [BftfHf<f_,âfTfuftfHf<f_,ì [\ 'ç,à •œCE³,Á,« ,Ü,· [B

[Actions]f [fj... [ì [Extract],đl'đ,·,é,© [Afc [f<fo [ì [Extract]f {f^f“,đ %oÿ,·,Æ [Af_fCfAf [fOf {fbfNfX,ªCE» ,ê,Ü,·,ì,Á [A,Ç,ìftfHf<f_,Éftf@fCf<,đ%ođ“€,·,é,©,đl'đ,μ,Ä,- ,¾,¾,ç [Bf_fCfAf [fOf {fbfNfX,Æ,» ,ìf [fvfVfj“ ,É,Á,ç ,Á,ì [U [x,ì [A,» ,ìf_fCfAf [fOf {fbfNfX,ªCE» ,ê,½,Æ,« ,ÉF1fL [ì,đ%oÿ,·,© [AfA [fjfcfu,©,çftf@fCf<,đ %ođ“€,·,é,ì [€,đŽQ [Æ,μ,Ä,,¾,¾,ç [B

' [^ Ó: %ođ“€,μ,æ,x,Æ,μ,Ä,ç,éZlPftf@fCf<,É“setup.exe” ,â “install.exe” ,É,Ç,ìfZfbfgfAfbfvftf@fCf<,ªŠÜ,Ü,ê,Ä,ç,é [ê [± [AfCf“fXfg [f<@“\,đŽg,ì,ì [Aftf@fCf<,ì %ođ“€ [AfCf“fXfg [f%o,ìŽÀ [s [AfCf“fXfg [f< [ì —¹CEä,ì^èŽžftf@fCf<,ì [í [œ,Ü,ÁŽ © “ @ “l,É [s,x,± ,Æ,ª,Á,« ,Ü,· [B

Žÿ.Ö

fufŠ [ftf` f... [fgfŠfAf< - fA [fj]Cfu, ì ì ì ñ

WinZip, ì, ., x, Ä, Ê, Â, ç, Ä, ð, Ò, É, Š, Ő, É, Í, "Žš, ì, ð, É, f, N, Š, f, b, f, N, µ, Ä, , ¾, ¾, ç:

- 1. WinZip, ì ð % ô
- 2. WinZip f E f B f " f h f E
- 3. f A [f j] C f u, ð Š J
- 4. f t f @ f C f <, ì % { — —
- 5. f t f @ f C f <, ì % ð " €
- 6. f A [f j] C f u, ì ì ì ñ
- 7. f t f @ f C f <, ì ' Ç % Á
- 8. f t f @ f C f <, ì í ç e
- 9. f j f x f ^ f € ÿ ' è
- 10. ' Ç % Á < @ " \

[File] f [f] f ... [ì [New Archive], ð ' ð, ., é, © [A] f c [f] < f o [ì [New] f { f ^ f " , ð % Ÿ, ., Æ [A] [New Archive] f _ f C f A f [f] o f { f b f N f X, ð » , é [A] V, µ, ç f A [f] j] C f u, ð ì ì ñ, ., é, ±, Æ, ð, Á, <, Ü, . [B], Ü, , [A] f A [f] j] C f u, ð, Ç, ±, É ì ì ñ, ., é, ©, » , µ, Ä, Ç, x, ç, x f t f @ f C f < - ¼, Å ì ì ñ, ., é, ©, ð " ü — í, µ, Ä, , ¾, ¾, ç [B], ±, ì f t f @ f C f < - ¼, í ^ ¾ k, µ, ½, ç f t f @ f C f < - ¼, Å, í, , è, Ü, ¹, ñ [B], ±, ì f _ f C f A f [f] o f { f b f N f X, í • W € " í, È Windows, ì f t f @ f C f < f _ f C f A f [f] o f { f b f N f X, Æ " , ¶, æ, x, É [A] f A [f] j] C f u, ð ì ì ñ, µ, ½, ç f h f % o f C f u, Æ f t f H f < f _ , ð ' ð, ., é, ±, Æ, ð, Á, <, Ü, . [B] ' ð, ¾, è, ½ f h f % o f C f u, ð f t f H f < f _ , É, , é Š ù ' ¶, ì f A [f] j] C f u - ¼, ð f Š f X f g • Ž !, ¾, è, Ü, ., ì, Á [A] Ž g, í, è, Ä, ç, È, ç f t f @ f C f < - ¼, ð, Á, , é, ì, É • Ö — ~ , Å, . [B] ' È [f] A [f] j] C f u [ì ñ — Ç ä [A] f A [f] j] C f u, É f t f @ f C f <, ð ' Ç % Á, µ, Ü, . [B] [Add Dialog] f ' f f b f N f { f b f N f X, ð f f f b f N, ¾, è, Á, ç, é, Æ [A] Ž © " @ " í, É [Add] f _ f C f A f [f] o f { f b f N f X, ð Š], <, Ü, . [B] [Next](#)

fufŠ [ftf` f... [fgfŠfAf< - ftf@fCf<,i'Ç%oÁ

WinZip, Ì, ·, x, Ä, É, Â, ç, Ä, ð, Ö, É, Š, Ő, É, Í, "Žš, Ì, ð, É, f, N, Š, f, b, f, N, µ, Ä, , ¾, ¾, ç:

- 1. WinZip, Ì, ð, %oî
- 2. WinZipfEfBf"fhfE
- 3. fA [fjfcfu, ðŠJ,
- 4. ftf@fCf<, Ì%o{ —
- 5. ftf@fCf<, Ì%oð"€
- 6. fA [fjfcfu, Ì, ð, —
- 7. ftf@fCf<, Ì'Ç%oÁ
- 8. ftf@fCf<, Ì, ð, œ
- 9. fjfXf^f€Ï'è
- 10. 'Ç%oÁ<@" \

ŠJ, ç, Ä, ç, é, fA [fjfcfu, Ü, ½, Í, A' O, Ì, ð, €, Å, ð, —, µ, ½, V, µ, ç, fA [fjfcfu, É, ftf@fCf<, ð'Ç%oÁ, ·, é, ±, Æ, ¢, Ä, «, Ü, ·, B [Add]f_fCfAf [fOf {fbfNfX, ¢, \Z, ¾, é, Ä, ç, É, —, é, Í, A [Actions]f [fjfcfu... [Ì, Ì [Add]f, ð' ð, ·, é, ©, Afc [f<fo [Ì, Ì [Add]f {f^f", ð%oÿ, µ, Ä, , ¾, ¾, ç, B

[Add]f_fCfAf [fOf {fbfNfX, Ä, Ì%oð"€ , µ, ½, ç, ftf@fCf<, ð' ð, µ, Ü, ·, B%oð"€ , µ, ½, ç, ftf@fCf<, ðfNfŠfbfN, ·, é, Æ, Ì' ð, ·, é, ±, Æ, ¢, Ä, «, Ü, ·, B [Shift]fL [Ì, Ì [Ctrl]fL [Ì, ð %oÿ, µ, É, ¢, ç, ä, é, Ì, ·, i" , Ì, ftf@fCf<, ð^è"x, É, Ì' ð, ·, é, ±, Æ, à, Ä, «, Ü, ·, B'Ç%oÁ, ·, é, ftf@fCf<, ð' ð, ·, é, ·, ù- @, Ì, ±, è^ÉŠO, É, à—p^Ó, ¾, é, Ä, ç, Ü, ·, Ì, Ä, A, Ü, µ, , Ì, fA [fjfcfu, É, ftf@fCf<, ð'Ç%oÁ, ·, é, Ì, ð, é, ðŽQ [Æ, µ, Ä, - , ¾, ¾, ç, B

ftf@fCf<, Ì, Ì' ð, ¢, Ì, í, è, Ü, µ, ½, ç, A [Add]f {f^f", ð%oÿ, µ, Ä, - , ¾, ¾, ç, B, ·, é, Æ, Afc [fCf" fEfBf" fhfE, Ì, ftf@fCf<, Ì, ŠfXfg, ¢, X [V, ¾, è, Afc [fjfcfu" à, É, ftf@fCf<, ¢, Ç %oÁ, ¾, é, Ü, ·, B

f}fCfRf"fsf... [f^ , â, fGfNfXfvf [f%o, ©, ç, Ç%oÁ, µ, ½, ç, ftf@fCf<, ð, AWinZip, Ì, fEfBf" fhfE, É, fhf %o, fbfO, µ, Ä, Afc [fjfcfu, É, ftf@fCf<, ð'Ç%oÁ, ·, é, ±, Æ, à, Ä, «, Ü, ·, B, Ü, µ, , Ì, fhf %o, fbfO&fhf [fbfv, Ä, ftf@fCf<, ð, fA [fjfcfu, É, Ç%oÁ, ·, é, Ì, ð, é, ðŽQ [Æ, µ, Ä, , ¾, ¾, ç, B

' ^ Ó: fA [fjfcfu, É, ftf@fCf<, ð'Ç%oÁ, µ, ½, Ü, AfffBfXfN [ä, Ì, f, Š, f, w, f, i, f<, ftf@fCf<, Ì, ð, œ, ¾, é, Ü, ¾, ñ, B'Ç %oÁ, Ì, ç, Æ, ¢, —, µ, ½, , Æ, É, Ž, © " @ " Ì, É, f, f, Š, f, w, f, i, f<, ftf@fCf<, ð, ð, œ, ·, é, É, Í, A [Add]f_fCfAf [fOf {fbfNfX, Ì, ð, [Action]— , Ä, A [Move], ð' ð, µ, Ä, , ¾, ¾, ç, B

Žÿ, Ö

fufŠ [ftf` f... [fgfŠfAf< - ftf@fCf<, ìííœ

WinZip, ì, ·, x, Ä, É, Â, ç, Ä, ð, Ö, É, Í, Ñ, Ž, Š, Ì, Ñ, É, f, N, Š, f, b, f, N, µ, Ä, , ¾, ³, ç:

- 1. WinZip, ìííœ
- 2. WinZipfEfBf“fhfE
- 3. fA [fjfCfu, ðŠ]
- 4. ftf@fCf<, ìííœ
- 5. ftf@fCf<, ìííœ
- 6. fA [fjfCfu, ìííœ
- 7. ftf@fCf<, ìííœ
- 8. ftf@fCf<, ìííœ
- 9. fjfXf^f€í’è
- 10. ‘Ç%oÁ<@”\

WinZip, Ä, Í, fA [fjfCfu“à, ìííœ, µ, ½ftf@fCf<, âAfA [fjfCfuŽ ©’ì, ðííœ, ·, é, ±, Æ, à, Ä, «, Ü, ·B [Actions] f [fj... [, ©, ç [Delete], ðííœ, µ, Ä, A [Delete] f_fCfAf [fOf {fbfNfX, ð·\Žì, µ, Ü, ·B fA [fjfCfu, ©, çftf@fCf<, ðííœ, ·, é, É, Í, Ž, Í—p, ì·û—@, à, è, Ü, ·:

- Š, ç, Ä, ç, éfA [fjfCfu, ìííœfCf“fEfBf“fhfE, ©, çííœ, µ, ½, çftf@fCf<, ðííœ, µ, ½æäA [Actions] f [fj... [, ©, ç [Delete], ðííœ, ·, é, ©AfL [f { [fh, ì [Del] fL [, ð%oÿ, µ, Ä, , ¾, ³, çB
- [Actions] f [fj... [, ©, ç [Delete], ðííœ, µ, Ä, A [Delete] f_fCfAf [fOf {fbfNfX, ð·\Žì, µ, Ü, ·B [Files] —“ , Éííœ, µ, ½, çftf@fCf<—¼, ðŽw’è, µ, Ä, , ¾, ³, çBMS-DOS, ìííœfCf<fhf [fh, ðŽg—p, ·, é, ±, Æ, à, Ä, «, Ü, ·B ·i [, ìftf@fCf<, ðŽw’è, ·, é, Æ, «, ÍAfXfy [fX, Åæ∅, Ä, Ä, , ¾, ³, çB

ííœ: , ±, ìííœ, í, â, è’¼, µ, à, «, «, Ü, ¹, ñ, ì, Ä, Aftf@fCf<, ìííœ, É, Í, ·, à, É’ííœ, µ, Ä, , ¾, ³, çB

fA [fjfCfuŽ ©’ì, ðííœ, ·, é, É, Í, A [Actions] f [fj... [, ©, ç [Delete], ðííœ, µ, Ä, A [Delete] f_fCfAf [fOf {fbfNfX, ð·\Žì, µ, Ü, ·B Žÿ, É [Entire Archive] %ofWfif {f^f“ , ðííœ, µ, Ä, A [Delete] f {f^f“ , ð%oÿ, µ, Ä, , ¾, ³, çB [File] f [fj... [, ©, ç [Delete Archive], ðííœ, µ, Ä, àAfA [fjfCfu, ðííœ, ·, é, ±, Æ, à, Ä, «, Ü, ·B

Žÿ, Ö

fufŠ [ftf` f... [fgfŠfAf< - fjfXf^f€ [Y'è

WinZip, Ì, ·, ×, Ä, É, Â, ç, Ä, ð, Ö, É, Š, w, Ô, É, Í, Ž, š, Ì, ð, É, f, N, f, Š, f, b, f, N, μ, Ä, , ¾, ³, ç:

- 1. WinZip, Ì, ð, %oî
- 2. WinZipfEfBf“fhfE
- 3. fA [fjfCfu, ðŠ].
- 4. ftf@fCf<, Ì%o{ —
- 5. ftf@fCf<, Ì%oð“€
- 6. fA [fjfCfu, Ì, Ì, Ì, Ì
- 7. ftf@fCf<, Ì'Ç%oÁ
- 8. ftf@fCf<, Ì, Ì, Ì, œ
- 9. fjfXf^f€ [Y'è
- 10. 'Ç%oÁ<@“\

[Configuration]f|f|v|v|f|f“, ðŽg, Á, Ä, AWinZip, Ì'€ [ì, ð [Y'è, ·, é, ±, Æ, a, Å, «, Ü, · [B—á, Ì, Î [A[Extract], â
[Add]f_fCfAf [fOf {fbfNfX, ÌffftfHf<fgftfHf<f_ , ð • Ì [X, ·, é, ±, Æ, a, Å, «, Ü, · [B, ±, Ìf|f|v|v|f|f“, Ì [Ú [×, É, Â, ç
, Ä, Ì [AOptions, Ì [€, ðŽQ [Æ, μ, Ä, , ¾, ³, ç [B

Ž, Y, Ö

fufŠ [ftf` f... [fgfŠfAf< - 'Ç%oÁ<@”\

WinZip, ì, ·, x, Ä, É, Â, ç, Ä, ð, Ö, É, Š, w, Ô, É, Í, Ž, Š, Ì, ð, É, f, N, Š, f, b, f, N, μ, Ä, , ¾, ³, ç:

- [1. WinZip, Ì, Ð%oî](#)
- [2. WinZipfEfBf“fhfE](#)
- [3. fA \[fjfCfu, ðŠJ,](#)
- [4. ftf@fCf<, Ì%o{ —](#)
- [5. ftf@fCf<, Ì%oð“€](#)
- [6. fA \[fjfCfu, Ì, Ì, —](#)
- [7. ftf@fCf<, Ì'Ç%oÁ](#)
- [8. ftf@fCf<, Ì, í, œ](#)
- [9. fjfXf^f€Ï'è](#)
- [10. 'Ç%oÁ<@”\](#)

, ±, è, Å, fufŠ [ftf` f... [fgfŠfAf<, Í, Ì, í, è, Â, ·, B, à, Á, Æ, WinZip, ð, æ, 'm, é, É, Í, AŽŸ, Ì, €, ðŽQ, Æ, μ, Ä, , ¾, ³, ç:

- [fhf%o,fbfO&fhf \[fbfv](#), Å, fA [fjfCfu'€ [i, a, æ, è, Š, È'P, É, È, è, Ü, ·, B
- [fCf“f^ \[f\]fbfgft \[fU, Í, fEf“f \[fh, μ, ½ftf@fCf<, ÌŠÇ—](#), Ì, €, ðŽQ, Æ, μ, Ä, , ¾, ³, ç, B
- [fCf“fXfg \[f<<@”\, âf`fFbfNfAfEfg<@”\](#), Í, fA [fjfCfu, Å”z·z, ¾, è, ½ftf@fCf<, Í, fCf“fXfg [f<, âŠm”F, É·Ö—~ , Å, ·, B
- [fGfNfXfvf \[f%o, âftf@fCf<f}f \[fWff, Æ“ \[f\]f, μ, ÄŽg—p, ·, é, ±, Æ, à, Â, «, Ü, ·, B \[Ú, μ, -](#), Í, [fGfNfXfvf \[f%o, fCf“f^ \[ftfF \[fX, âftf@fCf<f}f \[fWfffCf“f^ftfF \[fX](#), Ì, €, ðŽQ, Æ, μ, Ä, , ¾, ³, ç, B

' [^ Ó: WinZip, æ<N“ @, μ, Ä, ç, é, Æ, «, Í, ç, Â, Å, à, F1fL [, ð%oÿ, ·, Æ [A [ó<μ^È'¶CE^fWf<fv, ð·Ž!, ·, é, ±, Æ, a, Å, «, Ü, ·, B

fWf<fv, Ì-ÚŽŸ, É-ß, é [è [f, Í, fç [f<fo [, Ì [-ÚŽŸ] f {f^f“ , ð%oÿ, μ, Ä, , ¾, ³, ç, B

WinZip, Í³□k,³,ê,½ftf@fCf<,ðfA□[fjfCfu,ì't,É•Û'¶,μ,Û,·□BfA□[fjfCfu,ÍftfHf<f_âfffBfÇEfNfgfŠ,ì,æ,κ
,È,à,ì,Æ□l,ì,é,Æ,æ,ç,Å,μ,â,κ□BWinZip,Í.zip,Û,½,Í,»,ì'¼"Á•Ê,ËŠg'£Žq,^a,Ä,ç,Ä,ç
,éftf@fCf<,ðfA□[fjfCfu,Æ,Ý,Ë,μ,Û,·□B

ftj@fCf<,đ^3□k,·,é,Æ□AftfCfY,đ□-,³,·,·,é,±,Æ,^a,Å,«,Ü,·□B^3□k,·,é,Æ,†
,x'ã,í,è,Ézip,·,é,Æ,© pack,·,é,È,Ç,Æ,àCE³/₄,x,±,Æ,^a, ,è,Ü,·□B

fA[]fjfcfu,Éftf@fcf<,đ'Ç%ooÁ,·,é,Æ[]AWinZip,ÍŽ©“®“l,É,»,ê,đ^³[]k,μ,Û,·[]B

WinZip, l'fNf%ofVfbfNf, []fh, Å<N" ®, μ, ÄA, » , l'CEãfEfBfU[]fhf, []fh, É[]Ø, è' Ö, i, , ÄŽg—p, μWinZip, ð[]l—
¹, μ, æ, s, Æ, , é[]i, Û, ½, l, » , l<t, ð[]s, s[]j, Æ[]AWinZip - Switch Interfacef_fCfAf[]fO, aCE», è, Û, :[]B, ±
, l'f_fCfAf[]fO, Å, l'ŽŸ%oñWinZip, ð<N" ®, , é[]Ú[]A, Ç, j, ç[]ifNf
%ofVfbfN, ©fEfBfU[]fh, ©[]j, l'f, []fh, Å<N" ®, , é, ©, ð' l' ð, , é, ±, Æ, a, Å, «, Û, :[]B

WZIPftf@fCf<,đ,Ç,±,É•Û'¶,μ,½,©-Y,ê,Ä,μ,Û,Á,Ä,àWinZip,lífEfBfU□[fhf,□[fh,É,ÍCEÿ□ö<@"\,ª—
p^Ó,³,ê,Ä,ç,Û,·□B**Search hard disks on this**
PC,đ'Í'đ,·,é,Æ□Af□□[fjf<fn□[fhfffBfXfn,·,x,Ä,đCEÿ□ö,μ,Û,·□iflfbfgf□□[fnfhf%ofCfu,âCD-ROMfhf
%ofCfu,Í'Í□ÛŠ□j□B**Search favorite**
folders,đ'Í'đ,·,é,Æ,¨<C,É“ü,è,lZipftfHf<f_,đCEÿ□ö,μ,Û,·□B**Search**
disk,đ'Í'đ,μ,Ä“Á'è,lfffBfXfn,đCEÿ□ö,·,é,±,Æ,à,Ä,«,Û,·□iftf□fbfs□[fhf%ofCfu,âCD-ROMfhf
%ofCfu,àCEÿ□ö%oÄ“\□j□B**Let me find it**,đ'Í'đ,·,é,ÆŽ©•ª,Ä'T,·,±,Æ,ª,Ä,«,Û,·□B

File Type Filters

New Archive, Open Archive, Files of type, Favorite Zip Folders

Zip files	*.zip
all archives	*.zip;*.z;*.gz;*.tz;*.taz;*.tgz;*.lzh;*.arj;*.arc;*.tar;*.cab
encoded files	*.uu;*.uue;*.xxe;*.b64;*.hqx;*.mim
archives and .exe files	*.zip;*.z;*.gz;*.tz;*.taz;*.tgz;*.lzh;*.arj;*.arc;*.tar;*.cab;*.exe
archives, encoded, and .exe files	*.zip;*.z;*.gz;*.tz;*.taz;*.tgz;*.lzh;*.arj;*.arc;*.tar;*.cab;*.exe;*.uu;*.uue;*.xxe;*.b64;*.hqx;*.mim
all files (*.*)	*.*

File Type Filters

WinZip, Files of type, Favorite Zip Folders

Files of type, Favorite Zip Folders

fCf“f^[]f]fbfg, ©, ç, Ìf_fEf“f[][]fh

fCf“f^[]f]fbfg, ©, ç, Ìf_fEf“f[][]fh, μ, ½fA[]f]fCfu, à, » , Ì¼, ÌfA[]f]fCfu, Æ“ - Ì, ÉWinZip, ÅŠj, , ±, Æ, ð, Å, «, Ù, ·B^È%º, Ì, æ, x, ÉfCf“f^[]f]fbfg, ©, ç, Ìf_fEf“f[][]fh, ·, é, Ù, É, Ö—, ÈfCf“f^[]f]fbfgfuf%[%oEfUfTf\[\]f\]gfAfhfif“](#), ðŽg—p, ·, é, ±, Æ, à, Å, «, Ù, ·B

fCf“f^[]f]fbfgfuf%oEfUfTf[]f]gfAfhfif“[]i-3—

¿[]j, ÌfCf“f^[]f]fbfg[]ä, ÌfTfCfg, ©, çNetscape Navigator/Comunicator , â[]AMicrosoft Internet Explorer, ðŽg, Å, Æftf@fCf<, ðf_fEf“f[][]fh, μ, Ä%º“€, ·, é, Ù, Å, Ìê~A, Ì‘€[]i, ðŽ©“@%º», μ, Ä, -, é, é, à, Ì, Å, ·BfA[]f]fCfu, ðfNfŠfbfN, μ, ½[]ê[]+[]AWinZip, Ìf_fEf“f[][]fh[]—
¹CEä, É‘N“@, μ, Ù, ·BWinZip, ÌŽ©“@“Ì, Éf_fEf“f[][]fh, ³, è, ½ftf@fCf<, ðf_fEf“f[][]fhftfHf<f_[]%ºŠú[]ó‘Ö, Å, Ì[]AC:download), É^Ú“@, ³, ¹[]Aftf@fCf<, ðŠj, «, Ù, ·B, ±, ÌfAfhfif“, Ì[http://www.winzip.com/ibrowser.cgi](#) , ©, ç-³—¿, Æf_fEf“f[][]fh, ·, é, ±, Æ, ð, Å, «, Ù, ·B

fAfhfif“, ðŽg, í, , Éf_fEf“f[][]fh, ·, é[]ê[]+[]AMicrosoft Internet Explorer , , æ, Ñ

Netscape Navigator/Communicator
, ÌE»fo[]f]Wfj“, Å, Ì[]AfA[]f]fCfu, ðfNfŠfbfN, μ, ½[]Ù, É[]AfA[]f]fCfu, ðŠj, -, ©[]AfffBfXfN, É·Ù‘¶, ·, é, ©, Ç, x, ©, ð‘ì, ð, ·, é, ±, Æ, ð, Å, «, Ù, ·BŠj, []ê[]+[], Ì[]Afuf%oEfU, ð·Å, ¶, ½[]Ù, Éftf@fCf<, ð[]œ, ³, è, é, “, » , è, ð, ·, é, ±, Æ, ð-Y, è, É, ç, Å, ³/4, ³, ç[]B, ±, Ì-â‘è, ð‘ð, -, é, É, Ì[]AfCf“f^[]f]fbfgfuf%oEfU, Å[]AfffBfXfN, É·Ù‘¶, ð‘ì, ð, μ[]AŠo, Ì, â, ·, çftfHf<f_, É·Ù‘¶, μ, Ä, , ³/4, ³, ç[]B(-á[]@C:download)

f_fEf“f[][]fh, ÌÙ-â‘è, ð[]¶, ¶, ½[]ê[]+[]f_fEf“f[][]fh, ÌÅ‘t, É%º½, ç, ©, Ì[]áŠQ, É, æ, è[]³[]í, Éf_fEf“f[][]fh, ð[]i-¹, μ, È, ç[]ê[]+[], à, , è, Ù, ·B , ±, Ì[]ê[]+[]A-B^È%ºCE^-@, Ì[]A, à, x^è“x, » , Ìftf@fCf<, ðf_fEf“f[][]fh, ·, é, ±, Æ, Å, ·Bf_fEf“f[][]fhŽž, É-â‘è, ð[]¶, ¶, ½[]ê[]+[], Ì[]AZÿ, Ìfy[]f]W, àŽQ[]i, É, μ, Ä, , ³/4, ³, ç[]B [http://www.winzip.com/downprob.htm](#)

‘[]^ó:

fCf“f^[]f]fbfg, æ, èf_fEf“f[][]fh%ºÅ“\, È‘½, , Ìftf@fCf<, ÌŽÀ[]sCE`Ž@, Ìftf@fCf<.(EXE), Å, ·B fCf“f^[]f]fbfgfuf%oEfUfTf[]f]gfAfhfif“, Ì, ±, è, ç, Ìftf@fCf<, ð^μ, x, ±, Æ, ð, Å, «, Ù, ¹, ñ[]B, μ, ©, μ, È, ð, ç[]A, » , ÌŽÀ[]sftf@fCf<, ðŽ©CEÈ%º“€CE^ZIPftf@fCf<, Å, , é[]ê[]+[]Šj, , ±, Æ, ð, Å, «, Ù, ·BWinZip , Ì Classic f, []fh, Å[]A[File]-[Open] f_fCfAf[]fO, ÅŠj, , ©[]AWindows95/98 , Ù, ½, Ì NT , Ì[]ê[]+[]Aftf@fCf<, ð%ºEfNfŠfbfN, μ[]A[Open with WinZip] , ð‘ì, ð, μ, Ù, ·B

ŠÖ~A[]€-Ú:

[fp\frf““É\[\]M, È, Ç, Ìfif“f%ºfCf“fT\[\]f\]rfX, ©, ç, Ìf_fEf“f\[\]\[\]fh](#)

fpf\frf""ÉM,È,Ç,ìfif"f %ofCf"fT[fxfX,©,ç,ìf_fEf"f[fh

□ê—p,ìfAfNfZfXf\ftfg,ðŽg—p,·,é,æ,æ,Èfif"f
%ofCf"fT[fxfX,Á,íA"É"íf_fEf"f[fh,³,è,½ftf@fCf<,ð·Ù"¶,·,é"Á"è,ìftfHf<f_,ª,·,è,Ü,·□B,½,Æ,ì,í□AA
merica Online ,Á,í C:\aol\download □ACompuServe ,Á,íC:\cserve\download ,Æ,ç,çftfHf<f_,ªŽg—
p,³,è,Ü,·□B,±,è,ç,ìftT[fxfX,©,çZipftf@fCf<,ðf_fEf"f[fh,μ,½□ê#□AWinZip,ðŽg—
p,μ,ÄŠÈ'P,É,»,ìftf@fCf<,ðŠ,ì,±,Æ,ª,Á,«,Ü,·□B

WinZipfEfBfU□[fh,ðŽg—p,·,é□ê#□A

WinZip,ìfAfCfRf",ðf_fuf<fNfŠfbfN,μ,ÄWinZip,ð·N"® ,μ,Ü,·□B[Next] f{f^f",ð%ÿ,μ,Ä [Select
Zip File]fXfNfŠ□[f",É^Ü,è,Ü,·□BWinZip fEfBfU□[fh,ì [Select Zip File]
fXfNfŠ□[f",Á,í□AFavorite Zip Folders□i,·<C,É"ü,è,ìZIPftfHf<f_□i"à,ì,·,×,Ä,ìftf@fCf<,ð·\
Ž!,μ,Ü,·□B ,±,ìfŠfXfg,Á,í□A□Á<Bf_fEf"f[fh,³,è,½ftf@fCf<,ª,»,ìftfHf<f_"à,ì□A,à□ä,É·\
Ž!,³,è,Ü,·□B

ftf@fCf<,Ü,½,ìf_fEf"f[fhftfHf<f_,ª·\Ž!,³,è,Ä,ç,È,ç□ê#□A[Search] f{f^f",ðfNfŠfbfN,·,é,±,
·,Æ,Á□Aftf@fCf<,ðCEY□ð,·,é,±,Æ,ª,Á,«,Ü,·□B,»,ìCEã□A[Search hard disk(s) on this PC]
,ðfNfŠfbfN,μ□A[OK],ðfNfŠfbfN,μ,Ü,·□BWinZip,ì,·,×,Ä,ìfn□[fhfffBfXfNfhf
%ofCfu,ðf`fFfbfN,μ□A□V,½,ÉZipftf@fCf<,ìfŠfXfg,ð□i□→,μ□A,·<C,É"ü,è,ìftfHf<f_ (WinZip,ª"-
CE©,μ,½Zipftf@fCf<,ì,·,éftfHf<f_) ,ð□X□V,μ,Ü,·□B□^—□,ª□i—¹,·,é,Æ□A□V,μ,-
f_fEf"f[fh,³,è,½ftf@fCf<,ìfŠfXfg,ì□A,à□ä,É·\Ž!,³,è,Ü,·□B□^—
□,μ,½,çftf@fCf<,ð'ì'ð,μ□AfEfBfU□[fh,ì"WSJ□^—□,ð'±□s,μ,Ü,·□B

WinZipfEfBfU□[fh,ìŽg—p·ù-@,É,Á,ç,Ä,íWinZipfEfBfU□[fh ,ì□€,ðŽQ□Æ,μ,Ä,·¾,³,ç□B

WinZipNf%ofVfbfN,ðŽg—p,·,é□ê#□A

WinZip,ìfAfCfRf",ðf_fuf<fNfŠfbfN,μ,ÄWinZip,ð·N"® ,μ,Ü,·□Bfc□[f<fo□[,ì [Favorites] f{f^f",ð
%ÿ,·,©□A[File]-[Favorite Zip Folders]f□fj...□[,ð'ì'ð,μ,Ü,·□B'É□í,±
,ìf_cfAf□fOf{fbfNfX,Á,í□AFavorite Zip Folders□i,·<C,É"ü,è,ìZIPftfHf<f_□i
"à,ì,·,×,Ä,ìZipftf@fCf<,ð·\Ž!,μ,Ü,·□B,±
,ìfŠfXfg,Á,í□A□Á<Bf_fEf"f[fh,³,è,½ftf@fCf<,ª,»,ìftfHf<f_"à,ì□A,à□ä,É·\Ž!,³,è,Ü,·□B

ftf@fCf<,Ü,½,ìf_fEf"f[fhftfHf<f_,ª·\Ž!,³,è,Ä,ç,È,ç□ê#□A[Search] f{f^f",ðfNfŠfbfN,·,é,±,
·,Æ,Á□Aftf@fCf<,ðCEY□ð,·,é,±,Æ,ª,Á,«,Ü,·□B,»,ìCEã□A[Search hard disk(s) on this PC]
,ðfNfŠfbfN,μ□A[OK],ðfNfŠfbfN,μ,Ü,·□BWinZip,ì,·,×,Ä,ìfn□[fhfffBfXfNfhf
%ofCfu,ðf`fFfbfN,μ□A□V,½,ÉZipftf@fCf<,ìfŠfXfg,ð□i□→,μ□A,·<C,É"ü,è,ìftfHf<f_ (WinZip,ª"-
CE©,μ,½Zipftf@fCf<,ì,·,éftfHf<f_) ,ð□X□V,μ,Ü,·□B□^—□,ª□i—¹,·,é,Æ□A□V,μ,-
f_fEf"f[fh,³,è,½ftf@fCf<,ìfŠfXfg,ì□A,à□ä,É·\Ž!,³,è,Ü,·□B□^—
□,μ,½,çftf@fCf<,ð'ì'ð,μ□A[Open] f{f^f",ðfNfŠfbfN,μ,Ü,·□B

□U,μ,·,ìf_fEf"f[fh,μ,½ftf@fCf<,ðŠC—□,·,éfqf"fg,ì□€,ðŽQ□Æ,μ,Ä,·¾,³,ç□B

□^ó:

fCf"f^□[f]fbfg,æ,èf_fEf"f[fh%Á"\,È"½,ìftf@fCf<,ìŽÀ□sCE`Ž®,ìftf@fCf<(.EXE),Á,·□B
fCf"f^□[f]fbfgfuf%ofEfUfTf□[fgfAfhfif",ì,±,è,ç,ìftf@fCf<,ð^μ,æ,±
,Æ,ª,Á,«,Ü,¹,ñ□B,μ,©,μ,É,ª,ç□A,»,ìŽÀ□sftf@fCf<,ªŽ©CEÈ%ð"€CE^ZIPftf@fCf<,Á,·,é□ê#□ŠJ,ì,±
,Æ,ª,Á,«,Ü,·□BWinZip ,ì Classic f,□[fh,Á□A[File]-[Open] f_cfAf□fO,ÁŠJ,·,©□AWindows95/98 ,Ü,½,í
NT ,ì□ê#□Aftf@fCf<,ð%EfNfŠfbfN,μ□A[Open with WinZip] ,ð'ì'ð,μ,Ü,·□B

ŠÖ~A□€-Ú:

[fcf"f^□\[f\]fbfg,©,ç_fEf"f\[fh](#)

UUencoded, XXencoded, BinHex, MIMEftf@fCf<

WinZip ,Å,í□AUUencode□AXxencode□ABinHex□AMIMEftf@fCf<(Base64□Aplain/text□Aquoted-printable),ÅfGf“fR□[fh,³,ê,½ftf@fCf<,đŠj,«□AfffR□[fh,·,é,±,Æ,ª,Å,«,Ü,·□B,±,ì□€,Å,í□A,±,ê,ç,ìfGf“fR□[fh,ì“Á’¥□A<@”\□AZg—p-@,É,Ç,đ□à-¾,μ,Ü,·□B

fwf<fvfEfBf“fhfE,ìfuf%ofEfYf{f^f“□i-î^ó,ìf{f^f“□j,đŽg—p,·,ê,îŽÿ,ì□€-Ú,É□i,p,±,Æ,ª,Å,«,Ü,·□B

[UUencoded, XXencoded, BinHex, MIMEftf@fCf<](#),đfNfŠfbfN,·,ê,î<î“l,È•û-@,É,Å,ç,Ä□à-¾,đ€©,é,±,Æ,ª,Å,«,Ü,·□B

UUencoded, XXencoded, BinHex, MIMEftf@fCf<

WinZip ,Å, í AUUencode AXxencode ABinHex AMIMEftf@fCf<(Base64 Aplain/text Aquoted-printable), ÅfGf“fR [fh, ³, ê, ½ftf@fCf<, đŠ], « AffffR [fh, ., é, ±, Æ, ³, Å, «, Ü, . B

f wf<fvfEfBf“fhfE, ìfuf%ofEfYf{f^f“ [< >], đ, đŽg—p, ., é, © A%º, ìfCf“ffffbfNfX, đŽg—p, μ, Å A•Ó—~ , È WinZip , ÌŽg—p•û-@, đ, ²—%º, ³, ç B

, ±, ±, ©, ç, ì à-¾, Í A, , È, ½, ³ Windows , Æ WinZip , ÌŠî- {“l, ÈŽg—p-@, “, æ, Ñ AŠî- {“l, È“dŽqf [f<fvf]fO%of€, ÌŽg—p•û-@, đ—%ºđ, μ, Å, ç, é, ±, Æ, đ‘O’ñ, Æ, μ, Å, “, è, Ü, .

UUencoded, XXencoded, BinHex, MIMEftf@fCf<
fCf“f^ [f]fbfgf [f<, Åftf@fCf<, đ’— M, ., é
Uencode, l”wCEi, ÆŽd’g.Y
Žó M, ÆffffR [fh, ì€”ö
WinZip, Åftf@fCf<, đffffR [fh, ., é
WinZip, Åftf@fCf<, đUencode, ., é
Uencode, μ, ½ftf@fCf<, đf [f<, Å’— M, ., é
fqf“fg&f`fbfvfX Afgf%ofvf<fvf... [fefBf“fO

fCf“f^[]flfbfgf[][]lf<,Åftf@fCf<,đ’—[]M,.,é

,à,μ, ,È,½,ÉfCf“f^[]flfbfg,É[]Ú’±,Å,«,éŠÂ<«,ª, ,é[]ê[]#[]A,.,Å,Éftf@fCf<,đ“Y•t%oÅ“\
,É“dŽqf[][]f<fvf[]fOf%of€,đ,“Žg,ç,©,à,μ,ê,Û,¹,ñ[]B,μ,©,μ[]AMSMail,â CompuServe Information
Manager (CIM),È,Ç,İfvf[]fOf%of€,Å,İ[]AfCf“f^[]flfbfgfAfhfçfX,ÉŠÈ’P,Éftf@fCf<,đ“]’—
,Å,«,Û,¹,ñ[]BCompuServe
,İ[]ê[]#[]Aft[]fU,İft[]fX[]ã,İ[]§CEÀ,©,ç[]AfCf“f^[]flfbfg,İ’ŠŽè,ÉŠÈ’P,Éftf@fCf<,đ’—,é,±
,Æ,ª,Å,«,Û,¹,ñ[]BWinZip ,đŽg—p,.,é,±,Æ,Å[]A,Û,Æ,ñ,Ç,İ“dŽqf[][]f<fvf[]fOf%of€,Åftf@fCf<,İ’—
Žó[]M,đ%oÅ“\,É,μ,Û,·[]B
[]^Ó: , ,È,½,İŽg—p,μ,Å,ç,é“dŽqf[][]f<fvf[]fOf%of€,ªftf@fCf<“]’—,đfTf[]f[]g,μ,Å,ç
,é[]ê[]#,Å,à[]A“]’—’O,É WinZip ,Åftf@fCf<,đ^³[]k,.,é,±,Æ,Å“]’—ŽžŠÓ,đ’Z[]k,.,é,±
,Æ,ª,Å,«,Û,·[]BŽóŽæ[]I,ªZipfA[]f[]fCfu,É•sŠμ,é,É[]ê[]#,İ[]AWinZip ,ÅŽ©CEÉ
%ođ“€CE^fA[]f[]fCfu,đ[]i[]-,.,é,±,Æ,à,Å,«,Û,·[]B

UUencoded, XXencoded, BinHex, MIMEftf@fCf<
fCf“f^[]flfbfgf[][]lf<,Åftf@fCf<,đ’—[]M,.,é
Uencode,İ“wCEi,ÆŽd’g,Y
Žó[]M,ÆffR[]fh,İ[]€”ö
WinZip,Åftf@fCf<,đffR[]fh,.,é
WinZip,Åftf@fCf<,đUencode,.,é
Uencode,μ,½ftf@fCf<,đf[][]lf<,Å’—[]M,.,é
fqf“fg&f`fbfvfX[]Afgf%ofuf<fVf...[]fefBf“fO

Uuencode, l" wŒi,ÆŽd'g,Ý

fCf" f^ [flfbfg, lfofCfifŠftf@fCf<(fvf[]fOf%of€ ,âA" ņfefLfXfgftf@fCf<), ð"]' —, ,é,æ,æ,æ
,É, lfffUfCf" ,³,é,Á,ç, Û, ¹, ņB^ óü%oA" \, È ASCIIlfLfff%ofNf^ [] [, ©,ç,É,éf[]fbfZ[]fW, Ì,Ý,ð"]' —, ,é,±
,Æ,ª,Á,« ,Û, ·B, ±, Ì[]\$CEÀ,ª , ,é,½,ß[]AUUencode ,É,Ç, Ì•û-@,ª[] ,ç,ê,Û,µ,½[]B
, ±,é,ç, Ì•û-@, Ì, Û,Æ,ñ,Ç" , ¶'€[] ,Á, ·B"]' —•s%oA" \, ÈfofCfifŠftf@fCf<, ð ASCIIlfLfff
%ofNf^ [] [,ÉfGf" fR[]fh, µA" dŽqf[][]f<fvfXfef€ ,ª^µ,æ,±,Æ,ª,Á,« ,é,æ,æ,É,µ,Û, ·Bf[]fbfZ[]fW, ð,æ
, ,Æ,Á,½[] , ÌA• ¶Žš—ñ, ðfffR[]fh, µA" f[]fŠfWfj<, lftf@fCf<, ðA[] []¬, µ,Û, ·B^ È%oª , Ì,æ,æ
,Éf[]fbfZ[]fW, ðCEä— ,É,É,Á,½,±,Æ,ª , ,é, ©, à,µ,ê,Û, ¹, ņB

```
==  
-- Part 001 of 001 of file encoded.txt  
==
```

```
begin 666 encoded.txt  
M5&5S="$-"@T*1V5N=&QE(%)E861E<CH-"@T*5&AI<R!I<R!N;W1H:6YG(&UO  
M<F4@=&AA;B!A('1E<W0@9FEL92!C<F5A=&5D('1O('!R;W9I9&4@9F]D9&5R  
M(&9O<B!T:&4@=F%R:6]U<R!E;F-O9&EN9R!S8VAE;65S+B!)9B!Y;W4@87)E  
M('5S:6YG(&ET('1O('1E<W0L(&-O;F=R871U;&%T:6]N<R!O;B!Y;W5R(&%G  
M:6QI='D@:6X@8W5T=&EN9RP@&%S=&EN9RP@<V%V:6YG+"!A;F0@9&5C;V1I  
; ;F<@=7-I;F<@5VEN6FEP+@T*#0I%;FIO>2S`  
,  
end
```

WinZip ,Á, Ì, ,É,½,É'—,ç,ê,½[]AUUencode[]AXxencode[]ABinHex[]AMIMEftf@fCf<(Base64[]Aplain/
text[]Aquoted-printable),ÁfGf" fR[]fh, ³,é,½ftf@fCf<,ðŠ],«[]AfffR[]fh, ,é,±,Æ,ª,Á,« ,Û, ·B<t,É'—
[]M, ,é,éê# ,à[]Aftf@fCf<, ð Uuencode , ,é,±,Æ,ª,Á,« ,Û, ·B

[UUencoded, XXEncoded, BinHex, MIMEftf@fCf<
fCf" f^ \[flfbfg\[\]\[\]f<,Áftf@fCf<,ð'—\[\]M, ,é
Uuencode, l" wŒi,ÆŽd'g,Ý
Žó\[\]M,ÆfffR\[\]fh, Ì€"ö
WinZip,Áftf@fCf<,ðfffR\[\]fh, ,é
WinZip,Áftf@fCf<,ðUuencode, ,é
Uuencode,µ,½ftf@fCf<,ðf\[\]\[\]f<,Á'—\[\]M, ,é
fqf"fg&f`fbfvfX\[\]Afgf%ofuf<fvf...\[\]fefBf"fo](#)

ŽóM,ÆffR[fh,ì€”ö

fGf“fR[fh,³,ê,½ftf@fCf<,ì“Y•t,³,ê,½f[fbfZ[fW,ðŽó,~Žæ,Á,½êê±AWinZip
,ÄffR[fh,·,é,½,ß,ÉŠÈ’P,È’€ì,ª•K—v,É,È,è,Ü,·B,±,ì’€ì,í, ,È,½,ªŽg—p,µ,Ä,ç
,é“dŽqf[f<fvf[fOf%of€,É,æ,Á,Ä’½-

•í,í,è,Ü,·Bf[fbfZ[fW,ðŠJ,«A,»,ìf[fbfZ[fW,ðŠg’£ŽqUUE,ìftf@fCf<,Æ,µ,Ä•Ü’¶,µ,Ü,·B—
á,!,îAFILENAME.UUE,ì,æ,æ,É,µ,Ü,·B

“dŽqf[f<fvf[fOf%of€,É,æ,Á,Ä,í“Y•tftf@fCf<,ð•É,ìftfHf<f_,Éftf@fCf<,Æ,µ,Ä•Ü’¶,·,é,à,ì,à, ,é,©,à,
µ,ê,Ü,¹,ñB,»,ìêê±AZ©“®“l,Éftf@fCf<-¼,ª,Ä,~,ç,é,Ü,·,ªASg’£ŽqUUE,ì,Éftf@fCf<-
¼,É•ìX,µ,Ä%ª,³,çB

•i”,ìf[fbfZ[fW,ÉªŠ,,³,é,½ftf@fCf<,ðŽó,~Žæ,éêê±,ª, ,é,©,à,µ,ê,Ü,¹,ñB,±
,ìêê±,ìAfejLXfgfGfffBf^,âADOS,ì COPYRf}f“fh,ðŽg—p,µ,Äê,Ä,ì’â,«,Éftf@fCf<,É,·,é•K—
v,ª, ,è,Ü,·B

UUencoded, XXencoded, BinHex, MIMEftf@fCf<
fCf“f^ [f[fbfZ[fW,Äftf@fCf<,ð’—M,·,é
Uencode,ì”wCEi,ÆŽd’g,Y
ŽóM,ÆffR[fh,ì€”ö
WinZip,Äftf@fCf<,ðffR[fh,·,é
WinZip,Äftf@fCf<,ðUencode,·,é
Uencode,µ,½ftf@fCf<,ðf[f<,Ä’—M,·,é
fqf“fg&f`fbfvfX[Afgf%ofuf<fvf... [fefBf“fO

WinZip, Åftf@fCf<, ðfffR[]fh, ·, é

'—, ç, ê, Ä, «, ½f[]f<,ª UUencode[]AXxencode[]ABinHex[]AMIMEftf@fCf<(Base64[]Aplain/text[]Aquoted-printable) ,ì, Ç, ÌÈ`Ž®, Å, ,é, ©, ð[]S"z, ·, é•K—v, Í, ,è, Ü, ¹, ñ[]BWinZip, ÌfGf" fR[]fh•ûŽ® , ðŽ©"®"l, É"»'f, µ[]AfffR[]fh, µ, Ü, ·[]B

ZIPfA[]fjfcfu, ì[]ê[]#[]AWinZip , Å, ÍŽÿ, ì, æ, x, ÉfGf" fR[]fh, ³, ê, ½ftf@fCf<, ðŠj, , ±, Æ,ª, Å, «, Ü, ·[]B—á, Ì, Î:

- Šg'£ŽqUUE, Ìftf@fCf<, ðf_fuf<fNfŠfbfN, µ, Ü, ·[]B
- WinZip,ªftf@fCf<, ðfffR[]fh, µ, Ü, ·[]BZIPfA[]fjfcfu, ì[]ê[]#[]A, » , ì, Ü, ÜŠj, , ±, Æ,ª, Å, «, Ü, ·[]B, à, µ^³[]k, ³, ê, Ä, ç, É, ç[]ê[]#, Ì[]A'É[]í, É•\Zì, ³, ê, Ü, ·[]B
- WinZip, ð'É[]í, ÌfA[]fjfcfu, Æ" —l, É%øð"€ , ·, é, ±, Æ,ª, Å, «, Ü, ·[]B

[]^Ó: WinZip , Ìfc[]f<fo[]f{f^f" , â[]AWinZip, Éfhf%øfbfO[]•fhf[]fbfv, ·, é, ±, Æ, Å[]AŠg'£Žq, ÉŠÖ, Ì, ç, ,fGf" fR[]fh, ³, ê, ½ftf@fCf<, ðŠj, , ±, Æ,ª, Å, «, Ü, ·[]B

UUencoded, XXencoded, BinHex, MIMEftf@fCf<
fCf" f^[]f[]fbf[]g[]f[]f<, Åftf@fCf<, ð'—[]M, ·, é
Uencode, Ì" wÇEi, ÆŽd'g, Y
Žó[]M, ÆffR[]fh, Ì[]€"ö
WinZip, Åftf@fCf<, ðfffR[]fh, ·, é
WinZip, Åftf@fCf<, ðUencode, ·, é
Uencode, µ, ½ftf@fCf<, ðf[]f<, Å'—[]M, ·, é
fqf"fg&f'fbfvfX[]Afgf%øfuf<fVf...[]f[]efBf"fo

WinZip, Åftf@fCf<, ðUencode, ·, é

WinZip ,í f [f<, Å' — M, Å, «, é, æ, x, É ZIP fA [fj fCfu, ðUencode , ·, é, ± ,Æ, a, Å, «, Ü, · B fG f" fR [fh, ·, é Š ù ' ¶, ì ZIP ftf@fCf<, ð Š J, ·, © A V < K, É ZIP ftf@fCf<, ð ì —, µ, Ü, · B

- ftf@fCf<, a ZIP ftf@fCf<, Æ, µ, Ä, ·, Å, É, , é ê ð ð A WinZip, Å, » , ì ftf@fCf<, ð Š J, «, Ü, · B
- ' — M, µ, ½, ç ftf@fCf<, a fA [fj fCfu, É, È, Á, Ä, ç, È, ç ê ð ð A WinZip, ð Ž g — p, µ, Å ZIP ftf@fCf<, ð ì —, µ A, » , ì ftf@fCf<, ð Š J, ç, ½, Ü, Ü, É, µ, Ä, " , «, Ü, · B
- [Actions] f [fj f... [, © , ç [Uencode] , ð ' ð , µ, Ü, · B

UUencode ftf@fCf<, í ZIP fA [fj fCfu, © , ç ì —, ³, ê, Ü, · B — á, ì, î A, à, Æ, ì ftf@fCf<, a TESTFILE.ZIP, ì ê ð ð A, » , ì ftf@fCf<, Æ " ¶, ¶ ftfH f< f_ , É TESTFILE.UUE , Æ, ç, x- ¼ ' O, Å ftf@fCf<, a ì —, ³, ê, Ü, · B

UUencoded, XXencoded, BinHex, MIMEftf@fCf<
fCf" f ^ [f l f b f g f [f<, Åftf@fCf<, ð' — M, ·, é
Uencode, l " w C E i, Æ Ž d ' g, Y
Ž ó M, Æ f f R [f h, ì € " ö
WinZip, Åftf@fCf<, ð f f R [f h, ·, é
WinZip, Åftf@fCf<, ð Uencode, ·, é
Uencode, µ, ½ ftf@fCf<, ð f [f<, Å' — M, ·, é
fqf" fg & f' f b f v f X A f g f % o f u f < f V f ... [f e f B f " f O

Uuencode,μ,½ftf@fCf<,đf[]f<,Å'—[]M,.,é

UUencode ,μ,½ftf@fCf<,đ'—[]M,.,é•û-@,Í[]A“dŽqf[]f<fvf[]fOf%of€
,É,æ,Á,Ä^Ù,È,è,Û,.,ª[]A•W[]€“l,È[]ê[]‡,Í^È%º,Ì'È,è,É,“,±,È,Á,Ä%º,³,ç[]B

1. 'É[]í,ìf[]f<,ì,æ,ª,Éf[]fbfZ[]fW,đ[]ì[]-,μ,Û,·[]B
2. fefLfXfgfGfffBf^,đŽg—p,μ,Ä UUE ftf@fCf<,đŠ),«[]AfNfŠfbfvf{[]fh,ÉfRfs[][,μ,Û,·[]B
3. f[]fbfZ[]fW,É“\,è•t,¯,Û,·[]B

'å,«,Èftf@fCf<,đ“]—,.,é[]ê[]‡,Í[]AŽŸ,ìfqf“fg/f`fbfvfX/fgf%ofuf<fvf...[]fefBf“fO,ì[]€-Ú,đŽQ[]Æ,μ,Ä
%º,³,ç[]B

UUencoded, XXencoded, BinHex, MIMEftf@fCf<
fCf“f^[]f[]fbfgf[]f<,Åftf@fCf<,đ'—[]M,.,é
Uuencode,l”wCEi,ÆŽd’g,Ý
Žó[]M,ÆfffR[]fh,ì[]€”ö
WinZip,Åftf@fCf<,đffR[]fh,.,é
WinZip,Åftf@fCf<,đUuencode,.,é
Uuencode,μ,½ftf@fCf<,đf[]f<,Å'—[]M,.,é
fqf“fg&f`fbfvfX[]Afgf%ofuf<fvf...[]fefBf“fO

fjqf"fg&f`fbfvfX[]Afgf%ofuf<fVf...[]fefBf"fO

WinZip,đŽg,ı,ı^È%º,İCE`Ž®,ÁfGf"FR[]fh,³,ê,½"Y•tftf@fCf<,đŠÈ'P,ÉfffR[]fh,ı,é,±,Æ,ª,Á,«,,Ü,ıB^È%º[]A,æ,èfXf€[]fX,É[]ı<Æ,đ[]s,ı,½,ß,ıfjqf"fg,Á,ı:

ftf@fCf<,áfffR[]fh,Á,«,È,ç[]è[]#[]A,»,,İCE`^ö,Æ,μ,Ä[]ı,ı,ç,ê,é,±,Æ,ı[]A•sŠ®'S,Èff[]f^,Á,ı,é,©,fwfbf_[]ı•ñ,ªCE‡,ı,Á,ç,é,©,ı,ç,ı,ê,©,Á,ıBfffR[]fh[]ı<Æ,đ[]s,ı[]Ü,É[]Afff[]f^,ªS®'S,Á,ı,é,Æ,ç,ı,±,Æ,ı[]d—v,È,±,Æ,Á[]A,³,ç,Éfwfbf_[]ı•ñ,ı•s%ºÄCE‡,Á,ıB^È%º,ÉŠefGf"FR[]fh•úŽ®,ıŠÈ'P,È—á,đ—p^Ó,μ,Ü,μ,½[]B,ı,È,½,ªŽó,ıŽæ,Á,½f[]fbfZ[]fW,ª[]³,μ,ç,à,ı,Á,ı,é,©[]Afwfbf_[]ı•ñ,ıCE‡,ı,Á,ç,È,ç,©,Ç,ı,©"ä,ı,ı,Á,ı,é,é[]è[]#,ıZQ[]ı,È,μ,Á,ı,¾,¾,ç[]BfNfSfbfN,ı,é,Æ,ı,ê,ı,¼,ê,ı—á,ªCE»,ê,Ü,ıB

[Uuencode,ıı—á](#) [Xxencode,ıı—á](#) [BinHex,ıı—á](#) [MIME\(base64\),ıı—á](#)

f}f`f`fp[]fjgfGf"FR[]fhftf@fCf<,ı[]è[]#,ı[]AWinZip,ÁfffR[]fh,ı,é'ı,É[]A,ı,ê,ç,đCE<[]#³,ı,Á,ı,ı,ı•K—v,ª,ı,è,Ü,ıB•ı[]",ıftf@fCf<,È,ı,ı,ÁfGf"FR[]fh,³,ê,½f[]f^,đŽó,ıŽæ,Á,½[]è[]#,ı[]AfefLfXfgfGfffBf^,đŽg,Á,Á,ı,»,,é,ç,đCE<[]#ı,Á,©,çWinZip,ÁŠ,ç,Á,ı,¾,¾,ç[]B,Ü,ı,½,ıUUDewiew (Frank Pilhofer[]ı),ı,æ,ı,Èfvf[]fO%ºf€,đŽg,ı,Æ,ç,ıŽè,à,ı,è,Ü,ı (WinZip,ıfffR[]fhfTfuf<[]f`f",ıUUDewiew,đfx[]fX,È,μ,Á,ç,Ü,ı)[]BfıfŠfWfıf<,ıUUDewiew,ıfefLfXfgf,[]fh,ıfRf}f`fhf%ºfCf"fvf[]fO%ºf€,Á,ıBWindowsfCf"ı^[]ftfF[]fX,ıfo[]fWfıf" (Michael Newcomb[]ı),à,ı,è,Ü,ıB,ı,è,ç,ıftfŠ[]fıv[]fOf%ºf€,Á,ı,»,,é,¼,ê[]Ahttp://www.uni-frankfurt.de/~fp/uudeview (Germany) []Ahttp://www.miken.com/uud (USA),©,ç_fEf"ı[]fh%ºÄ"ı,Á,ıB

ftf@fCf<,ıfGf"FR[]fh,ÉŠÖ,ı,é,æ,è[]Ü,μ,ç[]ı•ñ,ıfCf"ı^[]fıfbfg,ı,ç,è,ç,è,È[]è[]Š,Á'ñ<ı,³,ê,Á,ç,Ü,ıBŽèŽn,ß,É[]A http://www.uni-frankfurt.de/~fp/uudeview ,ı "Introduction to Decoding" ,ı<LŽ—,đ"Ç,ñ,Á,ı,é,Æ,æ,ç,Á,μ,á,ıBıMIME,ıZd—ı,ı[]ARFC 1521,Á'è<`³,ê,Á,ı,è[]A[]L,ıfCf"ı^[]fıfbfg,©,ç"üZè%ºÄ"ı,Á,ıB

fofo,ıı•ñ[]: ,ıéftf@fCf<,ª[]³,μ,fGf"FR[]fh,³,ê,Á,ç,é,ı,ı,È,ı,É[]A,Ç,ı,μ,Ä,àWinZip,ÁŠ,ı,È,ç,Æ,ç,ı,ı[]è[]#,ı[]AP&A,ıfefNfjff<ftf[]fıg,È,²"ı—ı,ı,¾,¾,ç[]B support@panda.co.jp^ı,Á,É[]Ü[]ı,Æ[]A—á'è,ıftf@fCf<,đZIPCE`Ž®,Á³[]k,μ,Á"Y•t,μ,Á,—,¾,¾,ç[]B,ı,ı[]Ü[]Afwfbf_»,ı'¼,ı[]ı•ñ,đŽæ,è[]œ,©,ı,ıA,ı,Ü,Á,àCE»[]ó,Á,ı'—,è,ı,¾,¾,ç[]B,Ü,ı,½%ºÄ"ı,Á,ı,é,ı,ı,ıftf@fCf<,đ[]ı[]ı,μ,½fvf[]fO%ºf€—¼,à,ıŠè,ç'v,μ,Ü,ıBftf@fCf<ftfCfY,ı[]ı,³,ç,à,ı,đ,ıŠè,ç'v,μ,Ü,ıB²[]ı,ı[]ã[]A,Á,«,é,¾,¾,ı'ı,ı,ıÖŽ—'v,μ,Ü,ıB

[UUencoded, XXencoded, BinHex, MIMEftf@fCf<fCf"ı^\[\]fıfbfg\[\]f<,Áftf@fCf<,đ'—\[\]M,ı,éUuencode,ıı"ıCEı,ÆŽd'g,ıŽó\[\]M,ÆfffR\[\]fh,ıı€"óWinZip,Áftf@fCf<,đfffR\[\]fh,ı,éWinZip,Áftf@fCf<,đUuencode,ı,éUuencode,ı,ı,½ftf@fCf<,đf\[\]f<,Á'—\[\]M,ı,é](#)
fjqf"fg&f`fbfvfX[]Afgf%ofuf<fVf...[]fefBf"fO

Uuencode, ì—á

Uuencodedftf@fCf<, ì^ê—á:

begin 666 encoded.txt

```
M5&5S="$- "@T*1V5N=&QE (%) E861E<CH-"@T*5&AI<R! I<R!N;W1H:6YG (&UO
M<F4@=&AA;B!A ('1E<W0@9FEL92!C<F5A=&5D ('1O ('!R;W9I9&4@9F]D9&5R
M (&9O<B!T: &4@=F%R:6]U<R!E;F-O9&EN9R!S8VAE;65S+B!)9B!Y;W4@87)E
M ('5S:6YG (&ET ('1O ('1E<W0L (&-O;F=R871U; &%T:6]N<R!O;B!Y;W5R (&%G
M:6QI='D@:6X@8W5T=&EN9RP@<&%S=&EN9RP@<V%V:6YG+"!A;F0@9&5C;V1I
:;F<@=7-I;F<@5VEN6FEP+@T*#0I%;FIO>2$`
```

end

fgf"fg&f`fbfvfX[]Afgf%ofuf<fVf...[]lfefBf"fO.Ö-ß,é

Xencode, ì—á

Xxencodeftf@fCf<,ì^ê—á:

begin 666 encoded.txt

```
hJ4JnR02B0Uo8FqJiR41Z637ZMKFZQXcB0Uo8J4VdQm-dQm-iPrFcOKtb64pj
hQaIUR4VVPW-V65FZQrEUNaZgNG-XQaJVR4JY65Fj65-mPrNdN4IUNaxYN4Jm
h64NjQW-o04IURa3mOKxpQm-ZPaBjN4ZiNm-nMqVZPKJn9W-7NW-tPrIUML7Z
h65JnOKtb64Zo65Fj65FZQrEg64BjPaRmMLFpP43oOKxiQm-jPW-tPrJm643b
hOKldR5YUOKsUMrJoR4ZiNmKÜQ43nR4ZiNmKÜQq3qOKtb90-VPaEUN4JXPqFd
OPaQURLBdPaQUJqZiKaZk9Uo81Ed3PadjSG2+
```

+

end

fg"fg&f`fbfvfX Afgf%ofuf<fVf... [fefBf"fo,Ö-ß,é

BinHex, ì—á

BinHexftf@fCf<,ì^ê—á:

VGvzdCENCg0KR2VudGx1IFJlYWw1cjoNCg0KVHpcyBpcyBub3Roaw5nIG1vcMUgdGhhbiBhIHRlc3QgZmlsZSBjcmVhdGVkIHRvIHByb3ZpZGUgZm9kZGVyIGZvciB0aGUgdmFyaW91cyBlbmNvZGluZyBzY2h1bWVzLiBJZiB5b3UgYXJlIHVzaW5nIG10IHRvIHRlc3QsIGNvbmdyYXR1bGF0aW9ucyBvbiB5b3VyIGFnaWxpdkhkaW4gY3V0dGluZywgZGFzdGluZywgZGF0aW5nLCBhbmQgZGVjb2RpbmcgdXNpbmcgV2luWmlwLg0KDQpFbmpveSE=

fg"fg&f`fbfvfX Afgf%ofuf<fVf... [fefBf"fo,Ö-β,é

•K—v“® □ìŠÂ««

WinZip 32bit“Á, ÍWindows 95, Windows 98, ,Ü, ½, ÍWindows NT 4.0^È□ã,ª•K—v,Á,·□BWindows NT 3.1 or 3.5,Á,Í“®□ì’v,µ,Ü,¹,ñ□B

ZIPftf@fCf<,Éftf@fCf<,ð’Ç%Á,µ,½,è□AZIPftf@fCf<,ð%ð“€,-,é,ì,É¼,ìfvf□fOf%of€,í•K—v, ,è,Ü,¹,ñ□B,µ,©,µ□AZIPftf@fCf<,ì□V<K□□—□A%ð“€□ì<Æ,É,ÍSO•”fvf□fOf%of€,í•K—v, ,è,Ü,¹,ñ,ª□ALZHftf@fCf<,É,Ç,ð^µ,π,É,í□ASO•”fvf□fOf%of€,ª•K—v,Æ,É,è,Ü,·□B,±,è,ç,íSO•”fvf□fOf%of€ ,ìfCf“fXfg□f<,É,Á,ç,Ä,í□ASO•”fvf□fOf%of€,ìfCf“fXfg□f<,ì□€,ðŽQ□Æ,µ,Ä,,¾,¾,ç□BŠO•”fvf□fOf %of€,É,í^È%º,ì,æ,π,É,à,ì,ª, ,è,Ü,·:

- fEfBf<fXfXfLfff“ ,ð□s,π,É,í□AWinZip,ª^í%º,µ,Ä,ç,éfEfBf<fXfXfLfff“fvf□fOf%of€,ªfVfXfef€ ,ÉfCf“fXfg□f<,¾,è,Á,ç,é•K—v,ª, ,è,Ü,·□BWinZip,ÁŽ©“®”FŽ~ ,¾,è,éfEfBf<fXfXfLfffí,í^È %º,ð,²—%º,¾,ç□B
- RC□AARJ□ALHA,ìftf@fCf<,ðŽg—p,·,é,É,í□A^È%º,ìfvf□fOf%of€,ª•K—v,É,È,è,Ü,·□B,± ,è,ç,ìfvf□fOf%of€,ìfCf“fXfg□f<,É,Á,ç,Ä,íSO•”fvf□fOf%of€,ìfCf“fXfg□f<, ,ì□€,ðŽQ□Æ,µ,Ä,- ,¾,¾,ç□B

ŠO•”fvf□fOf%of€,ì□Ú□×,í^È%º,ì’É,è,Á,·:

- Ž©CEÈ%ð“€CE`Ž®ftf@fCf<,ÍWinZip Self-Extractor Personal Edition, ,ðŽg,Á,Ä□□—,·,é,± ,Æ,ª,Á,« ,Ü,·□B,Ü,½WinZip Self-Extractor, □ì“o~^—¿ \6,000□j,ðŽg—p,·,é,ì,æ,è□,“x,É<@“\,ª —~—p,Á,« ,Ü,·□B
- LZHftf@fCf<,ð^µ,π,É,í□A<g□è%h’×Ž□□,ìLHA.EXE,ª•K— v,Á,·□BLHA.EXE,à,Ü,Æ,ñ,Ç,ìBBS,âfCf“f^□fìfbfgfTfCfg,©,çf_fEf“f□□fjh%Á“\ ,Á,·□B□Á□V“Á,ìLHA213.EXE,Æ,ç,πŽ©CEÈ%ð“€CE`Ž®ftf@fCf<,Á“z•z,¾,è,Á,ç ,Ü,·□BWinZip,ìLHA 2.13,Á“®□ì,µ,Ü,·□B,±,è^È’O,ìfo□fWf†f“□ìLHARC□j,Á,Í“®□ì,µ,Ü,¹,ñ□B
- ARJftf@fCf<,ð^µ,π,É,í□A Robert JungŽ□□,ìARJ,ª•K— v,Á,·□BfVfFfAfEfFfA“Á,í’â’i,ìBBS,©,çf_fEf“f□□fjh,ª%Á“\ ,Á,·□B□Á□V“Á,í□AARJ250.EXE,Ü,½,ìARJ260.EXE,Æ,ç,πŽ©CEÈ %º,ð“€CE`Ž®ftf@fCf<,Á“z•z,¾,è,Á,ç,Ü,·□BWinZip,ìARJ 2.50-60,Á“®□ìŠm”F□ì,Ý,Á,·□B,± ,è^È’O,ìfo□fWf†f“ ,Á,Í“®□ì,µ,Ü,¹,ñ□B
- ARCftf@fCf<,ð^µ,π,É,íŽŸ,ìfvf□fOf%of€,ì,ç, ,è,©,ª•K—v,Á,·:

Vern BergŽ□,ìARC%ð“€ft□fEfBfŠfefB□[ARCE.COM,ÆARC- E.COM□ifo□fWf†f“4.0e□j,ªfRf“fsf...ft□fufu,âBBS,Á“üŽè,Á,« ,Ü,·□BWinZip,ì,± ,è^È’O,ìfo□fWf†f“ ,Á,Í“®□ì,µ,Ü,¹,ñ□B

PKWAREŽÐ,ìPKXARC.COM□ifo□fWf†f“3.5□j□B,± ,è^È’O,ìfo□fWf†f“ ,íWinZip,Á“®□ìŠm”F,ð,µ,Ä,ç,Ü,¹,ñ□B,±,ìfvf□fOf%of€ ,àBBS,©,ç“üŽè,Á,« ,Ü,·□B

PKWAREŽÐ,ìPKXARC.EXE□ifo□fWf†f“3.6□j□B,±,ìfvf□fOf%of€,àBBS,©,ç“üŽè,Á,« ,Ü,·□B

PKWAREŽÐ,ìPKUNPAK.EXE□ifo□fWf†f“3.61□j□B,±,ìfvf□fOf%of€ ,àBBS,©,ç“üŽè,Á,« ,Ü,·□B

System Enhancement AssociatesŽÐ,ìARC.EXE□ifo□fWf†f“5.20,Ü,½,ì6.0□j□B,± ,è,ìfvfFfAfEfFfA,Æ,µ,Á“üŽè,Á,« ,éARC,ì□Á□Vfo□fWf†f“ ,Á,·□B,±,ìfvf□fOf%of€ ,àBBS,©,ç“üŽè,Á,« ,Ü,·□B,±,è^È’O,ìfo□fWf†f“ ,íWinZip,Á,Í“®□ìŠm”F,ð,µ,Ä,ç ,Ü,¹,ñ□BSEAŽÐ,ì□Z□Š,ì□A925 Clifton Ave., Clifton, NJ 07013.

WinZip,ìfìfsf...f%□□,ÉfEfCf<fXfXfLfff“fvf□fOf%of€,ðŽ©“®”FŽ~ ,µ,Ü,·□B □Á□V,ì’í%ºžfvf□fOf %of€fŠfXfg,ì<http://www.winzip.com/xvirus.htm>,ÁŠm”F,µ,Ä,,¾,¾,ç□B

WinZip,ì,Ü,Æ,ñ,Ç,ìfEfBf<fXfXfLfff“fvf□fOf%of€~A“® ,µ,ÄŽg—p,Á,« ,é,æ,π,É□Ý’è,·,é,± ,Æ,ª,Á,« ,Ü,·□B□U,µ, ,ìfEfCf<fXfXfLfff,ì□Y’è,ì□€,ðŽQ□Æ,µ,Ä,,¾,¾,ç□B

fc□f<fo□□.ì□Y’è,Á□A,ç, ,Ä,©,ì□€—Ü,ìWindowsfRf,f“fRf“fgf□□f<f%ofCfuf %ofŠ,ìfo□fWf†f“4.71^È□~ ,ª•K—v,É,È,è,Ü,·□B,±,ìf%ofCfuf%ofŠ,ìWindows 98,âMicrosoft Internet

Explorer 4.0, ÉŠÜ, Ü, ê, Ä, ç, Ü, ·, º AMicrosoft, ìfEfFufTfCfg, ©, ç•ÊĈÂ, Éf_fEf“f□□[fh, ·, é, ±
, Æ, à, Å, «, Ü, ·□B□Ú, μ, , Í□AWindowsRf.f“fRf“fgf□□[f<f%ofCfuf%ofŠ. , ì□€, ðŽQ□Æ, μ, Ä, , ¾, ¾, ç□B

WinZipŠÖ~A,ìftf@fCf<

ftf@fCf<-¼	à-¾
README.TXT	“±“üî•ñ
WINZIP.TXT	flf“f%ofCf“•¶‘,©,ç,ì”²^
WINZIPFM.DLL	ftf@fCf<f}f[]fWffŠg'£,lf_fCfif~fbfNfŠf“fNf%ofCfuf%ofŠ
WINZIP.HLP	flf“f%ofCf“fwf<fvftf@fCf<
WZSEPE32.EXE	WinZip Self-Extractorfp[]f\if<fGfffBfVf#f“
WZWIZARD.HLP	WizardfCf“f^[]ftfFfCfX,ÉŠÖ,;,éfwf<fv
EXAMPLE.ZIP	f`f...[]fghŠfAf<,ÅŽg—p,·,éTf“fvf<ZIPftf@fCf<
WZTUTOR.HLP	f`f...[]fghŠfAf<ftf@fCf<
WINZIP.CNT	fwf<fv,ìRf“fef“fcftf@fCf<
WZ32.DLL	f_fCfif~fbfNfŠf“fNf%ofCfuf%ofŠ
WINZIP32.EXE	WinZip,ìŽÀ[]sftf@fCf<
WZSHLEXT.DLL	fGfNfXfvf[][]f%ofVff<Šg'£f_fCfif~fbfNfŠf“fNf%ofCfuf%ofŠ
WZFM32.DLL	ftf@fCf<f}f[]fWffŠg'£f_fCfif~fbfNfŠf“fNf%ofCfuf%ofŠ
WZCAB.DLL	WinZipŽÀ[]s,É•K—v,Èf_fCfif~fbfNfŠf“fNf%ofCfuf%ofŠ
WZCAB2.DLL	WinZipŽÀ[]s,É•K—v,Èf_fCfif~fbfNfŠf“fNf%ofCfuf%ofŠ
WZ.COM	ŽÀ[]sftf@fCf<
WZ.PIF	fvf[]fOf%of€[]i•ñftf@fCf<
LICENSE.TXT	f%ofCfZf“fXÆ_-ñ[]A•Ú[]Ø
ORDER.TXT	'[]•¶'
VENDOR.TXT	fVfFfAfEfFfAfffBfXfgfŠf...[]f^,ÆfffBfXfNfxf“f_[],ìî•ñ
WHATSNEW.TXT	[]Å[]V[]X[]VfŠfXfg
FILE_ID.DIZ	BBS—p,ìŠÉ'P,Èfvf[]fOf%of€[]Ð%oî

WinZip,ìfCf“fXfg[]f<

P&A,æ,èWinZip^¾[]kfpfbfN,Ü,½,ÍWinZipfTfCfjf%ofCfZf“fX,ð[]w“ü,¾,è,½[]è[]#,í[]A“Y•t,ì“ú-
{Æêf}fjf...fAf<,ðŽQ[]Æ,μ,Ä,,¾,¾,ç,[]B

WinZip, ĩfAf“fCf“fXfg ĩlf<

WinZip, đfAf“fCf“fXfg ĩlf<, ,é,É,íŽŸ, ï3, Â, ï•û-@, ,è, Û, ĩB

fRf“fgf ĩlf<fpfĳf<, ©, ç:

fRf“fgf ĩlf<fpfĳf<, ĩfAfvfŠfP ĩlfvfĳf“ , ĩ'Ç

%oÂ, Æ ĩíœ, đf_fuf<fNfŠfbfN, μ AfŠfXfg, ©, ç WinZip, đ'ĩ'đ, μ, Ä ĩíœ ĩf{f^f“ , đ%oŸ, μ, Û, ĩB

fXf^ ĩlfgf ĩfĳf... ĩl, ©, ç:

fXf^ ĩlfgf{f^f“ , đ%oŸ, μ Afvf ĩfO f%o f€(P) -> WinZip -> Uninstall WinZip, đ'ĩ'đ, μ, Û, ĩB

ftf@fCf<-¼, đŽw'è, μ, ÄŽÀ ĩs, ©, ç:

fXf^ ĩlfgf{f^f“ , đ%oŸ, μ Af tf@fCf<-¼, đŽw'è, μ, ÄŽÀ ĩs, đ'ĩ'đ, μ A-¼' O(O):— , ÉŽŸ, ï, æ, x , Éf^fCfv, μ, Ä[OK]f{f^f“ , đ%oŸ, μ, Û, ĩB

c:\program files\winzip\winzip32.exe /uninstall

fAf“fCf“fXfg ĩlf<, ĩŮ ĩx:

WinZip, ĩfAf“fCf“fXfg ĩlf<Žè'±, «, ĩ AŽŸ, ï, æ, x, ÉfXfefbfv, Â ĩs, í, è, Û, ĩ:

1. ^À'S, ÉfAf“fCf“fXfg ĩlf<, Â, «, é, ©, Ç, x, ©, đŠm" F, , , é
2. , à, μ fCf“fXfg ĩlf<, , , é, Ä, t, è, ĩ AWINFILE.INI, ©, ç WinZip ftf@fCf<f} fl ĩlfWffŠg'£, đ ĩíœ
3. , ±
 , ĩfo ĩlfWfĳf“ , ĩ WinZip, É, æ, Á, ÄfCf“fXfg ĩlf<, , , é, ½ WinZip ftfHf<f_ , ĩ ĩ Windows95,98, Æ WindowsN T, É, ç ĩ AWINZIP32.EXE, Æ f^fCf€fXf^f“fv, , , é ĩftf@fCf<, đ ĩíœ ĩ BWINZIP.GID ĩ AWINZIP .FTS ĩ AWINZIP.PIF, ĩf^fCf€fXf^f“fv, ÉŠÖ, í, ç, , ĩíœ
4. WIN.INI, ©, ç ŠÖ~A•t, , , ÉŠÖ, , , é ĩ€-Ú, đ ĩíœ
5. WIN.INI, ©, ç [WinZip]fGf“fgfŠ, đ ĩíœ
6. WinZip fAfCfRf“ , Æ fXf^ ĩlfgf ĩfĳf... ĩl, ĩfGf“fgfŠ, đ ĩíœ
7. fC€fWfXfgfŠ, ©, ç WinZip, ĩfGf“fgfŠ, đ ĩíœ

ŠO•"fvf□fOf%of€ ,lfCf"fxfg□lf<

WinZip,É,ÍZIP/UNZIP<@"\,ª"à' ,³,è,Ä,ç,Ü,·,ì,Å□AZIPftf@fCf<,âCAB, Microsoft Compress, gzip, TAR, UUencode, XXencode, BinHex, MIME,ì%oð"€□A□ì□¬,ð□s,κ,Ô,ñ,É,í'¼,lfvf□fOf%of€,Í•K—v, ,è,Ü,¹,ñ□B,μ,©,μ□AfEfBf<fX,lfXfLfff"□AARC,âARJ□ALZHftf@fCf<,ì'€□ì,ð□s,κ□ê□‡,Í□AŠO•"fvf□fOf%of€,ª•K—v,Æ,É,è,Ü,·□B,±,è,ç,ÌŠO•"fvf□fOf%of€,ÍWinZip,Æ,ç,Á,μ,â,É,í"z•z,³,è,Ä,ç,Ü,¹,ñ□B,» ,è,¼,è,lfvf□fOf%of€,ðŽg—p,·,é,É,Í [Program Locations](#) ,ì□€ ,É , ,é,æ,κ,É,» ,lfvf□fOf%of€,ì'É'u,ðŽw'è,μ,È,¯ ,è,Î,È,è,Ü,¹,ñ□B,±,ìŽŸ,ì□€,Á,ÍLHA,ÆARJ,lfCf"fxfg□lf<,ð□à-¾,μ,Ü,·□B

'□^Ó□,±,è,ç,ÌŠO•"fvf□fOf%of€,ÍlfvfVf#f" ,Á,·□B,à,μWinZip,ð,·,®Žn,β,½,ç,È,ç"Ç,Ý"ð,í,μ,Ä□A•K—v,É,É,Á,½,Æ,« ,É, "Ç,Ý,,¾,¾,ç□B

,±,ì□à-¾,Í, ,È,½,ªWindows,lf}fCfRf"fsf...□lf^ ,âfGfNfXfvf□□lf%o ,ì'€□,É,É,è,Ä, " ,è□A•W□€"l,ÉWindows,lf_fCfAf□fOf{fbfNfX,âf□fj...□[,È,Ç,ìŽg,ç•ú,ð'm,Á,Ä,ç ,Ä□A,È, " ,© ,ÁWinZip,ðŽg,Á,½□Eo□E±,ª , ,é,±,Æ,ð'z'è,μ,Á,ç,Ü,·□B"±"ü,ì□î•ñ,ÆWinZip,ÌŠw□K-@ ,É,Á,ç,Ä,Í□AfNfCfbfNfXf^□lfq,ì□€,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

'□^Ó: ŠO•"fvf□fOf%of€,ðfCf"fxfg□lf<,É,Í,Ü, ,ŠO•"fvf□fOf%of€,ð"üŽè,·,é,±,Æ,©,çŽn,β,È, - ,Á,Í,È,è,Ü,¹,ñ□B□Bfvf□fOf%of€,ì"üŽè□î•ñ,É,Á,ç,Ä,Í□A•K—v" @□ìŠÄ<<,ì□€,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

ŠÖ~A□€-Ú:

[LHA,lfCf"fxfg□lf<](#)

[ARJ,lfCf"fxfg□lf<](#)

fVfFfAfeFfA"Å,ìf%ofCfZf"fx

WinZip® Copyright © 1991-1998 by Nico Mak Computing, Inc.
All rights reserved.

-{f%ofCfZf"fx,íWinZipfVfFfAfeFfA"Å,É"K—p,³,è,Ü,·BWinZip"o~^"Å,ð, "Žg,ç,ìèè±,íA fRfsílf
%ofCfGf/f%ofCfZf"fx/•ÚØ.,ì€è, "Ç,Ý,,¾,¾,çB

f%ofCfZf"fx

-{fVfFfAfeFfA,ðŽg—p,·,é'O,É^È%º,ìð€è, "Ç,Ý,,¾,¾,çBNico Mak Computing, Inc.,)s,·,é•È,ìf
%ofCfZf"fx,ðŽ,À,Ä,ç,È,·,è,ìA,±,ìfVfFfAfeFfA,ìŽg—p,ì,±,ìf
%ofCfZf"fx,É"~^Ó,μ,½,à,ì,Æ,Ý,È,³,è,Ü,·B

•]º;ŠúŠÔ,Æ"o~^

-{fvfOf%of€,ìftfŠ[fEfeFfA,Å,í,·,è,Ü,¹,ñB^È%º,ìð€è,ìº,ÉA,·,È,½,ì21"úŠÔ•]º;ð-
Ú"l,Æ,μ,Ä-³—z,Ä,±,ìfVfFfAfeFfA,ðŽg—p,·,é,±,Æ,¾,Ä,«,Ü,·B,à,μ21"ú,ì]º;ŠúŠÔ,ð',ì,Å
WinZip,ðŽg—p,·,éèè±A"o~^—z,à,¾K—v,Æ,È,è,Ü,·B

WinZipfVfFfAfeFfA"Å,ì^è•",Æ,μ,Ä"z•z,³,è,é WinZip Self-Extractor ,É,æ,Ä,Äì—,³,è,½Ž©CEÈ
%º"€CE^Zipftf@fCfç,íAfaíffjCfufuf@fCfç,Æ•É,ÉA"~ìCE ,Ä•Úèì,³,è,½fVfFfAfeFfA"Å—LCE
AZ~•Éî•ñ(º"€fVfFfAfeFfA),ðŠÜ,þ WinZip Self-Extractor,ì^è•",¾ŠÜ,Ü,è,Ä,ç,Ü,·B%º"€f
ftfgfEfeFfA,ð•ìXíAçC³,μ,½,èA•ìX,ì<-%Å,ð%½ì,É,à—^,ì,é,±
,Æ,ì,Ä,«,Ü,¹,ñBfVfFfAfeFfA"ÅWinZip Self-Extractorfpílf
fifçGffBfVfFf" ,É,æ,Ä,Äì—,³,è,½Ž©CEÈ%º"€CE^Zipftf@fCfç,íA,ç
,©,È,éóçμ,Ä,à"z•z,·,é,±,Æ,ðÖŽ~ ,μ,Ü,·B

WinZip,·,æ,ñWinZip Self-ExtractorfpílfifçGffBfVfFf" ,ð21"úŠÔ,ì]º;ŠúŠÔ^è—A"o~^ ,μ,È,ç
,Ü,ÜŽg—p,·,é,ÆfAçfŠfjì±Oí,·,æ,ñ"Ü"~ìCE -@^á"½,Æ,È,è,Ü,·B

f%ofCfZf"fx,ì•Úèì

-{f%ofCfZf"fx,ìRfìf`fjfbfgB-@,É,æ,è•Úèì,³,è,Ä,ç,Ü,·B

•ÚØ,ì•úŠü

,±,ìfVfFfAfeFfAçy,ñŠÖ~Aftf@fCfç,íCE»ó,ì,Ü,Ü'ñ<ÿ,³,è,é,à,ì,Ä,·,èAçx,i,ì)@ì,à•ÚØ,ì-
¾Ž"l,·,æ,ñ-ÜŽ"l,ÉŠÖ,í,ç,·,èÚØ•ÚØ,μ,Ü,¹,ñB"Ä,ÉfìfVfFf" ,ìfEfbfçfxfxflfff" <@"\ (WinZip
,¾Efbfçfxfxflfff" ,ð,·,é,ì,Ä,ì,È,íAfeFfBfçfxfxflfff" <@"\,ðŽ,Ä,ÆŽá'£,·,éŠO"fvfOf%of€
,ð•N" @ ,μ,Ä,ç,é,¾,·,Ä,·B),ì^èÚØ•ÚØ,μ,Ü,¹,ñBWinZip ,¾Cf"fxfgílfç,³,è,é—
ìX,ÈfnífhfEfeFfAçy,ñfVfFfAfeFfAŠÄ«ç,È,Ä,ç,ÄA "Á'è,ì-Ü"l,É'ì,·,é"Kíç«,ì•ÚØ,ì^èÚØ,μ,Ü,¹,ñB
,±,ìfvfOf%of€,ð-{Šì"l,É,²—~—p,É,È,é'O,ÉAçd—v,Ä,È,çffílf^,Ä"O'è"l,ÉfefXfg,μ,Ä,-
,¾,¾,çBftílfU,ì,±,ìfvfOf%of€,ìŽg—p,É,æ,é,ç,©,È,é¹ŠQ,à^ø,«Žó,·,È,·,é,ì,È,è,Ü,¹,ñB,ç
,©,È,éèè±,É,·,ç,Ä,àA"l" ,ŽÓ,ìO"C,ì»•i,ìCEðŠ,Ü,½,ì"l" ,çàŠz,ì•ÖŠ,ðäCEA,Æ,μ,Ü,·B

fVfFfAfeFfA"Å,ì"z•z

fVfFfAfeFfA"Å,ì"Y•tjhfLf...fí"fg,É•ìX,ð%ºÁ,ì,·,AflfŠfWfifç,ìCE` ,Ä"z•z,³,è,é,ì,Ä,·,è,ìA—
È,ÉŠÖEW,È,Ž©—R,É"dŽq"}'l,ð'É,ñ,Ä"z•z,μ,Ä,ç,½,¾,ç,Ä\ç,Ü,¹,ñB,±,ì,æ,x
,ÈCE` ,l"z•z,ÉíU,μ,Ä,ìA,ç,©,È,é—z,à,à"í"v,μ,Ü,¹,ñB
,½,¾,μAçä<L,ì,æ,x,È"z•z,ìU,ÉA"Á•É,È<-%Å,È,%º½,ç,©,ì—z,à,àŽè" —z,ðìç,·,é,±
,Æ,ì,Ä,«,Ü,¹,ñB,Ü,½'¾,ì»•i,Æ,ç,Ä,μ,ä,É,μ,Ä"l" , ,·,é,±,Æ,à,Ä,«,Ü,¹,ñB

,é□é□±,í□AfvfFfAfeFfA'—à'ã□sfT□[frfX,^{a,2}—~—p,ç,½,¾,~,Ü,·□B,±,ì□é□±,àWinZip 7.0,^{2'}□•□—
pŽt,É•K—vŽ—□€,^{δ,2}<L"ü,ì□ã□AP&A,Ü,Ä,²•Ö'—,,¾,¾,ç□B'—àŽè'±,«,^{δ,3},é,½,¾,~,Ä,í□±•i,δ,“'—
,è,; ,é,±,Æ,^a,Ä,«,^{Ü,1},ñ,ì,Ä,^{2'}□^Ö,,¾,¾,ç□BfT□[frfX—~—p,ìŽè□±,íŽŸ,ì'É,è,Ä,·□B^é"x'—àŽè'±
,«,^{δ,3},é,Ü,; ,ÆfLfff"zfz,Ä,«,^{Ü,1},ñ,ì,Ä□A,²—~—p,ì□Ü,í□\•^{a,2'}□^Ö,,¾,¾,ç□B

- 1: go swreg,ÄfvfFfAfeFfA'—à'ã□sfT□[frfX,É"ü,è,Ü,·□B
- 2: f□fjf...□[, ©, ç□u3. '—à'ã□sfT□[frfX□v,δ'l'δ,μ,Ü,·□B
- 3: '±,ç,Ä□u2. '—àfvfXfef€□v,δ'l'δ,μ,Ü,·□B
- 4: '±,ç,Ä□u1:fvfFfAfeFfA"Ô□tŽw'è□v,δ'l'δ,μ,Ü,·□B
- 5: 313,Æ"ü—í,μ,Ä[Enter],δ%Ÿ,μ,Ü,·□B
- 6: WinZip,ìfvf□fOf%of€□à-¾,^a•\Ž!,³,é,Ü,·□B
- 7: □à-¾,^aWinZip,Ä, ,é,±,Æ,δŠm"F,μ,½,ç'—àŠó-],Ä□u1:Šó-]
, ,é□v,δ'l'δ,μ,Ü,·□B

□±•i,ì"'"—,É,Ä,«,^{Ü,μ,Ä}

,²"ü<à,δŠm"FŽŸ'æŽŸ,ì•û-@,Ä□±•i□i"o~^"Ô□t□j,δ,“'—,è'v,μ,Ü,·□B

- WinZipfvf"fOf<f%ofCfZf"fX□i\4,000□j: "džqf□□[f<,Ä"o~^"Ô□t,ì,Ÿ,δ'—•t□BfAfhfçfX,ì,È,ç•û,í—X'—
- WinZipfvf"fOf<f%ofCfZf"fX□i\5,000□j: "o~^"Ô□t□A"ú—{Çêf}fjf...fAf<1•"□Afvf□fOf%of€FD2-±,δ—X'—
- WinZipTfCfGf%ofCfZf"fX□i2 - 9'ä□j: "o~^"Ô□t□A"ú—{Çêf}fjf...fAf<1•"□Af}fXf^□[FD1-±,δ—X'—
- WinZipTfCfGf%ofCfZf"fX□i10'ä+□j: "ú—{Çêf}fjf...fAf<1•"□Af}fXf^□[FD□i"o~^"Ô□t"ü—í•s—v□j1-
±,δ—X'—

"o~^—ž<à•\

WinZipfvf"fOf<f%ofCfZf"fX	\4,000
WinZipTfCfGf%ofCfZf"fX:	
2 - 9'ä,ìRf"fSf...□[f^:	\3,400 / 'ä
10 - 24'ä,ìRf"fSf...□[f^:	\2,600 / 'ä
25 - 49'ä,ìRf"fSf...□[f^:	\2,250 / 'ä
50 - 99'ä,ìRf"fSf...□[f^:	\1,600 / 'ä
100 - 199'ä,ìRf"fSf...□[f^:	\1,150 / 'ä
200 - 499'ä,ìRf"fSf...□[f^:	\800 / 'ä
500 - 999'ä,ìRf"fSf...□[f^:	\700 / 'ä
1,000'ä^È□ä:	%ž'k

□ã<L"o~^—ž<à,É5%,ì□Á"i□Ä,δ%oÁŽZ,^{3,1},Ä,ç,½,¾,«,^{Ü,·}□B

WinZip® 7.0, 2' □ • ¶ — pŽt

ftf@fCf<(F)f f jf... □ [L, ©, cf g f s f b f N, ì ^ ó ü, ð ' Ì ð, μ □ A - { f y □ [f W, ð v f Š f " f g f A f E f g, μ, Ä, " Ž g, ç, -
 , ¾, ¾, ç □ B

- {, 2' □ • ¶ □', É • K — v Ž — □ € , ð, 2 < L " ü, ì □ ä □ A Š " Ž @ % o i Ž Đ P & A, Ü, Å FAX (042-525-9502) , Ä, 2' □ • ¶, -
 , ¾, ¾, ç □ B, 2 " ü < à, É Š Ö, μ, Ü, μ, Ä, í □ A • ¾ Ž Đ, æ, è " Á • É, ì, " □ U □ Ž — p Ž t, ð, " ' —, è, , é, ±, Æ, Í, 2, ' , ç
 , Ü, 1, ñ, ì, Å □ A < â □ s, Ü, ½, Í — X • Ö < Ç " ð, ì • t, , ì — p Ž t, Å Ž è ' ±, «, ð, " Š è, ç ' v, μ, Ü, · □ B, " □ U, è □ Ž, Ý Ž è □ " — ç, Í, " < q
 — Ì • % o ' S, Ä, " Š è, ç ' v, μ, Ü, · □ B, Ü, ½, " □ U □ Ž, Ý, É □ Ü, μ □ A □ ž < □ □', ð • K — v, É □ è □ †, Í □ A ^ ¶ —
 ¼, Æ ' A, μ □', «, ð, 2 Ž w ' è, , ¾, ¾, ç □ B □ æ, É □ ž < □ □', ð ' — • t, ¾, 1, Ä, ç, ½, ¾, «, Ü, · □ B □ † • í, Ì, 2 " ü < à Š m " F C E ä, ì —
 X ' —, Æ, ¾, 1, Ä, ç, ½, ¾, ç, Ä, " , è, Ü, , ì, Å □ A, 2 — 1 □ ¾, ¾, ¾, ç □ B

, 2' □ • ¶, ç, ½, ¾, ' O, É [f t f g f E f f A Ž g — p □ ð C E □, ð, 2 Š m " F, , ¾, ¾, ç □ B

' □ ^ Ó: - { — p Ž t, Ì WinZip " ú - { C E ê ' í % o o Ž " Ä — p, Ä, · □ B % o p C E ê " Ä, ð, " Ž g, ç, É, È, è, ½, ç □ è □ †, Í □ A P & A, Ü, Ä, 2 ~ A
 — □, , ¾, ¾, ç □ i " d ~ b: 042-525-9501 □ j □ B

WinZip f V f " f O f < f
 % o f C f Z f " f X:

" o ~ ^ " Ó □ t, Ì, Ý \ 4,000

WinZip f V f " f O f < f
 % o f C f Z f " f X:

f } f j f . . f A f < / F D • t \ 5,000

WinZip f T f C f g f % o f C f Z f " f X:

2 - 9' ä, Ì f R f " f s f . . . □ [f ^ :	_____ ' ä	x \ 3,400 =	_____
10 - 24' ä, Ì f R f " f s f . . . □ [f ^ :	_____ ' ä	x \ 2,600 =	_____
25 - 49' ä, Ì f R f " f s f . . . □ [f ^ :	_____ ' ä	x \ 2,250 =	_____
50 - 99' ä, Ì f R f " f s f . . . □ [f ^ :	_____ ' ä	x \ 1,600 =	_____
100 - 199' ä, Ì f R f " f s f . . . □ [f ^ :	_____ ' ä	x \ 1,150 =	_____
200 - 399' ä, Ì f R f " f s f . . . □ [f ^ :	_____ ' ä	x \ 800 =	_____
400 - 999' ä, Ì f R f " f s f . . . □ [f ^ :	_____ ' ä	x \ 700 =	_____

□ Á " i □ Å 5%

, " Ž x • ¥, ç — ç < à C E v:

P & A ID " Ó □ t: (Š ù " ¾, ì • ú, Ì, Ý) _____

, " ¾ ' O: _____

% o i Ž Đ - ¾: _____

, 2 □ Z □ Š: _____

, " d ~ b " Ó □ t: _____

FAX " Ó □ t: _____

" d Ž q f □ □ [f <: _____

ID □ □ ž - ¾ < : f A f < f t f @ f x f b f g 36 • ¶ Ž š ^ È " à □ B % o i Ž Đ, ì □ è □ †, Í □ A % o p C E ê • \ < L, Ì Ž Đ - ¾, È, Ç — á) P. & A., Inc.

,ž“ü<à•ú-@: [] <âs[]U[]ž [] -X•Ö[]U'Ö [] Ć»<à[]- [] NIFTY-Serve'-<à'ã[]sfT[][frfX
[] fNfĆfWfbfgfj[]fh MASTER VISA DC American Express
f[]fh"Ô[]t: _____ -LĆøŠúĆÀ:

•K-v,È[]-p: [] []ž<[] [] [] -lžú[] [] "[•i[] [] Ć©[]
[]ă<L[]-p,î^[]-¼,Æ'A,μ[],<:

,[]U[]ž,Ý: ,[]U[]ž,Ý-\\è"ú: _____ ,[]U[]ž,Ý[]-¼<':

ftf|[][fg,Æ,²Ž¿-â

WinZip,ÉŠÖ,·,é,²Ž¿-â,Í[]AWinZip“o~^ft[]fU,ì•ù,ì,Ý,“Žó,¯,μ,Ä,“è,Ü,·,ª[]A,²“o~^,ðCEŸ“ç,·,é,É,½,Á,Ä,²•s-¾“_ª,²,´,ç,Ü,μ,½,ç[]A^É%º^[],Ä,É,“Šè,ç'v,μ,Ü,·[]B

“dŽqf[]f<: support@panda.co.jp

FAX: 042-525-9502

fgf%ofuf<,ª”[][],μ,½[]ê[]#,í[]AZŸ,ì[]î•ñ,ð, ,ç, ©,[],ß,²—p^Ó,,¾,¾,ç:

1. “¯,[]fgf%ofuf<,ð[]ÄCE»,Ä,«,Ü,·,©[]H,»,è,í,Ç,ì,æ,æ,È'€[]ì,ð[]s,æ”[][],μ,Ü,·,©[]H
2. Žg—p,μ,Ä,ç,éWindows,ìfo[]fWf#f”,í? Windows95[]AWindows 3.1[]AWindows for Workgroups[]AWindowsNT 4.0,È,Ç[]B
3. Žg—p,μ,Ä,ç,éWinZip,ìfo[]fWf#f”,í? fo[]fWf#f”,í[]A[Help]f[]fj...[][,ì>About WinZip,ðCE©,è,Í,í,©,è,Ü,·[]B
4. fgf%of[]f[]fbfZ[]fW,ª•\Ž!,¾,è,½,ç[]Af_fCfAf[]fO“à,É•\Ž!,¾,è,Ä,ç,é,±,Æ,·,×,Ä[]if^fCfgf<fo[][,ðŠÜ,þ[]j,ð[]',«Žæ,Á,Ä,,¾,¾,ç[]B
5. ,à,μLHA.EXE[]ASCAN.EXE,ì,æ,æ,ÉŠÖ•”fvf[]fOf%of€,ª—[],ñ,Ä,ç,é[]ê[]#,É,í[]A,Ç,ìfvf[]fOf%of€,ì,Ç,ìfo[]fWf#f”,ðŽg—p,μ,Ä,ç,é,©,à,“Šè,ç,μ,Ü,·[]BŠeŠÖ•”fvf[]fOf%of€,ì•K—v[]Ä'áf[]fWf#f”,í[]A •K—v“@[]ìŠÄ<<,ì[]€,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

'[]^Ó: WinZipŽg—p't,í,ç,Ä,Ä,àF1fL[][,ð%ºŸ,μ,Ä[]A[]óμ^É'[]CE^fwf<fv,ð•\Ž!,¾,¾,è,±,Æ,ª,Ä,«,Ü,·[]B

ŽÓŽ«

WinZip 7.0,É,Â,ç,Ä'½,,ì•ûX,©,ç•CE¾,ð,ç,½,¾,«AfefXfg,ì,“Žè“` ,ç,âfofOfCEf|[]fg,ð,ç,½,¾,«,Ü,μ,½B“Á,ÉŽŸ,ì•ûX,É,ÍS'ŽÓ,μ,Ä,“ ,è,Ü,∴ Ted Abell, Robert Allen, Tom Bloch, Chuck Campbell, Steve Carless, John Conde, Ora Lee Dinkins, Kent Downs, Chris Dunford, Ray Ebersole, Hans Felsh, Brian Hill, Stefan Hoffmeister, David Hofmann, Gregg Hommel, Oyvind Kaldestad, Kevin Kearney, Marion Kerr, Jim Larkin, John Navas, Yuri Niyazov, Heath Perryman, Bill Richard, Sara Rogers, Sven Schreiber, Chris Sells, Paul Seltzer, Cathy Shea, Barry Steinholtz, Michael Sundermann, Nick Sweeting, Peter Tanis, Roy Tate, Hans Top, Michael Weber, Larry Wilber

WinZip,É,Info-ZIPfOf<[]fv,É,æ,éA<-‰Â,ðŽó,¯,½^¾kfr[]fh,ŠÜ,Ü,ê,Ä,ç,Ü,·BInfo-ZIPfOf<[]fv,ì,·,×,Ä,ì•ûA,Æ,,ÉJean-loup GaillyAGreg RoelofsAMark Adler,ÉS'ŽÓ,μ,Ü,·BfšfWfif<,Info-ZIPf[]fX,ífRf“fsf...fT[]fu,ìpcprogftfH[]f‰f€,ÆfCf“f^[]f[]fbfgfTfCfsgftp.uu.net:/pub/archiving/zip,©,ç-³—
¿,Ä“üŽè,Ä,«,Ü,·BWinZip,ìAboutf_fCfAf[]fOf{fbfNfX,ìZ[]Š,ÉA, ,È,½,ìZ[]Š,Æ[]ØŽè,ð“\ ,Ä,½••“>,ð'—,ê,Info-ZIP,ìf[]fX,ð'—•t,μ,Ü,·B

WinZip“à,ìgzipf[]fX,É<-‰Â,ð,,è,½Jean-loup Gailly,ÉS'ŽÓ,μ,Ü,·Bgzip,ìfšfWfif<f[]fX,ífCf“f^[]f[]fbfg,ìprep.ai.mit.edu:/pub/gnu/gzip-*.tar,©,ç“üŽè‰Â“\,Ä,·B

fffR[]fffBf“fOfTfuf<[]f f“,Í(c) Frank Pilhofer,ìUDeviefpfbfP[]fW,ðŠî,É,μ,Ä,ç,Ü,·B

WinZip,ìft[]fU[]fCf“f^[]ftfFfCfX,É,Ä,ç,Ä•CE¾,ð,,è,½ Steve QueenA,½,,³,ñ,ìñ^Ä,ð,μ,Ä,-,èAWinZip,ìfefXfg,ðŽè“` ,Ä,Ä,,è,½Edward Stumpf,ÉS'ŽÓ,μ,Ü,·B

,È,“AWinZip,ì“ú-{CEê'í‰ž”Ä»[]ì,ÉÜ,μA'S-Ê“l,È<|—l,ð,ç,½,¾,«,Ü,μ,½AMonolith Corp.,ÉS'ŽÓ'v,μ,Ü,·B

fhf%fbfO&fhf[]fbfvfCf“f^[][ftfF[][fX

fhf%fbfO&fhf[]fbfv, đŽg, |, î, æ, è•Ö—~ ,ÉWinZip, đŽg—p, ., é, ±, Æ, º, Å, «, Ü, .:

- [fhf%fbfO&fhf\[\]fbfv.ÅfA\[\]\[fjfCfu.đŠ\].](#)
- [fhf%fbfO&fhf\[\]fbfv.Åftf@fCf<,đfA\[\]\[fjfCfu.É'Ç%Á,.é](#)
- [fhf%fbfO&fhf\[\]fbfv.ÅfA\[\]\[fjfCfu.đ%đ“€,.é](#)
- ['¼,lfAfvfŠfP\[\]\[fVf‡f“,ÉfA\[\]\[fjfCfu,đfhf\[\]fbfv,.é](#)

Še[]€-Ú, i[]Ú[]x, í[]ă<L, đfNfŠfbfN, μ, Ä, , ¾, ³, †[]B

ŠÖ~A[]€-Ú:

[Dropf_fCfAf\[\]fOf{fbfNfX](#)

[Add_and Dropf_fCfAf\[\]fOf{fbfNfXflfvfVf‡f“](#)

fhf%ofbfO&fhf[]fbfv,ÅfA[][f]fCfu,ðŠJ,

fhf%ofbfO • fhf[]fbfv,ÅfA[][f]fCfu,ðŠJ,,É,íA^È%º,ìžè[]#,Å[]s,ç,Ü,·[]B

1. f}fCfRf“fsf...[]f^,Ü,½,ífGfNfXfvf[]f%“à,lfA[][f]fCfu,ðfNfŠfbfN,μ,Ü,·[]B
2. fNfŠfbfN,μ,½,Ü,Üf}fEfX,lf[]fCf“f^,ð WinZip ,lf[]fCf“fEfBf“fhfE[]ä,Ü,½,í[]AfAfCfRf“%º»,³,è,½ WinZip[]ä,É^Ú“®(fhf%ofbfO),μ,Ü,·[]B
3. f}fEfXf{f^f“,ð—£,μ,Ü,·[]B,±,è,Å‘l’ð,³,è,½fA[][f]fCfu,ð WinZip ,ÅŠJ,,±,Æ,ª,Å,«,Ü,·[]B

‘^Ó: f}fCfRf“fsf...[]f^,Ü,½,ífGfNfXfvf[]f%“à,ÅfA[][f]fCfu,ðf_fuf<fNfŠfbfN,μ,Ä,à[]AWinZip ,lf[]fCf“fEfBf“fhfE[]ä,Å **[Open]** f{f^f“,ðfNfŠfbfN,μ,Ä,à[]A**[File]** f[]jf...[],©,ç **[Open]** ,ð‘l’ð,μ,Ä,àŠJ,- ,±,Æ,ª,Å,«,Ü,·[]B

fhf%fbfO&fhf[]fbfv,Åftf@fCf<,ðfA[]fjJfCfu,É'Ç%oÁ,·,é

fhf%fbfO[]•fhf[]fbfv,ÅfA[]fjJfCfu,Éftf@fCf<,ð'Ç%oÁ,·,é,É,Í[]A^È%o,ÌŽè[]‡,Å[]s,ç,Ü,·[]B

1. f}fCfRf“fsf...[]f^,Ü,½,lfGfNfXfvf[]f%“à,Ì”C^Ó,iftf@fCf<,ðfNfŠfbfN,μ,Ü,·[]B
2. fNfŠfbfN,μ,½,Ü,Üf}fEfX,lfjJfCf“f^,ðŽŸ,ì,ç,·,ê,©,É^Ú”@[]ifhf%fbfO[]j,μ,Ü,·:
 - WinZipf[]fCf“fEfBf“fhfE[]ã
 - fffXfNfgfbfv,ìWinZip,Ö,lfVf‡[]fjJfCfAfcfRf“[]ã
 - f}fCfRf“fsf...[]f^,Ü,½,lfGfNfXfvf[]f%“à,ÌZIPftf@fCf<[]ã
 - ZIPftf@fCf<,Ö,lfVf‡[]fjJfCf[]ã
3. f}fEfXf{f^f“,ð—É,μ,Ü,·[]B

'[]^Ó:

fhf%fbfO[]•fhf[]fbfv,ðŽg,Á,Ä•;[]”,iftf@fCf<,ð'Ç%oÁ,·,é,±,Æ,à%oÁ”,Ä,·[]Bfhf
%fbfO,·,é'Ó,Éftf@fCf<f}f[]fWff,Ü,½,lfGfNfXfvf[]f%o,Ä•;[]”,iftf@fCf<,ð'Ìð,μ,Ä,,¾,¾,ç[]B

fhf%fbfO[]•fhf[]fbfv,Á,ÍŠg'ÉŽq,³ZIP[]ALZH[]AARJ[]AARC,iftf@fCf<,ð'Ç%oÁ,·,é,±,
,Æ,Í,Ä,«,Ü,¹,ñ[]B,±,æ,ç,æ[]é[]‡,Í[]A[Add]f_cfAf[]fO,ðŽg,Á,Ä'Ç%oÁ,μ,Ü,·[]B

,±,ì,Ü,©,É,àfA[]fjJfCfu,Éftf@fCf<,ð'Ç%oÁ,·,é•û-@,Í, ,è,Ü,·:

- [Addf_cfAf\[\]fOf{fbfNfX](#)
- [fGfNfXfvf\[\]f%o](#) or [ftf@fCf<f}f\[\]fWff](#)Cf“f^[]ftfF[]fX

fhf%ofbfO&fhf[]fbfv,ÅfA[]fj]fCfu,ð%ð“€,-,é

WinZip, ©, ç'¼, ìfAfvfŠfP[]fVf#f", âfGfNfXfvf[]f
%[]AfffXfNfgfbfv[]AfvfŠf" f^[]AfAfvfŠfP[]fVf#f", Ö, ìfVf#[]fGfjfbfg, È, Ç, Öftf@fCf<, ðfhf
%ofbfO[]•fhf[]fbfv, ·, é, ±, Æ, ð%Å" \, Å, ·[]BfGfNfXfvf[]f%
, ìftfHf<f_, Éftf@fCf<, ðfhf[]fbfv, ·, è, Ì[]Aftf@fCf<, Í, » , ìftfHf<f_, É%ð“€,³, è, Û, ·[]BffXfNfgfbfv, É%ð“€
, ·, è, Ì[]AfffXfNfgfbfvftfHf<f_, É%ð“€
,³, è, Û, ·[]B'¼, ìfAfvfŠfP[]fVf#f", âfVf#[]fGfjfbfg, Éftf@fCf<, ðfhf[]fbfv, ·, è, Ì[]AfAfvfŠfP[]fVf#f", Éftf@fC
f<, ð“n,³, è, é'O, É[]Afej" f]f%ofŠftfHf<f_, É%ð“€,³, è[]AfA[]fj]fCfu, ð•Å, ¶, ç, è, ½, Æ, «, É[]i[]œ,³, è, Û, ·[]B

[]d—v:

fAfvfŠfP[]fVf#f", É, æ, Á, Äfhf[]fbfv,³, è, ½ftf@fCf<, Ì^µ, ç•û, ð^á, ç
, Û, ·[]B, ½, Æ, Ì, Ì[]Aftf@fCf<, ðf[][]fhf[]fbfv, ·, é, Æ[]AOLEf]fufWfFfNfg, Æ, µ, Äftf@fCf<, ð-
,, Ì, ðž, Û, è, Û, ·[]B, µ, ©, µf[]f, ' , Éftf@fCf<, ðfhf[]fbfv, ·, é, Æ[]Aftf@fCf<, ðŠj, ©, è, Û, ·[]B, » , è, ¼, è, ìfAfvfŠfP
[]fVf#f", ðftf@fCf<, ðfhf[]fbfv,³, è, ½, Æ, «, É, Ç, Ì, æ, æ, É"½%ž, ·, é, ©, ð—[]%ð, µ, È, ¯, è, Ì, È, ç, È, ç
, ©, à, µ, è, Û,¹, ñ[]B

'[]^Ó:

[Extract]f{f^f", ð%ÿ, µ, Ä, à[]A[**Actions**]f[]fj...[][, ©, ç **[Extract]** , ð'l'ð, µ, Ä, àftf@fCf<, ð%ð“€, ·, é, ±
, Æ, ð, Å, «, Û, ·[]B
, , éfA[]fj]fCfu, ©, ç•Ê, ìfA[]fj]fCfu, Éftf@fCf<, ð^Ú" ® , µ, ½, èfRfs[][, ·, é, È, Ì[]AWinZip, ð•j[]<N" ® ,³,¹, Ä[]A
ftf@fCf<, ðfhf%ofbfO[]•fhf[]fbfv, µ, Ä, ,³/4,³, ç[]B

'¼, ìfAfvfŠfP [fVf†f“, ÉfA [fj]fCfu, ðfhf [fbfv], ·, é

Š, ç, Ä, ç, éfA [fj]fCfu, ð'¼, ìfAfvfŠfP [fVf†f“, Éfhf [fbfv], ·, é, É, íA^È%º, ìŽè [†, Å [s, ç, Ü, ·:

1. WinZip, ìXfe [f^fXf%ofCf“ (WinZipfEfBf“fhfE, ì^è”Ô%º, ì•”•ª), ðNfŠfbfN, µ, Ü, · [B
2. fNfŠfbfN, µ, ½, Ü, Üf}fEfX, ìj]fCf“f^, ðfhf [fbfv, É'í %ºž, µ, ½fAfvfŠfP [fVf†f“fEfBf“fhfE [ä, É^Ú“ @ (fhf [fbfv), µ, Ü, · [B (- Ú“l, ìfEfBf“fhfE, ðfhf [fbfv, É'í%ºž, µ, Ä, ç, é, ©, Ç, x, ©, ìf}fEfXf]fCf“f^ [[, ðž!, µ, Ä, ç, Ü, · [B)
3. f}fEfXf {f^f“, ð—£, µ, Ü, · [B

ŽŸ, ì, æ, x, È [è [†, ÉŽg—p, ·, é, Æ•Ö—~ , Å, ·:

- Microsoft Mail, ì, æ, x, Èfvf [fOf%of€ , ðŽg—p, µ, Ä [Af [[f<, ÉfA [fj]fCfu, ð“Y•t, µ, ½, ç [è [†
- WinImage [ifVfFfAfEfFfA [BP&A, Å, à^µ, Ä, ç, Ü, · [j, ðŽg—p, µ, Ä [AfffBfXfNfCf [[fW, ÉfA [fj]fCfu, ð'Ç%ºÁ, µ, ½, ç [è [†

' [^ Ó: fA [fj]fCfu, ðŠ, ç, ½ [ó'Ô, Å, È, ç, ÆWinZip, ìXfe [f^fXf%ofCf“, ©, çfhf %ofbfO&fhf [fbfv, Å, <, Ü, ¹, ñ [B

Dropf_fCfAf□fOf{fbfNfX

Dropf_fCfAf□fO, í Afhf%fbfO□•fhf□fbfv, ÅfA□[fjfCfu, Éftf@fCf<, ð'Ç%oÁ, ·, é□ê□‡, ÉCE», ê, Ü, ·□B
, ±, ìf_fCfAf□fO, Å, í^È%o°, ì, ç, , ê, ©, ì•û-@, Å□ASJ, ç, Ä, ç, éfA□[fjfCfu-¼, ð•í□X, ·, é, ±, Æ, a, Å, «, Ü, ·:

□ **[Add to Archive]**—“, É□V, μ, çfA□[fjfCfu-¼, ð“ü—í, ·, é□B

□ **[NEW]**f{f^f“, Ü, ½, í **[Open]** f{f^f“, ðfNfŠfbfN, μ, Ä'É□í, ì **[NEW]** , Ü, ½, í **[Open]**
f_fCfAf□fO, ðŽg—p, ·, é□B

, ±, ê, ç, ìfvf#□[fgf]fbfg, ðŽg, ì, ì□A[File]f□fjf...□[. ðŽg, í, , É□A•É, ìfA□[fjfCfu, Éftf@fCf<, ð'Ç%oÁ, ·, é, ±,
, Æ, a, Å, «, Ü, ·□B

, ±, ìf_fCfAf□fOf{fbfNfX, ÅŽg—p%oÁ“\, ÈfifvfVf#f“, É, Å, ç, Ä, í□A [Add and Dropf_fCfAf□fOf{fbfNfX](#), ì□€
, ðŽQ□Æ, μ, Å, , ¾, ¾, ç□B

fGfNfXfvf[] [f%°fCf“f^ [] [ftfF [] [fX

[Windows 95/98/NTfvfFf<,Æ,ì“□□±.,](#) ì€É, ,é,æ,π,É[]AfGfNfXfvf[] [f%°
, ©, ç□o, , ,ÉZIPftf@fCf<, ì□V<K□ì□ -□A%°ð“€ , ð , , ,é, ± ,Æ, ð, Å, «, Ü, ·□B fGfNfXfvf[] [f%°
, ©, çfA□ [ffCfu, ðWinZip, ì□fCf“fEfBf“fhfE, Éfhf%°fbfO, μ, ÄŠJ, ç, ½, è□AfGfNfXfvf[] [f%°
, ©, çftf@fCf<, ðWinZip, ì□fCf“fEfBf“fhfE, Éfhf%°fbfO, μ, Ä□AfA□ [ffCfu, Éftf@fCf<, ð’Ç%°Á, , ,é, ±
,Æ, ð, Å, «, Ü, ·□B□Ü, μ, , ìfhf%°fbfO&fhf□fbfvfCf“f^ □ [ftfF □ [fX., ì€ , ðŽQ□Æ, μ, Ä, , ¾, ¾, ç□B

Šö~A□€-Ú:

[fvXfef€ \(WinZip, ì□Ý’è\)](#)
[Explorer Addf_fCfA□f□Of{fbfNfXDialog Box](#)

Explorer Addf_fCfAf_fOf{fbfNfX

Explorer Addf_fCfAf_fOf, í AfGfNfXfvf [f%o, ðf"fef"fcf fjf... [, Å [Add To Zip]
, ð' l' ð, ., é, Æ Æ » , ê, Ü, · □ B

, ±, ðf_fCfAf_fOf, Å, í A^ È%oo², ð, , , ê, ©, ð • ù - @, Å □ A Š, ç, ½ fA □ [fjfCfu-¼, ð • í □ X, ., é, ±, Æ, a, Å, «, Ü, ::

□ [Add to Archive] — “, É □ V, µ, ç fA □ [fjfCfu-¼, ð f^ fCfv, ., é

□ [New] f{f^f“, Ü, ½, í [Open] f{f^f“, ð fNfŠfbfN, µ, Ä' Ê □ í, ð [New] , Ü, ½, í [Open]
f_fCfAf_fOf, ð Ž g — p, ., é □ B

, ±, ê, ç, ð fVf# □ [fgf]fbfg, ð Ž g, ð, í □ A [File] f □ fjf... [, ð Ž g, í, , É □ A • Ê, ð fA □ [fjfCfu, É ftf@fCf<, ð' Ç%ooÁ, ., é, ±
, Æ, a, Å, «, Ü, · □ B

, » , ð' ¼, ð fVfVf#f“, É, Å, ç, Ä, ð □ Ú □ ×, í A □ [fjfCfu, É ftf@fCf<, ð' Ç%ooÁ, ., é, ð □ € , ð Ž Q □ Æ, µ, Ä, , ¾, ³, ç □ B

ftf@fCf<f}fI[fWfffCf“f^ [ftfF [fX

WinZip, \ftf@fCf<f}fI[fWfffCf“f^ [ftfF [fX<@“\, đŽg, !, Î AfA [fjfCfu-
¼, ìf_fuf<fNfŠfbfN, Å, ì<N“ @ Af tf@fCf<f}fI[fWfff, ìfvf<f_fEf“f [fjf...

[, ©, ç, ì<N“ @ Af tf@fCf<f}fI[fWfff, ì<N“ @ E [-¹, Æ“ Žž, É WinZip, à<N“ @ E [-^{1, 3, 1}, é, ±
, Æ, ^a, Å, «, Ü, · [B

, Ü, ½ fA [fjfCfu, đftf@fCf<f}fI[fWfff, ©, ç WinZip, ìf [fCf“fEfBf“fhfE, Éfhf%ofbfO, μ, Å [A, », ê, đŠJ, , ±
, Æ, à, Å, «, Ü, ·, μ [Afhf%ofbfO&fhf [fbfvfCf“f^ [ftfF [fX, ì [€, Å [à-¾, μ, Å, , é, æ, x
, É [AfA [fjfCfu, Éftf@fCf<, đ’Ç%oA, ·, é, ±, Æ, à%oA“\, Å, · [B

’ [^ Ó: ftf@fCf<f}fI[fWfffCf“f^ [ftfF [fX, Í16bit” Å WinZip—p, É—

p ^ Ó, μ, ½, à, ì, Å, ·, ^a [A Windows95, â98/NT, đŽg, Å, Å, ç, Å, àftf@fCf<f}fI[fWfff, đŽg—p, μ, ½, ç, Æ, ç
, x•û, ì, ½, ß, É32bit” Å, É, à—p ^ Ó’v, μ, Ü, μ, ½ [BfGfNfXfvf [f%o, âf}fCfRf“fsf...

[[f^, Åftf@fCf<, đ’€ [ì, đ [s, x•û, É, ì•s—p, ì<@“\, Å, · [B

ŠÖ~A [€-Ú:

[fVfXfef€\(WinZip, ì \[Ý’è\)](#)

[WinZipftf@fCf<f}fI\[fWfff \[fjf... \[\[](#)

[File Manager Addf_fCfAf \[fOf {fbfNfX](#)

WinZip

ftf@fCf<f}fI[fWfff[fjf...[

- **[Open Archive]**, Í'Í'đ,³,ê,Ä,ç, éfA[fjfCfu,đŠ],«,Ü,·BWinZip,³ftf@fCf<f}fI[fWfff,É,æ,Á,Ä<N"® ,³,ê,Ä,ç, é,ÆA,» ,ìWinZip,³fA[fjfCfu,đŠ],«A<N"® ,³,ê,Ä,ç, É,·,ê,ìWinZip,³<N"® ,µ,ÄfA[fjfCfu,đŠ],«,Ü,·B
- **[Add Files To Archive]**, ÍfA[fjfCfu,É'Í'đ,³,ê,½ftf@fCf<,đ'Ç %Á,µ,Ü,·BWinZip,³ftf@fCf<f}fI[fW,É,æ,Á,Ä<N"® ,³,ê,Ä,ç, é,ÆA,» ,ìWinZip,³'Ç %Á,µ,Ü,·BWinZip,³ftf@fCf<f}fI[fW,É,æ,Á,Ä<N"® ,µ,Ü,·B,Ç,¿,ç,ìé,àA'Ç%Á,µ,æ,» ,Æ,·,éftf@fCf<,đŽó, Žæ,éfA[fjfCfu,đŽw'è,·,é,±,Æ,³,Ä,«,Ü,·B
- **[Configure]** ,ÍConfiguration fCfA[fO.,đŠ],«,Ü,·B
- **[About]** ,ÍRfs[f%ofCfgAfo[fWf#f"î•ñ,È,Ç,đ•\Ž!,µ,Ü,·B

ftf@fCf<f}fI[fWffAddf_fCfAf_fOf{fbfNfX

ftf@fCf<f}fI[fWffAddf_fCfAf_fOf{fbfNfX, íAftf@fCf<f}fI[fWff, WinZipf... [, ©, ç **[Add Files To Archive]** ,đ'í'đ, ,é,ÆÆ» ,ê,Ü, ·B, ±,lf[fjf... [,đŽg—p%oA/•s%oA, ìY'è, ìVfXfef€(WinZip, ìY'è), ì€ ,đŽQÆ,μ,Ä,,¾,¾, çB

, ±, ìf_fCfAf_fO, Ä, íA^È%o, ì, ç, , ,ê, ©, ì•û-@, ÄAŠJ, ç, ½fA[fjfCfu-¼, đ•ïX, ,é, ±,Æ,ª,Ä,«,Ü, ::

- **[Add to Archive]**—“ ,ÉV,μ, çfA[fjfCfu-¼, đ“ü—í, ,é
- **[New]**f{f^f“ ,Ü, ½, í **[Open]** f{f^f“ ,đfNfŠfbfN,μ,Ä^Êí, ì **[New]** ,Ü, ½, í **[Open]** f_fCfAf_fO, đŽg—p, ,éB, ±,ê,ç, ìfVf# [fgf]fbfg, đŽg, ì, íA**[File]**f[fjf... [,đŽg, í, ,ÉA•Ê, ìfA[fjfCfu, Éftf@fCf<, đ'ç%oA, ,é, ±,Æ,ª,Ä,«,Ü, ·B

, ±, ìf_fCfAf_fOf{fbfNfX, ÄŽg—p, Ä,«,é,», ì'¼, ìfVfVf#“ ,É, Ä, ç, Ä, íA**fA[fjfCfu, Éftf@fCf<, đ'C %oA, ,é, ì€**, đŽQÆ,μ,Ä,,¾,¾, çB

FileFjff... [] à—e

FileFjff... []

- New Archive...
- Open Archive...
- Favorite Zip Folders...
- Close Archive
- Properties...
- Create Shortcut
- Move Archive...
- Copy Archive...
- Rename Archive...
- Delete Archive...
- Print...
- Wizard
- Mail Archive...
- Exit

V<KfA[fjffCfu,ðì—
Šù'ŕ,lfA[fjffCfu,ðŠ],
Favorite Zip Folder[i, " <C,É"ü,è,ìZIPftfHf<f_[]j,ðŠ],
ŠJ,ç,Ä,ç,éfA[fjffCfu,ð•Ä,ŕ,é
ŠJ,ç,Ä,ç,éfA[fjffCfu,ìŕ•ñ,ð•\Ž!
ŠJ,ç,Ä,ç,éfA[fjffCfu,Ö,lfvftf[]fgfjfbfg,ðffXfNfgfbfv,Éì—
ŠJ,ç,Ä,ç,éfA[fjffCfu,ð'¼,lfhf%ofCfu,âftfHf<f_,É^Ú"®
ŠJ,ç,Ä,ç,éfA[fjffCfu,ð'¼,lfhf%ofCfu,âftfHf<f_,ÉfRfs[]
ŠJ,ç,Ä,ç,éfA[fjffCfu,ì-¼'O,ð•ìX
ŠJ,ç,Ä,ç,éfA[fjffCfu,ðŕœ
ŠJ,ç,Ä,ç,éfA[fjffCfu,ì"à—e,ðfŠXfg,É,µ,Ä^óœ
WizardfCf"f^[]ftfF[]fX,Ö[]Ø,è'Ö,ì
ŠJ,ç,Ä,ç,éfA[fjffCfu,ðf[]f<,Ö"Y•t
WinZip,ð[]—¹

Actionsfjff... []

- Add...
- Delete...
- Extract...
- View...
- Select All
- Invert Selection
- Virus Scan
- Make .EXE File
- Uuencode
- Test
- Comment...
- CheckOut...
- Install...

ŠJ,ç,Ä,ç,éfA[fjffCfu,Éftf@fCf<,ð'Ç%Á
ŠJ,ç,Ä,ç,éfA[fjffCfu,©,çftf@fCf<,ðŕœ
ŠJ,ç,Ä,ç,éfA[fjffCfu,©,çftf@fCf<,ð%ð"€
ŠJ,ç,Ä,ç,éfA[fjffCfu"à,lfth@fCf<,ð%{—
ŠJ,ç,Ä,ç,éfA[fjffCfu"à,lfth@fCf<,.x,Ä,ð'l'ð
ŠJ,ç,Ä,ç,éfA[fjffCfu,lfth@fCf<,l'l'ð,ð"½"]
fA[fjffCfu"à,lfth@fCf<,É'í,µ,ÄfEfCf<fXfXfLfff",ð<N"®
Ž©CEÉ%ð"€CE^fA[fjffCfu,ðì—
ŠJ,ç,Ä,ç,éfA[fjffCfu,ðUuencode,·,é
ŠJ,ç,Ä,ç,éfA[fjffCfu,ðfefXfg,·,é
ZipfRf[]f"fg,ì%{—[]A'Ç%Á[]A•Ò[]W[]A[]œ
ŠJ,ç,Ä,ç,éfA[fjffCfu"à,lfth@fCf<,ðf`fffbfN,·,é
ŠJ,ç,Ä,ç,éfA[fjffCfu"à,lfvftfOf%of€,ðfCf"fXfg[]f<,·,é

Optionsfjff... []

- Configuration...
- Password...
- Sort
- Reuse WinZip Windows
- Save Settings on Exit
- Save Settings Now
- Set Installation Defaults...
- View Last Output...

WinZip,ìŠeŽŕŕ'è
fpfXf[]fh,ìŕ'è
f[]fCf"fEfBf"fhfE"à,lfth@fCf<,ì•Ä,x'Ö,ì
WinZip<N"®Žž,É[]V,½,ÉfEfBf"fhfE,ðŠJ,©,È,ç
WinZip[]—¹Žž,Éŕ'è,ð•Ū'ŕ
ŕ'è,ð[];•Ū'ŕ,·,é
'½,,lfjfvftf"ŕ'è,ðffftfHf<fg[]i%Šúŕ'è[]j,É-ß,·
WinZip,èŽÀ[]s,µ,½[]ÁCEä,lfRf}f"fh,ð•\Ž!,·,é

Helpfjff... []

- Contents
- Brief Tutorial
- Hints and Tips
- Tip of the Day
- Search for Help on...

WinZipfwf<fv,ð<N"®,µ[]A-ÚŽŕ,ð•\Ž!
fufŠ[]ftf`f...[]fgfŠfAf<,ð•\Ž!
fqf"fg&f`fbfvfX,ð•\Ž!
Tip of the DayfEfBf"fhfE,ðŠJ,
fgfsfbfN,ìCEŕðf`fCfAf[]fO,ðŠJ,

How to Use Help	f w f < f v , ì ž g , ç • ù , ð • \ ž !
Frequently Asked Questions	, æ , , , é ž ï - â , Æ % ò ñ " š , ð • \ ž !
Enter Registration Code	" o ~ ^ " Ô □ + " ü — ì f _ f C f A f □ f O , Ö
Ordering Information	WinZip ' □ • ¶ — p ž t , ð • \ ž !
License Agreement	f % ò f C f Z f " f X Ç E _ - ñ , ð • \ ž !
WinZip Home Page	WinZip Ç E ö ž @ f z □ [f € f y □ [f W , Ö
About WinZip...	WinZip , ì f R f s □ [f % ò f C f g • \ ž !

File f □ f j f ... □ [

[File] f □ f j f ... □ [, É , í ^ È % ò ò , ì □ € - Ú , a , , è , Ü , , :

- **[New Archive...]** , ì f A □ [f j f C f u , ð □ V < K □ ì □ - , , , é □ Ù , É ' I ' ð , μ , Ü , . □ B
- **[Open Archive...]** , ì Š ù ' ¶ , ì f A □ [f j f C f u , ð Š J , □ Ù , É ' I ' ð , μ , Ü , . □ B
- **[Favorite Zip Folders...]** , ì , " < C , É " ü , è , ì Z i p f t f H f < f _ , ð Š J , □ Ù , É ' I ' ð , μ , Ü , . □ B
- **[Close Archive]** , ì Š J , ç , Ä , ç , é f A □ [f j f C f u , ð • Ä , ¶ , Ü , . □ B **[New Archive...]** , ì â **[Open Archive...]** , ì ' € □ , Ä , à □ A Z © " @ " I , É Š J , ç , Ä , ç , é f A □ [f j f C f u , ð • Ä , ¶ , é , ì , Ä □ A , ± , ì □ € - Ú , ì " A , É ž g — p , , é • K — v , ì , , è , Ü , , ñ □ B
- **[Properties...]** , ð ' I ' ð , , , é , Æ Š J , ç , Ä , ç , é f A □ [f j f C f u , ì Ç ` ž @ □ A f t f @ f C f < - ¼ □ A f T f C f Y □ A f A □ [f j f C f u , É Š Ü , Ü , è , Ä , ç , é f t f @ f C f < □ " □ A • ½ < í ^ ³ □ k — ì □ A □ Å Ç ä , É □ X □ V , ³ , è , ½ " ú ž ž " " " " , ì □ î • ñ , ð • \ ž ! , μ , Ü , . □ B
- **[Create Shortcut]** , ð ' I ' ð , , , é , Æ Š J , ç , Ä , ç , é f A □ [f j f C f u , Ö , ì f V f # □ [f g f j f b f g , ð f f f X f N f g f b f v □ ä , É □ ì □ - , μ , Ü , . □ B
- **[Move Archive...]** , **[Copy Archive...]** , **[Rename Archive...]** , **[Delete Archive...]** , ì □ Ú □ × , ì f A □ [f j f C f u , ì ' € □ . , ì □ € , ð ž Q □ Æ , μ , Ä , , ¾ , ³ , ç □ B
- **[Print...]** , ð ' I ' ð , , , é , Æ f A □ [f j f C f u " à , ì f t f @ f C f < , ð f Š f X f g ^ ó □ ü , μ , Ü , . □ B
- **[Wizard...]** , ð ' I ' ð , , , é , Æ WinZip Wizard f C f " f ^ □ [f t f F □ [f X , Ö □ Ø , è ' Ö , í , è , Ü , . □ B
- **[Mail Archive...]** , ì M A P I . D L L , ì f C f " f X f g □ [f < , ³ , è , ½ f V f X f e f € , ì , Ý , Ä — L Ç ø , Æ , É , è , Ü , . □ B f A □ [f j f C f u , ð f □ □ [f < , É " Y • t , μ , Ä Š É ' P , É ' — , é , ± , Æ , a , Ä , « , Ü , . □ B
- **[Exit]** , ð ' I ' ð , , , é , Æ WinZip , ð □ I — ¹ , μ , Ü , . □ B
- File f □ f j f ... □ [, ì ^ è " Ô % ò ò , É , ì □ Å < B Š J , ç , ½ f A □ [f j f C f u , a 4 , Ä , Ü , Ä — š — ð , ³ , è , Ü , . □ B

fA[fjfcfu,ìV<Kìì-

fA[fjfcfu,òV<Kìì-,·,é,É,íA[File] f[fjfcfu...[,ì [New Archive...] ,ð'ì'ð,μ,Ü,·B,·,é,Æ [New Archive] f_fCfAf[fOf{fbfNfX,ªCE»è,Ü,·,ì,ÅA [ftf@fCf<-¼(N)] —,Éìì-,μ,½,çfA[fjfcfu-¼,ðf^fCfv,μ,Ü,·B,±,é,íA[fjfcfu,É"ü,ê,Å^³k,·,éftf@fCf<-¼,Å,í,È,ç,ì,Å"ò,μ,Ä,,¾,¾,çB,±,í, f_cfAf[fOf{fbfNfX,íWindows,ì·W€"í,Èfì[fv" f_cfAf[fOf{fbfNfX,Æ,Ü,Æ,ñ,Ç" ,¶,Å,·BfA[fjfcfu,òìì-,·,éftfHf<f,íA[Create In:] —,ðŽg,Á,ÄŽw'è,μ,Ü,·B— á,!,íftf[fbfs[ffBfXfNã,ÉfA[fjfcfu,òìì-,μ,½,çêê,íA[Create In:] —,ð3.5fCf"f`FD,ÉŽw'è,μ,Ü,·B

[New Archive] f_cfAf[fOf{fbfNfX,ì [Add Dialog] ,ðf`fFfbfN,μ,Ä,·,·,ÆA[OK] f{f^f",ð %oÿ,μ,½CEã,ÉŽ©"@"í,É [Add] f_cfAf[fO,ªCE»è,Ü,·B

[New Archive] ,â [Open Archive] f_cfAf[fO,ÅŽ©CEÈ%ð"€CE`Ž®,ìEXEftf@fCf<,ð·\ Žì,¾,¾,é,É,íA[List Files of Type] —,ÅA[archives,exe,com] ,ð'ì'ð,μ,Ü,·B"òZ©CEÈ %oð"€CE`Ž®ftf@fCf<,ðfŠfXfg,É·\Žì,¾,¾,é,æ,æ,æ ,É,·,é,ÆA"ì'ð,¾,¾,½fffBfCEfNfgfŠ"à,ÅA,½,Æ,ì,»,è,ªŽ©CEÈ%ð"€CE`Ž®,Å,È,ç,à,ì,Å, ,Á,Ä,à AEEXE,Ü,½,íCOM,ìŠg'£Žq,ðŽ,Åftf@fCf<,ð,·,×,ÅfŠfXfg,É·\Žì,μ,Ü,·BWinZip,ìŠ,ç ,Ä,Ý,é,Ü,ÅA,»,è,ªŽ©CEÈ%ð"€CE`Ž®,©ŽÀ[sftf@fCf<,©,ð"»·É,·,é,±,Æ,í,Å,«,Ü,¹,ñB

[List Files of

Type]fRf"f{f{fbfNfX,ìftf@fCf<f^fCfvftfBf<f^,ÉŠÖ,·,éú×,íftf@fCf<f^fCfvftfBf<f^,ì€ ,ðŽQ/Æ,μ,Ä,,¾,¾,çB

Šù‘ŕ, ÌfA [fj]Cfu, ðŠJ,

Šù‘ŕ, ÌfA [fj]Cfu, ðŠJ, ,É, ÍA[File] f [fj]f... [, Ì [Open Archive...] , ð‘l’ð, µ, Û, ·B, ·, é, Æ [Open Archive] f_fCfA f [f]O, ðCE», é, Û, ·, Ì, ÅAŠJ, «, ½, çfA [fj]Cfu, Ìfhf%o fCfu [AfffBfCEfNfgfŠ, ðŽw’è, µA [ftf@fCf<- ¼(N)] —“ , É·\Žl, µ, Û, ·B·\Žl, µ, ½, ç [ŠJ,] f {f^f“ , ð%Y, µ, Û, ·B

[New Archive] , â [Open Archive] f_fCfA f [f]O, ÅŽ ©CEÈ%ð“€CE`Ž®, ÌEXEftf@fCf<, ð·\ Žl, ³, ¹, é, É, ÍAftf@fCf<, ÌŽl—p:—“ , ÅA[archives,exe,com] , ð‘l’ð, µ, Û, ·B’^Ó ÌŽ ©CEÈ %ð“€CE`Ž®ftf@fCf<, ðfŠfXfg, É·\Žl, ³, ¹, é, æ, x , É, ·, é, ÆA‘l’ð, ³, è, ½fffBfCEfNfgfŠ“à, ÅA, ½, Æ, l, » , è, ðŽ ©CEÈ%ð“€CE`Ž®, Å, È, ç, à, Ì, Å , Á, Ä, à [AEXE, Û, ½, ÍCOM, ÌŠg’ÉŽq, ðŽ, Åftf@fCf<, ð, ·, x, ÅfŠfXfg, É·\Žl, µ, Û, ·B WinZip, ÍŠJ, ç , Å, Ý, é, Û, ÅA, » , è, ðŽ ©CEÈ%ð“€CE`Ž®, ©ŽA [sftf@fCf<, ©, ð” » ·É, ·, é, ±, Æ, Í, Å, «, Û, ¹, ñB

[List Files of

Type]fRf“f {f {fbfNfX, Ìftf@fCf<f^fCfvftfBf<f^ , ÉŠÖ, ·, é, Û, ×, Ìftf@fCf<f^fCfvftfBf<f^ , Ì€ , ðŽQ [Æ, µ, Å, , ¾, ³, çB

Favorite Zip Folders i, " < C, É " ü, è, ì ZipftfHf<f_[]j

, " < C, É " ü, è, ì ZipftfHf<f_É, Â, ç, Ä:

fn[]fhfffBfXfN"à,É•Ù'¶,³,ê,Ä,ç,éZIPftf@fCf<,ðCEÿ[]ð,µ[]A,»),ê,ç,ª•Ù'¶,³,ê,Ä,ç
,éftfHf<f_ð, " < C, É " ü, è, ì ZIPftfHf<f_Æ,µ,Ä"o~^[]B•;[]",ìftfHf<f_Ä, ,Ä,Ä,à, ,½,©,à1,Ä,ìftfHf<f_Ä, ,é,
©,ì,æ,æ,É[]<Æ,Ä,«,Ü,·[]B

Favorite Zip Foldersf_fCfAf[]Of{fbfNfX

fc[]f<fo[][,ì[Favorites]f{f^f"[]A,Ü,½,í[File]f[]ffj...[][,ìFavorite Zip Folders...,ð'l'ð,·,é,Æ Favorite Zip
Filesf_fCfAf[]Of{fbfNfX,ªCE»,ê,Ü,·[]B[Search...]f{f^f",ð%ooÿ,·,Æ[WinZip
Search]f_fCfAf[]fO,ªCE»,éfn[]fhfffBfXfN,Ü,½,í"A'è,ìfffBfXfN"à,ðCEÿ[]ð,µ,Ä[]AZIPftf@fCf<,ðfŠfXfgf
Afv,µ,Ü,·[]B

[]%o,ß,ÄFavorite Zip Foldersf_fCfAf[]fO,ðŽg—

p,·,é[]ê[]#,í[]Afn[]fhfffBfXfN,ðŽ©"®"l,ÉCEÿ[]ð,µ[]AZIPftf@fCf<,ðŠÜ,pftfHf<f_ðfŠfXfgfAfbfv,µ[]A,»,
ê,ç,ð, " < C, É " ü, è, ì ZipftfHf<f_Æ,µ,Ä"o~^,µ,Ü,·[]B

fA [fjfCfu, î•ñ, ð•\Ž!, , , é

[File]f [jf... [[Properties...], ð' ð, , é, Æ [A, D, ç, ç, Ä, ç, é fA [fjfCfu, ì Æ` Ž® [Aftf@fCf<-
¼ [AftfCfY [AfA [fjfCfu, ÉŠÜ, Ü, ê, Ä, ç, éftf@fCf< [" [A•½< Ĩ^³ [k—
! [A [Å Æă, É [X [V, ³, ê, ½ " úŽž"™, ì [î•ñ, ð•\Ž!, μ, Ü, , [B

fA[fjfcfu,ì'€ì

[File] f[fjfcfu...][,]ì [Move Archive...][A][Copy Archive...][A][Rename Archive...][A][Delete Archive]
,Ä,í^É%º,ìfA[fjfcfu'€ì,ðs,ç,Ü,·B

[Copy Archive...] Š],ç,Ä,ç,éfA[fjfcfu,ð'¼,ìftfHf<f_,ÉfRfs[.,μ,Ü,·B[Copy]
f_fCfAf[fO,ªCE»è,Ü,·,ì,ÄAfrfs[.,μ,½,çftfHf<f_,ðŽw'è,μ,Ä,,¾,¾,çB

[Move Archive...] Š],ç,Ä,ç,éfA[fjfcfu,ð'¼,ìftfHf<f_,É^Ú"®.,μ,Ü,·B[Move]
f_fCfAf[fO,ªCE»è,Ü,·,ì,ÄA^Ú"®.,μ,½ftfHf<f_,ðŽw'è,μ,Ä,,¾,¾,çB

[Rename Archive...] Š],ç,Ä,ç,éfA[fjfcfu-¼,ð•ìX,μ,Ü,·B[Rename]
f_fCfAf[fO,ªCE»è,Ü,·,ì,ÄAV,μ,çfA[fjfcfu-¼,ð"ü—
í,μ,Ü,·B"-'R,Ä,·,ªASg'£Žq,ì•ìX,í,Ä,«.,Ü,¹,ñB

[Delete Archive...] Š],ç,Ä,ç,éfA[fjfcfu,ðíœ,μ,Ü,·BCEë'€ì,Äíœ,μ,Ä,μ,Ü,í,È,ç,æ,π
,ÉSm"F,ìf_fCfAf[fO,ªCE»è,Ü,·,ì,ÄA-{"-Éíœ,·,éêê‡,í [, í , ç] f{f^f",ð%ÿ,μ,Ü,·B

fA [fj]fCfu "à, ìftf@fCf<, ðfŠfXfg ^óü, ,é

WinZipf [fCf "fE]fBf "fhfE "à, É•\Ž!,³, ê, ½ftf@fCf<, ðfŠfXfg, ð^óü, ,é, É, Í[File] f [fj]f... [., ©, ç[Print...]
, ð'! 'ð, μ, Ü, · [B]Printf_fCfAf [fOf {fbfNfX, ^a•\Ž!,³, ê [A]Žg—p, ,éfvfŠf "f^A^óü-# [A—
pŽ†•ûÆü, ÌŽw'è, È, Ç, ð, μ, Ä[OK]f {f^f", ð%oŸ, μ, Ü, · [B

fqf "fg: fRf%of€ , ð•İ [X, μ, Äftf@fCf<, Ì•Ä, Ñ [†, ð•İ, , Ä^óü, ,é, ±, Æ, à, Å, «, Ü, · [B]fRf%of€
, Ì•İ [X, ÉŠÖ, ,é [Ü]x, Í [Configuration | Viewf_fCfAf \[fOf {fbfNfX](#), Ì [€, ðŽQ [Æ, μ, Ä, ,³/₄,³, ç [B

fA[fj]fCfu,Éftf@fCf<,đ'Ç%oÁ,·,é

WinZip,đ%o,β,ĂŽg—p,·,é,Æ,ç,π•û,Í,Û,·,AfufŠ[f]f`f...[f]fgfŠfAf<: fA[fj]fCfu,Éftf@fCf<,đ'Ç%oÁ,·,é,ì€,đŽQ[Æ,μ,Á,,¾,¾,¾,ç]B

,±,±,Á,ÍAddf_fCfAf[f]Of{fbfNfX,É,Â,ç,Ä,à-¾,μ,Û,·,ªA[A]fA[fj]fCfu,Éftf@fCf<,đ'Ç%oÁ,·,é•û-@,Í'¼,É,à,·,è,Û,·:

- fhf%ofbfO&fhf[f]bfvffCf“f^[ftfF[f]X
- fGfNfXfvf[f]f%o,Û,½,Íftf@fCf<f}f[f]fWfffCf“f^[ftfF[f]X

Addf_fCfAf[f]Of{fbfNfX:

Addf_fCfAf[f]Of{fbfNfX,đŠ},,É,Ífc[f]fo[f],ì[Add]f{f^f“,đ%oÿ,·,©[A[Actions]f[f]f...[f],©,ç[Add...],đ'í,đ,μ,Û,·]B

'Ç%oÁ,μ,½,çftf@fCf<,đ'í,đ,·,é•û-@,à,ç,,Á,©,·,è,Û,·:

- Addf_fCfAf[f]Of{fbfNfX“àã•û,ÌfŠfXfg,Á•K—v,Èftf@fCf<,đfNfŠfbfN,μ,Ä'í,đ,·,é•û-@]B[Shift]fL[â[Ctrl]fL[đ%oÿ,μ,É,ª,ç•i]“,Ìftf@fCf<,đ'í,đ,·,é,±,Æ,à%oÁ“\,Á,·]B'í,đ,μ,½,ç[Add]f{f^f“,đ%oÿ,μ,Û,·]B
- [ftf@fCf<-¾(□)]—“,É'¼[Ûftf@fCf<-¾,đf^fCfv,·,é•û-@]B•;i]“,Ìftf@fCf<,đ'í,đ,·,é,É,Í[A[u]”vf}]fN,ÁÆÁ[X,Ìftf@fCf<,đ'í,đ,·,é,É,Í,·]B'í,đ,μ,½,ç[Add]f{f^f“,đ%oÿ,μ,Û,·]B
- f[f]Cf<fhj[f]fh,đŽg—p,·,é•û-@]B—á,Í,ÍŠg'£Žq,ªdoc,Ìftf@fCf<,đ,·,x,Ä'í,đ,·,é,É,Í[A “*.doc”,Æ,μ“û—Í,μ,Ä[A[Add with wildcards]f{f^f“,đ%oÿ,μ,Û,·]B

,±,Ìf_fCfAf[f]Of{fbfNfX,ĂŽg—p%oÁ“\,Èf[f]v[f]f#f“,É,Â,ç,Ä,Í[AAdd/Dropf_fCfAf[f]Of{fbfNfX,ì€

,đŽQ[Æ,μ,Á,,¾,¾,¾,ç]B

Add/Drop_fCfAf_fOf{fbfNfX

[Add] ,â [Drop] f_fCfAf_fOf{fbfNfX,Â,í^È%º,ì,æ,æ,ÈfjfvfVfj" ,a, ,è,Ü,∴

▯ **[Action]**fhf_fbfvf_fEf" fSfXfg,É,í **[Add]**□A**[Freshen]**□A**[Move]**□A**[Update]** ,Æ,ç ,æ4,Â,ì'ðŽ^ ,a, ,è,Ü,∴□B**[Add (and Replace) Files]** ,ì'ð,³,è,½,∴,x,Ä,ìftf@fCfç,ðfA□[fjfCfu,É'Ç%ºÁ,µ,Ü,∴□B**[Freshen Existing Files]** ,ì'ð,³,è,½ftf@fCfç,Éf}fbf" ,∴,éA□[fjfCfu"à,ìftf@fCfç,ðfAfbfvff□[fg,µ,Ü,∴□B**[Update (and Add) Files]** ,í **[Freshen Existing Files]** ,Æ" - —,ì□iç,É %ºÁ,ì□A□A□[fjfCfu"à,É,È,ç'ì'ð,³,è,½ftf@fCfç,ð'Ç%ºÁ,µ,Ü,∴□B**[Move Files]** ,í **[Add (and Replace) Files]** ,Æ" - —,ì,Ä,∴,ª□A'ì'ð,³,è,½ftf@fCfç,ªfA□[fjfCfu,É-³Ž-Ç %ºÁ,³,è,é,Æ□AÇ³,ìftf@fCfç,ð□iç,µ,Ü,∴□B

▯ **[Compression]**fhf_fbfvf_fEf" fSfXfg,Â,í^³□k•û- @,ð'ì'ð,µ,Ü,∴□BLZHftf@fCfç,ð'€□i,∴,é□ê□#,É,íŽg—p,Â,«,,È,,È,Á,Ä,ç ,Ü,∴□B' - ,ç^³□k,ì"ãSr"ì'ã,«,,çfA□[fjfCfu,É,È,è,Ü,∴□B

▯ **[Multiple Disk Spanning]** fhf_fbfvf_fEf" fSfXfg,Â,ìftf_fbfv□[fffBfXfN,ì,æ,æ ,ÉfSf€□[fofufç□fffBfA,É^è-ç,É"ü,è,«,,ç,É,ç□VçKZipftf@fCfç,ð□iç - ,∴,é□ê□#,ÉŽg— p,µ,Ü,∴□B,±,ìfhf_fbfvf_fEf" fSfXfg,ì□A□Sf€□[fofufç□fffBfA□ã,Â□VçKZipftf@fCfç,ðSj,ç,Ä,ç ,É,ç□ê□#,ì□AZg—p•s%ºÁ,ì□ó'Ó,É,È,Á,Ä,ç,Ü,∴□B,±,ìfhf_fbfvf_fEf" fSfXfg,ªŽg—p%ºÁ" \ ,É,È,Á,Ä,ç,é□ê□#□A,R,Â,ì,æ,∴,ì,Ç,è,©,ð'ì'ð,∴,é,±,Æ,ª,Ä,«,,Ü,∴∴

Automatic□@□iç - 't,ìZipftf@fCfç,ª,ç,A,ì,ç,É,È,Á,½□ê□#□A•É,ìfffBfXfN,ð"ü,è,é,æ,æ ,Éfjfvf"fvfg,ª•\Zì,³,è,Ü,∴□B

Automatic + Wipe First Disk Prompt□@,ìAutomatic ,Æ" - — ,ì,Ä,∴,ª□AfffBfXfN□ã,ìftf@fCfç,ð,∴,x,Ä□iç,µ,Ü,∴□B

No Spanning□@Zipftf@fCfç,ìftfçfY,ªfSf€□[fofufçfffBfXfN,ì—e—È,ð' ,ì,é□ê□#□Adisk full fGf %ºÁ□[f_fbfZ□[fW,ð•\Zì,µ,Ü,∴□B

▯ **[Include subfolders]** ,ðf`fFbfN,µ,Ä,∴,∴,Æ□A'ì'ð,³,è,½fffBfçfNfgfS,ì %ºº,É,∴,é□A,∴,x,Ä,ìftfufffBfçfNfgfS"à,ìftf@fCfç,ð'Ç%ºÁ,ì'í□Ü,É,µ,Ü,∴□B,± ,è,ì□AfffBfçfNfgfSfçfS□[,É,∴,é,∴,x,Ä,ìftf@fCfç,ðSÈ'P,ÉfofBfNfAfbfv,∴,é,ì,È"K,µ,Ä,ç,Ü,∴□B '□'Ó: **[Include subfolders]** flfvfVfj" ,ðŽg—p,µ,Ä'Ç %ºÁ,³,è,½ftfufthfç_f,ð□A□\z,∴,é,É,ì□A**Extract**_fCfAf_fOf{fbfNfX,Â□A**[User Folder Names]** ,ð'ì'ð,µ,Ä,∴,•K—v,ª,∴,è,Ü,∴□B

▯ **[Save Extra Folder Info]** ,ìWinZip,ì **[Add Files]** —" ,Ä'ì'ð,³,è,½,∴,x,Ä,ìfffBfçfNfgfS□EfpfX□î•ñ,ð•Ü'¶,µ,Ü,∴□B

▯ **[Password]** f{f^f" ,ì□A'Ç%ºÁ,∴,éftf@fCfç,ðfpfXf□□[fh,Â^Ã□+%º» ,µ,Ü,∴□BfpfXf□□[fh,ðŽg— p,∴,é□ê□#,ì□A**fpfXf□□[fhZfLf...fSfefB**,ì□€,ð•K,∴,∴,∴"Ç,Y,,¾,³,ç□B

▯ **[Add With Wildcards]** f{f^f" ,ì□A [File Name]—" ,ÄŽw'è,µ,½f□fCfçfhfj□[fh,Âftf@fCfç,ð'Ç %ºÁ,∴,é,±,Æ,ª,Ä,«,,Ü,∴□B(f□fCfçfhfj□[fh,ì□AfAfXf^fSfXfN(*),∴,æ,NfNfGfXf`fj" f}□[fN(?) ,ðŽg—p,µ,Ü,∴□B,½,Æ,ì,ì□A*.TXT ,ÆŽw'è,∴,é,± ,Æ,Ä□ASg`£ŽqTXT,ìftf@fCfç,ð,∴,x,Ä'ì'ð,∴,é,±,Æ,ª,Ä,«,,Ü,∴□B)

▯ **[Store Filenames in DOS 8.3 Format]**f`fFbfNf{fbfNfX,ðf`fFbfN,∴,é,Æ□A',çftf@fCfç- ¼,ðMS-DOSÇYŠ,ì8.3Ç`Ž@,ì'Z,çftf@fCfç-¼,Â•Ü'¶,µ,Ü,∴□B8.3Ç`Ž@,Æ,ìftf@fCfç- ¼,È8•¶Žš□ASg`£Žq,É3•¶Žš,Ü,ÄŽg,ì,éÇ`Ž@,ì,±,Æ,Ä,∴,(½,Æ,ì,ì□A12345678.123)□B

▯ **[Attributes]** fzfNfVfj" ,Ä,ìftf@fCfç' □« ,ð^µ,æ,±,Æ,ª,Ä,«,,Ü,∴□B' □« ,ì□A□, "x,É"à— e,ì,½,ß'É□í,ìWinZip,ì'€□i,É,ì—□%º,∴,é•K—v,ì,∴,è,Ü,∴,ñ□B"Ç,YŽæ,è□ê—p□A %ºB,µftf@fCfç□AfVfXfef€□AfA□[fjfCfu,Æ,ç,æÇ¾—t,ª,ì,©,ç,É,ç□ê□#,ì□AWindows,lf}fff... fAfç,ðŽQ□Æ,µ,Ä,¾,³,ç□B,±,±,Ä,ì,R,Ä,ìfvfVfj" ,a, ,è,Ü,∴∴

[Include Only If Archive Attribute Is Set] flfvfVfj" ,Ä,ì□AfA□[fjfCfu' □« ,ì,È,çftf@fCfç,ð□œŠO,µ,Ü,∴□B

[Reset Archive Attribute] ftj@fCf<,ªZipftj@fCf<,É'Ç
%oÁ,³,ê,½CEã[]AfA[]fjfcfu'®[]«,ð,í,.,µ,Ü,·[]B

[Include System and Hidden Files] ,Á,ÍVfXfef€[]A%oB,µftj@fCf<,ð'Ç%oÁ,µ,Ü,·[]B'Ê[]í,±
,ê,ç,ì'®[]«,ÍXfLfjbfv,³,ê,Ü,·[]B

'[]^Ó:

[Include Only If Archive Attribute Is Set]

fIfvJvf#f",Á,Í[]AfA[]fjfcfu'®[]«,ì,È,çftj@fCf<,ð[]œŠO,µ,Ü,·[]B,±,ìfIfvJvf#f",Í **[Include subfolders]**
fIfvJvf#f",ª—LCEø,É,É,Á,Ä,ç,é[]ê[]#[]ACEŸ[]ð,³,ê,½ftjHf<f_,É'Í,µ,Ä,Í-³CEø,Ä,·[]B

fA[fjfcfu, ©,çftf@fCf<,ðíœ,·,é

[Actions]-[Delete...] fffj...[,ð'í'ð,·,é,ÆA[Delete]

f_fCfAf_fOf{fbfNfX,ªE»è,Û,·BfA[fjfcfu,©,çftf@fCf<,ðíœ,·,é•û-@,í2,Â, ,è,Û,·:

- Å%ó,Éf_fCf“fEfBf“fhfE,Åíœ,·,éftf@fCf<,ð'í'ð,µ,½,ì,¿,ÉA[Action] fffj...[,ì [Delete...],ð'í'ð,·,éB
- [Actions] fffj...[,©,çA[Delete...],ð'í'ð,µA[Delete] f_fCfAf_fOf{fbfNfX,ðEÄ,Ño,µA,»,±,ÅAíœ,µ,½,çftf@fCf<-¼,ðŽw'è,·,éi'Éí,ìMS-DOS,lf_fCf<fhfj[fh (—á *.txt),ªŽg—p%Å“\,Å,·jBfxfy[fX,Å<æ∅,é,±,Æ,Å•;□”,lftf@fCf<,ðŽw'è,·,é,±,Æ,ª,Å,«Ü,·B

'^Ó:

,±,è,ç,ì'€i,íŽæ,èÁ,·,±,Æ,ª,Å,«Ü,¹,ñBftf@fCf<,íœ,É,í\•ª,É,²'^Ó,,¾,³,çB

fA[fjfcfu'S'ì,ðíœ,µ,½,çê±,É,íA[Actions] fffj...[,ì [Delete...],ð'í'ð,µA[Delete]

f_fCfAf_fO,ðEÄo,µA[Entire Archive],ð'í'ð,µ,ÅA[Delete]

,lf{f^f“,ðfNfŠfbfN,µ,Û,·B,Û,½A[File] fffj...[,ì [Delete Archive],ð'í'ð,µ,Ä,àíœ,ª%Å“\,Å,·B

fA[fjfcfu, ©, çftf@fCf<, ð%ð“€, ., é

WinZip, ð%ð, ß, ÄŽg—p, ., é, Æ, ç, x, û, í, ü, ., A fufŠ[f]ftf...[f]fgfŠfAf<:ftf@fCf<, ð%ð“€, ðŽQ[Æ, µ, Ä, ¾, ç]B

-{[€, Ä, í[Extract]f_fCfAf[f]Of{fbfNfX, É, Ä, ç, Ä, à-¾, µ, Ü, ., BfA[f]fjfcfu, ©, çftf@fCf<, ð%ð“€, ., é•û-@, ÌŽŸ, Ì, æ, x, É'¼, É, à, ç, ., Ä, ©, ., è, Ü, .:

- [fhf%fbfO&fhf\[fbfv\]fCf“f^\[\]ftfF\[\]fX, ðŽg—p, ., é](#)
- [Windows 95/98/NTfVfFf<Šg'£. , ð%ð, Ä, à-¾, ¾, è, Ä, ç, é, æ, x, Éf}fCfRf“fsf...\[f^ , âfGfNfXfvf\[\]\[\]%o, ©, ç\]s, x](#)
- Zipftf@fCf<“à, É “setup.*” , â “install.*” , Æ, ç, x-¼' O, Ìftf@fCf<, æ, , é, è, ç, AfCf“fXfg[]f<@“”\, ðŽg, Ì, ÌŠÉ'P, Ä, ., ç]B

[Extract]f_fCfAf[f]Of{fbfNfX, Ä, í^È%ð, Ì, æ, x, È'Ì'ð, æ%Ä“\, Ä, .:

fc[]f<fo[] , Ì[Extract]f{f^f“ , ð%ðŸ, ., ©, Ü, ½, í[]AActionsf[]fj... [] , ©, çExtract, ð'Ì'ð, ., é, ÆExtractf_fCfAf[f]Of{fbfNfX, æCE» , è, Ü, ., ç]B

WinZip, Ì'Ì'ð, ¾, è, ½ftf@fCf<, ðExtract to— , ÄŽw'è, ¾, è, ½ftfHf<f_ , É%ð“€ , µ, Ü, ., ç]B%ð“€ , ., éftfHf<f_ , ÌŽw'è, ÌAZŸ, Ì, ç, ., è, ©, Ì•û-@ , Ä]s, ç, Ü, .:

- **[Folders/Drives]**fŠfXfg, ÄŽw'è, ., é
- **[Extract To]**— , É'¼[]Ü“ü—Í, ., é
- **[Extract To]**— , Ìfv<f_fEf“fŠfXfg, © , ç[]A%ß<Ž, ÉŽg—p, µ, ½ftfHf<f_ , ð'Ì'ð, ., é
- **[New Folder...]**f{f^f“ , ð%ðŸ, µ[]AV<K, ÉftfHf<f_ , ð[] , ., é

[Extract]f_fCfAf[f]Of{fbfNfX, Ä, í^È%ð, Ì, æ, x, È'Ì'ð, æ%Ä“\, Ä, .:

- **[Selected Files]** , Ìf[]fCf“fEfBf“fhfE, Ä[]AfA[]fjfcfu, © , ç%ð“€ , ., éftf@fCf<, ð'Ì'ð, µ, ½[]è[] , É, Ì, Ý—LCEø, É, È, Ä, Ä, ç, Ü, ., ç]B • i[] , Ìftf@fCf<, ð'Ì'ð, ., é•û-@ , É, Ä, ç, Ä, ÌASg'£'Ì'ðfŠfXfgf{fbfNfX, ð%ð“€ , ðŽQ[Æ, µ, Ä, ¾, ç]Bf[]fCf“fEfBf“fhfE, Äftf@fCf<, æ'Ì'ð, ¾, è, Ä, ç, È, ç[]è[] , ÌA-¾CEø, É, È, è, Ü, ., ç]B

- **[All Files]**f%oWf[]f{f^f“ , ÌfA[]fjfcfu“à, Ì, ., x, Ä, Ìftf@fCf<, æ%ð“€ , ¾, è, é, ±, Æ, ð, ., ç, Ì, µ, Ä, ç, Ü, ., ç]B

- **[Files]**f%oWf[]f{f^f“ , Æ•Ò[]W— , ÌMS-DOS, Ìf[]fCf<fhfj[]fh, ðŽg, Ä, Ä[]A%ð“€ , ., éftf@fCf<, ð'Ì'ð, ., éè[] , È'Ì'ð, µ, Ü, ., ç]B(—á[]@*.XLS, *.DOC)

- **[Overwrite Existing Files]** , ðf`fFfbfN, ., é, Æ[]A%ð“€[]æffBfCefNfgfŠ, É“— ¾ftf@fCf<, æ'Ì'ðŸ, µ, ½[]è[][]A[]ä[] , <, ., é, ©, Ç, x, ©, ð• , ç, Ä, <, Ü, ., ç]B, ±, è, Ì LHA, Ì /m1 f[]fVf[]f[]AARJ, Ì -y f[]fVf[]f[] , É“— , µ, Ü, ., ç]B

- **[Skip older files]** , ðf`fFfbfN, ., é, Æ[]A“ú•t, ðŠm“F, µ[]A%ð“€ , µ, æ, x, Æ, µ, Ä, ç, ., éftf@fCf<, æ[]A, ., Ä, È, ., é, à, Ì, æ, èCEÄ, ç[]è[] , Ì[]A, » , Ìftf@fCf<, ð%ð“€ , µ, Ü, ¹, ñ[]B

- **[Use Folder Names]** , ðf`fFfbfN, ., é, Æ[]Aftf@fCf<, ð%ð“€ , ., é[]Ü, É[]AfA[]fjfcfu, É•Ü'[] , ¾, è, Ä, ç , éfpfX, É%ð“€ , ¾, è, Ü, ., ç]B, ± , Ìf[]fVf[]f[] , æf`fFfbfN, ¾, è, Ä, ç, é, Æ[]A**[Extract To]**ftfHf<f_ , É, » , ÌfA[]fjfcfu, É•Ü'[] , ¾, è, Ä, ç, éfpfX, æ'Ç %oÄ, ¾, è, Ü, ., ç]Bf`fFfbfN, µ, È, ç[]è[] , Ì[]AfA[]fjfcfu, É•Ü'[] , ¾, è, Ä, ç, éfpfX-¼, ÉŠÖCEW, È, ÌA, ., x, Ä“ , []ffBfCefNfgfŠ, É%ð“€ , ¾, è, Ü, ., ç]B

—á, Ì, Ì[]A**[Extract To]**ftfHf<f_ æ c:\temp , Äftf@fCf<, æ mydirfilename , Ä , é, Æ, µ, ½, Æ, <[]A**[Use Folder Names]** , æf`fFfbfN, ¾, è, Ä, ç, é, Æ c:\temp\mydir ftfHf<f_ , É[]Af`fFfbfN, ¾, è, Ä, ç, È, ç, Æ c:\temp ftfHf<f_ , É%ð“€ , ¾, è, Ü, ., ç]B

- **[New Folder...]** , ÌftfHf<f_ , ð[]V<K, É[] , µ, Ä[]A, » , ÌffBfCefNfgfŠ, ÉfA[]fjfcfu“à, Ìftf@fCf<, ð%ð“€ , ., éè[] , ÉŽg—p, µ, Ü, ., ç]Bf{f^f“ , ðfNfŠfbfN, ., é, Æ[]A [Create Folderf_fCfAf\[f\]Of{fbfNfX, æCE» , è, Ü, ., ç\]B\[Name\]](#)— , ÉffBfCefNfgfŠ-¼, Ì, Ý, ð“ü—Í, µ, Ä[]A[OK] f{f^f“ , ð%ðŸ, µ, Ü, ., ç]B“Ó[] , ± , Ìf_fCfAf[f]Of{fbfNfX, ðŽg, Ì, ., É[]A**[Extract To]**— , É[]V, µ, çftfHf<f_

¼, ð“ü—Í, μ, Ä **[Extract]** f{f^f“, ð%öÿ, ·, ±, Æ, Å□A, » , Ì□V, μ, çftfHfçf_ , É%öð“€ , ·, é, ± , Æ, ð, Å, «, Ü, ·□B

'□^Ó: ffftfHfçfg, Ì [Extract To] ftfHfçf_ , Í□A [Options] f□fjf...□[, ©, çConfiguration..., ð'I'ð, μ□A [Configuration](#)
[Folders](#) f_ fCfAf□fO, Å• Ì□X, ·, é, ±, Æ, ð, Å, «, Ü, ·□B

fA [fj]fCfu "à, ìftf@fCf<, ð%oo {—, , , é

fA [fj]fCfu "à, ìftf@fCf<, ð%oo {—, , , é • û - @, í, ç, , Â, ©, , è, Ü, ::

- [fc \[f<fo \[, ì \[View\] f {f^f“ , ðfNfŠfbfN , , , é, © \[A\[Actions\] f \[fj\]f... \[, ì \[View... \] , ð'í'ð, µ \[A View_fCfAf \[fOf {fbfNfX, ð • \Ž | , , , é](#)
- [Drag and Drop fCf“ f^ \[\[ftfE \[\[fX, ðŽg—p, , , é](#)
- [CheckOut<@” \ , ì \[€ , Å \[à - ¾, ¾ , é, Ä, ç, é • û - @ , Å \[s, x](#)
- [f_fuf<fNfŠfbfN, Å \[à - ¾, ¾ , é, Ä, ç, é, æ, x, É \[A \[f \[fCf“ fEfBf“ fhfE, ìftf@fCf<- ¼, ðf_fuf<fNfŠfbfN, , , é \[B](#)

View_fCfAf{fbfNfX

f_c[f<fo[.l [View] f{f^f",đ%Ÿ,.,@A[Actions] fffj...[.l [View...],đ'l'đ,.,é,ÆA[View]
f_fCfAf{fO,ªE>,ê,Ü,·B,±,lf_fCfAf{fO,ÅAftf@fCf<,đ%{—,.,é•û-@,đ3,Â,l,æ,ž, ©,ç1,Â'l'đ,µ,Ü,·:

- [ŠÖ~A•t,.,ë,½fvf{fOf%of€](#),đŽg—p,.,é•û-@B,±,l•û-@,íAf{fCf"fEfbf"fhfE,ìftf@fCf<-
¼,đf_fuf<fNfŠfbfN,.,é,l,Æ"-,¶,Å,.,ªAZÅsftf@fCf<,ííÚSO,Å,·B [Configuration | Program Locations](#)
f_fCfAf{fOf{fbfNfX,ì[Viewer] —,“,Žw'è,µ,½fvf{fOf%of€,Åftf@fCf<,l"à—e,đ%
{—,µ,Ü,·B
- **[Internal ASCII Text Viewer]**,Å,í"à',ìASCIIfefLfXfgfrf...[fA,đŽg—p,µ,Ü,·B,±,lfrf...
[fA,Å,íA•i",ìftf@fCf<,l"à—e,đ1"x,ì'€i,Å%{—,.,é,±,Æ,ª,Å,«,Ü,·B
- **[Viewer]**,Å,í"C^Ó,ìfrf...[fA,đŽg—p,µ,Ü,·BŽg—p,.,éfrf...[fA,đŽw'è,.,é•K—v,ª, ,è,Ü,·B

“à‘ÿfrf...[]f[]

“à’ ,\ASCIIfeLfxfgfrf...[]fA,Í[]AfA[]fjfcfu“à,ìftf@fCf<,ð%o{—,·,é[]ê[]‡,¾,¯,Å,È,[]A[Options]
f[]ffj...[][,ì [View Last Output] ,ð‘l‘ð,μ,½,Æ,«,É WinZip,É,æ,Á,ÄŽÀ[]s,¾,ê,½
DOSfRf}f“fh,ðCE©,é[]ê[]‡,àŽg—p,¾,ê,Ü,·[]B

‘¾,ìf_fCfAf[]fo,Æ,í^á,ç[]AASCIIfeLfxfgfrf...[]f[],ìfEfbf“fhfE,íTfCfY,ð·ì[]X,μ,½,è[]A‘S%oæ-Ê·\
Ž!,·,é,±,Æ,à%o^“\,Å,·[]B

[Clipboard Copy]f{f^f“ ,ðfNfŠfbfN,·,é,Æ[]A·\Ž!,¾,ê,Ä,ç
,éfefLfxfg,ðfNfŠfbfvf{[]f[h,ÉfRfs[][,Á,«,Ü,·[]BfefLfxfg,¾‘l‘ð,¾,ê,Ä,ç
,É,ç[]ê[]‡,É,Í[]AfefLfxfg‘S‘ì,¾fNfŠfbfvf{[]f[h,ÉfRfs[][,¾,ê,Ü,·[]B

[]^Ó: “à’ ASCIIfeLfxfgfrf...[]f[],Á,Í[]Af[]f,‘ ,Æ“—l[]AASCIIfeLfxfg,μ,©·\Ž!,·,é,±,Æ,Í,Å,«,Ü,¹,ñ[]B

Select All, Invert Selection

[Actions] f f f f ... [, © , ç Select

All, ð ' I ' ð , . , é , Æ WinZip, l f f f C f " f E f B f " f h f E " à , l f t f @ f C f < , ð , . , x , Ä ' I ' ð , μ , Ü , · B Invert

Selection, ð ' I ' ð , . , é E » Y , l ' I ' ð , ð " ½ "] , ³ , ¹ , Ü , · B , Á , Ú , è A ' I ' ð , ³ , ê , Ä , ç , é f t f @ f C f < , Í ' I ' ð , ³ , ê , Ä , ç , È , ç ó Ó , É A ' I ' ð , ³ , ê , Ä , ç , È , ç f t f @ f C f < , Í ' I ' ð , ³ , ê , ½ ó Ó , É , È , è , Ü , · B

fEfBf<fXfXfLfff“

[Actions] f[]fj...[][,ì [Virus Scan] ,đ'!đ,·,é,Æ[]AfA[][fjfcfu“à,ìftf@fCf<,²fEfCf<fX,ÉŠ´[]đ,μ,Ä,ç,é,©,Ç,κ, ©,đ'², x,é,±,Æ,ª,Ä,«,Ü,·[]B,±,ì<@“\,đŽg—p,·,é,É,í[]AfEfBf<fXfXfLfffi.ì[]Ý'è,ì[]€,Àt[]à-³/4,³,è,Ä,ç,é•ù-@,Ä[]AfEfBf<fXfXfLfff“fvf[]fOf%of€,đ[]Ý'è,·,é•K—v,ª, ,è,Ü,·[]Bf`fFfbfNfAfEfG<@“\ ,Ä,àflfvfVf†f“ ,ÄfEfBf<fXfXfLfff“ ,đ,·,é,±,Æ,ª,Ä,«,Ü,·[]B

Virus Scan<@“\,í[]AŽÿ,ì,æ,κ,È[]^—[],đŽÀ[]s,μ,Ü,·:

1. fef“f|f%ofŠftfHf<f_ ,đ[][]¬
2. Žw'è,ìZIPftf@fCf<“à,ì,·, x,Ä,ìftf@fCf<,đ[]A[][]¬,μ,½fef“f|f%ofŠftfHf<f_ ,É%ođ“€
3. fef“f|f%ofŠftfHf<f_[]ã,ìftf@fCf<,É,Ä,ç,ÄfEfBf<fXfXfLfff“ ,đŽÀ[]s
4. fef“f|f%ofŠftfHf<f_[]ã,ì,·, x,Ä,ìftf@fCf<,đ[]í[]œ,μ[]Afef“f|f%ofŠftfHf<f_ ,à[]í[]œ
5. ViewfEfBf“fhfE,É[]AfEfBf<fXfXfLfff“ ,ìC<%oÉ,đ•\Ž!,μ,Ü,·

Ž © Ć È % ð “ € ftj @ f Cf < , ì ì ì ñ

[Actions] f ñ f j f . . . ñ [, ì [Make .EXE File] , ð ' ì ð , , é , Ā ñ A Š] , ç , Ā , ç , é f A ñ [f j f C f u , ð Ž © Ć È % ð “ € ftj @ f Cf < , É • Ī Š , , , é , ± , Ā , Ā , « , Û , ñ B Ž © Ć È % ð “ € ftj @ f Cf < , ì Ā Š g ' Ě Ž q . EXE , ð Ž ñ , ð ADOS f v f ñ f “ f v f g , © , ç f R f } f “ f h , Ā , μ , Ā Ž Ā ñ s , , é , ± , Ā , Ā , « , Û , ñ B Ž © Ć È % ð “ € ftj @ f Cf < , Ā Ž Ā ñ s , Ā , é , é , Ā ñ A f A ñ [f j f C f u “ à , ì ftj @ f Cf < , Ī Ž © “ ® “ Ī , É % ð “ € , Ā , é , Û , ñ B Ž © Ć È % ð “ € ftj @ f Cf < , ð % ð “ € , , é , É , ì Ā P K U N Z I P . E X E ñ Ā L H A . E X E ñ Ā A R J . E X E , É , Ç , Ā • K — v , É , ç , ½ , ß • Ö — ~ , Ā , ñ B

ZIP ftj @ f Cf < , É Š Ö , μ , Ā ñ A , ± , ì ñ ^ — ñ , Ī ' Ē ñ Ī [WinZip Self-Extractor](#) f ñ [ñ f j f < f G f f f B f v f f j “ , ð Ž g — p , μ , Û , , Ā ñ A Š Ö • “ f v f ñ f O f % f € , ð Ž g — p , , é ñ Y ' è , à , Ā , « , Û , ñ B L Z H ftj @ f Cf < , É , Ā , ç , Ā , ñ A , ± , ì ñ ^ — ñ , Ī Š Ö • “ , ì L H A f v f ñ f O f % f € , ð s f l f v f v f f j “ • t , « , Ā Ž Ā ñ s , μ , Û , ñ B A R J ftj @ f Cf < , É , Ā , ç , Ā , ñ A , ± , ì ñ ^ — ñ , Ī Š Ö • “ , ì A R J f v f ñ f O f % f € , ð y f l f v f v f f j “ • t , « , Ā Ž Ā ñ s , μ , Û , ñ B W i n Z i p , Ā Š Ö • “ f v f ñ f O f % f € , ð Ž g — p , , é ñ Y ' è , É , Ā , ç , Ā , Ī • K — v “ ® ñ Ī Š Ā « « , Ā Š Ö • “ f v f ñ f O f % f € , ì f C f “ f X f g ñ [f < , ì ñ € , ð , “ Ç , Y , , ¾ , ¾ , ç ñ B

' ñ ^ Ó

Ž © Ć È % ð “ € L Z H ftj @ f Cf < , ì Ā ñ % ð , ì ftj @ f Cf < , Ā ñ Ī , Ā , ç , x ftj @ f Cf < — ¼ , ñ Ē ñ ñ A , » , ì ftj @ f Cf < , Ā Ž Ā ñ s , Ā , é , ½ Ž Ž , É ñ A , ± , ì ftj @ f Cf < , Ī ' ñ g , Ā • \ Ž Ī , Ā , é , Û , ñ B , Ā , Û , è ñ Ī , Ā , ç , x f e f l f X f g f t j @ f C f < , ð ñ ñ — , μ , Ā , “ , , Ā ñ A % ð “ € , , é ñ Û , ì ñ ^ Ó , É , Ç , ì ñ Ī • ñ , ð • \ Ž Ī , , é , ± , Ā , Ā , « , é , Ī , ñ , ñ B , ± , ì ftj @ f Cf < , ð • \ Ž Ī , μ , ½ , , Ā ñ A ftj @ f Cf < , ð — { “ — , É % ð “ € , , é , © , Ç , x , © ' Ī ð , , é , ± , Ā , Ā , « , Û , ñ B , ± , ì ftj @ f Cf < , ð f A ñ [f j f C f u “ à , ñ Ā ñ % ð , ì ftj @ f Cf < , É , , é , É , ñ A , Û , ñ V < K , É L Z H ftj @ f Cf < , ð ñ ñ — , μ , Ā , © , ç ñ A ñ Ī , Ā , ç , x ftj @ f Cf < , ð ' Ç % ð Ā , μ , Û , ñ Ī , ± , Ī ' Ī Š K , Ā , Ī ' ¼ , ì ftj @ f Cf < , Ī ' Ç % ð Ā , μ , É , ç , Ā , , ¾ , ¾ , ç ñ Ī B Ž Ÿ , É ' ¼ , ì ftj @ f Cf < , ð ' Ç % ð Ā , μ , Û , ñ B

fA [f]fCfu, àUUencode

Š, ç, Ä, ç, éfA [f]fCfu, ðUencode, ·, é, É, Í [Actions] f [f]f... [[, ©, ç [Uencode] , ð'Í'ð, µ, Ä, -
, ¾, ¾, ç [BUencode, ¾, ê, ½ftf@fCf<, ÍfofCfifŠ, Ì“ dŽqf [f<, ðfTf [fg, µ, Ä, ç, É, çf [f<fVfXfef€ , Å, à' —
, é, ±, Æ, ¢, Å, «, Ü, · [B [Ú, µ, , Í [AUUencoded, XXencoded, BinHex, MIMEftf@fCf<, Ì€ , ðŽQ [Æ, µ, Ä, -
, ¾, ¾, ç [B

fA [fjfCfu, ìfefXfg

[Actions] f [jfj... [[[Test] , ð' l' ð, ·, é, Æ [AŠ], ç, Ä, ç, éfA [fjfCfu, a [í, ©, Ç, x, ©, ð'², x, é, ±, Æ, a, Å, «, Ü, · [BfefXfg ^ — [[CE < % ð, í [Af_fCfAf [fO, É • \ Ž, ³, ê, Ü, · [BZipftf@fCf<, ðfefXfg, ·, é, Æ, «, É, ÍŠ • "fvf [fOf%of€, í—v, è, Ü, ¹, ñ [B, ±, ìfRf} f "fh, í [ALZHftf@fCf<, É, Å, ç, Ä, í [ALHA t, ð [AARJftf@fCf<, É, Å, ç, Ä, í [AARJ t, ð Ž [s, µ, Ü, · [BfefXfg, ð ^ — ['t, É 't Ž ~, ·, é, É, í [A [Esc]fL [[, ð % Ÿ, µ, Ü, · [B

fRf“fg

[Actions] f“fg... [, ©, ç **Comment**, ð' ' ð, ., é, Æ [A Comment f_c f A f f O f { f b f N f X, ð • \ Ž |, ð, ê, Ü, . □ B, ±, ì < @ " \, í Zip f t f @ f C f < , ì, Ý — L C E ø, Å, . □ B

fRf“fg, Æ, í Zip f t f @ f C f < “ à, É Š Ü, Ü, é, é f l f v f v f f “, ì f e f l f X f g ð ð • ñ, Å, . □ B Comment f_c f A f f O f { f b f N f X, Å ð ð • ñ, ì % { — — □ A ð ð — □ A • Ö □ W □ A ð ð œ, É, Ç, ì ‘ € ð ð, ð % “ \, Å, . □ B Windows, ì Š ð — { ‘ € ð ð, Å, , é f j f b f g □ A f R f s □ [□ A f y □ [f X f g, É, Ç, ð Ž g — p, Å, «, Ü, . □ B

[Close] f { f ^ f “, ð % Ÿ, ., Æ f_c f A f f O, ð • Å, ¶, Ü, . □ B

[Save] f { f ^ f “, ð % Ÿ, ., Æ • Ö □ W C E < % œ É, ð • Û ‘ ¶, μ, Ü, . □ B

[Clear] f { f ^ f “, ð % Ÿ, ., Æ f R f “ f g f N f Š f A, μ, Ü, . □ B

[Font] f { f ^ f “, ð % Ÿ, ., Æ • \ Ž |, É Ž g — p, ., é f t f H f “ f g, ð ' ' ð, ., é, ±, Æ, ð, Å, «, Ü, . □ B, ±, ì □ Ý ‘ è, ì f R f “ f g Ž © ‘ ì, É, ì % œ < j, μ, Ü, ð, ñ, ð □ A, , É, ½, ì f v f X f e f € , Å, ì f f t f H f < f g • \ Ž | f t f H f “ f g, Æ, μ, Å Ž Ý % ñ ^ È □ ~ □ Ý ‘ è, ð • Û ‘ ¶, ð, ê, Ü, . □ B

f`fFfbfNfAfEfg<@”\

f`fFfbfNfAfEfg<@”\, ð~ — p, ·, é, Æ Af Af [f]fCfu“à, lftf@fCf<, lfefXfg, âŽÀ s, a — e ^ Ö, É, È, è, Ü, · B, ±, è, l f A [[f]fCfu“à, lŠeftf@fCf<, É, Â, « A ^ è, Â, ·, Â f Af Cf Rf “, ðŠ,,, è “ - , Â, ½ fvf [f]Of %of€fOf< [f]v, ð [i] [~], µ, Ü, · B, ±, l f Of< [f]v, É, ·, é f Af Cf Rf “, ðf fuf<fNfŠfbfN, ·, é, Æ Af tf@fCf<, aŽÀ s, ³, è, é, © Af tf@fCf<, ðŠÖ ~ A · t, ·, ³, è, ½ fvf [f]Of %of€f [i]SÖ ~ A · t, ·, É, Â, ç, Ä, l ŠÖ ~ A · t, ·, l [i]€ , ð Ž Q [Æ, µ, Ä, - , ¾, ¾, ç [j , É, æ, Ä, Ä % { — — , ·, é, ±, Æ, a, Â, «, Ü, · B Win Zip, l [i] A, » , l f A [[f]fCfu, ð · Ä, ¶, é, © [A Win Zip, ð [i] — ¹, ¾, ¹, ½ ‘iŠK, Ä [A, ±, l f v [f]Of %of€f } f [i] [fWfffOf< [f]v, Æ, » , l ‘ t, lftf@fCf<, ð [i] [i]œ, µ, Ü, · B

CheckOutf_fCfAf_fOf_{fbfNfX

fC [f]fo [i] , l [CheckOut] f {f^f” , ðfNfŠfbfN [A, Ü, ½, l [Actions] f [f]f... [i] , l [CheckOut...]

ð ‘ l ‘ ð . · , é, Æ [A [CheckOut] f_fCfAf_fOf_{fbfNfX, ðCEÄ, Ñ [o, ·, ±, Æ, a, Ä, «, Ü, · B, ±, l f_fCfAf_fOf_{fbfNfX, Ä, l [i] A Ž Y, l Ž - · ç, ð Y ‘ è, µ, Ü, · B:

- [Folder] — “, Ä, l [i] A ^ è Ž Ž “ l, È f`fFfbfNfAfEfg — pftfHf<f_ - ¼, ð Ž w ‘ è, µ, Ü, · B, ±, lftfHf<f_ , a ‘ ¶ [Y, µ, È, ç [è [±, É, l [i] A [i] [~], ³, è, Ü, · B ffftfHf<fg, lftfHf<f_ , l [i] A [Configuration | Folders](#) f_fCfAf_fOf_{fbfNfX, l [i] [CheckOut base folder], l [i] Y ‘ è, É, æ, è, Ü, · B
- [Group Name] — “, Ä, l [i] A fvf [f]Of %of€fOf< [f]v - ¼, ð Ž w ‘ è, µ, Ü, · B
- [Maximum Icons] — “, Ä, l [i] A CheckOut fvf [f]Of %of€fOf< [f]v, Ä, l [i] A ‘ ä f Af Cf Rf “ [i] , ð Ž w ‘ è, µ, Ü, · B Windows 3.1, l f v [f]Of %of€f } f [i] [fWff, l [i] S CE Ä, l 50, Ä, ·, a [A, æ, è [i] , È, ç [i] , ð Ž w ‘ è, µ, Ä Ž Ž Š Ö, ð [i] ß - ñ, ·, é, ±, Æ, à, Ä, «, Ü, · B
- [Create Icons For Programs And Documents Only] , Ä, l [i] A fvf [f]Of %of€fOf< [f]v, É [i] [~], ³, è, é f Af Cf Rf “, ð CE Ä ‘ è, ·, é, ±, Æ, a, Ä, «, Ü, · B, ±, ±, ð f`fFfbfN, ·, é, Æ Ž A [sftf@fCf<y, Ñ ŠÖ ~ A · t, ·, ³, è, ½ ftf@fCf<, É f Af Cf Rf “, a [i] , ç, è, Ü, · B, Ü, ½ Rea d... Ä Ž n, Ü, é f tf@fCf< [i] README.1ST [i] AREADME.TXT “ ” [i] j, É, à, ·, x, Ä f Af Cf Rf “, a [i] , ç, è, Ü, · B
- [Run Virus Scanner] , ð f`fFfbfN, ·, é, Æ Af Af [f]fCfu“à, lftf@fCf<, É f Ef Bf<fXfXfLfff” , ð Ž À s, ·, é, ±, Æ, a, Ä, «, Ü, · B, ±, l f l f v [f]v f f “ , l [i] [Configuration | Program Locations](#) f_fCfAf_fOf_{fbfNfX, Ä [i] A f Ef Bf<fXfXfLfff” f v [f]Of %of€ , a [i] Y ‘ è, ³, è, Ä, ç, É, ç, Æ Ž g — p, Ä, «, Ü, ¹, ñ [i] B

f`fFfbfNfAfEfg<@”\, É, æ, Ä, Ä Ž À s, ³, è, é [i] [~] — [i] :

[CheckOut] f_fCfAf_fOf_{fbfNfX, Ä [OK] f {f^f” , ðfNfŠfbfN, ·, é, Æ [A Win Zip, l Ž Y, l [i] [~] — [i] , ð, µ, Ü, · :

1. Ž w ‘ è, ³, è, ½ fffBfCEfNfgfŠ, É f tf@fCf<, a ‘ ¶ [Y, ·, é [è [±] [A, » , è, ç, ð [i] [i]œ, µ, Ä, æ, ç, © · · , ç , Ä, «, Ü, · B, » , x, Ä, É, ·, è, lftfHf<f_ , a [i] [~], ³, è, Ü, · B, ±, è, l, » , lftfHf<f_ , É f A [[f]fCfu“à, lftf@fCf<, µ, © ‘ ¶ [Y, µ, È, ç, ±, Æ, ð · Ü [i] [~], ·, é, ½, ß, Ä, · B
2. Ž w ‘ è, ³, è, ½ fvf [f]Of %of€fOf< [f]v, a , ·, Ä, É ‘ ¶ [Y, µ, Ä, ç, é [è [±] [A, » , è, ç, ð [i] [i]œ, µ, Ä, æ, ç, © · · , ç , Ä, «, Ü, · B, ±, è, l, » , l f Of< [f]v, É f A [[f]fCfu“à, lftf@fCf<, l f Af Cf Rf “ , µ, © ‘ ¶ [Y, µ, È, ç, ±, Æ, ð · Ü [i] [~], ·, é, ½, ß, Ä, · B
3. Ž w ‘ è, ³, è, ½ fffBfCEfNfgfŠ, É f tf@fCf<, ð % ð “ € , µ, Ü, · B
4. [Run Virus Scanner] , ð f`fFfbfN, µ, ½ [i] [è [±] [A fffBfCEfNfgfŠ “ à, l, ·, x, Ä, lftf@fCf<, É ‘ l, µ, Ä [i] A f Ef Bf<fXfXfLfff” , a Ž À s, ³, è , Ü, · B f Ef Cf<fX, a ‘ CE © , ³, è, é, Æ [A CheckOut [i] [~] — [i] , l ‘ t ‘ f, ³, è, Ä [i] A f Ef Bf<fXfXfLfff” f v [f]Of %of€ , © , ç, l f [i] b f Z [i] [fW, a · \ Ž , ³, è, Ü, · B
5. [V, µ, ç f v [f]Of %of€f } f [i] [fWfffOf< [f]v, ð [i] [~], µ [A, » , l ‘ t, Ä f A [[f]fCfu“à, lŠeftf@fCf<, É, Ä, « [A, » , è, ¼, é f Af Cf Rf “ , ð Š,,, è “ - , Ä, Ü, · B

CheckOut<@”\, É, æ, Ä, Ä [i] [~], ³, è, ½ fvf [f]Of %of€fOf< [f]v, l Ž g — p · ü — @ :

CheckOut<@”\, É, æ, Ä, Ä [i] [~], ³, è, ½ fvf [f]Of %of€fOf< [f]v, l ‘ É [i] , l f v [f]Of %of€fOf< [f]v, Æ “ — l, É Ž g — p, Ä, «, Ü, · B Win Zip, l , ±, l f Of< [f]v, l Šeftf@fCf<, ², Æ, É f Af Cf Rf “ , ð Š,,, è “ - , Ä, é, l, Ä [i] A ^ È % ° , l, æ, x, É Ž g — p, Ä, «, Ü, · :

- ŽÀ□sftf@fCf<,Å, ,è,î□AFAfCfRf“ ,đf_fuf<fNfŠfbfN,·,é,±,Æ,Åfvf□fOf%of€ ,đŽÀ□s,Å,«,Ü,·□B
- ftf@fCf<,āŠÖ~A•t,¯,³,è,Ä,ç,è,î□AFAfCfRf“ ,đf_fuf<fNfŠfbfN,·,é,ÆŠÖ~A•t,¯,³,è,½fvf□fOf%of€□ifGfffBf^ ,È,Ç□j,Åftf@fCf<,đCEÄ,Ñ□o,μ%o{—,Å,«,Ü,·□B
- ā<L^ÈŠO,ì□ê□‡,É,í□AFAfCfRf“ ,đf_fuf<fNfŠfbfN,·,é,Æ□A [Configuration | Program Locations](#) f_fCfAf□fOf{fbfNfX,ÅŽw'è,³,è,Ä,ç,éWinZip,lffftfHf<fg,lŠÖ~A•t,¯fvf□fOf%of€ ,đ<N“ @,μ□Aftf@fCf<,đf□□[fh,μ,Ü,·□B

fcf“fXfg[]f<<@”\

WinZip, \fcf“fXfg[]f<<@”\, íZipCE`Ž® , Å”z•z,³,ê,Ä,ç,éfvf[]fOf%of€ , \fcf“fXfg[]f<, ð—
e^Ö,É,µ,Ü,·Bfcf“fXfg[]f<<@”\, ífA[]fjfcfu“à,É “install.*” ,Ü,½,í “setup.*” ,Æ,ç,æ-
¼‘O, \ftf@fcf<,ª‘¶[]Ý,µ,Ä,ç,é[]ê[]±,É,ì,Y—LCEø,Å,·B,±,ì<@”\, Å,ÍŽÿ,ì^—, ð[]s,ç,Ü,·:

1. fA[]fjfcfu“à,ì,·,x,Ä, \ftf@fcf<, ð^êŽžftfHf<f_,É%øð“€
2. fZfbfgfAfbfvfvf[]fOf%of€ , ð<N“®
3. ^êŽžftfHf<f_,Æ,» ,ì†, \ftf@fcf<, ð,·,x,Ä[]í[]œ

Installf_fCfAf[]fOf{fbfNfX:

fc[]f<fo[][,ì[Install] f{f^f“, ð%øÿ,·,©[]A Actionsf[]fj...
[][,©,çInstall,ð‘ìð,·,é,ÆInstallf_fCfAf[]fOf{fbfNfX,ª•Žì,³,ê,Ü,·B

Minimize during installf`fFfbfNf{fbfNfX, ðfNfŠfbfN,·,é,Æ[]Afvf[]fOf%of€
, \fcf“fXfg[]f<‘†,ÉWinZip,ª[]Å[]-%ø» ,³,ê,Ü,·B

fcf“fXfg[]f<, ðŠ)Žn,·,é,É,í[OK] f{f^f“, ð%øÿ,µ,Ü,·B

‘[]^Ó:

Windowsfx[]fX,ìŽ©CEÈ%øð“€CE^fA[]fjfcfu,ì^µ,ç,í,Ü,½•É,Å,·B,±,ê,ç, \ftf@fcf<, ðŠ),-
,Æfcf“fXfg[]f<<@”\, íA^êŽžftfHf<f_,É%øð“€ ,·,é‘ä,í,è,É‘P[]f,É,» , \ftf@fcf<, ðŽÅ[]s,µ,Ü,·B

[Install] f{f^f“,ª•Žì,³,ê,É,ç,·,é,Ç,à[]AfZfbfgfAfbfvfvf[]fOf%of€,ªŠÜ,Ü,é,Ä,ç
,é,ÆŠm“F,Å,« ,éftf@fcf<,É,ç,í[]Af`fFfbfNfAfEfg<@”\ , ðŽg,Á,Äfcf“fXfg[]f<<@”\ ,Æ“ ,¶,±
,Æ,ª,Å,« ,Ü,·B

Windows 95/98/NT, ÅŽg—p%øÅ”\ ,ÉInstall/Try/Uninstall<@”\
, \fvfCEfŠfŠ[]fX”Å,ªWinZipfz[]f€fy[]fW, ©,ç“üŽè,Å,« ,Ü,·B<http://www.winzip.com> ,±
,é, \fcf“fXfg[]f<<@”\ , ð,³,ç,É^ê•à[]i,ß,Ä[]AfCf“fXfg[]f<<@”\ , ðŽg,Á,Äfcf“fXfg[]f<,µ,½fvf[]fOf%of€
, \Af“fcf“fXfg[]f<,à[]s,æ,æ,É,µ,½,à,ì,Å,·B

Options [f]fj... [l]

Configuration, ð' l' ð, ·, é, Æ Configuration_fCfAf [f]Of {fbfNfX, ð·\Ž! ,³, è [A, ±, ±, ÅWinZip, ì, Ù, Æ, ñ, Ç, Ì [Y' è, ð [s, x, ±, Æ, ð, Å, «, Ù, · [B

Password, ð' l' ð, ·, é, Æ Password_fCfAf [f]Of {fbfNfX, ð·\Ž! ,³, è [AZipftf@fCf<, ÈpfXf [fh, ð, ©, ·, é, ±, Æ, ð, Å, «, Ù, · [B

Sort, ð' l' ð, ·, é, Æ AfA [f]fCfu "à, ìftf@fCf<fŠfXfg, ì·\Ž! , ð [Aftf@fCf<-¼ [f]AfpfX [f]Af^fCfv [f]AfTfCfY [f]A^³ [kCEãftfCfY [f]A^³ [k— [f]A"ú·t [f]A, Ù, ½, ÌfA [f]fCfu "à, Å, ÌfŠfWfif<, Ì [f]·, É·ì [X, ·, é, ±, Æ, ð, Å, «, Ù, · [B" ^Ó [f]fCf"fhfE, Ìfwfbf_·"· ð, ðfNfŠfbfN, ·, é, ±, Æ, É, æ, Á, Ä, à [f]A [f]fg·ù-@, ð·ì [X, ·, é, ±, Æ, ð, Å, «, Ù, · [B—á, Ì, ÌfAfwfbf_, ÌDate, Æ, ç, xCE¾—t, ðfNfŠfbfN, ·, é, Æ [A"ú·t [f]·, É·\Ž! ,³, è, Ù, · [B

Reuse WinZip Windows, ð' l' ð, ·, é, Æ [A, ·, Å, ÉWinZipfEfBf"fhfE, ðŠj, ç, Ä, ç, é [è [f]·, É [Aftf@fCf<f}f [f] [fWff, âfGfNfXfvf [f] [f% [f]Afvf [f]Of %of€f}f [f] [fWff, ©, çf_fuf<fNfŠfbfN, Å [V, ½, ÉWinZip, ð<N"® , μ, ½, Æ, « [A [V, μ, çfEfBf"fhfE, ðŠj, ©, ·, , É [A, ·, Å, ÉŠj, ç, Ä, ç, éWinZip, ÌfEfBf"fhfE, ðŽg—p, μ, Ù, · [B, ±, ±, ð' l' ð,³, è, Å, ç, È, ç, Æ [A [V, ½, ÉWinZip, ÌfEfBf"fhfE, ðŠj, ©, è, Ù, · [B

Save Settings on Exit, ð' l' ð, ·, é, Æ [AWinZip [l—¹Žž, É [Y' è, ð Ž © "® "l, É·Ù'¶, μ, Ù, · [B

Save Settings Now, ð' l' ð, ·, é, Æ [A [Y' è, ð'¼, ç, É·Ù'¶, μ, Ù, · [B, ±, ±, Å, Í [Options]f [f]fj... [l, Ì [Y' è [A [Add] [A [Configuration] [A, » , μ, Å [Extract]f_fCfAf [f]Of {fbfNfX [A,³, ÉCE> [Y, ÌfEfBf"fhfEftfCfY, Æ^È'u, È, Ç, Ì, ·, x, Ä, Ì [f]·ñ, ðŠÜ, Ù, è, Ä, ç, Ù, · [B

Set Installation Defaults, ð' l' ð, ·, é, Æ [A'½, ·, Ìf [f]vf [f]f" [Y' è, ÆftfHf<f_¼, ðf [f]ŠfWfif<, ÌfCf"fxfg [f]çŽž, Ì [f] %Sú [Y' è, È, μ, Ù, · [B

View Last Output, ð' l' ð, ·, é, Æ [View Last Output]f_fCfAf [f]O, ðCE», è [AWinZip, É, æ, Á, ÄŽÀ [s,³, è, ½ [ÅCEã, ÌfRf}f"fh, ÌCE<%È, ð·\Ž! , ·, é, ±, Æ, ð, Å, «, Ù, · [B

Viewf^fu

[Configurationf_fCfAfOf{fbfNfX}](#),ìViewf^fu,ÀŸ'è,À,«,é€-Ú,íŽŸ,ì'È,è,À,,: :

Columns

ftf@fCf<fŠfXfg,É•\Ž!,^{3,1,1/2},ç€-Ú,ðŸ'è,μ,Û,·Bf`fFfbfN,ì"ü,Á,Ä,ç,é€-Ú,^a•\Ž!,³,é,Û,·B[Default] f{f^f",ð%Ÿ,·,Æ%ŠúŸ'è,É-ß,è,Û,·B

General

Allow all upper case file names - WinZip,ì'ÈíWindows,Æ"-,Ÿ•û-@,Åftf@fCf<-^{1/4},ð•\Ž!,μ,Û,,: ftf@fCf<-^{1/4},É-•ŸŽš,ðŠÛ,ñ,Á,ç,éêê±,íA'â•ŸŽš-•ŸŽš-±,μ,Ä•\Ž!,³,é,Û,·B,³,à,É,·,é,íA%o,ì•ŸŽš,^aâ•ŸŽš,ÅÆã,í-•ŸŽš,Ä•\Ž!,³,é,Û,·B,±,ìfìvìvìfìf",Éf`fFfbfN,ð"ü,è,é,Æftf@fCf<-^{1/4},É-•ŸŽš,ðŠÛ,ñ,Á,ç,É,çéê±,Éftf@fCf<,í,·,x,Ä'â•ŸŽš,Ä•\Ž!,³,é,Û,·B

Full row select - WinZip,ì'ÈíGfNfXfvf[]f%o,Æ"-,Ÿ'•û-@,ðŽg—p,μ,Û,·B,±,ìfìvìvìfìf",Éf`fFfbfN,ð"ü,è,é,ÆAftf@fCf<,ðfNfŠfbfN,μ,1/2Û,ÉAftf@fCf<-^{1/4},^{3/4},·,â'•û,³,é,é,ì,Á,í,È,íA,»,ìftf@fCf<,ÉŠÖ,·,é,·,x,Ä,ìs,^a•û,³,é,Û,·B

Grid lines - WinZip,ìf[]Cf"fEfBf"fhfE,É€rü,ð•\Ž!,μ,Û,·B

Mouse selection

WinZip,ì%ŠúŸ'è,Á,íWindowsffXfNfgfbfv,ìŸ'è,Æ"-,Ÿf}fEfX" @í,É,È,è,Û,·,±A,±,±,Ä•íX,·,é,±,Æ,^a,Ä,«,Û,·B

'^Ó: ,±,é,ç,ìfìvìvìfìf",íWindowsfRf,f"fRf"fgh[]f<f%ofCfuf%ofŠ4.71^È~,^aŽg—p,Á,«,éŠÁ««,Á,ì,Ÿ—L€ø,Á,·B,±,ìf%ofCfuf%ofŠ,íWindows98[]Microsoft Internet Explorer 4.0,ì'è•",Æ,μ,Ä'ñ<Ÿ,³,é,Ä,·,èA,Û,1/2WindowsfRf,f"fRf"fgh[]f<f%ofCfuf%ofŠ.,ì€,Áà-^{3/4},³,é,Ä,ç,éMicrosoftŽĐ,ìWebTfCfg,©,ç•ÊEA,É"üŽè,·,é,±,Æ,à%Ä"Ä,·B

ŠÖ~A€-Ú:

[Toolbar](#) [Folders](#) [System](#) [Program Locations](#) [Miscellaneous](#)

Toolbar^fu

[Configuration_fCfAf\[\]Of{fbfNfX}](#), Toolbar^fu, ÅŸ'è, Å, «, é€-Ú, íŽŸ, ì'É, è, Å, ·:

- **Use large toolbar buttons** - fTfCfY, ì'å, «, çfc[]f<fo[]f{f^f", ðŽg—p, µ, Û, ·□B
- **Show button text** - fc[]f<fo[]f{f^f", ì%º, É, »,, ìà-¾, ðfefLfXfg, Å•\Ž!, µ, Û, ·□B
- **Show tool tips** - fc[]f<fo[][, ìf{f^f"[]ã, Éf}fEfXfj[]f<f<, ð^Ú"® , ·, é, Å[]Af|fbfjvfAfbfjvfEfBf"fhfE, ºCE», éf{f^f", ì<@"\, ðà-¾, µ, Û, ·□B
- **Flat toolbar buttons** - 3Df{f^f", ì'ã, í, è, Éftf%ºfbfg, Èf{f^f", ðŽg—p, µ, Û, ·□B
- **Use high color toolbar buttons when possible** - %ºæ-É, ìfvf[]pfefB, ÅWindows, ìffXfNfgfbfv, º16bitfnfCfjff%º[]^È[]ã, ÉŸ'è, º, è, Å, ç, é[]é[]#[]AfnfCjff%º[][-p, ìf{f^f", ð, µ, æ, º, µ, Û, ·□B, ±, ìfìfvfVfþf", ì'å, «, çfc[]f<fo[]f{f^f", ðŽg—p, µ, Å, ç, é[]é[]#, É, ì, Ÿ—F[]D, Å, ·□B

[Select Buttons] f{f^f", ðfNfŠfbfN, ·, é, Åfc[]f<fo[][, ì'ìXf_fCfAf[]fO, ºCE», è[]Afc[]f<fo[][, É•\Ž!, º, ì, éf{f^f", ð'ì'ð, ·, é, ±, Å, º, Å, «, Û, ·□B

'[]^Ó: , ±, è, ç, ìfìfvfVfþf", ÌWindowsfRf, f" fRf" fgf[]f<f%ºfCfuf%ºfŠ4.71^È[]~,, ºŽg—p, Å, «, éŠÅ<<, Å, ì, Ÿ—LCEø, Å, ·□B, ±, ìf%ºfCfuf%ºfŠ, ÌWindows98[]AMicrosoft Internet Explorer 4.0, ì^è•", Å, µ, Å'ñ<Ÿ, º, è, Å, ", è[]A, Û, ½WindowsfRf, f" fRf" fgf[]f<f%ºfCfuf%ºfŠ., ì[]€, Åà-¾, º, è, Å, ç, éMicrosoftŽĐ, ÌWebfTfCfg, ©, ç•ÉÊÅ, É"üŽè, ·, é, ±, Å, à%ºÅ"\, Å, ·□B

ŠÖ~A[]€-Ú:

[View](#) [Folders](#) [System](#) [Program Locations](#) [Miscellaneous](#)

fc [f<fo [, i • i X

Toolbar f^fu, l [Select Buttons] f{f^f", ð

%oÿ, , Æfc [f<fo [, i • i X f_CfAf [fO, ðCE», ê AWinZip, lfc [f<fo [, É • \
Ž!, , éf{f^f", i' ' ð, , æ, N [f" Ö, ð • i X, , é, ±, Æ, ð, Å, «, Ü, , Bfc [f<fo [, ð
%oEfNfSfbfN, µ, Ä, à " , f_CfAf [fO, ðCE», ê, Ü, , B

, ±, l f_CfAf [fO, Ä [f" x, É ' i' ð %o Ä " \, Èf{f^f", Æ < æ [Ø, è, ð • \ Ž!, , ð A %o E' x, É CE » [Y' i' ð, , è, Ä, ç
, éf{f^f", ð [f" Ö, É • A, ñ, Å, ç, Ü, , B

- **f{f^f", ð' Ç %o Ä, , é, É, Í:** [f" x, l ~ — p, Å, «, éf{f^f", ©, ç Žg — p, µ, ½, çf{f^f", ð ' i' ð, µ [A [Ç
%o Ä (A) -> l f{f^f", ð %o ÿ, µ, Ü, , B
- **f{f^f", ð [f" œ, , é, É, Í:** %o E' x, lfc [f<fo [, l f{f^f", ©, ç [f" œ, µ, ½, çf{f^f", ð ' i' ð, µ [A [< -
[f" œ] f{f^f", ð %o ÿ, µ, Ü, , B
- **f{f^f", i [f" Ö, ð • i X, , é, É, Í:** ^U" @, µ, ½, çf{f^f", ð fhf %o fbfo, µ, Ä [A Šó -], i [è [Š, Å — f
, µ, Ü, , B ^U" @, µ, ½, çf{f^f", ð ' i' ð, µ, Ä [A [ä, Ö (U)], Ü, ½, l [%o o, Ö (D)] f{f^f", ð
%o ÿ, µ, Ä, à ^U" @, , é, ±, Æ, ð, Å, «, Ü, , B
- **WinZip, i [%o Šú [Y' è, É - B, , é, Í:** [fŠfZfbfg (E)] f{f^f", ð %o ÿ, µ, Ü, , B

' [^ Ó:

- fc [f<fo [, i • i X f_CfAf [fO, ð Žg — p, , , AWinZip [ä, ©, ç ' ¼ [Uf{f^f", i [f" Ö, ð • i X, , é, ±
, Æ, ð, Å, «, Ü, , B [Alt] fL [, ð %o ÿ, µ, È, ð, ç ^U" @, µ, ½, çf{f^f", ð %o ÿ, µ, Ä fhf %o fbfo, µ [A " K" -
, È [è [Š, Å f{f^f", ð — f, µ, Ü, , B
- fc [f<fo [, i • i X f_CfAf [fO, ð Žg — p, , , AWinZip [ä, ©, ç ' ¼ [Uf{f^f", ð [f" œ, , é, ±
, Æ, à, Å, «, Ü, , B [Alt] fL [, ð %o ÿ, µ, È, ð, ç f{f^f", ð WinZip fEfBf " fhfE, i ŠO, Ö [o, µ [A, » , ±, Å f{f^f", ð
— f, µ, Ü, , B
- fc [f<fo [, i [Ä CE ä, i < æ [Ø, è, i ^U" @, µ, ½, è [f" œ, µ, ½, è, , é, ±, Æ, Í, Å, «, Ü, , ñ [B
- , ±, l f_CfAf [fO f [fbfNfX, i Windows fRf, f " fRf " fgf [[f<f %o fCfuf %o f Š4.71 ^ È [~ , ð Žg —
p, Å, «, é Š Ä « « , Å, i, Y — L CE ø, Å, , B, ±, l f %o fCfuf %o f Š, i Windows 98 [A Microsoft Internet Explorer
4.0, i ^ è • " , Æ, µ, Ä ' ñ < Y , , è, Ä, , è [A, Ü, ½ Windows fRf, f " fRf " fgf [[f<f %o fCfuf %o f Š, , i [€ , Å [à -
¾, , è, Ä, ç, é Microsoft Ž Đ, i Web fTfCf g, © , ç • È CE Ä, É " ü Ž è , , é, ±, Æ, à %o Ä " \, Å, , B

ŠÖ ~ A [€ - Ú:

[View](#) [Toolbar](#) [Folders](#) [System](#) [Program Locations](#) [Miscellaneous](#)

Folders^fu

[Configuration_fCfAfOf{fbfNfX}](#), l\Folders^fu, ÅŸw'è, Å, «, é, € - Ú, í, Ž, Ý, Ì, È, è, Å, :

Start-up folder

, ±, ±, ÅŸw'è, , é, f, t, f, H, f, < f, _ , Í, f, A, [f, j, f, C, f, u, , d, f, _ , f, u, f, < f, N, f, Š, f, b, f, N, , μ, Å, WinZip, < N " @ , , , é, ^ È Š O, Ì, é, ð, #, A, [Open archive](#), à, [New archive](#), f, C, f, A, f, O, f, {, f, b, f, N, f, X, Å, Å, Å, % , É, € » , é, é, f, t, f, H, f, < f, _ , Å, , ., B

- **System default** - WinZip, a, f, C, f, " f, X, f, g, [f, < , , , é, Å, , < , é, f, t, f, H, f, < f, _ , d, Ž, g - p, μ, Ü, ., B
- **Last open archive** - WinZip, a, Å, Å, É, Š, , < , 1/2, f, A, [f, j, f, C, f, u, , a, Š, Ü, Ü, è, Å, , < , é, f, t, f, H, f, < f, _ , d, Ž, g - p, μ, Ü, ., B, 1/2, 3/4, μ, f, t, f, [f, b, f, s, [f, h, f, % , o, f, C, f, u, , Í, Í, Ú, Š, O, Å, , ., B
- **Folder** - , ±, ±, ÅŸw'è, μ, 1/2, f, t, f, H, f, < f, _ , d, Í, É, Ž, g - p, μ, Ü, ., B

Extract folder

, ±, ±, Å, [Extract](#), f, C, f, A, f, O, f, {, f, b, f, N, f, X, } [\[Extract To\]](#) - " , É WinZip, a, Z, © " @ " l, É ' } " ü , , é, f, f, t, f, H, f, < f, g, f, t, f, H, f, < f, _ , Ì, Ÿ, Y, è, d, s, , < , Ü, ., B, à, , é, ñ, Å, ± , Ì, f, f, t, f, H, f, < f, g, f, t, f, H, f, < f, _ , d, ð, à, [, «, μ, 1/2, è, A, f, t, f, H, f, < f, _ , Í, Š, X, f, g, f, {, f, b, f, N, f, X, , © , < , É, Ì, f, t, f, H, f, < f, _ , d, Í, d, ., é, ± , Å, è, Å, «, Ü, ., B

- **Open archive folder** - WinZip, Í, Å, Š, , < , Å, , < , é, f, A, [f, j, f, C, f, u, , Ì, , é, f, t, f, H, f, < f, _ , d, [\[Extract To\]](#) - " , É ' } " ü , μ, Ü, ., B - á, , Í, Å, c: \download\tools.zip, a, Š, , < , Å, , < , è, Í, Å, WinZip, Í, c: \download, Å, È, è, Ü, ., B
- **Last extract folder** - WinZip, Í, Å, A, Ü, 1/2, Í, B, f, h, f, % , o, f, C, f, u, ^ È Š O, Å, Å, Å, Å, É, % , o, d " € , , , é, 1/2, f, t, f, H, f, < f, _ , d, Ž, g - p, μ, Ü, ., B, ±, Ì, f, t, f, H, f, < f, _ , Í, Å, WinZip, d, Í, - 1, 3, 1, é, Å, «, É, •, Ü, ' Å, , , é, Å, Ž, Y, É, WinZip, d, Ž, g - p, , , é, Å, «, É, à, Ž, g - p, , , é, ±, Å, a, Å, «, Ü, ., B
- **Folder** - WinZip, Í, Å, Å, Í, É, ±, ±, ÅŸw'è, , , é, 1/2, f, t, f, H, f, < f, _ , d, Ž, g - p, μ, Ü, ., B, ±, Ì, f, t, f, H, f, < f, _ , Í, Å, WinZip, Í, - 1, Ž, Ž, É, •, Ü, ' Å, , , é, Å, Ž, Y, Ì, WinZip, < N " @ Ž, Ž, É, » , Ì, Ü, Ü, Ž, g - p, , , é, ±, Å, a, Å, «, Ü, ., B

Add folder

, ±, ±, Å, [Add](#), f, C, f, A, f, O, f, {, f, b, f, N, f, X, , a, Š, , < , 1/2, Å, «, Ì, f, f, t, f, H, f, < f, g, f, t, f, H, f, < f, _ , d, Ÿ, Y, è, μ, Ü, ., B

- **Open archive folder** - WinZip, Í, Å, Š, , < , Å, , < , é, f, A, [f, j, f, C, f, u, , Ì, , é, f, t, f, H, f, < f, _ , d, Ž, g - p, μ, Ü, ., B
- **Last add folder** - WinZip, Í, Å, A, Ü, 1/2, Í, B, f, h, f, % , o, f, C, f, u, ^ È Š O, Å, Å, Å, Å, É, à, Add, ^ - , Å, Ž, g, Í, è, 1/2, f, t, f, H, f, < f, _ , d, Ž, g - p, μ, Ü, ., B, ±, Ì, f, t, f, H, f, < f, _ , Í, Å, WinZip, Í, - 1, Ž, Ž, É, •, Ü, ' Å, , , é, Å, Ž, Y, Ì, WinZip, < N " @ Ž, Ž, É, » , Ì, Ü, Ü, Ž, g - p, , , é, ±, Å, a, Å, «, Ü, ., B
- **Folder** - WinZip, Í, Å, Å, Í, É, ±, ±, ÅŸw'è, , , é, 1/2, f, t, f, H, f, < f, _ , d, Ž, g - p, μ, Ü, ., B, ±, Ì, f, t, f, H, f, < f, _ , Í, Å, WinZip, Í, - 1, Ž, Ž, É, •, Ü, ' Å, , , é, Å, Ž, Y, Ì, WinZip, < N " @ Ž, Ž, É, » , Ì, Ü, Ü, Ž, g - p, , , é, ±, Å, a, Å, «, Ü, ., B

Working folder

WinZip, Í, ±, ±, ÅŸw'è, , , é, 1/2, f, t, f, H, f, < f, _ , Å, Ì, Å, d, s, , < , Ü, ., B, ± , Ì, f, l, f, v, f, v, f, f, " , a, Ž, w'è, , , é, È, < , é, ð, #, É, Í, Å, ^ è, Ž, Ž, ZIP, f, t, f, @, f, C, f, < , Ì, f, [f, v, f, " , , , é, 1/2, ZIP, f, t, f, @, f, C, f, < , a, , é, f, t, f, H, f, < f, _ , É, ð, [- , , , é, Å, Ì, Å, d, s, , < , Ü, ., B, ±, Ì, f, l, f, v, f, v, f, f, " , Í, Å, f, A, [f, j, f, C, f, u, , d, f, A, f, b, f, v, f, f, [f, g, , , é, Ü, É, Å, - Ú " l, Ì, h, f, % , o, f, C, f, u, , É, € , Ì, f, A, [f, j, f, C, f, u, , Å, f, A, f, b, f, v, f, f, [f, g, , , é, 1/2, f, A, [f, j, f, C, f, u, , Ì, - 1/4, •, ð, ' u, - , 3/4, , Ì, f, X, f, y, [f, X, , a, È, < , é, ð, #, É, Í, " Å, É, •, Ö - ~ , Å, ., B, ±, è, Ì, Å, " Å, É, f, Š, f, € [f, o, f, u, f, < f, f, f, f, B, f, A, Å - á, , Ì, f, t, f, [f, b, f, s, [f, f, f, B, f, X, f, N, Å, < N, ±, è, à, ., < - à, è, Å, ., B, f, Š, f, € [f, o, f, u, f, < f, f, f, f, B, f, A, Ì, Y, Å, ±, Ì, Ÿ, Y, è, d, - ~ - p, ., é, È, Í, Å, [\[Use for Removable Media Only\]](#), d, f, f, f, b, f, N, μ, Å, , 3/4, , < , B

f, A, [f, j, f, C, f, u, , d, Å, R, J, Å, Ì, [- , , , é, ð, #, Å, WinZip, Í, - w, f, X, f, C, f, b, f, ^ , Å, f, t, f, H, f, < f, _ , 1/4, d, Ž, w'è, μ, Ü, ., B

CheckOut base folder

, ±, è, a, Ž, w'è, , , é, è, Å, Å, WinZip, Í, CheckOut, f, C, f, A, f, O, f, {, f, b, f, N, f, X, , Ì, f, f, t, f, H, f, < f, g, f, t, f, H, f, < f, _ , É, ±, Ì, f, t, f, H, f, < f, _ , d, •, Ž, Ì, μ, Ü, ., B, ±, Ì, - " , a, < o - " , Å, , è, Í, Å, f, l, f, v, f, " , , , é, Å, < , é, f, A, [f, j, f, C, f, u, , a, , é, f, t, f, H, f, < f, _ , d, Ž, g - p, μ, Ü, ., B

Temp folder

% , o, { - - , à, f, E, f, B, f, < f, X, f, X, f, L, f, f, f, " [^ - [t, É, ð, [- , , , é, é, f, t, f, @, f, C, f, < , È, Ç, Ì, f, e, f, " f, l, f, % , o, f, Š, f, t, f, @, f, C, f, < , d, Ç, ±

,Éi□¬,·,é,©,đ□Ý'è,μ,Û,·□BffBfXfNfXfy□[fX,ª«,è,È,,È,Á,½Žž□A□\•ª,ÉfXfy□[fX,ì, .éfhf
%ofCfu,ÆftfHf<f_đŽw'è,μ,Ā,¨,¯,î,ç,ç,í,¯,Ā,·□B

ŠÖ~A□€-Ú:

[View](#) [Toolbar](#) [System](#) [Program Locations](#) [Miscellaneous](#)

Systemf^fu

[Configurationf_fCfAf□Of{fbfNfX}](#),ìSystemf^fu,Á□Ý'è,Á,«,é□€-Ú,íŽŸ,ì'É,è,Á,∴

General

- **Associate WinZip with archives**,ìf`fFfbfNf{fbfNfX,Á,í□AWinZip,ÆfA□[fjffCfu,ðŠÖ~A•t,_,é,©,Ç,¤,©,ì□Ý'è,ð□s,¢,Ú,·□Bf`fFfbfN,ð“ü,è,é,ÆWinZip,ÆŽŸ,ìSg'£Žq,ìftf@fCf<,³ŠÖ~A•t,_,ç,è,Ü,∴: ZIP, LZH, ARJ, ARC, CAB, TAR, TGZ, TAZ, GZ, Z, UU, UUE, XXE, B64, HQX, BHX, MIM. ftf@fCf<,ìŠÖ~A•t,_,ÉŠÖ,μ,Ä,í□AŠÖ~A•t,_,ì□€,ðŽQ□Æ,μ,Ä,,¾,¾,¾,¢□B
- **Include WinZip in the start menu**,ìf`fFfbfNf{fbfNfX,Éf`fFfbfN,ð“ü,è,é,Æ□A f^fXfNfo□[.ìfXf^□[fgf□fjf...□[.ÉWinZip,ª'Ç%Á,¾,¾,è,Ü,·□B
- **Include WinZip on the desktop**,ìf`fFfbfNf{fbfNfX,Éf`fFfbfN,ð“ü,è,é,Æ□AfffXfNfgfbfv□ã,ÉWinZip,ìfVf#□[fgf]fbfg,ª□ì□-,¾,¾,è,Ü,·□B

File Manager

- **Include WinZip in File Manager menus**,ðf`fFfbfN,·,é,Æ□A ftf@fCf<f}fì□[fWff,ìf□fjf...□[fo□[.ÉWinZipf□fjf...□[.ª'Ç%Á,¾,¾,è,Ü,·□B
- **Start and stop WinZip with File Manager**,ðf`fFfbfN,·,é,Æftf@fCf<f}fì□[fWff,ì<N“® ,Æ“~Žž,ÉWinZip,à<N“® ,μ□Aftf@fCf<f}fì□[fWff,ì□—¹,Æ“~Žž,ÉWinZip,à□l—¹,μ,Ü,·□B,±,¤,μ,Ä,, ,Æ□Aftf@fCf<f}fì□[fWff,©,ç,¢,Ä,Ä,àfhf%ofbfO□•fhf□fbfv,ªŽg,ì,Ä•Ö—~ ,Ä,·□B

Explorer Shell Extension

- **Use shell extension**,ðf`fFfbfN,·,é,Æ□AWinZipfGfNfXfvf□□[f%ofRf“fefNfXfgf□fjf...□[.ª—LCEø,É,È,è□A fGfNfXfvf□□[f%o“à,©,çfhf%ofbfO&fhf□fbfv,ì^³□k%oð“€'€□,ª%oÁ“\ ,É,È,è,è,Ü,·□B
- **Non-cascaded context menu items** ,±,ìf`fFfbfNf{fbfNfX,í□A fRf“fefLfXfgf□fjf...□[.ðŠK`wCE^,ìf□fjf...□[.É,·,é,©,Ç,¤,©,ð□Ý'è,μ,Ü,·□B
- **Display icons on context menus** fGfNfXfvf□□[f%o,ìfRf“fefLfXfgf□fjf...□[.ì□¶¤,É□-,¾,¾,È WinZip ,ìfAfCfRf“,ð•Žì,·,é,©,Ç,¤,©,ð□Ý'è,μ,Ü,·□B
- **Check for self-extracting CAB files**,ðf`fFfbfN,·,é,Æ□A EXEftf@fCf<,ð%oEfNfŠfbfN,μ,½□ê#□A fRf“fefLfXfgf□fjf...□[.Ä,» ,ìEXEftf@fCf<,ªŽ©CEÈ%oð“€CABftf@fCf<,©,Ç,¤,©,ðf`fFfbfN,μ,Ü,·□B,±,ìf`fFfbfN,É,í□A□-□XŽžŠÖ,ª,©,©,è,Ü,·□iftf□fbfs□[fhf%ofCfu□ã,ìftf@fCf<,Ä-ñ3•b□j,ì,Á□A f□□[fjf<fn□[fhfffBfXfN□A fŠf€□[fofuf<fffBfXfN□A fìfbfgf□□[fNfffBfXfN,ì,» ,è,¾,¾,è,É,Ä,¢,Ä□Ý'è,·,é,±,Æ,ª,Ä,« ,Ü,·□B

ŠÖ~A□€-Ú:

[View](#) [Toolbar](#) [Folders](#) [Program Locations](#) [Miscellaneous](#)

Program Locations f^fu

Configuration fCfAfOfOf{fbfNfX}, iProgram Locations f^fu, A, íAŠeŽífvfOfOf%of€

, íêŠSASO•"fvfOfOf%of€, íY'è, ðs, ç, Ü, ·B, ±, ±, Á, íY'è, ·, x, Á, ðs, í, E, -
Á, àZIPftf@fCf<, í'€í, ÉŠÖ, µ, Á, íA'A•ÉŽxá, í, è, Ü, 1, ñB

[], Á, ÁAWinZip, íCf"fxfgOfOf<f't, É, ±, ífCfAfOfOf, aCE», è, Á, àA, æ, í, ©, ç, È, çêê±, í, Ç, ±
, àíX, 1, ·AOKf{f^f", ð%öY, µ, ÁAfCf"fxfgOfOf<f<, ð'±, ·, Á, 3/4, 3, çB

ŠO•"fvfOfOf%of€, íAWinZip, AE^ê, É, í"z•z, 3, è, Á, ç

, Ü, 1, ñí^3kfpfbfN, ð, ·"f, ç, á, °, í•ú, í^3kfpfbfN, É"ú, Á, Á, ç, Ü, ·B, ±, è, ç, ífvfOfOf%of€, É, Á, ç
Á, íA"úŽè•ú-@, AEÁ'áfoOfWfj"Ó±, È, Ç, íÚ×, íA•K—v" @íŠÁ«», í€, ðŽQAE, µ, Á, -

, 3/4, 3, çBŠO•"fvfOfOf%of€, íCf"fxfgOfOf<f<, ÉŠÖ, µ, Á, íASO•"fvfOfOf%of€, íCf"fxfgOfOf<f<, í€
, ðŽQAE, µ, Á, 3/4, 3, çBfEfBf<fXfXfLfffi, ÉŠÖ, µ, Á, íAefBf<fXfXfLfffi, íY'è, í€, ðŽQAE, µ, Á, 3/4, 3, çB

ŽÀÚ, ÉŠO•"fvfOfOf%of€, afVfXfef€, ÉfCf"fxfgOfOf<f<, 3, è, Á, ç, È, çêê±, É, íASÖ~A, ·, é—", ð, », í, Ü, Ü<ó
—", É, µ, Á, ©, Ü, ç, Ü, 1, ñB, », x, Á, È, çêê±, É, íAfvfOfOf%of€-1/4, ð"ú—

í, µ, Ü, ·BSg'£Žq, ífftfHf<fg, íEXE, É, È, Á, Á, ç, Ü, ·BpfX, aŽw'è, 3, è, Á, ç, È, çêê±, É, íAWinZip, ífvfOfOf
%of€, aŠÁ««í"PATH, ÁŽw'è, 3, è, Á, ç, éftfHf<f_, É, é, ±, AE, ð'O'ñ, É" @í, µ, Ü, ·B

Default association, í€, ÁY'è, 3, è, éfvfOfOf%of€, íASÖ~A•t, ·, í, È, 3, è, Á, ç, È, çfvfOfOf%of€, ð%ö{—
, ·, éêê±, ÉŽg—p, µ, Ü, ·BSÖ~A•t, ·, ÉŠÖ, ·, éà-3/4, íASÖ~A•t, ·, í€, ðŽQAE, µ, Á, 3/4, 3, çB, ±, í—", í
%oSúY'è, í:

- QuickView (quikview.exe), Windows95 / 98 / Windows NT 4.0 , ð, 2Žg—
p, ÁAfCf"fxfgOfOf<f<, 3, è, Á, ç, è, í, ±, è, ðŽg—p, µ, Ü, ·B
- SCCVAPI.EXE (System Compatibility Corporation, íOutside Inftf@fCf<frf... [fA)
, aPATH, ÁŽw'è, 3, è, Á, ç, éftfHf<f_, ÉCE ©, Á, ©, è, íA, ±, è, ðŽg—p, µ, Ü, ·B
- NVIEWER.EXE (Norton Desktop for Windows, íftf@fCf<frf... [fA) , aPATH, ÁŽw'è, 3, è, Á, ç
, éftfHf<f_, ÉCE ©, Á, ©, è, íA, ±, è, ðŽg—p, µ, Ü, ·B
- WNFV.EXE (PC Tools for Windows , íftf@fCf<frf... [fA) , aPATH, ÁŽw'è, 3, è, Á, ç
, éftfHf<f_, ÉCE ©, Á, ©, è, íA, ±, è, ðŽg—p, µ, Ü, ·B
- NOTEPAD.EXE (Windows•W€, íf, ') NVIEWER, AEWNFV, aCE ©, Á, ©, ç, È, ©, Á, 1/2êê±, íA, ±
, è, ðŽg—p, µ, Ü, ·B
, », í1/4A'á'í, íftf@fCf<frf... [fA, áfGffBf^, aŽg—p%öA" \, Á, ·B

Optional virus scanner—", íLq•ú-@, AE, µ, Á, íŽY, í, æ, x, É, È, è, Ü, ·:

'I	à-3/4
(<ó—")	<ó—", É, µ, Á, ·, AEWinZip, íEfBf<fXfXfLfffi, aY'è, 3, è, Á, ç, È, ç , AE"»'f, µ, Ü, ·B
SCANNER.EXE	fvfOfOf%of€, afpfX, í'É, Á, 1/2ftfHf<f_, ÉfCf"fxfgOfOf<f<, 3, è, Á, ç , éêê±AfCf<-1/4, 3/4, "ü—í, ·, è, íOK, Á, ·B
C:\SCANNER\SCANNER.EXE	fvfOfOf%of€, afpfX, í'É, Á, 1/2ftfHf<f_, ÉfCf"fxfgOfOf<f<, 3, è, Á, ç , È, çêê±AfCf<fpfX, ÁŽw'è, ·, éK—v, a, ·, è, Ü, ·B

ARJ, LHA, ARCE`Ž®, íA [fjfcfu, ðWinZip, Á^µ, x, É, íA, », è, 1/4, è, íŠO•"fvfOfOf%of€
, ðCf"fxfgOfOf<f<, µ, Á, ·, ·K—v, a, ·, è, Ü, ·BZIP^ÉŠÖ, íCE`Ž®, ð^µ, x•K—v, a, È, çêê±, íA<ó
—", í, Ü, Ü, Á, ©, Ü, ç, Ü, 1, ñB

•K—v" @íŠÁ«, í€, ÁWinZip, Áftf [fg, 3, è, éŠO•"fvfOfOf%of€, AE, », ífoOfWfj", É, Á, ç, Áà-
3/4, 3, è, Á, ç, Ü, ·B

'^Ó: WinZip, afCf"fxfgOfOf<f<, 3, è, é, AEafVfXfef€, íŠÁ««í"PATH, ðCEY'è, µ, ÁA, ±, è, çfftfHf<fgfvfOfOf
%of€, a, ·, é, ©, ç, x, ©CEY'è, µACE ©, Á, ©, ç, È, ©, Á, 1/2êê±, íA, », ±, ð<ó—", É, µ, Á, ·, «, Ü, ·B

ŠÖ~A€-Ú:

[View](#) [Toolbar](#) [Folders](#) [System](#) [Miscellaneous](#)

Miscellaneous^fu

[Configuration_fCfAfOf{fbfNfX}](#), Miscellaneous^fu, ÅŸ'è, Å, «, é€-Ú, íŽŸ, Ì'È, è, Å, .:

Start-up

- ▣ **Next time start with the Wizard Interface** - f`fFfbfN, ð"ü, è, é, ÆŽŸ
%oñWinZip, ð<N"® , ., éŸ, ÉAfeFbfU[fhf, [fh, Å<N"® , µ, Ÿ, .ŸB
- ▣ **Automatically show the Open Archive dialog box** -
f`fFfbfN, ð"ü, è, é, ÉAWinZip, ð<N"® , µ, ½ŸŸ, ÉŽ© "® "Ì, ÉAOpen
[Archive_fCfAfOf{fbfNfX, ðŠ}](#), «, Ÿ, .ŸB

Other

- ▣ **Windows 95 Style Extract dialog box** - Windows 95/98, ÆWindows NT 4.0, Å, ÍAExtract
f`fCfAfOf{fbfNfX, ðcfŠ[fjf...[fRf"fgf[f<, É, ., é, ©Windows
3.1xf^fCf<, lftfHf<f`Rf"fgf[f<, É, ., é, ©, ð'ð, ., é, ±, Æ, Å, «, Ÿ, .ŸB
- ▣ **TAR file smart CR/LF conversion** - TARftf@fCf<, Ì%oð"€Žž, ÉACR/LF•İŠ, ðŽÀŸs, ., é, ©, Ç, x
, ©, ðŸ'è, µ, Ÿ, .ŸBCR/LF, ÍCarriage Return/Line Feed, Ì—ŸB, ±
, lflfvVfjf", ÍATARftf@fCf<, ÅUnix, ÅMacintosh, ÅŸŸ, ., é, ½fefLxfgftf@fCf<, ðŠŸ, ñ, Å, ç
, éŸŸ, É•Ö—, Å, .ŸBUnix, lfeLxfgftf@fCf<, ÍŸs-- , ÉLF, ¾, , , èA
Macintosh, lfeLxfgftf@fCf<, ÍŸs-- , É, ÍCR, Å, , è, Ÿ, .ŸBWindows, lff', ' , â, » , Ì¼, ÌWindowsfvfOf
%ofÉ, É, ÍŸs-- , ÉCR, ÆELF, Å•K—v, Å, .ŸB, ±, lflfvVfjf", Åf`fFfbfN, ¾, è, Å, ç
, é, ÆATARftf@fCf<, Ì'†, Ì, » , è, ¼, è, lftf@fCf<, ÍÅŸ, Ì80•ŸŽš, ðWinZip, ÅCE© , é, ±, Æ, ÅCR/
LF•İŠ, ðŸs, x, ©, Ç, x
, ©, ð"»•É, µ, Ÿ, .ŸB, » , lftf@fCf<, ÅfefLxfgftf@fCf<, ÅCR, ©LF, Ì, Ç, Ì, ç, ©, µ, ©, È, çŸŸŸAfff', ' , â
, » , Ì¼, ÌWindows, lfrf...[fA, Å%o{—, Å, «, é, æ, x, ÉACR, ÆELF, lfyfA, É•İŠ, µ, Ÿ, .ŸBÅŸ%o
, Ì80fofCfg, Å0x20, © , ç0x7f, ÌŠŸ, lfaXfL[fLfff
%ofNf^ACRALFAffAf^fu, ÆWindows, llsCharAlphaNumeric API, É, æ, Å, Å"»'f, ¾, è, éfLfff
%ofNf^, ¾, , ÅŸè, ß, ç, è, Å, ç, é, ©, Ç, x, © , ÅfefLxfgftf@fCf<, ©, Ç, x, © , Å"»'f, ¾, è, Ÿ, .ŸB
- ▣ **Always have WinZip on top** - f`fFfbfN, ., é, ÆAWinZip, lfeFbf"fhfE, ðŸí, ÉÅŸä•", É•\
Ž!, µ, Ÿ, .ŸB
- ▣ **Beep after long archive operations** - Ÿ<Æ, É1•b^ÈŸä, ©, ©, éŸŸŸ, ÉAfr[fv
%o¹, ðŸo, ., ©, Ç, x, ©, ðŸ'è, µ, Ÿ, .ŸB
- ▣ **Smart DOC file handling** - Smart Doc handling, ð—LCEø, É, µ, Ÿ, .ŸB, ±, Ì<@"\
, lffuf:fNfŠfbfN, Ì€ , ðŽQÆ, µ, Å, , ¾, ¾, çŸB
- ▣ **Use Recycle Bin for move operations** -
f`fFfbfN, ., é, ÆAAdd, Ÿ, ½, ÌDropf`CfAfOf{fbfNfX, Å"move", ð'ð, µ, ½ŸŸ, ÉAŸíœ, ., é'ä,
í, è, É, ², Ÿ" , Öftf@fCf<, ð"ü, è, Ÿ, .ŸB
- ▣ **Prompt when View button is pushed** - , ±, lflfvVfjf", ð, Í, ., ., ÆAViewf`CfAfOf, ð•\
Ž!, µ, Ÿ, ¹, ñŸB

ŠÖ~A€-Ú:

[View](#) [Toolbar](#) [Folders](#) [System](#) [Program Locations](#)

fpfXf [fh • ÜÇÈì

WinZip ,Á, í <ÆŠÈ • W € , ì Zip 2.0 ^ Á + % » ft f H [f } f b f g , ð Ž g — p , μ , Ä , ç , Û , · B p f X f [f h , Á • Ü Ç È ì , ð , ½ f t f @ f C f < , ì p f X f [f h , ð Ž , ½ , , É f A [f j f C f u , ì + t g , ð , ì , ¼ , ± , x , Æ , · , é f t [f U , É ' í , μ , Ä — L Ç Ø , Á , · B , μ , © , μ , È , ð , ç A Z i p 2.0 ^ Á + % » ft f H [f } f b f g , í D E S A P G P , È , Ç , Å Ž g — p , ð , ð , é , Á , ç , é R S A C E ö Š J Ç E ® ^ Á + • ù Ž ® , Û , Ç ^ Á ' S , Á , í , È , □ A ^ Á + % » ð " Ç f c [f < , ð Ž g — p , ð , ð , ½ t t ê ð † , É ' í , μ , Ä á ' í " í , È ^ Á ' S □ « , ð • Û Ø , · , é , à , ì , Á , í , , è , Û , ð , ñ □ B

' □ ^ Ó : WinZip , ð , æ , è ^ Á ' S , È ^ Á + % » ft f H [f } f b f g , ð Ž g — p , μ , È , ç , ì , í , Q , Á , ì — □ — R , ð , , è , Û , · B , Û , □ A ^ Û , È , é f t f H [f } f b f g , ð Ž g — p , · , é , ± , Æ , Á □ A Z i p 2.0 , Æ Ç E Š · □ « , ð Ž , í , è , Ä , μ , Û , x , ½ , ß □ A , Û , © , ì Z i p f t [f e f B f Š f e f B , Á • œ + % » , Á , « , È , , È , Á , Á , μ , Û , ç , Û , · B Ž Ÿ , É □ A f A f [f Š f j □ • { , È , æ , Á , Á ^ Á + t < Z □ p , ì — A □ o , É ' í , μ , Ä < K □ Š , ð , , è , Û , · B , æ , è < — í , È ^ Á + % » , ð • K — v , Æ , · , é □ ê ð † , ì □ A Z i p 2.0 ^ Á + % » ft f H [f } f b f g , Á , í , È , □ A ^ Á + t □ ê — p , ì f v f t f g f E f f A , ð Ž g — p , · , é , ± , Æ , ð , · , · , ß , μ , Û , · B

fpfXf [fh • ÜÇÈì , ð , ½ f t f @ f C f < , ì A f [f C f " f e f B f " f h f E , ì Š f X f g , É □ A { < L □ t , ì , Á , ç , ½ f t f @ f C f < — ¼ , Æ , μ , Ä \ Z , ð , è , Û , · B

fpfXf [fh • ÜÇÈì , ð , ½ f A [f j f C f u , ð % » ð " € □ A f e f X f g □ A f " f f b f N f A f E f g □ A f C f " f X f g [f < , · , é :

fpfXf [fh , Á • Ü Ç È ì , ð , ½ f A [f j f C f u , ð % » ð " € □ A f e f X f g □ A f " f f b f N f A f E f g □ A f C f " f X f g [f < , · , é □ ê ð † □ A Ž © " ® " í , É p f X f [f h , ð < □ , ß , ç , è , Û , · B

fpfXf [fh • ÜÇÈì , ð , ½ f A [f j f C f u , É ' Ç % » Á □ A □ X V , · , é :

ft f @ f C f < , ð p f X f [f h • Ü Ç È ì , · , é , É , í A f A [f j f C f u , ð Š J , ç , ½ , è □ ì □ — , μ , ½ Ç ä , Æ f t f @ f C f < , ð ' Ç % » Á , · , é ' O , É □ A p f X f [f h , ð □ Ÿ ' è , μ , Ä , , ¾ , ð □ B

f A [f j f C f u " à , ì f t f @ f C f < , ð p f X f [f h f v f [f e f N f g , · , é , É , ì Ž Ÿ , ì Ž è □ † , Á □ s , ç , Û , · :

1. Š ù ' ¶ , ì A [f j f C f u , ð Š J , - , © , Û , ½ , ì □ V < K , É f A [f j f C f u , ð □ ì □ — , · , é □ B N e w f _ f C f A f [f O f { f b f N f X , Á , ì □ A A d d i a l o g , ì f " f f b f N , ð , ì , , μ , Ä , " , · B
- 2.

Add , Û , ½ , ì D r o p f _ f C f A f [f O f { f b f N f X , Á , ì □ A [P a s s w o r d] f { f ^ f " , ð f N f Š f b f N , μ □ A p f X f [f h , ð f ^ f C f v , · , é □ B

' □ ^ Ó :

□ ä < L , ì • ù — @ , É % » Á , ! □ A [O p t i o n s] - [P a s s w o r d] f □ f j f ... □ [, ð ' í ' ð , μ , Ä p f X f [f h , ð □ Ÿ ' è , · , é , ± , Æ , ð , Á , « , Û , · B

[M a s k P a s s w o r d] f " f f b f N f { f b f N f X , ð Ž g — p , · , é , ± , Æ , Á " ü — í , μ , ½ p f X f [f h , ð % » B , · , æ , x , É , · , é , ± , Æ , ð , Á , « , Û , · B , ± , ì f " f f b f N f { f b f N f X , ð — L Ç Ø , É , · , é , Æ □ A " ü — ì f ~ f X , ð - h , ® , ½ , ß , É p f X f [f h , ì □ Ä Š m " F , ð □ s , í , è , Û , · B

f A [f j f C f u , ð • Á , ¶ , ½ , è □ A • È , ì A [f j f C f u , ð Š J , ç , ½ □ ê ð † □ A p f X f [f h , ð f N f Š f A , ð , è , Û , · B

fpfXf [fh , í A R J f t f @ f C f < , Á , à Ž g — p , · , é , ± , Æ , ð , Á , « , Û , · , ð □ A , ± , ì □ ê ð † Š O • " A R J f v f [f O f % » f € , ð ^ Á + % » , ð □ s , ç , Û , · B

ft f @ f C f < , ð % » ð " € , · , é □ ê ð † , É • K — v , É , È , è , Û , · , ì , Á □ A p f X f [f h , ð - Y , è , È , ç , æ , x , É , μ , Ä , , ¾ , ð □ B

fejBf<fXfXfLfffi,ìY'è

WinZip,ìAWindows,Û,½,ÍDOSfRf}f“fhf%ofCf“,©,çŽÀs,Å,«,éEfBf<fXfXfLffff“fvfOf%of€,ðTfj
[fg,µ,Û,·,ªAZÿ,ì,ç,·,À,©,ì§CEA,ª,è,Û,·BfEfBf<fXfXfLffff“fvfOf%of€,í [Actions]-[Scan]
,ð'ð,·,é,©A[CheckOut] f_CfAfOf{fbfNfX,ì [Run Virus Scanner]
,ð'ð,µ,½CEãA<N“®,³,è,Û,·B

fejBf<fXfXfLfffi,ìY'è,ìAConfiguration | Program Locationsf_CfAfOf{fbfNfX,Ås,ç,Û,·B

WinZip,ðCf“fXfg[f<,·,é,ÆAfVfXfef€
,ìŠÀ<<•ì”PATH,ðŽ©“®“I,ÉEYð,µ,ÄAfEfBf<fXfXfLfffi,ªCf“fXfg[f<,³,è,Ä,ç,é,©,Ç,ª
,©,ðSm”F,µ,Û,·BWinZip,ÅTfj[fg,³,è,Ä,ç
,éEfBf<fXfXfLfffi,ªCE©,Á,©,é,ÆAWinZip,ìŽ©“®“I,É,»,ìEfBf<fXfXfLfffi,ðŽg—p,·,é,æ,ª
,ÉY'è,µ,Û,·BWinZip,ÅTfj[fg,³,è,Ä,ç,éEfBf<fXfXfLfffi,ìfSfXfg,ÉŠÖ,µ,Ä,ìA
<http://www.winzip.com/xvirus.htm>, ÅSm”F,·,é,±,Æ,ª,Å,«,Û,·B

fejBf<fXfXfLfffi,ªCf“fXfg[f<,³,è,Ä,ç,é,ì,É,àŠÖ,ì,ç,·AfCf“fXfg[f<,ì
%ß'ö,ÅEfBf<fXfXfLfffi,ðCE©,Á,·,ç,è,È,©,Á,½ê±AOptional virus scanner Scan program:
—,ÅEfBf<fXfXfLfffi,ìŽÀsftf@fCf<,ðŽw'è,µ,Ä,â,è,ìAZ©“®“I,É,»,ìXfLfffi,É,·,Á,½fjpf
%f[f^,ªParameters:—,É“ü—í,³,è,Û,·B

,æ,èÛ,µ,çY'è,É,Ä,ç,Ä,ìAfejBf<fXfXfLfffiY'èÛx,ðŽQÆ,µ,Ä,,¾,¾,çB

'^ó:

ŠefXfLffff“fvfOf%of€,ÅŽw'è,³,è,Ä,ç,épf%of[f^,ìA<—^,ìfo[fWfj“,Å,ìŽg—p,Å,«,È,È,é
%Å“\<ª,è,Û,·B—á,ì,ìAMcAfee SCAN 2.1,ìA,»,è^É'O,ìfo[fWfj“,Æfjpf
%f[f^,ìCEYŠ·<,ì,è,Û,¹,ñBfo[fWfj“1,Å,í/A,Æ,ç,xfpf%of[f^,ªAfo[fWfj“2,Å,í/ALL,Æ,ç
,ª<ì±,Å,·B

fejCf<fX,ª“CE©,³,è,È,·,è,ìAfejCf<fXfXfLffff“t,Éft[fU,É”»'f,ð<ß,Ä,é,±,Æ,í,è,Û,¹,ñB,µ,©,µ
AWSCAN,ÆTFINDVIR,ì,ì,ÉAf[fUŽ©g,Åì—¹,·,é•K—v,ª,è,Û,·B,±,è,í,±,è,ç,ìfvfOf%of€
,ªAZ©“®ì—¹,ðTfj[fg,µ,Ä,ç,É,ç,½,ß,Ä,·B

fejBf<fXfXfLfffiY'èÛx

WinZip,ÅTfj[fg,³,è,Ä,ç,É,çEfBf<fXfXfLfffi,ðŽg—p,·,éê±,É,ìAZÿ,ìà-¾,ð,æ,-
,·“Ç,ÿ,ìãAAY'è,ðs,Å,Ä,,¾,¾,çB

WinZip,Å³,µ,fejBf<fXfXfLfffi,ðŽg—p,·,é,É,ìConfiguration | Program
Locationsf_CfAfOf{fbfNfX,ìŽY,ì€—Û,ð³,µ,ÿ'è,µ,Ä,,•K—v,ª,è,Û,·B

- **Scan program**—,É,ìAfejBf<fXfXfLfffi“fvfOf%of€-¾,ð“ü—
ì,µ,Û,·BPATH=ŠÀ<<•ì” ,ÅŽw'è,³,è,Ä,ç,éftfHf<f_É,È,·,è,ìAftf<fpfX,ðŽw'è,·,é•K—v,ª,è,
Û,·B
- **Parameters** —,É,ìA%<L,ìfSfXfg,É,·,é“K∅,Èfjpf%of[f^,ð“ü—í,µ,Û,·B
- **Run minimized** ,ðf fFbfN,·,é,ÆAfVfOf%of€,ìÅ—
%»µ,ÅŽÀs,³,è,Û,·BDOS,ìfXfLffff“fvfOf%of€,Å,±,ìfjpf%of[f^,ðŽg—p,·,é,Æ,«,í
%<L,ì'^ó,ð,²—,¾,¾,çBNVW32.EXE,ìfXfLffff“fvfOf%of€,ìA,±
,ìfìfvfj“,É,©,©,ì,ç,·,Å—%»µ,ÅŽÀs,µ,Û,·B

[Parameters]—,ÉŽg—p,³,è,é“ÁŽê•ŸŽš:

- ** ,·,x,·,Ä,ìftf@fCf<,ðfXfLffff“,·,é,±,Æ,ðŽw'è,µ,Û,·B—á,ì,ìAc:\templdir*.*,ì,æ,ª
,ÉŽw'è,µ,Û,·B
- %d fXfLffff“,·,éftf@fCf<,ì,·,éfhf%ofCfµAftfHf<f_ðŽw'è,µ,Û,·B,±,ìfjpf%of[f^,ðŽg—
p,·,éê±,ìA*.*,ìSÛ,Û,è,Û,¹,ñB
- %f ^èŽž“I,Éreport file-¾,ðŽw'è,µ,Û,·Breport file,ÍDOS,ìfXfLffff“fvfOf%of€,ðŽg—p,µ,Ä,ç
,é,Æ,«,ì,ÿ,ÉŽg,ç,Û,·B
- %wscan McAfeeŽĐ,ìWSCAN,ðŽg—p,·,éê±,ì,ÿŽg—p,·,épf%of[f^,Å,·B

fpf%of[]f^,đ•t,~,È,č[]ê[]ž,É,Í[]AWinZip,lfXfLfff“fvf[]fOf%of€,lfRf}f“fhf
%ofCf“,í[]ACEã,É'í[]Úftf@fCf<-¼,đ'Ç%oÁ,μ,Û,·[]B

fXfLfff“fvf[]fOf%of€,ÉfXfLfff“,·,×,«fhf%ofCfu[]AftfHf<f_,đ”FŽ~,³,¹,é,½,β,É•K,_,È,ň,ç,©,lfpf
%of[]f^,đ•t,~,é,æ,α,É,μ,Á,,¾,¾,ç[]B

Windowsf[]fX,lfXfLfff“fvf[]fOf%of€,đŽg—p,·,é[]ê[]ž,Í[]A,Û,_,<^,í,μ,čfEfCf<fX,đ”-
CE©,μ,½[]ê[]ž,É[]Af_fCfAf[]fOf{fbfNfX,đ•\Ž!,·,é,©,Ç,α,©Šm,©,β,Û,·[]BfEfCf<fX,đ”-
CE©,μ,½[]ê[]ž,É[]Af[]fO,É[]',«ž,β,¾,~,Á[]ACE<%oÉ,đ•\Ž!,μ,È,č[]ê[]ž,ª, ,é,©,ç,Á,·[]B

DOSf[]fX,lfXfLfff“fvf[]fOf%of€,đŽg—p,·,é[]ê[]ž,Í[]A[Run Minimized],đf`fFfbfN,μ,ÄŽg—
p,·,é,©[]AfEfCf<fX,ª”CE©,³,é,½Žž,É[]fbfZ[]fW,đ•\Ž!,·,é,©,Ç,α
,©Šm,©,β,Û,·[]B,Ç,ž,ç,Á,à,È,~,é,lfEfBf<fX,đ”CE©,μ,½[]ê[]ž[]A<C,ª,Á,©,È,č,±,Æ,ª, ,è,Û,·[]B

[Run Minimized],ÍDOSf[]fX,lfXfLfff“fvf[]fOf%of€,đŽg—p,μ[]A,È,“,©,Á^È%oº,í[]ðCE[],É“-
,Á,Í,Û,é[]ê[]ž,É,Ì,Ý[]Af`fFfbfN,μ,Á,,¾,¾,ç[]B

- fXfLfff“fvf[]fOf%of€,ª[]Aft[]fU,ª'í'đ,·,é•K—v,ì,È,čfobf`f,[]fh,Á[]Ý'è,³,é,Ä,č
,é[]ê[]ž[]BfXfLfff“fvf[]fOf%of€,ª[]AfAfCfRf“,Æ,μ,Á”@[]ì,μ,Á,č,é,Æ,«,É[]AfL[]f{[]fh,É,æ,é“ü
—í,đ•K—v,Æ,·,é[]ê[]ž,É,Í[]Afnf“fO,μ,½,æ,α,É,È,è,Û,·[]B
- fXfLfff“fvf[]fOf%of€,ª[]A,·,×,Ä,lf[]fbfZ[]fW,đDOSCEo—R,Á[]o—í,·,é,©[]Areport
file,ÉCE<%oÉ,đ[]',«ž,βf[]fvf[]fª”ª, ,é[]ê[]ž[]Bfrfff[]fobftf@,É'¼[]Úf[]fbfZ[]fW,đ[]',«ž,β[]ê[]ž
[]AWinZip,É,Í”FŽ~,³,é,_,[]A•\Ž!,à,³,é,Û,¹,ň[]BfXfLfff“fvf[]fOf%of€,ªDOSCEo—
R,Áf[]fbfZ[]fW,đ•\Ž!,μ,Á,č,é,©,Ç,α,©,đŠm”F,·,é,É,Í[]AfXfLfff“fvf[]fOf%of€,í[]o—
í,đfŠf_fCfCEfNfg,μ,ÄŽÁ[]s,μ,Á,Ý,Á,,¾,¾,ç[]B[]i—á,í,Í[]Ascan > nul,ì,æ,α,ÉŽÁ[]s[]j[]B,±
,ì,Æ,«,É•\Ž!,³,é,é[]fbfZ[]fW,Í[]AWinZip,É,Í”FŽ~,³,é,Û,¹,ň[]Breport
file,ÉCE<%oÉ,đ[]',«ž,β[]ê[]ž,Í[]AWinZip,Á,»,ìCE<%oÉ,đCE©,é,±,Æ,ª,Á,«,é,æ,α,É[]A%f,đ
[Parameters]—“,É“ü—í,μ,Á,,¾,¾,ç[]B
- fXfLfff“fvf[]fOf%of€,ª-â'è,đ”CE©,μ,½[]ê[]ž[]Af[]f[]^ÈŠO,lfGf
%o[]fCEfxf<,đ•Ô,·[]ê[]ž[]Bf[]f[]^ÈŠO,lfGf
%o[]fCEfxf<,đ•Ô,³,É,č[]ê[]ž,É,Í[]AWinZip,lf[]f[]@fCf<,É^Û[]í,ª,È,č,Æ”»'f,μ[]AfXfLfff“fvf[]fOf
%of€,©,ç,ìCEx[]f[]fbfZ[]fW,í•\Ž!,³,é,Û,¹,ň[]B'[]^Ó[]fXfLfff“fvf[]fOf%of€,ªf[]f[]^ÈŠO,lfGf
%o[]fCEfxf<,đ•Ô,μ,½,Æ,«,Í[]AWinZip,ÍŽ©”@“ì,É•W[]€fGf%o[]f[]o—í,“,æ,Ñ•W[]€[]o—í,Ö[]o
—í,³,é,½,·,×,Ä,lf[]fbfZ[]fW,đ•\Ž!,μ,Û,·[]B

ftfHf<f_,ì□ì□¬

Create Folderf_fCfAf□fO,í□V<K,ÉftfHf<f_,ð□ì□¬,·,é□Ù,ÉŽg—p,μ,Û,·□B“Á•Ê,ÉfpfX,ðŽw'è,μ,È,ç,Æ□ACE»□Ý,ìftfHf<f_,ì,μ,½,Éftfufthf<f_,Æ,μ,Ä□ì□¬,³,ê,Û,·□B

'□^Ó: ftfHf<f_,íŠù‘¶,ìftfHf<f_,ì%oo²,É,μ,©□ì□¬,·,é,±,Æ,ª,Á,«,Û,¹,ñ□B,Â,Û,è•i□”,ìftfHf<f_,ð^ê“x,É□ì□¬,Á,«,Û,¹,ñ□B—á,ì,îŽÿ,ìftfHf<f_□iC:\Test Folder□j,ì%oo²,É%oo½,àftfufthf<f_,ª,É,ç□ê□#□A

C:\Test Folder

,±,ì%oo²,É\One Level,Æ,ç,æftfHf<f_,ð□ì□¬,·,é,±,Æ,í,Á,«,Û,·□B

C:\Test Folder\One Level

,μ,©,μ□AZÿ,ì,æ,æ,É\Level One\Leve Two,Æ^ê“x,É2,Â,ìftfHf<f_,ð□ì□¬,·,é,±,Æ,í,Á,«,Û,¹,ñ□B

C:\Test Folder\Level One \Level Two

Wizard Interface

(topic entrance macro immediately takes you to wzwizard.hlp file)

WinZip Self-Extractor

ŠT—v

WinZip Self-Extractor, íWinZip, íf%fczfxfxc -
ñAgreement, Æ, Æ, à, ÉAWinZip, É““«, ³, è, Ä, “, èAZ ©CEÈ%øð“€CE ^, ÌZipftf@fCf<, ðŠÈ’P, É““—, ·, é, ±,
, Æ, Æ, Ä, «, Ü, ·BŽÝ, Ì€—Ú, íWinZip Self-Extractor, íf%fczfxfxfxf, ÆA•É“„fAfhfjlf“, ÌWinZip Self-
Extractor 2.2, Ì—¼•û, É, , Ä, Í, Ü, è, Ü, ·B

Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, Ä, Ä%½H

%øð“€ft“[fefBfŠfefB“[, ðŽ“Ä, Ä, ç, È, ç, ©, à, µ, è, È, çGf“fhft“[fU, Éftf@fCf<, ð’—
, ç, È, “, è, Í, È, ç, È, çA, »), ñ, ÈCEoE±, , è, Ü, ¹, ñ, ©H, à, µ, »), æ, È, çWinZip, lfAfhfjlf“WinZip Self-
Extractor, ðŽŽ, µ, Ä, Ý, Ä, , ¾, ¾, çB WinZip Self-Extractor, lfCfCefBfuWindows, ÌŽ ©CEÈ
%øð“€CE ^ Zipftf@fCf<, ð““—, ·, é, ±, Æ, Æ, Ä, «, Ü, ·B%øð“€fvf“Of%øf€, ðŽ“Ä, Ä, ç
, È, çGf“fhft“[fU, ÌŽ ©CEÈ
%øð“€CE ^ Zipftf@fCf<, ðf_fuf<fNfŠfbfN, ·, é, ¾, “, ÄAWindows, lfCf“f“[ftfFfCfX, Ä%øð“€“·, é, ±,
, Æ, Æ, Ä, «, Ü, ·BŽ ©CEÈ%øð“€CE ^ Zipftf@fCf<, ÌZipftf@fCf<, Æ—, ³, È%øð“€fvf“Of%øf€(12KB ^ È%øð)
, ðŠÜ, ñ, ¾ÄÅsCE ^, lfvf“Of%øf€, ÄAZipftf@fCf<, Ì“à—e, ð%øð“€“·, é, ±,
, Æ, Æ, Ä, «, Ü, ·BfA“[fjCfufuf@fCf<, Æ•É, È%øð“€fvf“Of%øf€, Æ•K—v, È, ç, ½, ßAZ ©CEÈ
%øð“€CE ^ Zipftf@fCf<, ÌA ^ ³kftf@fCf<, ÉÜ, µ, , È, ç“—» , âCEÜ<q, ÉjftfgfEjFfA, âfhfjlf...fg“Of
%øftfBfbfNfCf“[fW, ð’—, é, Ì, È—“z“l, Ä, ·Bft“[fU, Í•É, lfvf“Of%øf€, ðŽÅs, ·, é, Æ, «, Æ““ , ¶, æ, æ
, ÈŽ ©CEÈ%øð“€CE ^ Zipftf@fCf<, ðŽÅs, ·, é, ±, Æ, Æ, Ä, «, Ü, ·B

WinZip Self-Extractor, É, æ, Ä, Ä““—, ³, è, ½Ž ©CEÈ
%øð“€CE ^ Zipftf@fCf<, ÆŽÅs, ³, è, é, ÆAf_cCfAf“Of{fbfNfX, Æ•Žl, ³, è, Ü, ·B, ±
, lf_cCfAf“Of{fbfNfX, Ä, ÌA%øð“€“·, é, O, È%øð“€“·, éftfHf<f_, ðŠÈ’P, É•ÍX, ·, é, ±, Æ, Æ, Ä, «, Ü, ·B

WinZip Self-Extractor, É, æ, Ä, Ä““—, ³, è, ½Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, ÌZip
2.0ftf@fCf<ftfH“[f}fbfg, Æ100%CEÝŠ—““ , é, Ì, ÄAWinZip, âPKUNZIP, È, Ç, Ì•W““l, ÈUnzipft“[fefBf
ŠfefB“[, Ä%øð“€“·, é, ±, Æ, Æ, Ä, «, Ü, ·B

Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, lfAfhfjlf“fe“[fW

ft“[fU, Í%øð“€ft“[fefBfŠfefB“[, ÌŽÅs, â, »), ÌŽg—p—@, ð’m, ç, È, , Ä, àAZ ©CEÈ%øð“€CE ^ Zipftf@fCf<, ð
%øð“€“·, é, ±, Æ, Æ, Ä, «, Ü, ·B, »), Ì, ½, ßAZ ©CEÈ
%øð“€CE ^ Zipftf@fCf<, ÌZipftf@fCf<, ÌŠT“O, ð’m, ç, È, çfrfMfi“[, ÉjftfgfEjFfA, ð”z•z, ·, é, Ì, ÈCEü, ç, Ä, ç
, Ü, ·B

WinZip Self-Extractor, É, æ, Ä, Ä““—, ³, è, ½Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, lfCfCefBfuWindows, lfvf“Of
%øf€, È, Ì, ÄAMS-DOS, ÌCEoE±, Ì, È, çft“[fU, È, àŠÈ’P, ÈŽg—p, Ä, «, Ü, ·B

, Ç, æ, ä, Ä, Ä““@, , ÌH

, Q, Ä, lfvf“OfZfX, Æ, , è, Ü, ·:

- WinZip Self-Extractorfvf“Of%øf€, ÌŽ ©CEÈ%øð“€CE ^ Zipftf@fCf<, ð““—, µ, Ü, ·B
- WinZip Self-Extractor, ÆŽ ©CEÈ
%øð“€CE ^ Zipftf@fCf<, ð““—, µ, ½, Æ, «A, »), Ìftf@fCf<, Ì, »), èŽ ©g, ÉSelf-Extractor, ÆŠÜ, Ü, è, Ä, ç
, Ü, ·BŽ ©CEÈ%øð“€CE ^ Zipftf@fCf<, Ìt, ÌWinZip Self-Extractor•“• Æ, Æ, , é, ½, ß, ÈAZ ©CEÈ
%øð“€CE ^ Zipftf@fCf<, ÆŽÅs, ³, è, ½, Æ, «, Èftf@fCf<, ð%øð“€“·, é, ±, Æ, Æ, Ä, «, Ü, ·B

Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, Ì““—ŽÖ, ÌZipftf@fCf<—¼, ð^è“xŽw’è, µ, ÄWinZip Self-
Extractor, ðŽÅs, ·, é, ¾, “, Ä, ·B““—, ³, è, ½Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, Ì’½, Ì, È“z•z, ·, é, ±,
, Æ, Æ, Ä, «AZÅs, ³, è, ½, çŽ ©•ÆŽ ©g, ð%øð“€“·, é, ±, Æ, Æ, Ä, «, é, Ì, Ä, ·B

ŠÖ~A“€—Ú:

[WinZip Self-Extractor“\[f%fczfxfxfxf - ‘€““—@](#)

[WinZip Self-Extractor 2.2](#)

WinZip Self-Extractor [f\jif<fGfffBfVfj# - '€\i•û-@

WinZip, Å•É, ìZipftf@fCf<, ð\i\-, µ, Å WinZip, ì [Actions] f\jif... \, ©, ç [Make .EXE]
, ð'ì'ð, , é, ì, Å WinZip Self-Extractor [f\jif<fGfffBfVfj# - , ìÅ, àŠÉ'P, ÈŽg—p•û-@, Å, ·B WinZip, ì
Configuration | Program Locations fCfAf\Of{fbfNfX, ì [Make .EXE]—, Å•É, ìfvf\Of%of€
, ðŽw'è, µ, Å, ç, È, çCEÅ, è WinZip Self-Extractor [f\jif<fGfffBfVfj# - fCfAf\Of{fbfNfX, Å•\
Žì, , é, é, ì, , Å, ·B WinZip, ìfCf“fXfg\j'f'É WinZip Self-Extractor [f\jif<fGfffBfVfj# -
fif<fGfffBfVfj# - , ìfAfCfRf“ , ð\i\-, , , é, æ, µ
, É, µ, ½ê\#A, » , ìfAfCfRf“ , ðf_fuf<fNfŠfbfN, µ, Å, à<N“ ® , , é, ±, Æ, Å, Å, «, Ü, ·B
WinZip Self-Extractor [f\jif<fGfffBfVfj# - fCfAf\Of{fbfNfX, É, ÌŽŸ, ì€-Ú, Å, , è, Ü, :

Create Self-Extracting Zip file from:

Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, É, µ, ½, çA'É\ì, ìZipftf@fCf<-¼(, ±, è, ÌŽ ©CEÈ%øð“€CE ^, Å, Ì, , è, Ü, , ñB)

Default “Unzip To” folder:

%øð“€'€\i, ð, , ±, È, µê\, ìAffffHf<fg, ì%øð“€ftfHf<f_ B, à, µ, ±, ì—, , ðó—, , ì, Ü, Ü, É, µ, Å, , - , ÆAft\U, ÌŠÀ«•ì”TEMP, ÅŽw'è, , é, ½ftfHf<f_ , Žg—p, , é, Ü, ·B

Self-Extracting Type

**16-bit Windows 3.1 - , ±, ìfvfVfj# - , Å, ìA Windows 3.1 A Windows 95 A Windows NT, Å%øð“€
%øð“€^ Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, ð\i\-, µ, Ü, ·B Zipftf@fCf<, ì't, Èf\“fOf@fCf<-¼, Å, , Å
, ½, è A Windows NT ŽÀ[s%øð“€^ Ž ©CEÈ%øð“€CE ^ ftf@fCf<, ¾, Å, ½ê\#A\öÿ“ì, È-
à'è, Å, , é, ½, ßA\fbfZ\Wf{fbfNfX, Å•\Žì, , é, A\“f\“fOf@fCf<-¼, ÌŽ, , é, Ü, ·B**

**32-bit Windows 95, 98 and NT - , ±, ìfvfVfj# - , Ì Windows 95/98, Ü, ½, Ì Windows NT\ä, Åftfj
[fg, , é, Å, ç, éf\“fOf@fCf<-¼, ðŠÜ, ñ, ¾ Zipftf@fCf<, ð\i\-, µ, Ü, ·B, ±, ÌŽ ©CEÈ
%øð“€CE ^ ftf@fCf<, ÌŠ @ 'S, È32f\fbfjv\Of%of€, È, Ì, Å A Window 3.1, à Windows for
Workgroups, Å, Ì“ @ \i, µ, Ü, , ñB**

Spanning Support

ftf\fbfs\fffBfXfN, ì, æ, µ, ÈfŠf€\f\ofuf<f\fffBfA, É, ÌCEÅ, ç, è, ½—È, ìff\j^, µ, ©Žù~^, , é, ± , Æ, Å, Å, «, Ü, , ñB ^k, µ, Å, àFD1-#, ÈŽù~^, µ, «, è, È, çZIPftf@fCf<, Å\i\-, , é, é, ±, Æ, Ì, µ, Ì, µ, Ì, , é , Å, µ, à, µB, » , ì, æ, µ, Èê\# , ÈA•ì” , ÌFD, È•ÅŠ, µ, ÅZIPftf@fCf<, ð\i\-, , , é, ±, Æ, Å, Å, «, Ü, ·B
WinZip, Å, Ì•ÅŠ, , , é, ¾, , Å, È, A, , ç, É, » , è, ðŽ ©CEÈ%øð“€CE `Ž @, É, , é, ±, Æ, Å, Å, «, Ü, ·B, ± , ì, æ, µ, Èftf@fCf<, ð%øð“€, , é, Ü, É, Ì“Å•È, Èfv\Of%of€, Ì•K—v, , è, Ü, , ñB
Ž ©CEÈ%øð“€ftf@fCf<\i\—Žž, È•ÅŠ, µ, Å\i\-, , , é, ©, Ç, µ, ©, ì\Ÿ'è, ÌŽŸ, Ì'È, è, Å, ·B

- **No Spanning - ÅŠ, µ, È, çŸ'è, Å, ·B**
- **Safe spanning method - , ±, ìfvfVfj# - , ð'ì'ð, , é, ÆA•ÅŠ, Ž ©CEÈ
%øð“€CE `Ž @ftf@fCf<, ð\i\-, µ, Ü, ·B, ±, Ì•û-@, ÌA1-#-
Ü, ìfffBfXfN, È•ÅŠ, , é, ½ZIPftf@fCf<, ìÅ\%
, ìff\j^, ÆAftfCfY, ì\-, , ÈEXEftf@fCf<, Ì2, Å, ðŽù~^, µAŽç, è, ìfffBfXfN, ÈZIPftf@fCf<
<, Ìžç, è, ìff\j^, ðŽù~^, µ, Ü, ·B, ±, Ì•û-@, Ì“è”O^A'S, Å, ·B**
- **Old spanning method - , ±, Ì•û-@, Ì1-#-Ü, ìfffBfXfN, È•ÅŠ, , é, ½ZIPftf@fCf<, ìÅ\%
, ìff\j^, ðŽÀ[s%øð“€^
, ÈEXECE `Ž @, É, µ, ÅŽù~^, µAŽç, è, ìfffBfXfN, È, ÌZIPftf@fCf<, Ìžç, è, ìff\j^, ðEXECE `Ž
@, ÅŽù~^, µ, Ü, ·B, ÌiCE ` , ÌEXE, Å, àŽÀ[s<@\, ÌŽç, Å, Å, ç, Ü, , ñB, ±, Ì•û-
@, Ì, à, àšèCE ^, Å, Ì, ÅA, “Š ©, ß, ç, ½, µ, Ü, , ñB**

'^Ó: WinZip Self-Extractor, Å, ìftfH\{f}fbfg, µ, Å, ç, È, çfffBfXfN, ðŽg—p, , é, ± , Æ, Å, Å, «, Ü, , ñB, , ×, ÅftfH\{f}fbfg\, ì, ìfffBfXfN, ð, “Žg, ç, , ¾, , çB

, » , Ì¾, ìfvfVfj# - :

Use CTL3D.DLL for 3D effects if available - Ž ©CEÈ%øð“€CE ^ Zipftf@fCf<, ìfCfAf\Of, É—

§'i"l,ÈCEø%oÊ,ðo,·,½,β,ÉACTL3D.DLL,ªŽg—p,³,ê,Û,·BCTL3D.DLL,íA—§'i"l,ÈCEø
%oÊ,ðo,·,½,β,ÉA'½,,ìfAfvfŠfP[fVf#f",ÅŽg—p,³,ê,Ä,ç,Û,·,ì,Ä'½,-
,ìf}fVf",ÉfCf"fXfg[fç,³,ê,Ä,ç,é,Æl,!,ç,ê,Û,·B,±,ìfìfvfVf#f",ª—LCEø,É,È,Ä,Ä,ç
,é,ÆAWinZip,íCTL3DV2.DLL,ðf[fh,μ,æ,κ
,Æ,μ,Û,·B,à,μCE©,Ä,©,ç,È,·,é,íACTL3D.DLL,ðf[fh,μ,æ,κ
,Æ,μ,Û,·Bf^fQfbfg,É,μ,Ä,ç,éfvfXfef€ä,ìCTL3D*.DLL,ª³,μ,<@"\,·,é,©,Ç,κ,©,ðWinZip
Self-Extractor,ª•ÛØ,·,é,±,Æ,í,Ä,«,Û,¹,ñB

Overwrite by default - fvf[f"fvfg-³,μ,Åftf@fCf<,ìã',«,ð,·,é,©,Ç,κ
,©,ìfìfvfVf#f",íAfffffHf<fg,Åf`fFfbfN,μ,Ä,·,ç,½•û,ª,æ,ç,Å,μ,â,κB

Ž©CEÈ%oð"€CE^Zipftf@fCf<,ðì-·,·,é,É,í [OK]f{f^f",ð%oÿ,μ,Ä,-
,¾,¾,çB,»,ìftf@fCf<,ð"z•z,·,é'O,É•K,Zipftf@fCf<,ìfefXfg,ðs,Ä,Ä,,¾,¾,çB

ŠÖ~A€-Ú:

[WinZip Self-Extractorfp\[f\jif<fGfffBfVf#f" - ŠT—v](#)

[WinZip Self-Extractor 2.2](#)

WinZip Self-Extractor 2.2

WinZip“”“«,ìWinZip Self-Extractorfp“[f\jif<fGfffBfVf†f“,íWinZip,ìf%œfCfZf“fXCE_ñ,Æ“”,ñ,Å,·□B
WinZip Self-Extractor 2.2 (•Ê”„ \6,000) ,ìfp“[f\jif<fGfffBfVf†f“,Å,í—~—p,Å,«,È,†<@“\,ðŽg—p,·,é,±,
Æ,ª,Å,«,Û,·:

- fAfCfRf“,ðŽw’è,·,é□Af□fCf“,ìSelf-Extractorf_fCfAf□fOf{fbfNfX,ìfefLfXfg,ðŽw’è,Å,«,é□AfZfbfgfAfbfvfvf□fOf %œfÈŽÀ□sCEã,Éfef“f|f%œfŠftf@fCf<,ðí□œ,Å,«,é□A,Æ,†,Å,½f\ftfgfEjFfA,ìfCf“fXfg□[f<,ðfjXf^f}fCfY,·,é<@“\,ª, ,è,Û,·□BInstallShield 3.0fZfbfgfAfbfvfvf□fOf%œf€,ðfTf□[fg,µ,Å,†,Û,·□B
- %œð“€□^—□,ª□I—¹CEãfRf}f“fh,ðŽÀ□s,·,é,±,Æ,ª,Å,«,Û,·□B
- Ž©CEÈ%œð“€CE^ftf@fCf<,ðfRf}f“fhf%œfCf“,©,ç□ì□—,·,é,±,Æ,ª,Å,«,Û,·□B
- MS-DOS,ÆWindows,ì—¼•ù,ìŠÅ<«,Å□A’P“Æ,ÅŽÀ□s,Å,«,éŽ©CEÈ %œð“€CE^Zipftf@fCf<,ðí□—,·,é|fvfVf†f“,ª, ,è,Û,·□B
- ,·,x,Ä,ì%œpCEè,ÆfhfCfcCEè,ìf□fbfZ□[fW,Å□ì□—,·,é,±,Æ,ª,Å,«,Û,·□B
- .EXEftf@fCf<,ªŽÀ□s,³,è,½,Æ,«,ÉŽ©“®“l,Éftf@fCf<,ð%œð“€,·,é,±,Æ,ª,Å,«,Û,·□B
- Ž©CEÈ%œð“€CE^ftf@fCf<,ðfEfbfU□[fh,Å□ì□—,·,é,±,Æ,ª,Å,«,Û,·□B

WinZip Self-Extractor 2.2,ì“üŽè•ù-@,í□A,±,ª,ç,ð,²—,³/4,³,†□B

ŠÖ~A□€-Ú:

[WinZip Self-Extractorfp“\[f\jif<fGfffBfVf†f“ - ŠT—v](#)

[WinZip Self-Extractorfp“\[f\jif<fGfffBfVf†f“ - ‘€□ì•ù-@](#)

WinZip Self-Extractor ,2'□•¶—pŽt

ftf@fCf<(F)f□fjf...□L, ©, cf gfsfbfN, î ó ü, ð ' ð, µ □ A- {fy □ [fW, ð fvfŠf“fgfAfEfg, µ, Ä, “Žg, ç, -
, ¾, ¾, ç □ B

-{, 2'□•¶□', É•K—vŽ—□€ , ð, ²<L“ü, ì □ ä □ AŠ “ Ž ® % ò i Ž Ð P & A, Ü, Å FAX (042-525-9502) , Ä, 2'□•¶, -
, ¾, ¾, ç □ B, 2“ü<à, ÉŠÖ, µ, Ü, µ, Ä, í □ A • ¾ Ž Ð, æ, è “ Á • É, ì, “ □ U □ Ž — p Ž t, ð, “ —, è, , é, ±, Æ, í, ², ' , ç
, Ü, ¹, ñ, ì, Å □ A < â □ s, Ü, ½, í — X • Ö < Ç “ ð, | • t, , ì — p Ž t, Å Ž è ±, «, ð, “ Š è, ç ' v, µ, Ü, · □ B, “ □ U, è □ Ž, Ý Ž è □ “ — ÿ, í, “ < q
— | • % ò ' S, Ä, “ Š è, ç ' v, µ, Ü, · □ B, Ü, ½, “ □ U □ Ž, Ý, É □ Ü, µ □ A □ ÿ < □ □ ' , ¢ • K — v, É □ é □ ‡, í □ A ^ ¶ —
¼, Æ ' A, µ □ ' , «, ð, ² Ž w ' è, , ¾, ¾, ç □ B □ æ, É □ ÿ < □ □ ' , ð ' — • t, ³, ¹, Ä, ç, ½, ¾, «, Ü, · □ B □ ‡ • í, ì, 2“ü<àŠm“FCEã, ì —
X' —, Æ, ³, ¹, Ä, ç, ½, ¾, ç, Ä, “, è, Ü, , ì, Å □ A, 2—¹ □ ³, , ¾, ¾, ç □ B

, 2'□•¶, ç, ½, ¾, 'O, É [ftfgfEfgfAŽg—p□ðCE□, ð, ²Šm“F, , ¾, ¾, ç □ B

□ Å □ V “ Å, ì WinZip Self-Extractor, í Ž Ÿ, ì fy □ [fW, æ, è f f E f “ f □ □ [f h, ç, ½, ¾, , ±, Æ, ¢, Ä, «, Ü, · □ B <http://www.panda.co.jp>

WinZip Self-Extractor \ 6,000

fVf“fOf<f%ofCfZf“fX:

□ Á “ i □ Å 5% \ 300

, “ Ž x • ¥, ç — ÿ < à C E v: \ 6,300

P&A ID“Ô□t: (Šù“¾, ì • ù, ì, Ý) _____

, “ - ¼ ' O: _____

%ò i Ž Ð - ¼: _____

, ² □ Z □ Š: _____

, “ “ d ~ b “ Ô □ t: _____

FAX“Ô□t: _____

“ d Ž q f □ □ [f <: _____

ID □ □ ÿ < ¼ < : fAf<ftf@fxfbfg36•¶ŽŠ^È“à□B%ò i Ž Ð, ì □ é □ ‡, í □ A % ò p C E é • \ < L, ì Ž Ð - ¼, È, Ç — á) P. & A., Inc.

, 2“ü<à • ù - @: [] < â □ s □ U □ Ž [] — X • Ö □ U ' Ö [] C E » < à ' — [] NIFTY-Serve' — < à ' ä □ s f t □ [f r f X

[] fNfCEfWfbfgf□□[fh MASTER VISA DC American Express

f□□[fh“Ô□t: _____ — L C E ø Š ú C E Ä:

• K — v, È □ ' — p: [] □ ÿ < □ □ ' [] — ì Ž ù □ ' [] ” [• i □ ' [] C E © □ □ '

□ ä < L □ ' — b, ì ^ ¶ — ¼, Æ ' A, µ □ ' , «:

, "Už, ý: ; "Už, ý—\`è"ú: _____ , "Už, ý|—¼<`:

f_fuf<fNfŠfbfN

WinZip, ĩfƒCf“fEƒCf“fhfE“à, ĩftf@fCf<-¼, đf_fuf<fNfŠfbfN, , é, ÆAftf@fCf<f}fĩfWff, âfGfNfXfvfĩf
%“à, ĩftf@fCf<-¼, đf_fuf<fNfŠfbfN, μ, ½ĩĕĩ, Æ““, ¶, æ, x, É““@ĩ, μ, Ū, ·ĩB, » , é, ðZĂs%“Ă\
, Ĕftf@fCf<, Ă, , ĕ, ĩftf@fCf<-¼, ÉEXEĩACOMĩABATĩAPIF, Æ, ç, xŠg’£Žq, ð•t, ç, Ă, ç
, éĩĕĩĩĩAfRf}f“fh, ðZĂs, ð, ĕ, Ū, ·ĩB, » , x, Ă, Ĕ, çĩĕĩ, ĩA“KĩØ, ĔfAfvfŠfPĩfVfĩf“ .đ—p, ç
, Ĕftf@fCf<, đŠ, «, Ū, ·ĩB—á, ĩ, ĩAftf@fCf<-¼, ÉWRI, Æ, ç, xŠg’£Žq, ĩ•t, ç
, ½ftf@fCf<, ðf_fuf<fNfŠfbfN, ð, é, é, ÆAWindows•Wĩ€, ĩfĩfVfĩfVfĩfĩfAf
%ofCfĩ, ð<N““@, μftf@fCf<, đŠ, «, Ū, ·ĩB, Ç, ĩfAfvfŠfPĩfVfĩf“ , ð“KĩØ, ©, Æ, ç, x, ±
, Æ, ĩAWindowsfAfvfŠfPĩfVfĩf“ , ĩŠÖ~A•t, ĩ, É, æ, Ă, ĂĔ^’è, ð, ĕ, Ū, ·ĩBftf@fCf<, ð, Ç, ĩfAfvfŠfPĩ
fVfĩf“ , Æ, àŠÖ~A•t, ĩ, ð, ĕ, Ĕ, çĩĕĩ, ĩAConfiguration | Program Locationsf_fCfAfĩfOf{fbfNfX“à, ĩ
[Default Association] , ĂŽw’è, ð, ĕ, ½fVfĩfOf%of€, đŽg—p, μ, Ū, ·ĩB, Ū, ½f_fuf<fNfŠfbfN, ĂŠ, ç
, ½ftf@fCf<, đĩĩ, μ, ½ĩĕĩ, ĩAfAĩfĩfCfu, Éĩĩ, ð, ĕ, ½ftf@fCf<, đ%“Ă, ĩ, é, ©, Ç, x, ©, đ•, ç, Ă, «, Ū, ·ĩB

Configuration | Miscellaneousf_fCfAfĩfOf{fbfNfX , Ă [Smart DOC Handling]

, đf_ffbfN, μ, Ă, , éĩĕĩ, ĩAŠg’£Žq, ðDOC, ĩftf@fCf<, đf_fuf<fNfŠfbfN, , é, ÆAWinZip, ĩŽŸ, ĩ, ç
, , é, ©, ĩ““@ĩ, đ, μ, Ū, :

- DOCftf@fCf<, ðfVfĩfĩf[“ASCIIfeƒLƒXfg, ĩĕĩĩĩA[Program Locations]f_fCfAfĩfOf{fbfNfX, ĩ
[Default Association], ĂŽw’è, ð, ĕ, ½fVfĩfOf%of€, đ<N““@, μ, Ū, ·ĩB
- DOCftf@fCf<, ðfĩfĩfVfĩfĩfZfbfT, Ăĩĩ—, ð, ĕ, ½, à, ĩ, Ă, , é, ĩADOC, ÆŠÖ~A•t, ĩ, ç, ĕ, ½fVfĩfOf
%of€, đ<N““@, μ, Ū, ·ĩB

[Smart Doc Handling], ĩAreadme.doc, ĩ, æ, x, ÉASCIIfeƒLƒXfgftf@fCf<, đ%“{—, , é, Æ, «, ÉWord for
Windows, ĩ, æ, x, ĔfĩfVfĩf, ĩ’, ç<N““ŽŽŠÖ, đ%“ň”đ, , é, ±, Æ, ð, Ă, «, Ū, ·ĩB

’ĩ^Ó: f_fuf<fNfŠfbfN, , é, ð, ĩ, é, ĩA[Enter]fLĩ, đ%“Ÿ, μ, Ă, à““, ¶, «, đ, μ, Ū, ·ĩB

ftf@fCf<,lfvf[]fpfefB

File Properties f_CfAf[]fOf{fbfNfX, íAWinZip, lf[]fCf“fEfBf“fhfE, ÉfŠfXfg, ³, ê, Ä, ç, éftf@fCf<, ð
%oEfNfSfbfN, µ, ÄfRf“fefLfXfgf[]fjf...[], ©, çFile Properties, ð' l' ð, µ, ½, Æ, «, ÉŒ», ê, Ü, ·[]B, ±
, lf_fCfAf[]fOf{fbfNfX, É, lŽŸ, l[]î•ñ, º•\Ž!, ³, ê, Ü, ·: Name[]iftf@fCf<-¼[]j, Type[]iftf@fCf<, lŽí—b[]j, File
size[]iflfSfWfif<ftf@fCf<fTfCfY[]j, Packed Size[]i^³[]kŒă, lftf@fCf<fTfCfY[]j, Ratio[]i^³[]k—i[]j,
Modified[]i[]C³“úŽž[]j, Path[]ifpfX[]j, CRC[]iCRC[]î•ñ[]j. , ±, l<@“\, lConfiguration |
[View](#) f_CfAf[]fOf{fbfNfX, Å, ±, ê, ç, l[]î•ñ, ð•\Ž!, µ, É, ç[]Y'è, É, µ, Ä, ç, é[]ê[]‡, É•Ö—~ , Å, ·[]B

ŠÖ~A•t,-

MicrosoftŽD,íAAssociateiŠÖ~A•t,-,AE,ç,æ¼—t,ðŽÿ,ì,æ,æ,É'è<` ,µ,Ä,ç,Ü,∴

uftf@fCf<-¼,iŠg'£Žq,ÆfAfvfŠfP[]fVf#f",ðŠÖ~A•t,-,ÄA,»,iŠg'£Žq,ì•t,ç,½ftf@fCf<,ðŠJ,-
Žž,É"KØ,ÉfAfvfŠfP[]fVf#f",ªŽ©"®"l,É<N"®,,é,æ,æ,É,µ,½,à,ìB[]v

—á,ì,ìAWindows,ì[]%ŠúÝ'è,Ä,í .WRI,Æ,ç,æŠg'£Žq,ì•t,ç,½ftf@fCf<,Æf%ofCfç,Æ,ç
,æf[]fVf[]ªA,³,ç,É.CRD,Æ,ç,æŠg'£Žq,ì•t,ç,½ftf@fCf<,Æf[]fhftf@fCf<,Æ,ç,æfAfvfŠfP[]
fVf#f"fvf[]Of%of€ ,Æ,ªŠÖ~A•t,-,³,è,Ä,ç
,Ü,∴B,Ü,Æ,ñ,ç,ìWindowsfAfvfŠfP[]fVf#f",íAfCf"fxfg[]f<,,éŽž,ÉŠÖ~A•t,-,ª,É,³,è,Ü,∴B—
á,ì,ìAWord for Windows,Æ,ç,æfAfvfŠfP[]fVf#f",ì.DOC,Æ,ç,æŠg'£Žq,ì•t,ç,½ftf@fCf<,ÆA" —
l,ÉWinZip,ì.ZIP[]ALZH[]AARJ[]AARC[]ATAR[]ATGZ[]ATAZ[]AGZ[]AZ[]AUU[]AUUE[]AXXE[]AB64[]AHQX
[]ABHX[]AMIM,Æ,ç,æŠg'£Žq,ì•t,ç,½ftf@fCf<,ÆŠÖ~A•t,-,³,è,Ä,ç,Ü,∴B

WinZip,ìfCf"feCf"fhfE,É•Ž!,³,è,Ä,ç,éftf@fCf<-
¼,ðf_fuf<fNfŠfbfN,,ééê# ,âAf_ffbfNfAfEfg<@"\,ðŽg—p,,é,Æ,«,ÉAWinZip,ífAfvfŠfP[]
fVf#f",Æ,ìŠÖ~A•t,-,ð[]s,ç,Ü,∴B

WinZip[]Af}fCfRf"fsf...[]f^[]AfGfNfXfvf[]f%[]Afvf[]Of%of€f}f[]fWff[]A,»,µ,Äftf@fCf<f}f[]
fWff,ì,∴,x,Ä"—l,ÉŠÖ~A•t,-,ð[]s,ç,Ü,∴BŠÖ~A•t,-,ª,³,è,Ä,ç
,éftf@fCf<,ðf_fuf<fNfŠfbfN,,é,ÆA,»,ìftf@fCf<,ÉŠÖ~A,µ,Ä,ç,éAfvfŠfP[]
fVf#f",ª<N"® ,µAZ©"®"l,Éftf@fCf<,ðŠJ,«,Ü,∴BWinZip,íf_ffbfNfAfEfg<@"\,ìA(1)
,»,è,¼,è,ìftf@fCf<,ì³,µ,çAfCfRf",ð,µ,ß,∴,½,ß,ÆA(2)fAfCfRf",ì^è,Ä,ðf_fuf<fNfŠfbfN,µ,½[]Ü,É"K
Ø,ÉfAfvfŠfP[]fVf#f",ª"®[]i,,é,±,Æ,ðŠm" F,,é,½,ß,ÉŠÖ~A•t,-,ðŽg—p,µ,Ü,∴B

Windows 95/98,Ä,ìAfIfVfVf#f"f_fCfAf[]Of{fbfNfX,ìFile Typesf^fu,ðŽg,Ä,ÄA,ç,ì,æ,æ
,ÉŠÖ~A•t,-,ª,É,³,è,Ä,ç,é,©E©,½,èA'Ç%Ä,µ,½,èA[]í[]œ,µ,½,è,,é,±
,Æ,ª,Ä,«,Ü,∴BfGfNfXfvf[]f% ,âf}fC fRf"fsf...[]f^,ì•Ž!f[]jf...[],©,çfIfVfVf#f",ð'l'ð,µA[File
Types]f^fu,ðfNfŠfbfN,µ,Ä,,¾,¾,ç[]B[]Ü,µ,ç•û-@,íf1fL[],ð%ÿ,µ,Ä,,¾,¾,ç[]B

ffffBfXfN,ì•š,,

WinZip,Á,ÍŠÈ'P,É•j",ìffffBfXfN,É•š,,,.éZipftf@fCf<,ð[]-.,.é,±,Æ,ª,Á,«,Ü,·[]B,±,ê,íê-
‡,ìffffBfXfN,É"ü,ç,È,ç,æ,¸,Èê±,É•Ö~,,Á,·[]B

•j",ìffffBfXfN,É•š,,,.éZipftf@fCf<,ð[]-.,.é,É,í[]A'P,ÉfŠf€[]fuf<ffffBfXfN[]ä,ÉZipftf@fCf<,ð[]-.,
μ[]Aftf@fCf<,ð'Ç%Á,μ,Ü,·[]B'Ç%Á'€[]'†,ÉffffBfXfN,ª,ç,Á,í,ç
,É,É,é,Æ[]A•É,ìffffBfXfN,ð<[],ß,ç,ê,Ü,·,ì,Á[]AZÿ,ìffffBfXfN,ð'ü,μ [OK] f{f^f" ,ð%ÿ,μ,Ü,·[]B

**[]d—v[]@ffffBfXfN,ì•š,,.ÍŠù'¶,ìfA[]fJfCfu,É'í,μ,Äftf@fCf<,ð'Ç%Á,·,é,±
,Æ,ª,Á,«,Ü,¹,ñ[]B[]V,μ,çfA[]fJfCfu,ð[]-.,μ,½[]ê±,ì,Y%Á"
,Á,·[]B,Ü,½[]AffffBfXfN,É•š,,.³,é,½Zipftf@fCf<,É'Ç%Á,μ,½,è[]Aftf@fCf<,ð[]í[]œ,·,éŽ-
,í,Á,«,Ü,¹,ñ[]B WinZip,í,·,Á,ÉftfH[]f}fbfg,³,é,½ffffBfXfN,ª•K—v,Á,·[]B(fGfNfXfvf[]f%
,âftf@fCf<f}f[]fWff,©,çffffBfXfN,ðftfH[]f}fbfg,·,é,±,Æ,ª,Á,«,Ü,·[]B)**

—á:

C:\DATA ftfHf<f_ ,ìftf@fCf<,ð[]AA:\DATA.ZIP,É,·,é,É,í:

1. WinZip,ð<N" @ ,μ,Ü,·[]B
2. fGfNfXfvf[]f%°,â[]Aftf@fCf<f}f[]fWff,©,çWinZip,ìfEfbf"fhfE,ÖC:\DATAftfHf<f_ðfhf
%°fbfO[]•fhf[]fbfv,μ,Ü,·[]B
3. **[Drop]** f_fCfAf[]fOf{fbfNfX,Á,í[]AZipftf@fCf<-¼,ð A:\DATA.ZIP,Æ"ü—í,μ,Ü,·[]B
4. **[Add]** f{f^f" ,ð%ÿ,μ,Ü,·[]B

^ê-‡^è[]ä,ìffffBfXfN,ª•K—v,Èê±,í[]A'Ç%Á,ìffffBfXfN,ª<[],ß,ç,ê,Ü,·[]B

Norton Navigator for Windows 95

Norton Navigator, \fCf"fxfg\lf<CEãZIPftf@fCf<, ÌŠÖ~A•t, -, ð•œCE³, , é:

Norton Navigator, \fZfbfgfAfbfv, \ZIPftf@fCf<, ðNorton Navigator, ÆŠÖ~A•t, -, μ, Û, ·B, Ä, Ä, -, ÄWinZip, ð<N"® , , é, ÆWinZip, ÆZIPftf@fCf<, ðÄ, ÑŠÖ~A•t, -, , é, ©, Ç, x, ©, ð•, ç, Ä, «, Û, ·, Ì, ÄA Norton Navigator, ðfCf"fxfg\lf<, , é'O, Æ"-, ¶, æ, x, ÉWinZip, ðŽg, ç, ½, -, é, ÌAYes, ð'I'ð, μ, Ä,, ¾, ¾, çB' ^ÓWindows95/98/NT, ðÄ<N"® , , é, Û, ÄZIPftf@fCf<, \fAfCfRf" , Ì, Ì, í, è, Û, ¹, ñB

Norton File Manager, ÆWinZip, ðŽg, x:

Norton File Manager, \ZIPftf@fCf<, ðf_fuf<fNfŠfbfN, μ, ÄWinZip, ð<N"® , , é, É, ÍŽŸ, Ì, æ, x, É, μ, Ä, -, ¾, ¾, çB1) Norton File Manager, \Optionf\ffj... \, ©, çGeneral, ð'I'ð@2) Advancedf^fu, Ä Show compression files as Directories. f`fFfbfNf{fbfNfX, \f`fFfbfN, ð, Ì, , ·B@3) OK, ð%öŸ, ·B

☐\$CEÀ:

Norton File Manager, \fGfNfXfvf☐☐[f%o, \fVfFf<Šg'£, ðfTf|☐[fg, μ, Ä, ç, Û, ¹, ñ, Ì, ÄAftfHf<f_, Éfhf %o)fbfO, μ, Ä%oð"€ , , é, Æ, ç, xWinZip, \fVfFf<Šg'£, ðŽg—p, Ä, «, Û, ¹, ñB, μ, ©, μWindows 95/98/NT, \fGfNfXfvf☐☐[f%o, ð<N"® , ¾, ¾, é, ©, Û, ½, ÌAf}fCfRf"fsf... \f^, ðf_fuf<fNfŠfbfN, μ, ÄA Norton Navigator, ðfCf"fxfg\lf<CEã, ±, Ì<@"\, ðŽg—p, , é, ±, Æ, ¾, Ä, «, Û, ·B

fL [f { [fh, iŽg—p

WinZip, ĩf} fEfX, Ā'€Ń, ., é, ĩ, ¢ŠÈ'P, Ā, ., ¢ AfL [f { [fh, ©, ç, àŽg, ĩ, Ü, · BWinZip, ĩfAfNfZf %of€ [f ^ fL [ĩ, ĩ'È%º, ĩ'È, è, Ā, .:

F1	fwf<fv, đ<N" @, ., é
Ctrl+N	□V<KfA□[fjCfu, đ□□—, ., é
Ctrl+O	Šù'¶, ĩfA□[fjCfu, đŠ],
Shift+F	, " <C, É"ü, è, ĩftfHf<f_, đŠ],
Shift+L	Š], ç, Ā, ç, éfA□[fjCfu, đ•Ā, ¶, é
F7	fA□[fjCfu, đ^U" @, ., é
F8	fA□[fjCfu, đfRfs□, ., é
Shift+R	fA□[fjCfu—¼, đ•ĪX, ., é
Shift+M	fA□[fjCfu, đf□□[f<, ., é
Shift+A	fA□[fjCfu, Éftf@fCf<, đ%ºĀ, ĩ, é
Shift+D	fA□[fjCfu, ©, çftf@fCf<, đ□□œ, ., é
Shift+E	fA□[fjCfu, ©, çftf@fCf<, đ%ºđ"€, ., é
Shift+V	fA□[fjCfu"à, ĩftf@fCf<, đ€©, é
Ctrl+P	fA□[fjCfu"à, ĩftf@fCf<, đfŠfXfg^ó□ü, ., é
Shift+W	fEfBfU□[fhfCf" f^□[ftfF□[fX, É□Ø, è'Ö, ĩ, é
Ctrl+A	fŠfXfg"à, ĩftf@fCf<, đ, ., x, Ā'Ī'đ, ., é
Shift+S	fEfBf<fXfXfLfffi, đ<N" @, ., é
Shift+T	fA□[fjCfu, đfefXfg, ., é
Shift+U	fA□[fjCfu, đUencode, ., é
Shift+G	fRf□f"fg, đ•Ö□W, ., é
Shift+K	Ž©€È%ºđ"€€`Ž®ftf@fCf<, đ□□—, ., é
Shift+C	f`fFbfNfAfEfG<@"\, đ—L€ø, É, ., é
Shift+I	fA□[fjCfu"à, ĩftf@fCf<, đfCf" fXfg□[f<, ., é
f□[fV<fL□[fŠfXfg"à, đ^U" @, ., é
Shift+f□[fV<fL□[fŠfXfg"à, ĩ; □, ĩftf@fCf<, đ'Ī'đ, ., é
Enter	f□fCf" fEfBf" fhfE"à, Āftf@fCf<, đf_fuf<fNfŠfbfN, ., é, ĩ, Ā"~, ¶
Alt+F4	WinZip, đ□□—¹, ., é

WinZip 7.0, Ā'Ç%ºĀ, ¢, è, ½<@" \

WinZip 7.0, Ā'Ç%ºĀ, ¢, è, ½<@" \, ĩŽŸ, ĩ'È, è, Ā, .:

Microsoft ŽĐ, ĩCAB (cabinet) €`Ž®ftf@fCf<, É'Ī%ºž□BŽ©€È%ºđ"€€`Ž®CAB, à'Ī%ºž□B f□fCf" fEfBf" fhfE, ĩfwfbf_□ĥ'ñ, ĩftfCfY□A^É'u•Ī□X, ¢%ºĀ" \ , É□BfĩfvfVf†f" , ĀE, μ, Āattribute□□ftf@fCf<, ĩ'®□<□, ĀCRC, ĩ□€—U, à'Ç%ºĀ, ., é, ±, ĀE, ¢, Ā, «, Ü, ·□B fjfXf^f}fCfY%ºĀ" \, È21Ží—p, ĩfc□[f<fo□□B , ç, , Ā, ©, ĩ□Ÿ'è, ĩWindowsfRf, f" fRf" fgf□□[f<f %ofCfuf%ºfŠ, ĩfo□[fWf†f" 4.71^É□~ , ¢•K—v, É, È, è, Ü, ·□B, ±, ĩf%ofCfuf%ºfŠ, ĩWindows 98, ĀMicrosoft Internet Explorer 4.0, ÉŠÜ, Ü, è, Ā, ç , Ü, ., ¢AMicrosoft, ĩfEfFufTfCfG, ©, ç•É€Ā, Éf_fEf" f□□[fh, ., é, ±, ĀE, à, Ā, «, Ü, ·□B□Ü, μ, - , ĩAWindowsfRf, f" fRf" fgf□□[f<f%ofCfuf%ºfŠ. , ĩ□€, đŽQ□ĀE, μ, Ā, , ¾, ¢□B Internet Explorer 4.0fXf^fCf<, ĩfvf" fOf<fNfŠfbfNfCf" f^□[ftfF□[fX, É□Ÿ'è%ºĀ" \□B Internet Explorer 4.0fAfNfefBfuffXfNfgfbfv, Āfvf" fOf<fNfŠfbfN, É□Ÿ'è, ¢, è, Ā, ç , è, ĩWinZip, à, » , ĩ□Ÿ'è, đŽg—

p,μ,Ü,·B,Ü,½Configurationf_fCfAf□fOf{fbfNfX,ìViewf^fu,Å□Ý'è,ð•ì□X,·,é,±,Æ,à,Å,«,Ü,·□B
[^ó□ü<@"\,ª'Ç%oÁ,³,ê□Af□fCf"fEfBf"fhfE"à,ìftf@fCf<,ðfŠfXfg^ó□ü%oÁ"\,É□B](#)
[configurationf_fCfAf□fOf{fbfNfX,ì%oü—Ç□B](#)
[ZIPftf@fCf<,ìfRf□f"fg<@"\,ðfTf|□lfg□B](#)
[fCf"fXfg□lf<<@"\,ì<%o»□B](#)
[Tip of the Dayf_fCfAf□fOf{fbfNfX,ì'Ç%oÁ□B](#)
[WinZip_Self-Extractorfp□lfjif<fGfffBfVfjf",Å•ªŠ,,,³,ê,½Ž©CEÈ%oð"€CE`Ž®ftf@fCf<,ì□ì□-,ª](#)
[%oÁ"\,É□B](#)

WinZip,ì^È'O,ìfo□lfWfjf",Å'Ç%oÁ,³,ê,½<@"\,ÉŠÖ,μ,Ä,ÍŽŸ,ìfy□lfW,ð,²Šm"F,,¾,³,¢□B
<http://www.winzip.com/version.htm>.

fqf“fg&f`fbfvfX

,±,±,Å□Ð%oî,µ,Ä,ç,éfqf“fg,ÍTip of the Day_fCfAf□fOf{fbfNfX,Å•\Ž|,³,é,Ü,·:

- WinZip,ð<N“@,·,é,Æ□A**Tip of the Day**_fCfAf□fOf{fbfNfX,â•\Ž|,³,é,Ü,·□Bf_fCfAf□fOf{fbfNfX,ð•\Ž|,³,é,½,,É,ç□ê□‡,Í□ANever show tips at startup,ð'í'ð,µ,Ü,·□B
- Æã,Å□Ä“x•\Ž|,µ,½,ç□ê□‡,Í□A[**Help**]f□fjf...□[, ©,ç**Tip of the Day**,ð'í'ð,·,é,î•\Ž|,·,é,±,Æ,ª,Ä,«,Ü,·□B
- WinZip,ìŠî-{"I,É'€□ì,ðŠw,Ñ,½,ç□ê□‡,Í□AfufŠ□[ftf`f...□[fgfŠfAfç,ðŽQ□Æ,µ,Ä,,¾,³,ç□B
- fç□[fç□[,ð%oEfNfŠfbfN,µ□AfRf“fefLfXfgf□fjf...□[, ©,ç**Select Buttons**,ð'í'ð,·,é,Æfç□[fç□[,É•\Ž|,·,é{f^f“,ð'í'ð,·,é,±,Æ,ª,Ä,«,Ü,·□B
- WinZip,ìfç□[fç□[,ìf{f^f“,Í□AfEfBf“fhfEfY,ì%oæ-É,ì□Y'è,ðfnfCfjf%o□[,É,µ,Ä,ç,é□ê□‡□A,æ,è“ü,µ,çfAfCfRf“,Å•\Ž|,·,é,±,Æ,ª,Ä,«,Ü,·□B
- ŠÖ~A•t,·,ì,³,é,Ä,ç,É,çfvf□fOf%o€€,ð%o{—,·,é□ê□‡,É□AQuick View,Æ,ç,çfvf□fOf%o€€,ª•Ö~·,Ä,·□BQuick View,çfCf“fXfg□[fç,³,é,Ä,ç,É,ç□ê□‡,Í□AQuickView,ðfCf“fXfg□[fç,·,é,Æ,ç,ç□ê-Ü,ðŽQ□Æ,µ,Ä,,¾,³,ç□B[**Options**]f□fjf...□[,Í**Configuration**,©,ç**Program Locations**f^fu,ðfnfŠfbfN,µ□A**Default association**—,Équikview,Æ“ü—l,µ,Ä[**OK**]f{f^f“,ð%oY,µ,Ü,·□B
- Windows,ìfwfçfvfVfXfef€,ðŠo,ì,Ä,,¾,³,ç□[,·,×,Ä,ì Windowsfvf□fOf%o€€,Í“~,ìfwfçfvfVfXfef€,ðŽg—p,µ,Ä,ç,Ü,·□Bfwfçfv,ðŠo,ì,é,±,Æ,Å WindowsfAfvfŠfP□[fvfç“,ð,·,©,ÉŽg,ì,é,æ,ç,É,É,è,Ü,·□Bfwfçfvf□fjf...□[, ©,çfwfçfv,ìŽg,ç•û,ð'í'ð,µ,Ä,,¾,³,ç□B
- WinZip,ìŠT—v,ð'm,é,É,Í[**Help**]f□fjf...□[, ©,ç**Brief Tutorial**,ð'í'ð,µ□AfufŠ□[ftf`f...□[fgfŠfAfç,ðŽQ□Æ,µ,Ä,,¾,³,ç□B
- ftf@fCfç,ð,·,î,â,^³□k□A%oð“€,,é,É,Í□AfGfNfXfvf□□[f%o,âf}fCfRf“fsf...□[f^,Å^³□k,µ,½,çftf@fCfç,ð%oEfNfŠfbfN,µ□AfRf“fefLfXfgf□fjf...□[, ©,ç**Add to Zip,â Extract To**,ð'í'ð,µ,Ü,·□B
- ,æ,,í,©,ç,È,ç,±,Æ,ª□[,¶,½□ê□‡□A,æ,,éŽç-â,Æ%oñ“š,ðŽQ□Æ,µ,Ä,Y,Ä,,¾,³,ç□B
- fGfNfXfvf□□[f%o,ì't,©,çZIPftf@fCfç,ð%oð“€,,é,±,Æ,ª,Ä,«,Ü,·□BZIPftf@fCfç,ð%oEfNfŠfbfN,µ□AfRf“fefLfXfgf□fjf...□[, ©,ç**Extract To**,ð'í'ð,µ,Ä,,¾,³,ç□B
- fGfNfXfvf□□[f%o,ì't,©,çZIPftf@fCfç,ð□□—,·,é,±,Æ,ª,Ä,«,Ü,·□B%oEfNfŠfbfN,µ,Ä□AfRf“fefLfXfgf□fjf...□[,Í□V<K□□□—,©,ç**WinZip File**,ð'í'ð,µ,Ü,·□B
- “dŽqf□□[fç,Ö,ìZIPftf@fCfç“Y•t,ªŠÈ'P,É,Ä,«,Ü,·□BMAPIÇYŠ·f□□[fçfvf□fOf%o€€,ðŽg—p,µ,Ä,ç,é□ê□‡,Í□A[**File**]f□fjf...□[, ©,ç**Mail Archive**,ð'í'ð,µ,Ü,·□B
- ftf@fCfç,ìf□[fvf“□A%oð“€□A'Ç%oÁ,È,Ç,ì□ì<Æ,ð,ç,Ä,à“~,ìftfHfçf_Ä□s,ç□ê□‡□AConfigurationf_cfAf□fOf{fbfNfX,ìFoldersf^fu,Ä□%oŠúftfHfçf_ð□Y'è,µ,Ä,,Æ•Ö~·,Ä,·□B
- fEfBfçfXfXfLfffi,ì□Y'è,ð,µ,Ä,,Æ□Af_fEf“f□□[fh,µ,½ftf@fCfç,ð%oð“€,·,é,ó,ÉfEfBfçfXfXfLfff“,·,é,±,Æ,ª,Ä,«,Ü,·□B[**Actions**]f□fjf...□[, ©,ç**Virus Scan**,ð'í'ð,µ,Ü,·□B
- %oð“€f□□[fefBfŠfefB□[,ð,à,Ä,Ä,ç,É,ç,©,à,µ,é,È,çfGf“fhf□□[fU,Éftf@fCfç,ð'—,é,Æ,ª,ª,è,Ü,·,©□H,à,µ,·,é,ì□AWinZip Self-Extractorfp□[fçfçGfffBfvfç“,ð,“ŽŽ,µ,,¾,³,ç□B
- WinZipf□fCf“fEfBf“fhfE,ìTfCfY,â•\Ž|^É'u,ð•Ü'¶,·,é,É,Í□A[**Options**]f□fjf...□[, ©,ç**Save Settings Now**,ð'í'ð,µ,Ä,,¾,³,ç□B
- fXfe□[f^fXfo□[,ðfnfŠfbfN,·,é,Æ□AfA□[fjfCfu□î•ñ,ìf_cfAf□fOf{fbfNfX,ð•\Ž|,µ,Ü,·□B
- ^³□k,µ,Ä,à1-‡,ìFD,É“ü,è,«,ç,È,ç'â,«,³,ìftf@fCfç,í•j□“,ìFD,É•ªŠ,,µ,ÄZIPftf@fCfç,ð□□—,·,é,±

,Æ,ª,Ä,«,Ü,·Bftf[]bfs[]lfffBfXfN[]ä,ÉZIPftf@fCf<,ð[]-µA'Éí'É,è³k,ì€[],ð[]s,ç
Ü,·Bftf[]bfs[][,ª,ç,Á,Ì,ç,É,É,ÆŽŸ,ìfffBfXfN,ð"ü,é,é,æ,æ
,ÉŽwŽ!,µ,Ä,«,Ü,·,ì,Ä[]AŽwŽ!,É,µ,½,ª,Ä,ÄfffBfXfN,ð"ü,é'Ö,ì[]A[OK]f{f^f",ð%öŸ,µ,Ü,·B

- f[]fCf"fEfBf"fhfE"à,É•\Ž!,ª,é,Ä,ç,éftf@fCf<,ì[]Aftf@fCf<-
¼,âftfCfY[]Af^fCf€fXf^f"fv,È,Ç,É,æ,Ä,Äf[]fg,·,é,±,Æ,ª,Ä,«,Ü,·B—á,!,î"ú•t[]#,Éf\
[]fg,·,é,É,ì[]Afwfbf_,ìModified,Æ,ç,æ,Æ,±,è,ðfNfŠfbfN,µ,Ä,ª,¼,ª,ç[]B
- fA[]fjCfu[]i<Æ't,ÉWinZipfEfBf"fhfE,ì,Ç,±,©,ðfNfŠfbfN,·,é,Æ[]i<Æ,ð't'f,·,é,±
,Æ,ª,Ä,«,Ü,·B,±,ì[]ê[]#[]A "Operation Interrupted" ,Æ,ç
,æf_CfAf[]fOf{fbfNfX,ªÆ»,é[]A[]i<Æ,ð't'f,·,é,©'±[]s,·,é,©,ð•,ç,Ä,«,Ü,·B
- WinZip,ìf[]fCf"fEfBf"fhfE"à,ìftf@fCf<,ðfGfNfXfvf[][]f%
,âfffXfNfgfbfv[]A,Ü,½,ì'¼,ìftfHf<f_,Éfhf%ofbfO&fhf[]fbfv,·,é,±,Æ,ªŠÈ'P,É%öð"€,·,é,±
,Æ,ª,Ä,«,Ü,·B
- fGfNfXfvf[][]f%»,âf}fCfRf"fsf...[]f^,©,çftf@fCf<,ðWinZipfAfCfRf",Éfhf
%ofbfO&fhf[]fbfv,·,é,±,Æ,É,æ,èŠÈ'P,ÉZIPftf@fCf<,ð[]-·,é,±,Æ,ª,Ä,«,Ü,·B
- WinZip,É,ìfCf"f^[]f[]fbfg,âpf[]fRf""É[]M,È,Ç,©,çf_fEf"f[][]fh,µ,½ftf@fCf<,ðŠÈ'P,É^µ,æ•û-
@,ª-p^Ö,ª,é,Ä,ç,Ü,·B []U,µ,ì[]Af_fEf"f[][]fh,µ,½ftf@fCf<,ðŠÇ—[],·,é,çf"fg,ì[]€
,ðŽQ[]Æ,µ,Ä,ª,¼,ª,ç[]B
- WinZip,ìZIPÆ`Ž®,ì,Ü,©,ÉTAR, Z, GZ, TGZ, CAB, UUencode, BinHex, MIME,È,Ç,ìÈ`Ž®,É,à'í
%öž,µ,Ä,ç,Ü,·B
- •K—v,ÉZIPftf@fCf<,ðfn[]fhfffBfXfN,ì,Ç,±,É•U'¶,µ,½,ì,©-
Y,é,Ä,µ,Ü,Ä,½[]ê[]#[]A,`C,É"ü,è,ìZipftfHf<f_<@"\,ðŽg,Ä,ÄÆŸ[]ð,·,é,±
,Æ,ª,Ä,«,Ü,·B[File]f[]ff...[][,©,ç[Favorite Zip Folders] ,ð'í'ð,µ,Ü,·B
- ZIPftf@fCf<"à,ìftf@fCf<,ð"K"—,ÉfAvfŠfP[]fVf+f",ìfVf#[]f[]fbfg,Öfhf
%ofbfO,·,é,Æ,»,ìfAvfŠfP[]fVf+f",ð"N"@,µ[]Aftf@fCf<,ì't[]g,ðSm"F,·,é,±,Æ,ª,Ä,«,Ü,·B
- fA[]fjCfu"à,ìftf@fCf<,ðvfŠf"f^,ìfVf#[]f[]fbfg,Öfhf%ofbfO,·,é,Æ,»,ìftf@fCf<,ð^ó[]ü,·,é,±
,Æ,ª,Ä,«,Ü,·BWinZip,ìf[]fCf"fEfBf"fhfE,ìftf@fCf<,ðfŠfXfg^ó[]ü,·,é,É,ì[]A[File]f[]ff...
[][,©,ç[Print],ð'í'ð,µ,Ü,·B
- WinZip,ÄŠ],ç,½ftf@fCf<,ì[]AfXf^[]f[]fgf[]ff...[][,ì[]Ä<ßŽg,Ä,½ftf@fCf<(D),É'Ç
%öÄ,ª,é,Ü,·B
- fGfNfXfvf[][]f%»,Ä'í'ð,µ,½ftf@fCf<,ð,·,®,ÉZIPÆ`Ž®,Ä^³k,·,é,±
,Æ,ª,Ä,«,Ü,·B'í'ð,µ,½ftf@fCf<,ð%EfNfŠfbfN,µ,ÄfRf"fefLfXfgf[]ff...[][,©,çAdd To
Zip,ð'í'ð,µ,Ä,ª,¼,ª,ç[]B
- ,æ,, ,éŽ_—â,ÉŠÖ,µ,Ä,ì[]AWinZip,ì[Help]f[]ff...[][,©,ç[]A Frequently Asked
Questions,ð'í'ð,µ,Ä,ª,¼,ª,ç[]B

ŠÖ~A[]€-Ü:

[f,fAfqf"fg&f`fbfvfX](#)

[f_fEf"f\[\]\[\]fh,µ,½ftf@fCf<,ðŠÇ—\[\],·,é,çf"fg](#)

[Windows 95/98/NTfVfFf<Šg'f](#)

[,æ,, ,éŽ_—â,Æ%öñ"š](#)

f,fAfaq"fg&f`fbfvfX

,æ,è, "x, ÈŽg—p—@, ÉŠÖ, ·, éfaq"fg, Å, ·:

- WinZip, Å, lfA [ffjCfu'€]t, É'¼, lfvf [fOf%of€], ÉØ, è'Ö, !, é, É, ÍA'¼, lfvf [fOf%of€], lfEfbf"fhfE, ðfNfŠfbfN, ·, é, © [Alt]fL [, ð%Ÿ, µ, É, ª, ç [Tab]fL [, ð%Ÿ, µ, ÅŽg—p, µ, ½, çfvf [fOf%of€], lfAfcRf" , ð'l'ð, µ, Ü, · [B] ^ Ó: fA [ffjCfu'€]t, ÍAWinZip, lf [ffj... [[.â [Å] —%»f {f^f" , ÍŽg—p, Å, «, Ü, ¹, ñ [B
- i [" , lWinZipfEfbf"fhfE, ðŠ], ç, Å, " , ç, Å [A, ±, è, ç, lfEfbf"fhfEŠÖ, Åftf@fCf<, lfRfs [[, â^U" ® , ð [s, x, ±, Æ, à, Å, «, Ü, · [B [Options] f [ffj... [[, l [Reuse WinZip Windows] , lf^fFfbfN, ð, l, , µ, Å, " , ç, Å, , ¾, ¾, ç [B
- ^³ [k, µ, ½ftf@fCf<, ðcc:Mail, ÅŽg, x, l, ÉWinZip, ðŽg, x, ±, Æ, ª, Å, «, Ü, · [B, ±, l<@"\, ðŽg—p, ·, é, É, lWMAIL.INlftf@fCf<, l [cc:Mail]fZfnfvf" , lcompress, l [s, ð•i [X, µ, Ü, · [Bcompress, l [s, ÉWinZip, lftf<fpfX, ðŽw'è, µ [A, » , lĀä, è, É" } -a %1 @%2" } , ð•t, " %Å, !, Ü, · [B—á, !, ÍAWinZip, ªc:lwinzipftfHf<f_ , ÉfC" fXfg [f<, ¾, è, Å, ç, ê, l [AZÿ, l, æ, x, ÉŽw'è, µ, Å, , ¾, ¾, ç [B
compress=c:\winzip\winzip.exe -a %1 @%2

f [f" fOftf@fCf<-¼, ÉŠÖ, ·, éfaq"fg

- TWinZip, Åftf [[fg, ¾, è, Å, ç, éŠÖ•"fvf [fOf%of€], l, ù, Æ, ñ, Ç, lDOSfvf [fOf%of€] [LHA, É, Ç [j], Å, · [B, µ, ½, ª, Å, Å, ±, è, ç, lfA [ffjCfu'€]`Ž ® , ð^µ, x [è] #, lf [f" fOftf@fCf<-¼, ðŽg—p, ¹, · [A] — ^ , l8• [Žš3• [Žš, lĀ`Ž ® , lftf@fCf<-¼, ð, " Žg, ç, , ¾, ¾, ç [B, Ü, ½, ±, è, ç, lftf@fCf<, ð"ü, è, Å, " , ftfHf<f_ , É, Å, ç, Å, à [f [f" fOftf@fCf<-¼, lŽg—p, Å, «, Ü, ¹, ñ [BftfHf<f_ -¼, à8• [Žš^É"à, É, " , ¾, ¾, è, æ, x, É, µ, Å, , ¾, ¾, ç [B
- T ARJ 2.60, l—áŠÖ"l, Éf [f" fOftf@fCf<-¼, ªŽg—p, Å, «, Ü, ·, ª [AWindows95/98]ã, l, Y, ÅNT]ã, Å, l [³] í, É" ® [ì'v, µ, Ü, ¹, ñ [B
- ARJ 2.60, ð [œ, DOSfvf [fOf%of€], â16bit Windows, lfvf [fOf%of€], l' , çftf@fCf<-¼, àfXfy [[fX, l"ü, Å, ½ftf@fCf<-¼, ðŽg—p, ·, é, ±, Æ, ª, Å, «, Ü, ¹, ñ [B—á, !, lLHA.EXE, Å "A Long Filename" , Æ, ç, x-¼'O, lftf@fCf<, ð%ð"€ , µ, æ, x, Æ, ·, é, Æ"A LONG F" , Æ, È, Å, Å, µ, Ü, ç9• [Žš—Ú^È [~ , l-³Ž<, ¾, è, Å, µ, Ü, ç, Ü, · [B, ±, l—â'è, ð"ð, " , é, ½, ß, É, l [ADropf_fCfA [f [fOf {fbfNfX, Å Store filenames in 8.3 format, lf^fFfbfNf {fbfNfX, ðf^fFfbfN, µ, Å, , ¾, ¾, ç [B

ŠÖ~A [€-Ú:

[faq"fg&f`fbfvfX](#)

[f_fEf" f \[\[fh, µ, ½ftf@fCf<, ðŠÇ— \[, ·, éfaq"fg](#)

[Windows 95/98/NT 4.0fvfFf<Šg'f](#)

[.æ, , , éŽ; -â, Æ%ñ"š](#)

fEf“f[fh,μ,½ftf@fCf<,đŠÇ—□,·,éfqf“fg

WinZip,ÍfCf“f^□[flfbfg,âfp\vfRf“’Ê□M,©,çf_fEf“f□□[fh,μ,½ftf@fCf<,đŠÈ’P,É^μ,±,Æ,ª,Â,«,Ü,·□B

- [WinZipCf“f^□\[flfbfgufuf%ofEfUfTf□\[fgfAfhf\]f“](#), đŽg—p,·,é,Æ□ANetscape Navigator/Communicator,·,æ,Ñ Microsoft Internet Explorer,ÉfA□[fjfCfu,đ□^—□,·,é<@“\,đ’Ç %oÁ,·,é,±,Æ,ª,Â,«,Ü,·□B
- [fCf“fXfg□\[f<<@“\](#), đŽg—p,·,é,ÆZIPftf@fCf<,Á”z·z,³,è,Ä,ç,éfvf□fOf%of€,ÍfCf“fXfg□[f<,ª— e^Ö,É,È,è,Ü,·□BZIPftf@fCf<“à,É“setup.*” ,Ü,½,Í “install.*” ,Æ,ç,±— ¼’O,Íftf@fCf<,ª,·,é□è□#,É□A`èŽžftf@fCf<,ÉŽ““@“\,É%ođ“€,μ□AfCf“fXfg□[f<□— ¹CEã,»,é,ç,Ì`èŽžftf@fCf<,đ□í□œ,μ,Ü,·□B “setup.*” ,Ü,½,Í “install.*”,Íftf@fCf<,ª,É,ç□è□#,Í□Af`fFbfNfAfEfg<@“\”,ªŽg—p,Á,«,Ü,·□B
- [.·<C,É“ü,è,ÍftfHf<f](#), đŽg,Í,ÍZIPftf@fCf<,ÌÈÿ□đ,ª,æ,èŠÈ’P,É,È,è,Ü,·□B
- [WinZip,É,æ,éf_fEf“f□□\[fh,Æftf@fCf<,ì□^—□](#), Ì□€,Á,Í,Á,Ífqf“fg□Af`fbfv□A—đ,É—š,ÁŽè± ±,«,ª□’,©,è,Ä,ç,Ü,·□B
- [fA□\[fjfCfu,ÌŠÇ—□<@“\](#),ÍfA□[fjfCfu,đftf□fbfs□[,É^Ú““@,μ,½,è□A·K— v,É,çfA□[fjfCfu,đ□í□œ,·,é,±,Æ,ª,Â,«,Ü,·□B

±,Ífy□[fW,đ^ó□ü,·,é,É,Í□Afwf<fvfEfBf“fhfE,Ì **[ftf@fCf<]-[fgfsfbfN,Ì^ó□ü]** f□fj...□[,đ’Í,đ,μ,Ü,·□B

3.Á,ÍftfHf<f_,đŽg,Á,Áf_fEf“f□□[fh,μ,½ftf@fCf<,đ^μ,±^ê—á:

- ↓DOWNLOAD □Á<Bf_fEf“f□□[fh,μ,½ftf@fCf<
- ↓UPLOAD fAfbfvf□□[fh,μ,æ,±,ÆŽv,Á,Ä,ç,éftf@fCf<
- ↓ARCHIVES •Ú’¶,μ,Ä,“ ,«,½,çfA□[fjfCfu

downloadftfHf<f_đ”àŠr“ló,É,μ,Ä,“ ,±,Æ,Á□Aftf@fCf<,đ,Ü,Æ,ß,Ä,“ ,±,Æ,ª,·,Ä,ÆŠÈ’P,É,È,è,Ü,·□BfA□[fjfCfu,đ’S,Á,DOWNLOADftfHf<f_,Éf_fEf“f□□[fh,μ,Ä,“ ,«□Aflf“f %ofCf“ ,ÍfZfbfVfj“ ,ª□[,í,é—^ ,É□A,»,é,¼,è,ÍfA□[fjfCfu,ÉŽÿ,Ì□í<Æ,đ,μ,Ä,“ ,Æ—Ç,ç,Á,μ,â,±:

1. fA□[fjfCfu,đŠ,«,Ü,·□Bftf@fCf<f}f□[fWff,©fGfNfXfvf□□[f%o□[,đ<N““@,³,¹,Ä) DOWNLOADftfHf<f_đŠ,ç,Ä□AfA□[fjfCfu,đf_fuf<fNfSfbfN,·,é,Ì,ªŠÈ’P,Á,·□B,à,Á,Æ,à□Á□V,Íftf@fCf<,ªfŠfXfg,Ì□Á□%o,É —^ ,é,æ,±,É□A ftf@fCf<f}f□[fWff,Ífvf<f_fEf“f□fj...□[,Ì\ Ž!,©,ç“ú·t□#,đ’Í,ñ,¾,è□AfGfNfXfvf□□[f%o,Ì□X□V“úŽŽ,đfNfSfbfN,μ,Ü,·□B
2. fA□[fjfCfu,Ì’t,ÍftfHf<fEfFfA,É,Á,ç,Ä“Ç,Ý,Ü,·□B’½,,ÍfA□[fjfCfu,Ì’t,É,Í file_id.diz ,Æ,ç,±— ¼’O,Íftf@fCf<,ª,·,é,Ü,·□B’É—á□A,±,Íftf@fCf<,ÍfA□[fjfCfu,Ì’t□□,É,Á,ç,Ä,ÌŠÈ’P,É□à—¾,ª,·,è,Ü ,·□B,à,μ,±,Íftf@fCf<,ªWinZip,Íf□[fCf“fEfBf“fhfE,É,·,é,Í□Af_fuf<fNfSfbfN,μ,Á’t,đ“Ç,ñ,Á,- ¾,³,ç□B“Ç,Ý□[,í,è,Ü,μ,½,ç□Aftf@fCf<,Ì%o{—,ÉŽg,Á,½fvf□fOf%of€,đ·Á,¶,Ä,¾,¾,³,ç□B ftf@fCf<—¼,É read,Ì,·,é□i—á,Í,Íreadme.txt,àread.me□jftf@fCf<,É’Í,μ,Ä,“ ,¶,æ,±,ÉCE,è·Ô,μ,Ä,“ ,¾,¾,³,ç□B
3. ,à,μ,»,ÍfA□[fjfCfu,ª,“ ,à,μ,è,»,±,É,çŽŽ,μ,Ä,Ý,Ü,μ,â,±□BWinZip,Ífc□[f<fo□[,Ì [Install] ,© [CheckOut] ,ÁŠÈ’P,ÉŽŽ,μ,Ä,Ý,é,±,Æ,ª,Á,«,Ü,·□B,à,μ□AfA□[fjfCfu,Ì’t,É install ,© setup fvf□fOf%of€,ª,·,é,Í□A[Install] f{f^f“ ,ª·Ž!,³,è,Ü,·□B,à,μ,É,“ ,é,Í [CheckOut] f{f^f“ ,ª·Ž!,³,è,Ü,·□B□Ü,μ,ÍfCf“fXfg□[f<<@“\,Ü,½,Íf`fFbfNfAfEfg<@“\ ,Ì□€,đŽQ□Æ,μ,Ä,- ¾,¾,³,ç□B’□^O□@f_fEf“f□□[fh,μ,½ftf@fCf<,ÍfCf“fXfg□[f<,ªŽg— p,·,é’O,ÉfEfBf<fXf`fFbfN,đ,©,“ ,Ü,μ,â,±□BfÍ ftfgfEfFfA,đŠÜ,ÍfA□[fjfCfu,đf_fEf“f□□[fh,μ,½ftf@fCf<,ª□M—p,·,éfEfBf<fXfXfLfffi,đ“üŽè,μ□A□ Á□V,Ì,à,Í,É,μ,Ä,“ ,«,Ü,·□Bf_fEf“f□□[fh,μ,½ftf@fCf<,Ì’t□□,É’Í,μ,ÁfEfBf<fXf`fFbfN,đ,μ,Ü,·□B fEfBf<fXfXfLfffi,đfA□[fjfCfu,Ì’t□□,É’Í,μ,ÁŽg—p,·,é□è□#,Ì□Ü,μ,ç□Y’è,É,Á,ç,Ä,Í□A [fEfBf<fXfXfLfffi,Ì□Y’è](#) ,Ì□€,đŽQ□Æ,μ,Ä,“ ,¾,¾,³,ç□B
4. fÍftfgfEfFfA,đŽŽ,μ,½CEã,Í□AfA□[fjfCfu,đdownloadftfHf<f_,©,ç^Ú““@,³,¹,Ä,- ¾,¾,³,ç□B,à,μ,»,ÍfA□[fjfCfu,đfn□[fhfffBfXfN,É·Ú’¶,μ,Ä,“ ,«,½,“ ,é,Í□A[File]f□fj...□[,©,ç [Move] ,đ’Í,đ,μ,ÁfA□[fjfCfu,đ\

ARCHIVESftfHf<f_É^Ú“®^{3,1},é,©□A,»,)fA□[fjfcfu,ð•Ê,ÌBBS,ÉfjXfg,μ,½,¯,ê,Î□A\
UPLOADftfHf<f_É^Ú“®^{3,1},Ä,^{3/4,3},ç□B, ,È,½,â^ê”Ô□ÅÆä,É^Ú“®^{3,1},½,èfRfs□[.μ,½ftfHf<f
_Í□Afhf□fbfvf_fEf“fŠfXfg,©,ç‘l‘ð,·,é,±
,Æ,³,Ä,«,Ü,·□B,à,μf_fEf“f□□[fh,μ,½ftf@fCf<,ð,Æ,Á,Ä,“,«,½,-
,È,ç□ê□‡,Í□Aftf□fbfs□[fffBfXfN,É^Ú“®^{3,1},·,é,©□A[File] f□fj...□[.©,ç [Delete Archive]
,ð‘l‘ð,μ,Ä□í□œ,·,é,±,Æ,³,Ä,«,Ü,·□B

,à,¿,ë,ñ□Af_fEf“f□□[fh,μ,½ftf@fCf<,ð^μ,π•Ê,ì•û-@,à, ,è,Ü,·□B, ,È,½,É□‡,Á,½•û-@,Å□s,Á,Ä
%oo³,ç□B

ŠÖ~A□€-Ú:

[fqf“fg&f`fbfvfX](#)

[f.fAfqf“fg&f`fbfvfX](#)

[Windows 95/98/NTfVfFf<Šg‘£](#)

[,æ,,.éŽ¿-â,Æ,»,.ì%oñ“š](#)

Windows 95/98/NTfVfFf<Šg'£

Windows 95/98/NTfVfFf<Šg'£,ÁWinZip,ð,æ,è•Ö—~ ,É—~—p,·,é,½,ß,lfqf“fg,Á,·:

fGfNfXfVf [f%, ©, ç, o, , , É^³kE%ð“€ , ðs, ɹ:

- **fGfNfXfVf** [f%, ©, ç, o, , , É^³kE%ð“€ , ðs, ɹ: f}fEfX, ì%Ef{f^f“ , ðŽg, Á, ÁAfGfNfXfVf [f%EfBf“fhfE“à, ìZIPftf@fCf<, ð“C^Ó, ìftfHf<f_, Éfhf%fbfO • fhf fbfv, μAf f f f... [, ©, ç [Extract to] , ð' ð, μ, Û, ·Bfhf%fbfO , ·, é, Æ, «, Ì•K, , f}fEfX, ì%Ef{f^f“ , ðŽg, Á, Á, , ¾, ³, çB
- **fGfNfXfVf** [f%, ©, ç, o, , , É^³kE%ð“€ , ðs, ɹ: fGfNfXfVf [f%“à, ìftf@fCf< i • i” , à%Áj, ðfhf%fbfO, μAfAfNfefBfu, ÈfGfNfXfVf [f%EfBf“fhfE, à'¼, ìfGfNfXfVf [f%EfBf“fhfE [A, Û, ½, ìfffXfNfgfbfv ã, ìAZIPftf@fCf<, Éfhf fbfv, μ, Û, ·B, Û, ½fGfNfXfVf [f%“à, Á%Ef{f^f“ , ðfNfŠfbfN, μA [V<K i - (W)] f f f... [, ©, ç [WinZip File] , ð' ð, ·, é, ÌA V<K, ÉZIPftf@fCf<, ð i - , ·, é, ±, Æ, à, Á, «, Û, ·B
- **fGfNfXfVf** [f%, ©, ç'¼ ÚZIPftf@fCf<, ð i - , ·, é • É, Ì • ù - @: fGfNfXfVf [f%“à, ì“C^Ó, ìftf@fCf< i • i” , à%Áj, ð%Ef{f^f“fNfŠfbfN, Á' ð, μAf f f f... [, Ì [Add to Zip] , ð' ð, μ, Û, ·B

fffXfNfgfbfv, Á, ÌŽg—p:

- [Configuration | Systemf_fCfAf fOf {fbfNfX](#) , Á [Add WinZip To Desktop] , ðf`fFfbfN, μ, Á, ·, - , ÆAfXfNfgfbfv ã, ÌWinZipfAfCfRf“ , Èftf@fCf<, ðfhf%fbfO, μ, ÁA' ð, μ, ½fA [fjfcfu, Èftf@fCf<, ð' Ç%Á, ·, é, ±, Æ, ¢, Á, «, Û, ·B
- [fffXfNfgfbfv ã, Áf}fEfX, ì%Ef{f^f“fNfŠfbfN, μA \[V<K i - \] , ©, ç \[WinZip File\] , ð' ð, ·, é, ÆA V<K, ÉZIPftf@fCf<, ð i - , ·, é, ±, Æ, ¢, Á, «, Û, ·B](#)

WinZip, ìf fCf“fEfBf“fhfE, ©, çfhf%fbfO • fhf fbfv, ðŽg—p:

- **ftf@fCf<, ì%ð“€:** fGfNfXfVf [f%EfBf“fhfE“à, ìftfHf<f_, Éfhf%fbfO, μ, Û, ·B
- **ftf@fCf<, ì%{ — —:** ftf@fCf<, ð“K— , ÈfAvfŠfP [fVf#“ , ìfEfBf“fhfE, ©AfAvfŠfP [fVf#“ , ìVf# [fgjfbfg, Éfhf%fbfO, μ, Û, ·B
- **ftf@fCf<, ì`óù:** ftf@fCf<, ðfvfŠf“f^ , ©AfAvfŠf“f^ , ìVf# [fgjfbfg, Éfhf%fbfO, μ, Û, ·B

fXf^ [fgf f f f... [, Á, ÌŽg—p:

- [Configuration | Systemf_fCfAf fOf {fbfNfX](#) , Á [Add WinZip to Start Menu] , ðf`fFfbfN, μ, Á, ·, - , ÆAfXf^ [fgf f f f... [, ©, ç'¼ UWinZip, ð•N“ @ , ·, é, ±, Æ, ¢, Á, «, Û, ·B
- [fXf^ \[fgf f f f... \[, Ì \[Á<ßŽg—p, μ, ½ftf@fCf< \] , ©, çA \[fjfcfu, ðŠ\] , ±, Æ, ¢, Á, «, Û, ·B](#)

ŠÖ~A [€-Ú:

[fqf“fg&f`fbvfx](#)
[f.fAfaq“fg&f`fbvfx](#)
[f_fEf“f \[fh, μ, ½ftf@fCf<, ðŠC— , ·, éfqf“fg](#)
[.æ, , , éŽž-â, Æ, » , Ì%ň“š](#)

,æ,, ,éŽĵ-â,Æ,» ,ì%ñ“š

□ f□A%o\□AŠ\□A<\□A□□A”\□A•\□A□□A“\□A—\□A~\□ACE\□A,È,Ç,ìShift-JISfR□□[fh,ì,QfofCfġ-
Ú,ª 0x5c ,ì•ŋŽš,đftf@fCf<-¼,ÉŽġ—p,.,é,Æ^³□k□A%ođ“€Žž,ÉfGf%o□[,É,È,è,Ü,·□B,±
,ê,ç,ìŠĵŽš,đftf@fCf<-¼,ÉŽġ,í,È,ç,æ,ɹ,É,μ,Ä%oº,³,ç□B,±,ì-â'è,É'í,.,é'í%ñž,í,Ü,¾-
ç'è,Å,·□B

Šî-{"I,È-â'è

[WinZip,ìŽġ,ç•ú,ª,í,©,ç,È,ç](#)

<Z□p“I,È-â'è

[•j□”,ìFD,É•ªŠ,,μ,ÄZIPftf@fCf<,đì□□-,μ,½,ç](#)

[ftfHf<f ,ì□\ç,đ•ÚŽ□,μ,½,Ü,Ü^³□k,μ,½,ç](#)

[fA□\[f\]fCfu“à,ìfOf%oftfBfbfN□A•\CEvŽŽ□Af□□\[fvf\]ftf@fCf<,đ%o{—,μ,½,ç](#)

,»,ì¼

[WinZip,đ□w“ü,.,é,É,í](#)

ŠÖ~A□€-Ú:

[fqf“fg&f`fbfvfX](#)

[f.fAfqf“fg&f`fbfvfX](#)

[f_fEf“f□□\[fh,μ,½ftf@fCf<,đŠC—□,.,éqf“fg](#)

[Windows 95/98/NTfvFf<Šg'£](#)

Fixing Zip Files

If a ZIP file is damaged it can sometimes be repaired with the PKZIPFIX command. PKZIPFIX is not part of WinZip, it is part of the MS-DOS text mode Zip utility PKZIP 2.04g from PKWARE, Inc. This utility is available on many ftp and download sites as PK204G.EXE. If you download and install this file, you can run PKZIPFIX by simply typing

PKZIPFIX filename

at the DOS prompt, and PKZIPFIX will create the “fixed” file PKFIXED.ZIP.

Message WZ11

A required file was not found.

The file listed in the dialog box was not found in your path or the specified location. Also, WINZIP.HLP, WZ.DLL, WZ.COM, and WZ.PIF must both be in the same folder as WINZIP.EXE. The Installation section describes the complete installation procedure.

Message WZ13

This dialog box is displayed if a filename is invalid or if WinZip was unable to open the specified archive or read the archive folder. It is possible that the file is not an archive or does not exist. Alternately, it is possible that the archive has been corrupted. Other reasons for this error include insufficient memory and disk errors while reading the archive.

If you are working with a Zip file, you can try repairing the file as described in the section [Fixing Zip Files](#).

Register WinZip

If you paid the WinZip registration fee:

If you paid the WinZip registration fee and received a registration number from Nico Mak Computing or an authorized reseller, please enter your name and registration number **exactly** as they appeared on the instructions you received when you registered WinZip. **You cannot substitute a different spelling for your name or use a different name.** If entered correctly, your name will appear in the About dialog box, and the registration reminder dialog box will no longer be displayed when you start WinZip. Please save this information for possible use with future upgrades, or in case you re-install WinZip.

Note: if your name is spelled incorrectly in the instructions, please write to the address in the About dialog box with the correct spelling, and you will receive a new registration number.

If you have not yet paid the WinZip registration fee:

If you downloaded an evaluation version of WinZip, or if you received this version of WinZip on a disk or CD with a book or with other hardware or software, and you have not paid the WinZip registration fee, you are licensed to use WinZip for evaluation purposes only, subject to the [Evaluation License](#).

For information on purchasing a license to use WinZip for non-evaluation purposes, see the section [Ordering Information](#).

Internal Error

This dialog box is displayed when an unexpected WinZip internal error occurs. Please contact Nico Mak Computing with as much information about the error as possible. For a list of contact points, choose About from WinZip's Help pull-down menu.

Message WZ14

This dialog box is displayed when a required edit field is empty or no entries are selected in a list box. For example, it is displayed if you don't specify which file you want to open in the Open Archive dialog box. Specify the required information and try again.

File already exists

To view a file, WinZip normally extracts the file to disk, reads it, and erases the temporary disk file. WinZip determines which disk to extract to by checking the value of the WZTMP=, TMP=, TEMP=, and PKTMP= environment variables. To conserve space on the DOS command line, WinZip creates temporary files in the root folder of the specified drive. If none of these environment variables is set, WinZip extracts to the root folder of your C: drive.

The message *The disk file "filename" already exists. Should WinZip overwrite it so that the file in the Zip can be viewed?* is issued if a file with the requested name already exists on disk. If you choose Yes, the existing disk file will be overwritten, and processing will continue. If you select No, WinZip will cancel the view operation for this file.

Warning WZ16

This dialog box is displayed if WinZip cannot display the entire file you are viewing because it contains binary zeros. WinZip uses a standard multi-line edit field to display files, and these controls truncate text at the first binary zero.

Message WZ8

This dialog box is displayed if an external command (for example, LHA or ARJ) is over 127 characters long (the longest command allowed under MS-DOS is 127 characters). The total command line length includes several components used internally by WinZip in addition to the external command. There are a few ways to reduce the length of the command line:

- Move WINZIP.EXE (and the related files) to a folder near the root folder (for example, a folder like C:\WINZIP is better than C:\WINDOWS\UTILITY\SHAREWAR\WINZIP).
- Move the archive you are working with to a folder near the root folder.
- Move ARJ.EXE, LHA.EXE, SCAN.EXE, etc. to a folder specified by your PATH= environment variable and remove any folder names for these programs in the [Configuration | Program Locations](#) dialog box.
- If you are adding, deleting, extracting, or viewing multiple files at one time, specify them via a list box rather than an edit field. This causes WinZip to create an ARJ or LHA response file, which usually takes less room on the command line than multiple file names.

Text Successfully Copied To Clipboard

This dialog box is displayed to let you know the text in the View dialog box has been copied to the system clipboard. You can paste the text into another application (for example, Notepad) by choosing Paste from the application's Edit pull-down menu.

Message WZ18

This dialog box is displayed when WinZip could not create a required temporary file on the disk drive listed in the dialog box. Possible causes are that the disk drive is invalid, or that the root folder of the disk is full.

WinZip determines which disk to use for temporary files by checking the values of the WZTMP=, TMP=, TEMP=, and PKTMP= environment variables. To conserve space on the DOS command line, WinZip creates temporary files in the root folder of the specified drive. If none of these environment variables is set, WinZip creates temporary files on your C: drive.

Message WZ19

When working with *format* files the “*action*” operation requires the *program* external program. This program is not installed or improperly installed.

This message is issued when the external program “*program*” required for the “*action*” operation is either not installed, or is installed in a folder other than the one specified in the Configuration | Program Locations dialog box. If the specified program is installed, select Configuration from the WinZip Options pull-down menu, click the Program Locations tab, and specify the correct path information. If you do not have a copy of the specified program, see the section titled Requirements for information on obtaining the program.

Message WZ20

The program required to perform the function you selected is either not installed, or is installed in a folder other than the one specified in the Configuration | Program Locations dialog box. For a complete list of supported external programs and information on obtaining these programs see the section titled [System Requirements](#). Also see the section titled [Installing Optional External Programs](#).

For example, this problem can occur if you try to extract files from an ARC file, but have not specified an ARC extraction program in the [Configuration | Program Locations](#) dialog box.

Message WZ21

WinZip can't find one of the programs specified in the active dialog box. If you specified a folder (for example, you entered C:\UTILITY\LHA.EXE), then WinZip can't find the program in that folder. If you did not specify a folder (for example, you entered LHA.EXE) then WinZip can't find the program in any of the folders specified by your PATH= environment variable.

Note: if you update the PATH statement in your AUTOEXEC.BAT, the changes will not take effect until you reboot your machine.

Message WZ22

WinZip does not recognize the name of the specified program. For example, you will get this error if you specify XYZ.EXE as the name for LHA.EXE. WinZip lets you specify the drive and folder containing the program, but prevents the use of unsupported file names to prevent unexpected errors.

Message WZ23

An external program returned a non-zero error level. Consult the documentation for the external program for the meaning of the error, and/or use the View Last Output entry in the Options pull-down menu to check for error messages issued by the external program.

Note:

One likely cause for this error is using an old version of external programs. See the section titled [System Requirements](#) for version information.

Delete Entire Archive

This dialog box is displayed to give you a chance to confirm that you really want to delete the entire archive. Select No to abort the operation or Yes to delete the archive.

CheckOut Delete

This dialog box is displayed before closing an archive to give you a chance to have WinZip delete the CheckOut folder and the CheckOut program group. Select **Yes** to delete these items and close the archive. Select **No** to leave the CheckOut group and folder intact and close the archive. Select **Cancel** to cancel the close operation.

Message WZ24

WinZip does not provide facilities to create files in the CAB, Microsoft compress, ARC, BinHex, MIME, TAR, gzip, or z formats; however, you can open an existing archive in these formats and extract, run, or view the files inside these types of archives. You can create Uuencoded files using the Actions->Uuencode menu entry.

Message WZ25

This dialog box is displayed when WinZip cannot run a program. This can happen when a program specified as a Windows Association was deleted from your system or was moved to a different drive or folder. The following are the error codes Microsoft has documented:

- 0 Out of memory
- 1 File not found
- 2 File not found
- 3 Path not found
- 4 Too many files open
- 5 Attempt to dynamically link to a task
- 6 Library requires separate data segments for each task
- 8 Insufficient memory to start application
- 10 Incorrect Windows version
- 11 Invalid .EXE file (non-Windows .EXE or error in .EXE image)
- 12 OS/2 application
- 13 DOS 4.0 application
- 14 Unknown .EXE type
- 15 Attempt in protected (Standard or 386 Enhanced) mode to load an .EXE created for an earlier version of Windows
- 16 Attempt to load a second instance of an .EXE containing multiple, writeable data segments
- 19 Attempt was made to load a compressed executable file. The file must be decompressed before it can be loaded.
- 20 Dynamic-link library (DLL) file was invalid. One of the DLLs required to run this application was corrupt.
- 21 Application requires Microsoft Windows 32-bit extensions.

Message WZ26

WinZip encountered an error trying to view a file. Possible errors include insufficient memory and disk errors.

Message WZ27

An incomplete filename was entered. If either a drive or folder is specified, then both must be specified. For example, the following two filenames are incomplete:

C:LHA.EXE

\UTILITY\LHA.EXE

In the first example, a drive is specified but no folder is specified. This can cause unexpected errors if you change the current folder on the C: drive.

In the second example, a folder is specified but no drive is specified. This can cause unexpected errors if you change the current drive.

Specify a filename like C:\UTILITY\LHA.EXE instead. Note that if the file is in a folder specified by your PATH= environment variable you do NOT need to enter a drive and folder.

Warning WZ28

You used the Drag and Drop Interface to drop multiple files onto a WinZip window or icon, and at least one of these files had an extension of ZIP, LZH, ARJ, or ARC. Press Yes to add these files to the open archive.

Message WZ30

WinZip could not change to the specified folder, so it is closing the open archive. Possible causes for this error include removing the folder or changing disks in the middle of a WinZip operation.

Message WZ31

An unexpected system error was encountered trying to run the specified DOS command. This problem is usually caused by a system configuration problem such as using a Windows 3.0 video driver on a Windows 3.1 system, or using buggy video drivers, including "beta test" video drivers.

If you encounter this error message and are not using a Microsoft supplied video driver, try installing the VGA driver distributed with Windows to determine if the problem is caused by a video driver.

Overwrite?

The specified file already exists on disk. Choose **Yes** to overwrite the file or **Yes to All** to overwrite this file and avoid this prompt for all other files during this operation. Choose **No** to bypass this file and continue the operation or **Cancel** to abort the extract operation.

File has been changed

WinZip detected that you modified a file while viewing it. Choose **Yes** to add the modified file to the archive or **No** if you don't want to update the archive.

Warning WZ35

The original file included folder information, but no folder information was included when the file was added to the archive. Thus, both the original and the new file are included in the archive.

Delete Temporary File?

Choose **Yes** to delete the temporary file or **No** if you want to keep it. Note that the file resides in a “temporary” folder specified by your WZTMP=, TMP=, TEMP=, and PKTMP= environment variables, so you should probably move the file to a “permanent” folder if you really want to keep it.

Message WZ38

WinZip cannot accept dropped files while the Drop dialog box is active. Close the Drop dialog box before dropping more files on WinZip.

Message WZ39

WinZip requires ARJ 2.5 or later. Please obtain a newer version of ARJ. See the section titled System Requirements for information on obtaining the most recent version of ARJ.

Message WZ40

The Zip file cannot be opened. If this Zip file is part of a backup set, please insert the last disk of the backup set and try again (this is required by the standard Zip multi-disk format). You may subsequently be prompted to insert other disks from the backup set.

If you downloaded this file, the most likely cause of this problem is a bad download. The best solution is almost always to download the file again. If this does not solve the problem, see the web page <http://www.winzip.com/downprob.htm> for hints on resolving download problems.

If you did not download this file, and it is not part of a backup set, it is either not a valid Zip file or it is corrupt, perhaps because of a bad diskette.

Message WZ44

An invalid CheckOut folder was specified. You cannot specify a root folder (e.g. C:\), and you must specify a drive letter (e.g. C:\CHECKOUT, not just CHECKOUT). The CheckOut folder cannot be the folder containing the open archive, since all files in the CheckOut folder are deleted at the beginning of the CheckOut operation.

Message WZ47

WinZip could not create the specified folder. Possible causes are:

- A file exists with the same name as the folder
- Disk is read-only
- Folders preceding the final folder do not exist. For example, to create the folder “C:\UTILITY\FILES” the folder “C:\UTILITY” must exist.

Solution: specify a different folder name.

Message WZ48

Due to a limitation in Windows, it is impossible to remove a Program Group while closing Windows. Thus, if you want to remove Program Groups created by WinZip, you need to close WinZip before shutting down Windows.

Message WZ50

An error occurred opening, writing to, closing, or deleting the specified file. Possible causes include a misspelled filename, a full disk, a read-only or locked disk, or a read-only or locked file. The operation in progress will be aborted. Another dialog box with more specific information may be displayed.

This message may also be displayed because of an invalid archive. For example, if an archive is damaged (possibly due to line noise while downloading from an online service) it may contain invalid data.

Message WZ51

The open archive no longer exists on disk. It was probably deleted by another task.

Message WZ52

Nothing To Do: no files were found for the specified action. Examples of when this message is issued include attempts to add a non-existent folder to an archive and attempts to freshen an archive that is already up to date.

Message WZ53

An invalid archive operation was initiated. For example, an attempt to add the same file from two different folders can cause this error. Check the warning messages for additional details about the problem.

Message WZ54

This error occurred during internal Zip processing. Correct the error and retry the operation.

Message WZ55

WinZip could not access the correct version of the specified DLL. It is possible that the DLL from a previous version of WinZip is still loaded, or that the wrong version of the DLL is in the WinZip folder. To solve this problem follow both of these steps:

1. Verify that the DLL in your WinZip folder has the same date as WINZIP.EXE or WINZIP32.EXE. If not, reload all WinZip related files from the distribution disk. DO NOT use WinZip to extract files from the online distribution version of WinZip to the folder from which you are running WinZip, since that can cause unpredictable results.
2. Exit Windows and then run WinZip again. Closing Windows ensures that old versions of the DLL are not loaded.

Message WZ57

There is insufficient free memory (RAM) on your system. Close one or more other applications and retry the operation.

Warning WZ58

One or more warning messages were issued. Press the Yes button to view all messages issued while processing the last action, including informational and warning messages.

Virus Scan Complete.

This message is issued when a Windows-based virus scanning operation completes. If no error or warning dialog boxes were displayed by the virus scanner, then this dialog box indicates that no viruses were found. The Norton Anti-Virus scanner, the Central Point Anti Virus program, and any other properly configured virus scanner will display error or warning dialog boxes if a virus is found.

Message WZ62

WinZip could not copy, delete, rename, or move the file. Possible causes include: the file is read-only, the file is open by another process, or the file has already been deleted by another process.

Message WZ64

WinZip uses the standard Windows “Common Dialog Boxes” as a basis for the Add dialog box. Due to a limit in the Common Dialog Boxes the total length of all selected files cannot exceed 2000 characters. You have exceeded or may exceed this limit. You can circumvent this limit by using the Drag and Drop interface to add files instead of the Add dialog box, or by specifying wildcards in the **Add Files** field in the Add dialog box (for example, *.c).

Message WZ65

WinZip could not make the specified folder the current folder. Probable cause: invalid or non-existing folder name.

Message WZ66

The temporary folder must be a fully qualified path. You must specify both the drive and folder, for example, **C:\TEMP** or **C:\WINDOWS\TEMP**. If you don't know the location of your temporary folder, click **Cancel**.

Operation Interrupted

The archive operation was interrupted because you pressed a key or clicked on the WinZip window during the archive operation. Press the **Continue** button to continue the operation or the **Stop** button to terminate the operation.

This message will be displayed if you try to minimize WinZip during an archive operation. To switch to other tasks you can click on another window or use the task list (press Ctrl+Esc).

File Is In Use

A file can be “in use” for one of two reasons:

- The file is open by another process. For example, a document might be open by a word processing application.
- The file is “in use” by Windows. Files that are “in use” are typically programs (.EXE files) or dynamic link libraries (.DLL files) being run by the system. For example, you will get this message if you attempt to overwrite C:\WINZIP\WINZIP.EXE while running C:\WINZIP\WINZIP.EXE. The solution is to extract to a different folder, for example, C:\WINZIP5 instead of C:\WINZIP.

WinZip will not let you overwrite or delete a file that is “in use” by the system because this operation could cause unpredictable results, including system crashes. Windows may read from files that are “in use” at any time, and does not expect these files to change. If the file has been overwritten Windows will not know the data has changed and can become confused.

If this message is issued during an Extract operation you can either extract the file to a different folder, or retry the operation after closing the program that is using the file.

If this message is issued while WinZip is trying to delete a folder or file you can either continue without deleting the folder or file (and delete it manually later on) or close the file in question and re-try the operation.

Message WZ67

Cannot create *filename*. File already exists. Open existing file?

This message is issued when you press the **New** button on the toolbar or select **New** from the **File** menu to *create* an archive but the specified archive already exists. Since the file already exists it cannot be created. Press the **Yes** button to open the existing file or the **No** button to cancel the operation.

Normally you should press the **Open** button to open an existing archive.

Message WZ68

Cannot open *filename*. File does not exist. Create new file?

This message is issued in one of two situations:

- You pressed the **Open** button on the toolbar or selected **Open** from the File menu and specified the name of a file that does not exist.
- You selected a filename from the File menu history list, but that file no longer exists.

Since the file does not exist it cannot be opened. Press the **Yes** button to create a file with the specified name or the **No** button to cancel the operation.

Normally you should press the **New** button to create an archive.

Message WZ69

Due to Windows limitations it is not possible to run two *different* versions of the same program with the same name at the same time. As a result, you cannot use WinZip's Install/Try/Uninstall feature to install WinZip.

Message WZ70

This dialog box is displayed when Windows returns a “File Not Found” error when WinZip tries to run another program. Possible causes include:

- A program specified as a Windows association was deleted from your system or was moved to a different drive or folder.
- A required DLL or other component is not installed (e.g. VBRUN300.DLL).

Message WZ71

WinZip could not create a folder because a file (**not another folder**) with the same name exists. For example, if a file named "foo" exists you cannot create a folder called "foo" in the same folder. Choose a different name for the folder you are trying to create, or delete the file with the conflicting name.

Message WZ72

For seamless integration with WinZip your virus scanner must support automatic scanning. At the time this version of WinZip was released MWA V did not to support automatic scanning. Click Yes to continue if you are sure your version of MWA V supports automatic scanning, otherwise press No and select a different scanner.

Message WZ73

WinZip was unable to make the folder displayed in the Add dialog box the current folder. In some operating environments this can be caused by using UNC names. Another possible cause for this problem is a conflict with a “common dialog box” enhancement utility.

Caution

The **Caution** dialog box lists items that cannot safely be uninstalled but were changed during the install process. These items are unlikely to interfere with a successful uninstall. For example, a setup program might replace your existing copy of a common dynamic link library like CTL3D.DLL with the latest version of the same library. In normal situations your existing applications should work with the latest version of the library, so leaving this new version installed will not cause problems.

WZ74

This archive contains files with long filenames or blanks. However, you are using an external archive utility (e.g. LHA or ARJ 2.50) that doesn't support long filenames. Thus some (or all) operations involving this archive will fail. For example, if the archive contains the file "A LONG NAME" and you try to extract it using LHA, the file will be called "A LONG N".

WZ75

The archive does not contain complete filename information, so WinZip cannot determine the full filename of the compressed file. Replace all or some of the suggested filename with the corrected name and press OK.

WZ76

This compressed file contains an archive. Normally you will want to have WinZip automatically decompress and open the archive. If you choose **Yes** WinZip will

1. Decompress the archive into your temporary folder (as specified in the Options/Folders dialog box).
2. Open the archive in the temporary folder.
3. Later, when you close the archive in the temporary folder, WinZip will automatically delete it.

Note that the original compressed file is not changed by this operation.

WZ77

This compressed file is stored in the “KWAJ” format introduced after Windows 3.1. Your copy of the LZEXPAND.DLL or LZ32.DLL cannot handle this compressed file. The version of LZEXPAND.DLL distributed with Windows for Workgroups 3.11 works fine, while the old one distributed with Windows 3.1 will not work. Unfortunately, the LZ32.DLL distributed with initial release of Windows NT 3.5 will not handle these files, and Microsoft has not released documentation on this file format. You can usually decompress these files with the EXPAND command (from the DOS command prompt enter “expand /?” for instructions).

WZ78

The file you tried to open does not appear to be in the Microsoft Compress (LZEXPAND) format. Note that not all files ending with an underscore are in the Microsoft Compress format.

WZ79

WinZip could not create or replace the specified Zip file. WinZip created or updated the Zip file in the temporary working folder, but was unable to copy the result to the destination disk. The most likely cause for this error is a full or write-protected disk. The updated file is left on your hard disk with the specified filename. After correcting the problem (e.g. freeing up some disk space or removing the write-protect tab from the disk), you can copy the specified filename to the destination disk manually.

WZ83

The SETUP or INSTALL program in this archive contains folder information, for example, win32\setup.exe and/or win16\setup.exe. Use Actions/CheckOut instead of Actions/Install for this archive.

WZ84

WinZip encountered a problem processing a [UUencoded, XXencoded, MIME, or BinHex file](#). Details on the problem are in the message text. Possible causes for this message include:

- The file is corrupt. In this case, you will need to obtain another copy of the file.
- The file contains incomplete header information. Be sure not to remove any header information, including subject fields, and MIME headers. For example, never delete anything that looks remotely like this

```
Content-Type: multipart/mixed; boundary="-----
=_NextPart_000_01BB5CFA.BB6BBC80"
Content-Transfer-Encoding: 7bit
-----=_NextPart_000_01BB5CFA.BB6BBC80--
```

Hint for Microsoft Mail (MS-Mail) users: if you receive an encoded file by e-mail, save it to disk before opening the message. Just select the message while it is in the inbox, then choose "File/Save As" and select a filename such as "message.uue". If instead you double click on the message, it may be truncated, because MS-Mail limits message text to about 16kb.

WZ85

The Favorite Zip Folders dialog box current shows the results of searching one or more disks. You have changed the search criteria (for example, from searching for all Zip files to all encoded files), so WinZip needs to re-scan the disk(s) for files matching the new search criteria. This could take a few moments. Click Yes to start the search now.

WZ86

The PRE-RELEASE BETA TEST version of WinZip you are using should be replaced with the current version of WinZip. You can always download the current version from WinZip web site:

<http://www.winzip.com>

WZ88

Windows is not configured to recognize this type of file, so WinZip does not know which program to open for you to view it properly. For more information on associations and how to instruct Windows to know which program is required for this file type, see the section titled [Windows Associations](#).

WZ89

The version of the Windows Common Control Library (comctl32.dll) installed on your system may not be able to properly display flat toolbars. At the time of this writing, the version of the Common Control Library you have installed was distributed only with Microsoft's Active Access Pack, and the latest version of the common control library available from the Microsoft web site did not support all the Active Access Pack features.

We expect Microsoft will update the Active Access Pack and/or the Common Control library in the not too distant future. See the section titled [Windows Common Control Library](#) for a pointer to up-to-date information.

WZ90

Opening this .REG file will cause new data to be merged into your system registry. Improper merges may cause damage to your registry, lost associations, etc. Press OK to continue or Cancel if you are not sure you want to merge this .REG file into your registry.

WZ91 - CRC Error

About CRC Errors

A CRC error indicates that some data in your Zip file is damaged. CRC stands for “cyclic redundancy check”. It is a calculation made from all the data in a file to insure accuracy in transmission. When you add a file to a Zip file, WinZip calculates a CRC value for the file and saves the value in the Zip file. When you later extract the file from the Zip file, WinZip calculates the CRC of the extracted file and compares it to the value stored when the file was zipped. If these two CRC values do not match, the file that was extracted does not match the original file, and WinZip will display a “CRC Error” message.

When the data in a Zip file is damaged, it may not be possible to extract all of the files from the Zip file correctly. Damaged data can affect the entire Zip file, multiple files, or just one file.

Why CRC Errors Occur

There are many possible causes for data damage. Among the most common is telephone line noise or some other transfer error when downloading a Zip file from an online source such as the Internet, CompuServe, or AOL. Such an error can introduce invalid data into a Zip file. Some other possible causes include exposure of disks to excessive temperatures or magnetic fields, cross-linked disk sectors, and mechanical problems with disk drives.

What to do if a CRC Error Occurs

The best solution to the problem of a damaged Zip file is to try to obtain another copy of the file. For example, use your backup copy of the file or get a new copy from the original source. If you obtained the Zip file by downloading it, then downloading it again will almost always solve the problem.

CRC Errors on Removable disks

If the damaged Zip file is on a removable disk, the removable disk may be physically damaged, or the data on it may have been corrupted. In these cases, the only completely reliable solution is to use another copy of the disk or Zip file that is undamaged. There are, however, two other situations in which it may be possible to recover some files from a removable disk.

- The removable disk drive that you are using to unzip the Zip file may be malfunctioning. Try using a different disk drive, if possible.
- If the removable disk drive you are using to unzip the Zip file is not the same drive that was used to store the Zip file on the removable disk, and you have access to the original drive, try using this drive to unzip. It is possible that the original drive may be able to read the disk; if so, you can extract your files using this disk drive (and have your removable disk drives checked out – at least one of them may be out of alignment). Otherwise, the removable disk itself or the data on it is probably damaged.

A “Last Resort” for CRC Errors

If you cannot download a new copy of the Zip file, obtain a replacement disk, or use a backup copy, you may still be able to recover some of your files, and even save portions of the files that are damaged in the Zip file. Here is the recommended procedure.

1. Start WinZip, switch to the Classic interface, and open the damaged Zip file.
2. Select **Extract** from WinZip’s **Actions** menu, or click the **Extract** button on the WinZip toolbar.
3. In the Extract dialog, check the **All Files** option button and select the folder into which you want to extract files. Then click **OK**.
4. WinZip will extract any undamaged files to the selected folder; for any damaged files, WinZip will display a CRC Error message. For each such file, *before clicking **OK** in the error message window*, use Windows Explorer to open the extract folder and look for the file; some portion of it will probably already have been extracted. Copy the partial file to *another* folder and *then* click **OK** in the WinZip error message window. This will erase the partially extracted file from the extract folder, leaving intact the copy of the file you made in the other folder.

Whether or not a damaged file partially recovered using this procedure will be useful depends on the

nature of the file, what kind of damage there is, how much of the file was recovered successfully, and what kind of program(s) use the file. In some cases, a partial file is of no use at all; in some cases, loading a partial file into your application program and re-saving it will completely restore the data. In other (perhaps most) cases, the result will lie somewhere between these two extremes--some of the data will be recovered, and some will be lost.

Association Problem

Some of WinZip's most useful features require that WinZip is associated with Zip files and other archives. For more information on associations see the section titled [Windows Associations](#).

It is strongly recommended that you answer **Yes** to this prompt.

Press the **Info** button for diagnostic information.

Association Problem Details

This dialog box lists the following information:

Full filename of current WinZip: note the exact drive and folder information.

Current Zip association: this field should include the EXACT name of the “current WinZip” shown above. If this filename is different it is possible that you have two copies of WinZip installed in different folders. In this case you will probably want to remove the older copy.

Current registry value of the Zip key: this value should be “WinZip”.

Association Information

If the **Associate WinZip with archives** option is unchecked you will not be able to double click on Zip files and other archives to open them. Other features, including Explorer shell extensions, rely on having WinZip associated with archives. For more information on associations see the section titled [Windows Associations](#).

WindowsfRf,f“fRf“fgf[][]lf<f%ofCfuf%ofŠ

,ç,,Â,©,ì€-Ú,ÍWindowsfRf,f“fRf“fgf[][]lf<f%ofCfuf%ofŠ,ìfo[]fWf#f“4.71^È~,,ª•K—v,É,È,è,Ü,·B,±
,ìf%ofCfuf%ofŠ,ÍWindows 98,âMicrosoft Internet Explorer 4.0,ÉŠÜ,Ü,ê,Ä,ç
,Ü,·,ª[]AMicrosoft,ìfEfFfufTfCfg,©,ç•ÊĈÊ,Éf_fEf“f[]fh,·,é,±,Æ,à,Å,«,Ü,·B[]Ú,µ,-
,ÍAMicrosoftŽĐ,ìfz[]f€fy[]fW,Å[]Đ%oi,³,ê,Ä,ç,Ü,·B
http://www.winzip.com/common_control_library.cgi

QuickView, ðfCf“fXfg□[f<,·,é

ŠÖ~A•t, ¯, ì, È, ³, ê, Ä, ç, È, çftf@fCf<, ð%o{—,·,é,É,Í□AQuickView□ifNfCfbfNfrf...
□[f□□j, ðfCf“fXfg□[f<,µ,Ä, ¯,·,Æ•Ö—~ ,Å,·□BfNfCfbfNfrf...□[f□, ðfCf“fXfg□[f<,·,é,É,Í□AWindows, ìCD-
ROM, ð—p^Ó,µ□Afrf“fgf□□[f<fpf|f<, ìfAfvfŠfP□[fvf‡f“, ì'Ç
%oÁ,Æ□í□œ, ð'l'ð,µ□AWindowsftf@fCf<f^fu, ©, çfAfnfZftfŠ, ð'l'ð,µ,Ä[□Ú□×(D)...]f{f^f“, ðfNfŠfbfN,
µ,ÄfNfCfbfNfrf...□[f□,Éf`fFfbfN, ð“ü, ê□A[OK]f{f^f“, ð
%oÿ,µ,Ü,·□BfCf“fXfg□[f<Çã□A[Options]f□fj...□[, ìConfiguration, ©, çProgram
Locationsf^fu, ðfNfŠfbfN,µ□A **Default association**—“,Équikview,Æ“ü—Í,µ,Ä[OK]f{f^f“, ð
%oÿ,µ,Ü,·□B

Search for Favorite Zip Folders

Click **Search entire hard drive** to search all hard drives on your computer for folders containing .ZIP files and folders name “download” or “dnload”. Click **Quick Search** to search only for a few folders likely to contain Zip files (e.g. cserve\download and aol\download).

Floppy drives, network drives, and CD-ROMs are not searched. To search for files on these devices, click the **Search** button in the Select Zip File panel (in the WinZip Wizard) or the Favorite Zip Folders dialog box (in WinZip Classic), then click **I know where it is**.

Details on the File Type filters in the **Search for files of type** combo box are documented in the section [File Type Filters](#).

ftfHf<f_,ì\‘ç,ð•ÛŽ□,μ,½,Û,Û^³□k,μ,½,ç

'□^Ó: ftfHf<f_,ð^³□k,·,é,É,í□Afhf%fbfO□•fhf□fbfvfCf“f^□[ftfFfCfX,ðŽg—
p,·,é,©□Aftf@fCf<f}f□[fWff,ì WinZip f□fjf...□[,ð‘l,Ô,ì,²ŠÈ‘P,Å,·□BWindows 3.1,ð,²Žg—p,ì□ê□#: fhf
%fbfO□•fhf□fbfv,Û,½,ìftf@fCf<f}f□[fWff,ì WinZipf□fjf...□[,ðŽg—p,·,é□ê□#□Aftf@fCf<f}f□[fWff,ì
%E‘x,ìftfHf<f_,ðfNfŠfbfN,μ,ÅWinZip,Éfhf%fbfO,μ,Ä%º,³,ç□B

ftfHf<f_,ÆfTfuftfHf<f_,ì^³□k•û-@:

1. WinZip,ð<N“® ,μ,Û,·□B
2. **[File]-[New Archive]** f□fjf...□[,ð‘l‘ð,μ,Û,·□B
1. 75-¼(—á C:\MYDIR.ZIP),ð“ü—í,μ□A[Enter] fL□[,ð%oÿ,μ,Û,·□B
1. **[Actions]-[Add]** f□fjf...□[,ð‘l‘ð,μ,Û,·□B
5. 'Ç%ºÁ,μ,½,çftf@fCf<,ð“ü—í,μ,Û,·□B(—á C:\MYDIR*.*)
6. **[Include Subfolders]** f`fFfbfNf{fbfNfX,ðf`fFfbfN,μ□A[Save Extra Folders Info]
f{fbfNfX,ðf`fFfbfN,μ,É,ç,Á,,¾,³,ç□B
7. **[Add With Wildcards]** f{f^f“,ð%oÿ,μ,Ä%º,³,ç
(f□fCf<fhf□[fh,Æ,í□AfaFxf^fŠfXfN,ÆfNfGfXf`fjf“f}□[fN,Å,·□B*.txt ,Æ,·,é,±
,Æ,Å□AŠg‘ÉŽqtxt ,ìftf@fCf<,ðê“x,É‘l‘ð,·,é,±,Æ,^aÅ,«,Û,·□B)□B

ftfHf<f_,ÆfTfuftfHf<f_,ì•œ<A•û-@:

1. WinZip ,ð<N“® ,μ□A□ã<L,ì•û-@,Å□ì□¬,³,è,½Zipftf@fCf<,ðŠJ,«,Û,·□B
2. **[Actions]-[Extract]** f□fjf...□[,ð‘l‘ð,μ,Û,·□B
3. **[Use Folder Names]** f`fFfbfNf{fbfNfX,af`fFfbfN,³,è,Ä,ç,é,±,Æ,ðŠm”F,μ,Ä%º,³,ç□B
4. %oð“€□æftfHf<f_,ð“ü—í,μ,Û,·□B(—á C:\MYDIR)
5. **[Extract]** f{f^f“,ð%oÿ,μ,Û,·□B

fA [fj]Cfu "à, ìfOf%oftfBfbfN A•\ CvZZ Af [fv]ftf@fCf<, ð%o{—, ., é, É, Í

Windows 95/98, Æ NT 4.0, ìftf@fCf<%o{—ft [fefBfŠfefB fNfCfbfNfrf... [fA, Å, Í, A, æ, Žg—
p, ³, ê, éfOf%oftfBfbfNfX A•\CvZZ Af [fv] [ftf@fCf<, ðŠÈ'P, É%o{—, ., é, ±
, Æ, ³, Å, «, Ü, · BfNfCfbfNfrf... [fA, ³fvfXfef€, ÉfCf" fXfg [f<, ³, ê, Ä, ç
, éê [AffffHf<fg, Ì ó' Ó, Å AWinZip, Í SÖ~A•t, ³, ê, Ä, ç, È, çftf@fCf<, ð%o{—, ., é, Ü, ÉŽg—
p, ³, ê, Ü, · B

fNfCfbfNfrf... [f, ðfCf" fXfg [f<, µ, Ä, ç, È, çê [A QuickView, ðfCf" fXfg [f<, ., é, Ì €-Ú, ðŽQ Æ, µ, Ä, -
, ¾, ³, ç B

Do you keep track of address changes?

We track address changes, so we can send you upgrade notifications. **If you purchased a copy of WinZip and have moved, please send us the following information:**

1. Your name (If you are not sure how you spelled your name when you registered, please include common alternate spellings, e.g. "J. E. Smith", "Jim Smith", etc).
2. Your e-mail address, if any (please double check it! almost 10% of the people that sign up for our mailing list type an invalid address; e-mail addresses are notoriously difficult to spell correctly).
3. Your new postal mailing address.
4. Your old postal mailing address.
5. Approximate purchase date.
6. Important: please indicate how you purchased WinZip:
 - By check
 - Via PsL (Credit Card order via Public Software Library)
 - CompuServe's SWREG service
 - Reseller (please include reseller name)

Thank you!

WinZip Internet Browser Support Add-On

The free WinZip Internet Browser Support Add-On will automate much of the work normally associated with downloading compressed files from the Internet. When you click on a Zip file using Netscape Navigator/Communicator or Microsoft Internet Explorer, WinZip will take over when the download is completed. WinZip automatically moves the downloaded file to your download folder (initially set to c:\download) and then, optionally opens the file.

Notes:

WinZip's Internet Browser Support Add-On is not part of the WinZip distribution package; it is available as a free download from the web page <http://www.winzip.com/ibrowser.cgi>.

WinZip's Internet Browser feature supports Microsoft Internet Explorer and Netscape Navigator/Communicator, and depends on the implementation these browsers use for "helper" applications. WinZip 7.0 has been tested with the latest release and the latest publicly available beta versions of Microsoft Internet Explorer, Netscape Navigator, Windows 95/98/NT, as of July 1998. It is possible that at some point in the future the browser vendors will release new versions of their browsers with different interfaces and conventions that are incompatible with WinZip 7.0's Internet Browser integration. If this happens, we plan to adjust WinZip to make it compatible. We cannot guarantee that this will be practical, however, and it is possible that WinZip's Browser Integration will not be available for future versions of these browsers.

Command Line Support Add-On

Note: at the time of this writing, the command line support add-on has still not been officially released, but a pre-release beta test version is available as a free download from the web page <http://www.winzip.com/wzcline.cgi>.

The WinZip Command Line Support Add-On lets you use WinZip's power within batch files, macros, and other situations where you have a specific task and would prefer to accomplish it quickly or automatically, without using the usual WinZip graphical user interface.

Install/Try/Uninstall Feature

Beta Feature Only A pre-release Windows 95/98/NT version of this feature is available from the WinZip web site at <http://www.winzip.com>.

WinZip's unique Install/Try/Uninstall feature makes it easy to install *and uninstall* software distributed in archives. This feature can save megabytes of disk space by tracking and removing all traces of an application. WinZip will run the installation program in an archive, give you a chance to try the program, and optionally offer to restore your system to its original state. The uninstall step can selectively remove files, icons, or program groups created by an install program, and can restore any altered INI files. You have complete control over the uninstall process, and no changes are made without approval.

Note: the Install feature is only available if an archive contains an “install” or “setup” program. If the **Install** button is not displayed, use the [CheckOut Feature](#) to try the software in the archive.

To use the Install/Try/Uninstall feature

1. Press the **Install** toolbar button or select **Install** from the Actions menu to extract all files to a temporary folder and run the install program.
2. Try the program that was installed.
3. Decide whether to leave the program installed or to uninstall.

If you choose to uninstall WinZip will display the Uninstall dialog box which will let you select whether to

- Delete any Groups and Icons created by the installation process.
- Delete any Folders or files created by the installation process.
- Restore your autoexec.bat, config.sys, reg.dat, or ini files if they were changed by the installation process.

Restrictions:

- All configuration changes made between an install and uninstall are considered to have been made by the install process. For example, if you switch to your word processor and save a document *during* the installation process, the document is considered to have been created as *part of* the install process. If you subsequently uninstall, WinZip will list the document you created in the Uninstall dialog box along with files created during the install procedure. **Therefore it is strongly suggested that you do not run any programs other than those related to the program you are installing until you have decided whether to uninstall.**
- The uninstall procedure does not let you restore files that are changed or deleted unless they are one of the special files that are backed up during initialization: autoexec.bat, config.sys, reg.dat, and the .ini files in your Windows folder.

Notes:

The uninstall feature does not notice files or folders created from DOS boxes (after all, this is a Windows program!).

The uninstall feature does not attempt to save information across sessions.

The Install operation requires that the entire product being installed is distributed in one archive.

WinZip determines whether an archive contains an install or setup program by checking for a file that 1) is executable, 2) has “install” or “setup” in the filename, and 3) does not contain folder information. If no file matches these criteria the Install operation is disabled.

Related Topics:

[Questions and Answers About Install/Try/Uninstall](#)

[Install Dialog Box](#)

[Uninstall Dialog Box](#)

Questions and Answers About Install/Try/Uninstall

Beta Feature Only A pre-release Windows 95/98/NT version of this feature is available from the WinZip web site at <http://www.winzip.com>.

Here are answers to the three most frequently asked technical questions about WinZip's Install/Try/Uninstall feature:

Question: Why shouldn't I run unrelated programs during an install?

Answer: All configuration changes made between an install and uninstall are considered to have been made by the install process. For example, if you switch to your word processor and save a document *during* the installation process, the document is considered to have been created as *part of* the install process. If you subsequently uninstall, WinZip lists the document you created in the Uninstall dialog box along with files created during the install procedure. Therefore it is strongly suggested that you do not run any programs other than those related to the program you are installing until you have decided whether to uninstall.

Question: What does WinZip do if a SETUP program replaces an existing DLL or VBX file?

Answer: WinZip's uninstall feature will never suggest you delete files that are used by other programs. WinZip "watches" the setup process, and notices whether any existing files were replaced. If you later choose to uninstall a program WinZip will list changes to pre-existing files in the Cautions dialog box, and will *not* list them in the Uninstall dialog box, so these files cannot be accidentally deleted. Since no well-behaved SETUP or INSTALL program will replace existing files with older versions of the same file, and since all well-behaved DLLs and VBXs are designed so that new versions don't break programs relying on old versions, there should be no negative effects on your system.

Note that WinZip does not backup all files on your system before running an install, so it is possible for an ill-behaved SETUP or INSTALL program to "break" other applications. *However, in no case will you be worse off running WinZip with the Install/Try/Uninstall feature than if you run the SETUP or INSTALL program without WinZip.*

Question: Can I use WinZip to install a program, try the program for a week, and later use WinZip to uninstall it?

Answer: No. WinZip's Install/Try/Uninstall feature was designed for the highest possible reliability. You must decide whether to uninstall in the same session that you install. The advantage to this approach is that WinZip has a very high uninstall success rate with a very easy to use interface. It is almost impossible to guarantee a safe uninstall if you've had a chance to install other programs, make arbitrary changes to your system configuration, etc. However, you can use the **Report** button in the WinZip Uninstall dialog box to generate a disk file listing files that were changed, and use this file to manually uninstall the program. In this case it is up to you to determine whether any programs you've since installed depend on files that are part of the original install.

Uninstall Dialog Box

Beta Feature Only A pre-release Windows 95/98/NT version of this feature is available from the WinZip web site at <http://www.winzip.com>.

The Uninstall dialog box displays a list box containing one entry for each item that can be uninstalled. Entries are created for

- Groups and icons created by the installation process.
- Folders or files created by the installation process.
- Configuration files (e.g. win.ini) changed by the installation process.

Each entry contains a check box and a description of the action. Select or deselect the check boxes depending on whether you want to uninstall the configuration change. Usually it is best to remove all entries, however, this dialog box gives you a chance to avoid removing any files or icons you want to keep.

- The **Select all** button selects all check boxes.
- If a **Cautions...** button is displayed in the Uninstall dialog box press it for information about system configuration changes that the uninstall procedure cannot restore, for example, dynamic link libraries in your Windows that have been replaced.
- Press the **Report...** button to save a list of the suggested actions to a disk file.
- Press the **Uninstall** button to begin the uninstall, or **Cancel** to terminate the operation. Additional confirmation dialog boxes may be displayed depending on the specifics of the program being uninstalled.

Notes:

All actions in the Uninstall dialog box are automatically checked except file deletions. Individual files are not selected for deletion in case you created files using some other application during the install process; however, you can use the **Select all** button to quickly select all checkboxes in the list box.

If you decide to cancel the uninstall operation you may wish to create a report using the **Report...** button to assist a manual uninstall.

Install Dialog Box **Beta Only Addendum**

The Install dialog box gives you an additional option in the beta version:

- The **Save configuration information for possible uninstall** check box determines whether WinZip will save information about your program groups, icons, and ini files. This information is required for an uninstall operation, so if this checkbox is not selected you will not be able to use WinZip to uninstall.

