Internet Explorer 4.0 ,ÌfRf"f

 $\begin{array}{l} & \left[[f]f^{"}fg, \eth, \cdot, \times, \Hagged for the the term of t$

'O‰ñ,ÌfCf"fXfg□[f<,ÍŠ®'S,É□I—¹,µ,Ü,¹,ñ,Å,µ,½□Bf_fEf"f□□[fh'†,ÉfCf"f^□[flfbfg,Ö,Ì□Ú'± ,ª□Ø'f,³,ê,½,©□A,Ü,½,Í'†'f,³,ê,½‰Â″\□«,ª, ,è,Ü,·□B'O ‰ñ,ÌfCf"fXfg□[f<,Å□³□í,Éf_fEf"f□□[fh,³,ê,½□ÅŒã,Ì□€−Ú,©,ç□AfCf"fXfg□[f<,ð□ÄŠJ,Å,«,Ü,·□B

[□C•œfZfbfgfAfbfv],ðʻI,Ô,Æ□AʻO‰ñ,ÌfCf"fXfg□[f<,Ì□Ý'è,ÉŠî,Ã,¢ ,Ä□A□³□í,Éf_fEf"f□□[fh,Ü,½,ĺfCf"fXfg□[f<,³,ê,½□ÅŒã,Ì□€–Ú,©,çfCf"fXfg□[f<,ª□ÄŠJ,³,ê,Ü,·□B $[fCf''fXfg[[f<], \delta'1, \hat{O}, \mathcal{A}_{\square}A'1'\delta, \mu, \frac{1}{2}, \cdot, \times, \dot{A}, \hat{I}Rf''f][[f]f''fg, ^{a}fRf''fsf...[f^, \hat{I}Cf''fXfg][f<ftfHf<f_, \acute{E}f_fEf''f][[fh, ^3, ê, Ü, \cdot]B • W] €, \hat{I}_{\square}\dot{Y}' è, \hat{A}, \hat{[}_AInternet Explorer 4.0 Setup ftHf<f_, \acute{E}f_fEf''f][[fh, ^3, ê, Ü, \cdot]BfRf''f][[f]f''fg, \hat{I}_f_fEf''f][[fh, ^a\check{S}_{ll}] - 1, \cdot, \acute{e}, \mathcal{A}_{\square}A'1'\delta, \mu, \frac{1}{2}fRf''f] [[f]f''fg, ^a\check{Z}_{@}'' @ ''I, \acute{E}fCf''fXfg][f<, ^3, ê, Ü, \cdot]B$

 $[f_fEf^{*}f]\Box[fh, \dot{h}, \dot{Y}], \dot{\delta}'I, \dot{O}, \mathcal{E}[A^{'1'\dot{\delta}}, \mu, \frac{1}{2}, \cdot, \times, \ddot{A}, \dot{h}fRf^{*}f]\Box[flf^{*}fg, ^{3}fRf^{*}fsf...[f^{,}]fCf^{*}fXfg\Box[f^{,}]ffff^{,}]fff^{,} ffffff^{,}] [fh, ^{3}, \hat{e}, \ddot{U}, \cdot \Box B \bullet W \Box \in, \dot{\Box} \dot{Y}' \dot{e}, \dot{A}, \dot{\Box} A Internet Explorer 4.0 Setup ftfHf^{,}_{,\dot{e}f_{,}}fEf^{*}f\Box \Box[fh, ^{3}, \hat{e}, \ddot{U}, \cdot \Box BfRf^{*}f]\Box[flf^{*}fg, \dot{h}_{f}fEf^{*}f\Box \Box[fh, ^{3}\dot{\delta} @ -^{1}, \mu, \ddot{A}, \dot{a} \Box A'1' \dot{\delta}, \mu, \frac{1}{2}fRf^{*}f] \\ \Box[flf^{*}fg, \dot{I}Z @ " @ "I, \dot{e}fCf^{*}fXfg \Box[f^{,3}, \hat{e}, \ddot{U}, ^{1}, \ddot{n} \Box BfCf^{*}fXfg \Box[f^{,}, \dot{\delta} Zn, \beta, \dot{e}, \dot{e}, \dot{L}] \Delta fRf^{*}fsf... \Box[f^{,}, \dot{h}fCf^{*}fXfg \Box[f^{,3}, \hat{e}, \ddot{U}, ^{1}, \ddot{n} \Box BfCf^{*}fXfg \Box[f^{,}, \dot{\delta} Zn, \beta, \dot{e}, \dot{e}, \dot{L}] \Delta fRf^{*}fsf... \Box[f^{,}, \dot{h}fCf^{*}fXfg \Box[f^{,}] fff^{*}fsf... \Box[f^{,}, \dot{e}fRf^{*}fsf] \\ \Box[ff]^{+}fg, \dot{I}Z @ " @ "I, \dot{e}fCf^{*}fXfg \Box[f^{,3}, \hat{e}, \ddot{U}, ^{1}, \ddot{n} \Box BfCf^{*}fXfg \Box[f^{,}, \dot{\delta} Zn, \beta, \dot{e}, \dot{e}, \dot{L}] \Delta fRf^{*}fsf... \Box[f^{,}, \dot{h}fCf^{*}fXfg \Box[f^{,}] ffff^{,} fff] \\ \Box[ff]^{+}fg, \dot{I}Z @ " @ "I, \dot{e}fCf^{*}fXfg \Box[f^{,3}, \hat{e}, \dot{U}, ^{1}, \ddot{n} \Box BfCf^{*}fXfg \Box[f^{,}, \dot{\delta} Zn, \beta, \dot{e}, \dot{e}, \dot{L}] \Delta fRf^{*}fsf... \Box[f^{,}, \dot{h}fcf^{*}fxfg \Box[f^{,}] fffff^{,}] ffffff^{,3} fff^{,} fffff^{,} ffff^{,} fffff^{,} fffff^{,} fffff^{,} ffff^{,} fffff^{,} fffff^{,} fffff^{,} ffffff^{,} fffff^{,} fffff^{,} fffff^{,} ffffff^{,} ffffff^{,} ffffff^{,} fffffff^{,} ffffff^{,} fffff^{,} fffff^{,} ffffff^{,} ffffff^{,} ffffff^{,} fffff^{,} fffff^{,} fffff^{,} ffffff^{,} fffff^{,} ffffff^{,} fffff^{,} ffffff^{,} ffffff^{,} ffffff^{,} ffffff^{,} ffffff^{,} fffffff^{,} ffffff^{,} fffff$

•W□€,Ì□Ý'è,Å,Í□A[f_fEf"f□□[fh,Ì,Ý],ð'I,Ô,Æ□AŒ»□Ý,ÌfIfyfŒ□[fefBf"fO fVfXfef€,ɉž,¶,Ä Windows 95 — p,Ü,½,Í Windows NT —p,ÌfRf"f|□[flf"fg,ªf_fEf"f□□[fh,³,ê,Ü,·□B,Ç,¿,ç,ÌfIfyfŒ□[fefBf"fO fVfXfef€, Ìft][ft][ff"fg,ªf_fEf"f□□[fh,³,ê,Ü,·□B,Ç,¿,ç,ÌfIfyfŒ□[fefBf"fO fVfXfef€, Ìft][ft][ft][f,å,à,^{*},¶ftfHf<f_,©,ç Internet Explorer 4.0,ðfCf"fXfg□[f<,Å,«,é,æ,¤,É,·,é,É,Í□A,»,ê,¼,ê,ÌfIfyfŒ□[fefBf"fO fVfXfef€,ðŽg,Á,ÄfZfbfgfAfbfv fvf□fOf‰f€, ð•Ê□X,Éf_fEf"f□□[fh,·,é•K−v,³,,è,Ü,·□B

Internet Explorer ,Ìftf@fCf<,ª•Û'¶,3,ê,éftfHf<f_,Å,·□B

 $fCf"fXfg[[f < ftf@fCf <, \delta f_fEf"f[][[fh, \cdot, é, 3/4, -, l]] e]] \ddagger, l[A, \pm, l]ftfHf < f_, É Internet Explorer , l]fCf"fXfg[[f < ftf@fCf <, <math>a \cdot \hat{U} \cdot \P, 3$, e, $\ddot{U}, \Box B$

Internet Explorer ,ðfCf"fXfg□[f<,·,é□ê□‡,ĺ□A,±,ÌftfHf<f_,ª Internet Explorer 4.0 ,Ìfvf□fOf‰f€ ftfHf<f_,É,È,è,Ü,·□B,½,¾,µ□AInternet Explorer ,ÌŽÀ□s,É•K—v,Èftf@fCf<,Ì,Ù,Æ,ñ,Ç,Í□AWindows¥System ,É•Û'¶,³,ê,Ü,·□B

•W□€,Ì□Ý'è,Å,Í□AInternet Explorer ,ðfCf"fXfg□[f<,∵,éfhf‰fCfu,Ì Internet Explorer 4.0 Setup ,Æ,¢,¤-¼'O,ÌftfHf<f_,³f_fEf"f□□[fh ftfHf<f_,Æ,µ,ÄŽw'è,³,ê,Ü,·□B [Windows fffXfNfgfbfv,ÌfAfbfvff[[fg],ð'l,Ô,Æ Windows ,ªfAfbfvff[[fg,³,ê[AfCf"f^[[flbfg,ÌŒŸ[]õ[Afuf ‰fEfY[]A,¨,æ,Ñf`fff"flf<,ª Windows ,ÌfffXfNfgfbfv,É"[]]‡,³,ê,Ü,·[]B

,½,¾,μ□AfRf"fsf...□[f^,É"<□Ú,³,ê,Ä,¢,éf□f,fŠ,ª 8MB ^ȉº,Ì□ê□‡,Í□A,±,ÌfIfvfVf‡f",ð'I,ñ,Å,à□A•W□€ ,Ì□Ý'è,Å,Í Active Desktop ,Í—LŒø,É,È,è,Ü,¹,ñ□B

Windows fffXfNfgfbfv,ÌfAfbfvff□[fg,Í□AfRf"fgf□□[f< fpflf<,Ì [fAfvfŠfP□[fVf‡f",Ì'ljÁ,Æ□í□œ] fAfCfRf",ðf_fuf<fNfŠfbfN,µ,Ä,¢,Â,Å,à'ljÁ,Ü,½,Í□í□œ,Å,«,Ü,·□BWindows fffXfNfgfbfv,ÌfAfbfvff□[fg,ð'Ç ‰Á,·,é□ê□‡,Í□AfRf"f|□[flf"fg,ðf_fEf"f□□[fh,·,é,½,ß,ÉfCf"f^□[flbfg,ÉfAfNfZfX,·,é•K—v,ª, ,è,Ü,·□B

Internet Explorer 4.0 , $(\Box AfCf''f^\Box [flfbfg,l'¹/2]'',lfTfCfg,©,cf_fEf''f\Box [fh,Å,«,Ü,·DB•WD€,$ $,lD''è,Å,IDA'n^æ,lD''è,ÆDAŽADs,µ,Ä,¢,ć Windows ,lfo[[fWf‡f'',ÉŠî,Ã,¢,Ä'n^æ,ª'l'ð,³,ê,Ü,·DB$ $f_fEf''fDD[fh'†,ÉŽw'è,µ,½fTfCfg,ÉDÚ'±,Å,«,È,,È,Á,½DêD‡,IDA''⁻,¶'n^æ,É, ,ć•Ê,lf_fEf''fDD[fh fTfCfg,ÉDÚ'±,³,ê,Ü,·DB$ ftf@fCf<,ðf_fEf"f]][fh,·,é,¾,⁻,Å,ĺ,È,□Af_fEf"f]][fh,µ,½ftf@fCf<,ðfCf"fXfg][f<,·,é[ê□‡,ĺ[AfCf"fXfg][f< ftf@fCf<,ðf_fEf"f]][fh,·,éfffBfXfN—e—Ê,Æ[]AInternet Explorer 4.0 ,ðfCf"fXfg][f<,·,éfffBfXfN—e—Ê,ª•K —v,Å,·]]B

 $\begin{array}{l} fffBfXfN, \dot{\ } \dot{\ }$

fZfbfgfAfbfv,Å,Í□A•W□€,ÌfRf"fef"fc f`fff"flf<,ðfCf"fXfg□[f<,Å,«,Ü,·□B,±,ê,ç,Ìf`fff"flf<,ðfCf"fXfg□[f<,μ,Ä,¨,-, ,Æ□AWeb ,©,çfRf"fef"fc,ðŽ©"®"I,É□X□V,·,é,±,Æ,ª,Å,«,Ü,·□B

•W□€,Ì□Ý'è,Å,Í□AŽÀ□s,µ,Ä,¢,é Windows ,Ìfo□[fWf‡f",ÉŠî,Ã,¢,Ä□Af`fff"flf<,Ì'g,Ý□‡,í,¹,ª'l'ð,³,ê,Ü,·□B ,½,Æ,¦,Î□AfhfCfcœê"Å,Ì Windows ,ðŽÀ□s,µ,Ä,¢,é□ê□‡,Í□AfhfCfc,ÌfTfCfg,©,ç'ñ<Ÿ,³,ê,éf`fff"flf<,ª•W□€

,Ìf`fff"flf<,Æ,µ,Äʻl'ð,³,ê,Ü,·□B,±,ê,ç,Ìf`fff"flf<,Í□AfCf"fXfg□[f<Œã,Éʻl'ð,µ'¼,·,±,Æ,ª,Å,«,Ü,·□B

Œ»□Ý,Ì□Ý'è,ðfofbfNfAfbfv,Å,«,Ü,¹,ñ□B,±,Ì,Ü,ÜfCf"fXfg□[f<,ð'±,⁻,é,±,Æ,à,Å,«,Ü,·,ª□A,»,Ì□ê□‡,Í Internet Explorer 4.0 ,ðfAf"fCf"fXfg□[f<,·,é,±,Æ,ª,Å,«,È,,È,è,Ü,·□B fZfbfgfAfbfv,ɕK—v,Èftf@fCf<,ªfRf"fsf…□[f^,ÌfCf"fXfg□[f< ftfHf<f_,ÉŠÜ,Ü,ê,Ä,¢,Ü,¹,ñ□B,Ù,©,ÌfVfXfef€ ,©,çftf@fCf<,ðfRfs□[,・,é,Æ,«,É□A,·,×,Ä,Ìftf@fCf<,ðfRfs□[,μ,È,©,Á,½,©□A,Ü,½,Í•K v,Èftf@fCf<,ðŒë,Á,Ä□í□œ,μ,½‰Â"\□«,ª, ,è,Ü,·□B Internet Explorer 4.0 , $\delta fCf''fXfg[[f<,\cdot,é,Æ]AWindows ,<math>lfVfXfef\in ftf@fCf<, a'1/2[]''[]X[]V,^3, e,é,1/2,B[]AŠÇ []ŽÒ,Æ,µ,Ä,lfAfNfZfXŒ ,a,È,⁻,e,lfCf''fXfg[[f<,<math>\delta$ Š®-1,Å,«,Ü,1,ñ[]B•K-v,ÈfAfNfZfXŒ ,dŽ],Á,Ä,¢, ,È,¢[]e[]‡,l[]AfZfbfgfAfbfv, δ Š®-1,·,é•û-@,É,Â,¢,ÄfVfXfef€ŠÇ-[]ŽÒ,É,⁻-a,¢[]‡,(,1,,3/4,3,¢]B Internet Explorer 4.0 ,ÌfCf"fXfg[[f<'†,É•i[]",Ìf_fEf"f]][fh fTfCfg,É[Ú'±, μ ,æ,× ,Æ, μ ,Ü, μ ,½,ª[Aflfbfgf][[fN,É-â'è,ª, ,é,½,ß[Af^fCf€fAfEfg,ª"]¶, μ ,Ü, μ ,½]B

'[]'©,â[[-é,È,Ç]Aflfbfgf]][[fN,ª]¬ŽG,µ,Ä,¢,È,¢ŽžŠÔ'Ñ,ÉfZfbfgfAfbfv,ð,à,¤^ê"xŽÀ]s,µ,Ä,-, $^{3}_{4},^{3}_{4}$,@BfCf"f^][flfbfg fT][frfX fvf]fofCf_,Æ,Ì]Ú'±,É-â'è,ª"]¶,µ,Ä,¢,é‰Â"\]«,à, ,è,Ü,·]B fCf"f^][flfbfg,É]Ú'±,Å,«,½,ç []C•œfZfbfgfAfbfv],ðfNfŠfbfN,·,é,Æ]A'O‰ñ'†'f,µ,½]€-Ú,©,çfZfbfgfAfbfv,ð]ÄŠJ,Å,«,Ü,·]B ftf@fCf<,Ìf_fEf"f□□[fh,Í□¬Œ÷,μ,Ü,μ,½,ª□AfCf"fXfg□[f<,ÉŽ¸"s,μ,Ü,μ,½□B,Ù,©,Ìfvf□fOf‰f€ ,ð,·,×,Ä•Â,¶,Ä,©,ç□A,à,¤^ê"xfCf"fXfg□[f<,μ,Ä,,¾,³,¢□B,»,ê,Å,àfCf"fXfg□[f<,ðŠ®— ¹,Å,«,È,¢□ê□‡,Í□AfCf"fXfg□[f< ftf@fCf<,ð,à,¤^ê"xf_fEf"f□□[fh,μ,Ä,,¾,³,¢□B •¾ŽÐ,Ìf_fEf"f□□[fh fTfCfg,Ü,½,ÍfVfXfef€ŠÇ—□ŽÒ,ªŽw'è,µ,½f_fEf"f□□[fh fT□[fo□[,É□Ú'±,Å,«,È,¢ ,½,β□AfZfbfgfAfbfv fvf□fOf‰f€,ÌŽwަftf@fCf<,ðŽæ"¾,Å,«,Ü,¹,ñ□Bfvf□fLfV fT□[fo□[,Ì□Ý'è,ª□³,µ,-,È,¢□AfCf"f^□[[flfbfg,ª□¬ŽG,µ,Ä,¢,é□A,Ü,½,Í□Afuf‰fEfU,Å-â'è,ª"□¶,µ,Ä,¢,é,±,Æ,ªŒ ´^ö,Æ,µ,Ä□l,¦,ç,ê,Ü,·□B

 $\label{eq:fcfff} f^[[flfbfg, E]U'\pm, ^3, ê, Ä, ¢, é, ©, Ç, ¤, ©, ðŠm"F, \cdot, é, ½, ß, E]AŒ »[Y, Ìfuf‰fEfU, ðŽg, Á, Ä]Ahttp:// www.microsoft.com/, Ü, ½, ĺfVfXfef€ŠÇ—[]ŽÒ, Ìf_fEf"f][][fh fT][fo][, É]U'±, µ, Ä, Ý, Ä, ,³4, ³, ¢]BŒ »[]Ý, Ìfuf ‰fEfU, Å]U'±, Å, «, é, É, àŠÖ, í, ç,]A" ¬, ¶-â'è, ª"[]¶, ·, é]ê]‡, ĺ]AfXf^f"fhfAf][f""Å, Ì Internet Explorer 4.0 , ðf_fEf"f][][fh, ·, é, ƉðŒ ^, Å, «, é, ±, Æ, ³, è, Ü, ·]B$

 $fZfbfgfAfbfvŽwŽlftf@fCf<,li*a-e,\deltaŠm"F,\mu,Ü,:DBfRf"fsf...D[f^,lfVfXfef€ fNfDfbfN,aD*m,A,E,cDeP +,IDA +,D*m,A,E,cDeP +,IDA +,D*m,A,E,cDeP +,D*$

,±,Ì-âʻè,ð‰ñ"ð,·,é,É,Í□AWindows¥System fffBfŒfNfgfŠ,É, ,é Wintrust.dll ftf@fCf<,Ì-¼ʻO,ð•Ï,¦,Ü,·□B,½,¾,μ□AWintrust.dll ftf@fCf<,Ì-¼ʻO,ð•Ï,¦,é,Æ□AInternet Explorer 4.0 ,ÌfZfbfgfAfbfv'†,ÌfZfLf...fŠfefB f`fFfbfN,Í,·,×,Ä-³Œø,É,È,è,Ü,·□B •¾ŽÐ,Ìf_fEf"f□□[fh fTfCfg,Ü,½,ÍfVfXfef€ŠÇ—□ŽÒ,ªŽw'è,µ,½f_fEf"f□□[fh fT□[fo□[,É□Ú'±,Å,«,È,¢ ,½,β□AfZfbfgfAfbfv fvf□fOf‰f€,ÌŽwަftf@fCf<,ðŽæ"¾,Å,«,Ü,¹,ñ□Bfvf□fLfV fT□[fo□[,Ì□Ý'è,ª□³,µ,-,È,¢□AfCf"f^□[[flfbfg,ª□¬ŽG,µ,Ä,¢,é□A,Ü,½,Í□Afuf‰fEfU,Å-â'è,ª"□¶,µ,Ä,¢,é,±,Æ,ªŒ ´^ö,Æ,µ,Ä□l,¦,ç,ê,Ü,·□B

 $\label{eq:fcfff} f^[[flfbfg, E]U'\pm, ^3, ê, Ä, ¢, é, ©, Ç, ¤, ©, ðŠm"F, \cdot, é, ½, ß, E]AŒ »[Y, Ìfuf‰fEfU, ðŽg, Á, Ä]Ahttp:// www.microsoft.com/, Ü, ½, ĺfVfXfef€ŠÇ—[]ŽÒ, Ìf_fEf"f][][fh fT][fo][, É]U'±, µ, Ä, Ý, Ä, ,³4, ³, ¢]BŒ »[]Ý, Ìfuf ‰fEfU, Å]U'±, Å, «, é, É, àŠÖ, í, ç,]A" ¬, ¶-â'è, ª"[]¶, ·, é]ê]‡, ĺ]AfXf^f"fhfAf][f""Å, Ì Internet Explorer 4.0 , ðf_fEf"f][][fh, ·, é, ƉðŒ ^, Å, «, é, ±, Æ, ³, è, Ü, ·]B$

128 frfbfg,Ì^Ã□†‰»,ªfVfXfef€,ÅŽg,í,ê,Ä,¢,Ü,·□B128 frfbfg,Ì^Ã□†‰»,Í□A'Ê□í□Aflf"f‰fCf" fof"fLf"fO,È,Ç,Ìfgf‰f"fUfNfVf‡f",ð•ÛŒì,·,é,½,ß,ÉŽg,í,ê,Ü,·□BŒ»□ÝfCf"fXfg□[f<,μ,Ä,¢,éfo□[fWf‡f",Ì Internet Explorer 4.0 ,Å,Í□A40 frfbfg,Ì^Ã□†‰»,¾,⁻,É',μ,Ä,¢,Ü,·□BfZfbfgfAfbfv,ªŠ®—¹,μ,½,ç□A128 frfbfg,Ö,ÌfAfbfvff□[fg,𕾎Đ,ÌfTfCfg,©,çf_fEf"f□□[fh,Å,«,Ü,·□B ^ê•",ÌfRf"f|□[flf"fg,ÌfCf"fXfg□[f<,ªŽ,"s,µ,Ü,µ,½□BŠì-{"I,Èfuf‰fEfY<@"\,É,Í•K—v,Ì,È,¢fRf"f|□[flf"fg,à, ,é, ½,β□AfGf‰□[,Ì^ê——,ðŠm"F,µ,Ä,¨,¢,Ä,,¾,³,¢□BfZfbfgfAfbfv,ð,à,¤^ê"xŽÀ□s,µ,Ä [□X□V,³,ê,½□€-Ú,Ì,ÝfAfbfvfOfŒ□[fh],ð'I,Ô,Æ□A□;‰ñfCf"fXfg□[f<,Å,«,È,©,Á,½fRf"f|□[flf"fg,ðfCf"fXfg□[f<,·,é,± ,Æ,ª,Å,«,Ü,⊡B

fZfbfgfAfbfv,ðŽÀ☐s,µ,Ä,¢,éftfHf<f_,Æ^Ù,È,éftfHf<f_,É□AfCf"fXfg□[f<

 $ftf@fCf\langle, {}^{a}\mathbb{C}Y|_{0}, {}^{3}, \hat{e}, \ddot{U}, \mu, {}^{1}_{2}\square B' \hat{E}|_{1}, \hat{I}|_{A}fCf''f^{[f]}|_{f}bfg, @, cfCf''fXfg[[f < ftf@fCf <, \delta, a, x^{\hat{e}''}xf_fEf''f]]|_{f}h, \mu, \dot{E}, -, \ddot{A}, \dot{a}, \mathcal{R}, \dot{e}, \mathcal{R}, x, \dot{E}|_{A}fZfbfgfAfbfv, \deltafn[[fh fffBfXfN]]_{a}, \hat{I}ftfHf < f_, @, cZA]]_{s}, \cdot, \dot{e}, \pm$

,Æ,ð,¨Š©,ß,µ,Ü,·□B,½,¾,µ□A□Å□‰,ÉfZfbfgfAfbfv,ðŽÀ□s,µ,½,Æ,«,©,ç□",©ŒŽ,àŒo‰ß,µ,Ä,¢,é,æ,¤ ,È□ê□‡,Í□AfRf"fsf...□[f^,ÉfCf"fXfg□[f<,³,ê,Ä,¢

 $, \acute{e}ftf@fCf <, \delta \Box X \Box V, \cdot, \acute{e}, \frac{1}{2}, B, \acute{E} \Box AfCf''f^{\Box} [[flfbfg, ©, c \Box V, \mu, c ftf@fCf <, \delta f_fEf''f \Box \Box [fh, \mu, Ü, \Box B]]$

Internet Explorer 4.0 , ÌfAfNfefBfu fZfbfgfAfbfv,Å,Í [AInternet Explorer ,ÌfCf"fXfg[[f<,ÌŽQ[],Æ,È,é[]î•ñ,ª %æ-Ê,É•\ަ,³,ê,Ü,·[]B,³,ç,É[]Ú[]×,È[]î•ñ,ª•K—v,È[]ê[]‡,Í []A[fwf<fv] ,ðfNfŠfbfN,·,é,Æ[]AŒ»[]Ý•\ަ,³,ê,Ä,¢,é ‰æ-Ê,ÉŠÖ,·,é[]î•ñ,ª•\ަ,³,ê,Ü,·[]B fCf"fXfg□[f<,ðŠJŽn,·,é'O,É□AŽg—p<-'øŒ_-ñ,É"⁻^Ó,·,é,©□A"⁻^Ó,µ,È,¢,©,ð'l'ð,·,é•K—v,ª, ,è,Ü,·□BŽg p<-'øŒ_-ñ,É"^{-^}Ó,µ,È,⁻,ê,Î□AInternet Explorer 4.0 ,ÌfAfNfefBfu fZfbfgfAfbfv,Í□I—¹,µ,Ü,·□B•W□€ ,Ì□Ý'è,Å,Í□A,Ç,¿,Ç,ÌfIfvfVf‡f",à'l'ð,³,ê,Ä,¢,È,¢,½,ß□A,Ç,¿,Ç,©,ÌfIfvfVf‡f",ðfNfŠfbfN,µ,È,⁻,ê,Î□A[ŽŸ,Ö] ,ðfNfŠfbfN,·,é,±,Æ,Í,Å,«,Ü,¹,ñ□B fvf[]fLfV fT[[fo[][,Í[]ALAN (fCf"fgf‰flfbfg) ,ÆfCf"f^[][flfbfg,ÌŠÔ,Ì-hŒì•Ç,Ì-ðŠ",ð ‰Ê,½,μ[]A,Ù,©,Ìft[][fU[][,ªfCf"f^[][flfbfg,ð'Ê,¶,Ä LAN []ã,Ì[]d—v,È[]î•ñ,ÉfAfNfZfX,Å,«,È,¢,æ,¤ ,É,μ,Ü,·[]BfAfNfefBfu fZfbfgfAfbfv,Å,Í[]Afvf[]fLfV fT[[fo[][,ð[]Ý'è,Å,«,È,¢]ê[]‡,ª, ,è,Ü,·[]B

[fvf□fLfV fT□[fo□[,ðŽg—p,µ,ÄfCf"f^□[flfbfg,ÉfAfNfZfX] f`fFfbfN f{fbfNfX,ðflf",É,·,é,Æ□Af□□[fJf< fGfŠfA flfbfgf□□[fN (LAN) ,Ìfvf□fLfV fT□[fo□[,ðŒo—R,µ,ÄfCf"f^□[flfbfg,ÉfAfNfZfX,·,é,æ,¤,É,È,è,Ü,·□B

 $\label{eq:constraint} $$ [fAfhf@fX] f{fbfNfX,I_AfCf"f^[[f]bfg,EfAfNfZfX,\cdot,e,\mathcal{E},w,EZg,wfvf_fLfV fT_[fo_[,]fAfhf@fX,\delta"ü-(,,e)e_],h,e_],h,e_],h,e_],h,e_],h,e_],h,e_],h,e_],h,e_],h,e_$