

,±,ìftf@fCf<,í%o{—,Å,«,Ü,¹,ñ□B

,±,ìftf@fCf<,í%o{—,Å,«,Ü,¹,ñ□B,±,ìftf@fCf<,É,í□AŠefAfvfjŠfP□[fVf†f“,ÉCEÅ—L,ì□î•ñ,ÆfGf
%o□[f□fbfZ□[fW,²<L□q,³,ê,Ä,ç,Ü,·□B

d-v

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,βAhDC First Apps ,l Calendar ft [fefBfŠfefB,ÍA³,μ,-
"®ì,μ,È,ç,±,Æ,³, ,è,Ü,·BhDC Calendar ft [fefBfŠfefB,đŽÀs,·,é,ÆAjjfCEf"f_ [,í\
Ž,³,é,Ü,·,ªA,» ,ì<@"\,ÍŽg—p,Å,«,Ü,¹,ñB

Úx,É,Á,ç,Ä,ÍAhDC First Apps ,ÉLÚ,³,é,Ä,ç,é»•ifTf| [fg'<CEû,É-â,ç,í,¹,Ä,-
,¾,³,çB•Ä',Ä,ÍAExpress Systems (+1 (206) 728-8300) ,É-â,ç,í,¹,Ä,,¾,³,çB,Ü,½,ÍAExpress
Systems ,l Web ftfCfg <http://www.wrq.com> ,đŽQÆ,μ,Ä,,¾,³,çB

d-v

Stacker version 4.0 , ,æ,Ñ,»,ê^È'O,ìfo[]fWfj",í[]A',çftf@fCf<-¼,É'í%ž,μ,Ä,ç,Ü,¹,ñ[]Bfhf
%ofCfu,É',çftf@fCf<-¼,ìftf@fCf<,à ,é[]ê[]±,í[]A,±,ê,ç,ìfo[]fWfj",ì Stacker ,ðŽg,Á,Äfhf
%ofCfu,í^³[]k[]AftfCfY•í[]X[]A[]Å“K%»[]A“WŠJ[]A[],,’è^³[]k—!,í•í[]X,È,Ç,ð,μ,È,ç,Ä,,¾,¾,ç[]B,±,ì,æ,π,È^—
[] ,ð,·,é,Æ[]A',çftf@fCf<-¼,à 8 •¶Žš,ìftf@fCf<-¼,Æ 3 •¶Žš,ìŠg'£Žq,É[]Ø,è<ì,ß,ç,ê,Ü,·[]B,Ü,½[]AStacker
version 4.1 , ,æ,Ñ,»,ê^È'O,ìfo[]fWfj",Ä,í[]AFAT32 ('å—e—ÊfffBfXfN) ,ìfhf%ofCfu,í^³[]k,Ä,«,Ü,¹,ñ[]B
[]Ú[]x,É,Ä,ç,Ä,í[]AStac ,ì Web ftfCfG <http://www.stac.com> ,É[]Ú'±,μ,Ä[]à-¾,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

d—v

Windows ,lf□[fWf#f“ fAfbfv,É,æ,é•i□X,ì,½,β□A,±,lf□[fWf#f“,ì Do It On Your Desktop ,í□A□³,μ,-
“®□ì,μ,Ü,¹,ñ□BDo It On Your Desktop ,đŽÄ□s,μ,æ,α,Æ,μ,Ä,à□Afvf□fOf%of€,í%ož“š,μ,Ü,¹,ñ□B
,±,lfvf□fOf%of€,lfAfbfvfOf□f□fh fo□[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,í□ADo It On Your Desktop ,É<L□Ú,³,ê,Ä,ç
,é□»•ifTf|□[fg'<CEú,É-â,ç□#,í,¹,Ä,,¾,¾,ç□B•Ä□',Ä,í□AMoon Valley Software (+1 (800) 473-5509) ,É-
â,ç□#,í,¹,Ä,,¾,¾,ç□B,Ü,½,í□AMoon Valley Software ,ì Web fTfCf□g <http://www.moonvalley.com>
,đŽQ□Æ,μ,Ä,,¾,¾,ç□B

d-v

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,i,½,βAVersion 2.0 ,",æ,Ñ,»,ê^È'O,\fo[fWf#f",ì Lotus
ScreenCam ,ì<@"\,ì^ê•",íA³,μ,"@ì,μ,Ü,¹,ñBScreenCam 2.0 ,Á,íAWindows 3.1 ,Á,í,Á,½fXfNfŠ[f"
f€[fr[,\,ð,±,\fo[fWf#f",ì Windows ,Á,Á,Á,Á,Á,«,,Ü,·B,½,¾,μAWindows ,ìfEfbf"fhfE,ì"@ì,ì~^
%œ,Á,«,,Ü,¹,ñB

,±,ìfvf[Of%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Á,ç,Ä,íAScreenCam ,É<LÚ,³,ê,Ä,ç,é»•ifTf|
[fg,É-â,ç,í,¹,Ä,,¾,¾,çB•Ä',Á,íALotus (+1 (800) 343-5414) ,É-â,ç,í,¹,Ä,,¾,¾,çB,Ü,½,íALotus ,ì
Web fTfCfG <http://www.lotus.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d-v

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßA,±,ìfo[fWf#f",ì Peachtree Accounting ,ÍA³,µ,-
"®ì,µ,È,ç,±,Æ,³, ,è,Û,·B

,±,ìfvfOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,ÍAPeachtree Accounting ,É<LÚ³,è,Ä,ç
,é»•ifTf|f[fg,É-â,ç,í¹,Ä,,¾,¾,çB•Ä,Á,ÍA+1 (800) 336-1420 ,É-â,ç,í¹,Ä,-
,¾,¾,çB,Û,½,ÍAPeachtree ,ì Web fTfCfG <http://www.peachtree.com> ,đŽQÆ,µ,Ä,,¾,¾,çB

d—v

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βAAAdobe Photoshop version 3.0 ,íA³,μ,“©i,μ,È,ç,±
,Æ,ª, ,è,Ü,·BfRf,f“ f_fCfAfffO,Å•W€,iY'è,ð•i,|,æ,α,Æ,·,é,ÆA-â'è,ª<N,«,Ü,·B,½,Æ,|,îA[Š,]
f_fCfAfffO f{fbfNfX,ÅA[ftf@fCf<,ìŽí—P] f{fbfNfX,ì^è—,ìY'è,ð•i,|,½,Æ,«,É-â'è,ª<N,«,Ü,·B
,±,ìfvf[fOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f“ ,ì“üžè•û-@,É,Â,ç,Ä,íAÅŠñ,è,ì Adobe
»•i”i”,,“X,Ü,½,í³<K'ã—“X,É-â,ç‡,í,¹,Ä,,¾,¾,çB•Ä',Ä,íAAdobe (+1 (800) 872-3623) ,É-
â,ç‡,í,¹,Ä,,¾,¾,çB,Ü,½,íAAdobe ,ì Web fTfCfg <http://www.adobe.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d-v

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•ïX,ì,½,ßA,±,\fo[fWf#f",ì Crystal Walls ,íA³,μ,"@ì,μ,È,ç,±
,Æ,ª, ,è,Û,·BCrystal Walls ,đŽÀs,·,é,ÆA%œ'œ,í•Žì,³,è,Û,·ªAfAfjff[fVf#f",ì<@"\
,ª"@ì,μ,Û,¹,ñB,±,\fvfOf%of€,lfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íACrystal Walls
,É<LÚ,³,è,Ä,ç,é»•ifTf|fg'<CEû,É-â,ç#í,¹,Ä,,¾,³,çB

d-v

,±,ìffBfXfN ft[]fefBfŠfefB,íAWindows 3.1 —p,ÉŠJ”³,è,Ä,ç,Ü,·B,±,ìfo[]fWf#f“,ì Windows ,Á,íA,±
,ìft[]fefBfŠfefB,ì<@“\,í^è•”,^a³,µ,“®[]i,µ,È,ç,±,Æ,^a, ,è,Ü,·B

,±,ìfo[]fWf#f“,ì Windows —p,ÉŠJ”³,è,^{1/2}ffBfXfN ft[]fefBfŠfefB,ì“üŽè•û-@,É,Á,ç
,Ä,íAft[]fefBfŠfefB,ìŠJ”^{CE}³,É-â,ç[]#,í,¹,Ä,,^{3/4},³,çB

d—v

,±,ìfEfCf<fX-hŽ~ft□[fefBfŠfefB,í□AWindows 3.1 —p,ÉŠJ” ,³,ê,Ä,ç,Ü,·□B,±,ìfo□[fWf#f” ,ì Windows
,Ä,í□A,±,ìft□[fefBfŠfefB,ì<@”\,ì^ê•” ,³□³,μ,“©□ì,μ,È,ç,±,Æ,ª, ,è,Ü,·□B’É□í□AfEfCf<fX,ðŒÿ□o,·,é,±
,Æ,í,Ä,«,Ü,·,ª□AZæ,è□œ,,±,Æ,í,Ä,«,Ü,¹,ñ□B,Ü,½□AfEfCf<fX,ÉŠ´□ö,μ,Ä,ç
,È,çftf@fCf<,ÄfEfCf<fX,ªŒÿ□o,³,è,é,±,Æ,ª, ,è,Ü,·□B
,±,ìfo□[fWf#f” ,ì Windows —p,ÉŠJ” ,³,ê,½fEfCf<fX-hŽ~ft□[fefBfŠfefB,É,Ä,ç,Ä,í□A\ftfgfEfFfA,ìŠJ” Œ³,É-
â,ç□‡,í,¹,Ä,,³⁄₄,³,ç□B

d-v

Access Developer's Toolkit version 2.0 ,Å Windows 3.1 —p,lfZfbfgfAfbfv
fffBfXfN,ðì,éêë,íAWindows 3.1 ,Åì,é•K—v,ª, ,è,Û,·B

,±,ìfo[fWf#f“,ì Windows ,ÅfZfbfgfAfbfv fffBfXfN,ðì,é,ÆA,±,ìfo[fWf#f“,ìfVfXfef€
ftf@fCf<,ªfffBfXfN,É“ü,ê,ç,ê,Û,·B,±,ìfffBfXfN,ð Windows 3.1 ,ÅŽg,ª,ÆAWindows 3.1
.ìftf@fCf<,ªãã',«³,êA d'å,É-â'è,ð^ø,«<N,±,·,±,Æ,ª, ,è,Û,·B

Windows 3.1 ,ÅŽg,ªfvf[fOf%of€,ðŠj”,·,éêë,íAWindows 3.1 ,ÅfZfbfgfAfbfv fffBfXfN,ðì,Á,Ä,,¾4,³,çB

d-v


Visual Basic Setup Toolkit version 3.0 ,Å Windows 3.1 —p,lfZfbfgfAfbfv fffBfXfN,ðì,éê±,íAWindows 3.1 ,Åì,é•K—v,³, ,è,Ü,·B

,±,ìfo[fWf#f“,ì Windows ,ÅfZfbfgfAfbfv fffBfXfN,ðì,é,ÆA,±,ìfo[fWf#f“,ìfVfXfef€
ftf@fCf<,³ffBfXfN,É“ü,ê,ç,ê,Ü,·B,±,ìffBfXfN,ð Windows 3.1 ,ÅŽg,±,ÆAWindows 3.1 ,ìfVfXfef€
ftf@fCf<,³ã‘,«,³,êA d’å,È-â’è,ð^ø,«<N,±,·,±,Æ,³, ,è,Ü,·B

Windows 3.1 ,ÅŽg,±fvf[fOf%of€,ðŠj”,·,éê±,íAWindows 3.1 ,ÅfZfbfgfAfbfv fffBfXfN,ðì,Á,Ä,,¾,¾,¾,çB

d-v

,±,ìfo[fWf#f“,ì Windows ,Á•\Ž!F“,ª 256 F,ð’’,! ,Ä,ç,éê# ,íAaris MPC Wizard ,ðŽÀs,µ,æ,æ ,Æ, ,é,ÆAfvfOf%œf€,ª%ž“š,µ,È,,È,é,±,Æ,ª ,è,Û,·B

•\Ž!F“,ð 256 F^È%º,É,·,é•û-@,ð•\Ž!,·,é,É,íA,±,ìf{f^f“  ,ðfNfŠfbfN,µ,Ä,,¾,³,çB

d—v

,±,ìfo[fWf#f“,ì Windows ,Á,íAWindows 3.1 ,ìft[fU[f fCf“f^ [ftfFfCfX,ð•ïX,·,éfvf[fOf%of€,ª³,µ,-
“®ì,µ,È,ç,±,Æ,ª, ,è,Û,·B

fvf[fOf%of€,ðŽÀs,·,é,±,Æ,É,æ,Á,ÄAfCf“f^ [ftfFfCfX,ì<@“\,ì^ê•”,ªŽg—p,Á,«,È,,È,é,±,Æ,ª, ,è,Û,·B
Úx,É,Â,ç,Ä,íAftfgfEjFfA,ìŠj”Œ³,É-â,ç‡,í,¹,Ä,,¾,³,çB

d-v

,±,lfvf[]fOf%of€,í[]AWindows NT ,¾, -,Å“®[]i,;é,æ,æ,É[]ÝCEv,³,ê,Ä,ç,Ü,·[]B,±,lfvf[]fOf%of€,Å,í[]AWindows NT ,i[],“x,ÈfCf“f^[][ftfFfCfX,Æ<@“\,²Žg,í,ê,Ä,ç,Ü,·[]B,±,ê,ç,í,±,lfo[][fWf#f“,ì Windows ,Ä,íŽg— p,Ä,«,Ü,¹,ñ[]B

,±,lfo[][fWf#f“,ì Windows —p,ÉŠj” ,³,ê,½fvf[]fOf%of€,É,Ä,ç,Ä,í[]AfvtfgfEjFfA,ìŠj” CE³,É-â,ç[]#,í,¹,Ä,- ,¾,³,ç[]B

d—v

Microsoft Sound System version 2.0 ,lfZfbfgfAfbfv fvj[]fOf%of€,í[]A,±,ìfo[]fWf#f“ ,ì Windows ,Á,íŽÁ[]s,μ,È,ç,Á,,¾,¾,ç[]B,½,¾,μ[]AMicrosoft Sound System ,ìfn[]fhfEfFfA,ífZfbfgfAfbfv,Á,«,Ü,·[]BŽŸ,ì,æ,æ,É,μ,Á,,¾,¾,ç[]B

Microsoft Sound System ,ìfn[]fhfEfFfA,ð,±,ìfo[]fWf#f“ ,ì Windows ,ÁfZfbfgfAfbfv,·,é,É,í

- 1 [fXf^[]fg] f{f^f“ ,ðfNfŠfbfN,μ[]A[[]ý'è] ,ðf|fCf“fg,μ,Ü,·[]BŽŸ,É[]A[fRf“fgf[]f< fpf|f<] ,ðfNfŠfbfN,μ,Ü,·[]B
- 2 [fn[]fhfEfFfA,ì'Ç%Á] ,ðf_fuf<fNfŠfbfN,μ,Ü,·[]B
- 3 %æ-É,É•Ž|,¾,è,éŽwŽ|,É[],Á,ÄfTfEf“fh fj[]fh,ðfCf“fXfg[]f<,μ,Á,,¾,¾,ç[]B

d—v

,±,ìfo[fWf#f“,ì TabWorks ,ðA,±,ìfo[fWf#f“,ì Windows ,Å³,μ,<@\,³,¹,é,½,ß,É,íA fAfbvfOfCE[fh,ª•K
—v,Å,·B

,±,ìfo[fWf#f“,ì Windows ,ÅA,±,ìfo[fWf#f“,ì TabWorks ,ŽÀs,Å,½,Æ,μ,Ä,àATabWorks ,ð•W€
,ìft[fU[fCf“f^ [ftfFfCfX,Æ,μ,ÄŽg,í,È,ç,æ,æ,É,μ,Ä,,¾,¾,çBTabWorks ,ðŽg,æéè,íAŽŸ,ìŽèè,É]
,Ä,Ä,,¾,¾,çB

► [fXf^ [fg] f{f^f“,ðfNfŠfbfN,μA [fvfOf%of€] ,ðf [Cf“fg,μ,Ü,·BŽŸ,ÉA [TabWorks]
,ðfNfŠfbfN,μ,Ü,·B

,±,ê,ÅAŠù,É TabWorks book ,É, ,élfufWfFfNfg,í,·,x,ÄŽg—

p,Å,«,Ü,·B,¾,¾,μAftf@fCf·ÇÖ,âfufWfFfNfg,ìfhf%fbfO,Å,íATabWorks book
,ÉV,μ,çlfufWfFfNfg,ð'Ç%Á,Å,«,È,,È,è,Ü,·B

,±,ìfvfOf%of€,ìfAfbvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Å,ç,Ä,íATabWorks ,É<LÚ,³,è,Ä,ç,é»•iftfj
 [fg'<Éù,É-â,çè,í,¹,Ä,,¾,¾,çB•Ä',Å,íAXSoft (+1 (800) 909-4446) ,É-â,çè,í,¹,Ä,-
,¾,¾,çB,Ü,½,íAXSoft ,ì Web fTfCfg <http://www.xsoft.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d—v

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,β Af^fXfN fo [,í,ÉŽè'O,É•\Ž!, ,è,éY'è,É,È,Á,Ä,ç
,é,Æ APFS ,lf`f... [fgfŠfAf<,Ä, ,é Window Works ,@³,μ,“ @ì,μ,É,ç,±,Æ,ª, ,è,Û,·Bf^fXfN
fo [,í,ÉŽè'O,É•\Ž!, ,è,éY'è,ÅA,±,lf`f... [fgfŠfAf<,ðŽÀs,μ,æ,π,Æ,·,é,Æ Afvf fOf%of€,ª%ž“š,μ,È,-
,É,é,±,Æ,ª, ,è,Û,·B,±,ì-â'è,É'í^ ,·,é,É,í Af`f... [fgfŠfAf<,ðŽÀs,·,é'O,Éf^fXfN fo [,íY'è,ð•ì,!,Û,·B

f^fXfN fo [,íY'è,ð•ì,!,é,É,í

- 1 [fXf^ [fg] f{f^f“ ,ðfNfŠfbfN,μA [Y'è] ,ðf]fCf“fg,μ,Û,·BŽÿ,ÉA [f^fXfN fo [,Æ [fXf^ [fg] f [fj... []
,ðfNfŠfbfN,μ,Û,·B
- 2 [í,ÉŽè'O,É•\Ž!} f`fFfbfN f{fbfNfX,ðf]ft,É,μ,Û,·B

d—v

Windows 3.1 —p,ÉŠj”³,ê,½ MaxTime ,Æ FN-esse ,” ,æ,Ñ“CEŽÅfTfEf“fh fRf“fgf□□[f< fvf□fOf%of€ ,đŽg,±
 ,Æ□AŽÀ□s’t,ìfvf□fOf%of€ ,đŽ!,·f{f^f“ ,^a Windows ,ìf^fXfN fo□[,É□³,μ,•\Ž!,³,ê,È,,È,è,Ü,·□B,±
 ,ì,½,ß□AŽÀ□s’t,ìfvf□fOf%of€ ,đ□Ø,è‘Ö,!,é,É,í□AAlt fL□[,đ%oÿ,μ,È,^aç **Tab** fL□[,đ%oÿ,μ,Ü,·□B
 □Ú□×,É,Â,ç,Ä,í□Afvf□fOf%of€ ,É<L□Ú,³,ê,Ä,ç,é□»•ifTf|□[fg’<CEû,É-â,ç□#,í,¹,Ä,-
 ,¾,³,ç□B•Ä□’,Ä,í□A□ÅŠñ,è,ì“CEŽÅ,ì□»•ifTf|□[fg’<CEû,É-â,ç□#,í,¹,é,©□A+1 (800) 999-4273 ,É-
 â,ç□#,í,¹,Ä,,¾,³,ç□B,Ü,½,í□A“CEŽÅ,ì Web fTfCfG <http://www.toshiba.com/> ,đŽQ□Æ,μ,Ä,,¾,³,ç□B

d-v

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f",ì Central Point Anti-Virus ,íA³,µ,-
"®ì,µ,Ü,¹,ñB

,±,\fvf[fOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íAfvf[fOf%of€,É<LÚ,³,è,Ä,ç,é»•ifTf|
[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Á,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,-
¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCfG <http://www.symantec.com> ,đŽQÆ,µ,Ä,,¾,¾,çB

d—v

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βAFamily Tree Maker version 2.0 ,íAf^fXfN
fo[í,ÉŽè'O,É•Žì,è,éY'è,Á,íA³,μ,“ @ì,μ,È,ç,±,Æ,è,Ü,·Bf^fXfN fo[í,ÉŽè'O,É•\
Žì,è,éY'è,ÁAFamily Tree Maker ,đ<N“ @,μ,æ,α,Æ,μ,Ä,àAfvfOf%œ,í%ž“š,μ,È,ç,±,Æ,è,Ü,·B,±
,ì-â'è,É'í^,·,é,É,íAfvfOf%œ,ìŽÀ's'O,Éf^fXfN fo[í,ìY'è,đ•ì,ì,Ä,,¾,çB

f^fXfN fo[í,ìY'è,đ•ì,ì,é,É,í

1 [fXf^fg] f{f^f“ ,đfNfŠfbfN,μA[íY'è] ,đf|fCf“fg,μ,Ü,·BŽY,ÉA[f^fXfN fo[í,Æ [fXf^fg] fñfj...
,đfNfŠfbfN,μ,Ü,·B

2 [í,ÉŽè'O,É•Žì] f`fFfbfN f{fbfNfX,đf|ft,É,μ,Ü,·B

,±,ìfvfOf%œ,ìfAfbfvfOfCE[fh fo[fWf#f“ ,ì“üŽè•û-@,É,Ä,ç,Ä,íAFamily Tree Maker ,É<LÚ,è,Ä,ç
,é»•ifTf|fg'<CEû,É-â,çñ,í,¹,Ä,,¾,çB•Ä',Á,íABanner Blue Software (+1 (510) 794-6850) ,É-
â,çñ,í,¹,Ä,,¾,çB,Ü,½,íABanner Blue Software ,ì Web fTfCfG <http://www.broderbund.com>
,đŽQÆ,μ,Ä,,¾,çB

d-v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßATrueEffects ,íA³,μ,“®ì,μ,È,ç,±,Æ,³, ,è,Ü,·B
Úx,É,Â,ç,Ä,íATrueEffects ,É<LÚ,³,ê,Ä,ç,é»•ifTf|[fg'<Eû,É-â,ç±,í,¹,Ä,-
,¾,¾,çB•Ä',Á,íAMindscape Direct (+1 (510) 652-5464) ,É-â,ç±,í,¹,Ä,,¾,¾,çB,Ü,½,íAMindscape ,l
Web fTfCfg <http://www.mindscape.com> ,ðŽQ/E,μ,Ä,,¾,¾,çB

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,lfo[fWf#f",ì NCD PC-Xware ,íA³,μ,"®ì,μ,È,ç,± ,Æ,ª, ,è,Û,·B,±,lfo[fWf#f",ì Windows ,žg,í,ê,Ä,ç,éfRf"fsf...[f^,É PC-Xware ,đCf"fXfg[f<, ,é,ÆAfRf"fsf...[f^,ªN"® ,μ,È,,È,é,±,Æ,ª, ,è,Û,·B

Úx,É,Ä,ç,Ä,íA,±,lvfOf%of€ ,É<LÚ,³,ê,Ä,ç,é>•ifTf|[fg'<Eû,É-â,ç,í,¹,Ä,,¾,¾,çB•Ä',Á,íANCD (+1 (800) 548-8871) ,É-â,ç,í,¹,Ä,,¾,¾,çB,Û,½,íAON Technology ,ì Web fTfCfg <http://www.elronsw.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

d-v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßAWired for Sound version 1.0 ,íA³,μ,“®ì,μ,Ü,¹,ñB
Úx,É,Â,ç,Ä,íAWired for Sound ,É:LÚ³,ê,Ä,ç,é»•ifTf|f[fg'<Eú,É-â,ç,í,¹,Ä,-
,¾,¾,çB•Ä',Á,íAAristo-Soft ,É-â,ç,í,¹,Ä,,¾,¾,çB~A-•ú-@,ÍŽŸ,ì,Æ,“,è,Å,·B

~A-•ú-@

**“d~b”Ôt,Ü,¾,ífAfh
fEfX**

FAX

+1 (510) 328-1117

“dŽqf[f<

wfs@pacbell.net

World Wide Web

[http://
www.aristosoft.com](http://www.aristosoft.com)


d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,i,½,βA^È'O,lfo[fWf#f",l Icon Hear It ,lA³,μ,"®i,μ,È,ç,± ,Æ,ª, ,è,Û,:B^È'O,lfo[fWf#f",l Icon Hear It ,ðl-¹,μ,æ,α,Æ,; ,é,ÆAfvf[]Of%of€,ª%ž"š,μ,È,,È,é,± ,Æ,ª, ,è,Û,:B

,±,lfvf[]Of%of€,lfAfbfvfOfCE[]fh fo[fWf#f",l"üžè•û-@,É,Â,ç,Ä,lAlcon Hear it ,É<LÚ³,è,Ä,ç,é[]»•ifTf] [][fg'<Eù,É-â,ç[]‡,í,¹,Ä,,¾,¾,ç[]B•Ä[]',Ä,lAMoon Valley Software ("d~b +1 (800) 473-5509[]A+1 (805) 781-3890[]AFAX +1 (805) 781-3898) ,É-â,ç[]‡,í,¹,Ä,,¾,¾,ç[]B,Û,½,lAMoon Valley Software ,l Web ftfCfg <http://www.moonvalley.com> ,ðžQ[]Æ,μ,Ä,,¾,¾,ç[]B

d-v

DaVinci eMAIL ,Åflfbfgf[]fN fvfŠf“f^,đŽg,æê[]íAfvfŠf“f^ f[]fg,Éflfbfgf[]fN fpfX,ŠÖ~A•t,ç,ê,Ä,ç,é,±,Æ,đŠm,©,β,Ä,,¾,¾,ç (,±,İŠÖ~A•t,íAfvfŠf“f^ f[]fg,İŠ,,è“-,Ä,Æ,ç,ç,Û,·)[]BfvfŠf“f^ f[]fg,Š,,è“-,Ä,ç,ê,Ä,ç,É,ç[]ê[]íAfvfŠf“f^,É^óü,·,é,Æ[]A-â'è,ªN,«,é,±,Æ,ª,è,Û,·[]B

fvfŠf“f^ f[]fg,İŠ,,è“-,Ä,ìà-¾,đ•Ž!,·,é,É,íA,±,İf{f^f“  ,đfNfŠfbfN,µ,Ä,,¾,¾,ç[]B
DaVinci eMAIL version 3.0 ,đŽg,æê[]íA,±,İfo[]fWf#f“,l Windows ,Å,İft[]fU[]f%ofCfZf“fX,đ'Ç%oÄ,Ä,«,Û,¹,ñ[]B[]V,µ,çft[]fU[],đ'Ç%oÄ,·,é,É,íADaVinci eMAIL version 3.1 ,ª•K-v,Ä,·[]B

Úx,É,Ä,ç,Ä,íADaVinci eMAIL ,É<LÚ,¾,ê,Ä,ç,é[]»•ifTf[]fg'<Æù,É-â,ç[]í,¹,Ä,,¾,¾,ç[]B•Ä[]',Ä,íAON Technology Corporation (“d~b +1 (800) 548-8871[]AFAX +1 (617) 692-3539) ,É-â,ç[]í,¹,Ä,-¾,¾,ç[]B,Û,½,íAON Technology ,l Web fTfCfç <http://www.elronsw.com> ,đŽQ[]Æ,µ,Ä,,¾,¾,ç[]B

d-v

16 frfbfg fo[fWf#f", ì Windows NT ŠÇ—fc[f<, íA, ±, ìfo[fWf#f", ì Windows , Å, íŽg—p, Å, «, Ü, ¹, ñB, ±, ì-
â'è, É'í^, ;, é, É, íA32 frfbfg fo[fWf#f", ìŠÇ—fc[f<, ðŽg, Å, Ä, , ¾, ³, çB, ±, ìfc[f<, íAThe Microsoft
Network , Å"üŽè, Å, «, Ü, ·B

d-v

,±,ìfo[]fWf#f“,ì Windows ,É•t’®,μ,Ä,ç,é Microsoft Exchange ,ðfCf“fXfg[]f<.,,é,Æ[]A^È‘O,ìfo[]fWf#f“,ì
Microsoft Mail ,Žg—p,Å,«,È,,È,è,Ü,·[]BMicrosoft Exchange ,ðfCf“fXfg[]f<.,,é,Æ[]AMicrosoft Mail
,ìftf@fCf<,ā[]‘,«,³,è,Ü,·[]B^È‘O,ìfo[]fWf#f“,ì Microsoft Mail ,Å,í[]A[]V,μ,çfo[]fWf#f“,ìftf@fCf<,ìŽg—
p,Å,«,Ü,¹,ñ[]B

d-v

Windows ,lf0[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßANickelodeon ,ì Director's Lab ,Á,ÍAfZfbfgfAfbfv fvfOf %of€,ì|—¹Žž,ÉfGf%o[f ffbfZ[fW,^a•\Ž!,³,ê,é,±,Æ,^a, ,è,Û,·B,±,ìê#f,ÍAfZfbfgfAfbfv fvfOf%of€ ,ðŽè"® ,Á|—¹,·,é•K—v,^a, ,è,Û,·B

fZfbfgfAfbfv fvfOf%of€,ÁV,μ,çfVf#[fgfjfbfg,^a“o~^,³,ê,½Æă,ÉA"Setup Message: Script or DLL has been corrupted. Unable to load dialog template: 'mscuistf.dll: 2'" ,Æ,ç,xfbfZ[fW,^a•\Ž!,³,ê,é,± ,Æ,^a, ,è,Û,·B,±,ìfbfZ[fW,^a•\Ž!,³,ê,½ê#f,ÍAZŽÿ,ì,æ,ε,É,μ,Ä,,³/₄,³,çB

Nickelodeon Director's Lab ,ìfZfbfgfAfbfv fvfOf%of€,ð|—¹,·,é,É,í

- 1 **Ctrl** fL[,Æ **Alt** fL[,ð%Ÿ,μ,È,^a,ç **Del** fL[,ð%Ÿ,μ,Û,·B
 - 2 [fvfOf%of€,ì<S|—¹] f_fCfAfO f{fbfNfX,ÁADirector's Lab ,ìfZfbfgfAfbfv fvfOf%of€ ,ðfNfŠfbfN,μA[|—¹] ,ðfNfŠfbfN,μ,Û,·B
- fZfbfgfAfbfv fvfOf%of€,^a|—¹,μAfGf%o[f ffbfZ[fW,^a•Ä,¶,Û,·B

d—v

Aris Entertainment ,ì The WorldView CD-ROM ,É,íAMicrosoft ,ì Video for Windows (VFW)
,ìC³fo[fWfjf“ ,ª•t’® ,µ,Ä,ç,Ü,·B,±,ìC³fo[fWfjf“ ,íA³,µ,íY’è,³,è,Ä,ç,È,ç,½,ßAfffofCfX fhf
%ofCfo,ª%ó,è,Ä,ç,é,Æ,ç,xfGf%o[f ffbfZ[fW,ª•Ž,³,è,½,èA»•ifTfj[fjg fT[fjrfX,É”A—,·,é,æ,æ,
,ÉŽwŽ,·,éfbfbfZ[fW,ª•Ž,³,è,½,è,·,é,±,Æ,ª, ,è,Ü,·B

READWRLD.TXT ftj@fCf<,ìà-¾,É,Á,Ä’€i,·,é,ÆA“Ç,Ýž,ÝCE³,ìftj@fCf<,Ü,½,í,«ž,Ýæ,ìfffBfXfN,ª
%ó,è,Ä,ç,é,Æ,ç,xfGf%o[f ffbfZ[fW,ª•Ž,³,è,é,±,Æ,ª, ,è,Ü,·B,±,ì,æ,æ,ÉfGf%o[f ffbfZ[fW,ª•\
Ž,³,è,½,è,íAŽŸ,ì,æ,æ,É,µ,Ä,¾,³,çB

,±,ì-â’è,É’í^,·,é,É,í

1 [fXf^ [fg] f{f^f“ ,ðfNfŠfbfN,µA[ftj@fCf<-¾,ðŽw’è,µ,ÄŽÀ[s] ,ðfNfŠfbfN,µ,Ü,·B

2 [-¾’O] f{fbfNfX,ÁAŽŸ,ì,æ,æ,É“ü—í,µ,Ü,·B

command /c copy x:\vfwsetup\iccvide.drv %windir%\system /y

"x" ,É,íACD-ROM fhf%ofCfu,ìfhf%ofCfu-¾,ð“ü—í,µ,Ü,·B

3 [OK] ,ðfNfŠfbfN,µ,Ü,·B

4 READWRLD.TXT ftj@fCf<,ìà-¾,É,Á,Ä Microsoft Video for Windows ,ðÄfCf“fXfg[f<,µ,Ü,·B

d-v

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,i,½,βATurbo Debugger for Windows version 3.1 ,íA³,μ,-
“®ì,μ,È,ç,±,Æ,³, ,è,Ü,·B


,±,lfvfOf%of€,lfAfbfvfOfCE[fh fo[fWf#f“,i“üŽè•û-@,É,Â,ç,Ä,íATurbo Debugger ,É<LÚ³,è,Ä,ç
,é»•ifTf|[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä,Ä,íABorland International ('•¶—p'<CEú +1 (800) 331-
0877AfefNfjff< fTf|[fg—p'<CEú +1 (408) 461-9177) ,É-â,ç#í,¹,Ä,,¾,¾,çB,Ü,½,íABorland ,i Web
fTfCf <http://www.borland.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

d-v

^È'O,ìfo[fWf#f",ì PrintCache ,íAWindows 3.1 ,ìfvfŠf"f^ fhf%ofCfo,ì^è•",ðC³,·,é,æ,α,ÉÝCEv,³,ê,Ä,ç
,Ü,·B^È'O,ìfo[fWf#f",ì PrintCache ,ð,±,ìfo[fWf#f",ì Windows ,ÄŽÀs,·,é,ÆAfRf"fsf...
[f^,ÉfCf"fxfg[f<,³,ê,Ä,ç,éfvfŠf"f^ fhf%ofCfo,íA,·,x,ÄŽg—p,Å,«,È,,È,è,Ü,·B
Úx,É,Â,ç,Ä,íAftfgfEjfA,ìŠj"CE³,É-â,ç,í,¹,Ä,,³/4,³,çB

d-v

f|f|b|f|g|f|f|N fvfŠf“f^ ,đŽg,Á,Ä,č,éèè±,íAfvfŠf“f^ f|f|g,Éf|f|b|f|g|f|f|N f|f|X,ŠÖ~A•t, ,ç,ê,Ä,č,é,±
,Æ,đŠm,©,ß,Ä,,¾,¾,č (,±,ìŠÖ~A•t, ,íAfvfŠf“f^ f|f|g,ìŠ,,è“-Ä,Æ,č,č,Û,·)BfvfŠf“f^ f|f|g,Š,,è“-
,Ä,ç,ê,Ä,č,É,čèè±A,±,ìfvf|f|f|O|f|%of€,(,çf|f|b|f|g|f|f|N fvfŠf“f^ ,É^óü, ,é,ÆA-â'è,â<N,« ,é,±
,Æ,ª ,è,Û,·B

fvfŠf“f^ f|f|g,ìŠ,,è“-Ä,ìà-¾,đ•Ž!, ,é,É,íA,±,ìf{f^f“  ,đfNfŠfbfN,µ,Ä,,¾,¾,čB
Üx,É,Ä,č,Ä,íAf|f|t|f|g|f|E|f|f|A,ìŠJ”CE³,É-â,č±,í,¹,Ä,,¾,¾,čB

d-v


Windows ,lf0[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,lf0[fWf#f“,ì pcAnywhere ,íA³,μ,“®ì,μ,È,ç,± ,Æ,ª, ,è,Û,:B

pcAnywhere ,lfAfbfvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,íApcAnywhere ,É<LÚ,³,è,Ä,ç,é»•ifTf|
[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Á,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,-
¾,¾,çB,Û,½,íAAdobe ,ì Web fTfCfg <http://www.adobe.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßATHumbelina ,íA³,μ,fCf"fXfg[f<,³,ê,È,ç,±
,Æ,ª, ,è,Û,·B,±,ì-â-è,É'í^ , ,é,É,íAWIN.INI ftf@fCf<,ÉfRf}f"fh[s,ð'Ç%Á,μAfZfbfgfAfbfv fvfOf%of€
,É'í,μ,ÄAWindows ,lfo[fWf#f" ,ð 3.1 ,Æ•Ö, ,æ,æ,É,μ,Û,·B

Thumbelina ,lfZfbfgfAfbfv fvfOf%of€ ,ðŽÀ[s,Â,« ,é,æ,æ,É,· ,é,É,í

- 1 ,±,ìŽè[#,ð^óü, ,é,©Af[f, ,μ,Ä, ,« ,Û,·B
- 2 ,±,lf{f^f"  ,ðNfŠfbfN,μAfVfXfef€ fGfffBf^ ,ð<N"® ,μ,Ä, ,¾,¾,¾,çB
- 3 [fEfBf"fhfE] f[fjf...[,Ä WIN.INI ,ðNfŠfbfN,μ,Û,·B
- 4 [Compatibility] fZfNfVf#f" ,ÉŽŸ,í[s,ð'Ç%Á,μ,Û,·B

DSHELL=0x0020000

5 [ftf@fCf<] f[fjf...[,ì [fVfXfef€ fGfffBf^ ,ì|—¹] ,ðNfŠfbfN,μ,Û,·B

6 [,í,ç] ,ðNfŠfbfN,μAWIN.INI ftf@fCf<,ì•iX,ð•Û'¶,μ,Û,·B

7 fRf"fsf...[f^ ,ðÄ<N"® ,μATHumbelina ,lfZfbfgfAfbfv fvfOf%of€ ,ðŽÀ[s,μ,Û,·B

8 Thumbelina ,lfCf"fXfg[f<ÆäAŽè[# 2 ` 6 ,ðŽÀ[s,μ,Û,·B,½,¾,μAZè[# 4 ,Ä,íAWIN.INI
ftf@fCf<,É'Ç%Á,μ,½[s,ðíœ,μ,Û,·B

d-v

Windows ,lf0[fWf#f" fAfbfv,É,æ,é•iX,i,½,βAMCS Stereo version 1.05

,Ä,íA•W€ŠÁ««,ÆŠg'£ŠÁ««,íØ,è'Ö,í,í,Ä,«,Ü,¹,ñBSÄ««,ðØ,è'Ö,í,é,ÆAf~fLFT[fRf"fgf[f<,Žg—
p,Ä,«,È,,È,è,Ü,·Bf~fLFT fRf"fgf[f<,Žg—p,Ä,«,é,æ,α,É,·,é,É,íAfvf[fOf%of€,ð|—
¹,μAÄN"©,μ,Ü,·B

,±,lfvf[fOf%of€,lfAfbvfvfOfCE[fh fo[fWf#f",i"üŽè•û-@,É,Ä,ç,Ä,íAMCS Stereo ,É<LÚ,³,ê,Ä,ç,é»•ifTf}
[fg'<Éû,É-â,ç‡,í,¹,Ä,,³/₄,³,çB•Ä',Ä,íAAnimation Development Corp. ("d~b +1 (205) 591-
5715AFAX +1 (205) 591-5716AfeNfjff< fTf|fg BBS +1 (205) 591-5795) ,É-â,ç‡,í,¹,Ä,,³/₄,³,çB

d-v

McAfee f\fbfgf\NŠÇ—\ftfgfEjFfA fpfbfP\W,ì NetTools version 5.1 , ,æ,Ñ 5.2 ,ÉŠÜ,Ü,è,Ä,ç,é
APPMAN.EXE ,íAWindows 3.1 ,ìfvf\Of%of€ f}f\Wff,Æ'u,«Š,!,ÄŽg,ç,Ü,·BAPPMAN.EXE ,íA,±
,ìfo\Wf#“,ì Windows ,Ä,í³,μ,“@ì,μ,È,ç,±,Æ,³, ,è,Ü,·B
,±,ìfvf\Of%of€,ìfAfbfvfOfCE\fh fo\Wf#“,ì“üŽè•û-@,É,Â,ç,Ä,íANetTools ,É<LÚ,³,è,Ä,ç,é»•ifTf|
\fg'<CEù,É-â,ç#í,¹,Ä,,³⁄,³,çB•Ä',Ä,íAMcAfee Associates (“d~b +1 (408) 988-3832AFAX +1 (408)
970-9727AfeNfjff< fTf|\fg BBS +1 (408) 988-4004) ,É-â,ç#í,¹,Ä,,³⁄,³,çB,Ü,½,íAMcAfee ,ì Web
fTfCfg <http://www.mcafee.com> ,ðŽQ\Æ,μ,Ä,,³⁄,³,çB

d-v

Windows ,lfAfbfv,É,æ,é•iX,i,½,βAAAdobe Acrobat version 1.0
,đŽÀs,·,é,ÆA^è”Ê•ÜÇè^á”½,lfGf%o[³<N,<,é,±,Æ,³,è,Ü,·B,±,ìê# ,íAAAcrobat
,ìÁVfo[fwf#“ ,ÉfAfbfvfOfÇ[fh,μ,Ä,,¾,³,çB

Acrobat ,lfAfbfvfOfÇ[fh fo[fwf#“ ,ì“üŽè•û-@,É,Â,ç,Ä,íAAAcrobat ,É<LÚ,³,è,Ä,ç,é Adobe »•ifTf|
[fg’<Çú,É-â,ç#,í,¹,Ä,,¾,³,çB•Ä’ ,Ä,íA+1 (800) 872-3623 ,É-â,ç#,í,¹,Ä,,¾,³,çB,Ü,½,íAAAdobe ,ì
Web fTfCfG <http://www.adobe.com> ,đŽQÆ,μ,Ä,,¾,³,çB

d—v

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•i X,ì,½,β ACompaq ft [fefBfŠfefB,ÉŠÜ,Ü,è,Ä,ç,é Secure ,É,æ,éfffofCfX-³CEø%»<@ "\,í A³,μ," @ ì,μ,É,ç,±,Æ,ª, ,è,Ü,· BfffofCfX,ð-³CEø,É,·,é,É,í AfpfXf [fh,ì Y'è,ÉŠÖ~A,μ,½ Compaq F10 fZfbfgfAfbfv,ðŽÀ s,μ,Ä,-,¾,³,ç BfffofCfX,í AZÿ,ì•ù-@,Ä,à-³CEø,É,Ä,«,Ü,· B

fn [fhfEjFfA fffofCfX,ð-³CEø,É,·,é,É,í

- 1 [fXf^ [fg] f{f^f" ,ðfNfŠfbfN,μ A[Y'è] ,ðf]fCf" fg,μ,Ü,· BŽÿ,É A[fRf" fgf [f< fp]f<] ,ðfNfŠfbfN,μ A[fVfXfef€] fAfCfRf" ,ðf_fuf<fNfŠfbfN,μ,Ü,· BŽÿ,É A[fffofCfX f}f [fWff] f^fu,ðfNfŠfbfN,μ,Ü,· B
- 2 fn [fhfEjFfA,ìŽí—p,ì ¶,ìvf%ofX<L ¶ (+) ,ðfNfŠfbfN,μ A-³CEø,É,·,éfn [fhfEjFfA,ðf_fuf<fNfŠfbfN,μ,Ü,· B
- 3 [fffofCfX,ìŽg—p] ,Ä A[,±,ìfn [fhfEjFfA fvf ¶tf@fCf<,ÄŽg—p•s%oÄ,É,·,é) (,Ü,½,í [,± ,ìfn [fhfEjFfAŠÄ«« ,ÄŽg—p•s%oÄ,É,·,é) f`fFfbfN f{fbfNfX,ðf]f" ,É,μ,Ü,· B
[fffofCfX,ìŽg—p] ,É• i" ,ìfn [fhfEjFfAŠÄ«« ,ª•\Ž,³,è,Ä,ç,é ê ¶,í A-³CEø,É,·,éfn [fhfEjFfAŠÄ«« ,ì,·, x,Ä,É,Ä,ç,Ä Af`fFfbfN f{fbfNfX,ðf]f" ,É,μ,Ü,· B

' ¶
 ▪ fvf%ofO fAf"fh fvfCEfC,É'í%ž,μ,Ä,ç,È,çfn [fhfEjFfA,ì ê ¶ AffffofCfX,ð-³CEø,É,μ,½CEä,àfŠf\ [fX,ì Y'è,ª%ð•ú,³,è,É,ç,±,Æ,ª, ,è,Ü,· B

□d—v

Windows ,\fo□[fWf#f“ fAfbfv,É,æ,é•ï□X,ì,½,β□ARemindMe version 1.0 ,íŽÀ□s,Â,«,È,ç%oÂ“\
□«,^a, ,è,Ü,·□B

RemindMe ,\fAfbfvfOfCE□[fh fo□[fWf#f“ ,ì“üŽè•û-@,É,Â,ç,Ä,Í□ARemindMe ,É<L□Ú,³,è,Ä,ç,é□»•ifTf|
□[fg’<CEû,É-â,ç□# ,í,¹,Ä,,³/₄,³,ç□B

d-v

,±,lfvf[]fOf%of€ ,íAWindows 3.1 —p,ÉŠj” ,³,è,Ä,ç,Ü,·BWindows ,lfo[]fWf#f“
fAfbfv,É,æ,é•íX,i,³/₂,B[]Aftf[]bfs[][,l%oñ“]” (RPM) ,lfefXfg,âffBfXfvfCEfC fefXfg,È,Ç[]A,±,lfvf[]fOf%of€
,ì<@“\,ì^è•”,í[]³,μ,“@[]ì,μ,Ü,¹,ñ[]B


,±,lfo[]fWf#f“,ì Windows —p,ÉŠj” ,³,è,¹/₂fvf[]fOf%of€,ì“üŽè•û-@,É,Ä,ç,Ä,í[]A,±,lfvf[]fOf%of€
,É<L[]Ú,³,è,Ä,ç,é[]»•ifTf[]f[]fg’<Æû,É-â,ç[]#,í,¹,Ä,,³/₄,³,ç[]B•Ä[]’,Ä,í[]AQuarterdeck Select ,É-â,ç[]#,í,¹,Ä,-
,³/₄,³,ç[]B~A—[]•û-@,íŽÿ,ì,Æ,“,è,Ä,·[]B

~A—[]•û-@	“d~b”Ô[]t,Ü,¹/₂,ífAfhfCEf X
“d~b	+1 (800) 354-3222 +1 (573) 875-0932 (fefNfjff< fTf[]f[]fg)
FAX	+1 (813) 523-2335
Web fTfCfg	http:// www.quarterdeck.com/

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßPIXAR ,l Typestry ,lŽÀ[s,Á,«,È,ç,±,Æ,³, ,è,Û,·B,±,ì-
â'è,É'í^ ,; ,é,É,íAWIN32S.INI ftj@fCf<,ð,èAfvfXfef€ ftjHf<f_,É•Û'¶,µ,Ä,,¾,³,çB

WIN32S.INI ftj@fCf<,ð,è,é,í

1 ,±,lf{f^f"  ,ðNfŠfbfN,µAf[f, ' ,ð<N"® ,µ,Ä,,¾,³,çB

2 ŽŸ,ì,æ,æ,É"ü—í,µ,Û,·B

[WIN32s]

Version=1.3

3 [ftj@fCf<] fffj...[,l [-¼'O,ð•t, ,Ä•Û'¶] ,ðNfŠfbfN,µ,Û,·B

4 ftj@fCf<,É WIN32S.INI ,Æ,ç,æ-¼'O,ð•t, AWindows ,ðCf"fxfg[f<,µ,½ftjHf<f_,l%º,ì SYSTEM
ftjHf<f_,É•Û'¶,µ,Û,·B

,±,lfvf[fOf%of€,lÙ×,É,Á,ç,Ä,íATypestry ,É<LÙ,³,è,Ä,ç,é»•ifTf|[fg'<Æù,É-â,ç±,í,¹,Ä,-
,¾,³,çB•Ä',Ä,íAPixar Animation Studios ("d~b +1 (800) 888-9856A+1 (510) 236-4000AFAX +1
(510) 236-0388AfefNfjff< ftj|[fg +1 (800) 937-3179) ,É-â,ç±,í,¹,Ä,,¾,³,çB,Û,½,íAPixar ,l Web
ftjCfç <http://www.pixar.com> ,ðŽQÆ,µ,Ä,,¾,³,çB

d-v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßASpaceManager version 1.53
 , ,æ,Ñ,»,é^È'O,lfo[fWf#f“ ,íA³,μ,ŽÄs,Á,«,ç%Á“\«,², ,è,Ü,·BspaceManager ,đ MS-DOS
 f, [fh,ÁfCf“fXfg[f<,μ,Ä,àA,±,lfvf[fOf%of€,ì,Ü,Æ,ñ,Ç,ift[fefBfŠfefB,í³,μ,“®i,μ,Ü,¹,ñB
 SpaceManager ,íŠù,É»'ç,³,è,Ä,ç,È,ç,½,ßA,±,lfo[fWf#f“ ,ì Windows —p,ÉŠJ” ,³,è,½“~—l,lfvf[fOf%of€
 ,đŽg,²,±,Æ,đ,,§,μ,Ü,·B

d—v

,±,ìfQ[f€,íAMS-DOS fvf[fvfg,ÁfCf“fXfg[f<,μAŽÀ[s,·,é•K—v,ª, ,è,Ü,·B[fXf^[fg]
f{f^f“,đNfŠfbfN,μA[ftf@fCf<-¼,đŽw’è,μ,ĂŽÀ[s] ,đNfŠfbfN,μ,ÁfCf“fXfg[f<,Ü,½,íŽÀ[s,μ,æ,ª
,Æ,μ,½ê±,íA,±,ìfQ[f€,í³,μ,“@ì,μ,Ü,¹,ñB

,±,ìfQ[f€,đŽÀ[s,·,é,É,í

1 [fXf^[fg] f{f^f“,đNfŠfbfN,μA[fvf[fOf%of€] ,đfjCf“fg,μ,Ü,·BŽŸ,ÉA[MS-DOS fvf[fvfg]
,đNfŠfbfN,μ,Ü,·B

2 fQ[f€,đfCf“fXfg[f<,μ,½,èAŽÀ[s,μ,½,è,·,éfRf}f“fh,đ“ü—í,μ,Ü,·B

d-v

Super PC-Kwik version 4.0 ,íA,±,ìfo[fWf#f“,ì Windows ,Á,í³,μ,“©i,μ,Ü,¹,ñB,±,ìfvfOf%of€
,Á,íADoubleSpace ,Á^³k,³,ê,½fn[fh fffBfXfN,ÉC•œ,Á,«,É,ç-â'è,³<N,«,é,±,Æ,³, ,è,Ü,·B

Super PC-Kwik version 4.0 ,íA,±,ìfo[fWf#f“,ì Windows ,ÉfCf“fXfg[f<,μ,È,ç,±,Æ,ð,,§,μ,Ü,·B
Úx,É,Á,ç,Ä,íASuper PC-Kwik ,É<LÚ,³,ê,Ä,ç,é»•iftf|f'<CEû,É-â,ç#,í,¹,Ä,-
,¾,¾,çB•Ä',Á,íAMicroDesign International (“d~b +1 (800) 228-0891AFAX +1 (407) 677-8365) ,É-
â,ç#,í,¹,Ä,,¾,¾,çB,Ü,½,íAMicroDesign ,ì Web fTfCf g <http://www.mdi.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d-v

,±,ìfo[fWf#f“,ì PC Tools ,íADOS ,Ü,½,í Windows 3.1 ,Å“®ì,·,é,æ,æ,ÉŠJ” ,³,è,Ä,ç,Ü,·B,±,ìfo[fWf#f“,ì Windows ,Ä,íA,±,ìfvf[fOf%of€,ì<@”\,ì^ê•” ,³,µ,“®ì,µ,Ü,¹,ñB,Ü,½Aftf@fCf< fVfXfef€,³ FAT32 (‘å—e—ÉffBfXfN) ,ìé#A,±,ìfvf[fOf%of€,íŽAs,Ä,«,Ü,¹,ñB

,±,ìfo[fWf#f“,ì Windows —p,ÉŠJ” ,³,è,½V,µ,çffBfXfN ft[fefBfŠfefB,ì“üŽè•û-@,É,Â,ç,Ä,íAPC Tools ,É<LÜ,³,è,Ä,ç,é»•ifTf][fg’<Æû,É-â,ç#,í,¹,Ä,,¾,¾,çB•Ä’,Ä,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#,í,¹,Ä,,¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCf <http://www.symantec.com> ,ðŽQÆ,µ,Ä,,¾,¾,çB

d—v

,±,ìfo[fWf#f“,ì Windows ,íASuperStor ,Å^³k,³,è,Ä,ç,éfhf%ofCfu,Ü,½,í{fŠf...[f€
ftf@fCf<,ÉfCf“fXfg[f<,Å,«,Ü,·B,½,¾,μAWindows ,ìfCf“fXfg[f<Æã,íASuperStor ,Åfhf
%ofCfu,ð³k,·,é,±,Æ,í,Å,«,Ü,¹,ñB

SuperStor/DS ,Å,íAsstor /ds fhf%ofCfu,ð³k,·,é,½,β,É DEFRAG.EXE ,Æ,ç,æftf@fCf<,aŽÀs,³,è,Ü,·B,±
,ìftf@fCf<,íAWindows ,ìfzfbfgfAfbfv’t,ÉV,μ,çfo[fWf#f“,É’u,«Š,·,ç,è,Ü,·BSuperStor
,Å,íAV,μ,çfo[fWf#f“,ìftf@fCf<,íŽg—p,Å,«,Ü,¹,ñB

,±,ìfo[fWf#f“,ì Windows ,ÅŽg—p,Å,«,éfo[fWf#f“,ì SuperStor ,aŠJ”,³,è,é—\’è,í, ,è,Ü,¹,ñB[V,½,Éfhf
%ofCfu,ð³k,μ,½,èA³kf{fŠf...[f€ ftf@fCf<,ði,Á,½,è,·,ééé,íAWindows ,É•t’@,·,éfhf
%ofCfufXfy[fX,ðŽg,æ,©A,±,ìfo[fWf#f“,ì Windows —p,ÉŠJ”,³,è,½³kfvf[fOf%of€,ð“üŽè,μ,Ä,,¾,³,çB

d-v

Addstor ,i DoubleTools for DoubleSpace ,iA,±,ìfo[fWf#f“,i Windows ,Å,ÍŽg—p,Å,«,Ü,¹,ñB,±,ìfvf[fOf
%of€,íA,±,ìfo[fWf#f“,i Windows ,ÉfCf“fXfg[f<,μ,È,ç,Å,,¾,³,çB,±,ìfvf[fOf%of€
,ðfCf“fXfg[f<,μ,½ê#f,íAfrf“fsf...[f^,ðÄ<N“® ,·,é,ÆASù‘¶,ì³kf{fŠf...[f€
ftf@fCf<,ÉAfnfzfX,Å,«,È,,È,è,Ü,·B


d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,i,½,βACarbon Copy version 2.5
,,æ,Ñ,»,é^È'O,lfo[fWf#f",íŽÁ[s,Ä,«,Ü,¹,ñBCarbon Copy ,lfzfXfg fvf[fOf%of€Ü,½,lfNf%ofCfAf"fg
fvf[fOf%of€,ì,ç,,é,©,đŽÁ[s,μ,½ê#f,íAfRf"fsf...[f^,º%ž"š,μ,È,,È,è,Ü,·B
,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íACarbon Copy ,É<LÚ,³,é,Ä,ç
,é»•ifTf|[fg'<CEú,É-â,ç#f,í,¹,Ä,,³/₄,³,çB•Ä',Ä,íAMicrocom ("d~b +1 (800) 822-8224AFAX +1
(617) 551-1021AfefNfjffj< fTf|[fg BBS +1 (617) 762-5134AWeb fTfCfg <http://www.microcom.com/>)
,É-â,ç#f,í,¹,Ä,,³/₄,³,çB


d—v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,lfo[fWf#f“ ,ì Cyberflix »•i,íAŽÀs,Á,«,È,ç%oÂ“\
«,ª, ,è,Ü,·B,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f“ ,ì“üŽè•ú-@,É,Á,ç,Ä,íACyberflix
»•i,É<LÚ,³,ê,Ä,ç,é»•ifTf|f[fg‘<CEù,É-â,ç#,í¹,Ä,,¾,³,çB,Ü,½,íACyberflix ,ì Web fTfCfg
<http://www.cyberflix.com/> ,đŽQÆ,μ,Ä,,¾,³,çB

d—v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βAAAdobe Illustrator version 4.0 ,íŽÀ[s,Á,«,È,ç%oÁ“\
□«,ª, ,è,Ü,·□B,±,lfvf□Of%of€,ìŽÀ□s’t,É^è”É•ÜCEì^á”½,lfGf%o□[,ª<N,«,½□é□#,í□AWindows
,É•t’@,; ,é•W□€ VGA fffBfXfvfCEfC fhf%ofCfo,đŽg,α,Æ-â’è,É’í□^,Á,«,é,±,Æ,ª, ,è,Ü,·□BfffBfXfvfCEfC fhf
%ofCfo,ª□AŠù,É•W□€ VGA fffBfXfvfCEfC fhf%ofCfo,É,È,Á,Ä,ç,é□é□#,í□A[fAfvfŠfP□[fvf#f“ ,ìŽÀ[s]
,đfNfŠfbfN,μ,Ä,,¾,¾,ç□B
fffBfXfvfCEfC fhf%ofCfo,ì•i□X,ì□Ú□x,É,Á,ç,Ä,í□A,±,lf{f^f“  ,đfNfŠfbfN,μ,Ä,,¾,¾,ç□B
,±,lfvf□Of%of€,lfAfbfvfOfCE□[fh fo□[fWf#f“ ,ì“üŽè•û-@,É,Á,ç,Ä,í□AAdobe Illustrator ,É<L□Ú,¾,è,Ä,ç
,é□»•ifTf□[fg’<CEù,É-â,ç□#,í,¾,¾,¾,¾,ç□B•Ä□’,Ä,í□AAdobe (+1 (800) 872-3623) ,É-â,ç□#,í,¾,¾,
,¾,¾,ç□B,Ü,½,í□AAdobe ,ì Web fTfCfg <http://www.adobe.com> ,đŽQ□Æ,μ,Ä,,¾,¾,ç□B

fffBfXfvfCfC fhf%ofCfo,đ•İ,ı,é,É,Í

- 1 ,±,İf{f^f“  ,đfNfŠfbfN,μ□A[%œ-Ê,İfvf□fpfefB] f_CfAf□fO f{fbfNfX,İ [□Ý'è) (,Ü,½,Í [fffBfXfvfCfC,İ□Ý'è) f^fu,đ•\Ž!,μ,Ä,,¾,¾,¾,¾□B
- 2 [□Ú□×] ,đfNfŠfbfN,μ,Ü,·□B
- 3 [fAf_fvf^] f^fu,İ [•İ□X] ,đfNfŠfbfN,μ□A%œ-Ê,İ•\Ž!,É□],ç□A^è—,đ•\Ž!,μ,Ü,·□B
- 4 [.,×,Ä,İfn□[fhfEfFfA,đ•\Ž!] ,đfNfŠfbfN,μ,Ü,·□B
- 5 [□»'çCÉ³] f{fbfNfX,Ä□A[(•W□€fffBfXfvfCfC)] ,đfNfŠfbfN,μ,Ü,·□B
- 6 [f,fff<] f{fbfNfX,Ä□A[(•W□€fffBfXfvfCfC fAf_fvf^ (VGA)] ,đfNfŠfbfN,μ,Ü,·□B
- 7 [OK] ,đfNfŠfbfN,μ□AŠef_fCfAf□fO f{fbfNfX,İ,».,é,¾,é,Ä□A[•Ä,¶,é] ,đfNfŠfbfN,μ,Ü,·□B
- 8 □V,μ,ç□Ý'è,đ—LCœ,É,·,é,¾,ß,É□A□Ä<N“ ®,đ'£,·f□fbfZ□[fW,¾•\Ž!,¾,é,Ü,·□B,Ü,©,İfvf□fOf%of€ ,¾ŽÄ□s't,İ□é□‡,İ□A•Ü'¶,¾,é,Ä,ç,É,çff□[f^,đ•Ü'¶,μ,Ä,©,ç□A[Í,ç] ,đfNfŠfbfN,μ,Ü,·□B

d-v

EarthCare! ,lfZfbfgfAfbfv fvf[]fOf%of€ ,É,æ,Á,Ä"o~^ ,³,è,évf[]fOf%of€ fAfCfRf" ,í[]A,±,ìfo[]fWf#f" ,ì
Windows ,Á,íftf[]f[]fg,³,è,Ä,ç,Û,¹,ñ[]B,±,ì,½,ß[]AfZfbfgfAfbfv fvf[]fOf%of€ ,í[]³,µ,-
ŽÀ[]s,³,è,Û, ,ª[]AfAfCfRf" ,í"o~^ ,³,è,Û,¹,ñ[]BEarthCare! ,í[]A[ftf@fCf<-¼,ðŽw'è,µ,ÄŽÀ[]s]
fRf}f"fh,ðŽg,«•û-@, ©[]A[fvf[]fOf%of€] f[]fjf...[] ,É [EarthCare!] f[]fjf...[] [ð[]i,è[]AfAfCfRf" ,ð"o~^ , , ,é•û-
@,ì,ç, , ,è, ©,ÄŽÀ[]s,Á,« ,Û,·[]B
[ftf@fCf<-¼,ðŽw'è,µ,ÄŽÀ[]s] fRf}f"fh,Á EarthCare! ,ðŽÀ[]s, , ,é,É,í
EarthCare! ,ìf[]fjf...[] [ð[]i,è[]AfAfCfRf" ,ð"o~^ , , ,é,É,í

[ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀs] fRf}f“fh,Å EarthCare! ,ðŽÀs,·,é,É,Í

1 [fXf^[]fg] f{f^f“,ðfNfŠfbfN,μA[ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀs] ,ðfNfŠfbfN,μ,Ü,·B

2 [-¼'O] f{fbfNfX,ÅAŽÿ,ì,æ,æ,É“ü—í,μ,Ü,·B

x:\pc\earthc.exe

"x" ,É,ÍACD-ROM fhf%ofCfu,lfhf%ofCfu-¼,ð“ü—í,μ,Ü,·B

EarthCare! ,lfvfj...[,đ,èAFAfCfRf“ ,đ“o~^,.,é,É,Í

- 1 f}fEfX,ì%Ef{f^f“ ,Å [fXf^ [fg] f{f^f“ ,đNfŠfbfN,μA[ŠJ,] ,đNfŠfbfN,μ,Ü,·B
- 2 [fvf [fOf%of€] ftfHf<f_đŠJ,«,Ü,·B
- 3 [ftf@fCf<] fvfj...[,ì [V<K [] ,đf|fCf“fg,μA[ftfHf<f_] ,đNfŠfbfN,μ,Ü,·B
- 4 ftfHf<f_ ,ì-¼‘O,đŽŸ,ì,æ,æ,É“ü—í,μ,Ü,·B


EarthCare!

- 5 **Enter** fL [,đ%Ÿ,μA [] ,μ,½ftfHf<f_ ,đ_fuf<fNfŠfbfN,μ,Ü,·B
- 6 [ftf@fCf<] fvfj...[,ì [V<K [] ,đf|fCf“fg,μA[fVf# [fgfjfbfg] ,đNfŠfbfN,μ,Ü,·B
- 7 ŽŸ,ìŠe [€-Ú,ìfvf# [fgfjfbfg,đ,é,½,β,É [fvf# [fgfjfbfg,ì [] fEfBfU [fh,đ 8 %oňŽg,ç,Ü,·B"x" ,É,íACD-ROM ,lfhf%ofCfu-¼,đ“ü—í,μ,Ä,,¾,¾,çB


fRf}f“fhf%ofCf“	fvf# [fgfjfbfg,ì-¼‘O
x:\pc\earthc.exe	EarthCare!
x:\pc\read_me.wri	Read Me
x:\pc\register.wri	Register!
x:\pc\iloveair.wri	I Love Air text
x:\pc\iloveani.wri	I Love Animals text
x:\pc\ilovedrt.wri	I Love Dirt text
x:\pc\ilovewtr.wri	I Love Water text
x:\pc\songs.wri	Words to the songs

- 8 EarthCare! ,lfvf [fOf%of€,đ<N“ @ ,.,é,É,í [fXf^ [fg] f{f^f“ ,đNfŠfbfN,μA [fvf [fOf%of€] ,đf|fCf“fg,μ,Ü,·BŽŸ,É [A[EarthCare!] ,đNfŠfbfN,μ,Ü,·B

d—v

,±,ìfo[]fWf#f“,ì Windows ,ÁA3D Home Architect ,đŽg,Á,Äf|fbfgf[][]fN fvfŠf“f^,đŽg,±ê[]#,í[]AfvfŠf“f^
f[]fg,Éf|fbfgf[][]fN fpfX,°SÖ~A•t,¯,ç,è,Ä,ç,é,±,Æ,đŠm,©,ß,Ä,,¾,¾,ç (,±,ìSÖ~A•t,¯,đ[]A“fvfŠf“f^ f|
[]fg,ìS,,,è“-,Ä" ,Æ,ç,ç,Ü,·)[]BfvfŠf“f^ f[]fg,°S,,,è“-,Ä,ç,è,Ä,ç,È,ç[]ê[]#,í[]A,±,ìfvf[]fOf%of€
,©,çf|fbfgf[][]fN fvfŠf“f^,É^óü,·,é,Æ[]A-â'è,°<N,«,é,±,Æ,° ,è,Ü,·[]B
fvfŠf“f^ f[]fg,ìS,,,è“-,Ä,ì[]à-¾,đ•Ž!,·,é,É,í[]A,±,ìf{f^f“  ,đfNfŠfbfN,μ,Ä,,¾,¾,ç[]B
,±,ìfvf[]fOf%of€,ìfAfbfvfOfCE[]fh fo[]fWf#f“,ì“üZè•ù-@,É,Ä,ç,Ä,í[]A3D Home Architect ,É<L[]Ú,¾,è,Ä,ç
,é[]»•ìfTf[]fg'<CEù,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B•Ä[]',Á,í[]ABroderbund Software, Inc. (+1 (800) 521-6263) ,É-
â,ç[]#,í,¹,Ä,,¾,¾,ç[]B,Ü,½,í[]ABroderbund ,ì Web fTfCf <http://www.broderbund.com> ,đŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

Microsoft TrueType Font Pack , ©, çftfHf“fg, ðfCf“fXfg [fç, ., é, É, í

, ±, ìfo [fWf#f“, ì Windows , ÉftfHf“fg, ð'Ç%Á, ., é•û-@, ð•\Ž!, ., é, É, ÍA, ±, ìf{f^f“  , ðfNfŠfbfN, μ, Ä, -
, ¾, ³, çB

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßA,±,lfo[fWf#f",ì Symantec Time Line ,l<@"\ ,ì^ê•",íA³,μ,"©i,μ,È,ç,±,Æ,², ,è,Û,·BTools.run f}fNf,â Time Line ,lTf"fvf<,È,Ç,ðŽg," ,x ,Æ,·,é,ÆATime Line ,í%ž"š,μ,È,,È,è,Û,·B

,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f",ì"üžè•û-@,É,Â,ç,Ä,íATime Line ,É<LÛ,³,è,Ä,ç,é»•ifTf| [fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Ä,íATimeLine Solutions Corporation (+1 (415) 898-1919) ,É-â,ç#í,¹,Ä,,¾,¾,çB,Û,½,íATimeLine ,ì Web fTfCfg <http://www.tlsolutions.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d-v


Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßAClose-Up version 6.0 ,Ü,½,Í Close-Up/LAN Pro version 6.1 ,ÍA³,µ,"®ì,µ,É,ç,±,Æ,³, ,è,Ü,·B,±,lfo[fWf#f",ì Windows ,Å,ÍAClose-Up ,lfŠf,lf g fTfCfh,µ,©"®ì,µ,Ü,¹,ñB

,±,lfo[fWf#f",ì Windows —p,ÉŠJ",³,è,½ Close-Up ,ì"üŽè•û-@,É,Â,ç,Ä,ÍAClose-Up ,É<LÚ,³,è,Ä,ç ,é»•ifTf|lf g'<Æú,É-â,ç±,í,¹,Ä,,¾,¾,çB•Ä',Å,ÍANorton-Lambert Corp. ("d~b +1 (805) 964-6767 "àü 1AFAX +1 (805) 683-5679AWeb fTfCf g <http://www.norton-lambert.com/>) ,É-â,ç±,í,¹,Ä,- ,¾,¾,çB

d—v

Humongous Entertainment ,l,±,lfo[fWf#f" ,lfZfbfgfAfbfv fvf[fOf%of€ ,ÍŽg—p,μ,È,ç,Å,,¾,¾,ç[BWindows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,l,½,β[A,±,lfvf[fOf%of€ ,đfRf"fsf...

[f^ ,ÉfCf" fXfg[f< ,é,Æ[AfvfXfef€[áŠQ,ª<N,« ,é,±,Æ,ª ,è,Û,·[B,½,¾,μ[A,±,lfvf[fOf%of€ ,í CD-ROM ,© ,çŽÀ[s,Å,« ,Û,·[Bfvf[fOf%of€ ,đŽÀ[s,· ,é,É,í[AUFRED.EXE ,Û,½,Í AUTOFARM.EXE ,l,ç ,.,é,© ,đf_fuf·fNfŠfbfN,μ[A[Play] ,đfNfŠfbfN,μ,Û,·[Bfvf[fOf%of€ ,l<N" ®fRf}f"fh,đ [fXf^ [fg] fffj... [l,Û,½,Í [fvf[fOf%of€] fffj... [l,É'Ç%oÁ,Å,« ,Û,·[B

[fXf^ [fg] fffj... [l,Û,½,Í [fvf[fOf%of€] fffj... [l,É<N" ®fRf}f"fh,đ'Ç%oÁ,· ,é•û-@,đ•Ž!,· ,é,É,í[A,± ,lf{f^f"  ,đfNfŠfbfN,μ,Ä,,¾,¾,ç[B

Ú[x,É,Å,ç,Ä,í[AHumongous Entertainment ,É<L[Ú,ª ,ê,Ä,ç,é]»•iftf[fg'<Æú,É-â,ç[#,í,¹,Ä,- ,¾,¾,ç[B•Ä[',Ä,í[AHumongous Entertainment (+1 (425) 485-1212) ,É-â,ç[#,í,¹,Ä,- ,¾,¾,ç[B,Û,½,Í[AHumongous ,l Web fTfCf <http://www.humongous.com> ,đŽQ[Æ,μ,Ä,,¾,¾,ç[B

d-v

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βASymantec C++ Professional version 6.1

,Ü,½,í,» ,ê^È'O,lfO[fWf#f“ ,íA³,μ,“®ì,μ,Ü,¹,ñB

,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f“ ,l“üŽè•û-@,É,Â,ç,Ä,íASymantec C++ Professional

,É<LÚ,³,ê,Ä,ç,é» •ifTf][fg'<CEû,É-â,ç# ,í,¹,Ä,,¾,¾,çB•Ä ,Á,íASymantec (+1 (800) 441-7234) ,É-

â,ç# ,í,¹,Ä,,¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d—v

Windows ,lf□[fWf#f“ fAfbfv,É,æ,é•ï□X,ì,½,β□AUpront version 1.1 ,íŽÀ□s,Å,«,ç%oÅ“\□«,^a, ,è,Ü,·□B
,±,ìfvf□fOf%of€,ì□Ú□x,É,Â,ç,Ä,Í□AUpront ,É<L□Ú³,è,Ä,ç,é□»•jfTf|□[fg‘<Œû,É-â,ç□‡,í,¹,Ä,-
,³/₄,³,ç□B•Ä□‘,Å,Í□ASketchTech (+1 (612) 379-1435) ,É-â,ç□‡,í,¹,Ä,,³/₄,³,ç□B

d-v

,±,ìfo[fWf#f“,ì Windows ,Á,íffBfXfvfCfC fhf%ofCfo,ª•ïX,³,è,½,½,βAProxy ,í“@ì,μ,Û,¹,ñB
,±,ìfo[fWf#f“,ì Windows —p,ÉŠJ”,³,è,½fvfOvf%of€,ì“üŽè•û-@,É,Á,ç,Ä,íA+1 (617) 497-6339 ,É-
â,ç#í,¹,Ä,,¾,³,çB•Ä‘,Á,Í Funk Software, Inc. ,É-â,ç#í,¹,Ä,,¾,³,çB~A—•û-@,íŽÿ,ì,Æ,“,è,Á,·B

~A—•û-@	“d~b”Ôt,Û,½,íAfhfCf X
“d~b	+1 (800) 828-4146
FAX	+1 (617) 547-1031
“dŽqf[f<	sales@funk.com
Web fTfCfg	http://www.funk.com/

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßAWanderlink ,É•t'®,µ,Ä,ç,é Proxy
,lŽÀ[s,Ä,«,Ü,¹,ñBWanderLink ,lfNf%ofCfAf"fg fvj[fOf%of€,lfCf"fxfg[f<Žž,É Proxy Master ,Ü,½,í Host
ftf@fCf<,đfCf"fxfg[f<,µ,É,ç,æ,æ,É,µ,Ä,,¾,¾,çB

,±,lfo[fWf#f",l Windows —p,ÉŠj",¾,é,½fvj[fOf%of€,l"üŽè•û-@,É,Ä,ç,Ä,íA+1 (617) 497-6339 ,É-
â,ç[#,í,¹,Ä,,¾,¾,çB•Ä',Ä,íAFunk Software, Inc. ,É-â,ç[#,í,¹,Ä,,¾,¾,çB~A—•û-@,lŽŸ,ì,Æ,¨,è,Ä,·B

~A—•û-@	"d~b"Ôt,Ü,½,lfAfhfÆf X
----------------	-----------------------------------

"d~b	+1 (800) 828-4146
------	-------------------


FAX	+1 (617) 547-1031
-----	-------------------

"džqf[f<	sales@funk.com
----------	----------------

Web fTfCfg	http://www.funk.com/
------------	---

d—v

,±,ìfo[]fWf#f“,ì Windows ,Á,íffBfXfvfCfC fhf%ofCfo,²Šg'£,³,è,½,½,β[]AfffBfXfvfCfC,ì%øð'œ“x,² 640
[]~ 480 ^ÈŠO,É[]Ý'è,³,è,Ä,ç,é[]ê[]#[]APoetry in Motion ,í[]³,μ,“@[]ì,μ,Ü,¹,ñ[]B

fffBfXfvfCfC,ì%øð'œ“x,ð 640 []~ 480 ,É•ī,|,é•û-@,ð•\Ž|,.,é,É,í[]A,±,ìf{f^f“  ,ðfNfŠfbfN,μ,Ä,,³/₄,³,ç[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Ä,ç,Ä,í[]APoetry in Motion ,É<L[]Ú,³,è,Ä,ç,é[]»•ifTf|[][fg'<CEù,É-â,ç[]#,í,¹,Ä,-
,³/₄,³,ç[]B•Ä[]',Ä,í[]AVoyager Co. (+1 (800) 446-2001) ,É-â,ç[]#,í,¹,Ä,,³/₄,³,ç[]B,Ü,½,í[]AVoyager ,ì Web
fTfCfg <http://www.voyagerco.com> ,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

d-v


Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,i,½,ßA,±,lfo[fWf#f",l Wired for Sound Pro ,l<@"\ ,i^ê•",íA³,µ,"@i,µ,È,ç,±,Æ,³, ,è,Û,·B

,±,lfo[fWf#f",l Windows ,Á"@i,·,é Wired for Sound version 4.0 ,lfAfbvfOfCE[fh fo[fWf#f",É,Á,ç ,Ä,íAWired for Sound Pro ,É<LÚ,³,è,Ä,ç,é»•ifTf[f'<CEú,É-â,ç±,í,¹,Ä,,¾,³,çB•Ä',Á,íA~A-•ú- @,íŽÿ,ì,Æ,·,è,Á,·B

~A-•ú-@	"d~b"Ôt,Ü,½,ífAfhfCEf X
Web fTfCfg	http://www.aristosoft.com/
"dŽqf[f<	wfs@pacbell.net
FAX	+1 (510) 328-1117

d-v

PerForm PRO ,Åflfbfgf[]fN fvfŠf“f^ ,đŽg,æ[]ê[]‡,í[]AfvfŠf“f^ f[]f[]fg,Éflfbfgf[]fN fpfX,ªŠÖ~A•t,¯,ç,ê,Ä,ç ,é,±,Æ,đŠm,©,β,Ä,,¾,¾,ç (,±,ìŠÖ~A•t,¯,í[]AfvfŠf“f^ f[]f[]fg,ìŠ,,è“- ,Ä,Æ,ç,ç,Û,·)[]BfvfŠf“f^ f[]f[]fg,ªŠ,,è“- ,Ä,ç,ê,Ä,ç,É,ç[]ê[]‡,í[]Aflfbfgf[]fN fvfŠf“f^ ,É^ó[]ü,·,é,Æ[]A-â'è,ª<N,« ,é,±,Æ,ª ,è,Û,·[]B

fvfŠf“f^ f[]f[]fg,ìŠ,,è“- ,Ä,ì[]à-¾,đ•Ž!,·,é,É,í[]A,±,ìf{f^f“  ,đfNfŠf[]fN,µ,Ä,,¾,¾,ç[]B
PerForm PRO ,ì[]Ú[]x,É,Ä,ç,Ä,í[]APerForm PRO ,É<L[]U,¾,ê,Ä,ç,é[]»•ìfTf[]f[]fg'<Æù,É-â,ç[]‡,í,¹,Ä,- ,¾,¾,ç[]B•Ä[]',Ä,í[]ASymantec (“d~b +1 (800) 441-7234[]AFAX +1 (541) 984-2490[]AWeb fTfCf[]g <http://www.symantec.com/nu/>), É-â,ç[]‡,í,¹,Ä,,¾,¾,ç[]B


d-v

Windows ,lf o[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßAPossible/Sockets version 1.1
,ífŠf,□[fg,ĀŽĀ□s,Ā,«,Ů,¹,ñ□B

,±,lfvf□fOf%of€ ,lfAfbvfOfCE□[fh fo□[fWf#f" ,l"üŽè•û-@,É,Ā,ç,Ā,Í□Afvf□fOf%of€ ,É<L□Ů,³,è,Ā,ç,é□»•ifTf|
□[fg'<CEŮ,É-â,ç□#,í,¹,Ā,,¾,³,ç□B•Ā□',Ā,Í□AAvalan Technology, Inc. ("d~b +1 (800) 441-2281□A+1
(508) 429-6482□AWeb fTfCfg <http://www.avalan.com/>) ,É-â,ç□#,í,¹,Ā,,¾,³,ç□B

d-v

,±,ì»•i,ðf|fbfgf[]fN,ÉÚ'±,³,è,Ä,ç,éfRf"fsf...[]f^,©,çfCf"fXfg[]f<,·,é,É,íA,»,ìfRf"fsf...[]f^,Éfhf
%ofCfu•¶Žš,ðš,,è"-,Ä,é•K-v,ª, ,è,Ù,·B

f|fbfgf[]fN,ÉÚ'±,³,è,Ä,ç,éfRf"fsf...[]f^,Éfhf%ofCfu-¼,ðš,,è"-,Ä,é•û-@,ð•\Ž!,·,é,É,íA,±,ìf{f^f" 
,ðfNfŠfbfN,µ,Ä,,¾,¾,çB

Ami Pro ,Ü,½,í Word Pro ,ìÅVfo[]fWfþf",ì"üŽè•û-@,É,Ä,ç,Ä,íA»•i,É<LÚ,³,è,Ä,ç,é»•ifTf|[]fg'<Æû,É-
â,ç¶,í,¹,Ä,,¾,¾,çB•Ä',Ä,íALotus Development Corp. ("d~b +1 (800) 343-5414[]AWeb fTfCfg
<http://www.lotus.com/>),É-â,ç¶,í,¹,Ä,,¾,¾,çB

□d—v

Stacker version 4.1 ,¨,æ,Ñ,»),ê^È'O,lf□□[fWf†f“,Å,í□AFAT32 ('å—e—ÊffBfXfN) ,lfhf
%ofCfu,í^3□k,Å,«,Ü,¹,ñ□B

□Ú□x,É,Â,ç,Ä,í□AStac ,ì Web fTfCfG <http://www.stac.com> ,É□Ú'±,μ,Ä□à-¾,ðŽ□□E,μ,Ä,,¾,¾,ç□B

d-v

Stacker version 4.0 , ,æ,Ñ,»,ê^È'O,ìfo[]fWf#f",Å,í[]A',çftf@fCf<-¼,ìftf@fCf<,ª, ,éfffBfXfN,ð^³[]k,μ,È,ç,Å,,¾,³,ç[]B',çftf@fCf<-¼,ìftf@fCf<,ª, ,éfffBfXfN,ð^³[]k, ,é,Æ[]A',çftf@fCf<-¼,í 8 •¶Žš,ìftf@fCf<-¼,Æ 3 •¶Žš,ìŠg'£Žq,É[]Ø,è<l,β,ç,ê,·[]B,Û,½[]AStacker version 4.1 , ,æ,Ñ,»,ê^È'O,ìfo[]fWf#f",Å,í[]AFAT32 ('å—e—ÉfffBfXfN) ,ìfhf%ofCfu,í^³[]k,Å,«,Û,¹,ñ[]B

[]Ú[]x,É,Å,ç,Ä,í[]AStac ,ì Web fTfCfg <http://www.stac.com> ,É[]Ú'±,μ,Ä[]à-¾,ðŽQ[]Æ,μ,Ä,,¾,³,ç[]B

d-v

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βANuMega ,ì Bounds Checker version 2.0 ,“,æ,Ñ 2.2 ,í“ @ì,μ,Ü,¹,ñB

,±,lfvfOf%of€,lfAfbfvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,ÍABounds Checker ,É<LÚ,³,ê,Ä,ç ,é»•ifTf|f[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä,Ä,ÍANuMega (+1 (800) 468-6342) ,É-â,ç#í,¹,Ä,- ,¾,¾,çB,Ü,½,ÍANuMega ,ì Web fTfCfG <http://www.numega.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d-v

ClarisWorks version 2.0 ,đfCf“fXfg[f<,·,éêê±,íAfcf“fXfg[f<,đ±s,μ,Ä,,¾,¾,çBClarisWorks for
Windows version 1.0 ,đfCf“fXfg[f<,·,éêê±,íAfffBfXfN 1 ,É, ,é SETUP.EXE
,Ä,ífCf“fXfg[f<,Ä,«,Ü,¹,ñBfffBfXfN 2 ,É, ,é SETUPCW.EXE ,đŽg,Ä,Ä,,¾,¾,çB
,±,ìfo[fWf#f“,ì Windows —p,ÉŠ” ,¾,ê,½fvf[fOf%of€,ì“üŽè•û-@,É,Ä,ç,Ä,íAClarisWorks ,É<LÚ,¾,ê,Ä,ç
,é»•ifTf|f[g’<Æú,É-â,ç±,í,¹,Ä,,¾,¾,çB•Ä’ ,Ä,íAClaris Corp. (Voice Answerline +1 (800) 735-
7393AFax Answerline +1 (800) 800-8954AWeb fTfCf <http://www.claris.com/>) ,É-â,ç±,í,¹,Ä,-
,¾,¾,çB

d-v

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f",ì Norton AntiVirus ,ÍA³,μ,"®i,μ,È,ç,± ,Æ,ª, ,è,Ü,·B

,±,\fvfOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,ÍANorton Antivirus ,É<LÚ,³,ê,Ä,ç ,é»•ifTf|[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Å,ÍASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,,¾,¾,çB,Ü,½,ÍASymantec ,ì Web fTfCfg <http://www.symantec.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

d—v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,lfo[fWf#f“,ì Norton Desktop ,Ü,½,Í Norton Backup ,íA³,µ,“®ì,µ,É,©,Á,½,èAŽÀs,Ä,«,É,©,Á,½,è,µ,Ü,·B

,±,lfo[fWf#f“,ì Windows —p,ÉŠJ” ,³,è,½ft[fefBfŠfefB,É,Â,ç,Ä,íA»•i,É<LÚ³,è,Ä,ç,é»•ifTf|
[fg'<Éú,É-â,ç#í,¹,Ä,,¾,³,çB•Ä' ,Á,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,-
¾,³,çB,Ü,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,đŽQÆ,µ,Ä,,¾,³,çB

d-v

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f",ì Norton Utilities ,íA³,μ,"®ì,μ,È,ç,± ,Æ,ª, ,è,Û,·B

,±,\fvfOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íANorton Utilities ,É<LÚ,³,ê,Ä,ç ,é»•ifTf|[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Å,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,,¾,¾,çB,Û,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

d-v

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßANorton Commander ,íA³,μ,“®ì,μ,È,ç,±,Æ,ª, ,è,Ü,·B
,±,ìfvfOf%of€,ìfAfbvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,íANorton Commander ,É<LÚ³,è,Ä,ç
,é»•ifTf|f[fg’<CEù,É-â,ç#,í,¹,Ä,,¾,¾,çB•Ä’,Å,íASymantec Corporation (+1 (800) 441-7234) ,É-
â,ç#,í,¹,Ä,,¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

d-v

,±,ìfvf[]Of%of€,íA^È'O,ìfo[]fWf#f“,ì Windows —p,ÉŠJ” ,³,ê,Ä,ç,é,½,ßA,±,ìfo[]fWf#f“,ì Windows
,Ä,í³,μ,“ @ì,μ,Ü,¹,ñB,±,ìfvf[]Of%of€,ðN“ ® , , ,é,Æ,«,É,íAŽÄs't,ì,Ü, ©,ìfvf[]Of%of€
,ìff[]f^ ,³•Û'¶,³,ê,Ä,ç,é,±,Æ,ðSm, ©,ß,Ä,,³/₄,³,çB
,±,ìfvf[]Of%of€,ìÚ×,É,Â,ç,Ä,íAfvf[]Of%of€,ìŠJ” CE³,É-â,ç#,í,¹,Ä,,³/₄,³,çB


d-v

,±,ìfvf[]fOf%of€ ,ð,±,ìfo[]fWf#f“ ,ì Windows ,ÅŽÀ[]s,μ,½[]ê[]#[]A[]³,μ,^ó[]ü,³,ê,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€ ,ìÚ[]×,É,Â,ç,Ä,Í[]Afvf[]fOf%of€ ,ìŠJ”Æ³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B


d-v

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Á,í[]³,μ,“@[]ì,μ,È,ç,±,Æ,², ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠJ”Æ³,É-â,ç[]‡,í,¹,Ä,,¾,³,ç[]B

d-v

ffBfXfvfCfC,ìÝ'è,É,æ,Á,Ä,íA,±,ìfvfOf%of€,í,±,ìfo[fWf+f“,ì Windows ,ÅŽÀs,Á,«,È,ç,±
,Æ,ª, ,è,Û,·B-â'è,ª<N,«,½ê±AfffBfXfvfCfC,ì•ŽìF,ìÝ'è,ð 256 F,Û,½,í 16 F,É•ì,ì,Ä,,¾,¾,çB
•ŽìF,ð•ì,ì,é•ù-@,ð•Žì,·,é,É,íA,±,ìf{f^f“ ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB
-â'è,ª%øðCE^,¾,è,È,çê±,íAfvfOf%of€,ìŠj”CE³,É-â,ç±,í,¹,Ä,,¾,¾,çB

d-v

ffBfXfvfCfC,ìÝ'è,É,æ,Á,Ä,íA,±,ìfvfOfof€,í,±,ìfo[fWf+f“,ì Windows ,ÅŽÀs,Å,«,È,ç,±
,Æ,ª, ,è,Û,·B-â'è,ª<N,«,½ê±AfffBfXfvfCfC,ì%øð'œ“x,ð 640 ~ 480 ,É•ï,!,Ä,,¾,¾,çB
ffBfXfvfCfC,ì%øð'œ“x,ð•ï,!,é•û-@,ð•\Ž!.,é,É,íA,±,ìf{f^f“ ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB
-â'è,ª%øðC^,ª,é,È,çê±,íAfvfOfof€,ìŠj”C³,É-â,ç±,í,¹,Ä,,¾,¾,çB

d-v


,±,ìfo[]fWf#f“,ì Windows ,Á,íA32 frfbfg flfbfgf[]fN<@“\,ªŠg’£,³,ê,½,½,ßA,±,ìfvf[]fOf%of€,í³,µ,-
“®ì,µ,È,ç,±,Æ,ª, ,è,Ü,·B,±,ìfvf[]fOf%of€,ðEp’±,µ,ÄŽg,¤•K—v,ª, ,éèè±,íAflfbfgf[]fN ðftfgfEjFfA,ð
Windows ,ìCf“fXfg[]f<’O,ÉŽg,Á,Ä,ç,½,à,ì,É,µ,Ä,,¾,¾,çBflfbfgf[]fN,ÉŠÖ,·,éí•ñ,É,Á,ç
,Ä,íAflfbfgf[]fNŠÇ—ŽÒ,É-â,ç±,í,¹,Ä,,¾,¾,çB
,±,ìfvf[]fOf%of€,ìÚ×,É,Á,ç,Ä,íAfvf[]fOf%of€,ìŠ”CE³,É-â,ç±,í,¹,Ä,,¾,¾,çB

d-v

,±,ìfo[fWf#f“,ì Windows ,Á,íA,³,Ü,´,Ü,ÈŽí—

p,ìfn[fhfEjFfA,ªCEŸo,Á,«,Ü,·Bfn[fhfEjFfA,đŠmŽÀ,ÉfZfbfgfAfbfv,·,é,É,íAfn[fhfEjFfA,ì'Ç

%oÁfEjBfU[fh,đŽg,Á,ÄAfhf%ofCfo,đfCf“fXfg[fç,µ,Ä,,¾,¾,çB

V,µ,çfn[fhfEjFfA,ìfZfbfgfAfbfv,ÉŠÖ,·,éí•ñ,đ•\Ž!,·,é,É,íA,±,ìf{f^f“  ,đfNfŠfbfN,µ,Ä,,¾,¾,çB

□d—v

,±,ìfvf□fOf%of€ ,É•t'® ,·,éfRf“fgf□□[f< fpflf< fv□fOf%of€ ,Á,í□Afn□[fhfEfFfA,ì□Ý'è,ð•ï,!,È,ç,Á,-
,¾,³,ç□Bfn□[fhfEfFfA,ì□Ý'è,ð•ï,!,é,É,í□AZÿ,ì,æ,æ,É,μ,Ü,·□B

fn□[fhfEfFfA,ì□Ý'è,ð•ï,!,é,É,í

- 1 [fXf^□[fg] f{f^f“ ,ðfNfŠfbfN,μ□A[□Ý'è] ,ðf|fCf“fg,μ,Ü,·□BŽÿ,É□A[fRf“fgf□□[f< fpflf<] ,ðfNfŠfbfN,μ,Ü,·□B
- 2 •ï□X,μ,½,çfn□[fhfEfFfA,ìfAfcRf“ ,ðf_fuf<fNfŠfbfN,μ,Ü,·□B
fRf“fgf□□[f< fpflf<,É-Ú“l,ìfn□[fhfEfFfA,ìfAfcRf“ ,è,È,©,Á,½□ê±,í□A[fvfxfef€] ,ðf_fuf<fNfŠfbfN,μ,Ü,·□B
- 3 •K—v,É%ž,¶,Ä□Ý'è,ð•ï,!,Ü,·□B

'□

- Še□€-Ú,ìfwf<fv,ð•\Ž!,·,é,É,í□Af_fCfAf□fO f{fbfNfX,ì%oE□ä,ì
? ,ðfNfŠfbfN,μ□A-Ú“l,ì□€-Ú,ðfNfŠfbfN,μ,Á,,¾,³,ç□B

d—v

,±,ìfvf[]fOf%of€,,ð,±,ìfo[]fWf+f“,ì Windows ,ÅŽÀ[]s,,é[]ê[]#,ì[]•ñ,É,Â,ç,Ä,Í[]AREADME.TXT
ftf@fCf<,ðŽQ[]Æ,μ,Ä,,¾,¾,¾,¾[]B

README.TXT ftf@fCf<,ðCEÿ[]ö,μ[]AŠJ,,É,Í

1 [fXf^[]fg] f{f^f“,ðfNfŠfbfN,μ[]A[CEÿ[]ö] ,ðf]fCf“fg,μ,Ü,·[]BŽÿ,É [ftf@fCf<,âftfHf<f_] ,ðfNfŠfbfN,μ,Ü,·[]B

2 [-¼'O] f{fbfNfX,Å[]AZÿ,ì,æ,æ,É“ü—Í,μ,Ü,·[]B

README.TXT

3 [‘T,·[]ê[]Š] f{fbfNfX,Å[]AWindows ,âfCf“fXfg[]f<,¾,¾,¾,¾,É,Ä,ç,éfhf%ofCfu,ð'I'ð,μ,Ü,·[]B,½,Æ,ì,ì[]A[C:]
,ð'I'ð,μ,Ü,·[]B

4 [CEÿ[]öŠ]Žn] ,ðfNfŠfbfN,μ,Ü,·[]B

•i[]“,ì README.TXT ftf@fCf<,ðCEÿ[]ö,¾,¾,¾,¾,É,Ä,ç,é,Ü,·[]B

5 Windows ,ðfCf“fXfg[]f<,μ,½ftfHf<f_,É, ,é README.TXT ftf@fCf<,ðfNfŠfbfN,μ,Ü,·[]B

6 README.TXT ftf@fCf<,Å[]A,±,ìfvf[]fOf%of€,,ì-¼'O,ðCEÿ[]ö,μ,Ü,·[]B

d—v

, ±, ì MS-DOS fvf[]fOf%of€ , í[]A, ±, ìfo[]fWf#f“ , ì Windows , ð“ <[]Ú, μ, ½, Ù, Æ, ñ, Ç, ìfRf“fsf...[]f^ , Å³, μ, -
“ @[]ì, μ, Ù, ·[]BŽg—p, μ, Å, ç, éfRf“fsf...[]f^ , Å³, μ, “ @[]ì, μ, È, ç[]é[]#, í[]A, ±, ìfvf[]fOf%of€ , ð MS-DOS
f, []f[]h, ÅŽÅ[]s, ·, é·K—v,ª , , è, Ù, ·[]BMS-DOS f, []f[]h, Å, í[]AWindows , ìf[]f, fŠ, ©, ç[]í[]œ,ª , è[]AMS-DOS
, ìŠÅ« ,ª []ì, ç, è, Ù, ·[]B

, ±, ìfvf[]fOf%of€ , ð MS-DOS f, []f[]h, ÅŽÅ[]s, ·, é, È, í

- 1 fvf[]fOf%of€ ,ª ŽÅ[]s’t, ì[]é[]#, í[]—¹, μ[]Af}fC fRf“fsf...[]f^ , Åfvf[]fOf%of€ , ìfAfCfRf“ , ð’T, μ, Ù, ·[]B
- 2 f}fEfX, ì%oEf{f^f“ , Åfvf[]fOf%of€ , ìfAfCfRf“ , ðfNfŠfbfN, μ[]A[fvf[]fOf%of€] , ðfNfŠfbfN, μ, Ù, ·[]B
- 3 [fvf[]fOf%of€] f^fu, ðfNfŠfbfN, μ[]A[[]Ú[]×[]Ý’è] , ðfNfŠfbfN, μ, Ù, ·[]B
- 4 [MS-DOS f, []f[]h] f ffbfNfX,ª f[]f“ , È, È, Á, Å, ç, é, ±, Æ, ðŠm, ©, ß, Ù, ·[]B
- 5 , ·, x, Å, ìŠ], ç, Å, ç, éf_fCfAf[]fO f{fbfNfX, Å [OK] , ðfNfŠfbfN, μ[]Afvf[]fOf%of€ , ð[]Å·N“ @, μ, Ù, ·[]B

d-v

,±,ìfvf[]fOf%of€,,ð,±,ìfo[]fWf#f",ì Windows ,ÅŽÀ[]s,,é,Æ[]AWindows
,ì" @ []ì,²•s^À'è,É,È,Á,½,è[]AWindows ,²[]³,μ,«N" @,μ,È,,È,Á,½,è,μ,Ü,·[]B,±,ìfo[]fWf#f",ì Windows
,Å,í[]A,±,ìfvf[]fOf%of€,,ðŽg,í,È,ç,±,Æ,ð,,[]\$,μ,Ü,·[]B
,±,ìfvf[]fOf%of€,,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,,ìŠJ" CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

d-v

,±,ìfo[]fWf#f“,,ì Windows ,Á,íA^È‘O,ìfo[]fWf#f“,,ì Windows ,Æ^Ù,È,èA’,çfvfŠf“f^-¼,ð•t,¯,é,±
,Æ,ª,Ä,«,Ü,·B,±,ì,½,ßAŽg—p’t,ìfvf[]fOf%of€,Ä,í“FŽ~,Ä,«,È,çfvfŠf“f^-¼,ª•t,¯,ç,é,é,±,Æ,ª, ,è,Ü,·B
-¼‘O,ª 14 •¶Žš,ð’!,,éflfbfgf[][]fN fvšf“f^,É^óü,.,é,Æ,«,É-â‘è,ªN,«,éê#.,íAflfbfgf[][]fN,ìŠÇ—
[]ŽÒ,É-¼‘O,ð•ì,!,,é,æ,æ,ÉÈ—Š,.,é,©AfvfŠf“f^ f[]fg,ðŠ,,è“-.,Ä,Ä,,¾,¾,çB
fvšf“f^ f[]fg,ìŠ,,è“-.,Ä,ìà-¾,ð•Ž!,.,é,É,íA,±,ìf{f^f“ ■ ,ðfNfŠfN,μ,Ä,,¾,¾,çB

d—v

,±,ì MS-DOS fvfOfOf%of€ ,ð³,µ,“®ì,³,¹,é,É,íAEMS fff,fš,ª•K—v,Å,·BQEMM ,Ü,½,í 386Max
,É,Ç,ìff,fš f}fìffWff,ðŽg—p,µ,Ä,ç,éèèèAEMS fff,fš,ðŽg—p,Å,« ,é,æ,æ,É,·,é•ù-@,É,Å,ç,Ä,íAfff,fš
f}fìffWff,É•t'® ,·,éf}ffj...fAfç,È,Ç,ðŽQAE,µ,Ä,,¾,¾,çBEmm386 ,ðŽg—p,µ,Ä,ç,éèèèè,íAZÿ,ì,æ,æ
,É,µ,Ä,,¾,¾,çB

EMM386.EXE,Å EMS fff,fš,ðŽg—p,Å,« ,é,æ,æ,É,·,é,É,í

- 1 ,±,ìf{f^f“ ■ ,ðNfšfbfN,µAfvfxfef€ fGfffbf^ ,ð<N“® ,µ,Ä,,¾,¾,çB
- 2 [fEfBf“fhfE] fffj...[.ì [CONFIG.SYS] ,ðNfšfbfN,µ,Ü,·B
- 3 [CONFIG.SYS] fEfBf“fhfE,ÅAEMM386.EXE ,ÉŠÖ,·,éqs,ª,È,çèèèè,íA1 □s-Ú,ÉŽÿ,ì,æ,æ,É“ü—í,µ,Ü,·B
Device=C:\Windows\Himem.sys
2 □s-Ú,ÉŽÿ,ì,æ,æ,É“ü—í,µ,Ü,·B
Device=C:\Windows\Emm386.exe
Himem.sys ,Ü,½,í Emm386.exe ,ª•É,ìftfHfçf_É, ,éèèèè,íA"C:\Windows"
,ì'ä,í,è,ÉAftf@fCfç,Ö,ìfpfX,ð“ü—í,µ,Ä,,¾,¾,çB
EMM386.EXE ,ÉŠÖ,·,éqs,ª ,éèèèè,íANOEMS ,Æ,ç,xfifvfVfjf“ ,ªŽw'è,³,è,Ä,ç,È,ç,±,Æ,ðŠm,©,ß,Ä,-
,¾,¾,çBNOEMS ,Æ,ç,xfifvfVfjf“ ,ªŽw'è,³,è,Ä,ç,éèèèè,íA,±,ìfifvfVfjf“ ,¾,¾,ðíœ,µ,Ä,,¾,¾,çB
- 4 [ftf@fCfç] fffj...[.ì [fvfxfef€ fGfffbf^ ,ì—¹] ,ðNfšfbfN,µ,Ü,·B
- 5 •ìX,ð•Ú'¶,·,é,½,ß,É [,í,ç] ,ðNfšfbfN,µ,Ü,·B
- 6 fRf“fsf...[f^ ,ðÄ<N“® ,µ,Ü,·BEMS fff,fš,ªfvfOfOf%of€ ,ÅŽg—p,Å,« ,é,æ,æ,É,È,è,Ü,·B

d—v

,±,ìfo[fWf#f“,ì Windows ,Á,íA,±,ìfvfŠf“f^ fhf%ofCfo,ífCf“fXfg[f<,Á,«,Ü,¹,ñBfvfŠf“f^,ì»‘¢€³,©,çfhf %ofCfo,đ“üŽè,·,é,©A,Ü,½,í,±,ìfo[fWf#f“,ì Windows ,É•t’®,·,éfhf%ofCfo,đfCf“fXfg[f<,μ,Ä,- ,¾,³,¢BWindows —p,ìfhf%ofCfo,đfCf“fXfg[f<,·,é,É,íAŽÿ,ì,æ,æ,É,μ,Ü,·B

Windows —p,ìfvfŠf“f^ fhf%ofCfo,đfCf“fXfg[f<,·,é,É,í

- 1 [fXf^ [fg] f{f^f“,đfNfŠfbfN,μA[é] ,đf]fCf“fg,μ,Ü,·BŽÿ,ÉA[fvfŠf“f^] ,đfNfŠfbfN,μ,Ü,·B
- 2 [fvfŠf“f^,ì’Ç%Á] ,đf_fuf:fvfŠfbfN,μ,Ü,·B
- 3 %æ-É,É•Ž!,³,é,éŽwŽ!,É],Á,Ä’€ì,μ,Ä,,¾,³,¢B

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,β[]ASETUP.EXE ,Á,Í Famous Places ,ðfCf"fXfg[f<,Á,«,È,-
,È,è,Ü,μ,½[]B'ä,í,è,É"~,lftfHf<f_É, ,é FPSETUP.EXE ,ðŽg,Á,Ä,,¾,¾,¾,¾[]BFPSETUP.EXE ,Á,Í[]AVideo for
Windows ,lfhf%ofCfo,¾•i[X,¾,è,½,½,β[]A•K-v,Èfhf%ofCfo,¾fRfs[][,¾,è,È,ç,±,Æ,¾, ,è,Ü,·[]B,±,ì-
â'è,É'í[]^ ,·,é,É,Í[]AFamous Places ,ðŽÀ[]s,·,é'O,É[]AZŽ,ì,æ,æ,É,μ,Ä,,¾,¾,¾,¾[]B

•K-v,Èftf@fCf<,ðfRfs[][,·,é,É,Í

- 1 ,±,ì[]à-¾,ðf[]f,,·,é,©[]A,Ü,½,í^ó[]ü,μ,Ü,·[]B
- 2 Famous Places ,lfZfbfgfAfbfv fv[]f[]Of%of€,ð[]l-¹,μ,Ü,·[]B
- 3 [fXf^[][fg] f{f^f" ,ðfNfŠfbfN,μ[]A[ftf@fCf<-¾,ðŽw'è,μ,ÄŽÀ[]s] ,ðfNfŠfbfN,μ,Ü,·[]B
- 4 [-¾'O] f{fbfNfX,Á[]AZŽ,ì,æ,æ,É"ü-í,μ,Ü,·[]B
command /c copy x:\indeo.driv %windir%\system /y
"x" ,É,Í[]ACD-ROM fhf%ofCfu,lhf%ofCfu-¾,ð"ü-í,μ,Ü,·[]B
- 5 [OK] ,ðfNfŠfbfN,μ,Ü,·[]BFamous Places ,í[]A[]¾,μ,"@[]i,·,é,æ,æ,É,È,è,Ü,·[]B

d—v

The Star Trek Interactive Technical Manual ,Á,íA"Windows" ,Æ,ç,æ-¼'O,ì•t,ç
,½ftfHfç_ÉfAjff[Vfçf" —p,ìftf@fCfç,çfCf"fxfg[çç,³,è,Ü,·BWindows ,ðfCf"fxfg[çç,µ,½ftfHfç_ì-¼'O,ç
"Windows" ,Á,É,ççéç,íAFAjff[Vfçf" —p,ìftf@fCfç,çç³,µ,"@çì,µ,Ü,¹,ñB,±,ì-
â'è,É'íç^,·,é,É,íAŽŸ,ì,æ,æ,É,µ,Ä,,¾,¾,ççB

Star Trek ,ìfAjff[Vfçf" —p,ìftf@fCfç,ðfRfs[ç,·,é,É,í

- 1 ,±,ìçà-¾,ðfçç,·,é,ççA^óçü,µ,Ü,·B
- 2 [fAfvfŠfP[Vfçf" ,ìŽÀçs] ,ðfNfŠfbfN,µAStar Trek Interactive Technical Manual ,ìfZfbfgfAfbfv fvççfOf
%çç,ðç—¹,µ,Ü,·B
- 3 fZfbfgfAfbfv fvççfOf%çç,çç—¹,µ,½,ççA[fXf^ççfg] f{f^f" ,ðfNfŠfbfN,µA[ftf@fCfç-¼,ðŽw'è,µ,ÄŽÀçs]
,ðfNfŠfbfN,µ,Ü,·B
- 4 [-¼'O] f{fbfNfX,ÁAŽŸ,ì,æ,æ,É"ü—í,µ,Ü,·B
command /c copy x:\qtw*. * %windir%\system /y
"x" ,É,íACD-ROM fhçççççç,ìfhçççççç-¼,ð"ü—í,µ,Ü,·B
- 5 [OK] ,ðfNfŠfbfN,µ,Ü,·B
- 6 fRf"fsf...çç^,ðçÄçN" @,µ,Ü,·BStar Trek Interactive Technical Manual ,çç³,µ,"@çì,·,é,æ,æ,É,È,è,Ü,·B

d-v

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,βA,±,lfvfOf%of€ ,ðŽÀs, ,é,Æ,« ,É,ÍAŽ-'O,É SYSTEM.INI
ftf@fCf<,ÉfRf}f"fh□s,ð'Ç%oÁ, ,é•K-v,ª ,è,Ü,·BŽŸ,ìŽè# ,ðf□f, ,é,©A,±,lfgfsfbfN,ì [^óü]
f{f^f" ,ðNfŠfbfN,μ,Ä^óü,μ,Ä,,¾,¾,ç□BfZfbfgfAfbfv,ªŠ@-¹,μ,½CEãAŽŸ,ì,æ,æ,É,μ,Ü,·B

SYSTEM.INI ftf@fCf<,ðC³,·,é,É,Í

- 1 ,±,lf{f^f" ■ ,ðNfŠfbfN,μ□AfVfXfef€ fGfffBf^ ,ð<N"® ,μ,Ä,,¾,¾,ç□B
- 2 [fEfBf"fhfE] f□fjf...□[.ì [SYSTEM.INI] ,ðNfŠfbfN,μ,Ü,·B
- 3 [386Enh] fZfNfVf#f" ,Éfj□[f< ,ð^Ú"® ,μ,Ü,·B
- 4 [386Enh] fZfNfVf#f" ,ÉŽŸ,ì□s,ð'Ç%oÁ,μ,Ü,·B
device=vwwsd.386
- 5 [ftf@fCf<] f□fjf...□[.ì [fVfXfef€ fGfffBf^ ,ì□-¹] ,ðNfŠfbfN,μ,Ü,·B
- 6 [,í,ç] ,ðNfŠfbfN,μ,Ä•iX,ð•Ü'¶,μ,Ü,·B
- 7 fRf"fsf...□[f^ ,ðÄ<N"® ,μ,Ü,·B
fvfOf%of€,ªŽÀs,Ä,« ,é,æ,æ,É,È,è,Ü,·B

d-v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ß**Ctrl** fL[,ð%öŸ,μ,È,è,ç **Q** fL[,ð%öŸ,μ,Ä,àAMartian
Memorandum ,ð|—¹,Ä,«,È,,È,è,Ü,μ,½**Alt** fL[,ð%öŸ,μ,È,è,ç **Space** fL[,ð%öŸ,μ,ÄA[•Ä,¶,é]
,ðNfŠfbfN,·,ê,îAfvf[fOf%of€ ,ð|—¹,Ä,«,Ü,·B

d-v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ß**Ctrl** fL[,ð%Ÿ,μ,È,ª,ç **Q** fL[,ð%Ÿ,μ,Ä,àAAamazon
Guardians of Eden ,ð|—¹,Ä,«,È,,È,è,Ü,μ,½**Alt** fL[,ð%Ÿ,μ,È,ª,ç **Space** fL[,ð%Ÿ,μ,ÄA[•Ä,¶,é]
,ðNfŠfbfN,·,ê,îAfvf[fOf%of€ ,ð|—¹,Ä,«,Ü,·B

d-v

Windows ,lfo [fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βACameraMan for Windows version 2.0 ,íŽÀs,Á,«,È,ç
%oÁ“\«,ª, ,è,Û,·B

,±,lfvf [Of%of€,)Úx,É,Á,ç,Ä,ÍACameraMan ,É<LÚ,³,ê,Ä,ç,é»•ifTf| [fg'<Œû,É-â,ç‡,í,¹,Ä,-
,¾,¾,çB•Ä' ,Á,ÍAMotion Works (“d~b +1 (604) 685-9975AWeb fTfCfg
<http://www.motionworks.com/>) ,É-â,ç‡,í,¹,Ä,,¾,¾,çB

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•ï[X,ì,½,βADragon's Lair ,lfZfbfgfAfbfv fvf[fOf%of€ ,ÍŽÀ[s,Á,«,È,ç
,±,Æ,ª, ,è,Û,·B,±,lfvf[fOf%of€,íADragon's Lair ,lftf@fCf<,ð CD-ROM ,©,çfn[fh
ffBfXfN,ÉfRfs[μ,Û,·BDRAGON.EXE ,ð'¼Ú CD-ROM ,©,ç<N"®,μ,Ä,,¾,¾,çBfv[fOf%of€
,ì<N"®fRf}f"fh,ð [fXf^[fg] fffj...[Û,½,í [fv[fOf%of€] fffj...[É'Ç%Á,Á,«,Û,·B
[fXf^[fg] fffj...[Û,½,í [fv[fOf%of€] fffj...[É<N"®fRf}f"fh,ð'Ç%Á,·,é•û-@,ð•Ž!,·,é,É,íA,±
,lf{f^f" ■ ,ðfNfŠfbfN,μ,Ä,,¾,¾,çB

d—v

fRf“fsf...[f^,É””l%%o%ŽZfvf[]ZfbfT,a“<Ú,³,è,Ä,ç,È,ç[]è[]#[]AShadowcaster ,Í[]AMS-DOS
f,[][fh,ÅŽÀ[]s,·,é•K—v,a, ,è,Û,·[]BfRf“fsf...[f^,É””l%%o%ŽZfvf[]ZfbfT,a“<Ú,³,è,Ä,ç,é,©,Ç,æ
,©,ª,í,©,ç,È,ç[]è[]#,Í[]AŽÀ[]s’t,Ífvf[]fOf%of€,Ìff[]f^,ð•Ú’¶,μ[]AShadowcaster ,ð<N“® ,μ,Û,·[]BfQ[][f€
,ª[]³,μ,ŽÀ[]s,³,è,½,ç[]AfRf“fsf...[f^,É,Í””l%%o%ŽZfvf[]ZfbfT,a“<Ú,³,è,Ä,“ ,è[]AZÏ,ìŽè[]#,ðŽÀ[]s,·,é•K—
v,Í, ,è,Û,¹,ñ[]BfQ[][f€,ª[]³,μ,ŽÀ[]s,³,è,È,ç[]è[]#,Í[]AfQ[][f€,ð MS-DOS f,[][fh,ÅŽÀ[]s,·,é,½,ß,É[]AZÏ,ì,æ,æ
,É,μ,Û,·[]BMS-DOS f,[][fh,Å,Í[]AWindows ,Íf[]f,š,© ,ç[]í[]œ,³,è[]AMS-DOS ,ìšÂ«« ,ª[]ì,ç,è,Û,·[]B

Shadowcaster ,ð MS-DOS f,[][fh,ÅŽÀ[]s,·,é,É,Í

- 1 fv[]fOf%of€,ªŽÀ[]s’t,ìè[]#,Í[]—¹,μ[]Af}fC fRf“fsf...[f^,Åfv[]fOf%of€,ÌfAfCfRf“ ,ð’T,μ,Û,·[]B
- 2 f}fEfX,ì%Ef{f^f“ ,Å[]Afvf[]fOf%of€,ÌfAfCfRf“ ,ðfNfšfbfN,μ[]A[fv[]f[]pfefB] ,ðfNfšfbfN,μ,Û,·[]B
- 3 [fv[]fOf%of€] f^fu,ðfNfšfbfN,μ[]A[[]Ú×[]Ý’è] ,ðfNfšfbfN,μ,Û,·[]B
- 4 [MS-DOS f,[][fh] f^f[]fbfN f{fbfNfX,ª[]f“ ,É,È,Á,Ä,ç,é,±,Æ,ðšm,© ,ß,Û,·[]B
- 5 ,·,x,Ä,ìš],ç,Ä,ç,é,f_CfAf[]fO f{fbfNfX,Å [OK] ,ðfNfšfbfN,μ[]Afvf[]fOf%of€,ð[]Ä<N“® ,μ,Û,·[]B

d—v

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•i[X,ì,½,β[ATimeActivator ,ðfCf" fXfg [f<, ,é'O,É 2 ,À,ìftf@fCf<,ì-¼'O,ð•İ,ì,é•K—v,ª, ,è,Ü,·[B ^É%º,ì'€[,ð,µ,È,ç[é[#,í[ATimeActivator ,lZfbfgfAfbfv fv[Of%of€,í[³,µ,-[s,í,è,È,ç,±,Æ,ª, ,è,Ü,·[B

TimeActivator ,ðfCf" fXfg [f<, ,é,É,í

1 [fXf^ [fg] f{f^f" ,ðfNfŠfbfN,µ[A[CEÿ[ö] ,ðf]fCf" fg,µ,Ü,·[BŽŸ,É[A[ftf@fCf<,âftfHf<f_] ,ðfNfŠfbfN,µ,Ü,·[B

2 [-¼'O] f{fbfNfX,Å[AŽŸ,ì,æ,ª,É"ü—í,µ[A[CEÿ[öŠ]Žn] ,ðfNfŠfbfN,µ,Ü,·[B
ODBC*

3 \WINDOWS\SYSTEM ftfHf<f_ ,É ODBC.DLL ,Æ ODBCINST.DLL ,Æ,ç,µftf@fCf<,ª, ,é,± ,Æ,ðŠm,©,β,Ü,·[BWindows ,ðfCf" fXfg [f<,µ,½ftfHf<f_ª "WINDOWS" ,À,È,ç[é[#,í[A•É,ìftfHf<f_ª\Ž!,ª,è,Ü,·[B

4 ODBC.DLL ftf@fCf<,ðf]fCf" fg,µ[A[ftf@fCf<] f[ffj... [,ðfNfŠfbfN,µ,Ü,·[B

5 [-¼'O,ì•i[X] ,ðfNfŠfbfN,µ[AŽŸ,ì,æ,ª,É"ü—í,µ,Ü,·[B
ODBC.BAK

6 **Enter** fL[,ð%Ÿ,µ[AODBCINST.DLL ftf@fCf<,ðf]fCf" fg,µ,Ü,·[B

7 [ftf@fCf<] f[ffj... [,ì [-¼'O,ì•i[X] ,ðfNfŠfbfN,µ,Ü,·[B

8 ŽŸ,ì,æ,ª,É"ü—í,µ[A**Enter** fL[,ð%Ÿ,µ,Ü,·[B
ODBCINST.BAK

9 TimeActivator ,lZfbfgfAfbfv fv[Of%of€,ð<N"® ,µ,Ü,·[BfCf" fXfg [f<,í[A[³,µ,Š®—¹, ,é,æ,ª ,É,È,è,Ü,·[B

d—v

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,β Aalstair and the Alien Invasion ,íA³,μ,-
fCf" fXfg [f<,³,è,É,ç,±,Æ,³, ,è,Ü,·BAlistair and the Alien Invasion ,ðfZfbfgfAfbfv,·,é,É,íAŽÿ,ì,æ,κ
,É,μ,Ü,·B,±,è,É,æ,Á,ÄAWindows ,íAfZfbfgfAfbfv fv [fOf%œfÉ Windows ,lfo [fWf#f" ,ð 3.1
,Æ•Ö,·,æ,κ,É,è,è,Ü,·B

Alistair and the Alien Invasion ,ðŽÀs,Á,«,é,æ,κ,É,·,é,É,í

- 1 ,±,ìf{f^f" ■ ,ðfNfŠfbfN,μAfVfXfef€ fGfffBf^ ,ð<N"® ,μ,Ä,,¾,³,çB
- 2 [fEfBf"fhfE] f [fjf... [ì [WIN.INI] ,ðfNfŠfbfN,μ,Ü,·B
- 3 [Compatibility] fZfNfVf#f" ,Éf [fVf<,ð^Ú"® ,μ,Ü,·B
- 4 [Compatibility] fZfNfVf#f" ,ÉŽÿ,ìs,ð'Ç%Á,μ,Ü,·B
DSHELL=0x00200000
- 5 [ftf@fCf<] f [fjf... [ì [fVfXfef€ fGfffBf^ ,ì|—¹] ,ðfNfŠfbfN,μ,Ü,·B
- 6 [í,í,ç] ,ðfNfŠfbfN,μ,Ä WIN.INI ftf@fCf<,ì•iX,ð•Ü'¶,μ,Ü,·B
- 7 [fAfVfŠfP [fVf#f" ,ìŽÀs] ,ðfNfŠfbfN,μ Aalstair Alien Invasion ,lfZfbfgfAfbfv,ð'±s,μ,Ü,·B
- 8 Žè# 1 □` 6 ,ðœj,è•Ö,μ,Ü,·B,½,¾,μAŽè# 4 ,Á,íAWIN.INI ftf@fCf<,É'Ç%Á,μ,½s,ðiœ,μ,Ü,·B

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ß Intel Pro Share ,Å 32 frfbfg fvf[fOf%of€
,©,çCf[fW,ðfLfffvf`ff,; ,é,Æ[A-à'è,ªN,« ,é,±,Æ,ª , ,è,Û,·B16 frfbfg fvf[fOf%of€,Æ 32 frfbfg fvf[fOf
%of€,íA^Û,É,éó'Ô,ÅŽÀs,³,ê,Ä,ç,é,©,ç,Å,·B32 frfbfg fvf[fOf%of€
,©,çCf[fW,ðfLfffvf`ff,; ,é,É,íAflfffvf`ff-ì^æ,ì`%æ,ð 16 frfbfg fvf[fOf%of€,ì"à'α
,©,çŽn,ß,Û,·Bft[fU[,ª` ,'•ûCE` ,É,í 32 frfbfg,lfvf[fOf%of€,àŠÛ,ß,é,±,Æ,ª,Å,« ,Û,·ªA16
frfbfg,lfvf[fOf%of€,©,çŽn,ß,é•K-v,ª , ,è,Û,·B

□d—v

,±,ìfo□[fWf#f“,ì Windows ,ìŽÀ□s’t,É IBM ThinkPad —p,ìfi□[fffBfi fhf%ofCfo,đfCf“fXfg□[f<, ,é□ê□#□A□³,μ,-
fCf“fXfg□[f<, ,é,É,í□AfCf“fXfg□[f< fv□fOf%of€,đ 2 “xŽÀ□s, ,é•K—v,^², ,è,Û, :□B

d—v

Sierra On-Line ,ì Front Page Sports Football Pro ,í Afvf Of%€ ,đ MS-DOS f, [fh, ÅŽÀ s, , , é, É, í %°¹, º³, µ, Ä ¶, ³, è, Û, ¹, ñ BMS-DOS f, [fh, Å, í A, ±, ì fo [fWf†] ,ì Windows , ì f, fŠ, ©, ç í œ, ³, è AMS-DOS , ì Š Å «, º, ç, è, Û, · B

Front Page Sports Football Pro ,đ MS-DOS f, [fh, ÅŽÀ s, , , é, É, í

- 1 ŽÀ s 't, ì v f Of%€ ,đ |—¹, µ Af } fC fRf " f sf ... [f ^ , Å Front Page Sports Football Pro , ì v f Of%€ , ì f AfCfRf " , đ 'T, µ, Û, · B
- 2 f } f EfX, ì % Ef { f ^ f " , Å Afvf Of%€ , ì f AfCfRf " , đ fNfŠfbfN, µ A [fvf p p f efB] , đ fNfŠfbfN, µ, Û, · B
- 3 [fvf Of%€] f ^ fu, đ fNfŠfbfN, µ A [Ú × Y ' è] , đ fNfŠfbfN, µ, Û, · B
- 4 [MS-DOS f, [fh] f f f b f N f { f b f N f X, º f l f " , É, È, Á, Ä, ç, é, ±, Æ, đ Š m, ©, ß, Û, · B
- 5 , , x, Ä, ì Š, ç, Ä, ç, é f C f Af Of f { f b f N f X, Å [OK] , đ fNfŠfbfN, µ Afvf Of%€ , đ Å « N " ®, µ, Û, · B

d-v

,±,ìfQ[f€,íAfvfOf%œ,đ—¹,μ,½Eă,É%ž“š,³È,,È,Á,½,æ,π,ÉE©,!,é,±,Æ,³,è,Ü,·B,±
,ìé±,íAfffBfXfN,ì“@ì,³—¹,·,é,ì,đ'Ò,Á,Ä,©,çAA**Alt** fL[,đ%Ÿ,μ,É,³ç **Space** fL[,đ%Ÿ,μA[•Â,¶,é]
,đNfŠfbfN,μ,Ü,·B

Ú×,É,Â,ç,Ä,íA,±,ìfQ[f€,É<LÚ,³è,Ä,ç,é»•iftf|fg'<Eû,É-â,ç±,í,¹,Ä,,³/₄,³,çB•Ä',Á,íACUC
Software (+1 (800) 757-7707) ,É-â,ç±,í,¹,Ä,,³/₄,³,çB,Ü,½,íACUC Software ,ì Web fTfCfçg
<http://www.cucsoftware.com> ,đŽQÆ,μ,Ä,,³/₄,³,çB

d—v

AUTOEXEC.BAT ftf@fCf<,ì path fRf}f“fh,Å 128 •¶Žš,ð’ ,ì,éšÅ««•¶Žš—ñ,ª¶Ý’è,³,è,Ä,ç,é,Æ□ALotus
cc:Mail for Windows version 2.x , ,æ,Ñ,»,è^È’O,ìfo□[fWf#f“ ,í□A,±,ìfo□[fWf#f“ ,ì Windows ,Ä□³,µ,-
“@ì,µ,Ü,¹,ñ□B^È’O,ìfo□[fWf#f“ ,ì cc:Mail ,ðŽg—p,Ä,«,é,æ,æ,É, ,é,É,í□Apath fRf}f“fh,Å¶Ý’è,µ,Ä,ç
,éšÅ««•ì□”,ð 128 •¶Žš^È“à,É,µ,Ü,·□BŽŸ,ì,æ,æ,É,µ,Ä,,³/4,³,ç□B

path fRf}f“fh,Å¶Ý’è,µ,Ä,ç,é•ì□”,ð’Z,,·,é,É,í

- 1 ,±,ìf{f^f“ □ ,ðfNfŠfbfN,µ□AfvfXfef€ fGfffBf^ ,ð<N“@ ,µ,Ä,,³/4,³,ç□B
- 2 [fEfBf“fhfE] f□fjf...□[,ì [Autoexec.bat] ,ðfNfŠfbfN,µ,Ü,·□B
- 3 path fRf}f“fh,Éfj□[fVf<,ð^Ú“@ ,µ,Ü,·□Bpath fRf}f“fh,Ä,í□AšefffBfçEfNfgfŠ,ìfZf~fRf□f“ (;)
,Ä<æ□Ø,ç,è,Ä,ç,Ü,·□B
- 4 Šù,ÉfRf“fsf...□[f^ ,©,ç□í□œ,³,è,½fvf□fOf%of€,â ,Ü,èŽg,í,È,çfvf□fOf%of€,ìfffBfçEfNfgfŠ,ð□í□œ,µ,Ü,·□B
- 5 [ftf@fCf<] f□fjf...□[,ì [fvfXfef€ fGfffBf^ ,ì□|—¹] ,ðfNfŠfbfN,µ,Ü,·□B
- 6 [,í,ç] ,ðfNfŠfbfN,µ,Ä AUTOEXEC.BAT ftf@fCf<,ì•ì□X,ð•Ù’¶,µ,Ü,·□B
- 7 fRf“fsf...□[f^ ,ð□Ä<N“@ ,µ□Acc:Mail for Windows version 2.0 ,ðŽÀ□s,µ,Ü,·□B
,±,ìfo□[fWf#f“ ,ì Windows —p,ÉŠ]” ,³,è,½ cc:Mail ,É,Ä,ç,Ä,í□Afvf□fOf%of€,É<L□Ú,³,è,Ä,ç,é□»•ifTfj
□[fg’<œù,É-â,ç□# ,í,¹,Ä,,³/4,³,ç□B•Ä□’,Ä,í□ALotus Development Corporation (+1 (800) 343-5414) ,É-
â,ç□# ,í,¹,Ä,,³/4,³,ç□B,Ü,½,í□ALotus ,ì Web fTfCfG <http://www.lotus.com> ,ðŽQ□Æ,µ,Ä,,³/4,³,ç□B

d—v

Windows ,\fo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f“,ì ClickBook ,í“®ì,μ,È,ç,±
,Æ,ª, ,è,Û,·B,±,\fo[fWf#f“,ðŽg,α,ÆAfrf“fsf...[f^,ª%ž“š,μ,È,,È,é,±,Æ,ª, ,è,Û,·B
,±,\fvf[fOf%of€,\fAfbfvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,íAClickBook ,É<LÛ,ª,è,Ä,ç,é»•ifTf|
[fg’<CEù,É-â,ç#í,¹,Ä,,¾,³,çB

d-v

Windows ,\fo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f“,ì Lucid Corp. ,ì Lightning ,ÍŽÀs,Á,«,È,ç
%oÂ“\«,ª, ,è,Û,:B

,±,\fvf[fOf%of€,)\Úx,É,Á,ç,Ä,ÍALightning ,É<LÚ,³,ê,Ä,ç,é»•ifTf[f'g'<Œû,É-â,ç#,í,¹,Ä,-
,¾,¾,çB•Ä',Á,ÍALucid Corp. (+1 (800) 967-5550) ,É-â,ç#,í,¹,Ä,,¾,¾,çB,Û,½,ÍALucid ,ì Web fTfCfçg
<http://www.lucidcorp.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

d—v

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βAMicrosoft f}fEfX fhf%ofCfo fo[fWf#f“ 9.01 ,lfCf“fXfg[f< fvf[fOf%of€,íA³,μ,“@ì,μ,È,ç,±,Æ,³, ,è,Ü,·B,±,ì-â'è,É'í^,·,é,É,íAIntelliPoint 1.10 ,lfhf %ofCfo,đfCf“fXfg[f<,μ,Ä,,¾,³,çB

d-v

dBASE version 5.0 ,đ,±,łfo[fWfj“ ,ì Windows ,ĂŽÀ□s,μ,½□ê□±,É<N,« ,éŠm”F□İ,Ý,ì-â’è,Æ□A,» ,ìí□^•û-@,đ^è— ,ĂŽİ,μ,Û,·□B,±,ì□İ•ñ,ì□ABorland International ,©,ç’ñ<ÿ,³,ê,Û,μ,½□B

-â’è fvf□fOf%œ€ ,â’ ,çftf@fCf<-¼,łffBfçEfnfgfŠ,É ,é□ê□±□ARUN() ,ĂŽÀ□s,Ă,« ,Û,¹,ñ□B

‘í□^ dBASE version 5.0 for Windows ,í□AWindows 3.1 ,Ă“ @□İ,·,é,æ,±,ÉŠJ” ,³,ê,Ă,ç,é,½,ß□A,±,ì,æ,±,É-â’è,â<N,« ,Û,·□B,½,¾,μ□A’ ,çftf@fCf<-¼,łffBfçEfnfgfŠ,đ dBASE ,Ă”FŽ” ,³,ê,é 8 •łŽŠ,łffBfçEfnfgfŠ-¼,Æ,·,é,©□ARUN() ŠÖ□” ,đŽg,±’O,É’ ,çftf@fCf<-¼,đŽ□,ĂffBfçEfnfgfŠ,đ“K□Ø,É-¼’O,É•İ,ì,ê,ì□A,± ,é,É’í□^ ,Ă,« ,Û,·□BftfçfpfX,í•K—v , ,è,Û,¹,ñ□B

-â’è ftfH□[f€ ,đ□Ă□-%œ» ,μ,½,è□A□Ă’â%œ» ,μ,½,è,·,é,Æ□AfCfxf“fg ,â-³çø,É,È,Ă,Ă,μ,Û,ç ,Û,·□B,½,Æ,ì,ì□ASAMPLES fffBfçEfnfgfŠ,ì ANIMALS.WFM ,Ă<N,±,è,Û,·□B

‘í□^ dBASE version 5.0 for Windows ,í□AWindows 3.1 ,Ă“ @□İ,·,é,æ,±,ÉŠJ” ,³,ê,Ă,ç,é,½,ß□A,±,ì,æ,±,É-â’è,â<N,±,è,Û,·□B,±,ì-â’è,É,ì□A’í□^•û-@ ,â,É,ç,±,Æ,âŠm,© ,ß,ç,ê,Ă,ç,Û,·□B

-â’è fffofbfK ,â“ @□İ,μ,Û,¹,ñ□B

‘í□^ fffofbfK,ì□ADEFAULT.CFG ftf@fCf< ,â“K□Ø,ÉfZfbfgfAfbfv ,³,ê,Ă,ç,é,ì□A□³,μ,“ @□İ,μ,Û,·□BdBASE version 5.0 for Windows ,í□AWindows 3.1 ,Ă“ @□İ,·,é,æ,±,ÉŠJ” ,³,ê,Ă,ç,é,½,ß□A,±,ì,æ,±,É-â’è,â<N,±,è,Û,·□B,±,ì-â’è,â<N,« ,½□ê□±,ì□ADEFAULT.CFG ftf@fCf< ,đ□İ,éfvf□fOf%œ€ ,É,Ă,ç,Ă Borland International ,É-â,ç□±,í,¹,é,©□A,±,łftf@fCf< ,â,É,ç,© Borland BBS ,ĂŠm,© ,ß,Ă,¾,¾,ç,ç□B

-â’è Command Window ,ìŠù’èftfHf“fg ,đ•İ,ì,é,Æ□AdBASE ,â•s^À’è,É,È,è□A”dBASE May Have Become Unstable” ,Æ,ç,±f□fbfZ□[fW ,â•łŽİ,³,ê,Û,·□B

‘í□^ Command Window ,łftfHf“fg ,í•ì□X,Ă,« ,Û,·□B,½,¾,μ□ADBASEWIN.INI ftf@fCf< ,ì [CommandWindow] fzfnfvfj“ ,Ă•ì□X,·,é•K—v ,â , ,è,Û,·□B^È%œ°,ì□A13 flfCf“fg ,ì Arial ftfHf“fg ,đ [CommandWindow] fzfnfvfj“ ,É’ç%œÁ,μ,½—á,Ă,·□B

InputPaneFont = Arial, 13

ResultsPaneFont = Arial, 13

dBASE version 5.0 for Windows ,í□AWindows 3.1 ,Ă“ @□İ,·,é,æ,±,ÉŠJ” ,³,ê,Ă,ç,Û,·□B

-â’è ŽQ□Æ,Ă□A%œæ-É,ì%œE’[,đf}fEfx ,ì%œEf{f^f” ,ĂfnfŠfbfn ,·,é,Æ□AdBASE ,â%œž“š,μ,È, ,È,è,Û,·□B

‘í□^ dBASE version 5.0 for Windows ,í□AWindows 3.1 ,Ă“ @□İ,·,é,æ,±,ÉŠJ” ,³,ê,Ă,ç,é,½,ß□A,±,ì,æ,±,É-â’è,â<N,±,è,Û,·□B,±,ì-â’è,É,ì□Aç»□Ý,ì,Æ,±,é’í□^•û-@ ,â,É,ç,±,Æ,âŠm”F ,³,ê,Ă,ç,Û,·□B

,±,łfo□[fWfj“ ,ì Windows ,É’í%œž,μ,½ dBASE ,đ“ùŽè,·,é•û-@,É,Ă,ç,Ă,ì□ABorland International ,É-â,ç□±,í,¹,Ă,¾,¾,ç□B•Ă□’ Borland International ,Ö,łfAfnfzfx•û-@,ì□AŽÿ,ì,Æ, , ,è,Ă,·□B

fAfnfzfx•û-@	“d~b”Ô□İ,Û,½,łfRf}f “fh
d~b	+1 (800) 331-0877 +1 (408) 431-1064
BBS	+1 (408) 431-5096
fefnfjffç ftf □[fg	+1 (408) 461-9123
CompuServe	GO Borland
Web ftfCfg	http:// www.borland.com/

d-v

,±,ìfo[]fWf#f“,ì Windows ,Á,íffBfXfvfCfC fhf%ofCfo,Šg'£,³,ê,½,½,ß[]AffBfXfvfCfC,ì%øð'œ“x,ª 640
~ 480 ^ÈŠO,ìé#[]A,±,ìfvf[]fOf%of€,í³,μ,“ © []i,μ,Ü,¹,ñ[]B
ffBfXfvfCfC,ì%øð'œ“x,ð•ì,ì,é•û-@,ð•\Ž!,·,é,É,í[]A,±,ìf{f^f“ ■ ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç[]B

d-v

Perceive Personal OCR for Hand Scanners, Windows 3.1 —p,ÉŠ”-
Windows ,Á,í³,μ,“©,μ,È,ç,±,Æ,³, ,è,Û,·B

MaxSoft-Ocron, Inc. (4110 Clipper Court, Fremont, CA 94538,
USA “d~b +1 (800) 933-1399 Web fTfCfg <http://www.maxsoft-ocron.com>) ,É-â,ç,í,¹,Ä,,¾,³,çB

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,βADragon Systems Inc. ,l ExecuVoice ,l"®ì,μ,È,ç,±
,Æ,³, ,è,Û,·BExecuVoice ,đŽg,ϣ,ÆA^ê"Ê•ÛCÈì^á"½,lfGf%o[l,³<N,«AWindows ,³%ž"š,μ,È,,È,é,±
,Æ,à, ,è,Û,·B

,±,lfvf[fOf%of€,ìÚx,É,Â,ç,Ä,íA,±,lfvf[fOf%of€,É<LÚ,³,è,Ä,ç,é»•ifTf|[fg'<CÈù,É-â,ç#,í,¹,Ä,-
,¾,³,çB•Ä',Ä,íADragon Systems Inc. ("d~b +1 (800) 825-5897A+1 (617) 965-5200AWeb fTfCfg
<http://www.naturalspeech.com>) ,É-â,ç#,í,¹,Ä,,¾,³,çB

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßAAAt Your Service ,í" ©i,μ,È,ç,±,Æ,ª, ,è,Ü,·B,Ü,½A,±
,lfvf[fOf%of€É,æ,Á,ÄAWindows ,ª³,μ," ©i,μ,È,,È,é,±,Æ,à, ,è,Ü,·B
,±,ì,½,ßA,±,lfvf[fOf%of€,ÍfCf"fxfg[f<,μ,È,ç,±,Æ,ð,,s,μ,Ü,·BMicrosoft ,Å,ÍA,±,lfvf[fOf%of€
,lfAfbvfOfCE[fh,ÉŠÖ,,éi•ñ,ð"üŽè,Á,«,Ü,¹,ñ,Å,μ,½B,±,ì,½,ßA,±,lfvf[fOf%of€
,ªfAfbvfOfCE[fh,ª,è,È,çé#iA,±,lfo[fWf#f",ì Windows —p,ÉŠJ",ª,è,½"~—l,lfvf[fOf%of€,ð"üŽè,,é,±
,Æ,ð,,s,μ,Ü,·B

d-v

GroupWise Coaches ,đŽg,æ,Æ[Af}fEfX f|fCf“f^,af[]fj...[] fo[][,É^Ú“® ,µ[Af}fEfX,lfNfŠfbfN,lfVf~f... fCE[]fVf#f“ ,āŽÀ[]s,³,ê,Û,·[]BGroupWise version 4.1 ,đŽÀ[]s,·,é,Æ[]A,±,lf[]fWf#f“ ,ì Windows ,lf[]fj... [][,ĀŽg,í,ê,Ā,ç,éftfHf“fg,ā^È'O,lf[]fWf#f“ ,ì Windows ,Æ,í^Û,È,é,½,ß[]A,±,ì“®[] ,ā,æ,Û,<@“\,µ,È,ç,± ,Æ,ā ,è,Û,·[]B,Û,½[]Af}fEfX,lfNfŠfbfN,lfVf~f...fCE[]fVf#f“ ,í[]ACEë,Ā,½f[]fj...[][,Ā[]s,í,ê,é,½,ß[]ACoach ,ā^āŽ~ ,µ,Û,·[]B,±,ì-â'è,É'í[]^ ,·,é,É,í[]AZÿ,ì,æ,æ,É,µ,Ā,,³/4,³,ç[]B

f[]fj...[][,ĀŽg,æftfHf“fg,đ•ĭ,í,é,É,í

- 1 ,±,lf{f^f“ ■ ,đfNfŠfbfN,µ[]A[%œ-È,lfvf[]fpefB] f_fCfAf[]fO f{fbfNfX,đŠ},« ,Û,·[]B
- 2 [fffUfCf“] f^fu,đfNfŠfbfN,µ,Û,·[]B
- 3 [Žw'è,·,é“•ā] ,ì^ê—,Ā [f[]fj...[]] ,đfNfŠfbfN,µ,Û,·[]B
- 4 [ftfHf“fg] ,ì^ê—,Ā [System] ,đfNfŠfbfN,µ,Û,·[]B
- 5 [OK] ,đfNfŠfbfN,µ,Û,·[]B

d—v

Intel ,ì LANDesk version 2.0 ,É•t'® ,: ,é Meterwin <@"\,ðŽg,æ,Æ□AWindows ,ª%ž“š,µ,È,,È,é,± ,Æ,ª , ,è,Û,·□B,±,ì-â'è,É'í□^ ,: ,é,É,í□Afrf“fsf...□[f^ ,ð<N“® ,: ,é,½,Ñ,ÉŽÀ□s,ª,è,évf□□Of%of€ ,ð□í□œ,· ,é•K— v,ª , ,è,Û,·□B

METERWIN.EXE ,ªŽ©“®“I,ÉŽÀ□s,ª,è,È,ç,æ,æ,É,· ,é,É,Í

- 1 ,±,ìf{f^f“ □ ,ðfNfŠfbfN,µ□AfvfXfef€ fGfffBf^ ,ð<N“® ,µ,Ä,,¾,¾,ç□B
- 2 [fEfBf“fhfE] f□ffj...□[.ì [WIN.INI] ,ðfNfŠfbfN,µ,Û,·□B
- 3 [Windows] fZfNfVf†f“ ,Éfj□[f^ ,ð^Ú“® ,µ,Û,·□B
- 4 METERWIN.EXE ,Æ,ç,æftf@fCf<-¼,ª "Load=" ,Û,½,Í "Run=" ,ì,ç,, ,é,©,ì□s,É<L□q,ª,è,Ä,ç,Û,·□B,±,± ,Äftf@fCf<-¼,ð□í□œ,µ,Û,·□B
- 5 [ftf@fCf<] f□ffj...□[.ì [fvfXfef€ fGfffBf^ ,ì□I—¹] ,ðfNfŠfbfN,µ,Û,·□B
- 6 [,ì,ç] ,ðfNfŠfbfN,µ,Ä WIN.INI ftf@fCf<,ì•í□X,ð•Û'¶,µ,Û,·□B
- 7 frf“fsf...□[f^ ,ð□Ä<N“® ,µ,Û,·□B

d—v

Novell NetWare User Tools ,íAMicrosoft ,ì NetWare flfbfgf[]fN fNf%ofCfAf“fg,Á,íŽg—
p,Á,«,Ü,¹,ñBNovell NetWare User Tools ,Á,íANetWare fT[]fo[],ÉÚ±,·,é,¹/₂,ß,ÉA“Á’è,ìf_CfAf[]fO
f{fbfNfX,^aŽg,í,è,Ä,ç,Ü,·BMicrosoft ,ì 32 frfbfg NetWare flfbfgf[]fN fNf%ofCfAf“fg,Á,íA,±
,é,ç,ìf_CfAf[]fO f{fbfNfX,đfTf|[]fg,μ,Ä,ç,Ü,¹,ñBNovell NetWare User Tools ,đEp’±,μ,ÄŽg,π•K—
v,^a ,éê±,íA,±,ìfo[]fWf±f“,ì Windows ,đfCf“fXfg[]f<,·,é‘O,ÉŽg,Á,Ä,ç,¹/₂flfbfgf[]fN fftfgfEfFfA,đŽg—
p,μ,Ä,³/₄,³,çBÚ×,É,Á,ç,Ä,íAflfbfgf[]fNŠÇ—ŽÒ,É-â,ç±,í,¹,Ä,³/₄,³,çB

d-v

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA1995 "N,æ,è'O,É,ç,è,½fZfbfgfAfbfv fvf [fOf%of€
,íA³,µ,"@,µ,É,ç,±,Æ,ª, ,è,Ü,·B,±,è,ç,lfZfbfgfAfbfv fvf [fOf%of€,Ä,íA [fCf" fvf [fOf%of€
,ìftfHf<f_,ÆfAfcRf",ª,ç,è,É,ç,±,Æ,ª, ,è,Ü,·B,±,ì-à'è,É'í^, ,é,É,íAŽŸ,ì,æ,æ,É,µ,Ä,,¾,¾,çB

,±,ìfvf [fOf%of€,ìftfHf<f_,ÆfAfcRf",ð,è,é,É,í

1 ,±,ìŽè,ðf, ,é,©A,Ü,½,í^óü,µ,Ü,·B

2 fZfbfgfAfbfv fvf [fOf%of€,ð'±s,µ,Ü,·B

3 fZfbfgfAfbfv fvf [fOf%of€,ªŠ@-¹,µ,½,çAfcRf"fsf... [f^,ðÄ·N" @,µ,Ü,·B

4 [fXf^ [fg] f {f^f",ðNfŠfbfN,µA [ftf@fcf<-¼,ðŽw'è,µ,ÄŽÀs] ,ðNfŠfbfN,µ,Ü,·B

5 [-¼'O] f {fbfNfX,ÄAŽŸ,ì,æ,æ,É"ü-í,µ,Ü,·B

grpconv

6 [OK] ,ðNfŠfbfN,µ,Ü,·B

GrpConv fvf [fOf%of€,ªŠ@-¹,µ,½,çA [fXf^ [fg] f {f^f",ðNfŠfbfN,µA [fvf [fOf%of€] ,ðf [fcf"fg,µ,Ü,·B,ç
,,Ä,©,ìf [ffj... [í^è---,ª•\Ž!,ª,èA [æ'ó] - ,µ,½ "Pilgrim" ,Æ,ç,æf [ffj... [à•\Ž!,ª,è,Ü,·B [Pilgrim] ,ðf
fcf"fg,µA·N" @, ,éfvf [fOf%of€,ìfAfcRf",ðNfŠfbfN,µ,Ü,·B

d-v

,±,ìfo[]fWf#f“,ì Microsoft Excel ,í[]A,±,ìfo[]fWf#f“,ì Windows ,ÉŠ®‘S,É‘í%ž,μ,Ä,ç,Û,¹,ñ[]B[^ó[]ü] fRf}f“fh,“,æ,Ñ [^ó[]üfvfÆfjf...[][] fRf}f“fh,ðŽg,ϖ,Æ[]AExcel ,ì%ž“š,â‘âŽ~,·,é,±,Æ,â, ,è,Û,·[]B

,±,ì-â‘è,ì‘[]^·ù-@,É,Â,ç,Ä,í[]AExcel ,É<L[]Ú,³,è,Ä,ç,é[]»•ifTf[]f’<Æù,É-â,ç[]#,í,¹,Ä,-³/₄,³,ç[]B•Ä[]‘,Ä,í[]AMicrosoft (+1 (800) 426-9400) ,É-â,ç[]#,í,¹,Ä,,³/₄,³,ç[]B,Û,¹/₂,í[]AMicrosoft ,ì Web fTfCf g <http://www.naturalspeech.com> ,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[][fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠJ”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠJ”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,³/₄,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€ ,í[]A,±,ìfo[]fWf#f“ ,ì Windows ,Å,í[]³,μ,“ ©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€ ,ìÚ[]×,É,Å,ç,Ä,í[]Afvf[]fOf%of€ ,ìŠ]” Ç³,É-â,ç[]#,í,¹,Ä,,³/₄,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

d-v

"LINKBUG sees unknown version" ,Æ,ç,xf[]fbfZ[]fW,ª•\Ž!,³,è,½[]ê[]#[]A Fortran 77
,í^È'O,ìfo[]fWf#f",Ä, ,è[]AfAfbfvfOfCE[]fh,ª•K-v,Ä,·[]B

,±,ìfo[]fWf#f",ì Windows -p,ÉŠJ",³,è,½fo[]fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,Í[]A Fortran 77 ,É<L[]Ú,³,è,Ä,ç
,é[]»•ifTf|[]fg'<CEû,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B•Ä[]',Ä,í[]A Abssoft ("d~b +1 (248) 853-0050[]A Web fTfCfçg
<http://www.absoft.com>) ,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B

d-v

LANDESK ,ì 2.0 ^è~ ,ìfo[fWf#f“ ,Á,íAUSERTSR.EXE ,Æ,ç,xf[f,fŠí“fvfOf%of€ (TSR) ,žg,í,è,Ü,·B,± ,ìfvfOf%of€,žg,æ,AMicrosoft IPX/SPX ĆÝŠ·fvf[fgrf< (NWLINK.VXD)A,Ü,½,í Microsoft flfbfgf[fN<α—Lft[fxfX (VSERVER.VXD) ,žg,Á,½,Æ,«,ÉA,±,ìfo[fWf#f“ ,ì Windows ,žž“š,μ,È,- ,È,é,±,Æ,ž ,è,Ü,·B

,±,ìfo[fWf#f“ ,ì Windows —p,ÉŠ” ,ž,è,½f[f,fŠí“fvfOf%of€ (TSR) ,íAIntel ,ì BBS ,Ü,½,í Intel »•ifTf| [fg,©,ç“üžè,Á,«,Ü,·BBBS ,” ,æ,Ñ»•ifTf|[fg‘<Ćú,É,Á,ç,Á,íALANDESK ,É•t’® , ,éhfLf... f“fg,žžQÆ,μ,Ä,,¾,¾,çB

d-v

,±,ìfvf[]Of%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Á,í[]³,μ,“@[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B

,±,ìfo[]fWf#f“,ì Windows —p,ÉŠJ” ,³,ê,½fo[]fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,í[]ATraveling Software, Inc. (+1 (800) 487-4320[]A+1 (425) 483-8088) ,É-â,ç[]#,í,¹,Ä,,³/₄,³,ç[]B,Ü,½,í[]ATraveling Software ,ì Web fTfCfçg <http://www.travelingsoftware.com> ,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

d-v

,±,lfvf[]Of%of€,í[]Af^fXfN fo[][,a[]í,ÉŽè'O,É•\Ž!,³,é,é[]Y'è,Ä,í[]A[]³,μ,“@[]ì,μ,È,ç,±,Æ,^a,è,Ü,·[]Bf^fXfN fo[][,ð[]í,ÉŽè'O,É•\Ž!,³,é,é,æ,æ,É[]Y'è,μ,Ä Family Tree Maker ,ð<N“® ,μ,æ,æ,Æ,·,é,Æ[]A-â'è,^a<N,«,Ü,·[]B,±,ì-â'è,^a<N,«,^{1/2}ê[]#,í[]AŽŸ,ì,æ,æ,É,μ,Ü,·[]B

f^fXfN fo[][,ì[]Y'è,ð•ì,ì,é,É,í

1 [fXf^[][fg] f{f^f“,ðfNfŠfbfN,μ[]A[[]Y'è] ,ðf]fCf“fg,μ,Ü,·[]BŽŸ,É[]A[f^fXfN fo[][,Æ [fXf^[][fg] f[]fj...[]] ,ðfNfŠfbfN,μ,Ü,·[]B

2 [í,ÉŽè'O,É•\Ž!} f`fFfbfN f{fbfNfX,ðf]ft,É,μ,Ü,·[]B

,±,lfvf[]Of%of€,ì[]Ú[]x,É,Ä,ç,Ä,í[]Afvf[]Of%of€,ìŠ]“CE³,É-â,ç[]#,í,¹,Ä,,^{3/4},³,ç[]B

d-v

ProShare »•i,ÉŠÖ,•éî•ñ,íAIntel (“d~b +1 (800) 538-3373A+1 (916) 377-7000AWeb fTfCf9
www.intel.com) ,É-â,çî‡,í¹,Ä,³/₄,³,çB

d—v

,±,lfzfbfgfAfbfv fvffOf%of€,Á,ÍAPIF ftj@fCf<,ªi,ç,ê,Û,·□B,±,lfjtf@fCf<,í□A,±,lfjfo□[fWf#f“,ì Windows ,ÁfvffOf%of€,ðŽÀ□s,·,é‘O,É□í□œ,·,é•K—v,ª, ,è,Û,·□B

fZfbfgfAfbfv fvffOf%of€,ìŽÀ□s’t,É□ì,ç,ê,½ PIF ftj@fCf<,ð□í□œ,·,é,É,Í

- 1 [fXf^□[fg] f{f^f“,ðfNfŠfbfN,μ□A[CEÿ□ö] ,ðfjCf“fg,μ,Û,·□BŽÿ,É□A[ftj@fCf<,âftjHf<f_] ,ðfNfŠfbfN,μ,Û,·□B
- 2 [ŽQ□Æ] ,ðfNfŠfbfN,μ□AfvffOf%of€,ðfCf“fXfg□[f<,μ,½fffBfXfN,ì□¶,lfvf%ofX<L□t (+) ,ðfNfŠfbfN,μ,Û,·□B
- 3 fvffOf%of€,ª•Û‘¶,ª,è,Ä,ç,éftjHf<f_,ðfNfŠfbfN,μ□A[OK] ,ðfNfŠfbfN,μ,Û,·□B
- 4 [-¼‘O] f{fbfNfX,ÁŽÿ,ì,æ,æ,É“ü—í,μ,Û,·□B
*.PIF
- 5 [CEÿ□öŠŽn] ,ðfNfŠfbfN,μ,Û,·□B
- 6 CEÿ□ö,ª,è,½ PIF ftj@fCf<,ðfNfŠfbfN,μ□A~~Del~~ fL□[,ð%ÿ,μ,Û,·□B
- 7 fCf“fXfg□[f<,μ,½fvffOf%of€,ðŽÀ□s,μ,Û,·□B,±,lfjfo□[fWf#f“,ì Windows ,Á,Í□A□V,μ,ç Windows ŠÁ<<,ÁŽg —p,Á,<<,é PIF ftj@fCf<,ªŽ©“®“ì,É□ì,ç,ê,Û,·□B

d-v

,±,ìfofbfNfAfbfv ft[]fBfŠfB,íAWindows 3.1 ,Å"®ì,·,é,æ,æ,ÉŠ",³,ê,Ä,ç,Ü,·B,»,ê^È~),ìfo[]fWf#f",ì
Windows ,Ä,í',çftf@fCf<-¼,²Žg—p,Ä,«,é,æ,æ,É,È,Á,½,½,ßA,±,ìfv[]fOf%of€,í³,µ,"®ì,µ,È,ç,±
,Æ,², ,è,Ü,·B

,±,ìfo[]fWf#f",ì Windows —p,ìA,±,ìft[]fBfŠfB,ìÚ×,É,Ä,ç,Ä,íA\ftfgfEfffA,ìŠ)"CE³,É-â,ç±,í¹,Ä,-
,¾,³,çB

d—v

,±,ìfo[]fWf#f“,ì Central Point Backup ,í[]AWindows 3.1 ,Å“ @[]ì,·,é,æ,x,ÉŠj” ,³,ê,Ä,ç,Ü,·[]BWindows
 ,ìfo[]fWf#f“ fAfbfv,É,æ,é•ì[]X,ì,½,ß[]A,±,ìfvf[]fOf%of€,ì<@“\,ì^ê•” ,í[]³,μ,“ @[]ì,μ,Ü,¹,ñ[]B

,±,ìfvf[]fOf%of€,ìfAfbfvfOf[]fh fo[]fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,í[]Afvf[]fOf%of€,É<L[]Ú,³,ê,Ä,ç,é[]»•ifTf|
 []fg’<[]Éú,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B•Ä[]’,Å,í[]ASymantec Corporation (+1 (800) 441-7234) ,É-â,ç[]#,í,¹,Ä,-
 ,¾,³,ç[]B,Ü,½,í[]ASymantec ,ì Web fTfCfg <http://www.symantec.com> ,ðŽQ[]Æ,μ,Ä,,¾,³,ç[]B

d-v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßANavigator version 2.0 ,Æ,±,lfo[fWf#f",ì Windows ,Æ,ìŠŒ,Å∅,è'Ö,|,ð,·,é,±,Æ,í,Å,«,Ü,¹,ñB,±,ê,É'í^,·,é,É,íAPackard Bell ,lfeNfjffj< fTf|lfg,É~A—
□,μ□Afpfbf` ,ð"üŽè,·,é•K—v,³, ,è,Ü,·□B

fppfbf` ,ð"üŽè,·,é•û-@,É,Å,ç,Ä,íAPackard Bell (+1 (800) 598-3000□A+1 (900) 555-3388) ,É-
â,ç□#,í,¹,Ä,,³/₄,³,ç□B,Ü,¹/₂,íAPackard Bell ,ì Web fTfCfg <http://www.packardbell.com> ,ðŽQ□Æ,μ,Ä,-
,³/₄,³,ç□B

d—v

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βAQuickBooks version 2.0 ,“,æ,Ñ 3.0 ,íA<@“\ ,ì^è•“,³,μ,“@ì,μ,Ü,¹,ñB

QuickBooks version 2.0 ,“,æ,Ñ 3.0 ,Åflfbfgf[fN fvfŠf“f^ ,ðŽg,æê#AfvfŠf“f^ fl[fq,Éflfbfgf[fN fpfX,³ŠÖ~A•t, ,ç,è,Ä,ç,é•K—v,³, ,è,Ü,· (,±,è,ðfvfŠf“f^ fl[fq,ìŠ,,è“- ,Ä,Æ,ç,ç,Ü,·)B

fvfŠf“f^ fl[fq,ìŠ,,è“- ,Ä,ÉŠÖ,·,éà-¾,ð•Ž!,·,é,É,íA,±,lf{f^f“ ■ ,ðfNfŠfbfN,μ,Ä,,¾,¾,çB ,±,lfo[fWf#f“,ì Windows ,Å QuickBooks version 2.0 ,ðŽÅs,·,é,É,íAZÿ,ì,æ,æ,É,μ,Ä,,¾,¾,çB

,±,lfo[fWf#f“,ì Windows ,Å³,μ,“@ì,·,é,æ,æ,ÉAQuickBooks ,lfCf“f^[ftfFfCfXî•ñ,ð•ì,ì,é,É,í

- 1 ,±,lf{f^f“ ■ ,ðfNfŠfbfN,μAMake Compatible fvf[fOf%of€,ð•N“@,μ,Ü,·B
 - 2 [File] fffj...[,ì [Choose Program] ,ðfNfŠfbfN,μ,Ü,·B
 - 3 [ftf@fCf<,ìêŠ] ,Å [f}fC fRf“fsf...[f^] ,ðfNfŠfbfN,μ,Ü,·B
 - 4 QuickBooks ,lfvf[fOf%of€,³•Ü‘¶,³,è,Ä,ç,éfhf%ofCfu,ðf_fuf<fNfŠfbfN,μ,Ü,·BQuickBooks ,íÊiAfhf %ofCfu C ,É•Ü‘¶,³,è,Ä,ç,Ü,·B
 - 5 QuickBooks ,lfvf[fOf%of€,³•Ü‘¶,³,è,Ä,ç,éftfHf<f_ ,ð‘T,μA,»,ìftfHf<f_ ,ðfNfŠfbfN,μ,Ü,·B
 - 6 QBW ,Æ,ç,æftf@fCf<,ð‘T,μA,»,è,ðfNfŠfbfN,μ,Ü,·B
 - 7 [Make Compatible] ,íA[Win 3.1 Style Controls] f`fFfbfN f{fbfNfX,³fif“ ,É,È,Á,Ä,ç,é,± ,Æ,ðŠm,©,β,Ü,·B
 - 8 [File] fffj...[,ì [Save As] ,ðfNfŠfbfN,μ,Ü,·B
 - 9 [File] fffj...[,ì [Exit] ,ðfNfŠfbfN,μ,Ü,·B
- ,±,lfvf[fOf%of€,lfAfbfvfOfC[fh fo[fWf#f“,ì“üŽè•û-@,É,Ä,ç,Ä,íA\ftfgfEjfFA,ìŠJ“CE³,É-â,ç±,ì,¹,Ä,- ,¾,¾,çB,Ü,½,íAIntuit Inc. ,ì Web fTfCfg <http://www.intuit.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

□d—v

Microsoft Fortran PowerStation for MS-DOS and Windows ,í□AWindows 3.1

,ìŠÀ«»,ĂŽg,Á,½,Æ,«,É□A□Ă,àÆ∅%É“l,É“ @□i,·,é,æ,π,É□Y’è,³,è,Ă,ç,Ü,·□B,±,ì,½,β□AMicrosoft Fortran PowerStation ,ð,±,ìfo□[fWf#f“,ì Windows ,ĂŽg,π,Æ-â’è,²<N,«,Ü,·□B-â’è,²<N,«,é,ì,í□Afof%oftfBfbfN fvf□fof%of€,ìRf“fpcfCf<Æă,É□A,»,ìfvf□fof%of€,ðŽg,Á,½,Æ,«,Ă,·□B,±,ì,Æ,«□A’É□í,ìfof%oftfBfbfNfX□o— í,ì’ă,ì,è,Éf%of“f^fCf€ fGf%o□[,²□o—í,³,è,Ü,·□B

,±,ì-â’è,É’í□^,·,é,É,í□Afpfbf` ,ðŽg—p,μ,Ü,·□BCE»□Y□A,±,ìfvf□fof%of€,ì version 1.0a ,Ă,ì,È,□Aversion 1.0 ,ðŽg,Á,Ă,ç,é□é□#,í□A□Ă□Vfo□[fWf#f“,ð“üŽè,·,é•K—v,², ,è,Ü,·□Bfvf□fof%of€,ìfo□[fWf#f“,ð’²,x,é,É,í□ABIN ftfHf_j_ðŠJ,«□ALINK.EXE ,ðŽĂ□s,μ,Ü,·□Bfvf□fof%of€,ìfo□[fWf#f“,² 1.0a ,ì□é□#,í□A"Version 1.0F" ,Æ,ç ,π•¶Žš—ñ,²•Ž|,³,è,Ü,·□B

Microsoft Fortran PowerStation ,É’í,·,éfpfbf` ,ð“üŽè,·,é,É,í

1 [fXf^□[fg] f{f^f“ ,ðfNfŠfbfN,μ□A[ftf@fCf<-¼,ðŽw’è,μ,ĂŽĂ□s] ,ðfNfŠfbfN,μ,Ü,·□B

2 [-¼’O] f{fbfNfX,ÉŽŸ,ì,æ,π,É“ü—í,μ,Ü,·□B

ftp.microsoft.com

3 [Softlib] ,ðfNfŠfbfN,μ,Ü,·□B

4 [MSLFILES] ,ðfNfŠfbfN,μ,Ü,·□B

5 [FPSFIX95.EXE] ,ðfNfŠfbfN,μ□A,±,ìftf@fCf<,ðf_fEf“f□□[fh,μ,Ü,·□B

Fortran PowerStation ,ìTfj□[fg fTfCf,ð—~—p,·,é□é□#,í□A<http://www.microsoft.com/FortranSupport/> ,É□Ú’±,μ,Ü,·□B

d—v

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßA,±,lfvf[fOf%of€,í³,µ,fCf"fXfg[f<³,è,È,ç,± ,Æ,ª, ,è,Ü,·B,±,ì-à'è,É'í^ , ,é,É,íAWIN.INI ftf@fCf<,ÉfRf}f"fhs,ð'Ç%Á,µ,Ü,·B,±,è,É,æ,Á,ÄA,± ,lfo[fWf#f",ì Windows ,íAfZfbfgfAfbfv fvf[fOf%of€,É Windows ,lfo[fWf#f",ð 3.1 ,Æ•Ö, ,æ,ª ,É,È,è,Ü,·B

fZfbfgfAfbfv fvf[fOf%of€,ðŽÀs,Á,« ,é,æ,ª,É, ,é,É,í

- 1 ,±,ìŽè# ,ð^óü, ,é, ©Af[f, ,µ,Ä, ", «,Ü,·B
 - 2 ,±,lf{f^f" ■ ,ðfNfŠfbfN,µAfVfXfef€ fGfffBf^ ,ð<N" @ ,µ,Ä, ,¾,¾,çB
 - 3 [fEfBf"fhfE] f[fj... [,ì [WIN.INI] ,ðfNfŠfbfN,µ,Ü,·B
 - 4 [Compatibility] fZfNfVf#f" ,É^Ú" @ ,µ,Ü,·B
 - 5 [Compatibility] fZfNfVf#f" ,ÉŽŸ,ìs,ð'Ç%Á,µ,Ü,·B
- DSHELL=0x00200000
- 6 [ftf@fCf<] f[fj... [,ì [fVfXfef€ fGfffBf^ ,ì|—¹] ,ðfNfŠfbfN,µ,Ü,·B
 - 7 [,í,ç] ,ðfNfŠfbfN,µ,Ä WIN.INI ftf@fCf<,ì•i[X,ð•Ú'¶,µ,Ü,·B
 - 8 fRf"fsf... [f^ ,ðÄ<N" @ ,µAfZfbfgfAfbfv fvf[fOf%of€,ðŽÀs,µ,Ü,·B
 - 9 Žè# 2 ,©,ç 7 ,ðŽÀs,µ,Ü,·B,¾,¾,µAŽè# 5 ,Á,íAWIN.INI ftf@fCf<,É'Ç%Á,µ,½s,ðíœ,µ,Ü,·B

d-v

Windows , Reflection X version 4.0 , 4.1 , s, , 3/4, B
 , x, , , AWRQ , -â, , 1, , 3/4, B~A- -@, , , , , B

A- -@	"d~b"Öt,Ü,½,Í^læ
"d~b	+31 (70) 375-11-00
FAX	+31 (70) 356-12-44
-X•Ö	WRQ Europe, Buitenhof 47, 2513 AH Den Haag, The Netherlands

•Ä', , ê, , AWRQ fJfXf^f} fT[fX, -â, , , 1, , 3/4, B~A- -@, , , , , B

•û-@	"d~b"Öt,Ü,½,Í^læ
"d~b	+1 (206) 217-7100
FAX	+1 (206) 217-0293
-X•Ö	WRQ, 1500 Dexter Avenue North, Seattle WA 98109- 3051

,Ü,½, AWRQ , Web fTfCfG <http://www.wrq.com> , ŽQÆ, , , 3/4, B

d—v

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•i[X,ì,½,β AMicrosoft f}fEfX f}f [fWff,Ü,½,í IntelliPoint ,Áf{f^f"Ú" @ (SnapTo) <@"\,ðŽg,æ,Æ AfGf% [ffbfZ [fW,ª•\Ž!,³,è,Ü,·B,±,ì-â'è,ð %øðCE^,·,é,É,í APOINTER.EXE , ,æ,Ñ POINTER.DLL ,Æ,ç,æftf@fCf<,ðfAfbfvfOfCE [fh,·,é•K—v,ª, ,è,Ü,·B

POINTER.EXE ftf@fCf<, ,æ,Ñ POINTER.DLL ftf@fCf<,ðfAfbfvfOfCE [fh,·,é,É,í

- [fXf^ [fg] f{f^f" ,ðfNfŠfbfN,µA [Y'è] ,ðf|fCf"fg,µ,Ü,·B ŽŸ,É A|fRf"fgf [f< fpj|f<] ,ðfNfŠfbfN,µA [f}fEfX] fAfCfRf" ,ðf_fuf<fNfŠfbfN,µ,Ü,·B
- [‘S”É] f^fu,ðfNfŠfbfN,µA [•i[X] ,ðfNfŠfbfN,µ,Ü,·B
Šù,É Microsoft f}fEfX,ª!ì,è,Ä,ç,é [è [A È%º,ìžè [ž,ðžÀ [s,·,é•K—v,í, ,è,Ü,¹,ñ B
- [,·,×,Ä,ifffofCfX,ð•\Ž!] ,ðfNfŠfbfN,µ,Ü,·B
- [[»‘çCE³] f{fbfNfX,Á [Microsoft] ,ðfNfŠfbfN,µ,Ü,·B
- [f,fff<] f{fbfNfX,Á AŽg,Á,Ä,ç,é f}fEfX,ìží—p,ðfNfŠfbfN,µA [OK] ,ðfNfŠfbfN,µ,Ü,·B
,±,è,Á APOINTER.EXE , ,æ,Ñ POINTER.DLL ,lfAfbfvfOfCE [fh fo [fWf#f" ,ª AWindows ,lfZfbfgfAfbfv fffBfXfN,Ü,½,í CD-ROM ,©,çRfs [,³,è,Ü,·B

'

■ AUTOEXEC.BAT ftf@fCf<,Á A—³CEø,È Mouse ,Ü,½,í Msinput ftfHf<f_ ,ªžw'è,³,è,Ä,ç ,é [è [±,í Aftf@fCf< fRfs [fGf% [,ª<N,« ,é,±,Æ,ª, ,è,Ü,·B AUTOEXEC.BAT ftf@fCf<,É "SET MOUSE=C:\MOUSE" ,Ü,½,í "SET MSINPUT=C:\MSINPUT." ,Æ,ç,æ [s,ª,È,ç,±,Æ,ðŠm,©,β,Á,¾,³,ç [BfGf % [,ª<N,« ,½ [è [±,í A,±,ìžè [ž,ðf [f,·,é,© [A,Ü,½,í ^ó [ü,µ,Ä,¾,³,ç [B,Ü, , A AUTOEXEC.BAT ftf@fCf<,ì "SET MOUSE" ,Ü,½,í "SET MSINPUT" ,Æ<L [q,³,è,Ä,ç,é [s,ð [C³,µ AWindows ,ð [Á<N" @ ,µ,Ü,·B,» ,ìCEã [A ä,ìžè [ž,É [],Á,ÄžÀ [s,µ,Ü,·B

■ Šù,É Microsoft f}fEfX,ª!ì,è,Ä,ç,Ä,à [Af}fEfX f}f [fWff,Ü,½,í IntelliPoint ,ì<@"\,ðŽg,æ,Æ fGf % [ffbfZ [fW,ª•\Ž!,³,è,é [è [±,í A [V,µ,ç ftf@fCf<,ªfn [fh fffBfXfN,ì "K [Ø,È [è [Š,É fRfs [,³,è,Ä,ç,Ü,¹,ñ B,± ,è,É'í [^ ,·,é,É,í AŽŸ,ì,æ,æ,É,µ,Ü,·B

^È'O,ìftf@fCf<,ðV,µ,çftf@fCf<,É'u,«Š,ì,é,É,í

- [fXf^ [fg] f{f^f" ,ðfNfŠfbfN,µA [CEŸ [ø] ,ðf|fCf"fg,µ,Ü,·B ŽŸ,É [ftf@fCf<,âftfHf<f_] ,ðfNfŠfbfN,µ,Ü,·B
- [-¼'O] f{fbfNfX,ÉŽŸ,ì,æ,æ,É"ü—í,µ,Ü,·B
POINTER.*
- [CEŸ [ðŠ]žn] ,ðfNfŠfbfN,µ,Ü,·B
POINTER.EXE ftf@fCf<, ,æ,Ñ POINTER.DLL ftf@fCf<,ª 2
'gCEŸ [ð,ª,è,Ü,·B ^È'O,ìfo [fWf#f" ,ìftf@fCf<,í A' É [í A"C:\MOUSE" A"C:\MSINPUT" A,Ü,½,í "C:\MSMOUSE" ,Æ,ç,æftfHf<f_ ,É, ,è,Ü,·B
- POINTER.EXE ftf@fCf<, ,æ,Ñ POINTER.DLL ftf@fCf<,ð AWindows
,ðfCf" fXfg [f<,µ,½ ftfHf<f_ ,©,ç A ^È'O,ìfo [fWf#f" ,ª, ,éftfHf<f_ ,É fRfs [,µ,Ü,·B,± ,è,Á A ^È'O,ìftf@fCf<,ª V,µ,ç ftf@fCf<,É'u,«Š,ì,ç,è,Ü,·B

d-v

QualiType FontHandler version 1.0 ,íAWindows 3.1 ,Á“@i,·,é,æ,æ,ÉŠJ” ,³,ê,Ä,ç
,é,½,ßA,» ,ê^È~ ,lfo[fWf#f” ,ì Windows ,Á,íATrueType
ftfHf“fg ,lfcf“fXfg[f<AFAf“fCf“fXfg[f<A, ,æ,ÑfOf<[fv%» ,ÉŠÖ ,·,é<@“\,ª³,µ,“@i,µ,È,ç,±,Æ,ª, ,è,Ü,·
B,½,¾,µAFontHandler ,lfcf“fXfg[f<ï,ÿ,lftfHf“fg,ð·Žl,·,é<@“\Aftf“fvf<fv[f,ì^óü<@“\AAAdobe
Type Manager ftfHf“fg ,lfcf“fXfg[f<AFAf“fCf“fXfg[f<A, ,æ,ÑfOf<[fv%» ,ÉŠÖ ,·,é<@“\,íA,±
,lfo[fWf#f” ,ì Windows ,Á,à³,µ,“@i,µ,Ü,·B

V,µ,ç FontHandler ,ìÚ×,É,Ä,ç,Ä,íAQualiType FontHandler ,É<LÚ,³,ê,Ä,ç,é>•iftf|f’<Éù,É-
â,ç,í,¹,Ä,,¾,³,çB

•Ä’ ,Á,íAQualiType ,É-â,ç,í,¹,Ä,,¾,³,çBfAfbfvfOfCE[fh fo[fWf#f” ,ð’•¶,·,éê,í,íA+1 (800) 950-
2921 ,É-â,ç,í,¹,Ä,,¾,³,çB^ê“É“l,Èi•ñ,É,Ä,ç,Ä,íAQualiType (+1 (313) 822-2921) ,É“d~b,Ä-
â,ç,í,¹,é,©A,Ü,½,í 74777.3435@compuserve.com ,É“dŽqf[f<Ä-â,ç,í,¹,Ä,-
,¾,³,çB,Ü,½,íAQualiType ,ìWeb fTfCf,fg <http://www.qualitytype.com> ,ðŽQÆ,µ,Ä,,¾,³,çB

d—v

Microsoft Sound System version 2.0 ,lfZfbfgfAfbfv fvj[]fOf%of€ ,đŽÀ[]s , ,é ,Æ[]Afn[]fh
ffBfXfN,É ,éftf@fCf<,đ[]ă[] ,« , ,é ,© ,Ç ,æ ,© ,đŠm" F , ,éf[]fbfZ[]fW ,^a•\Ž| ,³é ,Û ,·[]B ,± ,ì[]è[]#,í[]A•K , , [,ç ,ç ,!]
,đfNfŠfbfN ,μ[]AŠù'¶ ,lftf@fCf<,đ[]ă[] ,« ,μ ,È ,ç ,æ ,æ ,É ,μ ,Ä , ,³/₄ ,³ç[]B [,í ,ç] ,đfNfŠfbfN , ,é ,Æ[]Afrf" fsf...[]f^ ,^a
%ž"š ,μ ,È , ,È ,è[]AWindows ,đ[]ĂfCf" fXfg[]f< ,μ ,È , ,è ,Î ,È ,ç ,È , ,È ,è ,Û ,·[]B

d—v

,±,ìfo□[fWf#f“,ì Windows ,Á,í□ACirrus Logic WinMode ft□[fefBfŠfefB,ðŽg,Á,Ä%œ-Ê,ì□Ý’è,ð•ì,ì,É,ç,Á,-
 ,¾,¾,ç□B%œ-Ê%œ’œ“x□A•Ž!□F,È,Ç,ì□Ý’è,ð’²□®,·,é,É,í□A[fXf^□[fg] f{f^f“,ðfNfŠfbfN,μ,Ä [□Ý’è] ,ðf]
 fCf“fg,μ□A[fRf“fgf□□[f< fpf]f<] ,ðfNfŠfbfN,μ,Ü,·□BŽÝ,É□A[%œ-Ê] ,ðfNfŠfbfN,μ,Ü,·□B
 █ •\Ž!□F,Æ%œ’œ“x,ð□Ý’è,·,é,É,í□A,±,ìf{f^f“
 █ ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç□B
 █ %œ-Ê,ì%œ’œ“x,ð•ì□X,·,é,É,í□A,±,ìf{f^f“
 █ ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç□B
 █ ‘â,«,çftfHf“fg,Ü,½,í□-,¾,çftfHf“fg,É□Ø,è’Ö,ì,é,É,í□A,±,ìf{f^f“
 █ ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç□B
 █ ŽÁ□Ü,ì’â,«,¾,¾,ÆfffBfXfvfçfç,Á,ì•\Ž! ,ð□#,í,¹,é,É,í□A,±,ìf{f^f“
 █ ,ðfNfŠfbfN,μ,Ä,,¾,¾,ç□BfffBfXfvfçfç,ìfŠftfçfçfçfç... fç□[fg,í□AMS-DOS fx□[fX,ì Clmode
 ft□[fefBfŠfefB,Á,à•ì□X,Á,«,Ü,·□BŽÝ,ì,æ,æ,É,μ,Ä,,¾,¾,ç□B

fffBfXfvfçfç,ìfŠftfçfçfçfç... fç□[fg,ð•ì,ì,é,É,í

- 1 ,±,ìŽè□#,ðf□f,,·,é,ç□A,Ü,½,í^ó□ü,μ,Ü,·□B
 - 2 [fXf^□[fg] f{f^f“,ðfNfŠfbfN,μ□A[Windows ,ì□l—¹] ,ðfNfŠfbfN,μ,Ü,·□B
 - 3 [fRf“fsf...□[f^,ð□Ä<N“®,·,é] ,ðfNfŠfbfN,μ□A[.í,ç] ,ðfNfŠfbfN,μ,Ü,·□B
 - 4 "Starting Windows ..." ,Æ,ç,æ□fçfçZ□[fW,â•\Ž! ,¾,¾,ç□A**F8** fL□[,ð%œÿ,μ,Ä—£,μ,Ü,·□B
 - 5 fRf}f“fh fvf□f“fvfg,¾,¾,Ä Windows ,ð<N“®,·,é,½,ß,É **6** fL□[,ð%œÿ,μ□A**Enter** fL□[,ð%œÿ,μ,Ü,·□B
 - 6 fRf}f“fh fvf□f“fvfg,ÁŽÝ,ì,æ,æ,É“ü—í,μ,Ü,·□B
 c:\windows\vgautil\clmode
 - 7 Clmode fvf□fOf%œfç,ÁfŠftfçfçfçfç... fç□[fg,ð•ì,ì,Ü,·□B
 - 8 Clmode fvf□fOf%œfç,ð□l—¹,μ□A[fRf“fsf...□[f^,ð□Ä<N“® ,μ,Ü,·□B
- ,±,ìfo□[fWf#f“,ì Windows ,ÁŽg—p,Á,«,é WinMode fvf□fOf%œfç,ìfAfbfvfOfçç□[fh fo□[fWf#f“,É,Á,ç
 ,Á,í□Afn□[fhfçfçfç,ìŠJ”ç³,É-â,ç□#,í,¹,Ä,,¾,¾,ç□B

d-v

Uninstaller 2 ,íA^È'O,ìfo[fWf#f",ì Windows —p,ÉŠJ",³,è,Ä,ç,Ü,·B,±,ì,½,ßA,±,ìfo[fWf#f",ì Windows ,Ä,íA<@"\,ì^è•",³µ,"@ì,µ,È,ç,±,Æ,³,è,Ü,·B,±,ìfo[fWf#f",ì Windows —p,ÉŠJ",³,è,½ Uninstaller ,ìÄVfo[fWf#f",ÉfAfbfvfOfCE[fh,·é,±,Æ,ð,,µ,Ü,·B

Úx,Èî•ñA,"æ,ÑfTf|[fg,âfpjbf`³•K—v,Èê#íACyberMedia ,ì Web fTfCfg <http://www.cybermedia.com> ,ðŽQÆ,µ,Ä,,³/₄,³,çB

d-v

Norton fCEfXfLf... [fffBfXfN, íAFAT32 ('å—e—ÊfffBfXfN) ,É'í%ž,µ,Ä,ç,È,ç,½,ßA,±,ìfo [fWf+f", ì
Windows ,Ä³,µ,"® ì,µ,È,ç,±,Æ,³, ,è,Û,·BfZfbfgfAfbfv fvf [Of%of€ ,ðŽÄs,·,é,Æ AfCEfXfLf...
[fffBfXfN,ð ì,·,·,é,©,Ç,κ,©,ðŠm" F,·,·,é f [fbfZ [fW,³·\Ž!,³,è,Û,·B,±,ì ê [A,ç,ç,ì] ,ðfNfŠfbfN,µ,Ä,-
,¾,³,çB

FAT32 ('å—e—ÊfffBfXfN) ,ÄŽg—p,Ä,« ,é Ä Vfo [fWf+f", ìfvf [Of%of€ ,ð"üŽè,·,é·û-@,É,Ä,ç
,Ä,ì ASymantec »·i,É<LÚ,³,è,Ä,ç,é »·ifTf [fg' <CEû,É-â,ç [í,¹,Ä,,¾,³,çB·Ä',Ä,ì ASymantec
Corporation ("d"b +1 (800) 441-7234 AWeb fTfCf g <http://www.symantec.com>) ,É-â,ç [í,¹,Ä,,¾,³,çB

d-v

,±,ìfo[fWf#f“,ì Norton Utilities ,íAFAT32 (‘å—e—ÊfffBfXfN) ,É‘í%ž,µ,Ä,ç,È,ç,½,ßA,±,ìfo[fWf#f“,ì
Windows ,Ä³,µ,“®ì,µ,Û,¹,ñBNorton Utilities ,ðfCf“fXfg[f<,·,éê±,íAfZfbfgfAfbfv fvfOf%of€
,ðŽÀs,·,é,ÆAfCEfXfLf...[fffBfXfN,ðì—,·,é,©,Ç,æ,©,ðSm”F,·,éffbfZ[fW,³•\Ž!,³,è,Û,·B,±
,ìê±A[,ç,ç,] ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB,Û,½AfN[fh fffBfXfN,É 2GB ^Êã,ìó,«—
ì^æ,³, ,éê±,íANorton ,²,Ý” ,ðfCf“fXfg[f<,µ,È,ç,Ä,,¾,¾,çB

FAT32 (‘å—e—ÊfffBfXfN) ,ÄŽg—p,Ä,«,éÄVfo[fWf#f“,ìfvfOf%of€,ð“üžè,·,é•û-@,É,Ä,ç
,Ä,íASymantec »•i,É<LÚ,³,è,Ä,ç,é»•ifTf|f[fg‘<CEû,É-â,ç±,í,¹,Ä,,¾,¾,çB•Ä’,Ä,íASymantec
Corporation (“d~b +1 (800) 441-7234AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç±,í,¹,Ä,,¾,¾,çB

d-v

Norton fCEfXfLf... [fffBfXfN, íAFAT32 ('å—e—ÊfffBfXfN) ,É'í%ž,µ,Ä,ç,È,ç,½,ßA,±,Ïfo [fWf+f", Ì
Windows ,Ä³,µ,"® ì,µ,Û,¹,ñB

FAT32 ('å—e—ÊfffBfXfN) ,ÅŽg—p,Å,«,éÅVfo [fWf+f", Ìfvf [fOf%of€, ð"üŽè, ,é•û-@,É,Ä,ç
,Ä,íASymantec »•i,É<LÚ,³,ê,Ä,ç,é»•ifTf [f'<CEû,É-â,ç,í,¹,Ä,,¾,³,çB•Ä',Ä,íASymantec
Corporation ("d~b +1 (800) 441-7234AWeb fTfCf g <http://www.symantec.com>) ,É-â,ç,í,¹,Ä,,¾,³,çB

d-v

fAf“fCfCE[fX fEfBfU[fh,íAFAT32 (‘â—e—ÊfffBfXfN) ,É‘î%ž,μ,Ä,ç,È,ç,½,ßA,±,ìfo[fWf+f“,ì Windows ,Ä³,μ,“@ì,μ,Û,¹,ñB

FAT32 (‘â—e—ÊfffBfXfN) ,ÅŽg—p,Å,«,éÅVfo[fWf+f“,ìfvf[fOf%of€,đ“üŽè,·,é•û-@,É,Å,ç ,Ä,íASymantec »•i,É<LÚ,³,ê,Ä,ç,é»•ifTf|f'<CEû,É-â,ç,í,¹,Ä,,¾,³,çB•Ä',Ä,íASymantec Corporation (“d~b +1 (800) 441-7234AWeb fTfCfG <http://www.symantec.com>) ,É-â,ç,í,¹,Ä,,¾,³,çB

d-v

Norton ftf@fCf< f}fI[fWff,íAFAT32 ('å—e—ÊfffBfXfN) ,É'î%ž,μ,Ä,ç,È,ç,½,βA[CE³,É-β,·] fRf}f“fh,³,μ,“®i,μ,Ü,¹,ñB,Ü,½A[íœftf@fCf<] f^fu,É,íAFAT32 fhf%ofCfu,ìftf@fCf<,í\ Ž,³,é,Ü,¹,ñB

FAT32 ('å—e—ÊfffBfXfN) ,ÅŽg—p,Å,«,éÅVfo[fWf#f“,ìvfjOf%of€,ð“üŽè,·,é•û-@,É,Å,ç ,Ä,íASymantec »•i,É<LÚ,³,é,Ä,ç,é»•ifTf|f'<CEù,É-â,ç#í,¹,Ä,,¾,³,çB•Ä',Ä,íASymantec Corporation (“d~b +1 (800) 441-7234AWeb fTfCf g <http://www.symantec.com>) ,É-â,ç#í,¹,Ä,,¾,³,çB

d-v

,±,ìfo[fWf#f“,ìfXfs[fh fffBfXfN,Á,íAFAT32 (‘å—e—ÊfffBfXfN) ,ìfhf%ofCfu,ðÅ“K%»,·,é,±
,Æ,í,Á,«,Ü,¹,ñB,Ü,¹/₂A,±,ìfo[fWf#f“,ì Windows ,ÁAfXfs[fh fffBfXfN,ÁfXf#fbfv ftj@fCf<,ðÅ“K
%»,·,é,±,Æ,í,Á,«,Ü,¹,ñB

,±,ìfo[fWf#f“,ì Windows ,ÁŽg—p,Á,«,éAV,ìfvf[fOf%of€,ð“üŽè,·,é•ù-@,É,Á,ç,Ä,íASymantec
»•i,É<LÜ,³,é,Ä,ç,é»•ifTf|f[f’<CEù,É-â,ç#,í,¹,Ä,,³/₄,³,çB•Ä’,Á,íASymantec Corporation (“d”b +1
(800) 441-7234AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç#,í,¹,Ä,,³/₄,³,çB

d-v

Norton fffBfXfN fhfNf^ [, í A, ±, lfo [fWf#f“ , ì Windows , Á, í ³, μ, “ @ [, μ, Ü, ¹, ñ B Windows , lfo [fWf#f“
fAfbfv, É, æ, é • ì X, ì, ½, ß Afn [fh fffBfXfN, ì f'f, Á • s ³, ÉfGf% [, ð • \Ž, ³, è, é, ±, Æ, ð, , è, Ü, : B, Ü, ½ ANorton
fffBfXfN fhfNf^ [, Á, í FAT32 (' â — e — Ê fffBfXfN) , lfhf% ofCfu, ð f'f, : , é, ±, Æ, ð, Á, «, Ü, ¹, ñ B
, ±, lfo [fWf#f“ , ì Windows , Á Žg — p, Á, «, é A V, lfvf [fOf% of€ , ð “ ü Ž è , : , é • ù — @ , É, Á, ç, Ä, í ASymantec
[» • i, É < L Ü, ³, è, Ä, ç, é [» • ifTfj [[fg' < Æ ù, É — à, ç [#, í, ¹, Ä, , ¾, ³, ç B • Ä [, Á, í ASymantec Corporation (“ d ~ b + 1
(800) 441-7234 A Web fTfCfg <http://www.symantec.com>) , É — à, ç [#, í, ¹, Ä, , ¾, ³, ç B

d-v

,±,ìfo[]fWf#f",ì Norton Utilities ,íAFAT32 ('å—e—ÊfffBfXfN) ,É'í%ž,µ,Ä,ç,È,ç,½,ßA,±,ìfo[]fWf#f",ì Windows ,Ä,íŽÝ,ì<@"\,²µ,"@ì,µ,Û,¹,ñBfCf[]fW,Ä,íAFAT32 ('å—e—ÊfffBfXfN) ,ìfhf%ofCfu,É,Ä,ç ,Ä,ìfCf[]fWî•ñ,ðì¬,Ä,«,Û,¹,ñBFAT32 ('å—e—ÊfffBfXfN) ,ìfhf %ofCfu,ìfCf[]fWî•ñ,²Ž©"@"ì,Éì¬,³,è,È,ç,æ,æ,ÉANorton fVfXfef€ fhfNf^[] ,ìÛ'è,ð•ìX,µ,Ä,- ,¾,¾,çB

Norton fffBfXfN fhfNf^[] ,Ä,íAFAT32 ('å—e—ÊfffBfXfN) ,ìfhf%ofCfu,ðf'f,·,é,± ,Æ,²,Ä,«,Û,¹,ñB,Û,½Afn[]fh fffBfXfN,ìf'f,ÄA•s³,ÉfGf%[] ,²•\Žì,³,è,é,±,Æ,², ,è,Û,·B fXfs[]fh fffBfXfN,Ä,íAFAT32 ('å—e—ÊfffBfXfN) ,ìfhf%ofCfu,ðÄ"K%»,·,é,±,Æ,²,Ä,«,Û,¹,ñB fCf[]fWî•ñAfffBfXfN,ì@#[]A, ",æ,Ñff[]f^ ,ì~A'±[]«,ìfZf"ft,ðŽg,í,È,ç,æ,æ,É,·,é,É,íAf}fEfX,ì %Ej{f^f",Ä,»,è,¼,è,ìfZf"ft,ðfNfŠfbfN,µA[[]íœ] ,ðfNfŠfbfN,µ,Û,·B

Norton fvf[]fefNfVf#f",íAfn[]fh fffBfXfN,É 2GB ^Èä,ìó,«—e—Ê,², ,éèè±,íA—LCEø,É,µ,È,ç,Ä,- ,¾,¾,çBWindows •W€,ì,²,Ý" ,ðŽg—p,µ,Ä,,¾,¾,çB

FAT32 ('å—e—ÊfffBfXfN) ,ÄŽg—p,Ä,«,éÄVfo[]fWf#f",ìvf[]fOf%of€,ð"üŽè,·,é•û-@,É,Ä,ç ,Ä,íASymantec []»•i,É<LÛ,³,è,Ä,ç,é»•ifTf[]fg'<CEù,É-â,ç±,í,¹,Ä,,¾,¾,çB•Ä",Ä,íASymantec Corporation ("d"b +1 (800) 441-7234AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç±,í,¹,Ä,,¾,¾,çB

d-v

,±,ìfo[fWf#f“,ì F-PROT Professional ,Å,íAFAT32 (‘å—e—ÉfffBfXfN) ,ìfn[fh fffBfXfN,ìfu[fhg fZfNf^,ð’-
□,·,é,±,Æ,ª,Ä,«,Ü,¹,ñB,Ü,½AFAT32 fhf%ofCfu,Ä,íA’-□,·,ìi□s□ó<μ,ðŽ!,·•\Ž!,ªŽA□Ü,æ,è,à□,Š@—
¹,ðŽ!,μ,Ä,μ,Ü,κ,±,Æ,ª,è,Ü,·□BFAT32 fhf%ofCfu,ìfu[fhg fZfNf^,ÄfEfCf,fX,ð’-□,·,μ,æ,κ
,Æ,·,é,Æ□ACEx□□f□fbfZ□[fW,ª•\Ž!,³,è,Ü,·,ªA[OK] ,ðfNfŠfbfN,·,é,Æ□A’-
□,ª□³□í,É’±□s,³,è,Ü,·□BCEx□□f□fbfZ□[fW,ìf_fCfAf□fO f{fbfNfX,ð•\Ž!,μ,È,ç,æ,κ,É,·,é,É,í□Afu□[fg
fZfNf^,ð’-□,·,μ,È,ç,æ,κ,ÉÝ’è,ð•ì□X,μ,Ü,·□Bfu□[fg fZfNf^,ð’-□,·,μ,È,ç,æ,κ,É,·,é,É,í□A[Scan Hard Drives
task] ,ðfNfŠfbfN,μ□A[Task] f□fjf...□[,ì [Properties] ,ðfNfŠfbfN,μ,Ü,·□BŽÿ,É [Boot Sectors] f`fFfbfN
f{fbfNfX,ðfift,É,μ,Ü,·□B

□Ú□x,É,Ä,ç,Ä,í□ACommand Software Systems ,É-â,ç□‡,í,¹,Ä,,³/4,³,ç□B~A—□•û-@,íŽÿ,ì,Æ,¨,è,Å,·□B

**~A—□•û-
@** **“d~b”Ô†□A^†□æ□A,¨,æ,ÑfAfhf
ÇfX**

—X•Ö 1061 E. Indiantown Road, Suite
500, Jupiter, FL 33477

“d~b +1 (800) 423-9147 (“ì”„)
+1 (561) 575-3200 (□»•ifTf|□[fg)

Web fTfCfg <http://www.commandcom.com>

d-v

,±,ìfo[]fWf#f“,ì Duncce ,íA,±,ìfo[]fWf#f“,ì Windows ,Á,í³,µ,“®ì,µ,È,ç,±,Æ,ª, ,è,Ü,·B
,±,ìfvf[]Of%of€,ìfAfbvfOfCE[]fh fo[]fWf#f“,ð“üŽè,·,é•û-@,É,Â,ç,Ä,íAVector Development ,É-
â,ç[]#,í,¹,Ä,,¾,³,ç[]B~A—•û-@,íŽŸ,ì,Æ,“,è,Á,·B

~A—•û- @	“d~b”Ô†[]A^†[]æ[]A,“,æ,ÑfAfhf ÆfX
---------------------	--

“d~b	(913) 539-6106
—X•Ö	Vector Development P.O. Box 831 Manhattan, KS 66505-0831
“dŽqf[]f<	vecdev@cjnetworks.com
Web fTfCfg	http://www.vecdev.com

d-v

,±,ìfo[fWf#f“,ì Partition Magic ,íAFAT32 (‘å—e—ÊffBfXfN) ,É‘í%ž,μ,Ä,ç,È,ç,½,ßA³,μ,“®ì,μ,È,ç,± ,Æ,ª, ,è,Û,·B

FAT32 fhf%ofCfu,ÅŽg—p,Å,«,éfAfbvfOfCE[fh fo[fWf#f“,ìfvfOf%of€,ð“üŽè,·,é•û-@,É,Ä,ç ,Ä,íAPowerQuest ,ì Web fTfCfg <http://www.powerquest.com> ,ÉÚ‘±,μ,Äà-¾,ðŽQÆ,μ,Ä,,¾,¾,çB

d-v

,±,ìfo[]fWf#f“,ì d-Time ,íAFAT32 (‘å—e—ÊfffBfXfN) ,É‘í%ž,μ,Ä,ç,È,ç,½,ßA³,μ,“@[]i,μ,È,ç,± ,Æ,ª, ,è,Û,·B

FAT32 (‘å—e—ÊfffBfXfN) ,ÅŽg—p,Å,«,éfAfbfvfOfCE[]fH fo[]fWf#f“,ìfvf[]fOf%of€,đ“üŽè,·,é•û-@,É,Â,ç ,Ä,íAAcceleration Software ,É-â,ç[]#,í,¹,Ä,,¾,³,çB~A—[]•û-@,íŽŸ,ì,Æ,“,è,Å,·B

~A—[]•û-@ “d~b”Ô[]t,Û,½,íAfhfCEfX

“d~b”Ô[]t (360) 598-2456.
“dŽqf[][]f< support@accelerationsw.com
Web fTfCfG <http://www.accelerationsw.com>

d-v

QEMM version 8.0 ,Á,íAÁ“K%» ,:é,Æ,«,ÉŽg—p,³,ê,é Dosdata.sys ,Æ Dos-up.sys fhf
%ofCfo,ªA^ê•”,±,ífo[fWf#f”,ì Windows ,É‘í%ž,μ,Ä,ç,Ü,¹,ñB,±,ê,ç,ífhf
%ofCfo,ìÁVfo[fWf#f”,ì“üŽè•û-@,É,Ä,ç,Ä,íAQEMM ,í}ffj...fAfc,É<LÚ,³,ê,Ä,ç,é•û-@,Ä-â,ç±,í,¹,Ä,-
,³/₄,³,çB•Ä’,Á,íAQuarterdeck Corporation (“d~b +1 (800) 354-3222AWeb ftfCfg
<http://www.quarterdeck.com>) ,É-â,ç±,í,¹,Ä,,³/₄,³,çB

d-v

Windows 98 ,ÉACleanSweep version 3.04 ,Ü,½,Í,»,ê^È'O,ìfo[fWf#f",ì CleanSweep ,ðfCf"fXfg[f<,·,é,±,Æ,Í,,§,Ä,«,Ü,¹,ñBCleanSweep ,íA,ç,,Ä,©,ìd-v,ÉfVfXfef€ ftf@fCf<,ð'u,«Š·,ì,Ä,µ,Ü,¼,ßAWindows 98 , ,æ,Ñ,Ü,©,ìfAfvfŠfP[fVf#f",ª³,µ,"@ì,µ,È,,È,é%Å"\\ «,ª, ,è,Ü,·B

CleanSweep version 3.04 ,Ü,½,Í,»,ê^È'O,ìfo[fWf#f",ì CleanSweep ,ðfCf"fXfg[f<,·,é,è,í,íAŽŸ,ì,æ,¼ ,É,µ,Ä,,¾,³,çB

CleanSweep version 3.04 ,Ü,½,Í,»,ê^È'O,ìfo[fWf#f",ì CleanSweep ,ðfCf"fXfg[f<,·,é,É,Í

1 ŽŸ,ìftf@fCf<,ðCEŸö,µAfofbfNfAfbfv,ði- ,µ,Ü,·B

- Advapi32.dll
- MFC42.dll
- Olepro32.dll
- Urlmon.dll
- Wininet.dll

2 CleanSweep ,ðfCf"fXfg[f<,µAMS-DOS f,[]fh,ÅfRf"fSF...[]f^,ðÄ<N"®,µ,Ü,·B

3 Šù'¶,ì .dll ftf@fCf<,ðAŽè# 1 ,Äi- ,µ,½fofbfNfAfbfv,É'u,«Š·,ì,Ü,·B

4 fRf"fSF...[]f^,ðÄ<N"®,µ,Ü,·B

'

CleanSweep ,ìÚ×,É,Ä,ç,Ä,íAQuarterdeck Corporation ("d~b +1 (800) 354-3222AWeb fTfCfg <http://www.quarterdeck.com>) ,É-â,ç,í,¹,Ä,,¾,³,çB

□d—v

Internet Explorer 4.0 ,Å□AInterLeap 1.1 fAfhfCEfX fo□[’uŠ·fvf□fOf%of€ ,đŽÀ□s,μ,È,ç,Å,-
,¾,¾,ç□BŽÀ□s,·,é,Æ□AfIfyfCE□[fefBf”fo fVfXfef€ ,đ□Å<N” @ ,Å,«,È,,È,è,Ü,·□B,±,İfvf□fOf%of€
,İfAfbfvfOfCE□[fh fo□[fWf#f” ,đ“üŽè,·,é•û-@,É,Å,ç,Ä,í□Afvf□fOf%of€,İŠJ” CE³,É-â,ç□#,í,¹,Ä,,¾,¾,ç□B

d—v

Internet Explorer 4.0 ,đfCf“fXfg[]f<,³,ê,Ä,ç,éŠÂ<<«,É[]ACEÃ,çfo[]fWf#f“,ì Internet Explorer ,đfCf“fXfg[]f<,μ,È,ç,Ä,,¾,³,ç[]BCEÃ,çfo[]fWf#f“,ì Internet Explorer ,É,æ,Á,Ä[]AInternet Explorer 4.0 ,³[]³,μ,<@”\,μ,È,,È,è,Ü,·[]BInternet Explorer 4.0 []ã,ÉCEÃ,çfo[]fWf#f“,ì Internet Explorer ,đfCf“fXfg[]f<,μ,Ä,μ,Ü,Á,½[]ê[]#,í[]A,Ü,, Internet Explorer ,đfAf“fCf“fXfg[]f<,μ[]AZŽŸ,É Internet Explorer 4.0 ,đ[]ÄfCf“fXfg[]f<,μ,Ä,,¾,³,ç[]B

d-v

NetMeter ,íAWindows 98 ĀfCf“f^[]f]fbfgÚ‘±,đŠm—š,·,é,±,Æ,²,Ā,«,Ü,¹,ňB,±
,ìft[]]fefBfšfefB,ìfAfbfvfOfCE[]]fh fo[]]fWf#f“ ,đ“üŽè,-,é•ú-@,É,Ā,ç,Ā,íAStarfish ,jŕ
ftfgfEjfFjA,É<LÚ,³,ê,Ā,ç,é»•ifTf][]]fg‘<Æú,É-â,ç# ,í,¹,Ā,,³/₄,³,çB•Ā‘,Ā,íAStarfish Software ,É-
â,ç# ,í,¹,Ā,,³/₄,³,çB,Ü,¹/₂,íAStarfish ,ì Web fTfCfg <http://www.starfish.com> ,đŽQÆ,μ,Ā,,³/₄,³,çB

d-v

PhotoShop version 4.0 ,đŽg,ꝛêꝛ,íA,»,'O,É Adobe ,ì Web fTfCfg (<http://www.adobe.com>) ,©,ç
PhotoShop Update Version 4.01 ,đf_fEf“f[]fh,μ[]AfCf“fXfg[]f<,μ,Á,,¾,³,ç[]B,±
,ìfAfbfvfOf[]fh,É,æ,Á,Ä[]AWindows 98 ,Å PhotoShop ,đŽA[]s,·,é,Æ,«,É<N,±,é,ç,,Á,©,ì-â'è,ª
%ođCE^,³,ê,Ü,·[]B

d—v

Windows 98 ä Microsoft Plus! for Windows 95 ,đfCf“fXfg[f<,μ,È,ç,Å,-
,¾,³,çBfCf“fXfg[f<,;é,ÆAffXfNfgbfv,É%œ<¿,³, ,è,Û,·BMicrosoft Plus! for Windows 95
,É,ÍAInternet Explorer ,È,ÇA,ç,,Å,©,ìĀ,çfo[fWf#f“ ,ìtf@fCf<,³ŠÛ,Û,ê,Û,·BMicrosoft Plus! for
Windows 95 ,ÉŠÛ,Û,ê,Ā,ç,éŠg’£<@”\,ÍAŠù,É Windows 98 ,É’g,Ýž,Û,ê,Ā,ç,Û,·B
Windows 98 ,ÉfAfbfvfOfCE[fh,;é’O,ÉAMicrosoft Plus! for Windows 95 ,đŠù,ÉfCf“fXfg[f<,μ,Ā,ç
,½ê# ,ÍAfAf“fCf“fXfg[f<,μ,È,ç,Ā,,¾,³,çBfAf“fCf“fXfg[f<,;é,ÆAflfyfCE[fefBf“fO fVfXfef€,É
%œ<¿,³, ,è,Û,·B

□d—v

,±,ì□»•i,í□AWindows 98 □ã,Å,íŽÀ□s,³,ê,Ü,¹,ñ□Bf\ftfgfEfffA,ì²□®,âfAfbfvfOfCE□[fh,É,Â,ç,Ä,í□A□»•i,ìŠ”-
CE³,É-â,ç□‡,í,¹,Ä,^{3/4},³,ç□B

d-v

,±,ì»•i,íAWindows 98 ã,Å,í³,μ,“®ì,μ,È,ç,±,Æ,³, ,è,Ü,·BfjftfgfEjFfA,ì'²® ,âfAfbfvfOfCE[fh,É,Â,ç
,Å,íA»•i,ìŠ”CE³,É-â,ç‡,í¹,Å,,¾,³,çB

d-v

,±,ì»•i,ì<@”\,ì^ê•”,íAWindows 98 ã,Å,í³,µ,“®ì,µ,È,ç,±,Æ,ª, ,è,Ü,·Bf\
ftfgfEjfA,ì²®®,âfAfbfvfOfCE[]fh,É,Â,ç,Ä,íA»•i,ìŠ”Æ³,É-â,ç±,í¹,Ä,,¾,³,çB

d—v

Internet Explorer 4.0 ,đŽÀ□s,μ,Ä,ç,éRf“fsf...□[f^,É Microsoft Money 97 ,đfCf“fXfg□[f<,·,é,Æ□AfIf“f
%ofCf“ fgf%of“fUfNfVf†f“,“®□ì,μ,Û,¹ñ□B,±,ê,í□AInternet Explorer 4.0 ,“ Microsoft Money 97
,æ,è□V,μ,çfZfLf...fŠfefB f,ffç,đŽg—p,·,é,½,ß,Ä,·□BfIf“f%ofCf“ fgf%of“fUfNfVf†f“,“®□ì,·,é,æ,α,É Money
,đfAfbfvfOfÆ□[fh,·,é•û-@,É,Ä,ç,Ä,í□AMicrosoft Web fy□[fW
(<http://www.microsoft.com/ie/ie40/download/128bit.htm>) ,đŽQ□Æ,μ,Ä,,¾,³,ç□B

□d—v

,±,ìfvf□fOf%of€,í□AInternet Explorer 4.0 ,ðŽÀ□s,μ,Ä,ç,éfRf“fsf...□[f^,Å,ÍŽÀ□s,Å,«,Ü,¹,ñ□Bf\ftfgfEjfFjA,ì²□® ,âfAfbfvfOfCE□[fh,É,Å,ç,Ä,í□Afvf□fOf%of€,ìŠj”CE³,É-â,ç□‡,í,¹,Ä,,³/₄,³,ç□B

□d—v

,±,ìfvf□fOf%of€,í□AInternet Explorer 4.0 ,ðŽÀ□s,μ,Ä,ç,éfRf“fsf...□[f^,Å,í□³,μ,“®□ì,μ,È,ç,±
,Æ,ª, ,è,Û, :□B\ftfgfEjFfA,ì²□® ,âfAfbfvfOfCE□[fh,É,Å,ç,Ä,í□Afvf□fOf%of€,ìŠj”CE³,É-â,ç□‡,í,¹,Ä,,³/4,³,ç□B

d-v

,±,ìfvf[]fOf%of€,ì<@“\,ì^ê•”,í[]AInternet Explorer 4.0 ,đŽÀ[]s,μ,Ä,ç,éfRf“fsf...[]f^,Å,í[]³,μ,“@[]ì,μ,È,ç,±
,Æ,ª, ,è,Û, :[]B[]f[]t[]f[]g[]f[]E[]f[]F[]A,ì²[]@,âfAfbfvfOfCE[]f[]h,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠj”CE³,É-â,ç[]‡,í,¹,Ä,,³/₄,³,ç[]B

□d—v

Windows 95 fT□[frfX fpfbfN 1 ,đfAf“fCf“fXfg□[f<,μ,È,φ,Â,,¾,¾,φ□BInternet Explorer 4.0 ,ìVfFf<<@”\ ,žŽÀ□s,Â,«,È,,È,è,Û,·□B

d—v

^È'O,ìfo[fWf#f",ì Windows ,©,çfAfbfvfOfCE[fh,μ,Ä,ç,é,è,ê,Ë,ÅAfvf%ofO fAf"fh fvfCEfC'í%ž,ìTfEf"fh fJ[fh,ðŽg—p,μ,Ä,ç,é,Æ,«,íAAces of the Deep version 1.0 ,ìTfEf"fh,ðÄÝ'è,·,é•K— v,^a, ,è,Û,·BŽÝ,ì,æ,α,ÉAfTfEf"fh,ðÄÝ'è,μ,Û,·B

1. Š,,èž,Ý"Ôt,È,Ç,ìÝ'è,ðŠm" F,μ,Û,·B

- a. f}fC fRf"fsf...[f^,ðf}fEfX,ì%Ef{f^f",ÅfNfŠfbfN,μA[fvf]fpfefB] ,ðfNfŠfbfN,μ,Û,·B
- b. [fffofCfX f}f[fWff] f^fu,ðfNfŠfbfN,μ,Û,·B
- c. [fTfEf"fhAfrrfflA, ",æ,ÑfQ[f€,ìfRf"fgf[f%] ,ì—x,ì [+], ðfNfŠfbfN,μ,Û,·B
- d. Žg—p,μ,Ä,ç,éTfEf"fh fJ[fh,ðfNfŠfbfN,μ,Û,·B
- e. [fvf]fpfefB] ,ðfNfŠfbfN,μ,Û,·B
- f. [fŠf][fX] f^fu,ðfNfŠfbfN,μ,Û,·B
- g. 1 "Ô-Ú,ì I/O fJ[fg fAfhfCEfX A2 "Ô-Ú,ì DMA A, ",æ,Ñ 2 "Ô-Ú,ì IRQ (IRQ ,^a 1 ,Ä,ìè,íA,»,ì IRQ) ,ðf,μ,Ä, ",«,Û,·B

2. fTfEf"fh,ðÄÝ'è,μ,Û,·B

- a. fQ[f€,afCf"fxfg[f<,³,è,Ä,ç,éfffBfCEfnfgfŠ,É^Ú" ©,μ,Û,·B
- b. soundset.exe ,ðŽÄs,μAfTfEf"fh fJ[fh,ðÄÝ'è,μ,Û,·Bfvf"fvfg,^a•Ž!,³,è,½,çAŽè 1 ,Åf,μ,Ä, ",ç,½Ý'è,ðü—í,μ,Û,·B

d—v

Windows 98 ,ÉAWindows 95 fT[fxfX fpfbfN 1 ,ðfCf“fXfg[f<,μ,È,ç,Ä,,¾,¾,çBfT[fxfX fpfbfN 1 ,íAWindows 95 —p,Ä,·BWindows 95 fT[fxfX fpfbfN,ÉŠÜ,Ü,è,éŠg'£<@“\,ÆC³,íAŠù,É Windows 98 ,ÉŠÜ,Ü,è,Ä,ç,Ü,·B

fT[fxfX fpfbfN,³fCf“fXfg[f<,è,Ä,ç,é Windows 95 ,©,çfAfbfvfOfCE[fh,μ,½è±,íAfT[fxfX fpfbfN,ðfAf“fCf“fXfg[f<,μ,È,ç,Ä,,¾,¾,çBfT[fxfX fpfbfN,í Windows 98 ,ÉŠÜ,Ü,è,Ä,ç,ÄAfRf“fgf[f< fpf[f<,ì [fAfvfŠfP[fVf#f“,ì'Ç%oÁ,Æí[œ] ,ì^è—,É,í•Ž!,è,Ü,¹,ñB

d-v

Norton Navigator ,ì,ç,,Â,©,ì<@”\,ÍAInternet Explorer 4.0 ,Á,ÍA³,μ,“©ì,μ,È,ç,±
,Æ,ª, ,è,Û,:B•â’«î•ñ,É,Á,ç,Ä,ÍASymantec ,É-â,ç,í,¹,Ä,,¾,¾,çB,±,ìfvfOj%of€,ìfAfbfvfOjCE[fh
fo[fWfj” ,ì“üŽè•û-@,É,Á,ç,Ä,ÍA,±,ìfvfOj%of€ ,É<LÛ,¾,è,Ä,ç,é»•ifTj|fg’<CEù,É-â,ç,í,¹,Ä,-
,¾,¾,çB•Ä’ ,Á,ÍASymantec Corporation (+1 (800) 441-7234) ,É-â,ç,í,¹,Ä,-
,¾,¾,çB,Û,½,ÍASymantec ,ì Web fTfCfg <http://www.symantec.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

□d—v

,±,ìfAfvfŠfP□[fvf#f“,đ Internet Explorer 4.0 ,ìfAf“fCf“fXfg□[f<,ÉŽg—p,·,é,Æ□A—\Šú,μ,È,¢CE<%oÊ,ª<N,±
,é,±,Æ,ª, ,è,Û,·□B

□d—v

Windows 98 ,É□AOLEUPD.EXE Version 2.1 ,ðfCf“fXfg□[f<,μ,È,ç,Å,,¾,¾,ç□BIInternet Explorer 4.0
,jVfFf<<@“\,ªŽÅ□s,Å,«,È,,È,è,Ü,·□B

d—v

Windows 98 ,ÉAWindows 95 fT[fxfX fpfbfN 1 ,đfCf“fXfg[f<,μ,È,ç,Å,,¾,¾,çBfT[fxfX fpfbfN 1 ,íAWindows 95 —p,Å,·BWindows 95 fT[fxfX fpfbfN,ÉŠÜ,Ü,ê,éŠg'£<@“\,ÆC³,íAŠù,É Windows 98 ,ÉŠÜ,Ü,ê,Å,ç,Ü,·BfT[fxfX fpfbfN ,³fCf“fXfg[f<,¾,¾,ç,é Windows 95 ,©,çAfbfvfOfCE[fh,μ,½ê±,íAfT[fxfX fpfbfN ,đfAf“fCf“fXfg[f<,μ,È,ç,Å,,¾,¾,çBfT[fxfX fpfbfN ,í Windows 98 ,ÉŠÜ,Ü,ê,Å,ç,ÄAfRf“fgf[f< fpfif<,ì [fAfvfŠfP[fVf+f“,ì'Ç%Å,Æiœ] ,ì^ê—,É,í\ Ž,¾,¾,ê,Ü,¹,ñB

d—v

CyberLife Creatures 1.0 ,íAInternet Explorer 4.0 ,ÉŠ®‘S,É,í‘í%ž,μ,Ä,ç,Ü,¹,ñBCreatures “à,©,ç
Creatures ,ì Web fTfCfg,ÉÚ‘ ±,·,é,±,Æ,í,Ä,«, ,ACreature fLfbfg,ì^è•”,íA³,μ,“®ì,μ,È,ç,±
,Æ,ª, ,è,Ü,·Bhttp://www.cyberlife.co.uk/creatures_frameset.htm ,©,ç Creatures fAfbvfOfCE[fh
fpfbfN 2 ,đf_fEf“f[fh,μAfCf“fXfg[f<,μ,Ä,,¾,¾,çB,±,ífAfbvfOfCE[fh,É,æ,Ä,ÄA,±,ê,ç,ì-â^è,ª
%öCE^,¾,ê,Ü,·B

d-v

Norton Utilities for Windows 95 ,íAWindows 98 FAT32 fffBfXfN,É'í%ž,μ,Ä,ç,È,ç,½,ßA^ê" ,lfvf[]fOf %of€,í³,μ," @ì,μ,Ü,¹,ñBÄVfo[]fWf#f" ,ì Norton Utilities ,đ"üŽè, .,é•ú-@,É,Ä,ç,Ä,íASymantec []»•i,É<LÚ,³,ê,Ä,ç,é»•ifTf|[]fg'<Æù,É-â,ç[]‡,í¹,Ä,,¾,³,ç[]B•Ä[]'Ä,íASymantec Corporation ("d"b +1 (800) 441-7234[]AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç[]‡,í¹,Ä,,¾,³,ç[]B

d-v

Microsoft ISDN 1.1 Accelerator Package ,đ,±,lfó[fWf#f",i Windows ,ÉfCf"fXfg[f<,:é,±
,Æ,í,Ä,«,Ü,¹,ñBWindows 98 ,É,íA[V,μ,cf_fCf,,f<fAfbfv flfbfgf[fN<@"\," ,æ,Ñ,·,×,Ä,ì Accelerator
Package <@"\,lfAfbfvff[fq fTf|f[fq,^aSÜ,Ü,é,Ä,ç,Ü,·BISDN fffofCfX,đfCf"fXfg[f<,:éê#f,íAISDN fhf
%ofCfo,^a Windows 98 ,Ä"@ì,·,é,©,Ç,±,©,đfn[fhfEjFfA,ìŠ]"Æ³,É-â,ç#f,í,¹,Ä,,³/₄,³,çB

d-v

Windows ,đÄfCf“fXfg[f<,μ,æ,α,Æ,μ,Ä,ç,Ü,·BInternet Explorer 4.0 ,afCf“fXfg[f<,³,ê,Ä,ç
,éê‡,íAWindows ,đÄfCf“fXfg[f<,:é'O,É Internet Explorer ,đAf“fCf“fXfg[f<,:é•K—v,³, ,è,Ü,·B

d-v

,±,ìfo[fWf#f“,ì MS-IME ,íAWindows 98 ,É'í%ž,μ,Ä,ç,Ü,¹,ñBfCf“fXfg[f<,·,é,ÆAÄN“®Eă,ÉfVfXfef€
,²•s^À'è,É,È,è,Ü,·B,±,ìfo[fWf#f“,ìfifjfE[fefBf“fO fVfXfef€,Æ<α,Éo%×,³,è,é MS-IME ,đŽg—p,μ,Ä,-
,³/₄,³,çB

d-v

,±,ìfo[fWf#f“,ì Agent 95 ,Ü,½,í Agent 97 ,íAWindows 98 ,Å,í“®ì,μ,Ü,¹,ñBÚ×,É,Â,ç,Ä,íAÅŠñ,è,ì
Connectix Corporation ,ìŽq%ïŽĐ,É-â,ç,í,¹,Ä,,³/₄,³,çB•Ä‘,Á,íAConnectix Corporation (+1 (800)
839-3627) ,É-â,ç,í,¹,Ä,,³/₄,³,çB

d-v

Nuts & Bolts Registry Pro ,Æ Internet Explorer 4.0 ,ðŽÀs,·,é,ÆARegistry Pro Editor fEfBf“fhfE,ðI—
¹,μ,½Æä,ÉA-³Æø,Èfy□[fW ftfH□[f<fg,lfGf%o□[,²<N,«,é,±,Æ,², ,è,Û,·BÚ□×,É,Â,ç,Ä□A,Û,½,Í Nuts &
Bolts Registry Pro ,lfAfbfvfOfÆ□[fh,ÉŠÖ,μ,Ä,Í□A•Ä□',Ä,Í□AHelix Software Company (“d~b +1 (800)
451-0551□A+1 (408) 988-3832□AWeb fTfCfg <http://www.helixsoftware.com>) ,É-â,ç□‡,í,¹,Ä,,¾,³,ç□B

d-v

Internet Explorer 4.0 ,ìV,μ,φ<@”\,ðŽg—p,·,é,ÆANuts & Bolts Trash Guard ,Æ Windows •W€
,ì,²,Ý” ,ª³,μ,“®ì,μ,È,,È,é%oÂ”\«,ª, ,è,Ü,·BÚx,É,Â,φ,ÄA,Ü,½,Í Nuts & Bolts Trash Guard
,ìfAfbfvfOfCEìfh,ÉŠÖ,μ,Ä,íA•Ä’,Ä,íAHelix Software Company (“d~b +1 (800) 451-0551A+1 (408)
988-3832AWeb fTfCfg <http://www.helixsoftware.com>) ,É-â,φ‡,í,¹,Ä,,¾,³,φB

d-v

Internet Explorer 4.0 ,Á,ÍIBM Access Aptiva ft[[fefBfŠfefB,đŽÀs,Á,«,Ü,¹,ñB

ŽŸ,ì Web fTfCfg,É,ÍACEÝŠ·«,ì, ,éfo[[fWf#f“,ì IBM Access Aptiva ft[[fefBfŠfefB, ,æ,ÑXV,³,ê,½,Ù,©,ì
IBM fRf“f[[lf“fg,ª, ,è,Ü,·B,±,±,Á,ÍAZg—p,µ,Ä,ç,éuf%ofEfU,ìCE¾CEè,Æ“~,¶CE¾CEè,đ'l'đ,·,é•K—
v,ª, ,è,Ü,·B

<http://www.us.pc.ibm.com/webcast/ie40/aptiva.html>

'

■,±,lfŠf“fN,đfNfŠfbfN,·,é,ÆAfCf“f^[[lfbfjg fT[[fxfX fvf[[f ofCf_,đ%oî,µ,Ä Internet
,Éf[[Ofif“,³,ê,Ü,·B

d—v

Windows 98 ,É Windows 95 ,đfCf“fXfg[f<,μ,È,ç,Å,,¾,¾,çBWWindows 98 ,É Windows 95 ,đfCf“fXfg[f<, ,é,ÆA,Ç,ž,ç,lflyfœ[fefBf“fO fVfXfef€ ,àŽg—p,Å,« ,È,È,è,Û,·BWWindows 98 ,©,ç Windows 95 ,É-ß,é,±,Æ,¾,Å,« ,é,ì,íAWindows 95 ,©,ç Windows 98 ,ÉfAfbfvfOfœ[fh,μ,½,Æ,« ,ÉAWindows 95 ,lfVfXfef€ ftj@fCf<,đ•Û‘¶,μ,Ä,“,ç,½ê±,¾,¯,Å,·B

Windows 95 ,É-ß,é,É,í

- 1 [fXf^ [fg] f{f^f“ ,đfNfŠfbfN,μA[‘è] ,đf|fCf“fg,μ,Û,·BŽŸ,ÉA[fRf“fgf[f< fpflf<] ,đfNfŠfbfN,μA[fAfvfŠfP[fVf#f“ ,ì‘Ç%Á,Æíœ] fAfCfRf“ ,đf_fuf<fNfŠfbfN,μ,Û,·B
- 2 [fCf“fXfg[f<,Æíœ] f^fu,Å [Windows 98 ,lfAf“fCf“fXfg[f<] ,đfNfŠfbfN,μA[OK] ,đfNfŠfbfN,μ,Û,·B [fCf“fXfg[f<,Æíœ] f^fu,É [Windows 98 ,lfAf“fCf“fXfg[f<] ,¾,È,çê±,íAWindows 95 ,É-ß,é,± ,Æ,í,Å,« ,Û,¹,ñB

d—v

,±,ìfo[fWf#f“,ì Windows ,Á,ì•ïX,ì,½,ßA“Á’è,ìfvfOf%œ,ÆŠÖ~A•t,¯,ç,è,Ä,ç,½ Wininet.dll
ftf@fCf<,íAÁV,Á,í, ,è,Ü,¹,ñBfvfOf%œ,Á,±,ìftf@fCf<,²Žg,í,è,È,ç,æ,æ,É,·,é,½,ß,ÉAWinet.dll
ftf@fCf<,ì-¼’O,ð•ïX,µ,È,¯,è,Î,È,è,Ü,¹,ñB

Wininet.dll ,ì-¼’O,ð•ïX,·,é,É,í

- 1 fGfNfXfvf[f%œ,ÁA,» ,ìfvfOf%œ,²fCf“fXfg[f<,³,è,Ä,ç,éftfHf<f_,ðCE©,Á,¯,Ü,·B
- 2 Wininet.dll ftf@fCf<,²CE©,Á,©,Á,½,çAf}fEfX,ì%œE{f^f“,ÁfNfŠfbfN,µA[-¼’O,ì•ïX]
,ðfNfŠfbfN,µ,Ü,·B
- 3 Wininet.old ,È,ÇA,±,ìftfHf<f_,Á^è^Ó,ì-¼’O,ð“ü—í,µ,Ü,·B
fvfOf%œ,ìftfHf<f_,É, ,éftf@fCf<,ì-¼’O,¾,¯,ð•ïX,µ,Ä,,¾,³,çBWindows ftfHf<f_,É, ,éftf@fCf<,ì-¼’O,ì•ïX,µ,È,ç,Ä,,¾,³,çB
- 4 fRf“fsf...[f^,ðÄ<N“® ,µ,Ü,·B
fGfNfXfvf[f%œ,ðŽg,Á,Äftf@fCf<,ì-¼’O,ð•ïX,Á,« ,È,çè±,íAZŽ,ìŽè±,É],Á,Ä’è,µ,Ü,·B
- 1 ,±,ìŽè±,ð^óü,·,é,©Af,µ,Ä,¯,« ,Ü,·B
- 2 [fXf^ [fg] f{f^f“,ðfNfŠfbfN,µA[Windows ,ì|—¹] ,ðfNfŠfbfN,µ,Ü,·BŽŽ,ÉA[MS-DOS
f,[fh,ÁÄ<N“® ,·,é] ,ðfNfŠfbfN,µ,Ü,·B
- 3 MS-DOS fvf“fvfg,ÁA,» ,ìfvfOf%œ,²fCf“fXfg[f<,³,è,Ä,ç
,éfffBfœfNfgfŠ,É^Ú“® ,µ,Ü,·B,½,Æ,ì,îAfvfOf%œ,³ C:\Program Files\MyApp
fffBfœfNfgfŠ,ÉfCf“fXfg[f<,³,è,Ä,ç,éè±,íAC:\ fvf“fvfg,ÁŽŽ,ì,æ,æ,É“ü—í,µ,Ü,·B
cd \progra~1\MyApp
ŽŽ,ÉAEnter fL[,ð%Ÿ,µ,Ü,·B
- 4 ŽŽ,ì,æ,æ,É“ü—í,µ,Ü,·B
ren wininet.dll wininet.old
ŽŽ,ÉAEnter fL[,ð%Ÿ,µ,Ü,·B
- 5 **Ctrl** fL[,Æ **Alt** fL[,ð%Ÿ,µ,È,²,ç **Del** fL[,ð%Ÿ,µ,ÄAfRf“fsf...[f^,ðÄ<N“® ,µ,Ü,·B

d—v

,±,ìfCf“fXfg[]f< CD-ROM ,ìfhf%ofCfo,“ ,æ,Ñ InControl Tools ,ðŽg,æ,Æ[]AWindows 98 ,æ³,µ,“ @[]ì,µ,È,,È,é %oA“\[]«,æ, ,è,Û,·[]B

Windows 98 ,É,Í[]AfZfbjgAfjbfv’t,âfn[]fhhfEfffA,ìCEÿ[]oŽž,ÉfCf“fXfg[]f<,³,è,½[]A[]Å[]V,ìfhf %ofCfo,æŠÛ,Û,è,Ä,ç,Û,·[]B,Û,½[]A,±,è,ç,ìfhf%ofCfo,ÆCEÝŠ·[]«,ì, ,é[]Å[]V,ì InControl Tools ft[]f[]efBfŠfefB,àŠÛ,Û,è,Ä,ç,Û,·[]B,±,ì InControl Tools ft[]f[]efBfŠfefB,Í[]AŠù‘¶,ì InControl Tools ,ðfAfbfvfOfCE[]f[]h,·,é,Æ,«,,¾, Žg—p,µ,Û,·[]B^É’O,É[]ACE³,ìfhf%ofCfo fffBfXfN,â CD-ROM ,©,çfCf“fXfg[]f<,µ,Ä,ç,É,ç[]è[]#[]A,±,è,ç,Í<@“\,µ,Û,¹,ñ[]BInControl Tools ,æfCf“fXfg[]f<,³,è,Ä,ç ,É,ç[]è[]#,Í[]AZÿ,ìŽè[]#,ðŽÀ[]s,µ,È,ç,Ä,,¾,³,ç[]B

CE³,ì InControl Tools ,æfCf“fXfg[]f<,³,è,Ä,ç,é[]è[]#,Í[]AZÿ,ìŽè[]#,É[]],Á,ÄfAfbfvfOfCE[]f[]h,µ,Ä,,¾,³,ç[]B

Windows 98 CD-ROM ,Ä’ñ<ÿ,³,è,Ä,ç,é Diamond InControl Tools ft[]f[]efBfŠfefB,ðfCf“fXfg[]f<,·,é,É,Í

- 1 Windows 98 CD-ROM ,ð CD-ROM fhf%ofCfu,É’}“ü,µ,Û,·[]B
- 2 [fXf^[]fg] f{f^f“,ðfNfŠfbfN,µ[]A[ftf@fCf<-¼,ðŽw’è,µ,ÄŽÀ[]s] ,ðfNfŠfbfN,µ,Û,·[]B
- 3 [-¼’O] f{fbfNfX,É[]AZÿ,ì,æ,æ,É“ü—Í,µ,Û,·[]B

x:\Drivers\Display\Diamond\Disk1\Setup.exe
,±,±,Ä[]A"x" ,Í[]ACD-ROM fhf%ofCfu,ìfhf%ofCfu•¶Žš,Ä,·[]B

[]Å[]V,ìfhf%ofCfo,â[]Å[]V,ìfo[]fWf#“,ì InControl Tools ,ì[]Ú[]x,É,Ä,ç,Ä,Í[]A•Ä[]’,Ä,Í[]ADiamond ,ìfefNfjff< ftf[][]fg (+1 (541) 967-2450) ,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B,Û,½,Í[]ADiamond ,ì Web fTfCfg <http://www.diamondmm.com> ,É[]Ú’±,µ[]ASupport ,ì Drivers/Firmware ,ðŽQ[]Æ,µ,Ä,,¾,³,ç[]B

d-v

Windows ,íAê—p,ì DVD fvfE[f,,[f\ftfgfEfFfA,ª UDF ftf@fCf< fVfXfef€,,ÆEYŠ·□«,ª,È,¢%oÁ”\
□«,ª, ,é,±,Æ,ðEY’o,μ,Û,μ,½□BCDFS ftf@fCf< fVfXfef€,,ð—~—p,Å,«,,é,æ,æ,É,·,é,½,β,É□AUDF ftf@fCf<
fVfXfef€,,ð-³Eø,É,μ,Å,,¾,¾,¾,¢□B

UDF ftf@fCf< fVfXfef€,,ð-³Eø,É,·,é,É,í

- 1 .±,±,ðfNfŠfbfN,μ□AfvfXfef€Y’èft□[fefBfŠfefB,ð<N”@,μ,Å,,¾,¾,¾,¢□B
- 2 [□Ú□×□Y’è] ,ðfNfŠfbfN,μ□A[fAfhfof“fX fgf%ofuf<fVf...□[fefBf“fo,ìY’è] f_fCfAf□fo f{fbfNfX,ì [UDF
ftf@fCf< fVfXfef€,,ðŽg—p•s%oÁ,É,·,é] f`fFfbfN f{fbfNfX,ðfj” ,É,μ,Û,·□B

’□
 fvfXfef€Y’èft□[fefBfŠfefB,í□AZŽ,ì•û-@,Á<N”@,·,é,±,Æ,à,Å,«,,Û,·□B[fXf^□[fg]
 f{f^f” ,ðfNfŠfbfN,μ□A[ftf@fCf<-¾,ðŽw’è,μ,ÅŽÁ□s] ,ðfNfŠfbfN,μ,Û,·□BŽY,É□A[-¾’O]
 f{fbfNfX,É□umsconfig□v,Æ”ü—í,μ,Û,·□B

d—v

NetXray ,đŽÀs't,ÉAfRf"fsf...[f^,đfXf^f"fofCó'Ô,âfTfXfyf"fh f,[fh,É,·,é,ÆAfRf"fsf...
[f^,ìÄ<N" @Æä,É NetXray ,³,μ," @ì,μ,È,,È,è,Û,·B

fTfXfyf"fh f,[fh,đ-³CEø,É,·,é,É,í

1 [fXf^ [fg] f{f^f" ,đfNfŠfbfN,μA[Ý'è] ,đf]fCf"fg,μ,Û,·BŽŸ,ÉA[fRf"fgf [f< fpf]f<] ,đfNfŠfbfN,μ,Û,·B

2 ["dCE¹,ìŠÇ—] fAfCfRf" ,đf_fuf:fNfŠfbfN,μ,Û,·B

3 [f,ffj^,ì"dCE¹,đø,é] f{fbfNfX,ÅA[È,μ] ,đ'í'đ,μ,Û,·B

4 [fn [fh fffBfXfN,ì"dCE¹,đø,é] f{fbfNfX,ÅA[È,μ] ,đ'í'đ,μ,Û,·B

5 [VfXfef€ fXf^f"fofC] f{fbfNfX,ÅA[È,μ] ,đ'í'đ,μ,Û,·B

Ý'è,đ·ìX,·,é,ÆAfRf"fsf...[f^,³fXf^f"fofCó'Ô,âfTfXfyf"fh f,[fh,É,È,ç,È,,È,éèè±,ìAfRf"fsf...
[f^,ìf}ffj...fAf<,đŽQAE,·,é,©A,Û,½,í,·,x,Ä,ª ["dCE¹,ìŠÇ—,ìfvf[]pfefB] f_fCfAf[]fO f{fbfNfX,É·\

Ž,³,é,È,çèè±A,»,ì<@"\,ìAŽg—p,μ,Ä,ç,éfRf"fsf...[f^,Ä,ìfTf] [fg,³,é,Ä,ç,Û,¹,ñB

d-v

Nuts & Bolts version 1.03 , ,æ,Ñ,»,ê^È'O,lfWfj",ì Nuts & Bolts ,íAWindows 98
,Ä,í"®i,µ,Ü,¹,ñBÄVfo[fWfj",É,Ä,ç,Ä,íA•Ä',Ä,íAHelix Software Company ("d~b +1 (800) 451-
0551A+1 (408) 988-3832AWeb fTfCfg <http://www.helixsoftware.com>) ,É-â,ç,í,¹,Ä,,¾,³,çB

d-v

, ±, ìfAfvfŠfP[fVf#f“, ì Zip-Rescue , ìfVfVf#f“, ì Windows 98 , Å, í“ ©i, μ, Ü, ¹, ñB

, ±, ìfAfvfŠfP[fVf#f“, ì ÅVfo[fWf#f“, É, Å, ç, Ä, ì ASymantec , ì Web fTfCfg <http://www.symantec.com>

, ðŽQAE, ·, é, ©A, Ü, ½, í Live-Update , ðŽg, Å, Ä Symantec , ì FTP fTfCfg, ðŠm”F, μ, Ä, ¾, ³, çB

Úx, É, Å, ç, Ä, ìA, ±, ìfAfvfŠfP[fVf#f“, É<LÚ, ³, ê, Ä, ç, é» • ifTf| [fg’ <Æû, É-â, ç, í, ¹, Ä,-

, ¾, ³, çB • Ä’ , Å, ì ASymantec Corporation (+1 (800) 441-7234A+1 (541) 345-3322) , É-â, ç, í, ¹, Ä,-

, ¾, ³, çB

d-v

Intellitype software version 1.0 , ,æ,Ñ version 1.0a ,íAWindows 98
,ÆŒÝŠ·«,ª ,è,Û,·B,½,¾,µAIntellitype Manager ,Û,½,íRf“fgf[f< fpfif<,ì [fL[f{ [fh]
,đŽg,Á,ÄA"Ø,è'Ö,¡ (snap-to)" <@"\,đ—LŒø,É,·,é,ÆA[fXf^[fg] fffj...[đ³,µ,Žg—p,Á,«,É,-
,É,è,Û,·B"Ø,è'Ö,¡ (snap-to)" <@"\,đŽg,í,É,čê±,íA,±,ífbfZ[fW,í-³Ž<,µ,Á,,¾,¾,čB
ÁV,ìfo[fWf±“,ì Intellitype (11p32upd.exe) ,đŽg,ÆA,±,ì-â'è,í
%øđŒ^,³,è,Û,·BÁV,ìfo[fWf±“ ,íA <http://premium.microsoft.com/support/downloads/dp2889.asp>
,©,ç_fEf“f[fh,·,é,±,Æ,ª,Á,«,Û,·B

d—v

Windows 98 ,É,íAŠù,ÉÅV,ìfo[fWf#f“,ìf}fCfNf\ftfg flfbfgf[fN (MSN) ,aŠÜ,Ü,è,Ä,ç,Ü,·BMSN
,đfCf“fXfg[f<,·é,½,ß,É MSN ,ì CD-ROM ,đŽg,æ•K—v,í, ,è,Ü,¹,ñB

CD-ROM fhf%ofCfu,©,ç MSN ,ì CD-ROM ,đŽæ,èo,μ,Ä,,¾,³,çBMSN
,ìfZfbfgfAfbfv,đŠŽn,·,é,É,íAWindows 98 ,ìffXfNfgfbfv,ì [f}fCfNf\ftfg flfbfgf[fN,ìfZfbfgfAfbfv]
fAfCfRf“,đf_fuf<fNfŠfbfN,μ,Ä,,¾,³,çB

MSN ,ì CD-ROM ,ÉŠÜ,Ü,è,Ä,ç,é“Á“T,đÄ,Ñ—~—p,·,éêë,íA“o~^”Ôt,đ“ü—í,·,é,æ,æ,
,É<β,ç,è,½,çACD-ROM ,ìfpfbfP[fW,Ü,½,í-üŽq,É<LÚ³,è,Ä,ç,é“o~^”Ôt,đ“ü—í,μ,Ä,,¾,³,çBMSN
,đ‘l,ñ,Ä,ç,½,¾,«, ,è,³,Æ,æ,²,‘,ç,Ü,·B

d-v

Oracle Version 8 ,l,ç,,Â,©,l<@“\,íAWindows 98 ,Â,í³,μ,“©i,μ,È,ç%oÂ“\<ç,ç,è,Û,·B—~—
p,Â,«,éXV,É,Â,ç,Ä,íAOracle ,l Web fTfCfç <http://www.oracle.com> ,đŠm”F,μ,Ä,,¾,¾,çB

Úx,É,Â,ç,Ä,íAÄŠñ,è,l Oracle ,lŽq%oiŽĐ,É-â,çç,í,¹,Ä,,¾,¾,çB•Ä’,Ä,íAOracle (+1 (800) 252-
0303A+1 (650) 506-1500) ,É-â,çç,í,¹,Ä,,¾,¾,çB

d-v

,±,ìfo[fWf#f“,ì Reachout ,íAWindows 98 ,ÆŒÝŠ·«,²,È,ç,½,ßA³,μ,“®ì,μ,Ü,¹,ňBfvfOf%of€
,ìXV,âŠù'm,ì-â'è,É,Â,ç,Á,íA•Ä',Á,íAStac International ,ì Web fTfCfg (<http://www.stac.com> , ,æ,Ñ
<http://support.stac.com>) ,ÉÚ'±,μ,Äà-¾,ďŽQÆ,·,é,©A,Ü,½,í Stac ,ì»•ifTf|fg (+1 (800) 305-
7822A+1 (619) 794-3700) ,É-â,ç,í,¹,Ä,,¾,³,çB

d-v

Novaback+ version 5.0 ,íAWindows 98 ,ÆŒÝŠ·«^a, ,è,Ü,¹,ñB,±,Ìfo«[fWf#f“,ìŒŸŠ·«,ÉŠÖ,·,é-
â'èAfvfOf%of€,ìXVVA,Ü,^{1/2},í%Å“,È%oň”ð•û-@,É,Á,ç,Ä,íA•Ä',Ä,íANovaStor (“d~b +1 (805)
579-6700Web fTfCfg <http://www.novastor.com>) ,É-â,ç#í,¹,Ä,,^{3/4},³,çB

d—v

Mango Medley 97 ,íAWindows 98 ,ÆŒÝŠ·□«^² , è,Ü·□B,½,¾,μAMedley 97 ,Å,íACEÃ,çfo□[fWf#f“,ì Cfgmgr32.dll ftf@fCf<,³fCf“fXfg□[f<,³,è,é,½,β□Afrf“fsf...□[f^,ð□Å<N“ @Œä,É□AZÏ,lfGf%□[^²<N,«^²é%Å“\ □«^² , è,Ü·□B

"RUNDLL. Powrprof.dll. ,)“Ç,Ý□ž,ÝfGf%□[^²Å,·□BvfXfef€^²,É□Ú‘±,³,è,Ä,ç,éfffofCfX,^²<@“\,μ,Ä,ç,Ü,^²ñ□B" ,±,lfGf%□[^²ðœ<Ž,·,é,É,íAMedley 97,lfCf“fXfg□[f<Œä,É□AZÏ,ìžè□#,É□,Á,Ä‘€□ì,μ,Ä,,¾,^²ç□B

1 [fXf^□[fg] f{f^f“,ðfNfŠfbfN,μ□A[ftf@fCf<-¼,ðŽw’è,μ,ÄŽÀ□s] ,ðfNfŠfbfN,μ,Ü,·□BŽÏ,É□A□uSFC.EXE□v,Æ“ü—í,μ,Ä□AfvfXfef€ ftf@fCf< f`fffbj□[^²ð<N“ @,μ,Ü,·□B

2 [fvfXfef€ ftf@fCf< f`fffbj□[^²] f_fCfAf□fO f{fbfNfX,Å□A[ftf@fCf<,ìfXfLfff“,ðŽÀ□s,μfGf%□[^²ð‘T,·] ,²‘l’ð,^²è,Ä,ç,é,±,Æ,ðŠm“F,μ□A[Š]Žn] ,ðfNfŠfbfN,μ,Ü,·□B

3 Cfgmgr32.dll ,”æ,Ñ Imagehlp.dll ,²ŒÃ,çfo□[fWf#f“,É‘u,«Š·,|,ç,è,Ä,ç,é,±,Æ,^²·\ Ž!,^²è,½□è□#,íAWindows 98 ,ì CD-ROM ,ðŽg,Á,Ä□A—¼·ù,ìftf@fCf<,ð \Windows\System fffBfŒfNfgfŠ,É·œŒ^²,μ,Ü,·□B

4 frf“fsf...□[f^,ð□Å<N“ @,μ,Ü,·□B

Mango Medley ,ì□V,μ,çfo□[fWf#f“,ì Mango Medley 98 ,ð—~—p,Å,«^²Ü,·□B□Ú□x,É,Ä,ç ,Ä,í□A·Ä□,Å,íAMangosoft Coporation (“d~b +1 (800) 698-2129□A+1 (970) 522-1582□AWeb fTfCfg <http://www.mango.com>) ,É-â,ç□#,í,^²Ä,,¾,^²ç□B

d-v

,±,ìfo[fWf#f“,ì Defiance ,íAWindows 98 ,ÆŒÝŠ·«,ª, ,è,Ü,¹,ñBWindows 98
,Æ,ìŒÝŠ·«,ð'ñ<ÿ, ,éXVQA, ,æ,ÑŠg'£ Force Feedback Joystick fTf|f|fg,íAfvf|fOf%of€
,ì»'çŒ³, ©,ç'ñ<ÿ,³,ê,Ä,ç,Ü,·BÚ×,É,Ä,ç,Ä,íA•Ä',Ä,íAAvalon Hill Games (“d~b +1 (410) 426-
9600AWeb fTfCfg <http://www.avalonhill.com>) ,É-â,ç‡,í,¹,Ä,,³/₄,³,çB

d-v

,±,ìfo[fWf#f",ì VRSports Virtual Pool 2 ,ìAWindows 98 ,Á,Í 256 F^Èä,ìF,ìY'è,ðŽg,Á,ÄÄ¶,·,é,±
,Æ,í,Ä,«,Ü,¹,ñBfvf[fOf%of€,ì»'¢CE³,©,ç'ñ<ÿ,³,è,Ä,¢,éXVfvf[fOf%of€,ð~—p,·,é,ÆAS®'S,È 16
frfbfg,ìF",ðŽg,Á,Äfvf¢fC,Ä,«,é,æ,±,É,È,è,Ü,·B8 frfbfg,ìF,ðŽg,Á,Äfvf¢fC,·,é,É,ìAfQ[f€
,ðŠŽn,·,é'O,ÉAWindows ,ìF",ð 256 F,É•ìX,μ,È,·,è,í,È,è,Ü,¹,ñBfF",ð•ìX,·,é•ú-@,ìÚ×,É,Ä,¢
,Ä,ìAWindows ,ìfwf<fv,ì [fL[fh] f^fu,ÄAuvv,Æ"ü—í,μAà-¾,ðŽQÆ,μ,Ä,,¾,¾,¢B

'

fQ[f€"à,ìfjff...[ðŽg,Á,Ä 256 F^Èä,É•ìX,·,é,ÆAVirtual Pool 2 ,ðÄfCf"fxfg[f<,·,é,æ,±,É<B,éfGf
%[ffbfZ[fW,³•Ž!,³,èAfQ[f€,³I—¹,·,é%Ä"«,³, ,è,Ü,·B,½,¾,μAÄfCf"fxfg[f<,·,é•K—
v,í, ,è,Ü,¹,ñBfQ[f€,ðÄ<N"®,·,é,ÆA•ìX,·,é'O,ÉŽg,Á,Ä,¢,½F",ÄfQ[f€,ð'±s,·,é,±,Æ,³,Ä,«,Ü,·B
,±,ìfo[fWf#f",ì Virtual Pool 2 ,ìXV,É,Ä,¢,Ä,ìA•Ä',Á,ìAVRSports ("d~b +1 (714) 553-6678Web
fTfCf http://www.vrsports.com) ,É-à,¢#,í,¹,Ä,,¾,¾,¢B

d—v

Microsoft Bookshelf 1996-1997 ,đfCf“fXfg[]f< ,é,Æ,«,É[]AMicrosoft Internet Explorer version 2.0 ,đfCf“fXfg[]f< ,élfvfVf#f“ ,a , ,è,Û ,·[]B,½,¾,μ[]AWindows 98 ,É,Í Internet Explorer version 4.0 ,ŠÛ,Û,ê,Ä,ç,é,½,ß[]AInternet Explorer version 2.0 ,đfCf“fXfg[]f< ,é,Æ[]AInternet Explorer 4.0 ,ì,ç, - ,Ä, ©, ì<@“\,ª[]³,μ,<@“\,μ,É,ç%ooÄ“\[]« ,a , ,è,Û ,·[]B

Microsoft Bookshelf 1996-1997 ,đfCf“fXfg[]f< ,é,Æ,«,É[]A[fjXf^f€] ,đ'í,Ô[]ê[]‡,í[]AInternet Explorer ,â [, ,x,Ä] ,đ'í'đ,μ,È,ç,æ,α,É,μ,Ä,,¾,³,ç[]B[•W[]€] ,đ'í,Ô,Æ[]AInternet Explorer 2.0 ,ífCf“fXfg[]f< ,é,Û,¹,ñ[]B

d-v

,±,ìfAfvfšfP□[fvf#f“,Á,í□AŠÁ««É,æ,Á,Ä“®ì,ª•s^À’è,É,È,é,±,Æ,ª, ,è,Ü,·□B,±,ì-
à’è,ÉSÖ,µ,Ä,í,·,Ä,ÉŠm”F,³,è,Ä,“,è□AŠ”Ž®%öiŽĐfZfKfGf“f^□[fvf%ofCf[fX,æ,è□C□³,è,½f,fWf...
□[f<,ª’ñ<Ÿ,³,è,Ä,“,è,Ü,·□BŽg—p’t□A-à’è,ª”□¶,µ,½□é□#,í^É%º,ì,“-â,ç□#,í,¹<ÆÙ,Ü,Ä,“-â,ç□#,í,¹,ç,½,¾,-
,©□AŠ”Ž®%öiŽĐfZfKfGf“f^□[fvf%ofCf[fX,ìz□[f€fy□[fW,æ,è□C□³f,fWf...□[f<,đ,²“üŽè,,¾,¾,ç□B

<http://www.sega.co.jp/sega/pc/>

□d—v

,±,ìfAfvfšfP□[fvf#f“,í□Af_fCfAf<fAfbfv flfbfgf□□[fN,ð—~—p,·,é□û,É□³□í,É“ @□ì,μ,È,ç%°Á“\□«,ª, ,è,Û,·□B,±,ì-â'è,ÉšÖ,μ,Ä,í,·,Ä,Éf□□[f^fXš”Ž @%oižĐ,É,“,ç,Äšm”F,³,è,Ä,“,è,Û,·□B,±,ì□»•i,ÉšÖ,μ,Ä,ì,“-â,ç□#,í,¹,í^È %°º,ì,“-â,ç□#,í,¹<œû,Û,Ä,“-â,ç□#,í,¹,,¾,³,ç□B

f□□[f^fX fz□[f€fy□[fW (<http://www.lotus.co.jp>) ,ìfTf|□[fg□î•ñ□A,Û,½,íf□□[f^fX fffXf^f}□[fTf|□[fg fwf<fvffXfN “d”b 03-5496-9847

d-v

»Ý,ŠÁ««Á,Í,Í,«fXf^fWfI,î`è•”,ì<@“\,Á”ú- {CEè,“ü—Í,Á,«È,çêê,è,Ü,·B
,±,ì-â`è,É`Í,·éC³f,fWf... [f<,íA^È%º,ìuf}fCfNf\Ftfg ,Í,«fXf^fWfI Webfy[fW,ÅöŠ],è,Ä,ç
,Ü,·B

<http://www.microsoft.com/japan/office/hagakistudio/>

fCf“f^ [f]fbfg,Ö,ìÚ’±ŠÁ««,ð,“Ž,ì,Á,È,çêê,íA^È%º,ìuf}fCfNf\FtfgTf [f]gflfbfg [f]NŽ--
±<Çv,Ü,Á,“-â,çê,í,¹,¾,³,çB

0120-37-0196 “i“y“újÖ“ú,ðœ, 9:30-12:00, 13:00-17:30j

d-v

,±,ìfAfvfšfP□[fvf#f“,í□AfAf“fCf“fXfg□[f<.,.é□Ù,É□³□í,É“®□i,μ,È,¢%oÁ“\□«,ª, ,è,Ü,·□B
,±,ì-â'è,ÉŠÖ,μ,Ä,í,.,Å,ÉfG□[□EfAfC□Ef\ftfgŠ“Ž®%oiŽĐ,ÅŠm“F,³,è,Ä,“,è□A'î
%ož,É,Ä,«,Ü,μ,Ä,ÍfG□[□EfAfC□Ef\ftfgŠ“Ž®%oiŽĐ,ìftf|□[fg'<CEû,É,“-â,¢□#,í,¹,,¾,³,¢□B

□d—v

,±,ìfAfvfšfP□[fVf#f“,í□³□í,É“@□ì,μ,È,¢%°Á“\□«,ª, ,è,Ü,·□B,±,ì¢»□Û,í,·,Å,ÉfEfBfjff“fOf%of“□E\ftfgfEfFfAŠ”Ž®%°iŽĐ,ÅŠm”F,³,è,Ä,¨,è,Ü,·□B,±,ì□»•i,ÉŠÖ,μ,Ü,μ,Ä,í^È%°²,ìfTf|□[fg‘¢Éû,É,¨-â,¢□#,í,¹,-,³/₄,³,¢□B

<fTf|□[fg^Ä“à>

□Z□Š□F160-0023□@“¢<ž“s□V□h<æ□¼□V□h3-11-20 fìftfBfXfXfNfGfA-BLD 2F□@fTf|□[fg%°Û
“d”b□F03-3372-8440□AFax□F03-3372-8447□Aemail□Fsupport@winningrun.co.jp□Ahttp://
www.winningrun.co.jp/

□d—v

,±,ìfAfvfšfP□[fVf#f“,í□³□í,É“@□ì,μ,È,¢%°Á“\□«,ª, ,è,Û,·□B,±,ì¢»□Û,í,·,Å,ÉfEfBfjff“fOf%of“□E\ftfgfEfFfAŠ”Ž®%°iŽĐ,ÅŠm”F,³,è,Ä,“,è,Û,·□B,±,ì□»•i,ÉŠÖ,μ,Û,μ,Ä,í^È%°²,ìfTf|□[fg‘¢Éû,É,“-â,¢□#,í,¹,-,³/₄,³,¢□B

<fTf|□[fg^Ä“à>

□Z□Š□F160-0023□@“¢<ž“s□V□h<æ□¼□V□h3-11-20 fìftfBfXfXfNfGfA-BLD 2F□@fTf|□[fg%°Û
“d”b□F03-3372-8440□AFax□F03-3372-8447□Aemail□Fsupport@winningrun.co.jp□Ahttp://
www.winningrun.co.jp/

