

SQL Server fNf%ofCfAf“fg flfbfgf□□lfN ft□lfefBfŠfefB,Æ,Í

SQL Server fNf%ofCfAf“fg flfbfgf□□lfN ft□lfefBfŠfefB,í□A^È%oº,ì,æ,æ,È,±,Æ,ª,Á,«,éfOf%oftfBjfj<fc□lf<,Á,·□B

- Žw'è,μ,½fT□[fo□[,É□Ú'±,·,éflfbfgf□□lfN fvf□fgfRf<,ð□i□→,μ□ASù'è,ìflfbfgf□□lfN fvf□fgfRf<,ð•í□X,·,é□B
- Ć»□ÝfVfXfef€,ÉfCf“fXfg□lf<,³,è,Ä,ç,éflfbfgf□□lfN f%ofCfuf%ofŠ,ì□î•ñ,ð•\Ž!,·,é□B
- Ć»□ÝfVfXfef€,ÉfCf“fXfg□lf<,³,è,Ä,ç,é DB-Library ,ìfo□[fWf#f“,ð•\Ž!,μ□ADB-Library ,ìfjfvfj#f“,ÉŠù'è'l,ð□Ý'è,·,é□B

SQL Server fNf%ofCfAf“fg flfbfgf□□lfN ft□lfefBfŠfefB,ì□Ú□x,É,Á,ç,Ä,í□ASQL Server Books Online ,ì□ufNf%ofCfAf“fg,ÌŠÇ—□□v,ðŽQ□Æ,μ,Ä,,¾,³,ç□B

['S"Ê] f^fu

ŽŸ,ì•\,ì□[‘S”Ê] f^fu,Å—~—p,Å,«,é|f|vfVf#f“,Æ,»,ì<@”\,ð,Û,Æ,ß,½,à,ì,Å,·□B

f f vfVf#f“	<@”\
[Šù’è,ì f b f g f f fN f%ofCfuf%ofŠ]	Microsoft® SQL Server™ ,Æ’Ê□M,·,é,½,ß,ÉŽg,í,é,éŠù’è,ì f b f g f f fN f%ofCfuf%ofŠ,ðŽw’è,μ,Û,·□B
[fT□[fo□[•Ê-¼,ì□Ý’è]	fNf%ofCfAf“fg,ª□Ú’±’t,ìfRf“fsf...□[f^,ìfT□[fo□[•Ê-¼,ì□î•ñ,ð•\,μ,Û,·□B
[fT□[fo□[•Ê-¼]	fNf%ofCfAf“fg,ª□Ú’±’t,ìfRf“fsf...□[f^,ìfT□[fo□[•Ê-¼,ð•\,μ,Û,·□B
[f b f g f f fN f%ofCfuf%ofŠ]	□Ý’èfGf“fgfŠ,ÉŽg,í,é,é fNf%ofCfAf“fg f b f g f f fN f%ofCfuf%ofŠ,ð•\,μ,Û,·□B
[□Ú’±f f f f f f fN f%ofCfuf%ofŠ□Ý’è—	f b f g f f fN f%ofCfuf%ofŠ□Ý’è— p,ì□Ú’±fAfhfCEfX,ÉŠÖ~A,·,é”C^Ó,ìf f f f f f fN f%ofCfuf%ofŠ□Ý’è,ð•\,μ,Û,·□B
[‘Ç%oÁ]	f b f g f f fN f%ofCfuf%ofŠ□Ý’è,ð□V<K,É’Ç%oÁ,μ,Û,·□B
[□í□œ]	f b f g f f fN f%ofCfuf%ofŠ□Ý’è,ð□í□œ,μ,Û,·□B
[•Ò□W]	f b f g f f fN f%ofCfuf%ofŠ□Ý’è,ð•Ò□W,μ,Û,·□B

ŠÖ~A□€-Ú

Šù’è,ì f b f g f f fN f%ofCfuf%ofŠ,ð•ì□X,Û,½,ì□Ý’è,·,é•ù-@ (fNf%ofCfAf“fg f b f g f f fN ft□[fefBfŠfefB)	f b f g f f fN f%ofCfuf%ofŠ□Ý’è,ð□í□œ,·,é•ù-@ (fNf%ofCfAf“fg f b f g f f fN ft□[fefBfŠfefB)
f b f g f f fN f%ofCfuf%ofŠ□Ý’è,ð•Ò□W,·,é•ù-@ (fNf%ofCfAf“fg f b f g f f fN ft□[fefBfŠfefB)	SQL Server,ª AppleTalk f b f g f f fN f%ofCfuf%ofŠ,ðŽg—p,μ,ÅfNf%ofCfAf“fg□Ú’±,ð<-%oÁ,·,é,±,Æ,ðŠm”F,·,é•ù-@ (fNf%ofCfAf“fg f b f g f f fN ft□[fefBfŠfefB)
f b f g f f fN f%ofCfuf%ofŠ□Ý’è,ð’C%oÁ,·,é•ù-@ (fNf%ofCfAf“fg f b f g f f fN ft□[fefBfŠfefB)	

[flfbfgf][fN f%ofCfuf%ofŠ] f^fu

ŽŸ,ì•\,í[A[flfbfgf][fN f%ofCfuf%ofŠ] f^fu,Á—~—p,Á,«,éflfvfVf#f“,Æ,»„ì<@“\,ð,Û,Æ,ß,½,à,ì,Á,·B

flfvfVf#f“	<@”\
[flfbfgf][fN f%ofCfuf%ofŠ]	,±,ìRf“fsf...[f^,ÉfCf“fXfg[f<,³,ê,Ä,ç,é Microsoft® SQL Server™ fNf%ofCfAf“fg flfbfgf][fN f%ofCfuf%ofŠ,ð^ê—•\Ž!,μ,Û,·B
[f%ofCfuf%ofŠ ftf@fCf<-¼]	,±,ìRf“fsf...[f^,ÉfCf“fXfg[f<,³,ê,Ä,ç,é SQL Server fNf%ofCfAf“fg flfbfgf][fN f%ofCfuf%ofŠ,ìèèŠ,ð^ê—•\Ž!,μ,Û,·B
[fo][fWf#f“]	,±,ìRf“fsf...[f^,ÉfCf“fXfg[f<,³,ê,Ä,ç,é SQL Server fNf%ofCfAf“fg flfbfgf][fN f%ofCfuf%ofŠ,ìfo][fWf#f“”Ôt,ð^ê—•\Ž!,μ,Û,·B
[ftf@fCf<“ú•t]	,±,ìRf“fsf...[f^,É SQL Server fNf%ofCfAf“fg flfbfgf][fN f%ofCfuf%ofŠ,æfCf“fXfg[f<,³,ê,½“ú•t,ð^ê—•\Ž!,μ,Û,·B
[fTfCY]	,±,ìRf“fsf...[f^,ÉfCf“fXfg[f<,³,ê,Ä,ç,é SQL Server fNf%ofCfAf“fg flfbfgf][fN f%ofCfuf%ofŠ,ìTfCY,ð^ê—•\Ž!,μ,Û,·B

ŠÖ~A[€-Ú

[f%ofCfuf%ofŠ,ìfo\]\[fWf#f“”Ôt,ð•\Ž!,·,é•ú-@ \(fNf%ofCfAf“fg flfbfgf\]\[fN ft\]\[fefBfŠfefB\)](#)

[DB-Library flfvfVf#"] f^fu

ŽŸ,ì•\,í[A[DB-Library flfvfVf#"] f^fu,Å—~—p,Å,«,éflfvfVf#",Æ,»,ì<@"\,ð,Û,Æ,ß,½,à,ì,Å,·□B

flfvfVf#"	<@"\
[ftf@fCf<-¼]	,±,ìfRf"fsf...□[f^,ÉfCf"fXfg□[f<,³,ê,Ä,ç,é DB-Library ,ìftf@fCf<-¼,Æ□êŠ,ð•\,μ,Û,·□B
[fo□[fWf#"]	,±,ìfRf"fsf...□[f^,ÉfCf"fXfg□[f<,³,ê,Ä,ç,é DB-Library ,ìfo□[fWf#""Ô□t,ð•\,μ,Û,·□B
["ú•t]	DB-Library ,³,±,ìfRf"fsf... □[f^,ÉfCf"fXfg□[f<,³,ê,½"ú•t,ð•\,μ,Û,·□B
[fTfCY]	,±,ìfRf"fsf...□[f^,ÉfCf"fXfg□[f<,³,ê,Ä,ç,é DB-Library ,ìftf@fCf< fTfCY,ð•\,μ,Û,·□B
[ANSI ,©,ç OEM ,Ö,ìŽ ©"®•İŠ·]	fNf%ofCfAf"fg,©,ç Microsoft® SQL Server™ ,É'— □M,·,é□ê□#,í□A•¶ŽšZfbfg,ð OEM ,©,ç ANSI ,Ö•İŠ·,μ□ASQL ,©,çfNf%ofCfAf"fg,É'— □M,·,é□ê□#,í□AANSI ,©,ç OEM ,Ö•İŠ·,·,é,æ,x ,É□ADB-Library ,ðŸ'è,μ,Û,·□BŠù'è,Å,íflf",ÉŸ'è,³,ê,Ä,ç,Û,·□B
[fCf"f^□[fifVf#fif<□ Ÿ'è,ðŽg—p]	"ú•t□AŽž□□A'Ê %oŸCE`Ž®,ðfn□[fhfR□[fffBf"fo,³,ê,½fpf %of□□[f^,Å,í,È,□AfVfXfef€,©,çŽæ"¾,·,é,æ,x,É DB- Library ,ðŸ'è,μ,Û,·□BMicrosoft Windows NT® fx□[fX,·,æ,Ñ Microsoft Windows 95/98® fx□[fX,ìfNf %ofCfAf"fg,Å,í□AŠù'è,Åflf",ÉŸ'è,³,ê,Ä,ç,Û,·□B

ŠÖ~A□€-Ú

[DB-Library •İŠ·Ÿ'è,ðŽw'è,·,é•ú-@
\(fNf%ofCfAf"fg flfbfgf□□\[fN
ft□\[fefBfŠfefB\)](#)

flfbfgf[fN f%ofCfuf%ofŠŸ'è,ì'Ç%oÁ/•ÒW

ŽŸ,ì•\,íA[flfbfgf[fN f%ofCfuf%ofŠŸ'è,ì'Ç%oÁ] f_fCfAfO f{fbfNfX,Ü,½,í [flfbfgf[fN f%ofCfuf%ofŠŸ'è,ì•ÒW] f_fCfAfO f{fbfNfX,Ä— —p,Ä,«,éflfvfVfj” ,Æ,» ,ì<@”\,ð,Û,Æ,ß,½,à,ì,Ä,•B

flfvfVfj”

<@”\

[fT[fO[•É-¼]

-¼'O•t,«fpfCfv flfbfgf[fN f%ofCfuf%ofŠ,ÄžóM'Ò,ì,•,é Microsoft® SQL Server™ ,ª%oÖ” @'t,lfT[fO[,É^è^Ó,ì-¼'O,ðžw'è,μ,Û,•B

[flfbfgf[fN f%ofCfuf%ofŠ f

fT[fO[,ÉÛ'±,•,é,½,ß,Éžg,í,è,éflfbfgf[fN f%ofCfuf%ofŠ,ðžw'è,μ,Û,•B[-¼'O•t,«fpfCfv],ª'ì'ð,ª,è,Ä,ç,Û,•B

[fpfCfv-¼]

SQL Server ,ªžóM'Ò,ì,•,éfpfCfv,ðžw'è,μ,Û,•B

ŠÖ~A€-Ú

[flfbfgf\[fN f%ofCfuf%ofŠŸ'è,ð'Ç%oÁ,•,é•û-@ \(fNf%ofCfAf”fg flfbfgf\[fN ft\[fefBfŠfefB\)](#)

[flfbfgf\[fN f%ofCfuf%ofŠŸ'è,ð•ÒW,•,é•û-@ \(fNf%ofCfAf”fg flfbfgf\[fN ft\[fefBfŠfefB\)](#)

[flfbfgf\[fN f%ofCfuf%ofŠŸ'è,ðíœ,•,é•û-@ \(fNf%ofCfAf”fg flfbfgf\[fN ft\[fefBfŠfefB\)](#)

[fNf%ofCfAf”fg,ð'ä'ÖfpfCfv,É•É-¼%o» ,•,é•û-@ \(fNf%ofCfAf”fg flfbfgf\[fN ft\[fefBfŠfefB\)](#)

flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ/•Ò[]W

ŽŸ,ì•\,í[]A[flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ] f_fCfAf[]fO f_{fbfNfX,Ü,½,í [flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì•Ò[]W] f_fCfAf[]fO f_{fbfNfX,Å—~—p,Å,«,éflfvfVf#f“,Æ,»,ì<@“\,ð,Û,Æ,ß,½,à,ì,Å,·[]B

flfvfVf#f“	<@”\
[fT[]fo[][•É-¼]	TCP/IP flPfbfg flfbfgf[]fN f%ofCfuf%ofŠ,ÅŽó[]M'Ò,ì,·,é Microsoft® SQL Server™ ,ª%O“”t,ìfT[]fo[][,É^è^Ó,ì-¼'O,ðŽw'è,μ,Û,·[]B
[flfbfgf[]fN f%ofCfuf%ofŠ]	fT[]fo[][,É[]Ú'±,·,é,½,ß,ÉŽg,í,è,éflfbfgf[]fN f%ofCfuf%ofŠ,ðŽw'è,μ,Û,·[]B[TCP/IP] ,ª'I'ð,ª,è,Ä,¢,Û,·[]B
[fRf“fsf...[]f^~¼]	TCP/IP flPfbfg fNf%ofCfAf“fg,ðŽó[]M'Ò,ì,·,éRf“fsf...[]f^,ðŽw'è,μ,Û,·[]B
[f[]fg”Ò[]t]	TCP/IP flPfbfg fNf%ofCfAf“fg,©,ç,ì[]Ú'±,ðŽó,·•t,·,éè[]‡,É[]ASQL Server ,ªŽó[]M'Ò,ì,·,éTCP/IP f[]fg,ðŽw'è,μ,Û,·[]BŠù'è'I,í 1433 ,Å,·[]B

ŠÖ~A[]€-Ú

flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð'Ç%oÁ,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fEfBfŠfefB)	flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð•Ò[]W,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fEfBfŠfefB)
flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ðí[]œ,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fEfBfŠfefB)	fNf%ofCfAf“fg,ª TCP/IP ,ðŽg—p,·,é,æ,ª,É[]Ý'è,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fEfBfŠfefB)

flfbfgf[fN f%ofCfuf%ofŠŸ'è,ì'Ç%oÁ/•òW

ŽŸ,ì•\,í[f]flfbfgf[fN f%ofCfuf%ofŠŸ'è,ì'Ç%oÁ] f_fCfAfO f{fbfNfX,Ü,½,í [flfbfgf[fN f%ofCfuf%ofŠŸ'è,ì•òW] f_fCfAfO f{fbfNfX,Ä—~—p,Ä,«,éflfvfVfj“,Æ,» ,ì<@“\,ð,Û,Æ,ß,½,à,ì,Ä,•B

flfvfVfj“	<@”\
[fT[fO[•É-¼]	f}f<f`fvf[f]gfRf< flfbfgf[fN f%ofCfuf%ofŠ,ÄŽóM'ò,ì,•,é Microsoft® SQL Server™ ,ª %o“”t,ìfT[fO[É^è^ó,ì-¼'O,ðŽw'è,μ,Û,•B
[flfbfgf[fN f%ofCfuf%ofŠ]	fT[fO[ÉÚ'±,•,é,½,ß,ÉŽg,í,è,éflfbfgf[fN f%ofCfuf%ofŠ,ðŽw'è,μ,Û,•B[f]f<f`fvf[f]gfRf< ,ª'ì'ð,ª,è,Ä,ç,Û,•B
[fRf“fsf...[f^-¼]	f}f<f`fvf[f]gfRf< fNf%ofCfAf“fg,ðŽóM'ò,ì,•,éRf“fsf... [f^,ðŽw'è,μ,Û,•B
[•t%Áfpf%of[f^]	f}f<f`fvf[f]gfRf< flfbfgf[fN f%ofCfuf%ofŠ,ì•t%oÁ“l,ÈŸ'èpf%of[f^,ðŽw'è,μ,Û,•B,±,è,ç,ìpf%of[f^,íflfvfVfj“,Ä,•B

Šö~A€-ú

flfbfgf[fN f%ofCfuf%ofŠŸ'è,ð'Ç%oÁ,•,é•û-@ (fNf%ofCfAf“fg flfbfgf[fN ft[[fefBfŠfefB)	flfbfgf[fN f%ofCfuf%ofŠŸ'è,ð•òW,•,é•û-@ (fNf%ofCfAf“fg flfbfgf[fN ft[[fefBfŠfefB)
flfbfgf[fN f%ofCfuf%ofŠŸ'è,ðíœ,•,é•û-@ (fNf%ofCfAf“fg flfbfgf[fN ft[[fefBfŠfefB)	fNf%ofCfAf“fg,ª}f<f`fvf[f]gfRf< Net-Library ,ðŽg—p,•,é,æ,ª,ÉŸ'è,•,é•û-@ (fNf%ofCfAf“fg flfbfgf[fN ft[[fefBfŠfefB)

flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ/•ò[]W

ŽŸ,ì•\,ì[]A[flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ] f_fCfAf[]fO f_{fbfNfX,Ü,½,í [flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì•ò[]W] f_fCfAf[]fO f_{fbfNfX,Ä—~—p,Ä,«,éflfvfVfj“ ,Æ,»,ì<@“\,ð,Û,Æ,ß,½,à,ì,Ä,•[]B

flfvfVfj“

<@”\
[fT[]fo[]•É-¼] NWLink IPX/SPX flfbfgf[]fN f%ofCfuf%ofŠ,ÄŽó[]M'ò,ì,•,é Microsoft® SQL Server™ ,ª%ò“”t,ìfT[]fo[][,É^è^ó,ì-¼'O,ðŽw'è,μ,Û,•[]B
[flfbfgf[]fN f%ofCfuf%ofŠ] fT[]fo[][,É[]Ú'±,•,é,½,ß,ÉŽg,í,è,éflfbfgf[]fN f%ofCfuf%ofŠ,ðŽw'è,μ,Û,•[]B[NWLink IPX/SPX],ª'ì'ð,³,è,Ä,ç,Û,•[]B
[fpf%of[]f^,ìŽw'è•ù-@] fpf%of[]f^,ðŽw'è,•,é•ù-@,ð•\,μ,Û,•[]B[fT[]frfX-¼] ,ª'ì'ð,³,è,Ä,ç,Û,•[]B
-@]
[fT[]frfX-¼] SQL Server ,ª%ò“”t,ì Microsoft Windows NT® fRf“fsf...[]f^,ì-¼'O,ðŽw'è,μ,Û,•[]B,±,ì[]î•ň,ìfT[]fo[][,ìfofCf“f_fŠ,É•ù'¶,³,è,Û,•[]B

Šö~A[]€-ú

flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð'Ç%oÁ,•,é•ù-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fEfBfŠfefB) flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð•ò[]W,•,é•ù-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fEfBfŠfefB)
flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð[]í[]œ,•,é•ù-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fEfBfŠfefB) fNf%ofCfAf“fg,ª NWLink IPX/SPX flfbfgf[]fN f%ofCfuf%ofŠ,ðŽg—p,•,é,æ,ž,É[]Ý'è,•,é•ù-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fEfBfŠfefB)

flfbfgf[]fNf%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ/•Ö[]W

ŽŸ,ì•\,í[]A[flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ] f_fCfAf[]fO f_{fbfNfX,Ü,½,í [flfbfgf[]fN f%ofCfuf %ofŠ[]Ý'è,ì•Ö[]W] f_fCfAf[]fO f_{fbfNfX,Ä— —p,Ä,«,éflfvfVfjf” ,Æ,»,ì<@”\,ð,Ü,Æ,ß,½,à,ì,Ä,·[]B

flfvfVfjf”	<@”\
[fT[]fo[]•Ê-¼]	NWLink IPX/SPX flfbfgf[]fN f%ofCfuf %ofŠ,ÁŽó[]M'Ò,ì,·,é Microsoft® SQL Server™ , ^a %o”’t,ìfT[]fo[][,É^è^Ó,ì-¼'O,ðŽw'è,μ,Ü,·[]B
[flfbfgf[]fN f %ofCfuf%ofŠ]	fT[]fo[][,É[]Ú'±,·,é,½,ß,ÉŽg,í,ê,éflfbfgf[]fN f %ofCfuf%ofŠ,ðŽw'è,μ,Ü,·[]B[NWLink IPX/SPX] , ^a ì'ð, ³ ,è,Ä,ç,Ü,·[]B
[fpf %of[]f^,ìŽw'è•û -@]	fpf%of[]f^,ìŽw'è•û-@,ð\,μ,Ü,·[]B[flfbfgf[]fN fAfhf[]fX] , ^a ì'ð, ³ ,è,Ä,ç,Ü,·[]B
[fAfhf[]fX]	MAC fAfhf[]fX,ðŽw'è,μ,Ü,·[]B
[f[]fg]	f\fpfbfg”Ô[]t,ðŽw'è,μ,Ü,·[]B
[flfbfgf[]fN]	NetWare flfbfgf[]fN”Ô[]t,ðŽw'è,μ,Ü,·[]B

ŠÖ~A[]€-Ü

<u>flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð'Ç %oÁ,·,é•û-@ (fNf%ofCfAf”fg flfbfgf[]fN ft[]fefBfŠfefB)</u>	<u>flfbfgf[]fN f%ofCfuf %ofŠ[]Ý'è,ð•Ö[]W,·,é•û-@ (fNf %ofCfAf”fg flfbfgf[]fN ft[]fefBfŠfefB)</u>
<u>flfbfgf[]fN f%ofCfuf %ofŠ[]Ý'è,ðí[]œ,·,é•û-@ (fNf %ofCfAf”fg flfbfgf[]fN ft[]fefBfŠfefB)</u>	<u>fNf%ofCfAf”fg,^a NWLink IPX/SPX flfbfgf[]fN f%ofCfuf%ofŠ,ðŽg— p,·,é,æ,π,É[]Ý'è,·,é•û-@ (fNf %ofCfAf”fg flfbfgf[]fN ft[]fefBfŠfefB)</u>

flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ/•Ò[]W

ŽŸ,ì•\,í[]A[flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ] f_fCfAf[]fO f_{fbfNfX,Ü,½,í [flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì•Ò[]W] f_fCfAf[]fO f_{fbfNfX,Ä—~—p,Ä,«,éflfvfVf#“ ,Æ,»,ì<@“\,ð,Û,Æ,ß,½,à,ì,Ä,·[]B

flfvfVf#“	<@”\
[fT[]fo[][•Ê-¼]	AppleTalk flfbfgf[]fN f%ofCfuf%ofŠ,ÅŽó[]M'Ò,ì,·,é Microsoft® SQL Server™ ,ª%oÒ“”t,ìfT[]fo[][,É^è^Ó,ì- ¼'O,ðŽw'è,μ,Û,·[]B
[flfbfgf[]fN f%ofCfuf%ofŠ]	fT[]fo[][,É[]Ú'±,·,é,½,ß,ÉŽg,í,è,éflfbfgf[]fN f%ofCfuf%ofŠ,ðŽw'è,μ,Û,·[]B[AppleTalk] ,ª'l'ð,³,è,Ä,ç,Û,·[]B
[flfufWfFfNfg-¼]	fVfXfef€ŠÇ—[]ŽÒ,É,æ,Ä,ÄŠ,,è“- ,Ä,ç,è,½fT[][frfX flfufWfFfNfg,ðŽw'è,μ,Û,·[]B,±,ì'l,É,Ä,ç ,Ä,í[]AfVfXfef€ŠÇ—[]ŽÒ,É-à,ç[]#,í,¹,Ä,,¾,³,ç[]B
[f][]f“]	fT[][frfX,ð“o~^ ,·,é,Æ,«,ÉŽg,í,è,éfl[]f“ ,ðŽw'è,μ,Û,·[]B

ŠÖ~A[]€-Ú

flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð'Ç%oÁ,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[][fefBfŠfefB)	flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð•Ò[]W,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[][fefBfŠfefB)
flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ðí[]œ,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[][fefBfŠfefB)	fNf%ofCfAf“fg,ª AppleTalk flfbfgf[]fN f%ofCfuf%ofŠ,ðŽg—p,·,é,æ,π .É[]Ý'è,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[][fefBfŠfefB)

flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ/•Ò[]W

ŽŸ,ì•\,ì[]A[flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì'Ç%oÁ] f_fCfAf[]fO f_{fbfNfX,Ü,½,í [flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ì•Ò[]W] f_fCfAf[]fO f_{fbfNfX,Ä—~—p,Ä,«,éflfvfVf#f",,Æ,» ,ì<@"\,ð,Û,Æ,ß,½,à,ì,Ä,·[]B

flfvfVf#f"	<@"\
[fT[]fo[][•Ê-¼]	Banyan VINES flfbfgf[]fN f%ofCfuf%ofŠ,ÄŽó[]M'Ò,ì,·,é Microsoft® SQL Server™ , ^a %o"t,ìfT[]fo[][,É^è^Ó,ì-¼'O,ðŽw'è,μ,Û,·[]B
[flfbfgf[]fN f%ofCfuf%ofŠ]	fT[]fo[][,É[]Ú'±,·,é,½,ß,ÉŽg,í,ê,éflfbfgf[]fN f%ofCfuf%ofŠ,ðŽw'è,μ,Û,·[]B[Banyan VINES], ^a 'ð, ³ ,è,Ä,ç,Û,·[]B
[fT[]frfX]	fT[]fo[][,É,æ,Ä,ÄŽg,í,ê,é StreetTalk PC fX[]fX,ìfT[]frfX-¼,ðŽw'è,μ,Û,·[]B
[fOf<[]fv]	,±,ìfT[]frfX, ^a @,·,éOf<[]fv,ðŽw'è,μ,Û,·[]B
[g[]D-¼]	,±,ìfOf<[]fv, ^a @,·,é'g[]D,ðŽw'è,μ,Û,·[]B

ŠÖ~A[]€-Ú

flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð'Ç%oÁ,·,é•û-@ (fNf%ofCfAf"fg flfbfgf[]fN ft[]fefBfŠfefB)	flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ð•Ò[]W,·,é•û-@ (fNf%ofCfAf"fg flfbfgf[]fN ft[]fefBfŠfefB)
flfbfgf[]fN f%ofCfuf%ofŠ[]Ý'è,ðí[]œ,·,é•û-@ (fNf%ofCfAf"fg flfbfgf[]fN ft[]fefBfŠfefB)	fNf%ofCfAf"fg,^a Banyan VINES flfbfgf[]fN f%ofCfuf%ofŠ,ðŽg—p,·,é,æ,x,É[]Ý'è,·,é•û-@ (fNf%ofCfAf"fg flfbfgf[]fN ft[]fefBfŠfefB)

flfbfgf[]fN f%ofCfuf%ofŠŸ'è,ì'Ç%oÁ/•òW

ŽŸ,ì•\,ì[]flfbfgf[]fN f%ofCfuf%ofŠŸ'è,ì'Ç%oÁ] f_fCfAf[]fO f{fbfNfX,Ü,½,í [flfbfgf[]fN f%ofCfuf%ofŠŸ'è,ì•òW] f_fCfAf[]fO f{fbfNfX,Ä—~—p,Ä,«,éflfvfVf#f",,Æ,»,ì<@"\,ð,Û,Æ,ß,½,à,ì,Ä,·[]B

flfvfVf#f"	<@"\
[fT[]fo[]•É-¼]	□V<K,ìflfbfgf[]fN f%ofCfuf%ofŠŸ'è,ðŽg,Á,ÄŽó[]M'ò,ì,·,é Microsoft® SQL Server™ ,ª%oò"t,ìfT[]fo[][,É^è^ò,ì-¼'O,ðŽw'è,μ,Û,·[]B
[flfbfgf[]fN f%ofCfuf%ofŠ]	fT[]fo[][,É[]Ú'±,·,é,½,ß,ÉŽg,í,é,éflfbfgf[]fN f%ofCfuf%ofŠ,ðŽw'è,μ,Û,·[]B[,»,ì'¼] ,ª'ì'ð,³,é,Ä,ç,Û,·[]B
[ftf@fCf<-¼]	fT[]fh fp[]f[]efB,É,æ,Á,Ä'ñ<Ÿ,³,é,½flfbfgf[]fN f%ofCfuf%ofŠ—p,ì DLL ,ìftf@fCf<-¼,Æ[]é[]Š,ðŽw'è,μ,Û,·[]B
[fpf%of[]f^]	•K—v,Èfpf%of[]f^,·,æ,Ñ,»,ìCE`Ž®,ðŽw'è,μ,Û,·[]B

Šö~A[]€-ú

flfbfgf[]fN f%ofCfuf%ofŠŸ'è,ð'Ç%oÁ,·,é•ú-@ (fNf%ofCfAf"fg flfbfgf[]fN ft[]f[]efBfŠfefB)	flfbfgf[]fN f%ofCfuf%ofŠŸ'è,ð•òW,·,é•ú-@ (fNf%ofCfAf"fg flfbfgf[]fN ft[]f[]efBfŠfefB)
flfbfgf[]fN f%ofCfuf%ofŠŸ'è,ðí[]œ,·,é•ú-@ (fNf%ofCfAf"fg flfbfgf[]fN ft[]f[]efBfŠfefB)	fNf%ofCfAf"fg,ª•W[]€^ÈŠO,ìflfbfgf[]fN f%ofCfuf%ofŠ,ðŽg—p,·,é,æ,ß,ÉŸ'è,·,é•ú-@ (fNf%ofCfAf"fg flfbfgf[]fN ft[]f[]efBfŠfefB)

fNf%ofCfAf“fg,İŞÇ—□

fNf%ofCfAf“fg,İ□Aft□fo□[,â'ñ<ÿ, .éft□[frfX,đŽg—p, .éft□[f“fg fGf“fh,İfAfvfŠfP□[fvf#“ ,Å, .□B, ± ,İfAfvfŠfP□[fvf#“ ,đŽÀ□s, .éfrf“fsf...□[f^ ,İ□AfNf%ofCfAf“fg frf“fsf...□[f^ ,ÆÆÄ,İ,ê,Ü, .□BfNf%ofCfAf“fg f ftfgfEjFfA,đŽg—p, .é,Æ□AMicrosoft® SQL Server™ ,đŽÀ□s't,İfifbfgf□[fN□â,İfrf“fsf...□[f^ ,É□Ú'± ,Å,« ,Ü, .□B

SQL Server fNf%ofCfAf“fg,É,İ□A^È%º,İ,æ,α,È,³,Ü, ' ,Ü,ÈŽí—p,İfAfvfŠfP□[fvf#“ ,â ,è,Ü, .□B

□ OLE DB frf“fvf...□[f}

,±,İŽí—p,İfAfvfŠfP□[fvf#“ ,İ□ASQL OLE DB fv□fofCf_ ,Ü,½,İ ODBC fhf%ofCfo—p OLE DB fv□fofCf_ ,đŽg—p,µ,Ä SQL Server ,É□Ú'± ,µ□A SQL Server ,Æ,â,èŽæ,è,µ,Ü, .□BOLE DB fv□fofCf_ ,İ□ASQL Server ,İff□[f^ ,đ OLE DB □sfZfbfg,Æ,µ,ÄŽg—p, .éNf%ofCfAf“fg fAfvfŠfP□[fvf#“ ,Æ SQL Server ,Æ,đ'±%oi, .é-đŠ,,đ%È,½,µ,Ü, .□B

□ ODBC fAfvfŠfP□[fvf#“

SQL Server ,Æ<α,ÉfCf“fXfg□[f<,³,è,éNf%ofCfAf“fg ft□[fefBfŠfefB,à□A,±,İŽí—p,İfAfvfŠfP□[fvf#“ ,ÉSŸ— ,µ,Ü, .□B,½,Æ,İ,İ□ASQL Server Enterprise Manager□ASQL Server fNfGfŠ fAfif%ofCfU□ASQL Server ,É□Ú'± ,µ,Ä,â,èŽæ,è, .é,½,β,É SQL Server ODBC fhf%ofCfo,đŽg— p, .é,» ,İ'¼,İfAfvfŠfP□[fvf#“ ,È,Ç,Ä, .□B

□ DB-Library fNf%ofCfAf“fg

SQL Server **isql** frf}f“fh fv□f“fvfg ft□[fefBfŠfefB,â DB-Library —p,É<L□q,³,è,½fNf %ofCfAf“fg,È,Ç,à□A,±,è,ÉSŸ— ,µ,Ü, .□B

,Ç,İŽí—p,İfAfvfŠfP□[fvf#“ ,đŽg—p, .éé□±,à□AfNf%ofCfAf“fg,İŽâ,ÈŞÇ—□□i<Æ,Æ,µ,Ä□ASQL Server ,İft□fo□[frf“f□[fif“fg,Ö,İ□Ú'± ,đŸ'è, .é•K—v,â ,è,Ü, .□BfNf%ofCfAf“fg,İŞÇ—□,İ□Aft□[fU□[ftfCfG,İ— v□É□,É%ºŽ,¶,Ä□AŠÉ'P,É□i<Æ,©,ç• ;ŽG,È□i<Æ,Ü,Ä,³,Ü, ' ,Ü,Ä, .□B,½,Æ,İ,İ□Aft□fo□[frf“fsf...□[f^ ,İ-¼'O,đ“ü—İ,µ□A,» ,İ'¼,İŠÉ'P,ÉŸ'è,đ, .é,¾, ,İ□é□±,à ,è,Ü, .□B,±,è,É'í,µ□Af}f<f` ft□fo□[ŠÄ«« ,É'í %ºž, .é,½,β,İffXf^f€□Ÿ'è—p,İf%ofCfuf%ofŠ,đ□\z,µ,È, ,è,İ,È,Ç,È,ç□é□±,à ,è,Ü, .□B

SQL Server fNf%ofCfAf“fg flfbfgf□□[fN ft□[fefBfŠfefB,đŠjŽn,.,é•û-@ (Windows NT□A,Ü,½,Í Windows 95/98 fNf%ofCfAf“fg)

- ▶ SQL Server fNf%ofCfAf“fg flfbfgf□□[fN ft□[fefBfŠfefB,đŠjŽn,.,é,É,Í
 - [fXf^□[fg] f□fj...□[.,ì [fvf□fOf%of€] ,đfjfCf“fg,μ□A[Microsoft SQL Server 7.0] ,đf] fCf“fg,μ,Ü,·□BŽŸ,É□A[fNf%ofCfAf“fg flfbfgf□□[fN ft□[fefBfŠfefB] ,đfNfŠfbfN,μ,Ü,·□B

f%oCfuf%oS,ifo[fWfj"”Ôt,ð\Ž,.,é•û-@ (fN%oCfAf“fg flfbjgf[]fN ft[fefBfŠfefB)

- ▶ f%oCfuf%oS,ifo[fWfj"”Ôt,ð\Ž,.,é,É,Í
- [flfbjgf[]fN f%oCfuf%oS] f^fu,ðfNfŠfbfN,μ,Û,·□B
- flfbjgf[]fN f%oCfuf%oS□Af%oCfuf%oS ftj@fCf<-¼□Afo[fWfj"”□Aftf@fCf<“ú•t□A,“,æ,ŃfTfCfY,ª•\Ž,³,é,Û,·□B

DB-Library • ěš•Ÿ'è,đžw'è,•,é•û-@ (fNf%ofCfAf“fg flfbfgf□□lfN ft□lfefBfŠfjefB)



DB-Library • ěš•Ÿ'è,đžw'è,•,é,É,Í

1. [DB-Library flfvfVf#f“] f^fu,đfNfŠfbfN,μ,Û,•□B
2. [ANSI ,©,ç OEM ,Ö,ìž©“@•ěš•] f`fFfbfN f{fbfNfX,đflf“,Û,½,Íflft,É,μ,Û,•□B
3. [fCf“f^□lfifVf#fif<Ÿ'è,đžg—p] f`fFfbfN f{fbfNfX,đflf“,Û,½,Íflft,É,μ,Û,•□B

Šù'è, ìflfbfgf [fN f%ofCfuf%ofŠ, ð•ïX, Û, ½, ÍY'è, ·, é•û-@ (fNf%ofCfAf"fg flfbfgf [fN ft [fefBfŠfefB)

- ▶ Šù'è, ìflfbfgf [fN f%ofCfuf%ofŠ, ð•ïX, Û, ½, ÍY'è, ·, é, É, Í
- ['S"Ê] f^fu, ì [Šù'è, ìflfbfgf [fN f%ofCfuf%ofŠ] f{fbfNfX, ÅAflfbfgf [fN f%ofCfuf %ofŠ, ðfNfŠfbfN, μ, Û, ·B

fjbfjgf[]fN f%ofCfuf%ofŠ'Ý'è,đ'Ç%oÁ,.,é•û-@ (fNf%ofCfAf"fg fjbfjgf[]fN ft[]fejBfŠfefB)

▶ fjbfjgf[]fN f%ofCfuf%ofŠ'Ý'è,đ'Ç%oÁ,.,é,É,Í

1. ['S"Ê] f^fu,Å ['Ç%oÁ] ,đfNfŠfbfN,μ,Û,·B
2. [fjbfjgf[]fN f%ofCfuf%ofŠ'Ý'è,ìV<K'Ç%oÁ] f_fCfAf[]fO f_{fbfNfX,Å[]A,ç,.,ê,©,}fjbfjgf[]fN f%ofCfuf%ofŠ,đ'Í'đ,μ,Û,·B
3. fT[]fo[],ì•Ê-¼[]A,¨,æ,Ñ'Í'đ,μ,½fjbfjgf[]fN f%ofCfuf%ofŠ,É•K—v,Èfpf%of[]f^[]ñ,đ"ü—Í,μ,Û,·B

fjbfjgf[]fN f%ofCfuf%ofŠŸ'è,ð•Ò[]W,·,é•û-@ (fNf%ofCfAf“fg fjbfjgf[]fN ft[]fjefBfŠjefB)

▶ fjbfjgf[]fN f%ofCfuf%ofŠŸ'è,ð•Ò[]W,·,é,É,Í

1. [‘S”Ê] f^fu,Å[]A•Ò[]W,·,é fjbfjgf[]fN fv[]fgfRf·Ÿ'è,ðfNfŠfbfN,μ,Û,·[]B

2. [•Ò[]W] ,ðfNfŠfbfN,μ,Û,·[]B

3. [fjbfjgf[]fN f%ofCfuf%ofŠŸ'è,ì•Ò[]W] f_fCfAf[]fO f{fbfNfX,Å[]A•ï[]X,·,é[]î•ñ,ð•Ò[]W,μ,Û,·[]B

fjbfjgf[]fN f%ofCfuf%ofŠŸ'è,ðí[]œ,·,é•û-@ (fNf%ofCfAf“fg fjbfjgf[]fN ft[]fjefBfŠfjB)

▶ fjbfjgf[]fN f%ofCfuf%ofŠŸ'è,ðí[]œ,·,é,É,Í

1. [‘S”Ê] f^fu,Å[]A[]í[]œ,·,éfjbfjgf[]fN f%ofCfuf%ofŠŸ'è,ðfNfŠfbfN,μ,Û,·[]B

2. [í[]œ] ,ðfNfŠfbfN,μ,Û,·[]B

fNf%ofCfAf“fg,đ’ă’ÖpfCfv,É•Ê-¼%»»,·,é•û-@ (fNf%ofCfAf“fg flfbfgf□□[fN ft□[fefBfŠfefB)

▶ fNf%ofCfAf“fg,đ’ă’ÖpfCfv,É•Ê-¼%»»,·,é,É,Í

1. [‘S”Ê] f^fu,Å [‘Ç%oÁ] ,đfNfŠfbfN,μ,Û,·□B
2. [flfbfgf□□[fN f%ofCfuf%ofŠÏ’è,ì□V<K’Ç%oÁ] f_fCfAf□fO f{fbfNfX,Å□A[-¼’O•t,«fpfCfv] ,đfNfŠfbfN,μ,Û,·□B
3. [fT□[fo□[•Ê-¼] f{fbfNfX,É□Aft□[fo□[,ì•Ê-¼,đ“ü—í,μ,Û,·□B
4. [fpfCfv-¼] f{fbfNfX,É□A’ă’ÖpfCfv,ì-¼’O,đ“ü—í,μ,Û,·□B,½,Æ,!,Î□A□u\\myserver\pipe\altpipe□v,Æ“ü—í,μ,Û,·□B

fNf%oCfAf“fg,af}f`fvf[]fgfRf< Net-Library ,đŽg—p,·,é,æ,æ,ÉŸ’è,·,é•û-@ (fNf%oCfAf“fg flfbfgf[]fN ft[]fefBfŠfefB)

'^Ó f}f`fvf[]fgfRf< fNf%oCfAf“fgŸ’è,đŸŸ—,·,é’O,É[]Aft[]fo[][,]f}f`fvf[]fgfRf<,Á“Ç,Ÿž,Û,é,Ä,ç,é IPC fvf[]fgfRf< (-¼’O•t,«fpcfjv[]ANWLink IPX/SPX[]ATCP/IP[]A,Û,½,Í Windows fPfbfg) ,[]A[],È,,Æ,à 1 ,ÁfRf“fsf...[]f^,É, ,é,±,Æ,đŠm”F,μ,Ä,,¾,¾,ç[]B

- ▶ fNf%oCfAf“fg,af}f`fvf[]fgfRf< Net-Library ,đŽg—p,·,é,æ,æ,ÉŸ’è,·,é,É,Í
- 1. [‘S”Ê] f^fu,Á [‘Ç%Á) ,đfNfŠfbfN,μ,Û,·[]B
- 2. [flfbfgf[]fN f%oCfuf%oŠŸ’è,[]V<K’Ç%Á) f_fCfAf[]fo f{fbfNfX,Á[]A[]f}f`fvf[]fgfRf<} ,đfNfŠfbfN,μ,Û,·[]B
- 3. [ft[]fo[][•Ê-¼] f{fbfNfX,É[]AMicrosoft® SQL Server™ ,đŽÀ[]s,¾,é,Ä,ç,Ä[]Af}f`fvf[]fgfRf< Net-Library ,ÁŽó[]M’Ò,¿,μ,Ä,ç,éRf“fsf...[]f^,ì-¼’O,đ“ü—Í,μ,Û,·[]B
- 4. [Ú’±pf%o[]f^] ,É,Í[]Aft[]fo[][,Á“Á’è,]fpcf%o[]f^,đŽg—p,·,é•K—v,¾,È,ç[]ê[]#,Í[]A %o½,àŽw’è,μ,Û,¹,ñ[]Bfpcf%o[]f^,đ“ü—Í,·,é’O,Éflfbfgf[]fNŠÇ—[]ŽÒ,ÉŠm”F,μ,Ä,,¾,¾,ç[]B

fNf%ofCfAf“fg,ª TCP/IP ,ðŽg—p,·,é,æ,æ,ÉŸ’è,·,é•û-@ (fNf%ofCfAf“fg flfbfgf[]fN ft[]fjefBfŠfefB)

- ▶ fNf%ofCfAf“fg,ª TCP/IP ,ðŽg—p,·,é,æ,æ,ÉŸ’è,·,é,É,Í
- 1. [‘S”É] f^fu,Å [‘Ç%oÁ] ,ðfNfŠfbfN,µ,Û,·□B
- 2. [flfbfgf[]fN f%ofCfuf%ofŠŸ’è,ì□V<K’Ç%oÁ] f_fCfAf[]fO f_{fbfNfX,Å[]A[TCP/IP] ,ðfNfŠfbfN,µ,Û,·□B
- 3. [fT[]fo[][•É-¼] f_{fbfNfX,É[]AMicrosoft® SQL Server™ ,ªŽÀ[]s,³,è,Ä,ç,Ä[]AWindows flPfbfg Net-Library ,ÅŽó[]M’Ò,ì,µ,Ä,ç,éfRf“fsf...[]f^,ì•É-¼,ð”ü—í,µ,Û,·□B
TCP/IP ,ðŽg—p,·,ééè[]#[]AfT[]fo[][-¼,ì’ã,í,è,É IP fAfhfçfX,ðŽg—p,µ,ÄfT[]fo[][,ðŽw’è,·,é,± ,Æ,à,Å,«,Û,·□B
- 4. [f[]fg”Ó[]+] f_{fbfNfX,É,Í[]ASQL Server ,ªŽó[]M’Ò,ì,µ,Ä,ç,éf[]fg”Ó[]+,ª•Žì,³,è,Ä,ç,Û,·□B[f[]fg”Ó[]+] f_{fbfNfX,ìŠù’è| 1433 ,í[]A^è”É,É[]AWindows flPfbfg Net-Library ,ª SQL Server —p,ÉŽg—p,·,é”Ó[]+,Å,·□B,Û,Æ,ñ,Ç,ìèè[]#[]A,±,ìŠù’è,ìf[]fg”Ó[]+,ðŽg—p,µ,Û,·□B’É[]i[]A,±,ìf[]fg”Ó[]+,í HOSTS ftf@fCf<,ÅŽw’è,³,è,Û,·□Bf[]fg”Ó[]+,ª 1433 ^ÈŠO,Å[]AHOSTS ftf@fCf<,ð’T,·•K—v,ª, ,éèè[]#,í[]AZŸ,ìèè[]Š,Å’T,µ,Û,·□B
 - Šù’è,Å,í[]AMicrosoft Windows® for Workgroups ,ªŽÀ[]s,³,è,Ä,ç,éfNf%ofCfAf“fg,Å,í[]AHOSTS ftf@fCf<,í \Windows ffbfçfNfgfŠ,É, ,è,Û,·□B
 - Šù’è,Å,í[]AMicrosoft Windows NT® ,ªŽÀ[]s,³,è,Ä,ç,éfNf%ofCfAf“fg,Å,í[]AHOSTS ftf@fCf<,í \Windows\System32\Drivers\Etc ffbfçfNfgfŠ,É, ,è,Û,·□B
 - Windows flPfbfg,ðfTf[]fg,·,é,»,ì’¼,ì TCP/IP fvf[]fgfRf<,ìèè[]#,í[]ATCP/IP ,ìf}ffj...fAf<,ðŽQ[]Æ,µ,Ä,-,³/4,³,ç□B

**fNf%ofCfAf“fg,ª NWLink IPX/SPX flfbfgf□□[fN f%ofCfuf%ofŠ,đŽg—p,·,é,æ,κ,É□Ý’è,·,é•û-@
(fNf%ofCfAf“fg flfbfgf□□[fN ft□[fefBfŠfefB)**

- ▶ fNf%ofCfAf“fg,ª NWLink IPX/SPX flfbfgf□□[fN f%ofCfuf%ofŠ,đŽg—p,·,é,æ,κ,É□Ý’è,·,é,É,Í
- 1. [‘S”É] f^fu,Å [‘Ç%oÁ] ,đfNfŠfbfN,μ,Û,·□B
- 2. [flfbfgf□□[fN f%ofCfuf%ofŠ□Ý’è,ì□V<K’Ç%oÁ] f_fCfAf□fO f_{fbfNfX,Å□A[NWLink IPX/SPX] ,đfNfŠfbfN,μ,Û,·□B
- 3. [fT□[fo□[•É-¼] f_{fbfNfX,É□AMicrosoft® SQL Server™ ,ªŽÀ□s,³,é,Ä,ç,Ä□ANWLink IPX/SPX Net-Library ,ÅŽó□M’Ò,ì,μ,Ä,ç,éRf“fsf...□[f^,ì•É-¼,đ“ü—í,μ,Û,·□B
- 4. [□Ú’±fpf%of□□[f^] ,ì [fT□[rfX-¼] ,Û,½,í [flfbfgf□□[fN fAfhfÇfX] ,đfNfŠfbfN,μ,Û,·□B
- 5. [fT□[rfX-¼] ,đfNfŠfbfN,μ,½□é□‡,í□AfT□[rfX-¼,đ“ü—í,μ,Û,·□B
 - fT□[rfX-¼,í□ASQL Server ,ªŽÀ□s,³,é,Ä,ç,é Microsoft Windows NT® fRf“fsf...□[f^,ì-¼’O,Å,·□B,±,ì-¼’O,í□AfT□[fo□[fRf“fsf...□[f^,ìfofCf“f_fŠ,ÉŠi”[,³,é,Ä,ç,Û,·□B
- 6. [flfbfgf□□[fN fAfhfÇfX] ,đfNfŠfbfN,μ,½□é□‡,í□AfAfhfÇfX (MAC fAfhfÇfX)□Af|□[fg (fA fPfbfg”Ô□†)□A,“,æ,Ñflfbfgf□□[fN (NetWare flfbfgf□□[fN”Ô□†) ,đ“ü—í,μ,Û,·□B

fNf%oCfAf“fg,^a AppleTalk flfbfgf□□[fN f%oCfuf%ofŠ,đŽg—p,·,é,æ,ɣ,É□Ý’è,·,é•û-@ (fNf %oCfAf“fg flfbfgf□□[fN ft□[fefBfŠfefB)

- ▶ fNf%oCfAf“fg,^a AppleTalk flfbfgf□□[fN f%oCfuf%ofŠ,đŽg—p,·,é,æ,ɣ,É□Ý’è,·,é,É,Í
- 1. [‘S”É] f^fu,Å [‘Ç%oÁ] ,đfNfŠfbfN,μ,Û,·□B
- 2. [flfbfgf□□[fN f%oCfuf%ofŠ□Ý’è,ì□V<K’Ç%oÁ] f_fCfAf□fO f{fbfNfX,Å□A[AppleTalk] ,đfNfŠfbfN,μ,Û,·□B
- 3. [fT□[fo□[•É-¼] f{fbfNfX,É□AMicrosoft® SQL Server™ ,^aŽÀ□s,³é,Ä,ç,Ä□AAppleTalk Net-Library ,ÅŽó□M’Ò,ì,μ,Ä,ç,éfRf“fsf...□[f^,ì-¼’O,đ“ü—í,μ,Û,·□B
- 4. AppleTalk ,ìfufWfFfNfg-¼,“,æ,Ñf□[f“Žˆ•ÉŽq,đ“ü—í,μ,Û,·□Bf]□[f“Žˆ•ÉŽq,í□È—^aÅ,«,Û,·□B

fNf%ofCfAf“fg,ª Banyan VINES flfbfgf□□[fN f%ofCfuf%ofŠ,ðŽg—p,·,é,æ,π,É□Ý’è,·,é•û-@ (fNf %ofCfAf“fg flfbfgf□□[fN ft□[fefBfŠfefB)

- ▶ fNf%ofCfAf“fg,ª Banyan VINES flfbfgf□□[fN f%ofCfuf%ofŠ,ðŽg—p,·,é,æ,π,É□Ý’è,·,é,É,Í
- 1. [‘S”Ê] f^fu,Å [‘Ç%oÁ] ,ðfNfŠfbfN,μ,Û,·□B
- 2. [flfbfgf□□[fN f%ofCfuf%ofŠ□Ý’è,ì□V<K’Ç%oÁ] f_fCfAf□fO f{fbfNfX,Å□A[Banyan VINES] ,ðfNfŠfbfN,μ,Û,·□B
- 3. [fT□[fo□[•Ê-¼] f{fbfNfX,É□AMicrosoft® SQL Server™ ,ªŽÀ□s,³,é,Ä,ç,Ä□ABanyan VINES Net-Library ,ÅŽó□M’ò,ì,μ,Ä,ç,éRf“fsf...□[f^,ì•Ê-¼,ð“ü—í,μ,Û,·□B
- 4. fT□[frfX,“æ,Ñ VINES ‘g□D-¼,ð“ü—í,μ,Û,·□BfOf□[fv-¼,É,Í□AŠù’è’l,ì MSSQL ,ðŽg—p,Å,«,Û,·□B

fNf%oCfAf“fg, a•W€^ÈŠO, iflfbfgf[] [fN f%oCfuf%oŠ, đŽg—p, ., é, æ, x, ÉY’è, ., é•û-@ (fNf %oCfAf“fg flfbfgf[] [fN ft[] [fefBfŠfefB)

- ▶ fNf%oCfAf“fg, a•W€^ÈŠO, iflfbfgf[] [fN f%oCfuf%oŠ, đŽg—p, ., é, æ, x, ÉY’è, ., é, É, Í
- 1. [‘S”Ê] f^fu, Å [‘Ç%oÁ] , đfNfŠfbfN, μ, Ů, ·□B
- 2. [flfbfgf[] [fN f%oCfuf%oŠY’è, i□V<K’Ç%oÁ] f_fCfAf□fO f{fbfNfX, Å□A[„, i’¼] , đfNfŠfbfN, μ, Ů, ·□B
- 3. [ft□[fo□[•Ê-¼] f{fbfNfX, É□AMicrosoft® SQL Server™ , aŽÀ□s, ³, è, Ä, ç, Ä□AfCf“fXfg□[f<, μ, æ, x, Æ, μ, Ä, ç , é Net-Library , ÅŽó□M’Ò, z, μ, Ä, ç, éRf“fsf...□[f^, i•Ê-¼, đ“ü—í, μ, Ů, ·□B
- 4. fCf“fXfg□[f<□Ī, Ÿ, i Net-Library , iftf@fCf<-¼ (DLL ftf@fCf<) , đ“ü—í, μ, Ů, ·□BDLL Šg’£Žq, í“ü—í, μ, È, ç, Ä, - ¾, ¾, ç□B
- 5. •K—v, É%ož, ¶, Ä□A[fpf%o□[f^] f{fbfNfX, É□A’Ç%oÁ□i•ň (ft□[fU□[-¼, “, æ, ŃfpfXf□□[fh, È, Ç) , đ“ü— í, μ, Ů, ·□Bfpf%o□[f^, iŠŌ, i<æ□Ø, è•¶Žš, É, í□Afj“f} , đŽg—p, μ, Ů, ·□B

SQL Server ,^a AppleTalk flfbfgf[][]fN f%ofCfuf%ofŠ,đŽg—p,μ,ÄfNf%ofCfAf“fg[]Ú±,đ<- %oÄ,·,é,±,Æ,đŠm”F,·,é·ú-@ (fNf%ofCfAf“fg flfbfgf[][]fN ft[]fjefBfŠfefB)

▶ SQL Server ,^a AppleTalk flfbfgf[][]fN f%ofCfuf%ofŠ,đŽg—p,μ,ÄfNf%ofCfAf“fg[]Ú±,đ<-%oÄ,·,é,± ,Æ,đŠm”F,·,é,É,í

1. fT[]fo[], Ì \Mssql7\Binn fffBfCEfNfgfŠ, ©, ç[]AMacintosh@ —p, Ì Windows NT fT[]fxfX, đŽÀ[]s, μ, Ä, ç ,éfŠf, []fg, Ì Microsoft® Windows NT® fx[]fX, ÌfRf“fsf...[]f^, Ì“˘, ¶ffBfCEfNfgfŠ, É[]AfNf%ofCfAf“fg AppleTalk Net-Library (Dbmsadsn.dll) ,đfRfs[][, μ, Ü, ·[]B
2. fŠf, []fg f[]fNfXfe[]fVfjf“, Ä[]ASQL Server fNf%ofCfAf“fg[]Ý’è, đŠ)Žn, μ, Ü, ·[]B
3. [‘S”É] f^fu, Ì [Šù’è, Ìfifbfgf[][]fN f%ofCfuf%ofŠ] f{fbfNfX, Ä[]AŠù’è, Ìfifbfgf[][]fN fvf[]fgfRfç, đ [AppleTalk] ,É·İ[]X, μ, Ü, ·[]B
4. [OK] ,đfNfŠfbfN, μ, Ü, ·[]B
5. AppleTalk fT[]fxfX, ÌfifufWfFfNfg-¼, Æ, Ì ISQL []Ú±, đfexfg, μ, Ü, ·[]B, ½, Æ, Ì, Ì[]A^È%o°, Ì, æ, ç ,É<L[]q, μ, Ü, ·[]B

```
isql -Usa -P -Sservicename
```

ISQL ,É, æ, Ä, Ä[]Ú±, μ[]AfNfGfŠ, đŽÀ[]s, Ä, «, é[]é[]#[]AfT[]fo[], Ì AppleTalk ,ÄŽó[]M’Ò, Ì, Ä, «, é, æ, ç ,É“K[]Ø, É[]Ý’è, Ì, é[]A[]Ú±, đ<-%oÄ, μ, Ä, ç, Ü, ·[]B

‘^° Microsoft Win32® AppleTalk (ADSP) , ÌfNf%ofCfAf“fg’ç Net-Library (Dbmsadsn.dll) , Ì[]AMacintosh fNf%ofCfAf“fg, Æ Microsoft SQL Server™ , Ì ADSP []Ú±, Ìfexfg, Æ[]AAppleTalk []Ú±, Ìfgf %ofufçfvf...[]fjefBf“fo, Ì, ½, ß, ÉŠÜ, Ü, é, Ä, ç, Ü, ·[]B, ±, Ì Net-Library , Ì[]AfŠf, []fg fNf%ofCfAf“fg, ©, ç SQL Server , Ò, Ì[]Ú±, đfexfg, ·, é-Ú“Ì, Ì, ½, ß, ¾, -, É—p^Ó, Ì, é, Ä, ç, Ü, ·[]B SQL Server ,^aŽÀ[]s, Ì, é, Ä, ç, Ä AppleTalk ,ÄŽó[]M’Ò, Ì, μ, Ä, ç, éfT[]fo[], É[]AADSP Net-Library , đ%oî, μ, Äf[][]fjç[]Ú±, đ[]s, , ç ,Æ, ·, é, Æ[]AZÿ, Ìfifbfgf[][]fN fGf%o[],^a¶[]- , Ì, é, Ü, ·[]B

Net-Library error 11: getsockopt().

,±,ì€-Ú,É,Â,ç,Ä,ÍASQL Server Books Online ,öŽQÆ,μ,Ä,,¾,³,çB

