

UWSC Ver 2.7 2003/01/20

[<@"]

f}fEfX,ÆfL[f{[fh"ü—í,đfXfNfŠfvg`Ž®,Å<L~^,μ,ÄÄ¶,·,é

fXfNfŠfvg¾4Ê,É,æ,èAfvfŠ,ì'€ì,ºo—^,é(b,n,l|fufWfFfNfg,à^μ,!,Ü,·j

☐@fCf“fXfg☐lf<

☐@☐@%ođ“€‚μ‚Ä☐o—^‚½ftf@fCf<‚đ“K“—‚ÈfffBf☐EfNfgfŠ‚É

☐@fAf“fCf“fXfg☐lf<

☐@☐@f☐EfWfXfgfŠ‚É‚íŽè‚đ•t‚¯‚Ä‚ç‚Ü‚¹‚ñ‚ì‚Å‚»‚ì‚Ü‚Ü☐í☐œ‚·‚é‚¾‚¯‚Å‚·

☐@“®☐ìŠÂ<<

☐@☐@Windows☐@98/NT/2000/XP

☐@  
☐@UWSC

☐@UWSC ,íftfš☐[f\ftfg,Å,·

☐@fofo•ñ☐☐A—v-]“™,íĈfŽ|”Â,Ö

☐@,“-ñ’©

☐@☐@- {fvf☐fOf%of€ ,æ,è☐¶,¶,½‘¹ŠQ,ÉŠÖ,μ,Ä,Í“-•û,Í^ê☐Ø☐Ó”C,đ•%,ç,Ü,¹,ñ


☐@fTf|☐[fgWeb

☐@☐@<http://www002.upp.so-net.ne.jp/umiumi/>☐@☐@☐@☐@☐@

☐@(C)☐@,x,Ý,x,Ý

☐@☐@☐@☐@umiumi@ca2.so-net.ne.jp

□@f□fCf“%œ-Ê



□@□@□@□@□@  
□@□@□@“Ç□ž,Ÿ□@•Ű‘□□@□□Ä‘□□@□@<L~^□@□Ÿ’è

□@“@□i<L~^  
□@□@<L~^f{f^f“,ð%Ÿ,μ,Ä,©,ç□@STOPf{f^f“□@-“,í□@’âž~fzfbfgfL□□@,ª  
%Ÿ,³,è,é,Ü,Ä,ì“@□i,ð<L~^,μ,Ü,·  
□@□@□i<L~^,í}fEfXfNfŠfbfNorfL□[‘€□i,ª,³,è,é,©f}fEfX^Ú“@,ð0.5•b’âž~μ,ÄŠŽn,μ,½  
□Š,©,çŽn,Ü,è,Ü,·)

□@□@□Ÿ’è,É,Ä’—]Cv,ÈžžŠÔ□Af}fEfX^Ú“@,í<L~^,μ,È,ç’,Éf`fFfbfN,ª,³,è,Ä,ç  
,é,Æf}fEfX^Ú“@,â—]ª,ÈžžŠÔ,í□i□œ,ª,è,Ü,·

□@□@□Ÿ’è,É,Ä’f}fEfX□Ä•W,ð’Š’í□Ä•W,Ä<L~^,·,é’,Éf`fFfbfN,ª,³,è,Ä,ç  
,é,Æf}fEfX,í□Ä•W,íAfNfefBfufEfBf“fhfE,É’í,μ,Ä,í□Ä•W,Ä<L~^,ª,³,è,Ü,·

□@□@•Ű‘Ÿ,É,Ä<L~^,ðfXfNfŠfvgftf@fCf<,Æ,μ,Ä•Ű‘Ÿ,Ä,«,Ü,·  
□@□@ifXfNfŠfvgf,Ä,·,ì,Äž©•ª,Ä□C□³,μ,½,è□\$CEä,μ,½,è,Ä,«,Ü,·□j

□@□Ä‘Ÿ  
□@□@□Ä‘Ÿ{f^f“,Ä□Ä‘Ÿ,μ,Ü,·

□@□@fXfNfŠfvgftf@fCf<,ðfhf□fbfv,μ,Ä,àOK,Ä,·

□@□@^ø□“,ÉfXfNfŠfvgftf@fCf<-¼,ðžw’è,μ,ÄUWSC ,ð<N“@,μ,Ä,àOK,Ä,·  
□@□@□@□i,±,ìžž,íXfNfŠfvgf,ª□i—¹,·,é,ÆUWSC ž©’ì,à□í““,¹,·,É□i—¹,μ,Ü,·□j

□@□@’âž~fzfbfgfL□□iffftfHf<fg□FAIt +F2),É,Ä’t’f,Ä,«,Ü,·

□@□@□Ä‘ŸfzfbfgfL□□iffftfHf<fg□FAIt +F1),É,Ä^èžž’âž~,ª,Ä,«,Ü,·

□@ftf@fCf<,ìŠÖ~A•t,¯,É,æ,éžÀ□s  
□@□@fXfNfŠfvgftf@fCf<□i\*\*\*.UWS),ðf\_fuf<fNfŠfbfN  
□@□@’ftf@fCf<,ðšJ,fAfvfŠfP□[fvfj“,ì’ì’ð□@f\_fCfAf□fO,ª□o,é  
□@□@’,»,ì¼(T)...□@,í{f^f“,ðfNfŠfbfN,μ,ÄUWSC.exe,í□é□š,ðžw’è,·,é

□@□@,±,è,Ä□@fXfNfŠfvgftf@fCf<□i\*\*\*.UWS)  
,íAfCfRf“,ª•ì,è□@f\_fuf<fNfŠfbfN,É,ÄžÀ□s,Ä,«,Ü,·□@□@  
□@□@□@□i,±,ìžž,íXfNfŠfvgf,ª□i—¹,·,é,ÆUWSC ž©’ì,à□í““,¹,·,É□i—¹,μ,Ü,·□j  
□@□@□@□i½□d<N“@,àOK,Ä,·□A[UWSC.,h,m,hftf@fCf<,ìNotMultiplex  
,É,P,ðfZfbfgf,·,é,Æ’½□d<N“@,í<Öž~,É,Ä,«,Ü,·]□j

□@□@’^Ó□FfXfy□[fX,ì, ,éfffBfCfEfNfgfš,ÄŠÖ~A•t,¯,ð,μ,½□é□ž,É•sš@’S,Èžž,ª, ,è,Ü,·

@@@» ,îê‡,í^È%º,ì,æ,α,ÉŽ©•ª,ÅÝ'è,μ,Ä%º,³,¢  
@@@fGfNfXfvf[f%º,æ,è@•Ž!@->@ftfHf<f\_ flfuVf‡“  
@@@UWSftf@fCf< ,đ'ì'đ,μ,Ä •ÒWf{f^f“  
@@@fAfNfVf‡“,ì •ÒWf{f^f“  
@@@fAfNfVf‡“,đŽÀs,·,éfAfvfŠfP[fVf‡“ ,É@"%1"@,đ•t%ºÁ  
@@@@ ".....\UWSC.exe" "%1"  
@@@@,Æ,·,é

□@fXfNfŠfvfgftf@fCf<,đ“Ç,Ý□ž,Ý,Ü,·  
□@Šg'£Žq,ł□@.UWS□@,ł,Ý,Å,·

□@“®□ì<L~^,đfXfNfŠfvfgftf@fCf<,Æ,μ,Ä•Û‘¶,μ,Û,·

□@“®□ì<L~^,δ□Ä□¶,μ,Ü,·



“®if}fEfXAfL{[fhj,`L~^,đŠŽn,μ,Ü,  
“

ŠeŽí,ìÝ'è,đ,·,é,½,ß,lfjjf...,ª,Å,Ü,·  
@!;Ý'èfjjf...



□@f^fXfNfgfCfC,ÉŠi"[,³,ê,Ü,·

□@f^fXfNfgfCfC□ă,lfAfcRf“,Å□¶fNfŠfbfN  
□@□@□@f%of“f`f□fjf...,ª,Å,Ü,·□@□@

□@f^fXfNfgfCfC□ă,lfAfcRf“,Å%oEfnfŠfbfN  
□@□@□@Y'èf□fjf...,ª□o,Ü,·

□@f^fXfNfgfCfC□ă,lfAfcRf“,Å□¶f\_fuf<fnfŠfbfN  
□@□@□@f^fXfNfgfCfC,©,ç□o,Å'Êí□ó'Ô,É,È,è,Ü,·□@□@

□@f^fXfNfgfCfC□ă,Å□I—¹,·,é,ÆŽŸ%oň<N“®Žž,lf^fXfNfgfCfC<N“®,É,È,è,Ü,·  
□@

—]•ª,ÈŽžŠÔ[Af}fEfX^Ú“® ,Í<L~^,µ,È,¢  
[]@,±,±,ªf`fFfbfN,³,ê,Ä,¢,ê,Î[]@f}fEfX^Ú“® ,â—]•ª,ÈŽžŠÔ,Í<L~^,³,ê,Ü,¹,ň

f}fEfX[]À•W,ø‘Š‘Î[]À•W,Å<L~^,·,é  
[]@,±,±,ªf`fFfbfN,³,ê,Ä,¢  
,ê,Î[]@f}fEfX,ì[]À•W,ÍfAfNfefBfufEfBf“fhfE,É‘Î,µ,Ä,ì[]À•W,Å<L~^,³,ê,Ü,·  
[]@[]iÆä,Å^É‘u²[]® ,ì^xfXfNfŠfvg,ø[]C[]³,·,é,ì,Å, ,ê,Î[]A,±,¿,ç•û,ª—Ç,¢,Å,µ,å,æ[]j

Ⓜ@fXfPfWf...Ⓜ[f<Ų'è



Ⓜ@

Ⓜ@fXfNfŠfvfg,lfXfPfWf...Ⓜ[f<đŲ'è,Å,«,Ü,·  
Ⓜ@fXfNfŠfvfgftf@fCf<-¼,đŲ'è,μ,Äf^fCf}Ⓜ[Ų'è,É,Ä<N“®ŽžŠÔ,đŽw'è,μ,Ä%º,³,¢  
Ⓜ@frⓂ[fv%º¹,Å'm,ç,¹,é,³f`fFbfN,Å, ,é,lfXfNfŠfvfg<N“®Žž,ÉfrⓂ[fv  
%º¹,Å'm,ç,¹,ÄŠÔ,đ,Q•b'öŽæ,è,Ü,·



☐@

☐@☐|fCf“f^☐|fof<  
 ☐@☐@,OŽž,O•ª,đŠî☐€„ÉCEvŽŽ,đ,μ,Ä,¢,Ü,·☐@(UWSC<N“®Žž,©,ç,ìŽžŠÔ,Å,Í,È,¢)

☐@☐;Ž®,É,æ,é☐Ý'è  
 ☐@☐@Ž©•ª,ÅŽ®,đ<L☐q,·,éŽ-,É,æ,è☐x,©,ÈŽžŠÔ☐Ý'è,ªCE^,ß,ç,ê,Ü,·  
 ☐@☐@Žg,!,é•İ☐”  
 ☐@☐@☐@☐@YY (“N)☐A☐@MM (CEŽ)☐A☐@DD (“ú)☐A☐@HH (Žž)☐A☐@NN (•ª)☐A☐@WW  
 (—j“ú)  
 ☐@☐@☐@☐@☐@☐@☐@—j“ú,Í“ú—j=0,.....“y—j=6,Å,·  
 ☐@☐@'☐^Ó☐Ff`fffbfN,Í•ª'P^Ê,Å,ª,ê,Ü,· NN(•ª),ì☐Ý'è,đ-Y,ê,,É

☐@☐@Ex..)  
 ☐@☐@☐@☐@ (INT(dd/7) mod 2) = 0 and ww=1 and hh=0 and nn=0 // Šu☐TCEŽ  
 —j“ú,OŽž,O•ª  
 ☐@☐@☐@☐@WW=2 AND (HH=0 OR HH=12) AND NN=0 // %oÍ—  
 j“ú,ìOŽž,Æ,P,QŽž  
 ☐@☐@☐@☐@YY=2001 AND MM=1 AND DD=1 AND HH=0 AND NN=0 //  
 2001”NŠJŽn

Ⓜ@fzfbfgfLⓂ

Ⓜ@ÄⓂFⓂ@ÄⓂf{f^f“,lfzfbfgfLⓂ,ðŸ'è,Å,«,Û,·Ⓜ@  
Ⓜ@

Ⓜ@'âŽ~FⓂ@ÄⓂ/ˆL~^,ì'âŽ~fzfbfgfLⓂ,ðŸ'è,Å,«,Û,·Ⓜ@

Ⓜ@ˆL~^FⓂ@ˆL~^f{f^f“,lfzfbfgfLⓂ,ðŸ'è,Å,«,Û,·Ⓜ@



☐@f%of`f`f☐fjf...☐@☐ifXfNfŠfvfg f%of`f`ff☐☐☐

☐@fXfNfŠfvfgftf@fCf<,đ “o~^,μ,Ä,“,« ‘l’đ<N“®,Å,«,Ü,·  
☐@fzfbfgfL☐☐☐Y’è,É,æ,è☐o☐☐☐@f^fXfNfgf☐fCŽž,í☐☐f{f\_f“,É,Ä☐o☐☐☐  
☐@☐☐

スクリプト登録

0.	サンプル
1.	1024*768
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	

ホットキー

CTRL + W

^è'iŠK'w%oo»,μ,Ä☐Y'è%oÅ"\☐☐@(,æ,Á,Ä☐Å'å“o~^☐“,í10\*10fR)

スクリプト設定

設定なし

スクリプトファイル

タイトル

スクリプト

サンプル

¥サンプル.UWS



階層化

階層名

タイトル

スクリプト

0.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
1.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
2.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
3.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
4.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
5.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
6.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
7.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
8.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>
9.	<input type="text"/>	<input type="text"/>	<input type="button" value="..."/>

OK

キャンセル



f s C < # ,  
 @ \_ @ ( f A f f \_ [ f o [ ] ) @ @ // @ @ s , ì Å C ě ě , É , t , , é Ž - , É , æ , è Ž Ÿ , ì s , Æ C < # , 3 , 1 , Ü ,

=====  
ff } f < f ` f X f e [ f g f f " f g ,  
 @ : @ ( f Z f ~ f R f f " ) @ @ @ @ // @ @ N 8 8 B a s i c " l , È , P s , h , e • ¶ , Å , ì • ï • Ô " l Ž g , ç • û , í f \_ f

=====  
f ' g ž , Ý ' è " ,  
 @ T r u e @ @ @ @ @ // @ @ 1  
 @ F a l s e @ @ @ @ @ // @ @ 0

=====  
f " Á Ž ê • ¶ Ž š ,  
 @ < # C R > @ @ @ @ // @ @ % ü s f R [ f h , ð • \ ,  
 @ < # D B L > @ @ @ // @ @ " f \_ f u f < f R [ f e f C f V f # f " , ð • \ ,

=====  
f , P , U i Ž w ' è ,  
 @ \$ @ @ @ @ @ @ @ // @ @ \$ F F = 2 5 5

=====  
f O P T I O N Ž w ' è ,  
 @ // @ @ f X f N f Š f v f g , ì æ " a , Å [ é C E 3 / 4  
 @ @ O P T I O N E X P L I C I T @ // • í " [ é C E 3 / 4 , ì < [ \$ i ' S , Ä , ì • ï " , Å D I M , à , μ , , í P U B L I C [ é C E 3 / 4 , a • K —  
 v j  
 @ @ O P T I O N S A M E S T R @ // • ¶ Ž š " ä Š r [ A ' u Š • A f T [ f ` , É , Ä ' á • ¶ Ž š [ A [ ¬ • ¶ Ž š , ð < æ • É

=====  
ff X f N f % o f " f u f < ,  
 @ // @ @ % Å " Ç , Å , « , È , ç , æ , x f X f N f Š f v f g , É f X f N f % o f " f u f < , ð , © , , é Ž - , a , Å , « , Ü ,  
 @ f R f } f " f h f v f f " f v f g , É , Ä ^ É % o o , ì , æ , x , É Ž Ä [ s  
 @ U W S C [ @ / A [ @ x x x x x . u w s [ @ y y y y y . u w s  
 @ [ @ x x x x x . u w s , É f X f N f % o f " f u f < , ð Š | , , 1 / 2 , à , ì , ð y y y y y . u w s , Æ , μ , Ä [ ¶ [ ¬  
 @ , à , μ , , í  
 @ [ @ U W S C [ @ / A [ @ x x x x x . u w s  
 @ [ @ , ± , ì , è [ # x x x x x . u w s , ð x x x x x . o r g , É f Š f l [ f € , 3 , è x x x x x . u w s , a [ ¶ [ ¬

=====  
f [ \$ C ě ä • ¶ , [ @ [ @ [ [ @ ] [ @ " à , í È — a % Å "\

@ @ // @ @ , P s , ì I F • ¶  
 @ [ @ I F [ @ Ž ® [ @ T H E N [ @ [ ^ [ @ [ E L S E [ @ < U ]

@@@i—á

```
-----  
@//@IF@,lfufjfbfN•¶@IFB@ENDIF  
@@@IFB@Ž®@[@THEN]  
@@@^  
@@@[ELSEIF@Ž®@[@THEN]]  
@@@:  
@@@[ELSE]  
@@@<U  
@@@ENDIF
```

@@@i—á

```
-----  
@@@//@For@Next•¶  
@@@FOR@•i”@=@@%Šú’I@TO@|—1’I@[STEP@,Ý’I]@  
@@@^—  
@@@NEXT@@@@@//@NEXT,ìĚă,É•i”,ð’,ċ,Ä,Íf_f
```

@@@—áj

```
-----  
@@@//@While@Wend•¶  
@@@WHILE@Ž®@@@@@@@@@//@Ž®,ª@True@,ìŠÔŽÀ@s  
@@@^—  
@@@WEND
```

@@@—áj

```
-----  
@@@//@Repeat@Until•¶  
@@@REPEAT  
@@@^—  
@@@UNTIL@Ž®@@@@@@@@//@Ž®,ª@False@,ìŠÔŽÀ@s
```

@@@—áj

```
-----  
@@@//@Select@Selend •¶  
@@@SELECT@Ž®  
@@@CASE Ž®@@@@@@//@”’l,À,à•¶Žš,À,à•i”,À,à,n,j  
@@@^—  
@@@[CASE@Ž®]  
@@@^—  
@@@[DEFAULT]@@@@//@ffftfHf<fg  
@@@^—  
@@@SELEND
```

@@@-áj

-----  
@@@//@@Call•¶@@fXfNfŠfvg(UWSftf@fCf<),đĀÄ,Ńo,  
@@@Call@@@UWSftf@fCf<-¼@@@@@@@@@@@@@@@@@@//  
@@Šg'ĚŽq(uws),íĚ-ª%oÁ  
@@@Call@@@UWSftf@fCf<-¼.uws(xxx,@@xxx,@@...)@@@//  
@@^ø",đ•t,-,½ĚĚ,É'Í,ÍPARAM\_STR[]•í",É"ü,é

@@@-áj

-----  
@@@Break@@@FOR,@@WHILE,@@REPEAT@@,ĭf<[fv,đ't'f

-----  
@@@Continue@@@FOR,@@WHILE,@@REPEAT@@,ĭf<[fv,ĭæ"ª,Ö

-----  
@@@Exit@@@ŠÖ",đ"²,-,é  
@@@ExitExit@@@'¼,ĭ,ĚfvfOj%ofĚ,đĭ-¹  
@@@ExitExit ĭ-¹fR[[fh@@@,É,Äĭ-¹fR[[fh,đ•Ô,¹,é

-----  
@@@//@@Procedure@@-@@Fend@@@Žè'±,«Ā^(-β,è'l,È,μ)  
@@@Procedure -¼(^ø",@@^ø",@@var  
^ø"....)@@@//VarĚĀ¾,đ•t,-,é,Ā^ø",đ•ĭX%oÁ"\,É,·,é(ŽQĀ^ø")  
@@@@@@^--  
@@@Fend

-----  
@@@//@@Function@@-@@Fend@@@ŠÖ"(-β,è'l, ,è)  
@@@Function@@-¼(^ø",@@^ø"....)  
@@@@@@^--  
@@@@@@Result =-β,è'l //Result ,É-β,è'l,đ"ü,é,é  
@@@Fend

@@@|"z-ň•ĭ",É,Ä"z-ň'S'ì,đ•n,·Ž-,Í,Å,«,Ü,¹,ň

@@@-áj

-----  
@@@//@@Print•¶@@@fMf"fo  
@@@Print@@@•Ž!•¶  
@@@•Ž!-p,ĭfEfCf"fhfE,ª,P,ÂŸŽè,ÉŠJ,«,Ü,  
@@@-"A",¶"à-e,đUWSC.LOG,É•Ů¶@@(MAXF2,O,O[s,ÅĀÄ,ġ,ì,©,ġŽì,Ä,ġ,é,é)

@@@-áj

-----  
@@@//@DLL Žg—p'è<`

@@@DEF\_DLL ŠÖ"-¼(Ĉ^, Ĉ^, ...): -β,èĈ^: DLL-¼

@@@Ĉ^F

int Along Abool Auint Ahwnd Astring Apchar Afloat Adouble Aword Adword Aby  
te Achar Aboolean Alonglong AExtended AWSTRing

@@@@ŽQĈ^ø"if|fCf"f^["n,μ),Ĉ,μ,ÄŽg,æê‡,Í@VaréĈ¾,đ•t,~,é

@@@;int=long=bool(4byte) A string=pchar A dword=uint A

char=boolean(1byte)

@@@@WString F UWSC"à•",ÍSJIS,Å, ,èUNICODE,Ĉ,ÍŽ©"®•İŠ·

@@@@NULLPOINTER F fkf<f|fCf"f^,đ"n,·

@@@-áj







@@@SHOW (·\Z!)  
@@@MIN (fAfCfRf“%o»)»  
@@@MAX (Ā'â%o»)»  
@@@NORMAL (fTfCY-β,·)

@-áj

-----  
@//@·Źš,ì—M  
@SENDSTR(@ID,@·Źš—ñ,@["Ô+,@'—Mf,[fhftf%o]@)  
@^ø"  
@@ID@Window,ðŽ·Ê,·,éID  
@@@-½—β@'—,è,½,ç·Źš—ñ  
@@@ID@=@0@,Ā, ,è,ì@fNfŠfbvf{[fh,Ö  
@@@“Ô+@F@Źš,ç”,,½fGffBfgfRf“fgf[f<,ì#”Ôi,P,çŽw'èj  
@@@@ (fftfHf<fg,íftfH[fjX,ðŽ,Ā,½fGffBfgfRf“fgf[f<@j@@@  
@@@  
@@@'—Mf,[fhftf%o]F@  
@@@@FalseF^è·Źš,Ā,Ā'Ç%oÁ,·,éÇ',Ā'—MifftfHf<fg)  
@@@@TrueF^èŠ,Ā·Źš,ð'—M,μ,Ā'u,«Š,!,é

@-áj

-----  
@//@·Źš—ñ,ìŽæ“¾  
@-β'@=@GETSTR(@ID,@["Ô+,@Ží·Ê]@)  
@^ø"  
@@ID@Window,ðŽ·Ê,·,éID  
@@@ID@=@0@,Ā, ,è,ì@fNfŠfbvf{[fh,ç)  
@@@“Ô+@F@Źš,ç”,,½fGffBfgfRf“fgf[f<,ì#”Ôi,P,çŽw'èj  
@@@@ (fftfHf<fg,íftfH[fjX,ðŽ,Ā,½fGffBfgfRf“fgf[f<@j@@@  
@@@  
@@@Ží·ÊF@,OFfGffBfgfRf“fgf[f<@A@,PFfXf^fefBfNfRf“fgf[f<  
@@@@ (fftfHf<fg,í,OFfGffBfgfRf“fgf[f<@j@@@  
@-β'@  
@@@Žæ“¾,μ,½·Źš—ñ

@-áj

-----  
@//@fCf“fvfbfgf{fbfNfX  
@-β'@=@INPUT(@·\Z!f[fbfZ[fW,@[fftfHf<fg'l,@fXf[fhftf  
%o, @X,@Y]@)@  
@^ø"  
@@@·\Z!f[fbfZ[fW@fCf“fvfbfgf{fbfNfX,É·\Z!,·,é[fbfZ[fW  
@@@fftfHf<fg'l@fftfHf<fg,ì',Ā,μ,Ā·\Z!  
@@@fXf[fhftf%o]F@True,É,·,é,Ā·Źš,ì'S,ĀfAfXf^fŠfXfN·\Z!(fftfHf<fgFalse)  
@@@X,@YF@·\Z!^É'u@ (fftfHf<fg,ì't%o>)  
@-β'@  
@@@“ü—í,³,è,½ff[f^

@@-áj

-----  
@@//@@f@fbfZ@fWf{fbfNfX  
@@-ß'I@=@@MSGBOX(@@f@fbfZ@fW,@@[\Ž{f{f^f",@@X,@@Y]@@)@@  
@@^ø"  
@@@f@fbfZ@fW@F@·\Ž!f@fbfZ@fW  
@@@·\Ž!f{f^f"@@f{f^f"Ží·Ê@@ior@@,Å·;@”Žw'è@F@ffftfHf<fg,ÍBTN\_OK)  
@@@@@@@@@@@@@@@@@@BTN\_YES,@@BTN\_NO,@@BTN\_OK,@@BTN\_CANCEL,@@  
@BTN\_ABORT('†Ž~),@@BTN\_RETRY(@ÄŽŽ@s@j,@@BTN\_IGNORE(-³Ž<)  
@@@X@AY@F@·\Ž!^Ê'u X@AY@@@iffftfHf<fg,Í%æ-Ê't%>)  
@@-ß'I@@  
@@@%Ÿ,³,ê,½f{f^f"Ží·Ê

@@-áj

-----  
@@//@@fZfCfNfgf{fbfNfX  
@@-ß'I@=@@SLCTBOX(@@Ží·Ê,@@f^fCf€fAfEfg·b,@@f@fbfZ@fW,@@@€-Ú,P,@@[€-  
Ú,Q,@@@€-Ú,R,@@@...]@@)@@  
@@,à,μ,,Í  
@@-ß'I@=@@SLCTBOX(Ží·Ê,@@f^fCf€fAfEfg·b,@@x,@@y,@@f@fbfZ@fW,@@@€-  
Ú,P,@@[€-Ú,Q,@@@€-Ú,R,@@@...]@@)@@  
@@^ø"  
@@@Ží·Ê@F SLCT\_BTN (f{f^f"@@ASLCT\_CHK (f`fFfbfNf{fbfNfX@@ASLCT\_RDO (f  
%fWfIf{f^f"@@ASLCT\_CMB (fRf"ff{f{fbfNfX@@@,Í,Ç,ê,©  
@@@f^fCf€fAfEfg@F@Žw'èŽŽŠÔ(·b),ð%β,¬,é,Æf[f,ð·Ô,μ,Ü,·,(,OŽw'è,Åf^fCf}@@,Í-  
³@øj  
@@@x,@@y@F@'æ,R^ø",Æ'æ,S^ø",³@”'Í,Å, ,ê,ÍX^Ê'u,Y^Ê'uŽw'è,Æ"»f,μ,Ü,·(€-  
³@^,Í't%>·\Ž!)  
@@@f@fbfZ@fW@F@·\Ž!f@fbfZ@fW  
@@@@€-Ú@F@'Í'ð@€-Ú-¼  
@@-ß'I@@  
@@@,P,Å-Ú,³'Í'ð,³,ê,½,È,ç,Í@@SLCT\_1 ,³·Ô,³,ê,é  
@@@,Q,Å-Ú,³'Í'ð,³,ê,½,È,ç,Í@@SLCT\_2 ,³·Ô,³,ê,é  
@@@@@@@@@@@@@@@@F  
@@@SLCT\_CHK (f`fFfbfNf{fbfNfX@@j'Í'ðŽŽ,ÍfRfbfg%%ŽZ,μ,Ä·Ô,³,ê,é

@@@·Å,¶f{f^f",É,æ,é@|—¹ŽŽ,Í-1,ð·Ô,μ,Ä,-  
,é@@SLCT\_CHK,É,ÄfRfbfgf`fFfbfN,·,é@@ê@,Í'@^Ó@@  
@@@;€-Ú",Í@'ã30,Ú,Å

@@-áj

-----  
@@//@@fLfffvfvf#f"·¶Žš,âfŠfXfg"™,ð'S,ÄfQfbfg  
@@-ß'I@=@@GETITEM(@@ID,@@Ží·Ê,@@["Ó@t,@@fŠfXfgfrf...@[-ñ]@@)  
@@^ø"  
@@@ID@F@Window,ðŽ·Ê,·,éID







@@@•,.,³F@'â,«,³  
@@@fNf%ofCfAf"fg—î^æF  
@@@@@@FalseFŽw'èEfBf"fhfE—î^æiffHf<fg  
@@@@@@TrueFfNf%ofCfAf"fg—î^æ  
@@  
@@—áj

-----  
@@//@f}fEfXfj[f]f<Ži•Ê,đ•Ô,  
@@-ß'I@@=@@MUSCUR()  
@@^ø",Ê,µ  
@@-ß'I@@  
@@@CUR\_APPSTARTING i1jF »ŽžEv•t,«-î^óff[f]f<  
@@@CUR\_ARROW i2j@@@F •W€-î^óff[f]f<  
@@@CUR\_CROSS i3j@@@F \Žšff[f]f<  
@@@CUR\_HAND i4j@@@F fnf"fhfj[f]f<iWindows2000^È~j  
@@@CUR\_HELP i5j@@@F fNfGfXf`f#f"ff}[fN•t,«-î^óff[f]f<  
@@@CUR\_IBEAM i6j@@@F fAfCfr[f€(cü)ff[f]f<  
@@@CUR\_NO i8j@@@F <Œ~ff[f]f<  
@@@CUR\_SIZEALL i10j@@@F ,S•ûEü-î^óff[f]f<  
@@@CUR\_SIZENESW i11j@@@F ŽÍ,ß%º,ª,è,ì-¼•ûEü-î^óff[f]f<  
@@@CUR\_SIZENS i12j@@@F ä%º-¼•ûEü-î^óff[f]f<  
@@@CUR\_SIZENWSE i13j@@@F ŽÍ,ß%ºEº,ª,è,ì-¼•ûEü-î^óff[f]f<  
@@@CUR\_SIZEWE i14j@@@F ¶%ºE-¼•ûEü-î^óff[f]f<  
@@@CUR\_UPARROW i15j@@@F ,¼,ì-î^óff[f]f<  
@@@CUR\_WAIT i16j@@@F »ŽžEvff[f]f<

@@ifft[fU[è`fj[f]f<,lfnf"fhf'ì,đf}fCfifX,Ê,µ,Ä•Ô,·i<N"®-^,Ê•ï%»j

-----  
//@@\$EäŠÖ"ŠÖ~A

-----  
@@//@fAvfš,ì<N"®  
@@-ß'I@@=@@EXEC(@exe-¼,@["~Šúftf%ofO,@X,@Y,@•,@@,.,³]@@)  
@@^ø"  
@@@exe-¼F@<N"®,µ,½,čfAvfš-¼  
@@@~Šúftf%ofO@F  
@@@@@@FalseF'Ò,½,Ê,č(ffftfHf<fg)  
@@@@@@TrueF,»,lfAvfš,ª|—¹,·,é,Ü,Á'Ò,Â  
@@@X@F@Window^Ê'uX  
@@@Y@F@Window^Ê'uY  
@@@•@F@Window•@@@  
@@@,.,³F@Window,.,³  
@@-ß'I@@  
@@@,»,ìWindow,đŽ`•Ê,·,éID@,đ•Ô,µ,Ä,«,Ü,  
@@@|—¹'Ò,ì,ªŽw'è,³,è,½ê¶,í@,»,lfAvfš,ì|—¹fR[fh,đ•Ô,µ,Ä,«,Ü,·

@@—áj

□@□!'□□@Explorer“™□@•Éfvf□fZfX,đĀÄ,Ô,à,ì,í□@Šú'Ò,Ç,„,è,É-ß'l,đ•Ô,<sup>3</sup>,È,čŽ-,<sup>a</sup>,,é

-----  
□@//□@fXfŠ□[fv  
□@SLEEP□i□@•b )  
□@^ø□”  
□@□@•b□F□@fXfŠ□[fv,·,é•b□”(□Å□¬=0.01)

□@—á□j\_\_

-----  
□@//□@DOSfRf}f“fh,ìŽÀ□s  
□@DOSCMD(□@DOSfRf}f“fh,□@[“~Šúftf%ofO,□@%œ-Ê•Ž!□@)  
□@^ø□”  
□@□@DOSfRf}f“fh□F□@DOS,lfRf}f“fh  
□@□@“~Šúftf%ofO□F  
□@□@□@□@□@False□F□|—<sup>1</sup>,đ'Ò,Â(ffftfHf<fg)  
□@□@□@□@□@True□F'Ò,½,,É-ß,é  
□@□@%œ-Ê•Ž!□F  
□@□@□@□@□@False□FDOS%œ-Ê,đ•Ž!,μ,È,č(ffftfHf<fg)  
□@□@□@□@□@True□F•Ž!,·,é

□@—á□j\_\_

-----  
□@//□@fTfEf“fh,ìÄ□¶  
□@SOUND(□@ftf@fCf<-¼)  
□@^ø□”  
□@□@ftf@fCf<-¼□F□@ftf@fCf<-¼(WAV,□@MID,□@AVI“™)  
□@□@□@□@iftf@fCf<-¼,đ□Ě—<sup>a</sup>,·,é,Æ□Ä□¶,đfXfgfbfv,μ,Û,·□j  
□@□@□@□@iftf@fCf<-¼=BEEP,Æ,·,é,ÆBEEP%<sup>o</sup>1,Å,·)

□@—á□j\_\_

-----  
□@//□@“ú•t□AZŽŠÔ,ìŽæ“¾□iŽŽŠÔ•i□”,ÉŽžŠÔ,đ□Ý'è,·,é□j  
□@-ß'l□@=□@GETTIME( [□}n“ú]□@) □@  
□@^ø□”  
□@□@□}n“ú□F□@n,đŽw'è,·,é,Æ“—ú,©,ç□}n“ú,Æ,Å,«,é□F ffftfHf<fg=“—ú)  
□@-ß'l□@  
□@□@2000”N,PĀŽ,P“ú,©,ç,ì•b□”,đ•Ô,·

□@'l,³fZfbfg,<sup>3</sup>,è,é“ÁŽê•i□”  
□@□@G\_TIME\_YY □F”N  
□@□@G\_TIME\_MM □FĀŽ  
□@□@G\_TIME\_DD □F“ú  
□@□@G\_TIME\_HH □FŽŽ  
□@□@G\_TIME\_NN □F•<sup>a</sup>  
□@□@G\_TIME\_SS □F•b



```
@@@G_TIME_ZZ Ff~fŠ•b
@@@G_TIME_WW F—j“ú (0F“ú—j....6F“y—j)
@@@G_TIME_YY2 F“N,ðxx,ì•ŕŽšŒ^
@@@G_TIME_MM2 FCEŽ,ðxx,ì•ŕŽšŒ^
@@@G_TIME_DD2 F“ú,ðxx,ì•ŕŽšŒ^
@@@G_TIME_HH2 FŽž,ðxx,ì•ŕŽšŒ^
@@@G_TIME_NN2 F•ª,ðxx,ì•ŕŽšŒ^
@@@G_TIME_SS2 F•b,ðxx,ì•ŕŽšŒ^
@@@G_TIME_YY4 F“N,ðxxxx,ì•ŕŽšŒ^
```

@—áj

```
-----
@//@fVfffbfgf_fEf“/“dŒ¹f/fTfXfyf“fh/f,fjf^Off
@POFF(@fRf}f“fh )
@^ø”
@@@fRf}f“fhF
@@@P_FORCE@@@P@: <šŽÀ]s
@@@P_POWEROFF@@@:“dŒ¹f
@@@P_SHUTDOWN@:fVfffbfgf_fEf“
@@@P_LOGOFF@@@:fOfift
@@@P_REBOOT@@@:fSfu[fg
@@@P_SUSPEND@@@:fTfXfyf“fh
@@@P_SUSPEND2@@@:fTfXfyf“fh2
@@@P_MONIPOWER@@@:f,fjf^[OFF
@@@P_SCREENSAVE@@@:fXfNfŠ[f“fZ[fo<N“®
@@@P_FORCE,í¼,lfRf}f“fh,É•t%Á,µ,ÄŽg—p@(<-
š“dŒ¹f@P_POWEROFF@or P_FORCE “™)
```

@—áj

```
-----
@//@,n,rŽí•É
@-ß'I@=@KINDOFOS()
@-ß'I@
@@@Ží•É,ðŽ!,”Ô†
@@@1 FWin95A@2 FWin98A@3 FWinMeA@10 FNT3.5A@11
FNT4A@12 FWin2000A@13 FWinXP@
```

```
-----
@//@CPUŽg—p—|
@-ß'I@=@CPUUSERATE()
@-ß'I@
@@@CPUŽg—p—|;@@@(&ª%ð”,P•b)
```

```
-----
@//@fL[fNfŠfbfN[AfgfOf<fL[î•ň
@-ß'I@=@GETKEYSTATE(@fL[fR[fh )
@^ø”
@@@fL[fR[fhF@ó’Ô,ð’m,è,½,çfL[fR[fh
```

@@-B'I@@  
@@@fNfŠfbfN,ª, ,Á,½:True(1)@A,È,µ:False(0)

@@@f}fEfXfNfŠfbfN @@VK\_RBUTTON@i%oE@j@A  
@@VK\_LBUTTON@i@j@A@@VK\_MBUTTON@i't@j  
@@@fjgfOf<fL@@ó'Ó@@@TGL\_IME@iIME@j@A @@TGL\_NUMLOCK@iNumLock@j  
@@@@@@@@@@@@@@@@@@@@@@TGL\_CAPSLOCK@iCapsLock@j@A  
@@TGL\_SCROLLLOCK@iScrollLock@j

@@-á@j\_

-----  
@@//@@fn@@fhhfEfFfA@@jL@@f{@@fhhfAf}fEfX@j,©,ç,ì"ü-í<ÖŽ~  
@@LOCKHARD(@@<ÖŽ~ftf%ofo )  
@@^ø"  
@@@<ÖŽ~ftf%ofo@@F@@@True@F"ü-í<ÖŽ~@A@@False@F%oð@œ

@@@!'@@@Win95,Å,Í-³@Eø

-----  
@@//@@@UWSC,ª@@Ä@ŕŽž,É@o,·fEfBf"fhfE,ì\Ž|/"ñ•\Ž|  
@@STOPFORM(@@•\Ž|ftf%ofo  
)@@@@@@//@@Ä@ŕ't,É@o,é@-³,ÈfEfBf"fhfE@@Ä@ŕ't....f^fCfjgf<@j  
@@LOGPRINT(@@•\Ž|ftf%ofo )@@@@@@@@//PRINT•ŕ,É,æ,è@o,é•\Ž|-pfEfBf"fhfE  
@@^ø"  
@@@•\Ž|ftf%ofo@@F@@@True@F•\Ž|@A@@False@F"ñ•\Ž|

=====  
//@@fVfXfef€ŠÖ@"ŠÖ~A

-----  
@@//@@@f{f^f" -p,lfnf"fhf<,đfQfbfg,·,é  
@@-B'I@@=@@GETCTLHND(@@ID,@@fAfCfef€-¼,@@["Ô@t]@@@)  
@@^ø"  
@@@ID@@F@@Window,đŽ-•Ê,·,éID  
@@@fAfCfef€-¼@@F@@@f{f^f" -p,lfLfffvfvfj"•ŕŽš  
@@@@"Ô@t@@F@@^-ŕ,lfLfffvfvfj"-¼,ª, ,é@é@ŕ,É"Ô@tŽw'è@@@  
@@-B'I@@@  
@@@fNf"fhf<'l

@@@;@@GETCTLHND(ID,@@GET\_MENU\_HND)@@@,Æ,·,é,Æf@@jff...fnf"fhf<,đ•Ô,µ,Ü,·  
@@@;@@GETCTLHND(ID,@@GET\_SYSMENU\_HND)@@@,Æ,·,é,ÆfVfXfef€f@@jff...  
fnf"fhf<,đ•Ô,µ,Ü,·

@@-á@j\_

-----  
@@//@@ID <->fnf"fhf<•iŠ·

␣@fnf“fhf<=IDTOHND(␣@ID )␣@␣@␣@//ID,đAPI“™,Å—~—p,·,é^x,Éfnf“fhf<'l,É•İŠ·  
␣@ID =IDTOHND(␣@fnf“fhf<)␣@␣@␣@//fnf“fhf<'l,đUWSC—p,ÉID,É•İŠ·

␣@—á␣j\_\_

=====  
//␣@fEfBf“fhfEŠÖ␣””áfĈEfxf<

-----  
␣@//␣@f}fEfX^Ú“®  
␣@MMV(␣@x,␣@y,␣@[ms]␣@)  
␣@^ø␣”  
␣@␣@x,␣@y␣F␣@^É'u␣@  
␣@␣@ms␣F␣@ŽĂ␣s,Û,Å,ì'Ò,¿ŽžŠÔ(f~fŠfZjff“fh)

-----  
␣@//␣@f}fEfXf{f^f“  
␣@BTN(␣@f{f^f“,␣@␣ó'Ô,␣@x,␣@y,␣@[ms]␣@)  
␣@^ø␣”  
␣@␣@f{f^f“␣F␣@␣@LEFT(0),␣@RIGHT(1),␣@MIDDLE(2)  
␣@␣@␣ó'Ô␣F␣@␣@CLICK␣i0),␣@DOWN(1),␣@UP(2)  
␣@␣@x,␣@y␣F␣@^É'u␣@  
␣@␣@ms␣F␣@ŽĂ␣s,Û,Å,ì'Ò,¿ŽžŠÔ(f~fŠfZjff“fh)

-----  
␣@//␣@fL␣{␣[fh  
␣@KBD(␣@%¼'zKEY,␣@[␣ó'Ô,␣@ms]␣@)  
␣@^ø␣”  
␣@␣@%¼'zKEY␣F␣@␣@%¼'zKEYfR␣[fh  
␣@␣@␣ó'Ô␣F␣@␣@CLICK␣i0␣FfftfHf<fg),␣@DOWN(1),␣@UP(2)  
␣@␣@ms␣F␣@ŽĂ␣s,Û,Å,ì'Ò,¿ŽžŠÔ(f~fŠfZjff“fh)

-----  
␣@//␣@fEfBf“fhfE␣ó'Ô•İX  
␣@ACW(␣@ID,␣@x,␣@y,␣@[·,␣@,,³,␣@ms]␣@)  
␣@^ø␣”  
␣@␣@ID␣F␣@Window,đŽ^-É,·,éID  
␣@␣@x,␣@y␣F␣@Window^É'u  
␣@␣@·,␣@,,³␣F␣@Window·,␣@␣@,,³

=====  
//␣@•ŦŽš'€␣İŠÖ~A

-----  
␣@//␣@•ŦŽš—ñfRfs␣[  
␣@-ß'I␣@=␣@COPY(␣@•ŦŽš—ñ,␣@ŠJŽn^É'u,␣@fRfs␣[•ŦŽš␣” )  
␣@^ø␣”  
␣@␣@•ŦŽš—ñ␣F␣@fRfs␣[Ĉ³,ì•ŦŽš—ñ

@@ŠŽn^Ê'u@fRfs[,·,x,«•ŕŽš—ň,ìŠŽn^Ê'u(,P,©,ç)  
@@fRfs@•ŕŽš"@fRfs[,·,x,«•ŕŽš"  
@-ß'I@  
@@@œ<%oÊ,ì•ŕŽš—ň

@—áj

@@/@@•ŕŽš—ň,ÉŽw'è•ŕŽš—ň,ª, ,é,©'T,·  
@-ß'I@=@@POS(@@'T,·•ŕŽš,@'T,³,è,é•ŕŽš—ň,@[fT[f`ftf%ofO]@)  
@^ø"  
@@@'T,·•ŕŽš@'T,µ,½,ç•ŕŽš—ň  
@@@'T,³,è,é•ŕŽš—ň@'T,³,è,é•ŕŽš—ň  
@@@fT[f`ftf%ofO@-1 ,ðŽw'è,·,é,ÆÅÄä,Éœ©,Â,©,é•ŕŽš^Ê'u,ð•Ô,·(n,ÅnœÄ-  
Ú,ì^Ê'u)  
@-ß'I@  
@@@œ©,Â,©,Â,½^Ê'u(,P,©,ç@  
@@@œ©,Â,©,ç,È,¯,ê,îf[f,ð•Ô,·)  
@@@('â•ŕŽš,@-•ŕŽš,ì·æ•Ê,í,µ,Û,¹,ň)

@—áj

@@/@@•ŕŽš",ð•Ô,·  
@-ß'I@=@@LENGTH(@@•ŕŽš—ň)  
@^ø"  
@@@•ŕŽš—ň@f@",,ì,é•ŕŽš—ň  
@-ß'I@  
@@@•ŕŽš"

@@/@@""l,Â, ,é,©,ðf`fFfbfN  
@-ß'I@=@@CHKNUM(@@•ŕŽš—ň)  
@^ø"  
@@@•ŕŽš—ň@f`fFfbfN,·,é•ŕŽš—ň  
@-ß'I@  
@@@""l,Â, ,ê,îTrue@A@,Â,È,¯,ê,îFalse

@@/@@•ŕŽšœ^,ð""l,É•ì,ì,é  
@-ß'I@=@@VAL(@@•ŕŽš—ň)  
@^ø"  
@@@•ŕŽš—ň@f@""l,É•ì,ì,é•ŕŽš—ň  
@-ß'I@  
@@@""l  
@@@""l•İŠ·,Â,«,È,çêê‡,í@ERR\_VALUE (-999999)@,ð•Ô,·

@—áj

□@//□@Žw'è•ŕŽš,đ'uŠ.,,é  
□@-ß'I□@=□@CHGMOJ(□@•ŕŽš—ñ,□@'uŠ.,μ,½,ϕ•ŕŽš,□@'uŠ.ŕŽš)  
□@^ø"  
□@□@•ŕŽš—ñ□F□@'uŠ.,μ,½,ϕ•ŕŽš—ñ,đŠÜ,ñ,¾•ŕŽš—ñ  
□@□@'uŠ.,μ,½,ϕ•ŕŽš□F□@'uŠ.,μ,½,ϕ•ŕŽš—ñ  
□@□@'uŠ.ŕŽš□F□@'uŠ.ŕŽš—ñ  
□@-ß'I□@  
□@□@'uŠ.,³,ê,½•ŕŽš—ñ  
□@□@('â•ŕŽš,□-•ŕŽš,ì<æ•Ê,í,μ,Ü,¹,ñ)

□@—á□j\_\_

□@//□@•ŕŽš,ì—¼'[,ì<ó''',Æ□\$CEä•ŕŽš,đŽæ,è□œ,  
□@-ß'I□@=□@TRIM(□@•ŕŽš—ñ)  
□@^ø"  
□@□@•ŕŽš—ñ□F□@•ŕŽš—ñ  
□@-ß'I□@  
□@□@—¼'[,ì<ó''',Æ□\$CEä•ŕŽš,đŽæ,è□œ,©,ê,½•ŕŽš—ñ

□@//□@□'''lftfH□[f}fbfg  
□@-ß'I□@=□@FORMAT(□@□''l,□@•□,□@[□-□'''\_CE...])□@  
□@^ø"  
□@□@□''l□F□@□''l  
□@□@•□□F□@□o—í,³,ê,é•ŕŽš□''□@(□''l,æ,èŽw'è•□,đ'â,«,ϕŽž,í%oE'x  
,đfXfy□[fX,É,Ä•âŠ®)  
□@□@□-□'''\_CE...□F□@•\Ž!,.,é□-□'''\_CE...□"  
□@-ß'I□@  
□@□@ftfH□[f}fbfg,³,ê,½•ŕŽš—ñ

□@//□@"z—ñ,đŽw'è,³,ê,½'l,Å-,,,ß,é  
□@SETCLEAR(□@•ï□"-¼,□@'l )  
□@^ø"  
□@□@•ï□"-¼□F□@"z—ñ•ï□"-¼  
□@□@'l□F□@-,,,ß,é'l

□@//□@•ŕŽšfR□[fh,©,ϕ•ŕŽš,đ•Ô,.  
□@-ß'I□@=□@CHR(□@•ŕŽšfR□[fh )  
□@^ø"  
□@□@•ŕŽšfR□[fh□F□@ASCII□fR□[fh  
□@-ß'I□@  
□@□@•ŕŽš

□@//□@•ŕŽš,©,ϕ•ŕŽšfR□[fh,đ•Ô,.  
□@-ß'I□@=□@ASC(□@•ŕŽš)  
□@^ø"

@@@•ŹšF@æ“a,ì,P•Źš,ð^—  
@-ß'@@  
@@@ASCIIfr[fh

-----  
@@//@@•Źš—ñ“à,ìŽw'è^É'u,ª1fofCfg•Źš,©2fofCfg•Źš,©,ð•Ô,  
@-ß'@@=@@BYTETYPE(@@•Źš—ñ,@^É'u )  
@^ø”  
@@@•Źš—ñF  
@@@^É'uF@'²,x,éfofCfg^É'u@i,P,©,ç)  
@-ß'@@  
@@@0F,PfofCfg•ŹšA@1F,QfofCfg•Źš,ìÅ%oA@2F,QfofCfg•Źš,ìĚã@@

=====  
//@@ftf@fCf<SÖ~A

-----  
@@//@@ftf@fCf<f@f[fv”  
@-ß'@@=@@FOPEN(@ftf@fCf<-¼,@[f@f[fv”f,@[fh]@)  
@^ø”  
@@@ftf@fCf<-¼F@ftf@fCf<-¼  
@@@f@f[fv”f,@[fh]F^É%o²,ì•û-@,ÅŽw'è  
@@@F\_READF@“Ç,Ýê—pf,@[fh]@iffHf<fgŽž@  
@@@F\_WRITEF@'«ê—pf,@[fh] (Šù,Éftf@fCf<,ª,ê,î'O,ìî•ñ,íÁ<Ž)  
@@@F\_READ or F\_WRITEF “Ç,Ý”,«—¼—p  
@@@F\_EXISTSF ftf@fCf<'ŹŸ`fFbfN  
(ftf@fCf<f@f[fv”¹,,Éftf@fCf<,ª'ŹŸ,é,©,ð•Ô,·[fffBfĚfNfgfŠf`fFbfN,íÅĚã,É,ð•t  
%oA])  
@-ß'@@  
@@@ftf@fCf<,h,c  
@@@f@f[fv”Å,«,É,©,Á,½ê±,í-1,ð•Ô,  
@@@F\_EXISTS@Žw'èŽž,íTrue(Ÿ,è)^False(-³,μ@j,ð•Ô,·

@—á@j\_

-----  
@@//@@ftf@fCf<GET  
@-ß'@@=@@FGET(@ftf@fCf<,h,c,@@s,@[-ñ]@)  
@^ø”  
@@@ftf@fCf<,h,cF@f@f[fv”Žž,É•Ô,³,ê,½ID  
@@@sF Žæ@o,μ,½,ç@s (,P,©,çŽw'è)  
@@@@@@@s,É-1,ðŽw'è,·,é,Æ,»,lftf@fCf<,l@s”,ð•Ô,μ,Û,  
@@@—ñF Žæ@o,μ,½,ç—ñ(,P,©,çŽw'èF,fj”f}<æ@ø,è,ìCSVftf@fCf<,É'í%ož)  
@-ß'@@  
@@@Žæ@o,³,ê,½'l

@—á@j\_

-----

@@//@ftf@fCf<PUT  
@@FPUT(@ftf@fCf<,h,c,@'ž,Ý'l,@[s,@-ň]@)  
@^ø"  
@@@ftf@fCf<,h,cF@fI[fvf"Žž,É•Ô,<sup>3</sup>,é,½ID  
@@@'ž,Ý'lF'ž,Ý"à—e  
@@@sF 'ž,Ý,½,çs (,P,©,çŽw'è)  
@@@@@@0(fftfHf<fg),Ås--,'Ç%oÁ  
@@@-ňF 'ž,Ý,½,ç-ň(,P,©,çŽw'èF,fff"f}<æØ,è,ìCSVtf@fCf<,É'í%ž)

@@!'FŽÀÛ,Étf@fCf<,aXV,<sup>3</sup>,é,é,ì,íFCLOSE,aEÄ,î,é,½Žž,Å,  
@@@@@s=0,Å, ,é,í'Ç%oÁf,[[fh,Æ,μ,Ä]i—p  
@@@@@'Ÿ,·,é@s,—ň,<sup>3</sup>Žw'è,<sup>3</sup>,é,½Žž,í}'ü,Å,í,È,'uŠ·,Æ,ç,xE` ,Å]i—p

@-áj

-----  
@@//@ftf@fCf<fNf[[fY  
@@FCLOSE(@ftf@fCf<,h,c )  
@^ø"  
@@@ftf@fCf<,h,cF@fI[fvf"Žž,É•Ô,<sup>3</sup>,é,½ID

@-áj

-----  
@@//@ftf@fCf<-¼,ìŽæ"<sup>¾</sup>  
@@-ß'I@=@@GETDIR(@fffBfCEfNfgfŠ,@[ftf@fCf<Žw'è,@•s%oÄž<ftf@fCf<ftf  
%ofo]@)  
@^ø"  
@@@fffBfCEfNfgfŠF@ftf@fCf<-¼,ìŽæ"<sup>¾</sup>,ìfffBfCEfNfgfŠ  
@@@ftf@fCf<Žw'èF@fCf<fhf[[fh(\*,@?)@,É,æ,étf@fCf<-¼Žw'è  
@@@@@@@@@@@@"\["@,ðŽw'è,·,é,ÆfffBfCEfNfgfŠ-¼,ìŽæ"<sup>¾</sup>  
@@@•s%oÄž<ftf@fCf<ftf%ofoF@@TrueF•s  
%oÄž<ftf@fCf<,àŠÜ,ß,éA@FalseFŠÜ,ß,È,ç(fftfHf<fg)  
@@-ß'I@  
@@@fQfbfg,μ,½",ð•Ô,  
@@@Žæ"<sup>¾</sup>,μ,½"î•ň,í"z-ň•i",)@GETDIR\_FILES[]@,ÉŠi"[,<sup>3</sup>,é,é("z-ň,Íf[f,©,ç)

@-áj

=====  
[//@,b,n,lflfufWfFfNfg](#)

@@//@COMflfufWfFfNfg"Ÿ-  
@@-ß'I@=@@CREATEOLEOBJ(@COMflfufWfFfNfg-¼)  
@^ø"  
@@@COMflfufWfFfNfg-¼F@COMflfufWfFfNfg-¼  
@@-ß'I@  
@@@COMflfufWfFfNfg

☐@—á☐j

-----  
☐@//☐@Šù,É<N“®’t,ìCOMfIfufWfFfNfg,É’î,μ,Ä,lfAfNfZfX  
☐@-ß’I☐@=☐@GETACTIVEOLEOBJ(☐@COMfIfufWfFfNfg-¼,☐@[f^fCfjf<]☐@)  
☐@^ø☐”  
☐@☐@COMfIfufWfFfNfg-¼☐F☐@COMfIfufWfFfNfg-¼  
☐@☐@f^fCfjf<☐F☐@Window,lf^fCfjf<☐i¼,ìWindow,Æ<æ•É,Å,«,ê,î^ê•”•ª,¾,¯,ÅOK)  
☐@-ß’I☐@  
☐@☐@COMfIfufWfFfNfg

-----  
☐@//☐@fRfÇfNfVfjf”,ìŽæ“¾  
☐@-ß’I☐@=☐@GETOLEITEM(☐@fRfÇfNfVfjf”fvf☐pfefB-¼)  
☐@^ø☐”  
☐@☐@fRfÇfNfVfjf”fvf☐pfefB-¼☐F☐@COMfIfufWfFfNfg.fRfÇfNfVfjf”Žæ“¾fvf☐pfefB-¼  
☐@-ß’I☐@  
☐@☐@fQfbfg,μ,½fRfÇfNfVfjf”,ì☐”  
☐@☐@☐K“¾,μ,½•”,ì”z—ñ•í☐”,ì☐@ALL\_OLE\_ITEM[☐@,ÉŠi”[,³,ê,é(”z—ñ,lf[f☐,©,ç)

☐@—á☐j

-----  
☐@//☐@COMfGf%☐[f☐fbfZ☐[fw,ì—}Ž~  
☐@COM\_ERR\_IGN  
☐@☐@☐@//%½“™,©,ìCOM☐^—☐  
☐@COM\_ERR\_RET

☐@☐!COM\_ERR\_IGN(fGf%☐[-³Ž<)`☐COM\_ERR\_RET(fGf%☐["FŽ^-)ŠŎ,Å,ìCOMfGf  
%☐[f☐fbfZ☐[fw,ð☐o,É,ç,æ,α,É,·,é  
☐@☐@☐@,±,ìŠŎ,lfGf%☐[,ìERR\_VALUE (-999999),ð•Ŏ,·,©,É,æ,è”FŽ^-%☐Å

☐@—á☐j

=====  
//☐@☐”ŠwŠŎ☐”

☐@RANDOM(Range)☐@☐@☐@0 <=X <Range ,ì”í^í,É, ,é—☐☐”,ð•Ŏ,·  
☐@ABS(^ø☐”)☐@☐@☐@â^í^1  
☐@ZCUT(^ø☐”)☐@☐@f}fCfifX’l,lf[f☐,É,·,é  
☐@INT(^ø☐”)☐@☐@☐@☐@☐”^É%☐☐Ø—Ž,Æ,μ  
☐@ROUND(^ø☐”)☐@☐☐”^É%☐☐ŠŎ,ß,é  
☐@SQRT(^ø☐”)☐@☐@☐•½•û☐ª  
☐@POWER(Base,Exponent)☐@☐@—Ý☐æ(Base,ìExponent☐æ)  
☐@EXP(^ø☐”)☐@☐@☐@Žw☐”ŠŎ☐”  
☐@LN(^ø☐”)☐@☐@☐@☐@Ž©‘R’í☐”  
☐@LOGN(Base,X)☐@☐@Base,ð’è,Æ,·,éX,ì^☐”



@SIN(^ø")@@@f%oWfAf""P^Ê  
@COS(^ø")@@@f%oWfAf""P^Ê  
@TAN(^ø")@@@f%oWfAf""P^Ê

@;!UWSC,Å,Í[f]Š,,ŽZ,đfGf%o[,Æ,Í,¹,,Éf[f],É,μ,Ü,·

=====  
//@"ÁŽê•ï"

@G\_MOUSE\_X [Ff}fEfX^Ê'uX,đ•Ô,·"ÁŽê•ï"  
@G\_MOUSE\_Y [Ff}fEfX^Ê'uY,đ•Ô,·"ÁŽê•ï"  
@GET\_WIN\_DIR [FWindowsfffBfĀfNfgfŠ  
@GET\_SYS\_DIR [FSystemfffBfĀfNfgfŠ  
@GET\_CUR\_DIR [FĀ»Y,ÍjffĀf"fgfffBfĀfNfgfŠ  
@GET\_UWSC\_DIR [FUWSC,ÍfffBfĀfNfgfŠ  
@GET\_UWSC\_VER [FUWSC,Ífo[fWf#f"  
@G\_SCREEN\_W [F%oæ-Ê•  
@G\_SCREEN\_H [F%oæ-Ê,  
@G\_SCREEN\_C [F[F]"(,PfsfNfZf<,Írfrbfgr")

=====

@@-\\-ñĀē&ŠÖ"^^ê---  
@•i" ,Æ,μ,Ä,İŽg—p,Í<ÖŽ~,Å,·

//@\\•¶  
DIM@PUBLIC@IF@THEN@ELSE@IFB@ELSEIF@ENDIF@SELECT@CASE@  
DEFAULT@SELEND@  
FOR@NEXT@TO@STEP@WHILE@WEND@REPEAT@UNTIL@CALL@BREAK@  
CONTINUE@EXIT@PRINT  
AND@OR@MOD@PROCEDURE@FUNCTION@FEND@RESULT@VAR@DEF\_D  
LL@OPTION EXPLICIT

//@fEfBf"fhfEŠÖ~A  
GETID@CTRLWIN@CLKITEM@SCKEY@INPUT@SENDSTR@GETSTR@SETSLID  
ER@GETALLWIN  
STATUS@MSGBOX@FUKIDASI@CHKBTN@MOUSEORG@PEEKCOLOR@CHKIMG  
@SAVEIMG@GETITEM@MUSCUR

//@[]\$ĀäŠÖ"  
EXEC@SLEEP@DOSCMD@GETTIME@SOUND@POFF@KINDOFOS@GETKEYST  
ATE@LOCKHARD@STOPFORM@LOGPRINT

//@fVfXfef€ŠÖ"  
GETCTLHND@IDTOHND@HNDTOID

//@fEfBf"fhfEŠÖ"'áfĀfxf<  
MMV@BTN@KBD@ACW

//@•¶Žš'€i  
COPY@LENGTH@POS@CHKNUM@SETCLEAR@VAL@FORMAT@CHGMOJ@T  
RIM@CHR@ASC@BYTETYPE

//@ftf@fCf<  
FOPEN@FCLOSE@FGET@FPUT@GETDIR

//@,b,n,lflufWfFfNfg  
CREATEOLEOBJ@GETACTIVEOLEOBJ@GETOLEITEM@EMPTYPARAM@COM\_ERR\_I  
GN@COM\_ERR\_RET

//@[]"ŠwŠÖ"  
RANDOM@INT@ABS@ZCUT@ROUND@SQRT@POWER@SIN@COS@TAN@  
EXP@LN@LOGN

//"ÁŽê•i"  
PARAM\_STR[]@ALL\_WIN\_ID[]@ALL\_ITEM\_LIST[]@GETDIR\_FILES[]@ALL\_OLE\_ITE  
M[]@GET\_WIN\_DIR@GET\_SYS\_DIR@GET\_CUR\_DIR@GET\_UWSC\_DIR@GET\_UW  
SC\_VER  
G\_IMG\_X@G\_IMG\_Y@G\_SCREEN\_\*@G\_TIME\_\*

//@'è"

TRUE@FALSE@ACTIVATE@CLOSE@HIDE@SHOW@MIN@MAX@NORMAL@  
CLICK@DOWN@UP@LEFT@RIGHT@MIDDLE@  
F\_READ@F\_WRITE@F\_EXISTS@EX\_ICON@EX\_HIDE@GET\_SLIDER@ERR\_VALU  
E  
BTN\_\*@CLK\_\*@ITM\_\*@ST\_\*@SLCT\_\*@CUR\_\*

@'è<`i,Y%o¼'zfl[

VK\_START  
VK\_WIN  
VK\_ALT  
VK\_CTRL  
VK\_ESC  
VK\_BACK // @BackSpace  
VK\_TAB  
VK\_CLEAR  
VK\_RETURN // @Enter  
VK\_SHIFT  
VK\_CONTROL  
VK\_MENU  
VK\_PAUSE  
VK\_CAPITAL // @CapsLock  
VK\_KANA  
VK\_FINAL  
VK\_KANJI  
VK\_CONVERT // @•iš.  
VK\_NONCONVERT // @-³•iš.  
VK\_ACCEPT  
VK\_MODECHANGE  
VK\_ESCAPE  
VK\_SPACE  
VK\_PRIOR // @PageUp  
VK\_NEXT // @PageDown  
VK\_END  
VK\_HOME  
VK\_LEFT // @fj[fj<  
VK\_UP  
VK\_RIGHT  
VK\_DOWN  
VK\_SELECT  
VK\_PRINT  
VK\_EXECUTE  
VK\_SNAPSHOT // @PrintScreen  
VK\_INSERT  
VK\_DELETE  
VK\_HELP  
VK\_APPS // @fRf“fefLfxfgfjfjf...  
VK\_MULTIPLY // @\*  
VK\_ADD // @+

```

VK_SEPARATOR
VK_SUBTRACT //[]@-
VK_DECIMAL
VK_DIVIDE //[]@/
VK_NUMPAD0[]@[]`[]@9
VK_F1[]@[]`[]@VK_F12
VK_NUMLOCK
VK_SCROLL //[]@ScrollLock
VK_SLEEP
//^É%°Win2000/XP
VK_BROWSER_BACK //fuf%ofEfU[]$CEä
VK_BROWSER_FORWARD
VK_BROWSER_REFRESH
VK_BROWSER_STOP
VK_BROWSER_SEARCH
VK_BROWSER_FAVORITES
VK_BROWSER_HOME
VK_VOLUME_MUTE //°1—Ê[]$CEä
VK_VOLUME_DOWN
VK_VOLUME_UP
VK_MEDIA_NEXT_TRACK //f[]ffBfA[]$CEä
VK_MEDIA_PREV_TRACK
VK_MEDIA_STOP
VK_MEDIA_PLAY_PAUSE
VK_LAUNCH_MEDIA_SELECT
VK_LAUNCH_MAIL //f[][][f%°<N“®
VK_LAUNCH_APP1 //fAfvfS<N“®
VK_LAUNCH_APP2
VK_OEM_1
VK_OEM_PLUS
VK_OEM_COMMA
VK_OEM_MINUS
VK_OEM_PERIOD
VK_OEM_1[]@[]`[]@8
VK_OEM_RESET
VK_OEM_JUMP
VK_OEM_PA1[]@[]`[]@3

```

```

@//@f}fEfX...•½^Ú“ @A •ÉfXfNfŠfvgftf@fCf<,ìĈÄo,μ
@For@x@=@@0@to@600
@@@MMV(x,@200)@@@/@f}fEfXf€[fu
@@@@'Ò,ì@=@@0
@@@@While@'Ò,ì@<@10@@@@/@fEfGfCfG
@@@@@'Ò,ì@=@'Ò,ì@+@1
@@@@Wend
@@@@@'Ò,ì@=@@0
@@@@Repeat
@@@@@'Ò,ì@=@'Ò,ì@+@1
@@@@@Until@'Ò,ì@>=@10@@@@/@fEfGfCfG
@@@@@//@100fhfbfg^Ú“ @-^,ÉTEST.uws fXfNfŠfvgftf@fCf<,ìŽÀs
@@@@@If (x@mod@100)@=@@0@then@Call@TEST
@Next

```

```

@//@DOSfRf}f“fh,É,æ,éftf@fCf<,ìfRfs[
@Sound("c:\winnt\media\canyon.mid")@@@@@//fofbfNf~f...
[fWfbfN
@MsgBox("fofbfNfAfbfv,đ,Æ,è,Û,")
@DosCmd("Copy@c:\*.uws@c:\temp\*.bak")@@@@@//fofbfNfAfbfv
@Sound()@@@@@
@@@@//STOP
@Sound("beep")@@@@@//
BEEP

```

```

@//@<@"dĈ¹f
@POFF;P_POWEROFF@or P_FORCE)

```

```

[]@//[]@f[]f,' <N"®
[]@If[]@MsgBox("f[]f,' ,đ<N"®,μ,Ü,.,©[]H",[]@BTN_YES[]@or[]@BTN_NO)[]@=[]@BTN_Y
ES[]@then[]@Exec("notepad")
[]@//[]@f[]fbfZ[]fW
[]@f[]f,ID[]@=[]@GETID("f[]f,' ")
[]@Ifb[]@f[]f,ID[]@<[]@0[]@then
[]@[]@[]@Fukidasi("f[]f,' ,í<N"®,³,ê,Ä,ç,Ü,¹,ñ",[]@100,[]@100,[]@1,[]@16,[]@" ,l,r -
¾'©")
[]@[]@[]@Sleep(5)
[]@[]@[]@Fukidasi()[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@//[]@,«[]o,μ[]Á,·
[]@Else
[]@[]@[]@SendStr(f[]f,ID,[]@"f[]f,' ,í<N"®,³,ê,Ä,ç,Ü,·")
[]@[]@[]@Sleep(5)
[]@[]@[]@CtrlWin(f[]f,ID,[]@CLOSE)[]@[]@[]@[]@[]@[]@[]@[]@//f[]f,[]|—¹
[]@[]@[]@CkItem(GETID("f[]f,' "),[]@" ,ç,ç,i")[]@[]@[]@//•Ü'¶,í,μ,É,ç
[]@endif

```

```

[]@//[]GŠÛ,ì'€[]
[]@[]GŠÛid =GETID("[]GŠÛ")
[]@ifb []GŠÛid <0 then
[]@[]@MsgBox("[]GŠÛ,²<N“ ®,µ,Ä,Û,¹,ň")
[]@[]@Exit
[]@endif

```

```

[]@//ftfHf“fg•ï[]X[]Af<[]f%oo[][•\Ž!
[]@ClkItem([]GŠÛid,[]@"ìš²ÙÀ²ìß•Ê,ì[]Ý'è",[]@CLK_MENU)[]@[]@//CLK_*,ìŽw'è,í,È,-
,Æ,à,æ,ç
[]@ìš²Ù•Êid =GETID("ìš²ÙÀ²ìß•Ê,ì[]Ý'è")
[]@ClkItem(ìš²Ù•Êid,[]@"•\Ž!",[]@CLK_TAB)[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@//
[]@•\Ž!,ìfy[]fW,ð'ì'ð
[]@ClkItem(ìš²Ù•Êid,[]@"",l,r
fSfVfbfN",[]@CLK_LIST)[]@[]@[]@[]@[]@[]@[]@//fŠfXfgf{fbfNfX,æ,è'ì'ð
[]@ClkItem(ìš²Ù•Êid,[]@"S"Ê",[]@CLK_TAB)[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@//
[]@S"Ê,ìfy[]fW,ð'ì'ð
[]@ifb ChkBtn(ìš²Ù•Êid,[]@"f<[]f%oo[][•\Ž!")=0 then //f`fFfbfNf{fbfNfX,²Off,È,ç,Î
[]@[]@[]@ClkItem(ìš²Ù•Êid,[]@"f<[]f%oo[][•\Ž!",[]@CLK_BTN,[]@True)[]@[]@[]@//f<[]f%oo[][•\
Ž!On
[]@endif
[]@ClkItem(ìš²Ù•Êid,[]@"10'P^Ê")
[]@ClkItem(ìš²Ù•Êid,[]@"OK")

```

```

[]@//'uŠ,ìŽÀ[]s
[]@ClkItem([]GŠÛid,[]@"'uŠ",[]@CLK_MENU)
[]@'uŠ.id =GETID("'uŠ")
[]@SendStr('uŠ.id,[]@"",,,"[]@1)[]@[]@[]@[]@[]@//Ĉÿ[]ð
[]@SendStr('uŠ.id,[]@"",ç,ç,ç",[]@2)[]@[]@[]@[]@[]@//'uŠ
[]@ClkItem('uŠ.id,[]@"S'uŠ")
[]@ClkItem(GETID("Ĉÿ[]ð"),[]@"OK")

```

```

[]@//ftf@fCf<ŠJ,
[]@ClkItem([]GŠÛid,[]@"ŠJ",[]@CLK_MENU)
[]@ŠJ.id =GETID("ŠJ,")
[]@SendStr(ŠJ.id,[]@"c:\readme.txt",[]@1)
[]@ClkItem(ŠJ.id,[]@"ŠJ,")
[]@SendStr([]GŠÛid,[]@"fŠf^[]f“,ìŽÀ[]s<#CR>")[]@[]@[]@[]@fŠf^[]f“[]@=<#CR>
[]@SendStr([]GŠÛid,[]@"f^fu,ìŽÀ[]s<#TAB>")[]@[]@[]@[]@f^fu[]@=<#TAB>

```

```

[]@//fRf"fgf[][f<fpf]f<,đŠ],<[]@fo[]fWf#f"Šm"F
[]@SCKEY(0,[]@VK_START,[]@S,[]@C)[]@[]@[]@//[]@Windows,É'Î,μ,ÄID,Íf[]f[],Å,æ,ç
[]@For[]@i[]@=[]@0[]@to[]@100[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@//[]@Šj,,Ü,Å'Ò,Â
[]@[]@[]@id[]@=[]@GETID("°ÝÄÛ°Û")
[]@[]@[]@if[]@id[]@>[]@0[]@then[]@break
[]@[]@[]@Sleep(0.1)
[]@Next
[]@SCKEY(id,[]@VK_ALT,[]@H,[]@A)[]@[]@[]@[]@[]@//[]@fWf<fv[]@->[]@fo[]fWf#f"[]@î•ň

```

```

[]@//[]@fNfŠfbfjvf{[]@fh"\•t,-
[]@f[]f,ID[]@=[]@EXEC("notepad",[]@0,[]@100,[]@10,[]@400,[]@400)
[]@SCKEY(f[]f,ID,[]@VK_CTRL,[]@V)

```

```

[]@//[]@•¶Žš'uŠ.
[]@wks[]@=[]@GETSTR(f[]f,ID)
[]@wks[]@=[]@CHGMOJ(wks,[]@"abc",[]@"xyz")[]@[]@[]@[]@[]@//[]@abc ->xyz,É'uŠ.
[]@Print wks

```



```

[]@//[]@fCf" f^ []f[]fbfgfGfNfXfvf [][]f%o, ì[]ó'ÔŠĂŽ<
[]@//[]@(fAfNfZfXfy []fW, ŽžŠÔ, Žó[]MfjofCfg, ì•\Ž!)
[]@IEid[]@=[]@GETID("Internet Explorer")
[]@ifb[]@IEid[]@<[]@0[]@then
[]@[]@[]@MsgBox("Internet Explorer,³<N"®,μ,Ä,Û,¹,ñ")
[]@[]@[]@Exit
[]@endif

```

```

[]@inurl[]@=[]@Input("URL,đ"ü—Í,μ,Ä%oº,³,ç")
[]@if[]@inurl[]@<>[]@"[]"@then[]@SendStr(IEid,[]@inurl,[]@1 )

```

```

[]@oldmoji[]@=[]@""
[]@while[]@True
[]@[]@[]@wks[]@=[]@GETSTR(IEid,[]@0,[]@1 )[]@[]@[]@[]@//[]@f^fCfjfgf<,đGET
[]@[]@[]@ifb[]@oldmoji[]@<>[]@wks[]@[]@[]@[]@[]@[]@[]@[]@//[]@•İ
%o»μ,½,ç<L~^,đŽæ,é
[]@[]@[]@[]@oldmoji[]@=[]@wks
[]@[]@[]@[]@print[]@Copy(wks,[]@1,[]@Pos("-Microsoft",[]@wks)-1 )
[]@[]@[]@endif
[]@[]@[]@STZKuid[]@=[]@GETID(",É[]Ú'±")
[]@[]@[]@ifb[]@STZKuid[]@>[]@0[]@then[]@[]@[]@[]@[]@[]@//
Žó[]Mf_fCfAf[]fO,©,çGET
[]@[]@[]@[]@wks[]@=[]@"ŽžŠÔ[]F"[]@+[]@GETSTR(STZKuid,[]@4,[]@1 )[]@+[]@"<
#CR>"
[]@[]@[]@[]@wks[]@=[]@wks[]@+[]@"Žó[]MfjofCfg[]F"[]@+[]@GETSTR(STZKuid,[]@
6,[]@1 )
[]@[]@[]@[]@Fukidasi(wks,[]@0,[]@0 )
[]@[]@[]@endif
[]@[]@[]@sleep(1)
[]@[]@[]@if[]@GETID("Internet Explorer")[]@<[]@0[]@then[]@break
[]@wend

```

```

[]@//[]@"ü—í,³,ê,½",đŠK[]æĀEvŽZ,·,é
[]@While[]@True
[]@[]@"="=@input("1[]`10,ìŠÔ,ì",đ"ü—í,μ,Ä%oo9,³,č")
[]@[]@ifb[]@VAL([])"=@[]@ERR_VALUE
[]@[]@[]@[]@MsgBox("[]"l,đ"ü,ê,Ä,,¾,³,č")
[]@[]@[]@[]@Continue
[]@[]@endif
[]@[]@ifb ([]"<1)[]@or[]@("">10)
[]@[]@[]@[]@MsgBox("Žw'è"í^í"à,ì",đ"ü,ê,Ä,,¾,³,č")
[]@[]@[]@[]@Continue
[]@[]@endif
[]@[]@break
[]@wend
[]@print []"+"",ìŠK[]æ,ì"š,ì,í"+ŠK[]æĀEvŽZ([])+"",Å,·"
[]@siki =[]"+"*10"
[]@print siki +"",ì"š,ì,í"+VAL(siki)+"",Å,·"
[]@//Mainfvf[]fOf%of€,í,±,±,Û,Å
[]@
[]@
[]@//ŠÖ[]"'è<`
[]@function[]@ŠK[]æĀEvŽZ('l)
[]@[]@ifb[]@'l[]@=[]@0[]@then
[]@[]@[]@[]@Result[]@=[]@1
[]@[]@[]@[]@Exit
[]@[]@endif
[]@[]@Result = 'l *ŠK[]æĀEvŽZ('l-1)//,±,ì,æ,ɹ,É[]Ä<ĀEvŽZ,à,Å,«,é,ñ,¾,æ
[]@fend

```

```

@//@%æ-Ê%ð'œ"x,ð•ÏX,·,é
@id@=@Exec("Control@Desk.cpl")@//@%æ-Êfvf[]fofefB<N"®
@CkItem(id,@"Ý'è",@CLK_TAB)
@kz@=@SETSLIDER(id,@GET_SLIDER)@[]@[]@//
0F640,@1F800x@2F1024@[]@
@if kz >0 then SETSLIDER(id,@kz-1)@[]@//%ð'œ"x,ð^ê'i%º,°,é[]@[]@
@CkItem(id,@"True Color (32 frfbfg)",@CLK_LIST)
@CkItem(id,@",n,j",@CLK_BTN)
@CkItem(GETID("%æ-Ê"),@",n,j",@CLK_BTN)
@CkItem(GETID("f,jf^,ìÝ'è"),@",í,ç",@CLK_BTN)

```

```

@//@'S",lfEfBf"fhfEî•ñ,đ•Ž!,.,é@-"fAfCfRf"ó'Ô,ì,à,ì,íĚ³,É-ß,·
@@"@=@@GETALLWIN()@@"@//@'S,h,cfQfbfg
@Print@"
@For@i@=@@0@to@"-1
@@@print@STATUS(ALL_WIN_ID[i],@ST_TITLE)@@@@"@//f^fCfjg<•Ž!
@@@@"@//@'ó'Ô•Ž!
@@@@"@print@"X="@"+@"STATUS(ALL_WIN_ID[i],@ST_X)@"+@"",Y="@"+@"S
TATUS(ALL_WIN_ID[i],@ST_Y)
@@@@"@print@"•@="@"+@"STATUS(ALL_WIN_ID[i],@ST_WIDTH)@"+@"",@="@"
@"+@"STATUS(ALL_WIN_ID[i],@ST_HEIGHT)
@@@@"@print@"IsICON="@"+@"STATUS(ALL_WIN_ID[i],@ST_ICON)
@@@@"@print@"IsVISIBLE="@"+@"STATUS(ALL_WIN_ID[i],@ST_VISIBLE)
@@@@"@print@"IsACTIVE="@"+@"STATUS(ALL_WIN_ID[i],@ST_ACTIVE)
@@@@"@//@fAfCfRf"ó'Ô,ì,à,ì,íĚ³,É-ß,·
@@@@"@If@STATUS(ALL_WIN_ID[i],@ST_ICON)@then@CtrlWin(ALL_WIN_ID[i],@
@NORMAL)
@Next

```

```

@//@fŠfXfgf{fbfNfX,ÉŸ,é•",đ'S,Ä•Ž!,.,é
@id@=@@GetID("Form1")
@for@i@=@@0@to@GetItem(id,@ITM_LIST,@1)-1
@@@@"@print@"ALL_ITEM_LIST[i]
@next

```

```
// @CSVftf@fCf<,l,đ,Q" {,μ,Ä' ,«-β,·
@fid@=@@FOPEN("TEST.CSV",@F_READ@or@F_WRITE)@//@ftf@fCf<f@[fvf"
@For@=@s@=@@1@to@FGET(fid,@-
1)@=@@=@@=@@=@@=@@=@@=@@=@@=@@/@@=@s" •a
@@@@For@-
ñ@=@@1@to@3@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@
@//@,R-ñ
@@@=@@=@@@atai@=@FGET(fid,@s,@-
ñ)@=@@=@@=@@=@@=@@=@@=@@=@@=@@/@@GET
@@@=@@=@@=@@=@@if@ChkNum(atai)@then@atai@=@atai@*@2@=@@
@=@@/@@@"Žš,Å, ,ê,î,Q" {
@@@=@@=@@=@@FPUT(fid,@atai,@s,@-
ñ)@=@@=@@=@@=@@=@@=@@=@@=@@=@@/@@PUT
@@@=@@=@next
@next
@FCLOSE(fid)@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@
@=@@=@@=@@/@@ftf@fCf<fNf@@fY
```

```
//@@đ"ú,ì"ú•ñ(yymmdd.dat),ĀŽ•ñ(yymm.dat),đ,β,é,¼,αĀ,Å'—M,·,é
@GetTime(-1)@=@@=@@=@@=@@=@@/@@@"đ"ú,ì"ú•t,đŽæ"¾
@"ú•ñftf@fCf<@=@@G_TIME_YY2 +G_TIME_MM2 +G_TIME_DD2 +".DAT"
@ĀŽ•ñftf@fCf<@=@@Ā_TIME_YY2 +Ā_TIME_MM2 +".DAT"@@@"@'—
•ftf@fCf<-¼
@fid@=@@FOPEN("—M.txt",@F_WRITE)@=@@=@@=@@=@@=@@/@@//
@ftf@fCf<f@[fvf"
@FPUT(fid,@<#>FILE="@+@"ú•ñftf@fCf<)@=@@=@@=@@=@@//
@ftf@fCf<'—•t
@FPUT(fid,@<#>FILE="@+@ĀŽ•ñftf@fCf<)
@FPUT(fid,@@"đ"ú,ìftf@fCf<,Å,·")@=@@=@@=@@=@@/@@Bodyf@fbfZ@@fW
@GetTime()@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@
@//@; "ú,ì"ú•t,đŽæ"¾
@FPUT(fid,@<#>Subject="+G_TIME_MM2+"/" +G_TIME_DD2)@=@@//
@Subject=@; "ú,ì"ú•t
@FCLOSE(fid)@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@=@@/@@//
@ftf@fCf<fNf@@fY
@//@^ø",Éftf@fCf<-¼,đ•t, ,Ä,β,é,¼,αĀ,đ<N"®
@EXEC("MLZOU.exe@'—M.txt")
```

```

[]@//[[]@f{f^f""l'đ
[]@SELECT[]@SLCTBOX(SLCT_BTN,[]@10,[]@",ç,ê,©'l,ñ,Å,Ë",[]@"AAAA",[]@"BBBB",[]
@"CCCC")
[]@[]@CASE[]@SLCT_1
[]@[]@[]@FUKIDASI(",P"Ô-Ú,ª'l,î,ê,Û,µ,½")
[]@[]@CASE[]@SLCT_2
[]@[]@[]@FUKIDASI(",Q"Ô-Ú,ª'l,î,ê,Û,µ,½")
[]@[]@CASE[]@SLCT_3
[]@[]@[]@FUKIDASI(",R"Ô-Ú,ª'l,î,ê,Û,µ,½")
[]@[]@CASE[]@0
[]@[]@[]@FUKIDASI("f^fCf€fAfEfg,µ,Û,µ,½")
[]@SELEND
[]@Sleep(3)
[]@FUKIDASI()

```

```

[]@//[[]@f`fFfbfNf{fbfNfX[]i•i;[]""l'đ,ì%oÅ"\[]<, ,è)
[]@ans[]@=[]@SLCTBOX(SLCT_CHK,[]@0,[]@"•K—v,È,à,ì,đf`fFfbfN,µ,Ä,Ë",[]@_
//[[]sC€<[]‡
[]@[]@[]@[]@[]@[]@"AAAA",[]@"BBBB",[]@"CCCC")
[]@wks[]@=[]@""
[]@if[]@[(ans[]@and[]@SLCT_1)[]@<>[]@0[]@then[]@wks[]@=[]@wks[]@+[]@"P"Ô-Ú"
[]@if[]@[(ans[]@and[]@SLCT_2)[]@<>[]@0[]@then[]@wks[]@=[]@wks[]@+[]@"Q"Ô-Ú"
[]@if[]@[(ans[]@and[]@SLCT_3)[]@<>[]@0[]@then[]@wks[]@=[]@wks[]@+[]@"R"Ô-Ú"
[]@FUKIDASI(wks[]@+[]@"",ª'l,î,ê,Û,µ,½")
[]@Sleep(3)
[]@FUKIDASI()

```

```

[]@//[[]@CASE[]@,l'è<` ,í•¶Žš,Å,à[]""l,Å,à•ï[]",Å,à,n,j,³[]@
[]@wkmoji[]@=[]@"BBB"
[]@SELECT[]@INPUT(",È,ñ,©"ü,ê,Ä")
[]@[]@CASE[]@"AAA"[]@[]@[]@[]@[]@[]@[]@/[[]@•¶Žš
[]@[]@[]@FUKIDASI("AAA")
[]@[]@CASE[]@wkmoji[]@[]@[]@[]@[]@[]@/[[]@•ï[]"
[]@[]@[]@FUKIDASI(wkmoji)
[]@[]@CASE[]@3[]@[]@[]@[]@[]@[]@[]@/[[]@[]""l
[]@[]@[]@FUKIDASI(",R")
[]@[]@DEFAULT
[]@[]@[]@FUKIDASI("-ó,í,©,ñ,È,ç,Å,·")
[]@SELEND
[]@Sleep(3)

```

```

[]@//[]@Excel,ì'€[]
[]@Excel[]@=[]@CreateOLEObj("Excel.Application")
[]@Excel.Visible[]@=[]@True
[]@Workbook[]@=[]@Excel.WorkBooks.Add
[]@for[]@y[]@=[]@1[]@to[]@5
[]@[]@[]@for[]@x[]@=[]@1[]@to[]@5
[]@[]@[]@[]@Excel.ActiveSheet.Cells[y,x].Value[]@=[]@y*10[]@+[]@x
[]@[]@[]@next
[]@next
[]@PLeneSet[]@=[]@WorkBook.WorkSheets[1].Range["A5:E5"].Borders[4]
[]@PLeneSet.Weight[]@=[]@3
[]@PLeneSet.ColorIndex[]@=[]@3
[]@Excel.WorkBooks.Open(fileName := "e:\test.csv",[]@readOnly :=False)

```

```

[]@//[]@IE ,ì•Ž;[]@A,»,)†,ìfšf“fNfAfhfĈfX,đ'S,Ä'Š[]@o,.,é
[]@IE[]@=[]@CreateOLEObj("InternetExplorer.Application")
[]@IE.Visible[]@=[]@True
[]@IE.Navigate("http://www07.u-page.so-net.ne.jp/ca2/umiumi/")[]@[]@//[]@Žw'èURL
[]@While[]@IE.busy;[]@Sleep(0.1);[]@Wend[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@
[]@[]@[]@[]@[]@[]@[]@[]@[]@//[]@Ů'±'Ů,ž
[]@While[]@IE.Document.readyState<>"complete";[]@Sleep(0.1);[]@Wend[]@[]@//•\
Ž!'Ů,ž
[]@COM_ERR_IGN[]@[]@//COMfGf%o[]@[-³Ž<
[]@for[]@i[]@=[]@0[]@to[]@IE.document.links.length-1[]@//[]@fšf“fNfAfhfĈfX,đ•\Ž;
[]@[]@[]@wks[]@=[]@IE.document.links[i]
[]@[]@[]@ifb wks[]@=[]@ERR_VALUE
[]@[]@[]@[]@[]@[]@print[]@"fGf%o[]@[,³<N,±,Á,½,Ý,½,č"[]@
[]@[]@[]@[]@[]@[]@break
[]@[]@[]@endif
[]@[]@[]@print[]@wks
[]@next
[]@COM_ERR_RET[]@[]@//fGf%o[]@[]@^—[]@œ<A

```

```

[]@//[]@c:\windows%o,ìffBfĈfNfgfš•\Ž!
[]@fs[]@=[]@CreateOLEObj("Scripting.FileSystemObject")
[]@gf[]@=[]@fs.GetFolder("c:\windows")
[]@for[]@i[]@=[]@0[]@to[]@GETOLEITEM(gf.SubFolders)-1[]@//[]@fRfĈfNfVf†f“Žæ“¾
[]@[]@[]@print[]@ALL_OLE_ITEM[i].name
[]@next

```

```

[]@//[]@fj[][\f<^É'u,ì[]F,ð•\Ž!
[]@x[]@=[]@G_MOUSE_X;[]@y[]@=[]@G_MOUSE_Y
[]@c[]@=[]@PeekColor(x,[]@y)
[]@PRINT[]@"[]Ô="+G_[]Ô(c)+",-î="+G_-î(c)+",[]Â="+G_[]Â(c)

```

```

[]@//[]@f^fXfNfgfĈfC,ìfAfCfRf",ð[]¶fNfŠfbfN
[]@Ifb[]@CHKIMG("f^fXfNfgfĈfCfAfCfRf".BMP")
[]@[]@BTN(LEFT,[]@CLICK,[]@G_IMG_X+5,[]@G_IMG_Y+5)
[]@Endif

```

```

[]@//[]@fEfBf"fhfE ",,ç,",ì%œ'œ,ð•Û'¶
[]@SaveImg(",,ç,.BMP",[]@GETID(",,ç,"))

```

```

[]@//[]@^È%°[]@ŠÖ[]"
[]@function[]@G_[]Ô(c)
[]@[]@Result[]@=[]@c[]@and[]@$FF
[]@fend
[]@function G_-î(c)
[]@[]@Result[]@=[]@(c[]@and[]@$FF00)[]@/[]@$100
[]@fend
[]@function[]@G_[]Â(c)
[]@[]@Result[]@=[]@(c[]@and[]@$FF0000)[]@/[]@$10000
[]@fend

```



```
//AfL[,ÆSHIFTfL[,Æf}fEfXfNfŠfbfN,ðf`fFfbfN
while True
  []@[]@wks[]@=[]@""
  []@[]@if[]@GETKEYSTATE(VK_A)[]@then[]@wks[]@=[]@wks[]@+[]@"",`"
  []@[]@if[]@GETKEYSTATE(VK_SHIFT)[]@then[]@wks[]@=[]@wks[]@+[]@"",SHIFT"
  []@[]@if[]@GETKEYSTATE(VK_RBUTTON)[]@then[]@wks[]@=[]@wks[]@+[]@"",
  %oEfNfŠfbfN"
  []@[]@if[]@GETKEYSTATE(VK_LBUTTON)[]@then[]@wks[]@=[]@wks[]@+[]@"",[]¶fNfŠfbf
  N"
  []@[]@Fukidasi(Copy(wks,2,99))
  []@[]@if[]@wks[]@<>[]@""[]@then[]@sleep(0.3)
  []@[]@sleep(0.2)
wend
```

```
␣@//␣@ftf@fCf<-¼•\Ž!  
␣@for␣@i=0␣@to␣@GETDIR("d:\temp")-1  
␣@␣@␣@print␣@GETDIR_FILES[i]  
␣@next
```

```
␣@//␣@*.datftf@fCf<-¼,ì,Ý•\Ž!  
␣@fo␣@i=0␣@to␣@GETDIR("d:\temp","*.dat")-1  
␣@␣@␣@print GETDIR_FILES[i]  
␣@next
```

```
␣@//␣@d:fhf%ofCfu,ìfffBfĀfNfgfŠ-Ø•\Ž!  
␣@fffBfĀfNfgfŠ("d:",␣@0)  
␣@procedure fffBfĀfNfgfŠ(dd,␣@lve)  
␣@␣@␣@lve␣@=␣@lve␣@+␣@1  
␣@␣@␣@for␣@i=0␣@to␣@GETDIR(dd,"\")-1  
␣@␣@␣@sps␣@=␣@""  
␣@␣@␣@for␣@s=2␣@to␣@lve;␣@␣@sps␣@=␣@sps␣@+␣@"";␣@␣@next␣@␣@␣@  
␣@␣@␣@␣@␣@print␣@sps␣@+␣@GETDIR_FILES[i]  
␣@␣@␣@␣@␣@fffBfĀfNfgfŠ(dd+"\"+GETDIR_FILES[i],␣@lve)  
␣@␣@␣@next  
␣@fend
```

```

[]@//[]@DLL,ìŽg—p
[]@DEF_DLL SetWindowTextA(HWND,string):user32.DLL
[]@DEF_DLL EnableWindow(HWND,Bool):Bool:user32.DLL
[]@DEF_DLL EnableMenuItem(HWND,UINT,UINT):DWORD:user32.DLL
[]@DEF_DLL GetSubMenu(HWND,int):HWND:user32.DLL
[]@DEF_DLL ModifyMenuA(HWND,Long,Long,Long,Long):Long:user32.DLL

```

```

[]@MF_BYPOSITION =$400
[]@MF_GRAYED =$1
[]@SC_CLOSE =$F060

```

```

[]@//[]@f[]f,' ,ð~M,é[]@[]@[]—¹,íALT +F4 ,Å
[]@id =exec("notepad")
[]@hwnd =GetSubMenu(GetCtlHnd(id,GET_MENU_HND),0)[]@[]@[]@//f[]fj...-
>ftf@fCf<
[]@EnableMenuItem(hwnd,8,MF_BYPOSITION+MF_GRAYED)[]@[]@//[]—¹,ðfOf[][]
[]@hwnd
=GetCtlHnd(id,GET_SYSTEMMENU_HND)[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@//fvfXfefef[]fj
...
[]@ModifyMenuA(hwnd,SC_CLOSE,MF_GRAYED,0,0)[]@[]@[]@[]@[]@[]@//
fNf[][][fYf{f^f“,ðfOf[][]
[]@CtlItem(id,"fo[][fWf#f“[]î•ñ")
[]@hwnd =GetCtlHnd(GETID("fo[][fWf#f“[]î•ñ"),"OK")
[]@SetWindowTextA(hwnd,"%Ÿ,¹,Û,ç")[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@[]@//
OKf{f^f“[]Š.,;
[]@EnableWindow(hwnd,False)

```

```

[]@//Post/Message ,í^È%º,ì,æ,α,É
[]@DEF_DLL PostMessageA(HWND,LONG,LONG,DWORD):Bool:user32.DLL
[]@DEF_DLL SendMessageA(HWND,LONG,LONG,DWORD):LONG:user32.DLL

```

```

[]@//var[]é[]¾,ð•t,~,é,ÆŽQ[]Æ^ø[]“ifjfcf“f^[][“n,μ)
[]@//DEF_DLL teststr(var string,var int,var double):string:TEST.DLL

```

