

| Font File Name | Character Range | TypeFace | Style | Point Size |
|-----------------|-----------------|---------------------|--------------|------------|
| bcascii8.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint8 |
| bcascii8b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint8 |
| bcascii8i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint8 |
| bcascii8bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint8 |
| bcascii9.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint9 |
| bcascii9b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint9 |
| bcascii9i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint9 |
| bcascii9bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint9 |
| bcascii10.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint10 |
| bcascii10b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint10 |
| bcascii10i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint10 |
| bcascii10bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint10 |
| bcascii12.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint12 |
| bcascii12b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint12 |
| bcascii12i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint12 |
| bcascii12bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint12 |
| bcascii14.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint14 |
| bcascii14b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint14 |
| bcascii14i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint14 |
| bcascii14bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint14 |
| bcascii16.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint16 |
| bcascii16b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint16 |
| bcascii16i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint16 |
| bcascii16bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint16 |
| bcascii18.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint18 |
| bcascii18b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint18 |
| bcascii18i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint18 |
| bcascii18bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint18 |
| bcascii20.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint20 |
| bcascii20b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint20 |
| bcascii20i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint20 |
| bcascii20bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint20 |
| bcascii22.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint22 |
| bcascii22b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint22 |
| bcascii22i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint22 |
| bcascii22bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint22 |
| bcascii28.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kRegular | kPoint28 |
| bcascii28b.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kBold | kPoint28 |
| bcascii28i.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic | kPoint28 |
| bcascii28bi.fnt | 0x0000 - 0x00ff | kBitstream Cyberbit | kItalic_Bold | kPoint28 |
| bccjk8-1.fnt | 0x4e00 - 0x51e7 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-2.fnt | 0x51e8 - 0x55cf | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-3.fnt | 0x55d0 - 0x59b7 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-4.fnt | 0x59b8 - 0x5d9f | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-5.fnt | 0x5da0 - 0x6187 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-6.fnt | 0x6188 - 0x656f | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-7.fnt | 0x6570 - 0x6957 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-8.fnt | 0x6958 - 0x6d3f | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-9.fnt | 0x6d40 - 0x7127 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-10.fnt | 0x7128 - 0x750e | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-11.fnt | 0x750f - 0x78f6 | kBitstream Cyberbit | kRegular | kPoint8 |

| | | | | |
|-----------------|-----------------|---------------------|----------|----------|
| bccjk8-12.fnt | 0x78f7 - 0x7cde | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-13.fnt | 0x7cdf - 0x80c6 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-14.fnt | 0x80c7 - 0x84ae | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-15.fnt | 0x84af - 0x8896 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-16.fnt | 0x8897 - 0x8c7e | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-17.fnt | 0x8c7f - 0x9066 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-18.fnt | 0x9067 - 0x944e | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-19.fnt | 0x944f - 0x9836 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-20.fnt | 0x9837 - 0x9c1e | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk8-21.fnt | 0x9c1f - 0x9fa5 | kBitstream Cyberbit | kRegular | kPoint8 |
| bccjk10-1.fnt | 0x4e00 - 0x51e7 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-2.fnt | 0x51e8 - 0x55cf | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-3.fnt | 0x55d0 - 0x59b7 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-4.fnt | 0x59b8 - 0x5d9f | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-5.fnt | 0x5da0 - 0x6187 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-6.fnt | 0x6188 - 0x656f | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-7.fnt | 0x6570 - 0x6957 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-8.fnt | 0x6958 - 0x6d3f | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-9.fnt | 0x6d40 - 0x7127 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-10.fnt | 0x7128 - 0x750e | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-11.fnt | 0x750f - 0x78f6 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-12.fnt | 0x78f7 - 0x7cde | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-13.fnt | 0x7cdf - 0x80c6 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-14.fnt | 0x80c7 - 0x84ae | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-15.fnt | 0x84af - 0x8896 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-16.fnt | 0x8897 - 0x8c7e | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-17.fnt | 0x8c7f - 0x9066 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-18.fnt | 0x9067 - 0x944e | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-19.fnt | 0x944f - 0x9836 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-20.fnt | 0x9837 - 0x9c1e | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10-21.fnt | 0x9c1f - 0x9fa5 | kBitstream Cyberbit | kRegular | kPoint10 |
| bccjk10b-1.fnt | 0x4e00 - 0x51e7 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-2.fnt | 0x51e8 - 0x55cf | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-3.fnt | 0x55d0 - 0x59b7 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-4.fnt | 0x59b8 - 0x5d9f | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-5.fnt | 0x5da0 - 0x6187 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-6.fnt | 0x6188 - 0x656f | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-7.fnt | 0x6570 - 0x6957 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-8.fnt | 0x6958 - 0x6d3f | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-9.fnt | 0x6d40 - 0x7127 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-10.fnt | 0x7128 - 0x750e | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-11.fnt | 0x750f - 0x78f6 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-12.fnt | 0x78f7 - 0x7cde | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-13.fnt | 0x7cdf - 0x80c6 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-14.fnt | 0x80c7 - 0x84ae | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-15.fnt | 0x84af - 0x8896 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-16.fnt | 0x8897 - 0x8c7e | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-17.fnt | 0x8c7f - 0x9066 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-18.fnt | 0x9067 - 0x944e | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-19.fnt | 0x944f - 0x9836 | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-20.fnt | 0x9837 - 0x9c1e | kBitstream Cyberbit | kBold | kPoint10 |
| bccjk10b-21.fnt | 0x9c1f - 0x9fa5 | kBitstream Cyberbit | kBold | kPoint10 |

| | | | | |
|------------------------|-----------------|---------------------|----------|----------|
| bccjk12-1.fnt | 0x4e00 - 0x51e7 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-2.fnt | 0x51e8 - 0x55cf | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-3.fnt | 0x55d0 - 0x59b7 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-4.fnt | 0x59b8 - 0x5d9f | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-5.fnt | 0x5da0 - 0x6187 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-6.fnt | 0x6188 - 0x656f | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-7.fnt | 0x6570 - 0x6957 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-8.fnt | 0x6958 - 0x6d3f | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-9.fnt | 0x6d40 - 0x7127 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-10.fnt | 0x7128 - 0x750e | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-11.fnt | 0x750f - 0x78f6 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-12.fnt | 0x78f7 - 0x7cde | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-13.fnt | 0x7cdf - 0x80c6 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-14.fnt | 0x80c7 - 0x84ae | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-15.fnt | 0x84af - 0x8896 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-16.fnt | 0x8897 - 0x8c7e | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-17.fnt | 0x8c7f - 0x9066 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-18.fnt | 0x9067 - 0x944e | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-19.fnt | 0x944f - 0x9836 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-20.fnt | 0x9837 - 0x9c1e | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12-21.fnt | 0x9c1f - 0x9fa5 | kBitstream Cyberbit | kRegular | kPoint12 |
| bccjk12b-1.fnt | 0x4e00 - 0x51e7 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-2.fnt | 0x51e8 - 0x55cf | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-3.fnt | 0x55d0 - 0x59b7 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-4.fnt | 0x59b8 - 0x5d9f | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-5.fnt | 0x5da0 - 0x6187 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-6.fnt | 0x6188 - 0x656f | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-7.fnt | 0x6570 - 0x6957 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-8.fnt | 0x6958 - 0x6d3f | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-9.fnt | 0x6d40 - 0x7127 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-10.fnt | 0x7128 - 0x750e | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-11.fnt | 0x750f - 0x78f6 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-12.fnt | 0x78f7 - 0x7cde | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-13.fnt | 0x7cdf - 0x80c6 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-14.fnt | 0x80c7 - 0x84ae | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-15.fnt | 0x84af - 0x8896 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-16.fnt | 0x8897 - 0x8c7e | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-17.fnt | 0x8c7f - 0x9066 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-18.fnt | 0x9067 - 0x944e | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-19.fnt | 0x944f - 0x9836 | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12b-20.fnt | 0x9837 - 0x9c1e | kBitstream Cyberbit | kBold | kPoint12 |
| bccjk12-21.fnt | 0x9c1f - 0x9fa5 | kBitstream Cyberbit | kBold | kPoint12 |
| bccji14-1 to 14-21.fnt | | kBitstream Cyberbit | kRegular | kPoint14 |
| bccji16-1 to 16-21.fnt | | kBitstream Cyberbit | kRegular | kPoint16 |
| bccji18-1 to 18-21.fnt | | kBitstream Cyberbit | kRegular | kPoint18 |
| bccji20-1 to 20-21.fnt | | kBitstream Cyberbit | kRegular | kPoint20 |
| bccji22-1 to 22-21.fnt | | kBitstream Cyberbit | kRegular | kPoint22 |
| bccji28-1 to 28-21.fnt | | kBitstream Cyberbit | kRegular | kPoint28 |
| bcjhir8.fnt | 0x3041 - 0x309e | kBitstream Cyberbit | kRegular | kPoint8 |
| bcjhir8b.fnt | 0x3041 - 0x309e | kBitstream Cyberbit | kBold | kPoint8 |
| bcjhir9.fnt | 0x3041 - 0x309e | kBitstream Cyberbit | kRegular | kPoint9 |
| bcjhir9b.fnt | 0x3041 - 0x309e | kBitstream Cyberbit | kBold | kPoint9 |

| | | | | |
|----------------|-----------------|---------------------|----------|----------|
| bejhir10.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kRegular | kPoint10 |
| bejhir10i.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kItalic | kPoint10 |
| bejhir10b.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kBold | kPoint10 |
| bejhir12.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kRegular | kPoint12 |
| bejhir12b.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kBold | kPoint12 |
| bejhir12i.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kItalic | kPoint12 |
| bejhir14.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kRegular | kPoint14 |
| bejhir14b.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kBold | kPoint14 |
| bejhir20.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kRegular | kPoint20 |
| bejhir22.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kRegular | kPoint22 |
| bejhir28.fnt | 0x3041 - 0x309e | kBitstream_Cyberbit | kRegular | kPoint28 |
| bejkat8.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kRegular | kPoint8 |
| bejkat8b.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kBold | kPoint8 |
| bejkat9.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kRegular | kPoint9 |
| bejkat9b.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kBold | kPoint9 |
| bejkat10.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kRegular | kPoint10 |
| bejkat10b.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kBold | kPoint10 |
| bejkat10i.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kItalic | kPoint10 |
| bejkat12.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kRegular | kPoint12 |
| bejkat12b.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kBold | kPoint12 |
| bejkat12i.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kItalic | kPoint12 |
| bejkat14.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kRegular | kPoint14 |
| bejkat14b.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kBold | kPoint14 |
| bejkat20.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kRegular | kPoint20 |
| bejkat22.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kRegular | kPoint22 |
| bejkat28.fnt | 0x30a2 - 0x30fe | kBitstream_Cyberbit | kRegular | kPoint28 |
| cnascii8.fnt | 0x0000 - 0x00ff | kCourier | kRegular | kPoint8 |
| cnascii8b.fnt | 0x0000 - 0x00ff | kCourier | kBold | kPoint8 |
| cnascii9.fnt | 0x0000 - 0x00ff | kCourier | kRegular | kPoint9 |
| cnascii9b.fnt | 0x0000 - 0x00ff | kCourier | kBold | kPoint9 |
| cnascii10.fnt | 0x0000 - 0x00ff | kCourier | kRegular | kPoint10 |
| cnascii10b.fnt | 0x0000 - 0x00ff | kCourier | kBold | kPoint10 |
| cnascii12.fnt | 0x0000 - 0x00ff | kCourier | kRegular | kPoint12 |
| cnascii14.fnt | 0x0000 - 0x00ff | kCourier | kRegular | kPoint14 |