

Instructs ScreenScan to search for viruses inside all file types.

Displays items that can be included in the scan. Select desired scan items from this list.

Opens a Browse dialog box.

No help topic associated with this area. Select another topic.

Adds a file extension to be included in the scan.

Resets the program file extensions list to the default setting.

Changes existing file extensions.

Deletes the selected extension from those to be scanned.



Displays program file extensions.

Enter the desired scan item in the provided text box.

Sets the priority level configuration.

Opens the Program File Extensions dialog box. From this dialog box, you can specify the types of files ScreenScan checks.

Instructs ScreenScan to search for viruses inside files with specific extensions (specified by clicking the Program Files button).

Adds a scan item.

Instructs ScreenScan to search for viruses inside files compressed with PKZIP, PkLite, and LZEXE.

Edits the selected scan item.



Selects an item to add to the scan.

Displays the list of items to be scanned.

Removes the selected scan item.

Instructs ScreenScan to search for viruses in all subfolders.

Displays the Advanced Scanner Settings dialog box.

Instructs ScreenScan to launch when screen saver is operative.

Instructs ScreenScan to resume scanning where it left off. If this box is not selected, scanning will start over each time screen saver becomes active.

Instructs ScreenScan to log its activity to the log file (ScreenScan Activity Log.txt).



