

Tfileinfo Component

[Properties](#)

Description

The Tfileinfo component is a control designed to simplify recursive file handling procedures. The control has one published property - Path.

All other properties are read only and supply such information as number of directories, number of files in a directory, etc. Refer to properties for a detailed description.

Using the Tfileinfo component

To use the Tfileinfo component, simply supply the path and then query the control for the result.

Example:

```
fileinfo1.path := 'c:\';  
totalbytes := fileinfo.Filebytes;
```

The above example finds the total size of all files in the root directory.

Tfileinfo component properties

[FileBytes](#)

[Filebytesbeneath](#)

[Numfiles](#)

[Numfilesbeneath](#)

[Numdirsbeneath](#)

[Numtopleveldirs](#)

[Thisdisksize](#)

Filebytes

Component

[Tfileinfo](#)

Example:

```
fileinfo1.path := 'c:\windows';  
totalbytes := fileinfo.Filebytes;
```

The above example finds the total size of all files in the directory 'c:\windows'.

Filebytesbeneath

Component

[Tfileinfo](#)

Example:

```
fileinfo1.path := 'c:\delphi';  
totalbytes := fileinfo.Filebytesbeneath;
```

The above example finds the total size of all files in the directory 'c:\delphi' and all subdirectories including subdirectories of subdirectories.

Note that if a path of 'c:\' was specified, the control would return the size of all files on the disk.

Numfiles

Component

[Tfileinfo](#)

Example:

```
fileinfo1.path := 'c:\';  
totalfiles := fileinfo.Numfiles;
```

The above example finds the number files in the root directory. The number of files returned does not include any directory entries.

Special Note:

This property is dependent of the filebytes property. First read the filebytes property and then read the numfiles property.

Numfilesbeneath

Component

[Tfileinfo](#)

Example:

```
fileinfo1.path := 'c:\delphi';  
totalfiles := fileinfo.Numfilesbeneath;
```

The above example finds the number of files in the delphi directory and all its subdirectories. The number of files returned does not include any directory entries.

Numdirsbeneath

Component

[Tfileinfo](#)

Example:

```
fileinfo1.path := 'c:\delphi';  
totaldirs := fileinfo.Numdirsbeneath;
```

The above example finds the number of directories in the delphi directory and all its subdirectories.

Numtopleveldirs

Component

[Tfileinfo](#)

Example:

```
fileinfo1.path := 'c:\';  
totaltops := fileinfo.Numtopleveldirs;
```

The above example finds the number of top level directories on drive c:. Note that the result is the same even if a path is given of say 'c:\windows';

This properties only returns the number of top level directories of the drive letter included in the path given.

Thisdisksize

Component

[Tfileinfo](#)

Example:

```
fileinfo.path := 'c:\';  
size := fileinfo.thisdisksize;
```

This example returns the size of drive c:.

prop_filebytes

prop_numfiles

